

Package ‘ShinyQuickStarter’

October 12, 2022

Type Package

Title 'RStudio' Addin for Building Shiny Apps per Drag & Drop

Version 2.0.1

Maintainer Leon Binder <leon.binder@th-deg.de>

Description This 'RStudio' addin makes the creation of 'Shiny' and 'ShinyDashboard' apps more efficient. Besides the necessary folder structure, entire apps can be created using a drag and drop interface and customized with respect to a specific use case. The addin allows the export of the required user interface and server code at any time. By allowing the creation of modules, the addin can be used throughout the entire app development process.

License GPL-3 | file LICENSE

Depends R (>= 3.6.0)

Imports shiny (>= 1.5), shinydashboard (>= 0.7), shinyWidgets (>= 0.5.7), miniUI (>= 0.1.1.1), shinyjs (>= 2.0), shinyFiles (>= 0.9), shinyalert (>= 2.0), data.table (>= 1.13), colourpicker (>= 1.1), plotly (>= 4.9), ggplot2 (>= 3.3), stringi (>= 1.4), stringr (>= 1.4), styler (>= 1.3), dplyr (>= 1.0.2), reshape2 (>= 1.4.4), stats, fs

Encoding UTF-8

StagedInstall yes

RoxygenNote 7.1.1

NeedsCompilation no

Author Leon Binder [cre, aut],
Bernhard Bauer [ctb],
Michael Scholz [ctb],
Bernhard Daffner [ctb],
Jörg Bauer [ctb]

Repository CRAN

Date/Publication 2021-07-01 12:20:02 UTC

R topics documented:

ShinyQuickStarter-package	2
shinyQuickStarter	2

ShinyQuickStarter-package

'RStudio' Addin for Building Shiny Apps per Drag & Drop

Description

This 'RStudio' addin makes the creation of 'Shiny' and 'ShinyDashboard' apps more efficient. Besides the necessary folder structure, entire apps can be created using a drag and drop interface and customized with respect to a specific use case. The addin allows the export of the required user interface and server code at any time. By allowing the creation of modules, the addin can be used throughout the entire app development process.

Details

Package: ShinyQuickStarter
Type: Package
Version: 2.0.1
Date: 2021-06-29
License: GPL-3
Depends: R (>= 3.6.0)

Author(s)

Leon Binder <leon.binder@th-deg.de>
Bernhard Bauer <bernhard.bauer@th-deg.de>
Michael Scholz <michael.scholz@th-deg.de>
Bernhard Daffner <bernhard.daffner@th-deg.de>
Joerg Bauer <joerg.bauer@th-deg.de>

shinyQuickStarter *Starts the ShinyQuickStarter Addin in RStudio.*

Description

Starts the ShinyQuickStarter Addin in RStudio.

Usage

shinyQuickStarter()

Author(s)

Leon Binder <leon.binder@th-deg.de>
Bernhard Bauer <bernhard.bauer@th-deg.de>
Michael Scholz <michael.scholz@th-deg.de>
Bernhard Daffner <bernhard.daffner@th-deg.de>
Joerg Bauer <joerg.bauer@th-deg.de>

Examples

```
## Not run: shinyQuickStarter()
```

Index

ShinyQuickStarter
 (ShinyQuickStarter-package), [2](#)
shinyQuickStarter, [2](#)
ShinyQuickStarter-package, [2](#)