

# Package ‘cata’

April 19, 2024

**Type** Package

**Title** Analysis of Check-All-that-Apply (CATA) Data

**Version** 0.1.0.6

**Date** 2024-04-19

**Author** J.C. Castura [aut, cre, ctb] (<<https://orcid.org/0000-0002-1640-833X>>)

**Maintainer** J.C. Castura <jcastura@compusense.com>

**Description** Functions for analyzing check-all-that-apply (CATA) data from consumer and sensory tests. Cochran's Q test, McNemar's test, and Penalty-Lift analysis provided, as described in for CATA data analysis by Meyners, Castura & Carr (2013) <[doi:10.1016/j.foodqual.2013.06.010](https://doi.org/10.1016/j.foodqual.2013.06.010)>. Cluster analysis can be performed using b-cluster analysis. The quality of cluster analysis solutions can be evaluated using various measures. The methods related to b-cluster analysis are described in a manuscript by Castura, Meyners, Varela & Næs (2022) <[doi:10.1016/j.foodqual.2022.104564](https://doi.org/10.1016/j.foodqual.2022.104564)>. Methods are adapted to product-related hedonic responses by Castura, Meyners, Pohjanheimo, Varela & Næs (2023) <[doi:10.1111/joss.12860](https://doi.org/10.1111/joss.12860)>.

**URL** <https://CRAN.R-project.org/package=cata>

**Depends** R (>= 4.2.0)

**Imports** stats, utils, graphics

**License** GPL (>= 2)

**LazyData** TRUE

**Encoding** UTF-8

**RoxygenNote** 7.3.1

**NeedsCompilation** no

**Repository** CRAN

**Date/Publication** 2024-04-19 15:22:39 UTC

## R topics documented:

ARI	2
barray	3

bcluster	4
bcluster.h	5
bcluster.n	6
cochranQ	7
code.topk	8
Consumer CATA data set: bread	9
evaluateClusterQuality	9
getb	11
homogeneity	12
inspect	12
mcnemarQ	14
pLift	15
rv.coef	16
salton	16
selectionPlot	17
toMatrix	18
topc	19
toWideMatrix	20

## Index 21

---

ARI *Adjusted Rand index*

---

### Description

Calculate the adjusted Rand index between two sets of cluster memberships.

### Usage

```
ARI(x, y, signif = FALSE, n = 1000)
```

### Arguments

x	vector of cluster memberships (integers)
y	vector of cluster memberships (integers)
signif	conduct significance test; default is FALSE
n	number of replicates in Monte Carlo significance test

### Value

ari adjusted Rand index  
nari normalized adjusted Rand index  
sim.mean average value of null distribution (should be closed to zero)  
sim.var variance of null distribution  
pvalue P value of observed ARI (or NARI) value

## References

Hubert, L., & Arabie, P. (1985). Comparing partitions. *Journal of Classification*, 2, 193–218. doi:10.1007/BF01908075.

Qannari, E.M., Courcoux, P., & Faye, P. (2014). Significance test of the adjusted Rand index. Application to the free sorting task. *Food Quality and Preference*, 32, 93-97. doi:10.1016/j.foodqual.2013.05.005.

## Examples

```
x <- sample(1:3, 20, replace = TRUE)
y <- sample(1:3, 20, replace = TRUE)

ARI(x, y, signif = FALSE)
```

---

barray

---

*Convert 3d array of CATA data to 4d array of CATA differences*


---

## Description

Converts a three-dimensional array (I assessors, J products, M attributes) to a four-dimensional array of product comparisons (I assessors,  $J(J-1)/2$  product comparisons, two outcomes (of type b or c), M attributes)

## Usage

```
barray(X, values = "bc", type.in = "binary", type.out = "binary")
```

## Arguments

X	three-dimensional array (I assessors, J products, M attributes) where values are 0 (not checked) or 1 (checked)
values	"bc" (default) returns two outcomes: b and c; otherwise "abcd" returns four outcomes: a, b, c, d.
type.in	type of data submitted; default (binary) may be set to ordinal or scale.
type.out	currently only binary is implemented

## Value

A four-dimensional array of product comparisons having I assessors,  $J(J-1)/2$  product comparisons, outcomes (see values parameter), M attributes

## References

Castura, J.C., Meyners, M., Varela, P., & Næs, T. (2022). Clustering consumers based on product discrimination in check-all-that-apply (CATA) data. *Food Quality and Preference*, 104564. doi:10.1016/j.foodqual.2022.104564.

**Examples**

```
data(bread)

# Get the 4d array of CATA differences for the first 8 consumers
b <- barray(bread$cata[1:8,,,])
```

---

bcluster                      *Wrapper function for b-cluster analysis*

---

**Description**

By default, `bcluster` calls a function to perform b-cluster analysis by a non-hierarchical iterative ascent algorithm, then inspects results if there are multiple runs.

**Usage**

```
bcluster(X, inspect = TRUE, inspect.plot = TRUE, algorithm = "n",
measure = "b", G = NULL, M = NULL, max.iter = 500, X.input = "data",
tol = exp(-32), runs = 1, seed = 2021)
```

**Arguments**

<code>X</code>	three-way array with I assessors, J products, M attributes where CATA data have values 0 (not checked) and 1 (checked)
<code>inspect</code>	default (TRUE) calls the <code>inspect</code> function to evaluate all solutions (when runs>1)
<code>inspect.plot</code>	default (TRUE) plots results from the <code>inspect</code> function
<code>algorithm</code>	default is n for non-hierarchical; h for hierarchical
<code>measure</code>	default is b for the b-measure; Q for Cochran's Q test
<code>G</code>	number of clusters (required for non-hierarchical algorithm)
<code>M</code>	initial cluster memberships
<code>max.iter</code>	maximum number of iteration allowed (default 500)
<code>X.input</code>	available only for non-hierarchical algorithm; its value is either "data" (default) or "bc" if X is obtained from the function <code>barray</code>
<code>tol</code>	non-hierarchical algorithm stops if variance over 5 iterations is less than tol (default: exp(-32))
<code>runs</code>	number of runs (defaults to 1)
<code>seed</code>	for reproducibility (default is 2021)

**Value**

list with elements:

- `runs` : b-cluster analysis results from `bcluster.n` or `bcluster.h` (in a list if runs>1)
- `inspect` : result from `inspect` (the plot from this function is rendered if `inspect.plot` is TRUE)

## References

Castura, J.C., Meyners, M., Varela, P., & Næs, T. (2022). Clustering consumers based on product discrimination in check-all-that-apply (CATA) data. *Food Quality and Preference*, 104564. [doi:10.1016/j.foodqual.2022.104564](https://doi.org/10.1016/j.foodqual.2022.104564).

## Examples

```
data(bread)

# b-cluster analysis on the first 8 consumers and the first 5 attributes
(b1 <- bcluster(bread$cata[1:8,,1:5], G=2, seed = 123))
# Since the seed is the same, the result will be identical to
# (b2 <- bcluster.n(bread$cata[1:8,,1:5], G=2, seed = 123))
b3 <- bcluster(bread$cata[1:8,,1:5], G=2, runs = 5, seed = 123)
```

---

bcluster.h

*b-cluster analysis by hierarchical agglomerative strategy*


---

## Description

Perform b-clustering using the hierarchical agglomerative clustering strategy.

## Usage

```
bcluster.h(X, measure = "b", runs = 1, seed = 2021)
```

## Arguments

X	three-way array; the I, J, M array has I assessors, J products, M attributes where CATA data have values 0 (not checked) and 1 (checked)
measure	currently only b (the b-measure) is implemented
runs	number of runs (defaults to 1; use a higher number of runs for a real application)
seed	for reproducibility (default is 2021)

## Value

An object of class `hclust` from hierarchical b-cluster analysis results (a list of such objects if `runs>1`), where each `hclust` object has the structure described in [hclust](#) as well as the item `retainedB` (a vector indicating the retained sensory differentiation at each iteration (merger)).

## References

Castura, J.C., Meyners, M., Varela, P., & Næs, T. (2022). Clustering consumers based on product discrimination in check-all-that-apply (CATA) data. *Food Quality and Preference*, 104564. [doi:10.1016/j.foodqual.2022.104564](https://doi.org/10.1016/j.foodqual.2022.104564).

**Examples**

```
data(bread)

# hierarchical b-cluster analysis on first 8 consumers and first 5 attributes
b <- bcluster.h(bread$cata[1:8,,1:5])

plot(as.dendrogram(b),
     main = "Hierarchical b-cluster analysis",
     sub = "8 bread consumers on 5 attributes")
```

---

bcluster.n	<i>b-cluster analysis by non-hierarchical iterative ascent clustering strategy</i>
------------	--

---

**Description**

Non-hierarchical b-cluster analysis transfers assessors iteratively to reach a local maximum in sensory differentiation retained.

**Usage**

```
bcluster.n(X, G, M = NULL, measure = "b", max.iter = 500, runs = 1,
           X.input = "data", tol = exp(-32), seed = 2021)
```

**Arguments**

X	CATA data organized in a three-way array (assessors, products, attributes)
G	number of clusters (required for non-hierarchical algorithm)
M	initial cluster memberships
measure	b (default) for the b-measure is implemented
max.iter	maximum number of iteration allowed (default 500)
runs	number of runs (defaults to 1)
X.input	either "data" (default) or "bc" if X is obtained from the function <a href="#">barray</a>
tol	algorithm stops if variance over 5 iterations is less than tol (default: exp(-32))
seed	for reproducibility (default is 2021)

**Value**

An object of class `bclust.n` (or a list of such objects if `runs>1`), where each such object has the following components:

- `cluster` : vector of the final cluster memberships
- `totalB` : value of the total sensory differentiation in data set
- `retainedB` : value of sensory differentiation retained in b-cluster analysis solution
- `progression` : vector of sensory differentiation retained in each iteration
- `iter` : number of iterations completed
- `finished` : boolean indicates whether the algorithm converged before `max.iter`

## References

Castura, J.C., Meyners, M., Varela, P., & Næs, T. (2022). Clustering consumers based on product discrimination in check-all-that-apply (CATA) data. *Food Quality and Preference*, 104564. doi:10.1016/j.foodqual.2022.104564.

## Examples

```
data(bread)

# b-cluster analysis on the first 8 consumers and the first 5 attributes
(b <- bcluster.n(bread$cata[1:8, , 1:5], G=2))
```

---

cochranQ	<i>Cochran's Q test</i>
----------	-------------------------

---

## Description

Calculate Cochran's Q test statistic. The null hypothesis that is assumed is that product proportions are all equal. The alternative hypothesis is that product proportions are not all equal.

## Usage

```
cochranQ(X, na.rm = TRUE, quiet = FALSE, digits = getOption("digits"))
```

## Arguments

X	matrix of I assessors (rows) and J products (columns) where values are 0 (not checked) or 1 (checked)
na.rm	should NA values be removed?
quiet	if FALSE (default) then it prints information related to the test; if TRUE it returns only the test statistic (Q)
digits	significant digits (to display)

## Value

Q test statistic

## References

Cochran, W. G. (1950). The comparison of percentages in matched samples. *Biometrika*, 37, 256-266.

Meyners, M., Castura, J.C., & Carr, B.T. (2013). Existing and new approaches for the analysis of CATA data. *Food Quality and Preference*, 30, 309-319, doi:10.1016/j.foodqual.2013.06.010

## See Also

[mcnemarQ](#)

## Examples

```
data(bread)

# Cochran's Q test on the first 25 consumers on the first attribute ("Fresh")
cochranQ(bread$cata[1:25,,1])
```

---

code.topk	<i>Apply top-k box coding to scale data</i>
-----------	---

---

## Description

Apply top-k box coding to scale data. Using defaults give top-2 box (T2B) coding.

## Usage

```
code.topk(X, zero.below = 8, one.above = 7)
```

## Arguments

X	input matrix
zero.below	default is 8; values below this numeric threshold will be coded 0; use NULL if there is no such threshold
one.above	default is 7; values above this numeric threshold will be coded 1; use NULL if there is no such threshold

## Value

matrix X with top-k coding applied

## References

Castura, J.C., Meyners, M., Pohjanheimo, T., Varela, P., & Næs, T. (2023). An approach for clustering consumers by their top-box and top-choice responses. *Journal of Sensory Studies*, e12860. [doi:10.1111/joss.12860](https://doi.org/10.1111/joss.12860)

## Examples

```
# Generate some data
set.seed(123)
X <- matrix(sample(1:9, 100, replace = TRUE), nrow = 5)

# apply top-2 box (T2B) coding
code.topk(X, zero.below = 8, one.above = 7)
```



---

Consumer CATA data set: bread

*Consumer CATA data set: bread*

---

### Description

Raw results from CATA and Liking evaluations of six bread products samples by 161 consumers.

### Format

A list with 4 items:

- `$cata` : check-all-that-apply (CATA) data (array, 161 consumers x 6 breads x 31 sensory attributes)
- `$liking` : 9-point hedonic scale data (matrix, 161 consumers x 6 breads)
- `$ideal.cata` : check-all-that-apply (CATA) data for ideal bread (matrix, 161 consumers x 31 sensory attributes)
- `$liking` : 9-point hedonic scale data for ideal bread(vector, 161 consumers)

CATA data is coded 1 if the attribute is checked; otherwise it is coded 0

### References

Meyners, M., Castura, J.C., & Carr, B.T. (2013). Existing and new approaches for the analysis of CATA data. *Food Quality and Preference*, 30, 309-319, doi:10.1016/j.foodqual.2013.06.010

### Examples

```
data(bread)
head(bread$cata)
```

---

`evaluateClusterQuality`

*Evaluate Quality of Cluster Analysis Solution*

---

### Description

Evaluate the quality of cluster analysis solutions using measures related to within-cluster product discrimination, between-cluster non-redundancy, overall diversity (coverage), average RV, sensory differentiation retained, and within-cluster homogeneity.

### Usage

```
evaluateClusterQuality(X, M, alpha = .05, M.order = NULL,
quiet = FALSE, digits = getOption("digits"), ...)
```

**Arguments**

X	three-way array; the I, J, M array has I assessors, J products, M attributes where CATA data have values 0 (not checked) and 1 (checked)
M	cluster memberships
alpha	significance level to be used for two-tailed tests
M.order	can be used to change the cluster numbers (e.g. to label cluster 1 as cluster 2 and vice versa); defaults to NULL
quiet	if FALSE (default) then it prints information quality measures; if TRUE then returns results without printing
digits	significant digits (to display)
...	other parameters for <code>print.default</code> (if quiet = TRUE).

**Value**

A list containing cluster analysis quality measures:

- `$solution` :
  - `Pct.b` = percentage of the total sensory differentiation retained in the solution
  - `min(NR)` = smallest observed between-cluster non-redundancy
  - `Div_G` = overall diversity (coverage)
  - `H_G` = overall homogeneity (weighted average of within-cluster homogeneity indices)
  - `avRV` = average RV coefficient for all between-cluster comparisons
- `$clusters` :
  - `ng` = number of cluster members
  - `bg` = sensory differentiation retained in cluster
  - `xbarg` = average citation rate in cluster
  - `Hg` = homogeneity index within cluster (see [homogeneity](#))
  - `Dg` = within-cluster product discrimination
- `$nonredundancy.clusterpairs` :
  - square data frame showing non-redundancy for each pair of clusters (low values indicate high redundancy)
- `$rv.clusterpairs` :
  - square data frame with RV coefficient for each pair of clusters (high values indicate higher similarity in product configurations)

**References**

Castura, J.C., Meyners, M., Varela, P., & Næs, T. (2022). Clustering consumers based on product discrimination in check-all-that-apply (CATA) data. *Food Quality and Preference*, 104564. doi:10.1016/j.foodqual.2022.104564.

**See Also**

[homogeneity](#)

## Examples

```
data(bread)
evaluateClusterQuality(bread$cata[1:8,,1:5], M = rep(1:2, each = 4))
```

---

getb

*Calculate the b-measure*

---

## Description

Function to calculate the b-measure, which quantifies the sensory differentiation retained.

## Usage

```
getb(X.b, X.c, oneI = FALSE, oneM = FALSE)
```

## Arguments

X.b	three-way (I, J(J-1)/2, M) array with I assessors, J(J-1)/2 product comparisons, M CATA attributes, where values are counts of type b from the function <a href="#">barray</a> )
X.c	array of same dimension as X.b, where values are counts of type b from the function <a href="#">barray</a> )
oneI	indicates whether calculation is for one assessor (default: FALSE)
oneM	indicates whether calculation is for one attribute (default: FALSE)

## Value

b-measure

## References

Castura, J.C., Meyners, M., Varela, P., & Næs, T. (2022). Clustering consumers based on product discrimination in check-all-that-apply (CATA) data. *Food Quality and Preference*, 104564. [doi:10.1016/j.foodqual.2022.104564](https://doi.org/10.1016/j.foodqual.2022.104564).

## Examples

```
data(bread)

bread.bc <- barray(bread$cata[1:8,,1:5])
getb(bread.bc[,1,], bread.bc[,2,])
```

---

homogeneity	<i>Calculate within-cluster homogeneity</i>
-------------	---

---

**Description**

Within a group of N consumers, the Homogeneity index lies between 1/N (no homogeneity) to 1 (perfect homogeneity).

**Usage**

```
homogeneity(X, oneI = FALSE, oneM = FALSE)
```

**Arguments**

X	three-way array; the I, J, M array has I assessors, J products, M attributes where CATA data have values 0 (not checked) and 1 (checked)
oneI	indicates whether calculation is for one assessor (default: FALSE)
oneM	indicates whether calculation is for one attribute (default: FALSE)

**Value**

homogeneity index

**References**

Llobell, F., Cariou, V., Vigneau, E., Labenne, A., & Qannari, E. M. (2019). A new approach for the analysis of data and the clustering of subjects in a CATA experiment. *Food Quality and Preference*, 72, 31-39, doi:[10.1016/j.foodqual.2018.09.006](https://doi.org/10.1016/j.foodqual.2018.09.006)

**Examples**

```
data(bread)

# homogeneity index for the first 7 consumers on the first 6 attributes
homogeneity(bread$cata[1:7, , 1:6])
```

---

inspect	<i>Inspect/summarize many b-cluster analysis runs</i>
---------	---

---

**Description**

Inspect many runs of b-cluster analysis. Calculate sensory differentiation retained and recurrence rate.

## Usage

```
inspect(X, G = 2, bestB = NULL, bestM = NULL, inspect.plot = TRUE)
```

## Arguments

X	list of multiple runs of b-cluster analysis results from <a href="#">bcluster.n</a> or <a href="#">bcluster.h</a>
G	number of clusters (required for non-hierarchical algorithm)
bestB	total sensory differentiation retained in the best solution. If not provided, then bestB is determined from best solution in the runs provided (in X).
bestM	cluster memberships for best solution. If not provided, then the best solution is determined from the runs provided (in X).
inspect.plot	default (TRUE) plots results from the <a href="#">inspect</a> function

## Value

A data frame with unique solutions in rows and the following columns:

- B : Sensory differentiation retained
- PctB : Percentage of the total sensory differentiation retained
- B.prop : Proportion of sensory differentiation retained compared to best solution
- Raw.agree : raw agreement with best solution
- Count : number of runs for which this solution was observed
- Index : list index (i.e., run number) of first solution solution in X corresponding to this row

## References

Castura, J.C., Meyners, M., Varela, P., & Næs, T. (2022). Clustering consumers based on product discrimination in check-all-that-apply (CATA) data. *Food Quality and Preference*, 104564. [doi:10.1016/j.foodqual.2022.104564](https://doi.org/10.1016/j.foodqual.2022.104564).

## Examples

```
data(bread)

res <- bcluster.n(bread$cata[1:8, , 1:5], G = 3, runs = 3)
(ires <- inspect(res))
# get index of solution retaining the most sensory differentiation (in these runs)
indx <- ires$Index[1]
# cluster memberships for solution of this solution
res[[indx]]$cluster
```

---

`mcnemarQ`*McNemar's test*

---

### Description

Pairwise tests are conducted using the two-tailed binomial test. These tests can be conducted after Cochran's Q test.

### Usage

```
mcnemarQ(X, na.rm = TRUE, quiet = FALSE, digits = getOption("digits"))
```

### Arguments

<code>X</code>	matrix of I assessors (rows) and J products (columns) where values are 0 (not checked) or 1 (checked)
<code>na.rm</code>	should NA values be removed?
<code>quiet</code>	if FALSE (default) then it prints information related to the test; if TRUE it returns only the test statistic (Q)
<code>digits</code>	significant digits (to display)

### Value

Test results for all McNemar pairwise tests conducted via the binomial test

### References

Cochran, W. G. (1950). The comparison of percentages in matched samples. *Biometrika*, 37, 256-266.

McNemar, Q. (1947). Note on the sampling error of the difference between correlated proportions or percentages. *Psychometrika*, 12(2), 153-157.

Meyners, M., Castura, J.C., & Carr, B.T. (2013). Existing and new approaches for the analysis of CATA data. *Food Quality and Preference*, 30, 309-319, [doi:10.1016/j.foodqual.2013.06.010](https://doi.org/10.1016/j.foodqual.2013.06.010)

### See Also

[cochranQ](#)

### Examples

```
data(bread)

# McNemar's exact pairwise test for all product pairs
# on the first 25 consumers and the first attribute ("Fresh")
mcnemarQ(bread$cata[1:25,,1])
```

---

pLift

*Penalty-Lift Analysis*

---

### Description

Penalty-Lift analysis for CATA variables, which is the difference between the average hedonic response when CATA attribute is checked vs. the average hedonic response when CATA attribute is not checked.

### Usage

```
pLift(X, Y)
```

### Arguments

X            *either* a matrix of CATA data with I consumers (rows) and J products (columns) *or* an array of CATA data with I consumers, J products, and M attributes.

Y            matrix of hedonic data with I consumers (rows) and J products (columns)

### Value

Penalty lift for the attribute if X is a matrix; otherwise, penalty-lift for each attribute if X is a 3d array. If an attributes is only checked or not check then NA is returned.

### References

Meyners, M., Castura, J.C., & Carr, B.T. (2013). Existing and new approaches for the analysis of CATA data. *Food Quality and Preference*, 30, 309-319, doi:[10.1016/j.foodqual.2013.06.010](https://doi.org/10.1016/j.foodqual.2013.06.010)

### Examples

```
data(bread)

# penalty lift, based only on the first 12 consumers

# for the first attribute ("Fresh")
pLift(bread$cata[1:12,,1], bread$liking[1:12, ])

# for the first 3 attributes
pLift(bread$cata[1:12,,1:3], bread$liking[1:12, ])
```

rv.coef

*Calculate RV Coefficient*

---

**Description**

Calculate RV coefficient

**Usage**

```
rv.coef(X, Y, method = 1)
```

**Arguments**

X	input matrix (same dimensions as Y)
Y	input matrix (same dimensions as X)
method	1 (default) and 2 give identical RV coefficients

**Value**

RV coefficient

**References**

Robert, P., & Escoufier, Y. (1976). A unifying tool for linear multivariate statistical methods: the RV-coefficient. *Journal of the Royal Statistical Society: Series C (Applied Statistics)*, 25, 257-265.

**Examples**

```
# Generate some data
set.seed(123)
X <- matrix(rnorm(8), nrow = 4)
Y <- matrix(rnorm(8), nrow = 4)

# get the RV coefficient
rv.coef(X, Y)
```

---

salton*Salton's cosine measure*

---

**Description**

Calculate Salton's cosine measure

**Usage**

```
salton(X, Y)
```



**Arguments**

X                   input matrix (same dimensions as Y)  
 Y                   input matrix (same dimensions as X)

**Value**

Salton's cosine measure

**References**

Salton, G., & McGill, M.J. (1983). *Introduction to Modern Information Retrieval*. Toronto: McGraw-Hill.

**Examples**

```
# Generate some data
set.seed(123)
X <- matrix(rnorm(8), nrow = 4)
Y <- matrix(rnorm(8), nrow = 4)

# get Salton's cosine measure
salton(X, Y)
```

---

selectionPlot                    *Plot variation in retained sensory differentiation*

---

**Description**

Plot variation in retained sensory differentiation of cluster memberships obtained from b-cluster analysis. This plot can be used to help the decision of how many clusters to retain.

**Usage**

```
selectionPlot(x, pctB = NULL, x.input = "deltaB", indx = NULL,
  ylab = "change in B (K to G)", xlab = NULL)
```

**Arguments**

x                   input vector which is either deltaB (default; change in sensory differentiation retained) or B (sensory differentiation retained) if x.input is "B"  
 pctB               vector of percentage of the total sensory differentiation retained  
 x.input           indicates what x is; either "deltaB" (default) or B.  
 indx               numeric value indicating which point(s) to emphasize  
 ylab               label shown on y axis and at selection point  
 xlab               label for points along x axis

## References

Castura, J.C., Meyners, M., Varela, P., & Næs, T. (2022). Clustering consumers based on product discrimination in check-all-that-apply (CATA) data. *Food Quality and Preference*, 104564. doi:10.1016/j.foodqual.2022.104564.

## Examples

```
set.seed(123)
G2 <- bcluster.n(bread$cata[1:8, , 1:5], G = 2, runs = 3)
G3 <- bcluster.n(bread$cata[1:8, , 1:5], G = 3, runs = 3)
G4 <- bcluster.n(bread$cata[1:8, , 1:5], G = 4, runs = 3)

best.indx <- c(which.max(unlist(lapply(G2, function(x) x$retainedB))),
              which.max(unlist(lapply(G3, function(x) x$retainedB))),
              which.max(unlist(lapply(G4, function(x) x$retainedB))))

G1.bc <- barray(bread$cata[1:8, , 1:5])
G1.B <- getb(G1.bc[, , 1, ], G1.bc[, , 2, ])
BpctB <- data.frame(retainedB = c(G1.B,
                                G2[[best.indx[1]]]$retainedB,
                                G3[[best.indx[2]]]$retainedB,
                                G4[[best.indx[3]]]$retainedB))

BpctB$pctB <- 100*BpctB$retainedB / G2[[1]]$totalB
BpctB$deltaB <-
  c(100*(1-BpctB$retainedB[-nrow(BpctB)] / BpctB$retainedB[-1]), NA)
BpctB <- BpctB[-nrow(BpctB), ]

opar <- par(no.readonly=TRUE)
par(mar = rep(5,4))
selectionPlot(BpctB$deltaB, BpctB$pctB, indx = 2)
par(opar)
```

---

toMatrix

*Converts 3d array of CATA data to a tall 2d matrix format*

---

## Description

Converts a three-dimensional array (I assessors, J products, M attributes) to a two-dimensional matrix with (I assessors, J products) rows and (M attributes) columns, optionally preceded by two columns of row headers.

## Usage

```
toMatrix(X, header.rows = TRUE, oneI = FALSE, oneM = FALSE)
```

**Arguments**

X	three-dimensional array (I assessors, J products, M attributes) where values are 0 (not checked) or 1 (checked)
header.rows	TRUE (default) includes row headers; set to FALSE to exclude these headers
oneI	indicates whether calculation is for one assessor (default: FALSE)
oneM	indicates whether calculation is for one attribute (default: FALSE)

**Value**

A matrix with I assessors \* J products in rows and M attributes in columns (preceded by 2 columns) of headers if header.rows = TRUE

**Examples**

```
data(bread)

# convert CATA results from the first 8 consumers and the first 4 attributes
# to a tall matrix
toMatrix(bread$cata[1:8,,1:4])
```

---

topc	<i>Apply top-c choices coding to a vector of scale data from a respondent</i>
------	---

---

**Description**

Apply top-c choices coding to a vector of scale data from a respondent

**Usage**

```
topc(x, c = 2, coding = "B")
```

**Arguments**

x	input matrix
c	number of top choices considered to be 'success'; other choices are considered to be 'failure' and are coded 0
coding	"B" (default) codes all successes as 1; "N" codes all successes with their numeric coding

**Value**

matrix X with top-k coding applied

**References**

Castura, J.C., Meyners, M., Pohjanheimo, T., Varela, P., & Næs, T. (2023). An approach for clustering consumers by their top-box and top-choice responses. *Journal of Sensory Studies*, e12860. [doi:10.1111/joss.12860](https://doi.org/10.1111/joss.12860)

**Examples**

```
# Generate some data
set.seed(123)
X <- matrix(sample(1:9, 100, replace = TRUE), nrow = 5)

# apply top-2 choice (T2C) coding
apply(X, 1, topc)
```

---

**toWideMatrix***Converts 3d array of CATA data to a wide 2d matrix format*

---

**Description**

Converts a three-dimensional array (I assessors, J products, M attributes) to a two-dimensional matrix (J products, (I assessors, M attributes))

**Usage**

```
toWideMatrix(X)
```

**Arguments**

X                    three-dimensional array (I assessors, J products, M attributes) where values are 0 (not checked) or 1 (checked)

**Value**

A matrix with J products in rows and I assessors \* M attributes in columns

**Examples**

```
data(bread)

# convert CATA results from the first 8 consumers and the first 4 attributes
# to a wide matrix
toWideMatrix(bread$cata[1:8,,1:4])
```

# Index

ARI, [2](#)

barray, [3](#), [4](#), [6](#), [11](#)  
bcluster, [4](#)  
bcluster.h, [4](#), [5](#), [13](#)  
bcluster.n, [4](#), [6](#), [13](#)  
bread (Consumer CATA data set: bread), [9](#)

cochranQ, [7](#), [14](#)  
code.topk, [8](#)  
Consumer CATA data set: bread, [9](#)

evaluateClusterQuality, [9](#)

getb, [11](#)

hclust, [5](#)  
homogeneity, [10](#), [12](#)

inspect, [4](#), [12](#), [13](#)

mcnemarQ, [7](#), [14](#)

pLift, [15](#)  
print.default, [10](#)

rv.coef, [16](#)

salton, [16](#)  
selectionPlot, [17](#)

toMatrix, [18](#)  
topc, [19](#)  
toWideMatrix, [20](#)