



wwPDB EM Validation Summary Report i

Mar 4, 2024 – 03:44 PM EST

PDB ID : 6E8G
EMDB ID : EMD-9005
Title : CryoEM reconstruction of IST1-CHMP1B copolymer filament bound to ss-DNA at 2.9 Angstrom resolution
Authors : Talledge, N.; Frost, A.; McCullough, J.
Deposited on : 2018-07-29
Resolution : 2.90 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the i symbol.

The types of validation reports are described at
<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ①) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev70
MolProbit : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY


The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion < 40%). The numeric value is given above the bar.



Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain		
1	FB	366	8%	43%	54%
1	G	366	7%	43%	54%
1	HA	366	7%	43%	54%
1	HB	366	6%	43%	54%
1	I	366	7%	43%	54%
1	JA	366	7%	43%	54%
1	JB	366	7%	43%	54%
1	K	366	7%	43%	54%
1	LA	366	6%	43%	54%
1	LB	366	6%	43%	54%
1	M	366	8%	43%	54%
1	NA	366	7%	43%	54%
1	NB	366	7%	43%	54%
1	O	366	7%	43%	54%
1	PA	366	7%	43%	54%
1	PB	366	8%	43%	54%
1	Q	366	7%	43%	54%
1	RA	366	7%	43%	54%
1	RB	366	7%	43%	54%
1	S	366	7%	43%	54%
1	TA	366	7%	43%	54%
1	TB	366	7%	43%	54%
1	V	366	6%	42%	54%
1	VA	366	7%	43%	54%
1	X	366	7%	43%	54%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain		
1	XA	366	7%	43%	54%
1	Z	366	6%	43%	54%
1	ZA	366	6%	43%	54%
2	AA	199	8%	81%	7% 13%
2	AB	199	9%	80%	7% 13%
2	B	199	8%	80%	7% 13%
2	CA	199	8%	79%	8% 13%
2	CB	199	8%	81%	7% 13%
2	D	199	8%	80%	8% 13%
2	EA	199	9%	81%	7% 13%
2	EB	199	8%	79%	8% 13%
2	F	199	8%	80%	7% 13%
2	GA	199	8%	80%	8% 13%
2	GB	199	8%	81%	6% 13%
2	H	199	8%	80%	7% 13%
2	IA	199	8%	81%	7% 13%
2	IB	199	9%	80%	7% 13%
2	J	199	8%	80%	8% 13%
2	KA	199	8%	81%	7% 13%
2	KB	199	9%	80%	7% 13%
2	L	199	8%	80%	7% 13%
2	MA	199	8%	80%	7% 13%
2	MB	199	8%	81%	7% 13%
2	N	199	8%	80%	8% 13%
2	OA	199	8%	81%	6% 13%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain		
2	OB	199	9%	80%	8% 13%
2	P	199	8%	80%	7% 13%
2	QA	199	8%	80%	7% 13%
2	QB	199	8%	80%	7% 13%
2	R	199	8%	81%	7% 13%
2	SA	199	8%	81%	7% 13%
2	SB	199	8%	80%	7% 13%
2	T	199	7%	80%	7% 13%
2	UA	199	8%	80%	8% 13%
2	UB	199	8%	79%	8% 13%
2	W	199	9%	79%	9% 13%
2	WA	199	8%	81%	7% 13%
2	Y	199	8%	81%	7% 13%
2	YA	199	9%	80%	8% 13%

2 Entry composition i

There are 2 unique types of molecules in this entry. The entry contains 97272 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called IST1 homolog.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	S	167	Total	C	N	O	S	0	0
			1349	862	234	248	5		
1	A	167	Total	C	N	O	S	0	0
			1349	862	234	248	5		
1	C	167	Total	C	N	O	S	0	0
			1349	862	234	248	5		
1	E	167	Total	C	N	O	S	0	0
			1349	862	234	248	5		
1	G	167	Total	C	N	O	S	0	0
			1349	862	234	248	5		
1	I	167	Total	C	N	O	S	0	0
			1349	862	234	248	5		
1	K	167	Total	C	N	O	S	0	0
			1349	862	234	248	5		
1	M	167	Total	C	N	O	S	0	0
			1349	862	234	248	5		
1	O	167	Total	C	N	O	S	0	0
			1349	862	234	248	5		
1	Q	167	Total	C	N	O	S	0	0
			1349	862	234	248	5		
1	V	167	Total	C	N	O	S	0	0
			1349	862	234	248	5		
1	X	167	Total	C	N	O	S	0	0
			1349	862	234	248	5		
1	Z	167	Total	C	N	O	S	0	0
			1349	862	234	248	5		
1	BA	167	Total	C	N	O	S	0	0
			1349	862	234	248	5		
1	DA	167	Total	C	N	O	S	0	0
			1349	862	234	248	5		
1	FA	167	Total	C	N	O	S	0	0
			1349	862	234	248	5		
1	HA	167	Total	C	N	O	S	0	0
			1349	862	234	248	5		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
1	JA	167	Total	C	N	O	S		
			1349	862	234	248	5	0	0
1	LA	167	Total	C	N	O	S		
			1349	862	234	248	5	0	0
1	NA	167	Total	C	N	O	S		
			1349	862	234	248	5	0	0
1	PA	167	Total	C	N	O	S		
			1349	862	234	248	5	0	0
1	RA	167	Total	C	N	O	S		
			1349	862	234	248	5	0	0
1	TA	167	Total	C	N	O	S		
			1349	862	234	248	5	0	0
1	VA	167	Total	C	N	O	S		
			1349	862	234	248	5	0	0
1	XA	167	Total	C	N	O	S		
			1349	862	234	248	5	0	0
1	ZA	167	Total	C	N	O	S		
			1349	862	234	248	5	0	0
1	BB	167	Total	C	N	O	S		
			1349	862	234	248	5	0	0
1	DB	167	Total	C	N	O	S		
			1349	862	234	248	5	0	0
1	FB	167	Total	C	N	O	S		
			1349	862	234	248	5	0	0
1	HB	167	Total	C	N	O	S		
			1349	862	234	248	5	0	0
1	JB	167	Total	C	N	O	S		
			1349	862	234	248	5	0	0
1	LB	167	Total	C	N	O	S		
			1349	862	234	248	5	0	0
1	NB	167	Total	C	N	O	S		
			1349	862	234	248	5	0	0
1	PB	167	Total	C	N	O	S		
			1349	862	234	248	5	0	0
1	RB	167	Total	C	N	O	S		
			1349	862	234	248	5	0	0
1	TB	167	Total	C	N	O	S		
			1349	862	234	248	5	0	0

- Molecule 2 is a protein called Charged multivesicular body protein 1b.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	T	174	Total	C	N	O	S	0	0
			1353	831	245	264	13		
2	B	174	Total	C	N	O	S	0	0
			1353	831	245	264	13		
2	D	174	Total	C	N	O	S	0	0
			1353	831	245	264	13		
2	F	174	Total	C	N	O	S	0	0
			1353	831	245	264	13		
2	H	174	Total	C	N	O	S	0	0
			1353	831	245	264	13		
2	J	174	Total	C	N	O	S	0	0
			1353	831	245	264	13		
2	L	174	Total	C	N	O	S	0	0
			1353	831	245	264	13		
2	N	174	Total	C	N	O	S	0	0
			1353	831	245	264	13		
2	P	174	Total	C	N	O	S	0	0
			1353	831	245	264	13		
2	R	174	Total	C	N	O	S	0	0
			1353	831	245	264	13		
2	W	174	Total	C	N	O	S	0	0
			1353	831	245	264	13		
2	Y	174	Total	C	N	O	S	0	0
			1353	831	245	264	13		
2	AA	174	Total	C	N	O	S	0	0
			1353	831	245	264	13		
2	CA	174	Total	C	N	O	S	0	0
			1353	831	245	264	13		
2	EA	174	Total	C	N	O	S	0	0
			1353	831	245	264	13		
2	GA	174	Total	C	N	O	S	0	0
			1353	831	245	264	13		
2	IA	174	Total	C	N	O	S	0	0
			1353	831	245	264	13		
2	KA	174	Total	C	N	O	S	0	0
			1353	831	245	264	13		
2	MA	174	Total	C	N	O	S	0	0
			1353	831	245	264	13		
2	OA	174	Total	C	N	O	S	0	0
			1353	831	245	264	13		
2	QA	174	Total	C	N	O	S	0	0
			1353	831	245	264	13		
2	SA	174	Total	C	N	O	S	0	0
			1353	831	245	264	13		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
2	UA	174	Total	C	N	O	S		
			1353	831	245	264	13	0	0
2	WA	174	Total	C	N	O	S		
			1353	831	245	264	13	0	0
2	YA	174	Total	C	N	O	S		
			1353	831	245	264	13	0	0
2	AB	174	Total	C	N	O	S		
			1353	831	245	264	13	0	0
2	CB	174	Total	C	N	O	S		
			1353	831	245	264	13	0	0
2	EB	174	Total	C	N	O	S		
			1353	831	245	264	13	0	0
2	GB	174	Total	C	N	O	S		
			1353	831	245	264	13	0	0
2	IB	174	Total	C	N	O	S		
			1353	831	245	264	13	0	0
2	KB	174	Total	C	N	O	S		
			1353	831	245	264	13	0	0
2	MB	174	Total	C	N	O	S		
			1353	831	245	264	13	0	0
2	OB	174	Total	C	N	O	S		
			1353	831	245	264	13	0	0
2	QB	174	Total	C	N	O	S		
			1353	831	245	264	13	0	0
2	SB	174	Total	C	N	O	S		
			1353	831	245	264	13	0	0
2	UB	174	Total	C	N	O	S		
			1353	831	245	264	13	0	0

There are 36 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
T	37	GLU	LYS	engineered mutation	UNP Q7LBR1
B	37	GLU	LYS	engineered mutation	UNP Q7LBR1
D	37	GLU	LYS	engineered mutation	UNP Q7LBR1
F	37	GLU	LYS	engineered mutation	UNP Q7LBR1
H	37	GLU	LYS	engineered mutation	UNP Q7LBR1
J	37	GLU	LYS	engineered mutation	UNP Q7LBR1
L	37	GLU	LYS	engineered mutation	UNP Q7LBR1
N	37	GLU	LYS	engineered mutation	UNP Q7LBR1
P	37	GLU	LYS	engineered mutation	UNP Q7LBR1
R	37	GLU	LYS	engineered mutation	UNP Q7LBR1
W	37	GLU	LYS	engineered mutation	UNP Q7LBR1

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
Y	37	GLU	LYS	engineered mutation	UNP Q7LBR1
AA	37	GLU	LYS	engineered mutation	UNP Q7LBR1
CA	37	GLU	LYS	engineered mutation	UNP Q7LBR1
EA	37	GLU	LYS	engineered mutation	UNP Q7LBR1
GA	37	GLU	LYS	engineered mutation	UNP Q7LBR1
IA	37	GLU	LYS	engineered mutation	UNP Q7LBR1
KA	37	GLU	LYS	engineered mutation	UNP Q7LBR1
MA	37	GLU	LYS	engineered mutation	UNP Q7LBR1
OA	37	GLU	LYS	engineered mutation	UNP Q7LBR1
QA	37	GLU	LYS	engineered mutation	UNP Q7LBR1
SA	37	GLU	LYS	engineered mutation	UNP Q7LBR1
UA	37	GLU	LYS	engineered mutation	UNP Q7LBR1
WA	37	GLU	LYS	engineered mutation	UNP Q7LBR1
YA	37	GLU	LYS	engineered mutation	UNP Q7LBR1
AB	37	GLU	LYS	engineered mutation	UNP Q7LBR1
CB	37	GLU	LYS	engineered mutation	UNP Q7LBR1
EB	37	GLU	LYS	engineered mutation	UNP Q7LBR1
GB	37	GLU	LYS	engineered mutation	UNP Q7LBR1
IB	37	GLU	LYS	engineered mutation	UNP Q7LBR1
KB	37	GLU	LYS	engineered mutation	UNP Q7LBR1
MB	37	GLU	LYS	engineered mutation	UNP Q7LBR1
OB	37	GLU	LYS	engineered mutation	UNP Q7LBR1
QB	37	GLU	LYS	engineered mutation	UNP Q7LBR1
SB	37	GLU	LYS	engineered mutation	UNP Q7LBR1
UB	37	GLU	LYS	engineered mutation	UNP Q7LBR1


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: IST1 homolog



- Molecule 1: IST1 homolog




- Molecule 1: IST1 homolog



M74	E178	P179	D180
SER	VAL	VAL	ALA
GLU	ALA	ALA	ALA
	PRO	PRO	PRO
	GLY	GLY	GLY
	VAL	VAL	VAL
	THR	ASP	ASP
	GLY	LEU	ILE
	PHE	ASP	ASP
	GLY	ASP	VAL
	LYS	VAL	VAL
	LYS	GLY	GLY
	GLY	GLY	GLY
	PRO	GLY	GLY
	ARG	GLY	GLY
	GLY	GLY	GLY
	SER	SER	GLY
	GLY	GLY	PHE
	THR	ALA	THR
	ALA	PRO	VAL
	GLY	ASP	GLY
	GLY	GLY	VAL
	THR	PRO	VAL
	MET	PRO	PRO
	MET	MET	MET
	MET	MET	MET


3 5 5 5 5 5 5 5 5


- Molecule 1: IST1 homolog




ASP
ASP
LEU
SER
ARG
ARG
PHE
GLU
GLU
LEU
LYS
LYS
LYS
THR





- Molecule 1: IST1 homolog











• Molecule 1: IST1 homolog




• Molecule 1: IST1 homolog




• Molecule 1: IST1 homolog




- Molecule 1: IST1 homolog




- Molecule 1: IST1 homolog







- Molecule 1: IST1 homolog




- Molecule 1: IST1 homolog



- Molecule 1: IST1 homolog







- Molecule 1: IST1 homolog


A horizontal bar chart illustrating the distribution of Chain HA. The x-axis represents the percentage of Chain HA, ranging from 0% to 100%. The y-axis lists categories: Chain HA, C-terminal, N-terminal, and C-terminal + N-terminal. The bars show the following percentages: Chain HA at 7%, C-terminal at 43%, N-terminal at 54%, and C-terminal + N-terminal at 1%.

Category	Percentage
Chain HA	7%
C-terminal	43%
N-terminal	54%
C-terminal + N-terminal	1%




- Molecule 1: IST1 homolog


Chain JA: 7% • 43% • 54% • 1%



- Molecule 1: IST1 homolog




- Molecule 1: IST1 homolog





- Molecule 1: IST1 homolog




The diagram illustrates the structure of the HIV-1 gp41 protein. It consists of a central hydrophobic domain (green) embedded in a grey lipid bilayer. The N-terminal region (blue) and C-terminal region (red) are located outside the membrane. Several cleavage sites are indicated by red diamonds: G5 (between N-terminus and E9), N14 (between E9 and D42), D42 (between D42 and A46), A46 (between A46 and D49), D49 (between D49 and L78), L78 (between M89 and K90), M89 (between K90 and E91), E91 (between E91 and L92), L92 (between L92 and D93), D93 (between D93 and S94), S94 (between S94 and Q111), Q111 (between Q111 and S112), S112 (between S112 and E113), E113 (between E113 and V114), V114 (between V114 and A115), A115 (between A115 and E116), E116 (between E116 and K130), K130 (between K130 and E131), E131 (between E131 and Y132), Y132 (between Y132 and G133), G133 (between G133 and LYS), LYS (between LYS and LEU), LEU (between LEU and CYS), CYS (between CYS and ARG), ARG (between ARG and THR), THR (between THR and ASN), ASN (between ASN and GLN), GLN (between GLN and ILE), ILE (between ILE and GLY), GLY (between GLY and T143), T143 (between T143 and D146), D146 (between D146 and R147), R147 (between R147 and E155), E155 (between E155 and K159), K159 (between K159 and I160), and I160 (C-terminus).




- Molecule 1: IST1 homolog




- Molecule 1: IST1 homolog





- Molecule 1: IST1 homolog








- Molecule 1: IST1 homolog



- Molecule 1: IST1 homolog




- Molecule 1: IST1 homolog




	N173	Y173	MET
ILE	SER	PRO	PRO
LEU	SER	MET	MET
ALA	ARG	PRO	PRO
GLN	ARG	PRO	PRO
PHE	ILE	VAL	VAL
GLU	GLU	SER	PRO
GLU	GLU	ALA	ALA
LEU	PRO	ASN	ASN
GLY	GLY	THR	THR
PRO	PRO	VAL	VAL
LYS	PRO	VAL	MET
LYS	LYS	PHE	PHE
LYS	LYS	SER	SER
THR	PRO	ALA	ALA
GLU	GLU	GLU	GLU
ALA	ALA	ALA	ALA
SER	SER	PRO	PRO
ARG	ASP	ASP	ASP
PRO	ALA	LEU	PRO
ALA	ALA	PRO	PRO
LYS	LYS	GLY	GLY
LEU	GLY	VAL	VAL
PRO	PRO	GLU	GLU
SER	SER	THR	THR
TYR	ASP	ASP	ASP
ASP	ASP	ASP	ASP
PRO	ALA	LEU	ILE
ALA	ALA	ASN	ASN
ASP	ASP	GLY	ASP
ASN	ASN	LEU	GLY
TYR	ASP	PRO	ASP
ASP	ASP	GLY	GLY
PRO	ALA	VAL	VAL
GLN	GLU	LEU	LEU
LYS	LYS	PRO	PRO
PHE	GLY	ASP	ASP
GLY	GLY	TYR	ASP
THR	GLY	VAL	ASP
ASP	GLY	LEU	VAL
PRO	GLY	PRO	VAL
ASN	GLY	ASP	ASP
ILE	GLN	VAL	VAL
ALA	ALA	PRO	PRO
PHE	GLU	ASP	ASP
GLY	GLY	VAL	VAL
SER	GLU	PRO	PRO
VAL	GLU	ALA	ALA
PRO	ALA	THR	THR
ALA	GLU	SER	SER
ASP	PRO	ALA	ALA
THR	GLN	PRO	PRO
GLY	GLY	SER	ASP
ILE	ILE	PRO	ASP
ALA	ALA	TYR	GLY
PRO	SER	GLU	GLY
ALA	ALA	THR	GLY
SER	SER	PRO	PRO
ALA	ALA	ASP	ASP
ALA	ASP	GLY	GLY
SER	ASP	ILE	THR
GLU	ASP	ASN	VAL
ASN	ASN	ALA	PRO
ILE	ASP	ALA	KET
ASP	ASP	PHE	PRO
PHE	LYS	LYS	NET
ASP	ASN	ASN	NET

- Molecule 1: IST1 homolog





- Molecule 1: IST1 homolog







- Molecule 1: IST1 homolog




- Molecule 1: IST1 homolog







- Molecule 1: IST1 homolog







- Molecule 1: IST1 homolog




• Molecule 1: JST1 homolog




- Molecule 1: IST1 homolog



- Molecule 1: IST1 homolog




- Molecule 2: Charged multivesicular body protein 1b




- Molecule 2: Charged multivesicular body protein 1b







- | | | | |
|------|------|------|------|
| R194 | D197 | Q198 | V199 |
| L195 | | | |
| R196 | | | |



- Molecule 2: Charged multivesicular body protein 1b




- Molecule 2: Charged multivesicular body protein 1b



- Molecule 2: Charged multivesicular body protein 1b





- Molecule 2: Charged multivesicular body protein 1b









- Molecule 2: Charged multivesicular body protein 1b





- Molecule 2: Charged multivesicular body protein 1b




- Molecule 2: Charged multivesicular body protein 1b




- Molecule 2: Charged multivesicular body protein 1b




- Molecule 2: Charged multivesicular body protein 1b




- Molecule 2: Charged multivesicular body protein 1b




- Molecule 2: Charged multivesicular body protein 1b



- Molecule 2: Charged multivesicular body protein 1b





- Molecule 2: Charged multivesicular body protein 1b








- Molecule 2: Charged multivesicular body protein 1b




- Molecule 2: Charged multivesicular body protein 1b





- Molecule 2: Charged multivesicular body protein 1b





- Molecule 2: Charged multivesicular body protein 1b





- Molecule 2: Charged multivesicular body protein 1b




- Molecule 2: Charged multivesicular body protein 1b




- Molecule 2: Charged multivesicular body protein 1b




- Molecule 2: Charged multivesicular body protein 1b



- Molecule 2: Charged multivesicular body protein 1b






- Molecule 2: Charged multivesicular body protein 1b

Q190	R191	L192	A193	R194	L195	R196	D197	Q198	V199
------	------	------	------	------	------	------	------	------	------





- Molecule 2: Charged multivesicular body protein 1b


Chain CB:  8% 81%




- Molecule 2: Charged multivesicular body protein 1b




- | | | | | | | | | | | |
|------|------|------|------|------|------|------|------|------|------|------|
| S189 | Q190 | R191 | L192 | A193 | R194 | L195 | R196 | D197 | Q198 | V199 |
|------|------|------|------|------|------|------|------|------|------|------|




- Molecule 2: Charged multivesicular body protein 1b




- Molecule 2: Charged multivesicular body protein 1b



- Molecule 2: Charged multivesicular body protein 1b





- Molecule 2: Charged multivesicular body protein 1b









- Molecule 2: Charged multivesicular body protein 1b



- Molecule 2: Charged multivesicular body protein 1b



- Molecule 2: Charged multivesicular body protein 1b



4 Experimental information i

Property	Value	Source
EM reconstruction method	HELICAL	Depositor
Imposed symmetry	HELICAL, twist=21.16°, rise=3.17 Å, axial sym=C1	Depositor
Number of segments used	101990	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	62	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	29000	Depositor
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	0.125	Depositor
Minimum map value	-0.063	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.008	Depositor
Recommended contour level	0.025	Depositor
Map size (Å)	335.2, 335.2, 335.2	wwPDB
Map dimensions	400, 400, 400	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.83800006, 0.83800006, 0.83800006	Depositor

5 Model quality i

5.1 Standard geometry i

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.32	0/1366	0.56	0/1838
1	BA	0.32	0/1366	0.56	0/1838
1	BB	0.32	0/1366	0.56	0/1838
1	C	0.32	0/1366	0.56	0/1838
1	DA	0.31	0/1366	0.56	0/1838
1	DB	0.32	0/1366	0.56	0/1838
1	E	0.31	0/1366	0.56	0/1838
1	FA	0.31	0/1366	0.56	0/1838
1	FB	0.32	0/1366	0.56	0/1838
1	G	0.32	0/1366	0.56	0/1838
1	HA	0.32	0/1366	0.56	0/1838
1	HB	0.32	0/1366	0.56	0/1838
1	I	0.32	0/1366	0.56	0/1838
1	JA	0.32	0/1366	0.56	0/1838
1	JB	0.32	0/1366	0.56	0/1838
1	K	0.32	0/1366	0.56	0/1838
1	LA	0.32	0/1366	0.56	0/1838
1	LB	0.32	0/1366	0.56	0/1838
1	M	0.32	0/1366	0.56	0/1838
1	NA	0.32	0/1366	0.56	0/1838
1	NB	0.32	0/1366	0.56	0/1838
1	O	0.32	0/1366	0.56	0/1838
1	PA	0.32	0/1366	0.56	0/1838
1	PB	0.32	0/1366	0.56	0/1838
1	Q	0.32	0/1366	0.56	0/1838
1	RA	0.32	0/1366	0.56	0/1838
1	RB	0.32	0/1366	0.56	0/1838
1	S	0.31	0/1366	0.56	0/1838
1	TA	0.32	0/1366	0.56	0/1838
1	TB	0.32	0/1366	0.56	0/1838
1	V	0.32	0/1366	0.56	0/1838
1	VA	0.32	0/1366	0.56	0/1838
1	X	0.32	0/1366	0.56	0/1838
1	XA	0.32	0/1366	0.56	0/1838

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	Z	0.32	0/1366	0.56	0/1838
1	ZA	0.32	0/1366	0.56	0/1838
2	AA	0.32	0/1360	0.51	0/1815
2	AB	0.32	0/1360	0.51	0/1815
2	B	0.32	0/1360	0.51	0/1815
2	CA	0.32	0/1360	0.51	0/1815
2	CB	0.32	0/1360	0.51	0/1815
2	D	0.32	0/1360	0.51	0/1815
2	EA	0.32	0/1360	0.51	0/1815
2	EB	0.32	0/1360	0.51	0/1815
2	F	0.32	0/1360	0.51	0/1815
2	GA	0.32	0/1360	0.51	0/1815
2	GB	0.32	0/1360	0.51	0/1815
2	H	0.32	0/1360	0.51	0/1815
2	IA	0.32	0/1360	0.51	0/1815
2	IB	0.32	0/1360	0.51	0/1815
2	J	0.32	0/1360	0.51	0/1815
2	KA	0.32	0/1360	0.51	0/1815
2	KB	0.32	0/1360	0.51	0/1815
2	L	0.32	0/1360	0.51	0/1815
2	MA	0.32	0/1360	0.51	0/1815
2	MB	0.32	0/1360	0.51	0/1815
2	N	0.32	0/1360	0.51	0/1815
2	OA	0.32	0/1360	0.51	0/1815
2	OB	0.32	0/1360	0.51	0/1815
2	P	0.32	0/1360	0.51	0/1815
2	QA	0.32	0/1360	0.51	0/1815
2	QB	0.32	0/1360	0.51	0/1815
2	R	0.32	0/1360	0.51	0/1815
2	SA	0.32	0/1360	0.51	0/1815
2	SB	0.32	0/1360	0.51	0/1815
2	T	0.32	0/1360	0.51	0/1815
2	UA	0.32	0/1360	0.51	0/1815
2	UB	0.32	0/1360	0.51	0/1815
2	W	0.32	0/1360	0.51	0/1815
2	WA	0.32	0/1360	0.51	0/1815
2	Y	0.32	0/1360	0.51	0/1815
2	YA	0.32	0/1360	0.51	0/1815
All	All	0.32	0/98136	0.53	0/131508

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1349	0	1407	8	0
1	BA	1349	0	1407	8	0
1	BB	1349	0	1407	8	0
1	C	1349	0	1407	8	0
1	DA	1349	0	1407	8	0
1	DB	1349	0	1407	10	0
1	E	1349	0	1407	7	0
1	FA	1349	0	1407	7	0
1	FB	1349	0	1407	7	0
1	G	1349	0	1407	7	0
1	HA	1349	0	1407	8	0
1	HB	1349	0	1407	8	0
1	I	1349	0	1407	8	0
1	JA	1349	0	1407	8	0
1	JB	1349	0	1407	6	0
1	K	1349	0	1407	8	0
1	LA	1349	0	1407	7	0
1	LB	1349	0	1407	7	0
1	M	1349	0	1407	8	0
1	NA	1349	0	1407	8	0
1	NB	1349	0	1407	9	0
1	O	1349	0	1407	9	0
1	PA	1349	0	1407	8	0
1	PB	1349	0	1407	7	0
1	Q	1349	0	1407	7	0
1	RA	1349	0	1407	7	0
1	RB	1349	0	1407	9	0
1	S	1349	0	1407	8	0
1	TA	1349	0	1407	9	0
1	TB	1349	0	1407	8	0
1	V	1349	0	1407	12	0
1	VA	1349	0	1407	6	0
1	X	1349	0	1407	10	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	XA	1349	0	1407	7	0
1	Z	1349	0	1407	9	0
1	ZA	1349	0	1407	9	0
2	AA	1353	0	1385	8	0
2	AB	1353	0	1385	9	0
2	B	1353	0	1385	9	0
2	CA	1353	0	1385	11	0
2	CB	1353	0	1385	8	0
2	D	1353	0	1385	10	0
2	EA	1353	0	1385	8	0
2	EB	1353	0	1385	11	0
2	F	1353	0	1385	9	0
2	GA	1353	0	1385	10	0
2	GB	1353	0	1385	7	0
2	H	1353	0	1385	9	0
2	IA	1353	0	1385	8	0
2	IB	1353	0	1385	9	0
2	J	1353	0	1385	10	0
2	KA	1353	0	1385	8	0
2	KB	1353	0	1385	9	0
2	L	1353	0	1385	9	0
2	MA	1353	0	1385	9	0
2	MB	1353	0	1385	8	0
2	N	1353	0	1385	10	0
2	OA	1353	0	1385	7	0
2	OB	1353	0	1385	10	0
2	P	1353	0	1385	9	0
2	QA	1353	0	1385	9	0
2	QB	1353	0	1385	9	0
2	R	1353	0	1385	8	0
2	SA	1353	0	1385	8	0
2	SB	1353	0	1385	9	0
2	T	1353	0	1385	9	0
2	UA	1353	0	1385	10	0
2	UB	1353	0	1385	11	0
2	W	1353	0	1385	13	0
2	WA	1353	0	1385	8	0
2	Y	1353	0	1385	8	0
2	YA	1353	0	1385	10	0
All	All	97272	0	100512	464	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

The worst 5 of 464 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:V:160:ILE:HG22	1:V:164:ARG:NH2	1.97	0.80
1:RA:160:ILE:HG22	1:RA:164:ARG:NH2	1.97	0.80
1:HB:160:ILE:HG22	1:HB:164:ARG:NH2	1.97	0.80
1:DA:160:ILE:HG22	1:DA:164:ARG:NH2	1.97	0.80
1:NA:160:ILE:HG22	1:NA:164:ARG:NH2	1.97	0.80

There are no symmetry-related clashes.

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	163/366 (44%)	161 (99%)	2 (1%)	0	100 100
1	BA	163/366 (44%)	161 (99%)	2 (1%)	0	100 100
1	BB	163/366 (44%)	161 (99%)	2 (1%)	0	100 100
1	C	163/366 (44%)	161 (99%)	2 (1%)	0	100 100
1	DA	163/366 (44%)	161 (99%)	2 (1%)	0	100 100
1	DB	163/366 (44%)	161 (99%)	2 (1%)	0	100 100
1	E	163/366 (44%)	161 (99%)	2 (1%)	0	100 100
1	FA	163/366 (44%)	161 (99%)	2 (1%)	0	100 100
1	FB	163/366 (44%)	161 (99%)	2 (1%)	0	100 100
1	G	163/366 (44%)	161 (99%)	2 (1%)	0	100 100
1	HA	163/366 (44%)	161 (99%)	2 (1%)	0	100 100
1	HB	163/366 (44%)	161 (99%)	2 (1%)	0	100 100
1	I	163/366 (44%)	161 (99%)	2 (1%)	0	100 100
1	JA	163/366 (44%)	161 (99%)	2 (1%)	0	100 100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	JB	163/366 (44%)	161 (99%)	2 (1%)	0	100 100
1	K	163/366 (44%)	161 (99%)	2 (1%)	0	100 100
1	LA	163/366 (44%)	161 (99%)	2 (1%)	0	100 100
1	LB	163/366 (44%)	161 (99%)	2 (1%)	0	100 100
1	M	163/366 (44%)	161 (99%)	2 (1%)	0	100 100
1	NA	163/366 (44%)	161 (99%)	2 (1%)	0	100 100
1	NB	163/366 (44%)	161 (99%)	2 (1%)	0	100 100
1	O	163/366 (44%)	161 (99%)	2 (1%)	0	100 100
1	PA	163/366 (44%)	161 (99%)	2 (1%)	0	100 100
1	PB	163/366 (44%)	161 (99%)	2 (1%)	0	100 100
1	Q	163/366 (44%)	161 (99%)	2 (1%)	0	100 100
1	RA	163/366 (44%)	161 (99%)	2 (1%)	0	100 100
1	RB	163/366 (44%)	161 (99%)	2 (1%)	0	100 100
1	S	163/366 (44%)	161 (99%)	2 (1%)	0	100 100
1	TA	163/366 (44%)	161 (99%)	2 (1%)	0	100 100
1	TB	163/366 (44%)	161 (99%)	2 (1%)	0	100 100
1	V	163/366 (44%)	161 (99%)	2 (1%)	0	100 100
1	VA	163/366 (44%)	161 (99%)	2 (1%)	0	100 100
1	X	163/366 (44%)	161 (99%)	2 (1%)	0	100 100
1	XA	163/366 (44%)	161 (99%)	2 (1%)	0	100 100
1	Z	163/366 (44%)	161 (99%)	2 (1%)	0	100 100
1	ZA	163/366 (44%)	161 (99%)	2 (1%)	0	100 100
2	AA	170/199 (85%)	169 (99%)	1 (1%)	0	100 100
2	AB	170/199 (85%)	169 (99%)	1 (1%)	0	100 100
2	B	170/199 (85%)	169 (99%)	1 (1%)	0	100 100
2	CA	170/199 (85%)	169 (99%)	1 (1%)	0	100 100
2	CB	170/199 (85%)	169 (99%)	1 (1%)	0	100 100
2	D	170/199 (85%)	169 (99%)	1 (1%)	0	100 100
2	EA	170/199 (85%)	169 (99%)	1 (1%)	0	100 100
2	EB	170/199 (85%)	169 (99%)	1 (1%)	0	100 100
2	F	170/199 (85%)	169 (99%)	1 (1%)	0	100 100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
2	GA	170/199 (85%)	169 (99%)	1 (1%)	0	100 100
2	GB	170/199 (85%)	169 (99%)	1 (1%)	0	100 100
2	H	170/199 (85%)	169 (99%)	1 (1%)	0	100 100
2	IA	170/199 (85%)	169 (99%)	1 (1%)	0	100 100
2	IB	170/199 (85%)	169 (99%)	1 (1%)	0	100 100
2	J	170/199 (85%)	169 (99%)	1 (1%)	0	100 100
2	KA	170/199 (85%)	169 (99%)	1 (1%)	0	100 100
2	KB	170/199 (85%)	169 (99%)	1 (1%)	0	100 100
2	L	170/199 (85%)	169 (99%)	1 (1%)	0	100 100
2	MA	170/199 (85%)	169 (99%)	1 (1%)	0	100 100
2	MB	170/199 (85%)	169 (99%)	1 (1%)	0	100 100
2	N	170/199 (85%)	169 (99%)	1 (1%)	0	100 100
2	OA	170/199 (85%)	169 (99%)	1 (1%)	0	100 100
2	OB	170/199 (85%)	169 (99%)	1 (1%)	0	100 100
2	P	170/199 (85%)	169 (99%)	1 (1%)	0	100 100
2	QA	170/199 (85%)	169 (99%)	1 (1%)	0	100 100
2	QB	170/199 (85%)	169 (99%)	1 (1%)	0	100 100
2	R	170/199 (85%)	169 (99%)	1 (1%)	0	100 100
2	SA	170/199 (85%)	169 (99%)	1 (1%)	0	100 100
2	SB	170/199 (85%)	169 (99%)	1 (1%)	0	100 100
2	T	170/199 (85%)	169 (99%)	1 (1%)	0	100 100
2	UA	170/199 (85%)	169 (99%)	1 (1%)	0	100 100
2	UB	170/199 (85%)	169 (99%)	1 (1%)	0	100 100
2	W	170/199 (85%)	169 (99%)	1 (1%)	0	100 100
2	WA	170/199 (85%)	169 (99%)	1 (1%)	0	100 100
2	Y	170/199 (85%)	169 (99%)	1 (1%)	0	100 100
2	YA	170/199 (85%)	169 (99%)	1 (1%)	0	100 100
All	All	11988/20340 (59%)	11880 (99%)	108 (1%)	0	100 100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	144/309 (47%)	142 (99%)	2 (1%)	67 89
1	BA	144/309 (47%)	142 (99%)	2 (1%)	67 89
1	BB	144/309 (47%)	142 (99%)	2 (1%)	67 89
1	C	144/309 (47%)	142 (99%)	2 (1%)	67 89
1	DA	144/309 (47%)	142 (99%)	2 (1%)	67 89
1	DB	144/309 (47%)	142 (99%)	2 (1%)	67 89
1	E	144/309 (47%)	142 (99%)	2 (1%)	67 89
1	FA	144/309 (47%)	142 (99%)	2 (1%)	67 89
1	FB	144/309 (47%)	142 (99%)	2 (1%)	67 89
1	G	144/309 (47%)	142 (99%)	2 (1%)	67 89
1	HA	144/309 (47%)	142 (99%)	2 (1%)	67 89
1	HB	144/309 (47%)	142 (99%)	2 (1%)	67 89
1	I	144/309 (47%)	142 (99%)	2 (1%)	67 89
1	JA	144/309 (47%)	142 (99%)	2 (1%)	67 89
1	JB	144/309 (47%)	142 (99%)	2 (1%)	67 89
1	K	144/309 (47%)	142 (99%)	2 (1%)	67 89
1	LA	144/309 (47%)	142 (99%)	2 (1%)	67 89
1	LB	144/309 (47%)	142 (99%)	2 (1%)	67 89
1	M	144/309 (47%)	142 (99%)	2 (1%)	67 89
1	NA	144/309 (47%)	142 (99%)	2 (1%)	67 89
1	NB	144/309 (47%)	142 (99%)	2 (1%)	67 89
1	O	144/309 (47%)	142 (99%)	2 (1%)	67 89
1	PA	144/309 (47%)	142 (99%)	2 (1%)	67 89
1	PB	144/309 (47%)	142 (99%)	2 (1%)	67 89
1	Q	144/309 (47%)	142 (99%)	2 (1%)	67 89
1	RA	144/309 (47%)	142 (99%)	2 (1%)	67 89

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	RB	144/309 (47%)	142 (99%)	2 (1%)	67 89
1	S	144/309 (47%)	142 (99%)	2 (1%)	67 89
1	TA	144/309 (47%)	142 (99%)	2 (1%)	67 89
1	TB	144/309 (47%)	142 (99%)	2 (1%)	67 89
1	V	144/309 (47%)	142 (99%)	2 (1%)	67 89
1	VA	144/309 (47%)	142 (99%)	2 (1%)	67 89
1	X	144/309 (47%)	142 (99%)	2 (1%)	67 89
1	XA	144/309 (47%)	142 (99%)	2 (1%)	67 89
1	Z	144/309 (47%)	142 (99%)	2 (1%)	67 89
1	ZA	144/309 (47%)	142 (99%)	2 (1%)	67 89
2	AA	146/169 (86%)	145 (99%)	1 (1%)	84 95
2	AB	146/169 (86%)	145 (99%)	1 (1%)	84 95
2	B	146/169 (86%)	145 (99%)	1 (1%)	84 95
2	CA	146/169 (86%)	145 (99%)	1 (1%)	84 95
2	CB	146/169 (86%)	145 (99%)	1 (1%)	84 95
2	D	146/169 (86%)	145 (99%)	1 (1%)	84 95
2	EA	146/169 (86%)	145 (99%)	1 (1%)	84 95
2	EB	146/169 (86%)	145 (99%)	1 (1%)	84 95
2	F	146/169 (86%)	145 (99%)	1 (1%)	84 95
2	GA	146/169 (86%)	145 (99%)	1 (1%)	84 95
2	GB	146/169 (86%)	145 (99%)	1 (1%)	84 95
2	H	146/169 (86%)	145 (99%)	1 (1%)	84 95
2	IA	146/169 (86%)	145 (99%)	1 (1%)	84 95
2	IB	146/169 (86%)	145 (99%)	1 (1%)	84 95
2	J	146/169 (86%)	145 (99%)	1 (1%)	84 95
2	KA	146/169 (86%)	145 (99%)	1 (1%)	84 95
2	KB	146/169 (86%)	145 (99%)	1 (1%)	84 95
2	L	146/169 (86%)	145 (99%)	1 (1%)	84 95
2	MA	146/169 (86%)	145 (99%)	1 (1%)	84 95
2	MB	146/169 (86%)	145 (99%)	1 (1%)	84 95
2	N	146/169 (86%)	145 (99%)	1 (1%)	84 95

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
2	OA	146/169 (86%)	145 (99%)	1 (1%)	84 95
2	OB	146/169 (86%)	145 (99%)	1 (1%)	84 95
2	P	146/169 (86%)	145 (99%)	1 (1%)	84 95
2	QA	146/169 (86%)	145 (99%)	1 (1%)	84 95
2	QB	146/169 (86%)	145 (99%)	1 (1%)	84 95
2	R	146/169 (86%)	145 (99%)	1 (1%)	84 95
2	SA	146/169 (86%)	145 (99%)	1 (1%)	84 95
2	SB	146/169 (86%)	145 (99%)	1 (1%)	84 95
2	T	146/169 (86%)	145 (99%)	1 (1%)	84 95
2	UA	146/169 (86%)	145 (99%)	1 (1%)	84 95
2	UB	146/169 (86%)	145 (99%)	1 (1%)	84 95
2	W	146/169 (86%)	145 (99%)	1 (1%)	84 95
2	WA	146/169 (86%)	145 (99%)	1 (1%)	84 95
2	Y	146/169 (86%)	145 (99%)	1 (1%)	84 95
2	YA	146/169 (86%)	145 (99%)	1 (1%)	84 95
All	All	10440/17208 (61%)	10332 (99%)	108 (1%)	77 92

5 of 108 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	NA	165	TYR
2	WA	151	MET
1	PB	165	TYR
2	OA	151	MET
2	SA	151	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 65 such sidechains are listed below:

Mol	Chain	Res	Type
1	NB	14	ASN
1	PB	14	ASN
1	Z	14	ASN
2	Y	61	GLN
2	QB	61	GLN

5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [\(i\)](#)

There are no ligands in this entry.

5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.


6 Map visualisation (i)

This section contains visualisations of the EMDB entry EMD-9005. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections (i)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [\(i\)](#)


6.2.1 Primary map



X Index: 200




Y Index: 200




Z Index: 200


6.2.2 Raw map



X Index: 200



Y Index: 200




Z Index: 200


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [\(i\)](#)


6.3.1 Primary map



X Index: 282




Y Index: 286




Z Index: 204


6.3.2 Raw map



X Index: 283



Y Index: 286




Z Index: 197


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [\(i\)](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z


The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [\(i\)](#)


6.5.1 Primary map



X




Y




Z

The images above show the 3D surface view of the map at the recommended contour level 0.025. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



X



Y



Z

These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [\(i\)](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis (i)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution (i)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate (i)



The volume at the recommended contour level is 769 nm³; this corresponds to an approximate mass of 695 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [\(i\)](#)




*Reported resolution corresponds to spatial frequency of 0.345 \AA^{-1}

8 Fourier-Shell correlation [\(i\)](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [\(i\)](#)



*Reported resolution corresponds to spatial frequency of 0.345\AA^{-1}

8.2 Resolution estimates [\(i\)](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.90	-	-
Author-provided FSC curve	2.94	3.25	2.98
Unmasked-calculated*	3.19	3.53	3.23

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.19 differs from the reported value 2.9 by more than 10 %

9 Map-model fit (i)


This section contains information regarding the fit between EMDB map EMD-9005 and PDB model 6E8G. Per-residue inclusion information can be found in section 3 on page 11.

9.1 Map-model overlay (i)




The images above show the 3D surface view of the map at the recommended contour level 0.025 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [\(i\)](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [\(i\)](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.025).

9.4 Atom inclusion [\(i\)](#)



At the recommended contour level, 76% of all backbone atoms, 64% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.025) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.6400	0.5370
A	0.6160	0.5320
AA	0.6640	0.5450
AB	0.6700	0.5470
B	0.6680	0.5460
BA	0.6230	0.5310
BB	0.6190	0.5290
C	0.6190	0.5310
CA	0.6640	0.5450
CB	0.6580	0.5420
D	0.6610	0.5480
DA	0.6200	0.5300
DB	0.6210	0.5250
E	0.6130	0.5300
EA	0.6640	0.5460
EB	0.6700	0.5420
F	0.6610	0.5450
FA	0.6150	0.5310
FB	0.6100	0.5230
G	0.6200	0.5310
GA	0.6610	0.5440
GB	0.6580	0.5410
H	0.6670	0.5500
HA	0.6130	0.5300
HB	0.6200	0.5300
I	0.6160	0.5310
IA	0.6670	0.5480
IB	0.6590	0.5450
J	0.6710	0.5480
JA	0.6160	0.5310
JB	0.6200	0.5300
K	0.6140	0.5310
KA	0.6660	0.5460
KB	0.6550	0.5440
L	0.6610	0.5450



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
LA	0.6180	0.5330
LB	0.6200	0.5310
M	0.6130	0.5310
MA	0.6670	0.5480
MB	0.6620	0.5450
N	0.6530	0.5430
NA	0.6130	0.5210
NB	0.6170	0.5300
O	0.6190	0.5310
OA	0.6540	0.5410
OB	0.6610	0.5470
P	0.6610	0.5440
PA	0.6170	0.5310
PB	0.6120	0.5280
Q	0.6120	0.5290
QA	0.6650	0.5470
QB	0.6620	0.5470
R	0.6640	0.5470
RA	0.6170	0.5320
RB	0.6230	0.5300
S	0.6160	0.5300
SA	0.6640	0.5440
SB	0.6640	0.5450
T	0.6670	0.5470
TA	0.6170	0.5300
TB	0.6160	0.5310
UA	0.6690	0.5470
UB	0.6570	0.5430
V	0.6180	0.5230
VA	0.6170	0.5300
W	0.6560	0.5380
WA	0.6620	0.5440
X	0.6120	0.5320
XA	0.6190	0.5280
Y	0.6670	0.5500
YA	0.6620	0.5470
Z	0.6210	0.5290
ZA	0.6160	0.5310