



wwPDB EM Validation Summary Report ⓘ

Feb 5, 2024 – 03:12 PM EST

PDB ID : 8FBP
EMDB ID : EMD-28965
Title : Glutamine synthetase from *Pseudomonas aeruginosa*, filament double-unit in compressed conformation
Authors : Phan, I.Q.; Staker, B.; Shek, R.; Moser, T.H.; Evans, J.E.; van Voorhis, W.C.; Myler, P.J.; Seattle Structural Genomics Center for Infectious Disease (SSG-CID)
Deposited on : 2022-11-29
Resolution : 2.80 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.



The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev70
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	J	477	 7% 85% 13%
1	K	477	 26% 86% 12%
1	L	477	 13% 87% 13%
1	M	477	 21% 86% 14%
1	N	477	 26% 87% 13%
1	O	477	 12% 86% 13%
1	P	477	 1% 87% 12%
1	Q	477	 5% 86% 13%
1	R	477	 7% 86% 13%
1	S	477	 11% 86% 13%
1	T	477	 15% 86% 13%
1	U	477	 17% 87% 12%
1	V	477	 13% 86% 13%
1	W	477	 6% 86% 13%
1	X	477	 1% 86% 13%
1	Y	477	 8% 86% 13%
1	Z	477	 1% 87% 13%
1	a	477	 5% 87% 13%
1	b	477	 12% 86% 13%

2 Entry composition [i](#)

There is only 1 type of molecule in this entry. The entry contains 91071 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Glutamine synthetase.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	418	3265	2078	541	630	16	0	0
1	B	417	3256	2074	540	626	16	0	0
1	C	419	3274	2084	543	631	16	0	0
1	D	416	3247	2068	538	625	16	0	0
1	E	415	3241	2065	537	623	16	0	0
1	F	417	3256	2074	540	626	16	0	0
1	G	417	3256	2074	540	626	16	0	0
1	H	415	3241	2065	537	623	16	0	0
1	I	416	3250	2070	538	626	16	0	0
1	J	414	3235	2062	536	621	16	0	0
1	K	419	3274	2083	543	632	16	0	0
1	L	416	3250	2071	539	624	16	0	0
1	M	412	3223	2054	534	619	16	0	0
1	N	415	3239	2064	537	622	16	0	0
1	O	415	3244	2068	538	622	16	0	0
1	P	421	3296	2100	546	634	16	0	0
1	Q	415	3244	2068	538	622	16	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
1	R	415	Total	C	N	O	S	0	0
			3244	2068	538	622	16		
1	S	415	Total	C	N	O	S	0	0
			3244	2068	538	622	16		
1	T	416	Total	C	N	O	S	0	0
			3250	2071	539	624	16		
1	U	418	Total	C	N	O	S	0	0
			3272	2087	542	627	16		
1	V	415	Total	C	N	O	S	0	0
			3246	2069	538	623	16		
1	W	415	Total	C	N	O	S	0	0
			3244	2068	538	622	16		
1	X	417	Total	C	N	O	S	0	0
			3256	2074	540	626	16		
1	Y	417	Total	C	N	O	S	0	0
			3256	2074	540	626	16		
1	Z	417	Total	C	N	O	S	0	0
			3256	2074	540	626	16		
1	a	417	Total	C	N	O	S	0	0
			3256	2074	540	626	16		
1	b	417	Total	C	N	O	S	0	0
			3256	2074	540	626	16		

There are 224 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MET	-	initiating methionine	UNP Q9HU65
A	2	ALA	-	expression tag	UNP Q9HU65
A	3	HIS	-	expression tag	UNP Q9HU65
A	4	HIS	-	expression tag	UNP Q9HU65
A	5	HIS	-	expression tag	UNP Q9HU65
A	6	HIS	-	expression tag	UNP Q9HU65
A	7	HIS	-	expression tag	UNP Q9HU65
A	8	HIS	-	expression tag	UNP Q9HU65
B	1	MET	-	initiating methionine	UNP Q9HU65
B	2	ALA	-	expression tag	UNP Q9HU65
B	3	HIS	-	expression tag	UNP Q9HU65
B	4	HIS	-	expression tag	UNP Q9HU65
B	5	HIS	-	expression tag	UNP Q9HU65
B	6	HIS	-	expression tag	UNP Q9HU65
B	7	HIS	-	expression tag	UNP Q9HU65
B	8	HIS	-	expression tag	UNP Q9HU65
C	1	MET	-	initiating methionine	UNP Q9HU65

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	2	ALA	-	expression tag	UNP Q9HU65
C	3	HIS	-	expression tag	UNP Q9HU65
C	4	HIS	-	expression tag	UNP Q9HU65
C	5	HIS	-	expression tag	UNP Q9HU65
C	6	HIS	-	expression tag	UNP Q9HU65
C	7	HIS	-	expression tag	UNP Q9HU65
C	8	HIS	-	expression tag	UNP Q9HU65
D	1	MET	-	initiating methionine	UNP Q9HU65
D	2	ALA	-	expression tag	UNP Q9HU65
D	3	HIS	-	expression tag	UNP Q9HU65
D	4	HIS	-	expression tag	UNP Q9HU65
D	5	HIS	-	expression tag	UNP Q9HU65
D	6	HIS	-	expression tag	UNP Q9HU65
D	7	HIS	-	expression tag	UNP Q9HU65
D	8	HIS	-	expression tag	UNP Q9HU65
E	1	MET	-	initiating methionine	UNP Q9HU65
E	2	ALA	-	expression tag	UNP Q9HU65
E	3	HIS	-	expression tag	UNP Q9HU65
E	4	HIS	-	expression tag	UNP Q9HU65
E	5	HIS	-	expression tag	UNP Q9HU65
E	6	HIS	-	expression tag	UNP Q9HU65
E	7	HIS	-	expression tag	UNP Q9HU65
E	8	HIS	-	expression tag	UNP Q9HU65
F	1	MET	-	initiating methionine	UNP Q9HU65
F	2	ALA	-	expression tag	UNP Q9HU65
F	3	HIS	-	expression tag	UNP Q9HU65
F	4	HIS	-	expression tag	UNP Q9HU65
F	5	HIS	-	expression tag	UNP Q9HU65
F	6	HIS	-	expression tag	UNP Q9HU65
F	7	HIS	-	expression tag	UNP Q9HU65
F	8	HIS	-	expression tag	UNP Q9HU65
G	1	MET	-	initiating methionine	UNP Q9HU65
G	2	ALA	-	expression tag	UNP Q9HU65
G	3	HIS	-	expression tag	UNP Q9HU65
G	4	HIS	-	expression tag	UNP Q9HU65
G	5	HIS	-	expression tag	UNP Q9HU65
G	6	HIS	-	expression tag	UNP Q9HU65
G	7	HIS	-	expression tag	UNP Q9HU65
G	8	HIS	-	expression tag	UNP Q9HU65
H	1	MET	-	initiating methionine	UNP Q9HU65
H	2	ALA	-	expression tag	UNP Q9HU65
H	3	HIS	-	expression tag	UNP Q9HU65

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
H	4	HIS	-	expression tag	UNP Q9HU65
H	5	HIS	-	expression tag	UNP Q9HU65
H	6	HIS	-	expression tag	UNP Q9HU65
H	7	HIS	-	expression tag	UNP Q9HU65
H	8	HIS	-	expression tag	UNP Q9HU65
I	1	MET	-	initiating methionine	UNP Q9HU65
I	2	ALA	-	expression tag	UNP Q9HU65
I	3	HIS	-	expression tag	UNP Q9HU65
I	4	HIS	-	expression tag	UNP Q9HU65
I	5	HIS	-	expression tag	UNP Q9HU65
I	6	HIS	-	expression tag	UNP Q9HU65
I	7	HIS	-	expression tag	UNP Q9HU65
I	8	HIS	-	expression tag	UNP Q9HU65
J	1	MET	-	initiating methionine	UNP Q9HU65
J	2	ALA	-	expression tag	UNP Q9HU65
J	3	HIS	-	expression tag	UNP Q9HU65
J	4	HIS	-	expression tag	UNP Q9HU65
J	5	HIS	-	expression tag	UNP Q9HU65
J	6	HIS	-	expression tag	UNP Q9HU65
J	7	HIS	-	expression tag	UNP Q9HU65
J	8	HIS	-	expression tag	UNP Q9HU65
K	1	MET	-	initiating methionine	UNP Q9HU65
K	2	ALA	-	expression tag	UNP Q9HU65
K	3	HIS	-	expression tag	UNP Q9HU65
K	4	HIS	-	expression tag	UNP Q9HU65
K	5	HIS	-	expression tag	UNP Q9HU65
K	6	HIS	-	expression tag	UNP Q9HU65
K	7	HIS	-	expression tag	UNP Q9HU65
K	8	HIS	-	expression tag	UNP Q9HU65
L	1	MET	-	initiating methionine	UNP Q9HU65
L	2	ALA	-	expression tag	UNP Q9HU65
L	3	HIS	-	expression tag	UNP Q9HU65
L	4	HIS	-	expression tag	UNP Q9HU65
L	5	HIS	-	expression tag	UNP Q9HU65
L	6	HIS	-	expression tag	UNP Q9HU65
L	7	HIS	-	expression tag	UNP Q9HU65
L	8	HIS	-	expression tag	UNP Q9HU65
M	1	MET	-	initiating methionine	UNP Q9HU65
M	2	ALA	-	expression tag	UNP Q9HU65
M	3	HIS	-	expression tag	UNP Q9HU65
M	4	HIS	-	expression tag	UNP Q9HU65
M	5	HIS	-	expression tag	UNP Q9HU65

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
M	6	HIS	-	expression tag	UNP Q9HU65
M	7	HIS	-	expression tag	UNP Q9HU65
M	8	HIS	-	expression tag	UNP Q9HU65
N	1	MET	-	initiating methionine	UNP Q9HU65
N	2	ALA	-	expression tag	UNP Q9HU65
N	3	HIS	-	expression tag	UNP Q9HU65
N	4	HIS	-	expression tag	UNP Q9HU65
N	5	HIS	-	expression tag	UNP Q9HU65
N	6	HIS	-	expression tag	UNP Q9HU65
N	7	HIS	-	expression tag	UNP Q9HU65
N	8	HIS	-	expression tag	UNP Q9HU65
O	1	MET	-	initiating methionine	UNP Q9HU65
O	2	ALA	-	expression tag	UNP Q9HU65
O	3	HIS	-	expression tag	UNP Q9HU65
O	4	HIS	-	expression tag	UNP Q9HU65
O	5	HIS	-	expression tag	UNP Q9HU65
O	6	HIS	-	expression tag	UNP Q9HU65
O	7	HIS	-	expression tag	UNP Q9HU65
O	8	HIS	-	expression tag	UNP Q9HU65
P	1	MET	-	initiating methionine	UNP Q9HU65
P	2	ALA	-	expression tag	UNP Q9HU65
P	3	HIS	-	expression tag	UNP Q9HU65
P	4	HIS	-	expression tag	UNP Q9HU65
P	5	HIS	-	expression tag	UNP Q9HU65
P	6	HIS	-	expression tag	UNP Q9HU65
P	7	HIS	-	expression tag	UNP Q9HU65
P	8	HIS	-	expression tag	UNP Q9HU65
Q	1	MET	-	initiating methionine	UNP Q9HU65
Q	2	ALA	-	expression tag	UNP Q9HU65
Q	3	HIS	-	expression tag	UNP Q9HU65
Q	4	HIS	-	expression tag	UNP Q9HU65
Q	5	HIS	-	expression tag	UNP Q9HU65
Q	6	HIS	-	expression tag	UNP Q9HU65
Q	7	HIS	-	expression tag	UNP Q9HU65
Q	8	HIS	-	expression tag	UNP Q9HU65
R	1	MET	-	initiating methionine	UNP Q9HU65
R	2	ALA	-	expression tag	UNP Q9HU65
R	3	HIS	-	expression tag	UNP Q9HU65
R	4	HIS	-	expression tag	UNP Q9HU65
R	5	HIS	-	expression tag	UNP Q9HU65
R	6	HIS	-	expression tag	UNP Q9HU65
R	7	HIS	-	expression tag	UNP Q9HU65

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
R	8	HIS	-	expression tag	UNP Q9HU65
S	1	MET	-	initiating methionine	UNP Q9HU65
S	2	ALA	-	expression tag	UNP Q9HU65
S	3	HIS	-	expression tag	UNP Q9HU65
S	4	HIS	-	expression tag	UNP Q9HU65
S	5	HIS	-	expression tag	UNP Q9HU65
S	6	HIS	-	expression tag	UNP Q9HU65
S	7	HIS	-	expression tag	UNP Q9HU65
S	8	HIS	-	expression tag	UNP Q9HU65
T	1	MET	-	initiating methionine	UNP Q9HU65
T	2	ALA	-	expression tag	UNP Q9HU65
T	3	HIS	-	expression tag	UNP Q9HU65
T	4	HIS	-	expression tag	UNP Q9HU65
T	5	HIS	-	expression tag	UNP Q9HU65
T	6	HIS	-	expression tag	UNP Q9HU65
T	7	HIS	-	expression tag	UNP Q9HU65
T	8	HIS	-	expression tag	UNP Q9HU65
U	1	MET	-	initiating methionine	UNP Q9HU65
U	2	ALA	-	expression tag	UNP Q9HU65
U	3	HIS	-	expression tag	UNP Q9HU65
U	4	HIS	-	expression tag	UNP Q9HU65
U	5	HIS	-	expression tag	UNP Q9HU65
U	6	HIS	-	expression tag	UNP Q9HU65
U	7	HIS	-	expression tag	UNP Q9HU65
U	8	HIS	-	expression tag	UNP Q9HU65
V	1	MET	-	initiating methionine	UNP Q9HU65
V	2	ALA	-	expression tag	UNP Q9HU65
V	3	HIS	-	expression tag	UNP Q9HU65
V	4	HIS	-	expression tag	UNP Q9HU65
V	5	HIS	-	expression tag	UNP Q9HU65
V	6	HIS	-	expression tag	UNP Q9HU65
V	7	HIS	-	expression tag	UNP Q9HU65
V	8	HIS	-	expression tag	UNP Q9HU65
W	1	MET	-	initiating methionine	UNP Q9HU65
W	2	ALA	-	expression tag	UNP Q9HU65
W	3	HIS	-	expression tag	UNP Q9HU65
W	4	HIS	-	expression tag	UNP Q9HU65
W	5	HIS	-	expression tag	UNP Q9HU65
W	6	HIS	-	expression tag	UNP Q9HU65
W	7	HIS	-	expression tag	UNP Q9HU65
W	8	HIS	-	expression tag	UNP Q9HU65
X	1	MET	-	initiating methionine	UNP Q9HU65

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
X	2	ALA	-	expression tag	UNP Q9HU65
X	3	HIS	-	expression tag	UNP Q9HU65
X	4	HIS	-	expression tag	UNP Q9HU65
X	5	HIS	-	expression tag	UNP Q9HU65
X	6	HIS	-	expression tag	UNP Q9HU65
X	7	HIS	-	expression tag	UNP Q9HU65
X	8	HIS	-	expression tag	UNP Q9HU65
Y	1	MET	-	initiating methionine	UNP Q9HU65
Y	2	ALA	-	expression tag	UNP Q9HU65
Y	3	HIS	-	expression tag	UNP Q9HU65
Y	4	HIS	-	expression tag	UNP Q9HU65
Y	5	HIS	-	expression tag	UNP Q9HU65
Y	6	HIS	-	expression tag	UNP Q9HU65
Y	7	HIS	-	expression tag	UNP Q9HU65
Y	8	HIS	-	expression tag	UNP Q9HU65
Z	1	MET	-	initiating methionine	UNP Q9HU65
Z	2	ALA	-	expression tag	UNP Q9HU65
Z	3	HIS	-	expression tag	UNP Q9HU65
Z	4	HIS	-	expression tag	UNP Q9HU65
Z	5	HIS	-	expression tag	UNP Q9HU65
Z	6	HIS	-	expression tag	UNP Q9HU65
Z	7	HIS	-	expression tag	UNP Q9HU65
Z	8	HIS	-	expression tag	UNP Q9HU65
a	1	MET	-	initiating methionine	UNP Q9HU65
a	2	ALA	-	expression tag	UNP Q9HU65
a	3	HIS	-	expression tag	UNP Q9HU65
a	4	HIS	-	expression tag	UNP Q9HU65
a	5	HIS	-	expression tag	UNP Q9HU65
a	6	HIS	-	expression tag	UNP Q9HU65
a	7	HIS	-	expression tag	UNP Q9HU65
a	8	HIS	-	expression tag	UNP Q9HU65
b	1	MET	-	initiating methionine	UNP Q9HU65
b	2	ALA	-	expression tag	UNP Q9HU65
b	3	HIS	-	expression tag	UNP Q9HU65
b	4	HIS	-	expression tag	UNP Q9HU65
b	5	HIS	-	expression tag	UNP Q9HU65
b	6	HIS	-	expression tag	UNP Q9HU65
b	7	HIS	-	expression tag	UNP Q9HU65
b	8	HIS	-	expression tag	UNP Q9HU65


3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Glutamine synthetase





- Molecule 1: Glutamine synthetase







• Molecule 1: Glutamine synthetase




• Molecule 1: Glutamine synthetase





• Molecule 1: Glutamine synthetase







• Molecule 1: Glutamine synthetase





• Molecule 1: Glutamine synthetase








• Molecule 1: Glutamine synthetase





• Molecule 1: Glutamine synthetase








• Molecule 1: Glutamine synthetase




• Molecule 1: Glutamine synthetase





• Molecule 1: Glutamine synthetase








• Molecule 1: Glutamine synthetase





• Molecule 1: Glutamine synthetase







• Molecule 1: Glutamine synthetase




• Molecule 1: Glutamine synthetase






• Molecule 1: Glutamine synthetase









• Molecule 1: Glutamine synthetase




• Molecule 1: Glutamine synthetase





• Molecule 1: Glutamine synthetase









• Molecule 1: Glutamine synthetase



• Molecule 1: Glutamine synthetase




• Molecule 1: Glutamine synthetase




• Molecule 1: Glutamine synthetase

Chain a:  5% 87% 13%



• Molecule 1: Glutamine synthetase

Chain b:  12% 86% 13%



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C7	Depositor
Number of particles used	346920	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION; Patch-based motion correction	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	40	Depositor
Minimum defocus (nm)	300	Depositor
Maximum defocus (nm)	1500	Depositor
Magnification	Not provided	
Image detector	FEI FALCON III (4k x 4k)	Depositor
Maximum map value	0.975	Depositor
Minimum map value	-0.349	Depositor
Average map value	0.004	Depositor
Map value standard deviation	0.051	Depositor
Recommended contour level	0.1	Depositor
Map size (\AA)	345.6, 345.6, 345.6	wwPDB
Map dimensions	256, 256, 256	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (\AA)	1.35, 1.35, 1.35	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.27	0/3339	0.48	0/4509
1	B	0.28	0/3330	0.48	0/4496
1	C	0.27	0/3348	0.48	0/4520
1	D	0.27	0/3321	0.47	0/4485
1	E	0.27	0/3315	0.48	0/4477
1	F	0.27	0/3330	0.48	0/4496
1	G	0.28	0/3330	0.48	0/4496
1	H	0.27	0/3315	0.48	0/4477
1	I	0.28	0/3324	0.48	0/4489
1	J	0.27	0/3309	0.48	0/4469
1	K	0.27	0/3349	0.48	0/4523
1	L	0.28	0/3324	0.49	0/4488
1	M	0.28	0/3296	0.48	0/4449
1	N	0.27	0/3313	0.47	0/4474
1	O	0.26	0/3318	0.49	0/4480
1	P	0.26	0/3371	0.49	0/4552
1	Q	0.26	0/3318	0.49	0/4480
1	R	0.26	0/3318	0.49	0/4480
1	S	0.26	0/3318	0.49	0/4480
1	T	0.26	0/3324	0.48	0/4488
1	U	0.26	0/3347	0.49	0/4520
1	V	0.26	0/3320	0.47	0/4483
1	W	0.26	0/3318	0.48	0/4480
1	X	0.26	0/3330	0.48	0/4496
1	Y	0.26	0/3330	0.48	0/4496
1	Z	0.26	0/3330	0.48	0/4496
1	a	0.26	0/3330	0.48	0/4496
1	b	0.26	0/3330	0.48	0/4496
All	All	0.27	0/93145	0.48	0/125771

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	412/477 (86%)	400 (97%)	12 (3%)	0	100	100
1	B	411/477 (86%)	399 (97%)	12 (3%)	0	100	100
1	C	413/477 (87%)	403 (98%)	10 (2%)	0	100	100
1	D	410/477 (86%)	399 (97%)	11 (3%)	0	100	100
1	E	409/477 (86%)	396 (97%)	13 (3%)	0	100	100
1	F	411/477 (86%)	401 (98%)	10 (2%)	0	100	100
1	G	411/477 (86%)	399 (97%)	12 (3%)	0	100	100
1	H	409/477 (86%)	395 (97%)	14 (3%)	0	100	100
1	I	410/477 (86%)	397 (97%)	13 (3%)	0	100	100
1	J	408/477 (86%)	393 (96%)	15 (4%)	0	100	100
1	K	413/477 (87%)	402 (97%)	11 (3%)	0	100	100
1	L	410/477 (86%)	397 (97%)	13 (3%)	0	100	100
1	M	404/477 (85%)	386 (96%)	18 (4%)	0	100	100
1	N	409/477 (86%)	395 (97%)	14 (3%)	0	100	100
1	O	409/477 (86%)	398 (97%)	11 (3%)	0	100	100
1	P	415/477 (87%)	403 (97%)	12 (3%)	0	100	100
1	Q	409/477 (86%)	400 (98%)	9 (2%)	0	100	100
1	R	409/477 (86%)	401 (98%)	8 (2%)	0	100	100
1	S	409/477 (86%)	397 (97%)	12 (3%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	T	410/477 (86%)	403 (98%)	7 (2%)	0	100	100
1	U	412/477 (86%)	401 (97%)	11 (3%)	0	100	100
1	V	409/477 (86%)	395 (97%)	14 (3%)	0	100	100
1	W	409/477 (86%)	403 (98%)	6 (2%)	0	100	100
1	X	411/477 (86%)	401 (98%)	10 (2%)	0	100	100
1	Y	411/477 (86%)	404 (98%)	7 (2%)	0	100	100
1	Z	411/477 (86%)	399 (97%)	12 (3%)	0	100	100
1	a	411/477 (86%)	401 (98%)	10 (2%)	0	100	100
1	b	411/477 (86%)	403 (98%)	8 (2%)	0	100	100
All	All	11486/13356 (86%)	11171 (97%)	315 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	348/398 (87%)	345 (99%)	3 (1%)	78	94
1	B	347/398 (87%)	345 (99%)	2 (1%)	86	96
1	C	349/398 (88%)	340 (97%)	9 (3%)	46	79
1	D	346/398 (87%)	343 (99%)	3 (1%)	78	94
1	E	345/398 (87%)	341 (99%)	4 (1%)	71	92
1	F	347/398 (87%)	343 (99%)	4 (1%)	71	92
1	G	347/398 (87%)	338 (97%)	9 (3%)	46	79
1	H	345/398 (87%)	338 (98%)	7 (2%)	55	84
1	I	346/398 (87%)	340 (98%)	6 (2%)	60	87
1	J	344/398 (86%)	337 (98%)	7 (2%)	55	84
1	K	349/398 (88%)	342 (98%)	7 (2%)	55	84
1	L	346/398 (87%)	343 (99%)	3 (1%)	78	94

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	M	343/398 (86%)	343 (100%)	0	100	100
1	N	345/398 (87%)	343 (99%)	2 (1%)	86	96
1	O	345/398 (87%)	339 (98%)	6 (2%)	60	87
1	P	351/398 (88%)	346 (99%)	5 (1%)	67	90
1	Q	345/398 (87%)	339 (98%)	6 (2%)	60	87
1	R	345/398 (87%)	339 (98%)	6 (2%)	60	87
1	S	345/398 (87%)	339 (98%)	6 (2%)	60	87
1	T	346/398 (87%)	341 (99%)	5 (1%)	67	90
1	U	348/398 (87%)	343 (99%)	5 (1%)	67	90
1	V	346/398 (87%)	342 (99%)	4 (1%)	71	92
1	W	345/398 (87%)	338 (98%)	7 (2%)	55	84
1	X	347/398 (87%)	340 (98%)	7 (2%)	55	84
1	Y	347/398 (87%)	342 (99%)	5 (1%)	67	90
1	Z	347/398 (87%)	343 (99%)	4 (1%)	71	92
1	a	347/398 (87%)	343 (99%)	4 (1%)	71	92
1	b	347/398 (87%)	339 (98%)	8 (2%)	50	82
All	All	9698/11144 (87%)	9554 (98%)	144 (2%)	66	89

5 of 144 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	W	472	ASP
1	b	472	ASP
1	X	106	MET
1	Z	272	ASP
1	J	41	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 7 such sidechains are listed below:

Mol	Chain	Res	Type
1	S	15	GLN
1	Y	218	HIS
1	a	36	GLN
1	Z	218	HIS
1	K	198	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-28965. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 128




Y Index: 128




Z Index: 128


6.2.2 Raw map



X Index: 128



Y Index: 128




Z Index: 128


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 97




Y Index: 103




Z Index: 170


6.3.2 Raw map



X Index: 97



Y Index: 103




Z Index: 170


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y



Z


The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.1. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



X



Y



Z

These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [\(i\)](#)



The volume at the recommended contour level is 1343 nm^3 ; this corresponds to an approximate mass of 1213 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum i




*Reported resolution corresponds to spatial frequency of 0.357 \AA^{-1}

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.357\AA^{-1}

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.80	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	3.25	3.67	3.30

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.25 differs from the reported value 2.8 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-28965 and PDB model 8FBP. Per-residue inclusion information can be found in section 3 on page 11.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.1 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.1).

9.4 Atom inclusion [i](#)



At the recommended contour level, 82% of all backbone atoms, 66% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.1) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.6560	 0.0820
A	 0.5510	 -0.0080
B	 0.5950	 0.0200
C	 0.6210	 0.0460
D	 0.5680	 -0.0040
E	 0.5850	 0.0230
F	 0.5520	 -0.0080
G	 0.5590	 -0.0220
H	 0.5630	 0.0010
I	 0.6330	 0.0710
J	 0.6850	 0.1250
K	 0.5700	 0.0160
L	 0.6590	 0.0790
M	 0.6080	 0.0320
N	 0.5720	 0.0060
O	 0.6610	 0.0760
P	 0.7680	 0.2240
Q	 0.7400	 0.1750
R	 0.7350	 0.1790
S	 0.6890	 0.1100
T	 0.6500	 0.0400
U	 0.6260	 0.0190
V	 0.6700	 0.0670
W	 0.7530	 0.1770
X	 0.7800	 0.2060
Y	 0.7040	 0.1130
Z	 0.7930	 0.2340
a	 0.7680	 0.2050
b	 0.6980	 0.1050

