



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 12, 2024 – 07:06 AM EDT

PDB ID : 2R6E
Title : Crystal Form B2
Authors : Bailey, S.; Eliason, W.K.; Steitz, T.A.
Deposited on : 2007-09-05
Resolution : 5.02 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	1.20.1
EDS	:	2.36.2
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 5.02 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	1003 (6.22-3.82)
Ramachandran outliers	138981	1147 (6.22-3.80)
Sidechain outliers	138945	1123 (6.22-3.80)
RSRZ outliers	127900	1011 (6.32-3.72)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	454	<div> <div>3%</div> <div> <div></div> <div>64%</div> <div>18%</div> <div>•</div> <div>15%</div> </div> </div>
1	B	454	<div> <div>5%</div> <div> <div></div> <div>63%</div> <div>19%</div> <div>•</div> <div>15%</div> </div> </div>

2 Entry composition [i](#)


There are 2 unique types of molecules in this entry. The entry contains 5990 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Replicative helicase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	387	Total	C	N	O	S	0	0	0
			2990	1874	520	583	13			
1	B	387	Total	C	N	O	S	0	0	0
			2990	1874	520	583	13			

- Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O₄S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Replicative helicase



• Molecule 1: Replicative helicase



4 Data and refinement statistics

Property	Value	Source
Space group	H 3 2	Depositor
Cell constants a, b, c, α , β , γ	199.80Å 199.80Å 195.04Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	20.00 – 5.02 19.98 – 5.02	Depositor EDS
% Data completeness (in resolution range)	95.7 (20.00-5.02) 95.7 (19.98-5.02)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.06	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.14 (at 4.97Å)	Xtriage
Refinement program	REFMAC 5.2	Depositor
R, R_{free}	0.393 , 0.397 0.367 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	409.7	Xtriage
Anisotropy	0.233	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.25 , -10.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.88	EDS
Total number of atoms	5990	wwPDB-VP
Average B, all atoms (Å ²)	101.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.33% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.42	2/3023 (0.1%)	0.63	1/4084 (0.0%)
1	B	0.37	1/3023 (0.0%)	0.62	0/4084
All	All	0.40	3/6046 (0.0%)	0.63	1/8168 (0.0%)

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	150	VAL	C-N	12.08	1.61	1.34
1	B	370	ARG	C-O	6.12	1.34	1.23
1	A	370	ARG	C-O	6.04	1.34	1.23

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	150	VAL	O-C-N	5.33	131.23	122.70

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2990	0	3030	75	4
1	B	2990	0	3030	77	1

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	A	5	0	0	1	0
2	B	5	0	0	0	0
All	All	5990	0	6060	152	4

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (152) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:133:GLU:N	1:B:134:ASP:HB3	1.54	1.22
1:A:133:GLU:N	1:A:134:ASP:HB3	1.54	1.21
1:A:133:GLU:H	1:A:134:ASP:CB	1.57	1.17
1:B:133:GLU:H	1:B:134:ASP:CB	1.57	1.14
1:B:207:ILE:HD12	1:B:390:ALA:HB2	1.49	0.94
1:A:207:ILE:HD12	1:A:390:ALA:HB2	1.49	0.92
1:A:133:GLU:H	1:A:134:ASP:HB3	0.71	0.87
1:B:207:ILE:HD13	1:B:386:ILE:HG22	1.60	0.83
1:A:207:ILE:HD13	1:A:386:ILE:HG22	1.60	0.83
1:B:133:GLU:H	1:B:134:ASP:HB3	0.71	0.83
1:A:296:ILE:HG22	1:A:300:ASP:HB2	1.69	0.74
1:B:198:SER:N	1:B:199:GLY:HA2	2.02	0.73
1:A:198:SER:N	1:A:199:GLY:HA2	2.02	0.73
1:B:296:ILE:HG22	1:B:300:ASP:HB2	1.70	0.73
1:A:188:THR:HG21	1:A:193:LEU:HD23	1.73	0.71
1:B:188:THR:HG21	1:B:193:LEU:HD23	1.73	0.69
1:B:412:ILE:HG21	1:B:438:PHE:HE2	1.58	0.69
1:A:412:ILE:HG21	1:A:438:PHE:HE2	1.58	0.69
1:A:399:ASP:N	1:A:399:ASP:OD1	2.27	0.68
1:B:399:ASP:N	1:B:399:ASP:OD1	2.27	0.68
1:A:412:ILE:HG21	1:A:438:PHE:CE2	2.30	0.66
1:B:412:ILE:HG21	1:B:438:PHE:CE2	2.30	0.66
1:A:207:ILE:CD1	1:A:386:ILE:HG22	2.26	0.66
1:B:207:ILE:CD1	1:B:386:ILE:HG22	2.26	0.65
1:A:269:THR:HB	1:A:272:ASP:HB2	1.79	0.64
1:B:227:VAL:O	1:B:231:THR:HG22	1.98	0.64
1:A:296:ILE:CG2	1:A:300:ASP:HB2	2.28	0.63
1:B:269:THR:HB	1:B:272:ASP:HB2	1.79	0.63
1:B:296:ILE:CG2	1:B:300:ASP:HB2	2.28	0.63
1:A:227:VAL:O	1:A:231:THR:HG22	1.98	0.63
1:B:207:ILE:HD13	1:B:386:ILE:CG2	2.28	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:32:VAL:HB	1:B:33:PRO:HD3	1.82	0.61
1:A:207:ILE:HD13	1:A:386:ILE:CG2	2.28	0.61
1:A:32:VAL:HB	1:A:33:PRO:HD3	1.82	0.60
1:A:134:ASP:O	1:A:135:GLU:HB2	2.01	0.60
1:B:134:ASP:O	1:B:135:GLU:HB2	2.01	0.59
1:B:381:ARG:HH12	1:B:388:GLN:HE22	1.52	0.58
1:B:302:ARG:HG2	1:B:349:LEU:HD13	1.87	0.57
1:A:302:ARG:HG2	1:A:349:LEU:HD13	1.87	0.57
1:A:321:TYR:H	1:A:360:LEU:HB2	1.70	0.57
1:A:216:LYS:HG2	2:A:500:SO4:O4	2.05	0.56
1:A:381:ARG:HH12	1:A:388:GLN:HE22	1.52	0.56
1:B:321:TYR:H	1:B:360:LEU:HB2	1.70	0.56
1:A:61:ARG:NH2	1:A:73:GLU:OE1	2.39	0.56
1:A:335:ARG:O	1:A:335:ARG:HD3	2.06	0.55
1:B:370:ARG:NH2	1:B:379:ASP:OD2	2.40	0.55
1:A:233:GLU:CG	1:A:315:GLY:HA3	2.37	0.55
1:A:370:ARG:NH2	1:A:379:ASP:OD2	2.40	0.55
1:B:233:GLU:CG	1:B:315:GLY:HA3	2.37	0.55
1:B:61:ARG:NH2	1:B:73:GLU:OE1	2.39	0.55
1:B:335:ARG:HD3	1:B:335:ARG:O	2.06	0.55
1:A:381:ARG:HH22	1:A:388:GLN:HE22	1.55	0.54
1:A:208:VAL:HB	1:A:360:LEU:HD23	1.90	0.54
1:B:365:ARG:O	1:B:369:GLN:HG2	2.07	0.54
1:A:370:ARG:HH22	1:A:379:ASP:CG	2.11	0.54
1:B:381:ARG:HH22	1:B:388:GLN:HE22	1.55	0.54
1:B:208:VAL:HB	1:B:360:LEU:HD23	1.90	0.53
1:A:365:ARG:O	1:A:369:GLN:HG2	2.07	0.53
1:A:233:GLU:HG2	1:A:315:GLY:HA3	1.91	0.53
1:B:335:ARG:HA	1:B:338:GLU:HB3	1.91	0.53
1:A:61:ARG:NH1	1:A:63:GLU:OE1	2.42	0.52
1:B:370:ARG:HH22	1:B:379:ASP:CG	2.11	0.52
1:B:233:GLU:HG2	1:B:315:GLY:HA3	1.91	0.51
1:A:267:LYS:O	1:A:268:LEU:HB2	2.10	0.51
1:B:61:ARG:NH1	1:B:63:GLU:OE1	2.42	0.51
1:A:335:ARG:HA	1:A:338:GLU:HB3	1.91	0.51
1:B:267:LYS:O	1:B:268:LEU:HB2	2.10	0.51
1:A:57:ARG:HH21	1:A:73:GLU:HG3	1.76	0.51
1:B:370:ARG:NH2	1:B:379:ASP:OD1	2.32	0.51
1:B:381:ARG:NH1	1:B:388:GLN:HE22	2.10	0.50
1:A:316:MET:HG2	1:A:356:PRO:HG2	1.93	0.50
1:B:378:SER:O	1:B:382:GLU:HG2	2.11	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:378:SER:O	1:A:382:GLU:HG2	2.11	0.50
1:B:57:ARG:HH21	1:B:73:GLU:HG3	1.76	0.49
1:B:316:MET:HG2	1:B:356:PRO:HG2	1.93	0.49
1:A:268:LEU:HD13	1:A:273:TRP:CE3	2.48	0.49
1:A:8:ARG:HB3	1:A:9:ILE:HA	1.95	0.49
1:A:197:THR:O	1:A:198:SER:HB2	2.13	0.49
1:A:381:ARG:NH1	1:A:388:GLN:HE22	2.09	0.49
1:A:8:ARG:CB	1:A:9:ILE:HA	2.42	0.48
1:A:268:LEU:HD13	1:A:273:TRP:CZ3	2.48	0.48
1:B:197:THR:O	1:B:198:SER:HB2	2.13	0.48
1:A:370:ARG:NH2	1:A:379:ASP:OD1	2.32	0.48
1:B:268:LEU:HD13	1:B:273:TRP:CE3	2.48	0.48
1:B:370:ARG:NH2	1:B:379:ASP:CG	2.67	0.48
1:A:370:ARG:NH2	1:A:379:ASP:CG	2.67	0.48
1:B:268:LEU:HD13	1:B:273:TRP:CZ3	2.48	0.48
1:A:381:ARG:NH2	1:A:388:GLN:HE22	2.12	0.47
1:B:8:ARG:CB	1:B:9:ILE:HA	2.42	0.47
1:A:297:ARG:NH2	1:A:329:GLY:O	2.47	0.47
1:B:266:GLY:HA2	1:B:267:LYS:O	2.13	0.47
1:A:266:GLY:HA2	1:A:267:LYS:O	2.13	0.47
1:A:259:ASN:O	1:A:262:ASN:HB3	2.15	0.47
1:B:259:ASN:O	1:B:262:ASN:HB3	2.15	0.47
1:A:134:ASP:O	1:A:135:GLU:CB	2.62	0.47
1:B:8:ARG:HB3	1:B:9:ILE:HA	1.95	0.47
1:B:134:ASP:O	1:B:135:GLU:CB	2.62	0.47
1:B:133:GLU:N	1:B:134:ASP:CB	2.40	0.47
1:B:297:ARG:NH2	1:B:329:GLY:O	2.47	0.47
1:A:377:MET:CE	1:A:387:GLU:HG3	2.45	0.47
1:B:377:MET:CE	1:B:387:GLU:HG3	2.45	0.47
1:A:197:THR:HA	1:A:419:GLN:OE1	2.15	0.46
1:B:381:ARG:NH2	1:B:388:GLN:HE22	2.12	0.46
1:B:210:ALA:HB3	1:B:216:LYS:HB3	1.98	0.46
1:B:198:SER:H	1:B:199:GLY:HA2	1.80	0.46
1:A:210:ALA:HB3	1:A:216:LYS:HB3	1.98	0.45
1:B:321:TYR:HA	1:B:360:LEU:O	2.16	0.45
1:A:321:TYR:HA	1:A:360:LEU:O	2.16	0.45
1:B:211:ARG:HH11	1:B:368:GLU:HG3	1.82	0.45
1:B:267:LYS:O	1:B:268:LEU:CB	2.65	0.45
1:A:211:ARG:HH11	1:A:368:GLU:HG3	1.81	0.45
1:B:197:THR:HA	1:B:419:GLN:OE1	2.15	0.45
1:A:133:GLU:N	1:A:134:ASP:CB	2.40	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:267:LYS:O	1:A:268:LEU:CB	2.65	0.44
1:B:381:ARG:NH1	1:B:387:GLU:HB3	2.33	0.44
1:A:381:ARG:NH1	1:A:387:GLU:HB3	2.33	0.44
1:A:274:GLY:O	1:A:278:MET:HG3	2.18	0.44
1:B:302:ARG:O	1:B:306:ARG:HB2	2.17	0.44
1:A:293:THR:HA	1:A:294:PRO:HD2	1.74	0.44
1:B:274:GLY:O	1:B:278:MET:HG3	2.18	0.44
1:A:209:ALA:HA	1:A:361:SER:O	2.17	0.44
1:A:198:SER:H	1:A:199:GLY:HA2	1.80	0.44
1:B:279:ALA:O	1:B:283:LEU:HB2	2.18	0.44
1:A:233:GLU:HG3	1:A:315:GLY:HA3	2.00	0.43
1:B:233:GLU:HG3	1:B:315:GLY:HA3	2.00	0.43
1:B:209:ALA:HA	1:B:361:SER:O	2.17	0.43
1:B:293:THR:HA	1:B:294:PRO:HD2	1.74	0.43
1:A:302:ARG:O	1:A:306:ARG:HB2	2.18	0.43
1:A:386:ILE:H	1:A:386:ILE:HG13	1.53	0.43
1:B:212:PRO:O	1:B:213:SER:HB2	2.19	0.43
1:B:206:ILE:HA	1:B:392:ILE:HG23	2.01	0.42
1:A:128:ASP:HB3	1:A:139:LEU:HD21	2.01	0.42
1:A:279:ALA:O	1:A:283:LEU:HB2	2.18	0.42
1:A:212:PRO:O	1:A:213:SER:HB2	2.18	0.42
1:B:128:ASP:HB3	1:B:139:LEU:HD21	2.01	0.42
1:B:335:ARG:NH2	1:B:338:GLU:OE1	2.45	0.42
1:A:206:ILE:HA	1:A:392:ILE:HG23	2.02	0.42
1:A:439:VAL:HG12	1:A:440:ASN:N	2.35	0.42
1:B:53:HIS:CD2	1:B:57:ARG:NH1	2.88	0.42
1:B:384:GLY:HA3	1:B:385:SER:HA	1.87	0.42
1:B:47:ALA:HA	1:B:83:ILE:HG22	2.02	0.41
1:B:386:ILE:H	1:B:386:ILE:HG13	1.53	0.41
1:B:144:ASP:O	1:B:148:MET:HG2	2.21	0.41
1:B:414:ILE:HD11	1:B:429:LEU:HD12	2.02	0.41
1:A:144:ASP:O	1:A:148:MET:HG2	2.21	0.41
1:B:439:VAL:HG12	1:B:440:ASN:N	2.35	0.41
1:A:53:HIS:CD2	1:A:57:ARG:NH1	2.88	0.41
1:A:414:ILE:HD11	1:A:429:LEU:HD12	2.02	0.41
1:A:381:ARG:HH12	1:A:388:GLN:NE2	2.18	0.41
1:B:381:ARG:HH12	1:B:388:GLN:NE2	2.18	0.41
1:B:8:ARG:HG2	1:B:10:PRO:HD3	2.03	0.40
1:A:347:LYS:NZ	1:A:391:ASP:OD2	2.50	0.40

All (4) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:278:MET:CE	1:A:285:ASN:ND2[17_555]	1.28	0.92
1:A:278:MET:CE	1:A:285:ASN:CG[17_555]	1.38	0.82
1:A:278:MET:CE	1:A:285:ASN:OD1[17_555]	1.47	0.73
1:A:86:VAL:CG2	1:B:277:THR:CG2[10_455]	1.98	0.22

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	377/454 (83%)	347 (92%)	21 (6%)	9 (2%)	6	35
1	B	377/454 (83%)	347 (92%)	21 (6%)	9 (2%)	6	35
All	All	754/908 (83%)	694 (92%)	42 (6%)	18 (2%)	6	35

All (18) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	135	GLU
1	A	266	GLY
1	A	268	LEU
1	A	321	TYR
1	B	135	GLU
1	B	266	GLY
1	B	268	LEU
1	B	321	TYR
1	A	131	THR
1	A	134	ASP
1	A	399	ASP
1	B	131	THR
1	B	134	ASP
1	B	399	ASP
1	A	198	SER
1	B	198	SER
1	B	267	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	267	LYS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	323/386 (84%)	308 (95%)	15 (5%)	27	53
1	B	323/386 (84%)	308 (95%)	15 (5%)	27	53
All	All	646/772 (84%)	616 (95%)	30 (5%)	27	53

All (30) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	56	LEU
1	A	67	LEU
1	A	86	VAL
1	A	87	SER
1	A	98	THR
1	A	136	ILE
1	A	195	ARG
1	A	271	GLU
1	A	296	ILE
1	A	321	TYR
1	A	386	ILE
1	A	388	GLN
1	A	391	ASP
1	A	399	ASP
1	A	412	ILE
1	B	56	LEU
1	B	67	LEU
1	B	86	VAL
1	B	87	SER
1	B	98	THR
1	B	136	ILE
1	B	195	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	271	GLU
1	B	296	ILE
1	B	321	TYR
1	B	386	ILE
1	B	388	GLN
1	B	391	ASP
1	B	399	ASP
1	B	412	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	53	HIS
1	A	225	GLN
1	A	261	GLN
1	A	323	GLN
1	A	369	GLN
1	A	388	GLN
1	B	53	HIS
1	B	225	GLN
1	B	261	GLN
1	B	323	GLN
1	B	369	GLN
1	B	388	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	SO4	B	500	-	4,4,4	0.25	0	6,6,6	0.10	0
2	SO4	A	500	-	4,4,4	0.24	0	6,6,6	0.10	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	500	SO4	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	A	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	A	150:VAL	C	151:SER	N	1.61

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	387/454 (85%)	0.12	12 (3%) 49 39	80, 98, 116, 141	0
1	B	387/454 (85%)	0.14	21 (5%) 25 22	80, 98, 116, 141	0
All	All	774/908 (85%)	0.13	33 (4%) 35 29	80, 98, 116, 141	0

All (33) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	187	PRO	4.4
1	A	329	GLY	4.2
1	B	424	VAL	3.9
1	B	401	TYR	3.7
1	A	369	GLN	3.7
1	A	330	ARG	3.6
1	A	368	GLU	3.4
1	A	287	GLY	3.2
1	A	328	SER	3.2
1	A	270	PRO	3.2
1	B	97	PRO	3.1
1	B	368	GLU	3.0
1	B	409	LYS	3.0
1	B	425	GLY	3.0
1	B	365	ARG	2.9
1	B	396	LEU	2.7
1	B	330	ARG	2.7
1	B	19	ALA	2.6
1	B	8	ARG	2.5
1	A	320	ASP	2.4
1	A	265	THR	2.4
1	B	366	SER	2.3
1	A	18	GLN	2.3
1	B	265	THR	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	64	PRO	2.2
1	A	290	ILE	2.2
1	B	376	MET	2.2
1	B	320	ASP	2.1
1	B	394	ALA	2.1
1	A	367	VAL	2.1
1	B	369	GLN	2.1
1	B	261	GLN	2.0
1	B	209	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	SO4	A	500	5/5	0.63	0.36	105,111,113,114	0
2	SO4	B	500	5/5	0.67	0.34	105,111,113,114	0

6.5 Other polymers [i](#)

There are no such residues in this entry.