



Full wwPDB EM Validation Report ⓘ

May 26, 2024 – 08:08 AM EDT

PDB ID : 7RZV
EMDB ID : EMD-24779
Title : Cryo-EM structure of the SARS-CoV-2 HR1HR2 fusion core complex with V1176F mutation
Authors : Yang, K.; Brunger, A.T.
Deposited on : 2021-08-27
Resolution : 2.11 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev92
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 2.11 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	257	 24% 72%
1	B	257	 23% 72%
1	C	257	 24% 72%
2	D	45	 78% 16% 7%
2	E	45	 78% 16% 7%
2	F	45	 78% 16% 7%

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 2562 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called SARS-CoV-2 HR1 linked to a scaffold,Spike protein S2'.

Mol	Chain	Residues	Atoms				AltConf	Trace
1	A	71	Total	C	N	O	0	0
			531	327	94	110		
1	B	71	Total	C	N	O	0	0
			531	327	94	110		
1	C	71	Total	C	N	O	0	0
			531	327	94	110		

There are 33 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	732	MET	-	initiating methionine	UNP B2J981
A	733	SER	-	expression tag	UNP B2J981
A	734	HIS	-	expression tag	UNP B2J981
A	735	HIS	-	expression tag	UNP B2J981
A	736	HIS	-	expression tag	UNP B2J981
A	737	HIS	-	expression tag	UNP B2J981
A	738	HIS	-	expression tag	UNP B2J981
A	739	HIS	-	expression tag	UNP B2J981
A	740	GLY	-	expression tag	UNP B2J981
A	741	SER	-	expression tag	UNP B2J981
A	916	ALA	-	linker	UNP B2J981
B	732	MET	-	initiating methionine	UNP B2J981
B	733	SER	-	expression tag	UNP B2J981
B	734	HIS	-	expression tag	UNP B2J981
B	735	HIS	-	expression tag	UNP B2J981
B	736	HIS	-	expression tag	UNP B2J981
B	737	HIS	-	expression tag	UNP B2J981
B	738	HIS	-	expression tag	UNP B2J981
B	739	HIS	-	expression tag	UNP B2J981
B	740	GLY	-	expression tag	UNP B2J981
B	741	SER	-	expression tag	UNP B2J981
B	916	ALA	-	linker	UNP B2J981
C	732	MET	-	initiating methionine	UNP B2J981
C	733	SER	-	expression tag	UNP B2J981

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	734	HIS	-	expression tag	UNP B2J981
C	735	HIS	-	expression tag	UNP B2J981
C	736	HIS	-	expression tag	UNP B2J981
C	737	HIS	-	expression tag	UNP B2J981
C	738	HIS	-	expression tag	UNP B2J981
C	739	HIS	-	expression tag	UNP B2J981
C	740	GLY	-	expression tag	UNP B2J981
C	741	SER	-	expression tag	UNP B2J981
C	916	ALA	-	linker	UNP B2J981

- Molecule 2 is a protein called Spike protein S2'.

Mol	Chain	Residues	Atoms				AltConf	Trace
2	D	42	Total	C	N	O	0	0
			323	199	55	69		
2	E	42	Total	C	N	O	0	0
			323	199	55	69		
2	F	42	Total	C	N	O	0	0
			323	199	55	69		


There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
D	1176	PHE	VAL	conflict	UNP P0DTC2
E	1176	PHE	VAL	conflict	UNP P0DTC2
F	1176	PHE	VAL	conflict	UNP P0DTC2

GLU	GLY	ARG
GLY	SER	GLN
GLU	PHE	VAL
TYR	ALA	ASN
SER	ASP	LEU
LEU	HIS	ALA
GLU	PHE	GLN
PHE	ASN	ALA
GLU	SER	ILE
TYR	ASN	VAL
GLN	VAL	GLN
ASP	GLN	ALA
HIS	ILE	ALA
GLU	HIS	GLN
ILE	GLY	ILE
GLY	ARG	GLY
ARG	LEU	ASP
ASP	GLY	ARG
GLY	LEU	THR
GLY	ARG	TYR
VAL	LEU	TYR
PRO	TYR	GLU
VAL	ALA	LYS
ALA	ILE	ILE
THR	PHE	LEU
SER	LEU	SER
LYS	LYS	THR
LEU	ALA	GLU
GLU	LEU	ARG
THR	ALA	TYR
CYS	PHE	HIS
GLU	GLN	LEU
GLU	SER	HIS
GLY	PHE	SER
VAL	GLY	ALA
VAL	LYS	ASP
TYR	SER	LEU
SER		

THR	LEU	GLY	PHE	ALA	TYR	E918	I923	I931	G932	Q935	L938	Q949	R983	L984	E988
-----	-----	-----	-----	-----	-----	------	------	------	------	------	------	------	------	------	------

● Molecule 2: Spike protein S2'




LYS	ASN	H1159	D1163	V1164	I1169	I1172	V1177	L1186	I1198	D1199	L1200	GLN
-----	-----	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-----

● Molecule 2: Spike protein S2'



LYS	ASN	H1159	D1163	V1164	I1169	I1172	V1177	L1186	I1198	D1199	L1200	GLN
-----	-----	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-----

● Molecule 2: Spike protein S2'



LYS	ASN	H1159	D1163	V1164	I1169	I1172	V1177	L1186	I1198	D1199	L1200	GLN
-----	-----	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-----

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	840781	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	NONE	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	46	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	1.687	Depositor
Minimum map value	-0.002	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.019	Depositor
Recommended contour level	0.05	Depositor
Map size (\AA)	208.96, 208.96, 208.96	wwPDB
Map dimensions	256, 256, 256	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (\AA)	0.81625, 0.81625, 0.81625	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.28	0/532	0.39	0/717
1	B	0.28	0/532	0.39	0/717
1	C	0.28	0/532	0.39	0/717
2	D	0.28	0/325	0.42	0/440
2	E	0.28	0/325	0.42	0/440
2	F	0.28	0/325	0.42	0/440
All	All	0.28	0/2571	0.40	0/3471

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	531	0	545	9	0
1	B	531	0	545	11	0
1	C	531	0	545	9	0
2	D	323	0	317	5	0
2	E	323	0	317	5	0
2	F	323	0	317	5	0
All	All	2562	0	2586	28	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (28) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:E:1163:ASP:OD1	2:E:1164:VAL:N	2.40	0.55
2:F:1163:ASP:OD1	2:F:1164:VAL:N	2.40	0.55
2:D:1163:ASP:OD1	2:D:1164:VAL:N	2.40	0.54
1:B:984:LEU:HD11	1:C:984:LEU:HD22	1.94	0.49
1:A:984:LEU:HD22	1:C:984:LEU:HD11	1.95	0.48
1:B:938:LEU:HD22	2:E:1186:LEU:HD22	1.96	0.47
1:A:984:LEU:HD11	1:B:984:LEU:HD22	1.95	0.47
1:C:938:LEU:HD22	2:F:1186:LEU:HD22	1.96	0.47
1:A:938:LEU:HD22	2:D:1186:LEU:HD22	1.96	0.47
1:A:949:GLN:HG3	2:D:1177:VAL:HG13	1.99	0.45
1:B:949:GLN:HG3	2:E:1177:VAL:HG13	1.99	0.45
1:A:988:GLU:OE2	1:B:983:ARG:NE	2.50	0.44
1:C:949:GLN:HG3	2:F:1177:VAL:HG13	1.99	0.43
1:B:988:GLU:OE2	1:C:983:ARG:NE	2.51	0.43
1:C:932:GLY:HA2	1:C:935:GLN:HE21	1.84	0.43
1:A:932:GLY:HA2	1:A:935:GLN:HE21	1.84	0.43
1:A:983:ARG:NE	1:C:988:GLU:OE2	2.51	0.43
1:B:932:GLY:HA2	1:B:935:GLN:HE21	1.84	0.42
1:B:981:LEU:HD23	1:B:981:LEU:HA	1.93	0.42
1:C:931:ILE:HD13	1:C:931:ILE:HA	1.90	0.41
2:D:1169:ILE:HB	2:D:1172:ILE:HD12	2.02	0.41
1:B:923:ILE:HG12	2:D:1198:ILE:HD13	2.01	0.41
1:A:923:ILE:HG12	2:F:1198:ILE:HD13	2.03	0.41
2:F:1169:ILE:HB	2:F:1172:ILE:HD12	2.02	0.41
1:C:923:ILE:HG12	2:E:1198:ILE:HD13	2.03	0.41
1:B:931:ILE:HD13	1:B:931:ILE:HA	1.90	0.40
1:A:977:LEU:HD23	1:B:976:VAL:HG11	2.03	0.40
2:E:1169:ILE:HB	2:E:1172:ILE:HD12	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	69/257 (27%)	69 (100%)	0	0	100	100
1	B	69/257 (27%)	69 (100%)	0	0	100	100
1	C	69/257 (27%)	69 (100%)	0	0	100	100
2	D	40/45 (89%)	40 (100%)	0	0	100	100
2	E	40/45 (89%)	40 (100%)	0	0	100	100
2	F	40/45 (89%)	40 (100%)	0	0	100	100
All	All	327/906 (36%)	327 (100%)	0	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	61/220 (28%)	61 (100%)	0	100	100
1	B	61/220 (28%)	61 (100%)	0	100	100
1	C	61/220 (28%)	61 (100%)	0	100	100
2	D	38/41 (93%)	38 (100%)	0	100	100
2	E	38/41 (93%)	38 (100%)	0	100	100
2	F	38/41 (93%)	38 (100%)	0	100	100
All	All	297/783 (38%)	297 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-24779. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y



Z

The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 128



Y Index: 128



Z Index: 128

The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 121



Y Index: 124



Z Index: 96


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)

6.4.1 Primary map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)


6.5.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.05. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 18 nm^3 ; this corresponds to an approximate mass of 16 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ



*Reported resolution corresponds to spatial frequency of 0.474 Å⁻¹


8 Fourier-Shell correlation ⓘ

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-24779 and PDB model 7RZV. Per-residue inclusion information can be found in section [3](#) on page [5](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.05 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.05).

9.4 Atom inclusion [i](#)



At the recommended contour level, 97% of all backbone atoms, 88% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.05) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	<div><div></div></div> 0.8780	<div><div></div></div> 0.4850
A	<div><div></div></div> 0.8940	<div><div></div></div> 0.4880
B	<div><div></div></div> 0.8920	<div><div></div></div> 0.4880
C	<div><div></div></div> 0.8980	<div><div></div></div> 0.4940
D	<div><div></div></div> 0.8570	<div><div></div></div> 0.4830
E	<div><div></div></div> 0.8630	<div><div></div></div> 0.4910
F	<div><div></div></div> 0.8350	<div><div></div></div> 0.4610

1.0

0.0

<0.0