



wwPDB EM Validation Summary Report ⓘ

Jun 25, 2024 – 01:51 pm BST

PDB ID : 8S2E
EMDB ID : EMD-19665
Title : Fab4251-DS-SOSIP complex
Authors : Nortier, P.; Perez, L.
Deposited on : 2024-02-17
Resolution : 3.80 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev92
Mogul : 1.8.4, CSD as541be (2020)
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.37.1

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	H	220	
2	L	203	
3	A	441	
3	C	441	
3	E	441	
4	B	130	
4	D	130	
4	F	130	
5	M	2	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
5	N	2	100%
5	P	2	50%
5	Q	2	50%
5	S	2	100%
5	T	2	100%
5	U	2	50%
5	V	2	100%
5	W	2	100%
5	Z	2	50%
5	a	2	100%
5	c	2	100%
5	d	2	100%
5	e	2	50%
5	f	2	50%
5	g	2	100%
5	h	2	50%
5	i	2	100%
5	k	2	50%
5	n	2	100%
5	o	2	100%
5	p	2	100%
6	R	5	60%
6	b	5	60%
6	m	5	60%
7	O	3	33%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain	
7	X	3	<div><div></div></div>	33%
7	j	3	<div><div></div></div>	33%

2 Entry composition

There are 8 unique types of molecules in this entry. The entry contains 16305 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called variable heavy chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	H	119	Total	C	N	O	S	0	0
			952	596	173	176	7		

- Molecule 2 is a protein called variable light chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	L	96	Total	C	N	O	S	0	0
			738	464	129	143	2		


- Molecule 3 is a protein called Envelope glycoprotein gp120.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	A	441	Total	C	N	O	S	0	0
			3465	2173	611	651	30		
3	E	441	Total	C	N	O	S	0	0
			3465	2173	611	651	30		
3	C	441	Total	C	N	O	S	0	0
			3465	2173	611	651	30		

- Molecule 4 is a protein called Envelope glycoprotein gp41.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	B	130	Total	C	N	O	S	0	0
			1022	648	176	192	6		
4	D	130	Total	C	N	O	S	0	0
			1022	648	176	192	6		
4	F	130	Total	C	N	O	S	0	0
			1022	648	176	192	6		

- Molecule 5 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
5	Z	2	Total	C	N	O	0	0
			28	16	2	10		
5	d	2	Total	C	N	O	0	0
			28	16	2	10		
5	e	2	Total	C	N	O	0	0
			28	16	2	10		
5	f	2	Total	C	N	O	0	0
			28	16	2	10		
5	g	2	Total	C	N	O	0	0
			28	16	2	10		
5	h	2	Total	C	N	O	0	0
			28	16	2	10		
5	i	2	Total	C	N	O	0	0
			28	16	2	10		
5	k	2	Total	C	N	O	0	0
			28	16	2	10		
5	a	2	Total	C	N	O	0	0
			28	16	2	10		
5	M	2	Total	C	N	O	0	0
			28	16	2	10		
5	n	2	Total	C	N	O	0	0
			28	16	2	10		
5	N	2	Total	C	N	O	0	0
			28	16	2	10		
5	o	2	Total	C	N	O	0	0
			28	16	2	10		
5	p	2	Total	C	N	O	0	0
			28	16	2	10		
5	P	2	Total	C	N	O	0	0
			28	16	2	10		
5	Q	2	Total	C	N	O	0	0
			28	16	2	10		
5	S	2	Total	C	N	O	0	0
			28	16	2	10		
5	T	2	Total	C	N	O	0	0
			28	16	2	10		
5	U	2	Total	C	N	O	0	0
			28	16	2	10		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				AltConf	Trace
5	c	2	Total	C	N	O	0	0
			28	16	2	10		
5	V	2	Total	C	N	O	0	0
			28	16	2	10		
5	W	2	Total	C	N	O	0	0
			28	16	2	10		

- Molecule 6 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
6	b	5	Total	C	N	O	0	0
			61	34	2	25		
6	m	5	Total	C	N	O	0	0
			61	34	2	25		
6	R	5	Total	C	N	O	0	0
			61	34	2	25		

- Molecule 7 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
7	j	3	Total	C	N	O	0	0
			39	22	2	15		
7	O	3	Total	C	N	O	0	0
			39	22	2	15		
7	X	3	Total	C	N	O	0	0
			39	22	2	15		

- Molecule 8 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: C₈H₁₅NO₆).




Mol	Chain	Residues	Atoms				AltConf
8	L	1	Total	C	N	O	0
			14	8	1	5	
8	L	1	Total	C	N	O	0
			14	8	1	5	
8	A	1	Total	C	N	O	0
			14	8	1	5	
8	A	1	Total	C	N	O	0
			14	8	1	5	
8	A	1	Total	C	N	O	0
			14	8	1	5	
8	A	1	Total	C	N	O	0
			14	8	1	5	
8	E	1	Total	C	N	O	0
			14	8	1	5	
8	E	1	Total	C	N	O	0
			14	8	1	5	
8	E	1	Total	C	N	O	0
			14	8	1	5	
8	E	1	Total	C	N	O	0
			14	8	1	5	
8	C	1	Total	C	N	O	0
			14	8	1	5	
8	C	1	Total	C	N	O	0
			14	8	1	5	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf
8	C	1	Total	C	N	O	0
			14	8	1	5	
8	C	1	Total	C	N	O	0
			14	8	1	5	
8	C	1	Total	C	N	O	0
			14	8	1	5	




- Molecule 3: Envelope glycoprotein gp120

Chain C: 97%




- Molecule 4: Envelope glycoprotein gp41

Chain B: 94%




- Molecule 4: Envelope glycoprotein gp41

Chain D: 97%



- Molecule 4: Envelope glycoprotein gp41

Chain F: 98%



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Z: 50%



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain d: 100%



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain e:  50% 50%



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain f:  50% 50%



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain g:  100%



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain h:  50% 50%



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain i:  100%



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain k:  50% 50%



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain a:  100%



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain M:  100%



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain n:  100%



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain N:  100%



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain o:  100%



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain p:  100%



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain P:  50% 50%



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Q:  50% 50%



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain S:  100%



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain T:  100%



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain U:  50% 50%



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain c:  100%



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain V:  100%




- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain W:  100%



- Molecule 6: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 6: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 6: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 7: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 7: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 7: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose





4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	72497	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	39.89	Depositor
Minimum defocus (nm)	900	Depositor
Maximum defocus (nm)	2400	Depositor
Magnification	165000	Depositor
Image detector	FEI FALCON IV (4k x 4k)	Depositor
Maximum map value	0.639	Depositor
Minimum map value	-0.176	Depositor
Average map value	0.004	Depositor
Map value standard deviation	0.017	Depositor
Recommended contour level	0.05	Depositor
Map size (Å)	266.7283, 274.056, 279.91815	wwPDB
Map dimensions	364, 374, 382	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.7327701, 0.73277, 0.73277	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, MAN, BMA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	H	0.30	0/978	0.58	0/1327
2	L	0.34	0/750	0.56	0/1009
3	A	0.30	0/3537	0.52	0/4802
3	C	0.30	0/3537	0.54	1/4802 (0.0%)
3	E	0.30	0/3537	0.54	0/4802
4	B	0.28	0/1040	0.49	0/1411
4	D	0.27	0/1040	0.47	0/1411
4	F	0.24	0/1040	0.49	0/1411
All	All	0.30	0/15459	0.53	1/20975 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	54	CYS	CA-CB-SG	5.05	123.08	114.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	H	117/220 (53%)	108 (92%)	8 (7%)	1 (1%)	17	54
2	L	88/203 (43%)	79 (90%)	8 (9%)	1 (1%)	14	51
3	A	433/441 (98%)	412 (95%)	21 (5%)	0	100	100
3	C	433/441 (98%)	413 (95%)	20 (5%)	0	100	100
3	E	433/441 (98%)	412 (95%)	20 (5%)	1 (0%)	47	79
4	B	126/130 (97%)	122 (97%)	4 (3%)	0	100	100
4	D	126/130 (97%)	126 (100%)	0	0	100	100
4	F	126/130 (97%)	121 (96%)	5 (4%)	0	100	100
All	All	1882/2136 (88%)	1793 (95%)	86 (5%)	3 (0%)	50	79

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	L	33	LEU
3	E	432	GLN
1	H	100(A)	TRP

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	H	103/190 (54%)	97 (94%)	6 (6%)	20	51
2	L	82/178 (46%)	75 (92%)	7 (8%)	10	40

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	A	395/395 (100%)	381 (96%)	14 (4%)	36	64
3	C	395/395 (100%)	382 (97%)	13 (3%)	38	65
3	E	395/395 (100%)	377 (95%)	18 (5%)	27	56
4	B	109/109 (100%)	101 (93%)	8 (7%)	14	45
4	D	109/109 (100%)	105 (96%)	4 (4%)	34	62
4	F	109/109 (100%)	107 (98%)	2 (2%)	59	77
All	All	1697/1880 (90%)	1625 (96%)	72 (4%)	33	58

5 of 72 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
3	C	164	GLU
4	F	616	ASN
3	C	386	ASN
3	C	481	SER
3	A	396	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 7 such sidechains are listed below:

Mol	Chain	Res	Type
4	B	653	GLN
3	C	280	ASN
4	D	543	ASN
3	C	332	ASN
3	E	363	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

68 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	NAG	M	1	3,5	14,14,15	0.31	0	17,19,21	0.60	0
5	NAG	M	2	5	14,14,15	0.26	0	17,19,21	0.39	0
5	NAG	N	1	3,5	14,14,15	0.40	0	17,19,21	0.45	0
5	NAG	N	2	5	14,14,15	0.33	0	17,19,21	0.36	0
7	NAG	O	1	3,7	14,14,15	0.43	0	17,19,21	0.49	0
7	NAG	O	2	7	14,14,15	0.26	0	17,19,21	0.39	0
7	BMA	O	3	7	11,11,12	0.53	0	15,15,17	0.71	0
5	NAG	P	1	3,5	14,14,15	0.39	0	17,19,21	0.72	1 (5%)
5	NAG	P	2	5	14,14,15	0.40	0	17,19,21	0.34	0
5	NAG	Q	1	3,5	14,14,15	0.51	0	17,19,21	0.90	1 (5%)
5	NAG	Q	2	5	14,14,15	0.35	0	17,19,21	0.36	0
6	NAG	R	1	3,6	14,14,15	0.29	0	17,19,21	0.41	0
6	NAG	R	2	6	14,14,15	0.22	0	17,19,21	0.39	0
6	BMA	R	3	6	11,11,12	0.60	0	15,15,17	0.72	0
6	MAN	R	4	6	11,11,12	0.57	0	15,15,17	1.13	2 (13%)
6	MAN	R	5	6	11,11,12	0.68	0	15,15,17	0.95	1 (6%)
5	NAG	S	1	3,5	14,14,15	0.31	0	17,19,21	0.41	0
5	NAG	S	2	5	14,14,15	0.23	0	17,19,21	0.42	0
5	NAG	T	1	3,5	14,14,15	0.24	0	17,19,21	0.56	0
5	NAG	T	2	5	14,14,15	0.25	0	17,19,21	0.42	0
5	NAG	U	1	5	14,14,15	0.40	0	17,19,21	1.10	2 (11%)
5	NAG	U	2	5	14,14,15	0.22	0	17,19,21	0.51	0
5	NAG	V	1	3,5	14,14,15	0.27	0	17,19,21	0.55	0
5	NAG	V	2	5	14,14,15	0.22	0	17,19,21	0.40	0
5	NAG	W	1	3,5	14,14,15	0.43	0	17,19,21	0.49	0
5	NAG	W	2	5	14,14,15	0.19	0	17,19,21	0.42	0
7	NAG	X	1	7	14,14,15	0.38	0	17,19,21	1.40	2 (11%)
7	NAG	X	2	7	14,14,15	0.34	0	17,19,21	0.57	0
7	BMA	X	3	7	11,11,12	0.64	0	15,15,17	0.84	0
5	NAG	Z	1	5	14,14,15	0.34	0	17,19,21	0.85	1 (5%)
5	NAG	Z	2	5	14,14,15	0.29	0	17,19,21	0.42	0
5	NAG	a	1	3,5	14,14,15	0.23	0	17,19,21	0.43	0
5	NAG	a	2	5	14,14,15	0.23	0	17,19,21	0.50	0
6	NAG	b	1	3,6	14,14,15	0.26	0	17,19,21	0.52	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	NAG	b	2	6	14,14,15	0.26	0	17,19,21	0.47	0
6	BMA	b	3	6	11,11,12	0.58	0	15,15,17	0.70	0
6	MAN	b	4	6	11,11,12	0.57	0	15,15,17	1.10	2 (13%)
6	MAN	b	5	6	11,11,12	0.66	0	15,15,17	0.92	1 (6%)
5	NAG	c	1	5	14,14,15	0.25	0	17,19,21	0.40	0
5	NAG	c	2	5	14,14,15	0.24	0	17,19,21	0.39	0
5	NAG	d	1	3,5	14,14,15	0.29	0	17,19,21	0.41	0
5	NAG	d	2	5	14,14,15	0.19	0	17,19,21	0.42	0
5	NAG	e	1	5	14,14,15	0.63	1 (7%)	17,19,21	0.58	0
5	NAG	e	2	5	14,14,15	0.22	0	17,19,21	0.45	0
5	NAG	f	1	5	14,14,15	0.45	0	17,19,21	1.06	1 (5%)
5	NAG	f	2	5	14,14,15	0.30	0	17,19,21	0.39	0
5	NAG	g	1	5	14,14,15	0.49	0	17,19,21	0.40	0
5	NAG	g	2	5	14,14,15	0.19	0	17,19,21	0.51	0
5	NAG	h	1	3,5	14,14,15	0.96	2 (14%)	17,19,21	0.82	0
5	NAG	h	2	5	14,14,15	0.39	0	17,19,21	0.58	0
5	NAG	i	1	3,5	14,14,15	0.24	0	17,19,21	0.48	0
5	NAG	i	2	5	14,14,15	0.31	0	17,19,21	0.38	0
7	NAG	j	1	3,7	14,14,15	0.40	0	17,19,21	0.65	1 (5%)
7	NAG	j	2	7	14,14,15	0.29	0	17,19,21	0.51	0
7	BMA	j	3	7	11,11,12	0.79	0	15,15,17	0.84	0
5	NAG	k	1	3,5	14,14,15	0.58	0	17,19,21	0.96	1 (5%)
5	NAG	k	2	5	14,14,15	0.37	0	17,19,21	0.34	0
6	NAG	m	1	3,6	14,14,15	0.21	0	17,19,21	0.46	0
6	NAG	m	2	6	14,14,15	0.16	0	17,19,21	0.39	0
6	BMA	m	3	6	11,11,12	0.54	0	15,15,17	0.68	0
6	MAN	m	4	6	11,11,12	0.59	0	15,15,17	1.13	2 (13%)
6	MAN	m	5	6	11,11,12	0.66	0	15,15,17	0.93	2 (13%)
5	NAG	n	1	3,5	14,14,15	0.30	0	17,19,21	0.43	0
5	NAG	n	2	5	14,14,15	0.29	0	17,19,21	0.43	0
5	NAG	o	1	3,5	14,14,15	0.36	0	17,19,21	0.61	0
5	NAG	o	2	5	14,14,15	0.28	0	17,19,21	0.45	0
5	NAG	p	1	5	14,14,15	0.31	0	17,19,21	0.58	0
5	NAG	p	2	5	14,14,15	0.27	0	17,19,21	0.40	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAG	M	1	3,5	-	0/6/23/26	0/1/1/1
5	NAG	M	2	5	-	2/6/23/26	0/1/1/1
5	NAG	N	1	3,5	-	3/6/23/26	0/1/1/1
5	NAG	N	2	5	-	2/6/23/26	0/1/1/1
7	NAG	O	1	3,7	-	2/6/23/26	0/1/1/1
7	NAG	O	2	7	-	0/6/23/26	0/1/1/1
7	BMA	O	3	7	-	0/2/19/22	0/1/1/1
5	NAG	P	1	3,5	-	2/6/23/26	0/1/1/1
5	NAG	P	2	5	-	1/6/23/26	0/1/1/1
5	NAG	Q	1	3,5	-	0/6/23/26	0/1/1/1
5	NAG	Q	2	5	-	2/6/23/26	0/1/1/1
6	NAG	R	1	3,6	-	0/6/23/26	0/1/1/1
6	NAG	R	2	6	-	2/6/23/26	0/1/1/1
6	BMA	R	3	6	-	2/2/19/22	0/1/1/1
6	MAN	R	4	6	-	0/2/19/22	0/1/1/1
6	MAN	R	5	6	-	2/2/19/22	0/1/1/1
5	NAG	S	1	3,5	-	2/6/23/26	0/1/1/1
5	NAG	S	2	5	-	0/6/23/26	0/1/1/1
5	NAG	T	1	3,5	-	1/6/23/26	0/1/1/1
5	NAG	T	2	5	-	2/6/23/26	0/1/1/1
5	NAG	U	1	5	-	6/6/23/26	0/1/1/1
5	NAG	U	2	5	-	2/6/23/26	0/1/1/1
5	NAG	V	1	3,5	-	0/6/23/26	0/1/1/1
5	NAG	V	2	5	-	2/6/23/26	0/1/1/1
5	NAG	W	1	3,5	-	2/6/23/26	0/1/1/1
5	NAG	W	2	5	-	0/6/23/26	0/1/1/1
7	NAG	X	1	7	-	4/6/23/26	0/1/1/1
7	NAG	X	2	7	-	2/6/23/26	0/1/1/1
7	BMA	X	3	7	-	0/2/19/22	0/1/1/1
5	NAG	Z	1	5	-	0/6/23/26	0/1/1/1
5	NAG	Z	2	5	-	2/6/23/26	0/1/1/1
5	NAG	a	1	3,5	-	0/6/23/26	0/1/1/1
5	NAG	a	2	5	-	2/6/23/26	0/1/1/1
6	NAG	b	1	3,6	-	0/6/23/26	0/1/1/1
6	NAG	b	2	6	-	2/6/23/26	0/1/1/1
6	BMA	b	3	6	-	0/2/19/22	0/1/1/1
6	MAN	b	4	6	-	0/2/19/22	0/1/1/1
6	MAN	b	5	6	-	2/2/19/22	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAG	c	1	5	-	2/6/23/26	0/1/1/1
5	NAG	c	2	5	-	2/6/23/26	0/1/1/1
5	NAG	d	1	3,5	-	2/6/23/26	0/1/1/1
5	NAG	d	2	5	-	0/6/23/26	0/1/1/1
5	NAG	e	1	5	-	4/6/23/26	0/1/1/1
5	NAG	e	2	5	-	2/6/23/26	0/1/1/1
5	NAG	f	1	5	-	2/6/23/26	0/1/1/1
5	NAG	f	2	5	-	2/6/23/26	0/1/1/1
5	NAG	g	1	5	-	2/6/23/26	0/1/1/1
5	NAG	g	2	5	-	2/6/23/26	0/1/1/1
5	NAG	h	1	3,5	-	0/6/23/26	0/1/1/1
5	NAG	h	2	5	-	2/6/23/26	0/1/1/1
5	NAG	i	1	3,5	-	2/6/23/26	0/1/1/1
5	NAG	i	2	5	-	2/6/23/26	0/1/1/1
7	NAG	j	1	3,7	-	2/6/23/26	0/1/1/1
7	NAG	j	2	7	-	2/6/23/26	0/1/1/1
7	BMA	j	3	7	-	1/2/19/22	0/1/1/1
5	NAG	k	1	3,5	-	0/6/23/26	0/1/1/1
5	NAG	k	2	5	-	1/6/23/26	0/1/1/1
6	NAG	m	1	3,6	-	2/6/23/26	0/1/1/1
6	NAG	m	2	6	-	2/6/23/26	0/1/1/1
6	BMA	m	3	6	-	0/2/19/22	0/1/1/1
6	MAN	m	4	6	-	0/2/19/22	0/1/1/1
6	MAN	m	5	6	-	2/2/19/22	0/1/1/1
5	NAG	n	1	3,5	-	2/6/23/26	0/1/1/1
5	NAG	n	2	5	-	2/6/23/26	0/1/1/1
5	NAG	o	1	3,5	-	2/6/23/26	0/1/1/1
5	NAG	o	2	5	-	2/6/23/26	0/1/1/1
5	NAG	p	1	5	-	2/6/23/26	0/1/1/1
5	NAG	p	2	5	-	0/6/23/26	0/1/1/1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	h	1	NAG	O5-C1	2.59	1.47	1.43
5	h	1	NAG	C1-C2	2.38	1.55	1.52
5	e	1	NAG	O5-C1	-2.24	1.40	1.43

The worst 5 of 20 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	X	1	NAG	O5-C1-C2	-3.68	105.48	111.29
7	X	1	NAG	C2-N2-C7	-3.40	118.07	122.90
5	k	1	NAG	C1-O5-C5	3.38	116.78	112.19
5	Q	1	NAG	C1-O5-C5	3.00	116.25	112.19
6	R	4	MAN	C1-O5-C5	2.99	116.24	112.19

There are no chirality outliers.


5 of 99 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
5	g	1	NAG	O5-C5-C6-O6
5	U	2	NAG	C4-C5-C6-O6
5	U	1	NAG	C8-C7-N2-C2
5	U	1	NAG	O7-C7-N2-C2
7	j	2	NAG	O5-C5-C6-O6


There are no ring outliers.


No monomer is involved in short contacts.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.




























Oligosaccharide Chain M














































5.6 Ligand geometry ⓘ

17 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
8	NAG	A	602	3	14,14,15	0.26	0	17,19,21	0.46	0
8	NAG	E	605	3	14,14,15	0.23	0	17,19,21	0.46	0
8	NAG	E	601	3	14,14,15	0.38	0	17,19,21	0.75	1 (5%)
8	NAG	A	603	3	14,14,15	0.50	0	17,19,21	0.51	0
8	NAG	C	604	3	14,14,15	0.39	0	17,19,21	0.75	0
8	NAG	C	602	3	14,14,15	0.93	1 (7%)	17,19,21	1.09	1 (5%)
8	NAG	A	601	3	14,14,15	0.33	0	17,19,21	0.35	0
8	NAG	E	602	3	14,14,15	0.25	0	17,19,21	0.38	0
8	NAG	E	604	3	14,14,15	0.20	0	17,19,21	0.47	0
8	NAG	L	301	-	14,14,15	0.34	0	17,19,21	0.73	0
8	NAG	C	603	3	14,14,15	0.33	0	17,19,21	0.58	0
8	NAG	C	605	3	14,14,15	0.32	0	17,19,21	0.77	1 (5%)
8	NAG	C	601	3	14,14,15	0.30	0	17,19,21	0.45	0
8	NAG	A	605	3	14,14,15	0.19	0	17,19,21	0.74	1 (5%)
8	NAG	L	302	-	14,14,15	0.36	0	17,19,21	0.95	1 (5%)
8	NAG	E	603	3	14,14,15	0.24	0	17,19,21	0.41	0
8	NAG	A	604	3	14,14,15	0.40	0	17,19,21	0.70	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	NAG	A	602	3	-	0/6/23/26	0/1/1/1
8	NAG	E	605	3	-	2/6/23/26	0/1/1/1
8	NAG	E	601	3	-	2/6/23/26	0/1/1/1
8	NAG	A	603	3	-	0/6/23/26	0/1/1/1
8	NAG	C	604	3	-	2/6/23/26	0/1/1/1
8	NAG	C	602	3	-	0/6/23/26	0/1/1/1
8	NAG	A	601	3	-	2/6/23/26	0/1/1/1
8	NAG	E	602	3	-	2/6/23/26	0/1/1/1
8	NAG	E	604	3	-	0/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	NAG	L	301	-	-	6/6/23/26	0/1/1/1
8	NAG	C	603	3	-	0/6/23/26	0/1/1/1
8	NAG	C	605	3	-	2/6/23/26	0/1/1/1
8	NAG	C	601	3	-	1/6/23/26	0/1/1/1
8	NAG	A	605	3	-	4/6/23/26	0/1/1/1
8	NAG	L	302	-	-	5/6/23/26	0/1/1/1
8	NAG	E	603	3	-	0/6/23/26	0/1/1/1
8	NAG	A	604	3	-	2/6/23/26	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	C	602	NAG	O5-C1	3.22	1.48	1.43

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	C	602	NAG	C1-O5-C5	3.89	117.46	112.19
8	E	601	NAG	C1-O5-C5	2.71	115.86	112.19
8	C	605	NAG	C1-O5-C5	2.54	115.63	112.19
8	A	605	NAG	C1-O5-C5	2.39	115.43	112.19
8	L	302	NAG	O5-C1-C2	-2.13	107.93	111.29

There are no chirality outliers.

5 of 30 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
8	L	301	NAG	C3-C2-N2-C7
8	L	302	NAG	C8-C7-N2-C2
8	L	302	NAG	O7-C7-N2-C2
8	C	604	NAG	C8-C7-N2-C2
8	C	604	NAG	O7-C7-N2-C2

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

The following chains have linkage breaks:

Mol	Chain	Number of breaks
3	E	3
3	A	3
3	C	3
2	L	3
4	F	1
4	D	1
4	B	1

The worst 5 of 15 chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	F	546:SER	C	569:THR	N	23.46
1	D	546:SER	C	569:THR	N	23.32
1	B	546:SER	C	569:THR	N	22.44
1	E	398:ASN	C	410:SER	N	22.26
1	A	398:ASN	C	410:SER	N	22.20


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-19665. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 182




Y Index: 187




Z Index: 191


6.2.2 Raw map



X Index: 175



Y Index: 175




Z Index: 175


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 198




Y Index: 191




Z Index: 205


6.3.2 Raw map



X Index: 186



Y Index: 0




Z Index: 176


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)


6.5.1 Primary map



X




Y




Z

The images above show the 3D surface view of the map at the recommended contour level 0.05. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.5.2 Raw map



X



Y



Z

These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.

7.2 Volume estimate [i](#)



The volume at the recommended contour level is 247 nm³; this corresponds to an approximate mass of 223 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.


7.3 Rotationally averaged power spectrum [i](#)

This section was not generated. The rotationally averaged power spectrum is only generated for cubic maps.

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.263 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.80	-	-
Author-provided FSC curve	4.15	5.98	4.20
Unmasked-calculated*	4.12	5.90	4.16

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-19665 and PDB model 8S2E. Per-residue inclusion information can be found in [section 3](#) on [page 10](#).

9.1 Map-model overlay [i](#)



The images above show the 3D surface view of the map at the recommended contour level 0.05 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.05).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 96% of all backbone atoms, 92% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ



The table lists the average atom inclusion at the recommended contour level (0.05) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9160	 0.4530
A	 0.9530	 0.4880
B	 0.8840	 0.3790
C	 0.9520	 0.4960
D	 0.8960	 0.4170
E	 0.9570	 0.4960
F	 0.8990	 0.4200
H	 0.7990	 0.4010
L	 0.7080	 0.2570
M	 0.8210	 0.3720
N	 0.8930	 0.4470
O	 0.5640	 0.2800
P	 0.9290	 0.2660
Q	 0.8930	 0.3420
R	 0.8850	 0.4580
S	 0.9640	 0.4370
T	 0.8210	 0.4210
U	 0.7860	 0.1520
V	 0.8570	 0.3680
W	 0.8570	 0.3830
X	 0.6670	 0.3090
Z	 0.8930	 0.4040
a	 0.8570	 0.3800
b	 0.8360	 0.3940
c	 0.8210	 0.3370
d	 0.8930	 0.4220
e	 0.8570	 0.3720
f	 0.9290	 0.4360
g	 0.8570	 0.3420
h	 0.8930	 0.3190
i	 0.8930	 0.4560
j	 0.6410	 0.1970
k	 0.7500	 0.2620
m	 0.8690	 0.4150
n	 1.0000	 0.4490



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
o	 0.8570	 0.3880
p	 0.8210	 0.3020