



wwPDB X-ray Structure Validation Summary Report ⓘ

Feb 17, 2024 – 01:47 PM EST

PDB ID : 3T2Q
Title : E. coli (lacZ) beta-galactosidase (S796D) in complex with galactonolactone
Authors : Jancewicz, L.J.; Wheatley, R.W.; Sutendra, G.; Lee, M.; Fraser, M.; Huber, R.E.
Deposited on : 2011-07-22
Resolution : 2.40 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION





The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3907 (2.40-2.40)
Clashscore	141614	4398 (2.40-2.40)
Ramachandran outliers	138981	4318 (2.40-2.40)
Sidechain outliers	138945	4319 (2.40-2.40)
RSRZ outliers	127900	3811 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1052	
1	B	1052	
1	C	1052	
1	D	1052	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	NA	A	3101	-	-	-	X

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 35053 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Beta-galactosidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	1015	Total	C	N	O	S	55	0	0
			8159	5160	1445	1516	38			
1	B	1015	Total	C	N	O	S	67	0	0
			8159	5160	1445	1516	38			
1	C	1015	Total	C	N	O	S	67	0	0
			8159	5160	1445	1516	38			
1	D	1015	Total	C	N	O	S	67	0	0
			8159	5160	1445	1516	38			

There are 152 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-28	MET	-	expression tag	UNP P00722
A	-27	GLY	-	expression tag	UNP P00722
A	-26	GLY	-	expression tag	UNP P00722
A	-25	SER	-	expression tag	UNP P00722
A	-24	HIS	-	expression tag	UNP P00722
A	-23	HIS	-	expression tag	UNP P00722
A	-22	HIS	-	expression tag	UNP P00722
A	-21	HIS	-	expression tag	UNP P00722
A	-20	HIS	-	expression tag	UNP P00722
A	-19	HIS	-	expression tag	UNP P00722
A	-18	GLY	-	expression tag	UNP P00722
A	-17	MET	-	expression tag	UNP P00722
A	-16	ALA	-	expression tag	UNP P00722
A	-15	SER	-	expression tag	UNP P00722
A	-14	MET	-	expression tag	UNP P00722
A	-13	THR	-	expression tag	UNP P00722
A	-12	GLY	-	expression tag	UNP P00722
A	-11	GLY	-	expression tag	UNP P00722
A	-10	GLN	-	expression tag	UNP P00722
A	-9	GLN	-	expression tag	UNP P00722
A	-8	MET	-	expression tag	UNP P00722

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	-7	GLY	-	expression tag	UNP P00722
A	-6	ARG	-	expression tag	UNP P00722
A	-5	ASP	-	expression tag	UNP P00722
A	-4	LEU	-	expression tag	UNP P00722
A	-3	TYR	-	expression tag	UNP P00722
A	-2	ASP	-	expression tag	UNP P00722
A	-1	ASP	-	expression tag	UNP P00722
A	0	ASP	-	expression tag	UNP P00722
A	1	ASP	-	expression tag	UNP P00722
A	2	LYS	-	expression tag	UNP P00722
A	3	ASP	-	expression tag	UNP P00722
A	4	PRO	-	expression tag	UNP P00722
A	5	MET	-	expression tag	UNP P00722
A	6	ILE	-	expression tag	UNP P00722
A	7	ASP	-	expression tag	UNP P00722
A	8	PRO	-	expression tag	UNP P00722
A	796	ASP	SER	engineered mutation	UNP P00722
B	-28	MET	-	expression tag	UNP P00722
B	-27	GLY	-	expression tag	UNP P00722
B	-26	GLY	-	expression tag	UNP P00722
B	-25	SER	-	expression tag	UNP P00722
B	-24	HIS	-	expression tag	UNP P00722
B	-23	HIS	-	expression tag	UNP P00722
B	-22	HIS	-	expression tag	UNP P00722
B	-21	HIS	-	expression tag	UNP P00722
B	-20	HIS	-	expression tag	UNP P00722
B	-19	HIS	-	expression tag	UNP P00722
B	-18	GLY	-	expression tag	UNP P00722
B	-17	MET	-	expression tag	UNP P00722
B	-16	ALA	-	expression tag	UNP P00722
B	-15	SER	-	expression tag	UNP P00722
B	-14	MET	-	expression tag	UNP P00722
B	-13	THR	-	expression tag	UNP P00722
B	-12	GLY	-	expression tag	UNP P00722
B	-11	GLY	-	expression tag	UNP P00722
B	-10	GLN	-	expression tag	UNP P00722
B	-9	GLN	-	expression tag	UNP P00722
B	-8	MET	-	expression tag	UNP P00722
B	-7	GLY	-	expression tag	UNP P00722
B	-6	ARG	-	expression tag	UNP P00722
B	-5	ASP	-	expression tag	UNP P00722
B	-4	LEU	-	expression tag	UNP P00722

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-3	TYR	-	expression tag	UNP P00722
B	-2	ASP	-	expression tag	UNP P00722
B	-1	ASP	-	expression tag	UNP P00722
B	0	ASP	-	expression tag	UNP P00722
B	1	ASP	-	expression tag	UNP P00722
B	2	LYS	-	expression tag	UNP P00722
B	3	ASP	-	expression tag	UNP P00722
B	4	PRO	-	expression tag	UNP P00722
B	5	MET	-	expression tag	UNP P00722
B	6	ILE	-	expression tag	UNP P00722
B	7	ASP	-	expression tag	UNP P00722
B	8	PRO	-	expression tag	UNP P00722
B	796	ASP	SER	engineered mutation	UNP P00722
C	-28	MET	-	expression tag	UNP P00722
C	-27	GLY	-	expression tag	UNP P00722
C	-26	GLY	-	expression tag	UNP P00722
C	-25	SER	-	expression tag	UNP P00722
C	-24	HIS	-	expression tag	UNP P00722
C	-23	HIS	-	expression tag	UNP P00722
C	-22	HIS	-	expression tag	UNP P00722
C	-21	HIS	-	expression tag	UNP P00722
C	-20	HIS	-	expression tag	UNP P00722
C	-19	HIS	-	expression tag	UNP P00722
C	-18	GLY	-	expression tag	UNP P00722
C	-17	MET	-	expression tag	UNP P00722
C	-16	ALA	-	expression tag	UNP P00722
C	-15	SER	-	expression tag	UNP P00722
C	-14	MET	-	expression tag	UNP P00722
C	-13	THR	-	expression tag	UNP P00722
C	-12	GLY	-	expression tag	UNP P00722
C	-11	GLY	-	expression tag	UNP P00722
C	-10	GLN	-	expression tag	UNP P00722
C	-9	GLN	-	expression tag	UNP P00722
C	-8	MET	-	expression tag	UNP P00722
C	-7	GLY	-	expression tag	UNP P00722
C	-6	ARG	-	expression tag	UNP P00722
C	-5	ASP	-	expression tag	UNP P00722
C	-4	LEU	-	expression tag	UNP P00722
C	-3	TYR	-	expression tag	UNP P00722
C	-2	ASP	-	expression tag	UNP P00722
C	-1	ASP	-	expression tag	UNP P00722
C	0	ASP	-	expression tag	UNP P00722

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
C	1	ASP	-	expression tag	UNP P00722
C	2	LYS	-	expression tag	UNP P00722
C	3	ASP	-	expression tag	UNP P00722
C	4	PRO	-	expression tag	UNP P00722
C	5	MET	-	expression tag	UNP P00722
C	6	ILE	-	expression tag	UNP P00722
C	7	ASP	-	expression tag	UNP P00722
C	8	PRO	-	expression tag	UNP P00722
C	796	ASP	SER	engineered mutation	UNP P00722
D	-28	MET	-	expression tag	UNP P00722
D	-27	GLY	-	expression tag	UNP P00722
D	-26	GLY	-	expression tag	UNP P00722
D	-25	SER	-	expression tag	UNP P00722
D	-24	HIS	-	expression tag	UNP P00722
D	-23	HIS	-	expression tag	UNP P00722
D	-22	HIS	-	expression tag	UNP P00722
D	-21	HIS	-	expression tag	UNP P00722
D	-20	HIS	-	expression tag	UNP P00722
D	-19	HIS	-	expression tag	UNP P00722
D	-18	GLY	-	expression tag	UNP P00722
D	-17	MET	-	expression tag	UNP P00722
D	-16	ALA	-	expression tag	UNP P00722
D	-15	SER	-	expression tag	UNP P00722
D	-14	MET	-	expression tag	UNP P00722
D	-13	THR	-	expression tag	UNP P00722
D	-12	GLY	-	expression tag	UNP P00722
D	-11	GLY	-	expression tag	UNP P00722
D	-10	GLN	-	expression tag	UNP P00722
D	-9	GLN	-	expression tag	UNP P00722
D	-8	MET	-	expression tag	UNP P00722
D	-7	GLY	-	expression tag	UNP P00722
D	-6	ARG	-	expression tag	UNP P00722
D	-5	ASP	-	expression tag	UNP P00722
D	-4	LEU	-	expression tag	UNP P00722
D	-3	TYR	-	expression tag	UNP P00722
D	-2	ASP	-	expression tag	UNP P00722
D	-1	ASP	-	expression tag	UNP P00722
D	0	ASP	-	expression tag	UNP P00722
D	1	ASP	-	expression tag	UNP P00722
D	2	LYS	-	expression tag	UNP P00722
D	3	ASP	-	expression tag	UNP P00722
D	4	PRO	-	expression tag	UNP P00722

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	5	MET	-	expression tag	UNP P00722
D	6	ILE	-	expression tag	UNP P00722
D	7	ASP	-	expression tag	UNP P00722
D	8	PRO	-	expression tag	UNP P00722
D	796	ASP	SER	engineered mutation	UNP P00722

- Molecule 2 is D-galactonolactone (three-letter code: 149) (formula: C₆H₁₀O₆).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total C O 12 6 6	0	0
2	B	1	Total C O 12 6 6	0	0
2	C	1	Total C O 12 6 6	0	0
2	D	1	Total C O 12 6 6	0	0

- Molecule 3 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	2	Total Mg 2 2	0	0
3	B	2	Total Mg 2 2	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	C	2	Total	Mg	0	0
			2	2		
3	D	2	Total	Mg	0	0
			2	2		

- Molecule 4 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	3	Total	Na	0	0
			3	3		
4	B	3	Total	Na	0	0
			3	3		
4	C	3	Total	Na	0	0
			3	3		
4	D	2	Total	Na	0	0
			2	2		

- Molecule 5 is DIMETHYL SULFOXIDE (three-letter code: DMS) (formula: C₂H₆OS).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	O	S	0	0
			4	2	1	1		
5	A	1	Total	C	O	S	0	0
			4	2	1	1		
5	A	1	Total	C	O	S	0	0
			4	2	1	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total 4	C 2	O 1	S 1	0	0
5	A	1	Total 4	C 2	O 1	S 1	0	0
5	A	1	Total 4	C 2	O 1	S 1	0	0
5	A	1	Total 4	C 2	O 1	S 1	0	0
5	A	1	Total 4	C 2	O 1	S 1	0	0
5	A	1	Total 4	C 2	O 1	S 1	0	0
5	A	1	Total 4	C 2	O 1	S 1	0	0
5	A	1	Total 4	C 2	O 1	S 1	0	0
5	A	1	Total 4	C 2	O 1	S 1	0	0
5	A	1	Total 4	C 2	O 1	S 1	0	0
5	B	1	Total 4	C 2	O 1	S 1	0	0
5	B	1	Total 4	C 2	O 1	S 1	0	0
5	B	1	Total 4	C 2	O 1	S 1	0	0
5	B	1	Total 4	C 2	O 1	S 1	0	0
5	B	1	Total 4	C 2	O 1	S 1	0	0
5	B	1	Total 4	C 2	O 1	S 1	0	0
5	B	1	Total 4	C 2	O 1	S 1	0	0
5	B	1	Total 4	C 2	O 1	S 1	0	0
5	B	1	Total 4	C 2	O 1	S 1	0	0
5	B	1	Total 4	C 2	O 1	S 1	0	0
5	B	1	Total 4	C 2	O 1	S 1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	B	1	Total 4	C 2	O 1	S 1	0	0
5	B	1	Total 4	C 2	O 1	S 1	0	0
5	B	1	Total 4	C 2	O 1	S 1	0	0
5	B	1	Total 4	C 2	O 1	S 1	0	0
5	C	1	Total 4	C 2	O 1	S 1	0	0
5	C	1	Total 4	C 2	O 1	S 1	0	0
5	C	1	Total 4	C 2	O 1	S 1	0	0
5	C	1	Total 4	C 2	O 1	S 1	0	0
5	C	1	Total 4	C 2	O 1	S 1	0	0
5	C	1	Total 4	C 2	O 1	S 1	0	0
5	C	1	Total 4	C 2	O 1	S 1	0	0
5	C	1	Total 4	C 2	O 1	S 1	0	0
5	C	1	Total 4	C 2	O 1	S 1	0	0
5	C	1	Total 4	C 2	O 1	S 1	0	0
5	C	1	Total 4	C 2	O 1	S 1	0	0
5	C	1	Total 4	C 2	O 1	S 1	0	0
5	D	1	Total 4	C 2	O 1	S 1	0	0
5	D	1	Total 4	C 2	O 1	S 1	0	0
5	D	1	Total 4	C 2	O 1	S 1	0	0
5	D	1	Total 4	C 2	O 1	S 1	0	0
5	D	1	Total 4	C 2	O 1	S 1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	D	1	Total 4	C 2	O 1	S 1	0	0
5	D	1	Total 4	C 2	O 1	S 1	0	0
5	D	1	Total 4	C 2	O 1	S 1	0	0
5	D	1	Total 4	C 2	O 1	S 1	0	0


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	567	Total 567	O 567	0	0
6	B	565	Total 565	O 565	0	0
6	C	557	Total 557	O 557	0	0
6	D	465	Total 465	O 465	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Beta-galactosidase




• Molecule 1: Beta-galactosidase





• Molecule 1: Beta-galactosidase





● Molecule 1: Beta-galactosidase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	152.27Å 163.54Å 203.74Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	80.00 – 2.40 75.89 – 2.40	Depositor EDS
% Data completeness (in resolution range)	100.0 (80.00-2.40) 98.9 (75.89-2.40)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.74 (at 2.40Å)	Xtriage
Refinement program	REFMAC 5.5.0109, CNS	Depositor
R, R_{free}	0.180 , 0.239 0.181 , 0.239	Depositor DCC
R_{free} test set	2829 reflections (1.44%)	wwPDB-VP
Wilson B-factor (Å ²)	36.9	Xtriage
Anisotropy	0.033	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 47.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	35053	wwPDB-VP
Average B, all atoms (Å ²)	47.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 41.79 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 2.2409e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NA, MG, DMS, 149

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.44	0/8401	0.57	0/11461
1	B	0.45	0/8401	0.57	0/11461
1	C	0.45	0/8401	0.57	0/11461
1	D	0.43	0/8401	0.56	0/11461
All	All	0.44	0/33604	0.57	0/45844

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	8159	0	7752	49	0
1	B	8159	0	7752	33	0
1	C	8159	0	7752	49	0
1	D	8159	0	7752	40	0
2	A	12	0	9	0	0
2	B	12	0	9	0	0
2	C	12	0	9	3	0
2	D	12	0	9	3	0
3	A	2	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	2	0	0	0	0
3	C	2	0	0	0	0
3	D	2	0	0	0	0
4	A	3	0	0	0	0
4	B	3	0	0	0	0
4	C	3	0	0	0	0
4	D	2	0	0	0	0
5	A	52	0	78	3	0
5	B	60	0	90	1	0
5	C	48	0	72	5	0
5	D	36	0	54	1	0
6	A	567	0	0	10	0
6	B	565	0	0	4	0
6	C	557	0	0	2	0
6	D	465	0	0	3	0
All	All	35053	0	31338	168	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

The worst 5 of 168 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:142:ILE:HG12	1:A:170:GLU:HG2	1.61	0.81
1:C:377:LEU:HD22	1:C:708:TRP:HA	1.62	0.81
1:C:383:ASN:HA	5:C:8003:DMS:H11	1.68	0.74
1:D:887:GLN:NE2	1:D:980:GLU:O	2.21	0.73
1:D:131:GLU:HA	1:D:134:LEU:HD12	1.72	0.71

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1013/1052 (96%)	973 (96%)	40 (4%)	0	100	100
1	B	1013/1052 (96%)	971 (96%)	41 (4%)	1 (0%)	51	68
1	C	1013/1052 (96%)	972 (96%)	41 (4%)	0	100	100
1	D	1013/1052 (96%)	966 (95%)	47 (5%)	0	100	100
All	All	4052/4208 (96%)	3882 (96%)	169 (4%)	1 (0%)	100	100

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	794	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	868/898 (97%)	851 (98%)	17 (2%)	55	74
1	B	868/898 (97%)	858 (99%)	10 (1%)	71	85
1	C	868/898 (97%)	858 (99%)	10 (1%)	71	85
1	D	868/898 (97%)	849 (98%)	19 (2%)	52	71
All	All	3472/3592 (97%)	3416 (98%)	56 (2%)	62	79

5 of 56 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	333	ARG
1	D	1022	GLN
1	C	956	GLN
1	D	956	GLN
1	D	685	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 14 such sidechains are listed below:

Mol	Chain	Res	Type
1	C	878	HIS
1	D	216	HIS
1	D	1017	GLN
1	D	581	ASN
1	D	824	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 72 ligands modelled in this entry, 19 are monoatomic - leaving 53 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	DMS	C	8012	-	3,3,3	2.64	1 (33%)	3,3,3	0.54	0
5	DMS	C	8002	-	3,3,3	2.58	1 (33%)	3,3,3	0.66	0
5	DMS	C	8003	-	3,3,3	2.63	1 (33%)	3,3,3	0.60	0
5	DMS	C	8004	-	3,3,3	2.72	1 (33%)	3,3,3	0.72	0
5	DMS	B	8014	-	3,3,3	2.66	1 (33%)	3,3,3	0.48	0
5	DMS	A	8010	-	3,3,3	2.66	1 (33%)	3,3,3	0.86	0
2	149	A	2001	4	12,12,12	2.38	2 (16%)	15,17,17	0.80	0
2	149	B	2001	4	12,12,12	2.57	1 (8%)	15,17,17	1.03	2 (13%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	DMS	A	8008	-	3,3,3	2.66	1 (33%)	3,3,3	0.57	0
5	DMS	A	8011	-	3,3,3	2.66	1 (33%)	3,3,3	0.67	0
5	DMS	B	8007	-	3,3,3	2.61	1 (33%)	3,3,3	0.37	0
5	DMS	B	8009	-	3,3,3	2.64	1 (33%)	3,3,3	0.51	0
5	DMS	C	8007	-	3,3,3	2.67	1 (33%)	3,3,3	0.68	0
5	DMS	C	8008	-	3,3,3	2.68	1 (33%)	3,3,3	0.69	0
5	DMS	D	8001	-	3,3,3	2.58	1 (33%)	3,3,3	0.84	0
2	149	C	2001	4	12,12,12	2.41	2 (16%)	15,17,17	0.83	1 (6%)
5	DMS	D	8004	-	3,3,3	2.65	1 (33%)	3,3,3	0.55	0
5	DMS	D	8005	-	3,3,3	2.49	1 (33%)	3,3,3	0.63	0
5	DMS	D	8003	-	3,3,3	2.66	1 (33%)	3,3,3	0.71	0
5	DMS	B	8002	-	3,3,3	2.53	1 (33%)	3,3,3	0.79	0
5	DMS	A	8007	-	3,3,3	2.68	1 (33%)	3,3,3	0.50	0
5	DMS	C	8005	-	3,3,3	2.61	1 (33%)	3,3,3	0.28	0
5	DMS	A	8001	-	3,3,3	2.56	1 (33%)	3,3,3	0.98	0
5	DMS	B	8003	-	3,3,3	2.67	1 (33%)	3,3,3	0.62	0
5	DMS	C	8006	-	3,3,3	2.69	1 (33%)	3,3,3	0.57	0
5	DMS	C	8013	-	3,3,3	2.63	1 (33%)	3,3,3	0.48	0
5	DMS	B	8008	-	3,3,3	2.66	1 (33%)	3,3,3	0.82	0
5	DMS	D	8006	-	3,3,3	2.69	1 (33%)	3,3,3	0.70	0
5	DMS	A	8004	-	3,3,3	2.66	1 (33%)	3,3,3	0.60	0
5	DMS	C	8001	-	3,3,3	2.59	1 (33%)	3,3,3	0.87	0
5	DMS	A	8005	-	3,3,3	2.60	1 (33%)	3,3,3	0.48	0
5	DMS	A	8003	-	3,3,3	2.62	1 (33%)	3,3,3	0.74	0
2	149	D	2001	4	12,12,12	2.32	2 (16%)	15,17,17	0.71	0
5	DMS	B	8001	-	3,3,3	2.52	1 (33%)	3,3,3	0.69	0
5	DMS	A	1024	-	3,3,3	2.69	1 (33%)	3,3,3	0.70	0
5	DMS	B	8004	-	3,3,3	2.64	1 (33%)	3,3,3	0.61	0
5	DMS	B	8011	-	3,3,3	2.60	1 (33%)	3,3,3	0.49	0
5	DMS	D	8007	-	3,3,3	2.65	1 (33%)	3,3,3	0.74	0
5	DMS	D	8009	-	3,3,3	2.70	1 (33%)	3,3,3	0.67	0
5	DMS	B	8005	-	3,3,3	2.58	1 (33%)	3,3,3	0.42	0
5	DMS	B	8012	-	3,3,3	2.63	1 (33%)	3,3,3	0.50	0
5	DMS	D	8002	-	3,3,3	2.53	1 (33%)	3,3,3	0.60	0
5	DMS	B	8010	-	3,3,3	2.63	1 (33%)	3,3,3	0.69	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	DMS	D	8008	-	3,3,3	2.60	1 (33%)	3,3,3	0.61	0
5	DMS	A	8006	-	3,3,3	2.67	1 (33%)	3,3,3	0.77	0
5	DMS	A	8009	-	3,3,3	2.69	1 (33%)	3,3,3	0.65	0
5	DMS	A	8012	-	3,3,3	2.72	1 (33%)	3,3,3	0.64	0
5	DMS	B	8013	-	3,3,3	2.65	1 (33%)	3,3,3	0.62	0
5	DMS	C	8009	-	3,3,3	2.64	1 (33%)	3,3,3	0.57	0
5	DMS	C	8011	-	3,3,3	2.69	1 (33%)	3,3,3	0.59	0
5	DMS	B	1024	-	3,3,3	2.61	1 (33%)	3,3,3	0.35	0
5	DMS	A	8002	-	3,3,3	2.47	1 (33%)	3,3,3	0.52	0
5	DMS	B	8006	-	3,3,3	2.64	1 (33%)	3,3,3	0.56	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	149	D	2001	4	-	1/2/22/22	0/1/1/1
2	149	A	2001	4	-	1/2/22/22	0/1/1/1
2	149	B	2001	4	-	2/2/22/22	0/1/1/1
2	149	C	2001	4	-	1/2/22/22	0/1/1/1

The worst 5 of 56 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	2001	149	O5-C1	8.61	1.47	1.34
2	C	2001	149	O5-C1	7.89	1.46	1.34
2	A	2001	149	O5-C1	7.86	1.46	1.34
2	D	2001	149	O5-C1	7.67	1.46	1.34
5	C	8004	DMS	O-S	4.56	1.81	1.50

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	2001	149	O5-C1-C2	2.82	123.41	119.20
2	B	2001	149	O5-C5-C4	2.23	113.69	109.73
2	C	2001	149	O5-C1-C2	2.01	122.21	119.20

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	2001	149	O5-C5-C6-O6
2	A	2001	149	O5-C5-C6-O6
2	B	2001	149	C4-C5-C6-O6
2	D	2001	149	O5-C5-C6-O6
2	C	2001	149	O5-C5-C6-O6

There are no ring outliers.

8 monomers are involved in 16 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	C	8003	DMS	1	0
5	C	8004	DMS	1	0
2	C	2001	149	3	0
5	D	8003	DMS	1	0
5	B	8003	DMS	1	0
5	C	8001	DMS	3	0
5	A	8005	DMS	3	0
2	D	2001	149	3	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	1008/1052 (95%)	-0.19	30 (2%) 50 49	23, 44, 80, 113	0
1	B	1006/1052 (95%)	-0.28	12 (1%) 79 77	23, 43, 73, 113	0
1	C	1006/1052 (95%)	-0.17	16 (1%) 72 70	24, 44, 77, 123	0
1	D	1006/1052 (95%)	-0.07	34 (3%) 45 44	25, 47, 82, 121	0
All	All	4026/4208 (95%)	-0.18	92 (2%) 60 58	23, 44, 79, 123	0

The worst 5 of 92 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	583	ASN	6.5
1	A	686	PRO	6.4
1	D	594	ASP	6.3
1	A	595	THR	6.2
1	C	582	GLY	6.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q < 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
4	NA	D	3101	1/1	0.40	0.30	83,83,83,83	0
4	NA	C	3101	1/1	0.60	0.21	63,63,63,63	0
4	NA	A	3101	1/1	0.66	0.72	83,83,83,83	0
3	MG	D	3002	1/1	0.82	0.14	51,51,51,51	0
2	149	D	2001	12/12	0.83	0.26	65,80,89,91	0
4	NA	B	3101	1/1	0.83	0.60	64,64,64,64	0
5	DMS	D	8004	4/4	0.85	0.28	68,70,73,77	0
3	MG	A	3002	1/1	0.86	0.08	44,44,44,44	0
5	DMS	C	8004	4/4	0.86	0.29	72,75,76,78	0
5	DMS	C	8006	4/4	0.86	0.22	110,110,111,112	0
3	MG	C	3002	1/1	0.86	0.12	43,43,43,43	0
5	DMS	A	1024	4/4	0.87	0.27	87,88,89,91	0
2	149	B	2001	12/12	0.88	0.23	43,63,66,73	0
2	149	A	2001	12/12	0.89	0.26	71,84,87,91	0
5	DMS	B	8004	4/4	0.89	0.21	57,63,64,65	0
5	DMS	C	8008	4/4	0.89	0.27	69,70,71,79	0
5	DMS	C	8011	4/4	0.89	0.23	99,100,101,103	0
5	DMS	B	8009	4/4	0.89	0.25	101,101,103,103	0
5	DMS	A	8011	4/4	0.91	0.31	88,91,91,91	0
5	DMS	A	8010	4/4	0.91	0.31	78,78,80,82	0
5	DMS	B	8006	4/4	0.91	0.22	97,97,98,98	0
5	DMS	A	8004	4/4	0.91	0.26	71,75,77,78	0
5	DMS	B	8012	4/4	0.91	0.33	79,79,79,83	0
5	DMS	B	8008	4/4	0.92	0.27	66,69,70,76	0
5	DMS	B	8005	4/4	0.92	0.21	62,66,66,66	0
5	DMS	C	8007	4/4	0.92	0.20	82,82,83,84	0
5	DMS	B	1024	4/4	0.92	0.20	75,76,76,76	0
5	DMS	B	8011	4/4	0.92	0.29	81,81,82,84	0
3	MG	B	3002	1/1	0.92	0.12	38,38,38,38	0
5	DMS	A	8012	4/4	0.93	0.14	68,68,72,72	0
2	149	C	2001	12/12	0.93	0.24	57,67,76,77	0
3	MG	C	3001	1/1	0.93	0.09	44,44,44,44	0
5	DMS	D	8009	4/4	0.93	0.18	56,65,68,69	0
4	NA	C	3104	1/1	0.94	0.09	58,58,58,58	0
3	MG	D	3001	1/1	0.94	0.06	43,43,43,43	0
4	NA	A	3103	1/1	0.94	0.22	68,68,68,68	0
5	DMS	C	8012	4/4	0.94	0.18	73,73,74,75	0
5	DMS	A	8009	4/4	0.94	0.16	68,72,73,74	0
5	DMS	D	8006	4/4	0.94	0.23	71,73,76,76	0
5	DMS	B	8002	4/4	0.94	0.24	43,51,56,57	0
5	DMS	B	8013	4/4	0.95	0.18	57,60,60,61	0
5	DMS	A	8006	4/4	0.95	0.23	68,69,70,72	0
5	DMS	C	8013	4/4	0.95	0.19	89,90,90,91	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
5	DMS	D	8002	4/4	0.95	0.25	56,62,62,65	0
5	DMS	A	8007	4/4	0.95	0.15	58,58,60,61	0
3	MG	B	3001	1/1	0.95	0.06	41,41,41,41	0
5	DMS	D	8007	4/4	0.95	0.23	66,67,67,71	0
4	NA	B	3104	1/1	0.95	0.09	53,53,53,53	0
3	MG	A	3001	1/1	0.96	0.07	43,43,43,43	0
5	DMS	B	8014	4/4	0.96	0.14	63,65,68,68	0
5	DMS	C	8001	4/4	0.96	0.25	42,48,50,53	0
4	NA	D	3102	1/1	0.96	0.08	35,35,35,35	0
5	DMS	B	8010	4/4	0.96	0.17	65,68,69,70	0
5	DMS	C	8002	4/4	0.97	0.23	54,59,60,61	0
5	DMS	B	8007	4/4	0.97	0.14	61,64,67,69	0
5	DMS	D	8001	4/4	0.97	0.25	45,50,53,56	0
5	DMS	C	8005	4/4	0.97	0.15	50,51,52,55	0
4	NA	C	3102	1/1	0.97	0.16	32,32,32,32	0
5	DMS	D	8005	4/4	0.97	0.25	56,62,63,64	0
4	NA	B	3102	1/1	0.97	0.14	34,34,34,34	0
5	DMS	A	8002	4/4	0.97	0.19	48,50,52,56	0
5	DMS	D	8008	4/4	0.97	0.17	55,57,62,65	0
5	DMS	A	8003	4/4	0.97	0.16	52,54,57,59	0
5	DMS	D	8003	4/4	0.98	0.22	51,54,54,54	0
5	DMS	A	8008	4/4	0.98	0.17	59,62,62,62	0
5	DMS	C	8003	4/4	0.98	0.18	55,59,59,61	0
5	DMS	B	8003	4/4	0.98	0.22	55,60,60,66	0
5	DMS	A	8001	4/4	0.98	0.22	43,45,47,53	0
4	NA	A	3102	1/1	0.98	0.17	31,31,31,31	0
5	DMS	B	8001	4/4	0.98	0.24	38,45,47,51	0
5	DMS	A	8005	4/4	0.99	0.22	55,58,61,63	0
5	DMS	C	8009	4/4	0.99	0.17	56,61,64,66	0

6.5 Other polymers ⓘ

There are no such residues in this entry.