



## Full wwPDB EM Validation Report ⓘ

May 5, 2024 – 08:41 PM EDT

PDB ID : 4V6P  
EMDB ID : EMD-5364  
Title : Structural characterization of mRNA-tRNA translocation intermediates (class 4b of the six classes)  
Authors : Agirrezabala, X.; Liao, H.; Schreiner, E.; Fu, J.; Ortiz-Meoz, R.F.; Schulten, K.; Green, R.; Frank, J.  
Deposited on : 2011-12-08  
Resolution : 13.50 Å (reported)  
Based on initial model : 2I2U

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev92  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
MolProbity : 4.02b-467  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
MapQ : 1.9.13  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36.2


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*ELECTRON MICROSCOPY*

The reported resolution of this entry is 13.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



























Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	AA	1542	
2	AB	76	
3	AC	47	
4	AD	77	
5	AE	240	
6	AF	232	
7	AG	205	
8	AH	166	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	AI	135	
10	AJ	178	
11	AK	129	
12	AL	129	
13	AM	103	
14	AN	128	
15	AO	123	
16	AP	117	
17	AQ	100	
18	AR	88	
19	AS	82	
20	AT	83	
21	AU	74	
22	AV	91	
23	AW	86	
24	AX	70	
25	BA	120	
26	BB	2904	
27	BC	234	
28	BD	272	
29	BE	209	
30	BF	201	
31	BG	178	
32	BH	176	
33	BI	149	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
34	BJ	164	
35	BK	141	
36	BL	142	
37	BM	123	
38	BN	144	
39	BO	136	
40	BP	127	
41	BQ	117	
42	BR	114	
43	BS	117	
44	BT	103	
45	BU	110	
46	BV	100	
47	BW	103	
48	BX	94	
49	BY	84	
50	BZ	77	
51	B0	63	
52	B1	58	
53	B2	70	
54	B3	56	
55	B4	54	
56	B5	46	
57	B6	64	
58	B7	38	

## 2 Entry composition

There are 60 unique types of molecules in this entry. The entry contains 152351 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 16S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	AA	1542	Total	C	N	O	P	0	0
			33089	14767	6064	10717	1541		

- Molecule 2 is a RNA chain called A site tRNA.

Mol	Chain	Residues	Atoms						AltConf	Trace
2	AB	76	Total	C	N	O	P	S	0	0
			1627	731	287	532	75	2		

- Molecule 3 is a RNA chain called mRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	AC	47	Total	C	N	O	P	0	0
			993	445	167	335	46		

- Molecule 4 is a RNA chain called P site tRNA.

Mol	Chain	Residues	Atoms						AltConf	Trace
4	AD	77	Total	C	N	O	P	S	0	0
			1641	734	297	533	76	1		

- Molecule 5 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	AE	240	Total	C	N	O	S	0	0
			1872	1180	332	352	8		

- Molecule 6 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	AF	232	Total	C	N	O	S	0	0
			1822	1149	346	323	4		

- Molecule 7 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	AG	205	Total	C	N	O	S	0	0
			1643	1026	315	298	4		

- Molecule 8 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	AH	166	Total	C	N	O	S	0	0
			1225	761	232	226	6		

- Molecule 9 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	AI	135	Total	C	N	O	S	0	0
			1101	677	198	219	7		

- Molecule 10 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	AJ	178	Total	C	N	O	S	0	0
			1400	874	269	253	4		

- Molecule 11 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	AK	129	Total	C	N	O	S	0	0
			979	616	173	184	6		

- Molecule 12 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	AL	129	Total	C	N	O	S	0	0
			1036	642	208	183	3		

- Molecule 13 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	AM	103	Total	C	N	O	S	0	0
			825	514	158	151	2		

- Molecule 14 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	AN	128	Total	C	N	O	S	0	0
			965	595	196	171	3		

- Molecule 15 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	AO	123	Total	C	N	O	S	0	0
			955	590	196	165	4		

- Molecule 16 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	AP	117	Total	C	N	O	S	0	0
			910	564	183	160	3		

- Molecule 17 is a protein called 30S ribosomal protein S14.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	AQ	100	Total	C	N	O	S	0	0
			805	499	164	139	3		

- Molecule 18 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	AR	88	Total	C	N	O	S	0	0
			716	440	146	129	1		

- Molecule 19 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	AS	82	Total	C	N	O	S	0	0
			649	406	128	114	1		

- Molecule 20 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	AT	83	Total	C	N	O	S	0	0
			672	425	124	120	3		

- Molecule 21 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	AU	74	Total	C	N	O	S	0	0
			626	395	123	107	1		

- Molecule 22 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	AV	91	Total	C	N	O	S	0	0
			727	464	139	122	2		

- Molecule 23 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	AW	86	Total	C	N	O	S	0	0
			670	414	138	115	3		

- Molecule 24 is a protein called 30S ribosomal protein S21.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	AX	70	Total	C	N	O	S	0	0
			590	366	125	98	1		

- Molecule 25 is a RNA chain called 5S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	BA	120	Total	C	N	O	P	0	0
			2566	1144	468	835	119		

- Molecule 26 is a RNA chain called 23S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	BB	2904	Total	C	N	O	P	0	0
			62351	27824	11469	20155	2903		

- Molecule 27 is a protein called 50S ribosomal protein L1.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	BC	234	Total	C	N	O	S	0	0
			1733	1081	315	330	7		

- Molecule 28 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	BD	272	Total	C	N	O	S	0	0
			2092	1294	425	366	7		

- Molecule 29 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	BE	209	Total	C	N	O	S	0	0
			1565	979	288	294	4		

- Molecule 30 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	BF	201	Total	C	N	O	S	0	0
			1552	974	283	290	5		

- Molecule 31 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	BG	178	Total	C	N	O	S	0	0
			1420	905	251	258	6		

- Molecule 32 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	BH	176	Total	C	N	O	S	0	0
			1323	832	243	246	2		

- Molecule 33 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	BI	149	Total	C	N	O	S	0	0
			1111	699	197	214	1		

- Molecule 34 is a protein called 50S ribosomal protein L10.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	BJ	164	Total	C	N	O	S	0	0
			1233	776	220	231	6		

- Molecule 35 is a protein called 50S ribosomal protein L11.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	BK	141	Total	C	N	O	S	0	0
			1032	651	179	196	6		

- Molecule 36 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	BL	142	Total	C	N	O	S	0	0
			1129	714	212	199	4		

- Molecule 37 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	BM	123	Total	C	N	O	S	0	0
			947	593	181	167	6		

- Molecule 38 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	BN	144	Total	C	N	O	S	0	0
			1053	654	207	190	2		

- Molecule 39 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	BO	136	Total	C	N	O	S	0	0
			1074	686	205	177	6		

- Molecule 40 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	BP	127	Total	C	N	O	S	0	0
			1008	621	204	178	5		

- Molecule 41 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	BQ	117	Total	C	N	O	S	0	0
			900	557	179	163	1		

- Molecule 42 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	BR	114	Total	C	N	O	S	0	0
			917	574	179	163	1		

- Molecule 43 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	BS	117	Total	C	N	O		0	0
			947	604	192	151			

- Molecule 44 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	BT	103	Total	C	N	O	S	0	0
			816	516	153	145	2		

- Molecule 45 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	BU	110	Total	C	N	O	S	0	0
			857	532	166	156	3		

- Molecule 46 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	BV	100	Total	C	N	O	S	0	0
			787	496	146	143	2		

- Molecule 47 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	BW	103	Total	C	N	O		0	0
			789	498	148	143			

- Molecule 48 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	BX	94	Total	C	N	O	S	0	0
			753	479	137	134	3		

- Molecule 49 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	BY	84	Total	C	N	O	S	0	0
			634	391	129	113	1		

- Molecule 50 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	BZ	77	Total	C	N	O	S	0	0
			625	388	129	106	2		

- Molecule 51 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	B0	63	Total	C	N	O	S	0	0
			509	313	99	95	2		

- Molecule 52 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	B1	58	Total	C	N	O	S	0	0
			449	281	87	79	2		

- Molecule 53 is a protein called 50S ribosomal protein L31.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	B2	70	Total	C	N	O	S	0	0
			549	339	104	100	6		

- Molecule 54 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
54	B3	56	Total	C	N	O	S	0	0
			444	269	94	80	1		

- Molecule 55 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms				AltConf	Trace
55	B4	54	Total	C	N	O	0	0
			441	284	81	76		

- Molecule 56 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
56	B5	46	Total	C	N	O	S	0	0
			377	228	90	57	2		


- Molecule 57 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
57	B6	64	Total	C	N	O	S	0	0
			504	323	105	74	2		

- Molecule 58 is a protein called 50S ribosomal protein L36.


Mol	Chain	Residues	Atoms					AltConf	Trace
58	B7	38	Total	C	N	O	S	0	0
			302	185	65	48	4		

- Molecule 59 is TRYPTOPHAN (three-letter code: TRP) (formula:  $C_{11}H_{12}N_2O_2$ ).



Mol	Chain	Residues	Atoms				AltConf
59	AB	1	Total	C	N	O	0
			14	11	2	1	

- Molecule 60 is N-FORMYLMETHIONINE (three-letter code: FME) (formula:  $C_6H_{11}NO_3S$ ).




Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	S	
60	BB	1	10	6	1	2	1	0

### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: 16S ribosomal RNA



A781	A782	A783	A784	A785	A786	A787	A788	A789	A790	A791	A792	A793	A794	A795	A796	A797	A798	A799	A800	A801	A802	A803	A804	A805	A806	A807	A808	A809	A810	A811	A812	A813	A814	A815	A816	A817	A818	A819	A820	A821	A822	A823	A824	A825	A826	A827	A828	A829	A830	A831	A832	A833	A834	A835	A836	A837	A838	A839	A840
C841	C842	C843	C844	C845	C846	C847	C848	C849	C850	C851	C852	C853	C854	C855	C856	C857	C858	C859	C860	C861	C862	C863	C864	C865	C866	C867	C868	C869	C870	C871	C872	C873	C874	C875	C876	C877	C878	C879	C880	C881	C882	C883	C884	C885	C886	C887	C888	C889	C890	C891	C892	C893	C894	C895	C896	C897	C898	C899	C900
A901	A902	A903	A904	A905	A906	A907	A908	A909	A910	A911	A912	A913	A914	A915	A916	A917	A918	A919	A920	A921	A922	A923	A924	A925	A926	A927	A928	A929	A930	A931	A932	A933	A934	A935	A936	A937	A938	A939	A940	A941	A942	A943	A944	A945	A946	A947	A948	A949	A950	A951	A952	A953	A954	A955	A956	A957	A958	A959	A960
U961	U962	U963	U964	U965	U966	U967	U968	U969	U970	U971	U972	U973	U974	U975	U976	U977	U978	U979	U980	U981	U982	U983	U984	U985	U986	U987	U988	U989	U990	U991	U992	U993	U994	U995	U996	U997	U998	U999	C1000	C1001	C1002	C1003	C1004	C1005	C1006	C1007	C1008	C1009	C1010	C1011	C1012	C1013	C1014	C1015	C1016	C1017	C1018	C1019	C1020
A1021	A1022	A1023	A1024	A1025	A1026	A1027	A1028	A1029	A1030	A1031	A1032	A1033	A1034	A1035	A1036	A1037	A1038	A1039	A1040	A1041	A1042	A1043	A1044	A1045	A1046	A1047	A1048	A1049	A1050	A1051	A1052	A1053	A1054	A1055	A1056	A1057	A1058	A1059	A1060	A1061	A1062	A1063	A1064	A1065	A1066	A1067	A1068	A1069	A1070	A1071	A1072	A1073	A1074	A1075	A1076	A1077	A1078	A1079	A1080
A1081	A1082	A1083	A1084	A1085	A1086	A1087	A1088	A1089	A1090	A1091	A1092	A1093	A1094	A1095	A1096	A1097	A1098	A1099	A1100	A1101	A1102	A1103	A1104	A1105	A1106	A1107	A1108	A1109	A1110	A1111	A1112	A1113	A1114	A1115	A1116	A1117	A1118	A1119	A1120	A1121	A1122	A1123	A1124	A1125	A1126	A1127	A1128	A1129	A1130	A1131	A1132	A1133	A1134	A1135	A1136	A1137	A1138	A1139	A1140
C1141	C1142	C1143	C1144	C1145	C1146	C1147	C1148	C1149	C1150	C1151	C1152	C1153	C1154	C1155	C1156	C1157	C1158	C1159	C1160	C1161	C1162	C1163	C1164	C1165	C1166	C1167	C1168	C1169	C1170	C1171	C1172	C1173	C1174	C1175	C1176	C1177	C1178	C1179	C1180	C1181	C1182	C1183	C1184	C1185	C1186	C1187	C1188	C1189	C1190	C1191	C1192	C1193	C1194	C1195	C1196	C1197	C1198	C1199	C1200
A1201	A1202	A1203	A1204	A1205	A1206	A1207	A1208	A1209	A1210	A1211	A1212	A1213	A1214	A1215	A1216	A1217	A1218	A1219	A1220	A1221	A1222	A1223	A1224	A1225	A1226	A1227	A1228	A1229	A1230	A1231	A1232	A1233	A1234	A1235	A1236	A1237	A1238	A1239	A1240	A1241	A1242	A1243	A1244	A1245	A1246	A1247	A1248	A1249	A1250	A1251	A1252	A1253	A1254	A1255	A1256	A1257	A1258	A1259	A1260
A1261	A1262	A1263	A1264	A1265	A1266	A1267	A1268	A1269	A1270	A1271	A1272	A1273	A1274	A1275	A1276	A1277	A1278	A1279	A1280	A1281	A1282	A1283	A1284	A1285	A1286	A1287	A1288	A1289	A1290	A1291	A1292	A1293	A1294	A1295	A1296	A1297	A1298	A1299	A1300	A1301	A1302	A1303	A1304	A1305	A1306	A1307	A1308	A1309	A1310	A1311	A1312	A1313	A1314	A1315	A1316	A1317	A1318	A1319	A1320
U1321	U1322	U1323	U1324	U1325	U1326	U1327	U1328	U1329	U1330	U1331	U1332	U1333	U1334	U1335	U1336	U1337	U1338	U1339	U1340	U1341	U1342	U1343	U1344	U1345	U1346	U1347	U1348	U1349	U1350	U1351	U1352	U1353	U1354	U1355	U1356	U1357	U1358	U1359	U1360	U1361	U1362	U1363	U1364	U1365	U1366	U1367	U1368	U1369	U1370	U1371	U1372	U1373	U1374	U1375	U1376	U1377	U1378	U1379	U1380
U1381	U1382	U1383	U1384	U1385	U1386	U1387	U1388	U1389	U1390	U1391	U1392	U1393	U1394	U1395	U1396	U1397	U1398	U1399	U1400	U1401	U1402	U1403	U1404	U1405	U1406	U1407	U1408	U1409	U1410	U1411	U1412	U1413	U1414	U1415	U1416	U1417	U1418	U1419	U1420	U1421	U1422	U1423	U1424	U1425	U1426	U1427	U1428	U1429	U1430	U1431	U1432	U1433	U1434	U1435	U1436	U1437	U1438	U1439	U1440
A1441	A1442	A1443	A1444	A1445	A1446	A1447	A1448	A1449	A1450	A1451	A1452	A1453	A1454	A1455	A1456	A1457	A1458	A1459	A1460	A1461	A1462	A1463	A1464	A1465	A1466	A1467	A1468	A1469	A1470	A1471	A1472	A1473	A1474	A1475	A1476	A1477	A1478	A1479	A1480	A1481	A1482	A1483	A1484	A1485	A1486	A1487	A1488	A1489	A1490	A1491	A1492	A1493	A1494	A1495	A1496	A1497	A1498	A1499	A1500
C1501	C1502	C1503	C1504	C1505	C1506	C1507	C1508	C1509	C1510	C1511	C1512	C1513	C1514	C1515	C1516	C1517	C1518	C1519	C1520	C1521	C1522	C1523	C1524	C1525	C1526	C1527	C1528	C1529	C1530	C1531	C1532	C1533	C1534	C1535	C1536	C1537	C1538	C1539	C1540	C1541	C1542	C1543	C1544	C1545	C1546	C1547	C1548	C1549	C1550	C1551	C1552	C1553	C1554	C1555	C1556	C1557	C1558	C1559	C1560


• Molecule 2: A site tRNA




A1	A2	A3	A4	A5	A6	A7	A8	A9	A10	A11	A12	A13	A14	A15	A16	A17	A18	A19	A20	A21	A22	A23	A24	A25	A26	A27	A28	A29	A30	A31	A32	A33	A34	A35	A36	A37	A38	A39	A40	A41	A42	A43	A44	A45	A46	A47	A48	A49	A50	A51	A52	A53	A54	A55	A56	A57	A58	A59	A60
C61	C62	C63	C64	C65	C66	C67	C68	C69	C70	C71	C72	C73	C74	C75	C76	C77	C78	C79	C80	C81	C82	C83	C84	C85	C86	C87	C88	C89	C90	C91	C92	C93	C94	C95	C96	C97	C98	C99	C100	C101	C102	C103	C104	C105	C106	C107	C108	C109	C110	C111	C112	C113	C114	C115	C116	C117	C118	C119	C120

• Molecule 3: mRNA









• Molecule 4: P site tRNA





• Molecule 5: 30S ribosomal protein S2




• Molecule 6: 30S ribosomal protein S3



• Molecule 7: 30S ribosomal protein S4




• Molecule 8: 30S ribosomal protein S5








- Molecule 9: 30S ribosomal protein S6




- Molecule 10: 30S ribosomal protein S7



- Molecule 11: 30S ribosomal protein S8




- Molecule 12: 30S ribosomal protein S9



- Molecule 13: 30S ribosomal protein S10




- Molecule 14: 30S ribosomal protein S11









- Molecule 15: 30S ribosomal protein S12




- Molecule 16: 30S ribosomal protein S13




- Molecule 17: 30S ribosomal protein S14





- Molecule 18: 30S ribosomal protein S15



- Molecule 19: 30S ribosomal protein S16




- Molecule 20: 30S ribosomal protein S17





- Molecule 21: 30S ribosomal protein S18







- Molecule 22: 30S ribosomal protein S19




- Molecule 23: 30S ribosomal protein S20





- Molecule 24: 30S ribosomal protein S21



- Molecule 25: 5S ribosomal RNA




- Molecule 26: 23S ribosomal RNA



A1321	G1261	U1201	U1141	U1081	A1021	C961	C901	G841	A781	A721	A661	C601	A541	C481	C421	G361	G301
A1322	A1262	G1202	A1142	U1082	G1022	G962	C902	U842	A782	A722	G662	A602	C542	A482	A422	A362	C302
G1323	A1263	U1203	A1143	U1083	U1023	U963	C903	G843	A783	G723	G663	A603	G543	A483	A423	A363	G303
G1324	A1264	A1204	A1144	A1084	G1024	G964	G904	A844	G784	U724	G664	G604	C544	C484	G424	C364	U304
U1325	A1265	A1205	C1145	A1085	G1025	G965	A905	A845	G785	G725	U665	G605	U545	C485	G425	U365	C305
U1326	G1266	G1206	G1146	A1086	U1026	G966	U906	U846	C786	G726	A666	U606	U546	C486	C426	C366	U306
A1327	U1267	G1207	A1147	G1087	A1027	U967	G907	U847	C787	A727	U667	U607	A547	C487	U427	G367	G307
A1328	A1268	C1208	U1148	A1088	A1028	C968	C908	C848	A788	G728	A668	A608	G548	A488	A428	A368	G308
U1329	A1269	U1209	G1149	A1089	A1029	G969	A909	A849	A789	G729	G669	A609	G549	A489	A429	U369	A309
G1330	C1270	G1210	A1150	A1090	C1030	U970	A910	U850	A790	A730	A670	C610	C550	C490	A430	G370	A310
G1331	G1271	C1211	A1151	G1091	G1031	G971	A911	C851	U791	C731	C671	C611	C551	C491	U431	A371	A311
G1332	A1272	G1212	C1152	C1092	A1032	A972	C912	U852	A792	G732	C672	A612	U552	A492	A432	G372	G312
G1333	U1273	G1213	C1153	G1093	U1033	A973	U913	C853	A793	G733	C673	A613	U553	G493	C433	U373	G313
G1334	A1274	A1214	G1154	U1094	G1034	G974	G914	C854	A794	A734	G674	A614	U554	G494	U434	A374	C314
A1335	A1275	G1215	A1155	A1095	U1035	A975	C915	G855	C795	A735	A675	U615	A555	G495	C435	G375	G315
A1336	A1276	G1216	A1156	A1096	U1036	G976	C916	G856	C796	A736	A676	A616	A556	G496	C436	G376	C316
G1337	G1277	U1217	G1157	A1097	G1037	G977	A917	U857	G797	C737	A677	C617	C557	A497	U437	G377	G317
G1338	C1278	G1218	C1158	A1098	U1038	G978	A918	C858	G798	G738	C678	C618	U558	G498	G438	C378	C318
G1339	U1279	U1219	U1159	G1099	A1039	A979	U919	G859	G799	A739	C679	C619	G559	U499	A439	G379	G319
U1340	G1280	G1220	G1160	C1100	A1040	A980	A920	U860	A800	C740	C680	C620	C560	G500	C440	G380	A320
G1341	G1281	C1221	C1161	U1101	G1041	A981	C921	U861	G801	A741	C681	A621	G561	A501	U441	G381	A321
A1342	U1282	G1222	G1162	C1102	C1042	C982	C922	G862	A802	A742	G682	C622	U562	A502	A442	A382	A322
G1343	G1283	G1223	G1163	A1103	C1043	A983	G923	A863	U803	A743	U683	C623	A563	A503	A443	C383	C323
U1344	A1284	U1224	C1164	G1104	G1044	A984	G924	C864	A804	U744	G684	C624	C564	A504	C444	A384	A324
G1345	A1285	G1225	A1165	U1105	C1045	C985	A925	C865	G805	A745	G685	G625	C565	A505	C445	C385	G325
A1346	A1286	A1226	G1166	G1106	A1046	C986	G926	A866	C306	U746	U686	A626	U566	G506	C446	G386	G326
A1347	A1287	G1227	C1167	U1107	U1047	C987	A927	C867	U807	A747	C687	A627	U567	A507	A447	U387	G327
G1348	G1288	G1228	G1168	U1108	A1048	A988	U928	U868	G808	A748	U688	C628	U568	A508	U448	G388	U328
A1349	C1289	C1229	A1169	C1109	U1049	G989	U929	C869	G809	A749	A689	C629	U569	C509	A449	G389	G329
C1350	C1290	A1230	C1170	G1110	A1050	A990	G930	U870	U810	A750	C690	C630	U570	C510	U450	A390	A330
G1351	G1291	U1231	C1171	A1111	G1051	C991	U931	U871	U811	A751	C691	A631	U571	U511	U451	A391	C331
U1352	G1292	G1232	C1172	C1112	C1052	C992	U932	U872	C812	A752	C692	A632	A572	C512	A452	U392	A332
A1353	C1293	C1233	U1173	U1113	U1053	G993	A933	C873	C813	A753	A693	A633	U573	A513	A453	C393	G333
A1354	U1294	U1234	U1174	C1114	A1054	C994	U934	G874	C814	U754	G694	C634	A574	A514	A454	C394	C334
G1355	C1295	G1235	A1175	G1115	G1055	C995	C935	G875	C815	U755	G695	C635	A575	A515	C455	U395	C335
G1356	G1296	G1236	U1176	G1116	G1056	A996	A936	C876	C816	A756	G696	C636	U576	C516	C456	G396	C336
C1357	G1297	A1237	G1177	C1117	A1057	G997	C937	A877	C817	G757	G697	A637	G577	C517	A457	U397	C337
G1358	G1298	G1238	C1178	U1118	U1058	C998	C938	A878	C818	G758	C698	C638	G578	G518	G458	C398	G338
A1359	U1299	G1239	G1179	U1119	U1059	U999	G939	G879	A819	G759	A699	U639	G579	U519	U459	U399	U339
G1360	G1300	U1240	U1180	G1120	U1060	A1000	G940	G880	A820	G760	G700	C640	U580	G520	A460	A400	A340
G1361	A1301	A1241	U1181	C1121	U1061	A1001	A941	G881	A821	A761	G701	U641	C581	U521	C461	A401	C341
C1362	A1302	U1242	G1182	G1122	G1062	G1002	G942	G882	G822	U762	U702	U642	A582	A522	C462	A402	A342
G1363	G1303	C1243	U1183	C1123	G1063	G1003	A943	G883	C923	G763	G703	A643	G583	G523	U403	C343	C343
G1364	A1304	A1244	U1184	G1124	C1064	U1004	C944	U884	U824	A764	G704	A644	C584	G524	U404	A404	A344
A1365	C1305	G1245	G1185	G1125	U1065	C1005	A945	C885	A825	C765	A705	C645	G585	U525	G465	A405	A345
A1366	A1306	A1246	G1186	A1126	U1066	C1006	C946	A886	U826	U766	A706	U646	A586	A526	A466	A406	A346
A1367	A1307	A1247	G1187	A1127	U1067	C1007	A947	U887	U827	U767	G707	G647	C587	C527	G467	G407	A347
G1368	G1308	G1248	U1188	G1128	G1068	A1008	C948	C888	U828	G768	G708	G648	U588	A528	G468	G408	A348
G1369	A1309	U1249	A1189	A1129	U1069	A1009	G949	C889	A829	U769	U709	G649	U589	A529	G469	G409	U349
C1370	G1310	G1250	G1190	U1130	A1070	A1010	C950	C890	G830	G770	U710	C650	A590	G530	A470	G410	G350
G1371	G1311	C1251	G1191	G1131	G1071	G1011	C951	C891	G831	G771	G711	C651	U591	C531	A471	C411	C351
U1372	U1312	G1252	G1192	U1132	C1072	U1012	G952	G892	U832	C772	G712	U652	A592	A532	A472	A412	A352
A1373	A1313	A1253	C1193	C1133	U1073	C1013	G953	C893	A833	G773	G713	U653	U593	G533	G473	C413	C353
G1374	C1314	A1254	A1194	A1134	G1074	A1014	G954	U894	G834	G774	U714	A654	U594	U534	G474	C414	A354
U1375	G1315	U1255	G1195	G1135	C1075	U1015	U955	U895	C835	G775	A715	A655	C595	G535	G475	A415	U355
G1376	U1316	G1256	C1196	G1136	C1076	G1016	G956	A896	G836	G776	A716	G656	U596	G536	G476	U416	G356
G1377	G1317	C1257	G1197	G1137	A1077	G1017	C957	C897	C837	G777	C717	U657	G597	G537	A477	C417	C357
A1378	U1318	U1258	U1198	G1138	U1078	U1018	U958	C898	U838	G778	A718	U658	U598	A538	A478	U418	U358
U1379	C1319	G1259	U1199	A1139	C1079	U1019	A959	C899	U839	G779	C719	G659	A599	G539	A479	U419	G359
G1380	C1320	A1260	A1080	C1140	A1080	A1020	A960	A900	C840	G780	U720	C660	G600	C540	A480	C420	U360


G2341	A2281	G2221	C2161	A2101	U2041	A1981	G1921	G1861	A1801	C1741	G1681	U1621	C1561	G1501	U1441	G1381
C2342	G2282	C2222	G2162	G2102	A2042	U1982	G1922	G1862	A1802	U1742	G1682	G1622	U1562	A1502	U1442	G1382
U2343	A2283	G2223	A2163	G2103	C2043	U1983	G1923	G1863	A1803	G1743	U1683	G1623	U1563	A1503	U1443	A1383
U2344	A2284	C2224	C2164	C2104	C2044	G1984	G1924	U1864	C1804	A1744	G1684	U1624	C1564	A1504	G1444	A1384
G2345	C2285	A2225	C2165	U2105	G2045	G1985	G1925	U1865	A1805	A1745	C1685	A1625	C1565	U1505	G1445	A1385
A2346	G2286	C2226	U2166	U2106	G2046	G1986	G1926	U1866	C1806	A1746	C1686	A1626	U1566	U1506	G1446	C1386
C2347	A2287	G2227	U2167	G2107	C2047	U1987	G1927	G1867	G1807	U1747	G1687	G1627	U1567	C1507	C1447	A1387
U2348	A2288	G2228	G2168	A2108	G2048	G1988	A1928	C1868	A1808	C1748	U1688	G1628	U1568	A1508	G1448	G1388
G2349	C2289	U2229	A2169	U2109	G2049	G1989	G1929	U1869	A1809	A1749	A1689	G1629	A1569	A1509	G1449	G1389
C2350	G2290	G2230	A2170	G2110	C2050	U1990	G1930	A1870	A1810	U1750	A1690	A1630	U1570	G1510	G1450	A1390
G2351	U2291	G2231	A2171	U2111	A2051	G1991	G1931	A1871	G1811	U1751	A1691	G1631	A1571	G1511	U1391	U1391
A2352	U2292	C2232	C2172	G2112	A2052	G1992	A1932	A1872	G1812	G1752	U1692	A1632	A1572	G1512	A1392	A1392
G2353	G2293	U2233	A2173	U2113	G2053	U1993	G1933	G1873	U1813	G1753	U1693	A1633	G1573	U1513	A1453	A1393
C2354	C2294	G2234	C2174	A2114	A2054	G1994	C1934	C1874	G1814	A1754	C1694	A1634	C1574	G1514	C1454	U1394
U2355	U2295	G2235	C2175	G2115	G2055	U1995	G1935	U1875	A1815	A1755	G1695	A1635	U1575	A1515	G1455	A1395
U2356	U2296	G2236	A2176	G2116	G2056	G1996	A1936	A1876	C1816	U1756	G1696	U1636	U1576	G1516	G1456	U1396
G2357	A2297	G2237	C2177	U2117	G2057	U1997	A1937	A1877	G1817	U1757	G1697	A1637	U1577	G1517	U1457	U1397
A2358	G2298	G2238	G2178	U2118	A2058	A1998	A1938	G1878	G1818	U1758	A1698	C1638	U1578	C1518	U1458	C1398
C2359	U2299	G2239	C2179	U2119	A2059	G1999	U1939	C1879	A1819	A1759	G1699	A1639	U1579	G1519	G1459	A1399
G2360	C2300	U2240	U2180	G2120	A2060	C2000	U1940	U1880	U1820	C1760	A1700	A1640	A1580	U1520	U1460	U1400
G2361	C2301	A2241	U2181	G2121	G2061	C2001	C1941	U1881	A1821	C1761	A1701	A1641	A1581	G1521	G1461	G1401
C2362	G2302	G2242	U2182	U2122	A2062	G2002	G1942	U1882	C1822	A1762	G1702	G1642	C1582	A1522	C1462	U1402
G2363	G2303	C2243	A2183	G2123	C2063	A2003	U1943	U1883	G1823	G1763	G1703	G1643	A1583	U1523	C1463	A1403
C2364	G2304	U2244	A2184	G2124	G2064	G2004	G1944	G1884	G1824	C1764	C1704	G1644	U1584	A1524	G1464	C1404
G2365	U2305	U2245	U2185	G2125	C2065	A2005	G1945	A1885	U1825	U1765	A1705	G1645	U1585	A1525	G1465	U1405
A2366	C2306	G2246	G2186	A2126	C2066	C2006	U1946	U1886	G1826	G1766	C1706	C1646	A1586	C1526	U1466	U1406
C2367	G2307	A2247	U2187	G2127	G2067	U2007	G1947	U1887	U1827	G1767	G1707	A1647	U1587	G1527	U1467	G1407
C2368	G2308	C2248	U2188	G2128	U2068	C2008	G1948	G1888	G1828	C1768	C1708	U1648	U1588	A1528	U1468	G1408
A2369	A2309	U2249	U2189	C2129	G2069	A2009	G1949	A1889	A1829	U1769	U1709	G1649	U1589	G1529	A1469	A1409
G2370	C2310	G2250	G2190	U2130	A2070	G2010	G1950	A1890	C1830	G1770	G1710	A1650	U1590	G1530	A1470	G1410
A2371	A2311	G2251	A2191	U2131	A2071	U2011	U1951	G1891	G1831	C1771	A1711	G1651	A1591	C1531	G1471	U1411
U2372	C2312	G2252	U2192	U2132	C2072	G2012	A1952	C1892	G1832	A1772	U1712	A1652	C1592	A1532	C1472	U1412
G2373	C2313	G2253	G2193	A2133	C2073	A2013	A1953	C1893	C1833	A1773	A1713	G1653	A1593	U1533	G1473	A1413
C2374	A2314	C2254	A2194	A2134	U2074	A2014	G1954	C1894	G1834	C1774	U1714	A1654	U1594	U1534	U1474	A1414
G2375	G2315	G2255	U2195	A2135	U2075	A2015	U1955	A1895	G1835	U1775	G1715	A1655	C1595	A1535	G1475	A1415
A2376	G2316	G2256	C2196	G2136	U2076	U2016	U1956	G1896	C1836	G1776	U1716	C1656	A1596	C1536	U1476	G1416
C2377	A2317	U2257	U2197	U2137	A2077	U2017	C1957	G1897	C1837	U1777	A1717	U1657	A1597	G1537	A1477	C1417
A2378	G2318	C2258	A2198	G2138	C2078	G2018	C1958	U1898	C1838	U1778	G1718	C1658	U1598	G1538	G1478	G1418
G2379	G2319	U2259	A2199	U2139	U2079	A2019	G1959	A1899	G1839	U1779	G1719	G1659	U1599	U1539	G1479	A1419
C2380	U2320	C2260	C2200	G2140	A2080	A2020	A1960	A1900	G1840	A1780	U1720	G1660	C1600	G1540	C1480	A1420
A2381	U2321	G2261	G2201	G2141	U2081	C2021	C1961	A1901	U1841	U1781	G1721	G1661	G1601	C1541	U1481	G1421
G2382	A2322	U2262	U2202	A2142	A2082	U2022	C1962	C1902	G1842	U1782	A1722	U1662	U1602	U1542	G1482	A1422
C2383	G2323	C2263	U2203	C2143	G2083	C2023	U1963	G1903	C1843	A1783	G1723	G1663	A1603	G1543	G1483	G1423
U2384	U2324	G2264	G2204	G2144	C2084	G2024	G1964	G1904	C1844	A1784	G1724	A1664	C1604	A1544	U1484	G1424
C2385	G2325	U2265	A2205	C2145	U2085	C2025	C1965	C1905	G1845	A1785	U1725	A1665	C1605	A1545	U1485	G1425
A2386	C2326	C2266	C2206	C2146	U2086	U2026	A1966	G1906	G1846	A1786	C1726	G1666	C1606	G1546	U1486	G1426
U2387	A2327	A2267	G2207	A2147	G2087	G2027	C1967	G1907	A1847	U1787	C1727	G1667	C1607	C1547	U1487	A1427
A2388	A2328	C2268	C2208	G2148	A2088	U2028	G1968	C1908	A1848	C1788	C1728	A1668	A1608	A1548	C1488	G1428
G2389	U2329	G2269	G2209	U2149	C2089	G2029	A1969	G1909	G1849	U1789	U1729	A1669	A1609	A1549	G1489	G1429
U2390	G2330	A2270	U2210	C2150	A2090	A2030	A1970	G1910	G1850	C1790	G1730	C1670	A1610	C1550	A1490	G1430
G2391	C2331	G2271	A2211	U2151	C2091	A2031	U1971	U1911	U1851	A1791	G1731	U1671	C1611	U1551	G1491	A1431
A2392	A2332	U2272	A2212	G2152	G2092	G2032	G1972	A1912	U1852	A1792	C1732	A1672	C1612	A1552	G1492	G1432
U2393	C2333	A2273	U2213	C2153	G2093	A2033	G1973	A1913	A1853	C1793	G1733	G1673	G1613	U1553	C1493	A1433
C2394	U2334	C2274	C2214	A2154	A2094	U2034	C1974	C1914	A1854	A1794	G1734	A1674	A1614	U1554	A1494	A1434
G2395	A2335	C2275	G2215	U2155	A2095	G2035	G1975	3TD1915	U1855	C1795	C1675	A1675	C1615	G1555	A1495	G1435
A2396	A2336	G2276	G2216	C2156	C2096	C2036	U1976	A1916	U1856	U1796	U1736	A1676	A1616	C1556	A1496	G1436
G2397	G2337	G2277	G2217	G2157	A2097	A2037	A1977	U1917	G1857	G1797	G1737	A1677	C1617	C1557	U1497	C1437
U2398	C2338	A2278	G2218	A2158	U2098	G2038	A1978	A1918	U1858	U1798	G1738	A1678	A1618	C1558	C1498	U1438
G2399	C2339	G2279	U2219	U2099	U2099	U2039	A1979	A1919	U1859	G1799	A1739	A1679	A1619	C1559	A1499	A1439
G2400	A2340	G2280	U2220	C2160	G2100	G2040	G1980	C1920	G1860	C1800	G1740	U1680	G1620	G1560	G1500	U1440






- Molecule 30: 50S ribosomal protein L4

Chain BF: 77% 18% .




- Molecule 31: 50S ribosomal protein L5

Chain BG: 69% 26% 5% .




- Molecule 32: 50S ribosomal protein L6

Chain BH: 74% 22% .




- Molecule 33: 50S ribosomal protein L9

Chain BI: 5% 83% 16% .




- Molecule 34: 50S ribosomal protein L10


Chain BJ: 5% 82% 15% .




- Molecule 35: 50S ribosomal protein L11




- Molecule 36: 50S ribosomal protein L13




- Molecule 37: 50S ribosomal protein L14




- Molecule 38: 50S ribosomal protein L15




- Molecule 39: 50S ribosomal protein L16




- Molecule 40: 50S ribosomal protein L17







- Molecule 41: 50S ribosomal protein L18




- Molecule 42: 50S ribosomal protein L19




- Molecule 43: 50S ribosomal protein L20



- Molecule 44: 50S ribosomal protein L21




- Molecule 45: 50S ribosomal protein L22





- Molecule 46: 50S ribosomal protein L23







- Molecule 47: 50S ribosomal protein L24



- Molecule 48: 50S ribosomal protein L25




- Molecule 49: 50S ribosomal protein L27





- Molecule 50: 50S ribosomal protein L28




- Molecule 51: 50S ribosomal protein L29




- Molecule 52: 50S ribosomal protein L30




- Molecule 53: 50S ribosomal protein L31







- Molecule 54: 50S ribosomal protein L32




- Molecule 55: 50S ribosomal protein L33





- Molecule 56: 50S ribosomal protein L34



- Molecule 57: 50S ribosomal protein L35



- Molecule 58: 50S ribosomal protein L36



## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	21000	Depositor
Resolution determination method	FSC 0.5 CUT-OFF	Depositor
CTF correction method	Volumes were CTF-corrected in defocus groups	Depositor
Microscope	FEI TECNAI F30	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	25	Depositor
Minimum defocus (nm)	1200	Depositor
Maximum defocus (nm)	4000	Depositor
Magnification	58269	Depositor
Image detector	TVIPS TEMCAM-F415 (4k x 4k)	Depositor
Maximum map value	1.536	Depositor
Minimum map value	-0.480	Depositor
Average map value	0.031	Depositor
Map value standard deviation	0.200	Depositor
Recommended contour level	0.1	Depositor
Map size (Å)	375.0, 375.0, 375.0	wwPDB
Map dimensions	250, 250, 250	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.5, 1.5, 1.5	Depositor

## 5 Model quality ⓘ

### 5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: 4OC, 4SU, MIA, UR3, OMG, 3TD, PSU, 6MZ, 7MG, FME, 5MU, CH, OMC, H2U, 1MG, OMU, 5MC, 2MG, MA6, 2MA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	AA	3.07	3842/36769 (10.4%)	3.54	8339/57354 (14.5%)
2	AB	3.16	182/1600 (11.4%)	3.61	372/2492 (14.9%)
3	AC	3.10	124/1108 (11.2%)	3.72	275/1724 (16.0%)
4	AD	3.15	181/1721 (10.5%)	3.52	392/2683 (14.6%)
5	AE	1.46	6/1904 (0.3%)	1.85	30/2565 (1.2%)
6	AF	1.47	6/1852 (0.3%)	2.14	61/2490 (2.4%)
7	AG	1.54	7/1665 (0.4%)	1.95	47/2227 (2.1%)
8	AH	1.48	3/1239 (0.2%)	1.96	33/1664 (2.0%)
9	AI	1.50	5/1121 (0.4%)	1.99	30/1509 (2.0%)
10	AJ	1.51	5/1422 (0.4%)	1.96	30/1908 (1.6%)
11	AK	1.47	6/989 (0.6%)	1.83	20/1326 (1.5%)
12	AL	1.57	2/1048 (0.2%)	1.98	28/1394 (2.0%)
13	AM	1.46	3/835 (0.4%)	2.17	31/1127 (2.8%)
14	AN	1.51	2/982 (0.2%)	1.85	20/1323 (1.5%)
15	AO	1.51	3/969 (0.3%)	2.08	29/1300 (2.2%)
16	AP	1.55	1/919 (0.1%)	1.88	20/1226 (1.6%)
17	AQ	1.45	4/817 (0.5%)	2.05	21/1088 (1.9%)
18	AR	1.50	2/724 (0.3%)	2.03	16/966 (1.7%)
19	AS	1.50	4/659 (0.6%)	2.09	14/884 (1.6%)
20	AT	1.46	2/681 (0.3%)	2.02	24/913 (2.6%)
21	AU	1.68	6/637 (0.9%)	2.13	28/851 (3.3%)
22	AV	1.44	3/744 (0.4%)	1.80	16/995 (1.6%)
23	AW	1.44	0/676	1.87	16/895 (1.8%)
24	AX	1.54	3/598 (0.5%)	2.37	30/792 (3.8%)
25	BA	2.99	281/2869 (9.8%)	3.51	651/4474 (14.6%)
26	BB	3.08	7353/69257 (10.6%)	3.54	15900/108040 (14.7%)
27	BC	1.44	5/1748 (0.3%)	1.89	32/2355 (1.4%)
28	BD	1.55	11/2131 (0.5%)	1.90	52/2863 (1.8%)
29	BE	1.44	3/1586 (0.2%)	1.91	40/2134 (1.9%)
30	BF	1.46	7/1571 (0.4%)	1.94	37/2113 (1.8%)
31	BG	1.58	11/1444 (0.8%)	2.03	47/1937 (2.4%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
32	BH	1.57	11/1343 (0.8%)	1.89	39/1816 (2.1%)
33	BI	1.56	7/1122 (0.6%)	1.83	20/1515 (1.3%)
34	BJ	1.49	3/1247 (0.2%)	1.95	37/1679 (2.2%)
35	BK	1.46	3/1046 (0.3%)	1.85	17/1410 (1.2%)
36	BL	1.48	6/1152 (0.5%)	1.94	27/1551 (1.7%)
37	BM	1.49	3/956 (0.3%)	2.06	24/1279 (1.9%)
38	BN	1.52	5/1062 (0.5%)	1.88	26/1413 (1.8%)
39	BO	1.49	4/1093 (0.4%)	1.95	25/1460 (1.7%)
40	BP	1.52	4/1021 (0.4%)	2.12	32/1364 (2.3%)
41	BQ	1.54	4/910 (0.4%)	1.99	23/1219 (1.9%)
42	BR	1.55	5/929 (0.5%)	1.93	26/1242 (2.1%)
43	BS	1.57	10/960 (1.0%)	2.05	33/1278 (2.6%)
44	BT	1.50	3/829 (0.4%)	1.84	16/1107 (1.4%)
45	BU	1.49	1/864 (0.1%)	1.95	26/1156 (2.2%)
46	BV	1.54	3/794 (0.4%)	1.91	18/1060 (1.7%)
47	BW	1.53	1/797 (0.1%)	1.83	15/1062 (1.4%)
48	BX	1.46	3/766 (0.4%)	1.89	22/1025 (2.1%)
49	BY	1.57	4/642 (0.6%)	2.03	20/848 (2.4%)
50	BZ	1.58	2/635 (0.3%)	1.97	14/848 (1.7%)
51	B0	1.43	1/510 (0.2%)	2.10	9/677 (1.3%)
52	B1	1.40	0/453	2.08	9/605 (1.5%)
53	B2	1.45	1/559 (0.2%)	2.02	17/745 (2.3%)
54	B3	1.52	4/450 (0.9%)	1.89	10/599 (1.7%)
55	B4	1.48	0/448	1.91	6/594 (1.0%)
56	B5	1.65	1/380 (0.3%)	2.10	13/498 (2.6%)
57	B6	1.47	0/513	1.90	7/676 (1.0%)
58	B7	1.51	2/303 (0.7%)	2.07	8/397 (2.0%)
All	All	2.69	12164/164069 (7.4%)	3.18	27220/244735 (11.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	AA	0	881
2	AB	0	40
3	AC	0	28
4	AD	0	42
5	AE	0	3
6	AF	0	11
7	AG	0	6

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	#Chirality outliers	#Planarity outliers
8	AH	0	2
9	AI	0	4
10	AJ	0	4
11	AK	0	2
12	AL	0	2
14	AN	0	3
15	AO	0	4
16	AP	0	1
17	AQ	0	4
18	AR	0	1
19	AS	0	2
20	AT	0	1
21	AU	0	3
22	AV	0	2
23	AW	0	1
24	AX	0	2
25	BA	0	75
26	BB	0	1720
27	BC	0	2
28	BD	0	9
29	BE	0	4
30	BF	0	3
31	BG	0	6
32	BH	0	3
33	BI	0	1
34	BJ	0	5
35	BK	0	3
36	BL	0	2
37	BM	0	5
38	BN	0	2
39	BO	0	3
40	BP	0	4
41	BQ	0	6
42	BR	0	4
43	BS	0	6
44	BT	0	4
45	BU	0	5
46	BV	0	2
48	BX	0	4
49	BY	0	5
50	BZ	0	2
51	B0	0	1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	#Chirality outliers	#Planarity outliers
52	B1	0	1
53	B2	0	4
54	B3	0	1
55	B4	0	4
56	B5	0	2
57	B6	0	2
All	All	0	2949

All (12164) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	659	G	N7-C5	18.05	1.50	1.39
26	BB	2104	C	P-O5'	17.37	1.77	1.59
26	BB	2168	G	N7-C5	16.73	1.49	1.39
26	BB	268	C	N1-C6	16.25	1.47	1.37
1	AA	1072	G	P-O5'	16.08	1.75	1.59
26	BB	1279	G	N7-C5	15.66	1.48	1.39
1	AA	743	A	N3-C4	15.12	1.44	1.34
1	AA	879	C	N3-C4	15.05	1.44	1.33
1	AA	223	A	N3-C4	14.81	1.43	1.34
26	BB	2633	G	N7-C5	14.80	1.48	1.39
26	BB	1922	G	P-O5'	14.61	1.74	1.59
26	BB	1174	U	C2-N3	14.52	1.48	1.37
26	BB	613	A	N9-C4	14.43	1.46	1.37
25	BA	98	G	N3-C4	14.23	1.45	1.35
4	AD	70	C	N1-C6	14.16	1.45	1.37
26	BB	577	G	N7-C5	14.16	1.47	1.39
26	BB	2887	A	N3-C4	14.13	1.43	1.34
1	AA	123	U	C2-N3	14.12	1.47	1.37
1	AA	1036	A	N3-C4	13.72	1.43	1.34
26	BB	896	A	N9-C8	-13.71	1.26	1.37
26	BB	744	U	P-O5'	13.69	1.73	1.59
26	BB	1365	A	N3-C4	13.66	1.43	1.34
26	BB	793	A	N3-C4	13.61	1.43	1.34
1	AA	1535	C	N1-C6	13.60	1.45	1.37
26	BB	2850	A	N3-C4	13.60	1.43	1.34
26	BB	1733	G	N9-C8	-13.56	1.28	1.37
26	BB	2782	G	N9-C8	13.49	1.47	1.37
26	BB	2861	U	C2-N3	13.41	1.47	1.37
1	AA	1188	A	P-O5'	13.41	1.73	1.59
26	BB	801	G	N7-C5	13.38	1.47	1.39
1	AA	1508	A	N3-C4	13.28	1.42	1.34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2675	A	N3-C4	13.24	1.42	1.34
1	AA	510	A	N3-C4	13.20	1.42	1.34
1	AA	901	A	C6-N1	-13.16	1.26	1.35
26	BB	1629	U	C2-N3	13.14	1.47	1.37
1	AA	1133	G	C6-N1	13.12	1.48	1.39
26	BB	2290	G	N9-C8	-13.09	1.28	1.37
26	BB	1702	G	P-O5'	13.01	1.72	1.59
1	AA	467	U	P-O5'	12.94	1.72	1.59
26	BB	472	A	N3-C4	12.91	1.42	1.34
1	AA	1351	U	C2-N3	-12.90	1.28	1.37
26	BB	2256	G	N3-C4	12.86	1.44	1.35
1	AA	1473	G	N7-C5	-12.85	1.31	1.39
1	AA	122	G	N3-C4	12.83	1.44	1.35
1	AA	217	C	N1-C6	12.83	1.44	1.37
26	BB	2020	A	P-O5'	12.82	1.72	1.59
1	AA	419	C	P-O5'	12.80	1.72	1.59
26	BB	2260	C	P-O5'	12.78	1.72	1.59
26	BB	361	G	N1-C2	-12.76	1.27	1.37
26	BB	1459	G	N7-C5	12.75	1.46	1.39
1	AA	554	A	N3-C4	12.74	1.42	1.34
26	BB	2491	U	C2-N3	12.74	1.46	1.37
26	BB	2699	C	P-O5'	12.70	1.72	1.59
26	BB	1417	C	N1-C6	12.68	1.44	1.37
1	AA	681	A	C6-N1	12.66	1.44	1.35
26	BB	2750	A	P-O5'	12.65	1.72	1.59
26	BB	911	A	N3-C4	12.61	1.42	1.34
26	BB	1403	A	N3-C4	12.59	1.42	1.34
26	BB	2677	G	O3'-P	12.57	1.76	1.61
26	BB	1080	A	N3-C4	12.54	1.42	1.34
1	AA	1499	A	N9-C4	12.53	1.45	1.37
1	AA	805	C	N1-C6	12.52	1.44	1.37
1	AA	1183	U	C2-N3	12.51	1.46	1.37
26	BB	994	C	N1-C6	-12.49	1.29	1.37
26	BB	342	A	N3-C4	12.44	1.42	1.34
26	BB	519	U	P-O5'	12.39	1.72	1.59
1	AA	237	G	N3-C4	12.39	1.44	1.35
1	AA	1522	U	P-O5'	12.34	1.72	1.59
26	BB	1609	A	N3-C4	12.34	1.42	1.34
1	AA	861	G	C5-C4	-12.34	1.29	1.38
26	BB	404	A	P-O5'	12.32	1.72	1.59
26	BB	2648	G	P-O5'	12.31	1.72	1.59
1	AA	1045	C	P-O5'	12.29	1.72	1.59

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2862	G	C6-N1	12.27	1.48	1.39
26	BB	783	A	N3-C4	12.23	1.42	1.34
26	BB	2252	G	C8-N7	-12.16	1.23	1.30
26	BB	2318	G	N3-C4	12.16	1.44	1.35
26	BB	1814	G	P-O5'	12.14	1.71	1.59
26	BB	1646	C	N3-C4	12.14	1.42	1.33
26	BB	508	A	N3-C4	12.14	1.42	1.34
1	AA	778	G	C6-N1	12.12	1.48	1.39
26	BB	1949	G	C6-N1	12.11	1.48	1.39
25	BA	36	C	N1-C6	12.01	1.44	1.37
25	BA	48	U	C2-N3	11.99	1.46	1.37
1	AA	1332	A	N7-C5	-11.98	1.32	1.39
26	BB	2031	A	N3-C4	11.97	1.42	1.34
26	BB	172	A	N3-C4	11.96	1.42	1.34
1	AA	607	A	N9-C4	11.95	1.45	1.37
1	AA	1204	A	N3-C4	11.96	1.42	1.34
26	BB	2587	A	N3-C4	11.94	1.42	1.34
1	AA	1487	G	N7-C5	11.90	1.46	1.39
26	BB	2389	G	C8-N7	-11.89	1.23	1.30
26	BB	2077	A	N3-C4	11.89	1.42	1.34
26	BB	2806	C	N1-C6	11.89	1.44	1.37
1	AA	475	C	P-O5'	11.86	1.71	1.59
1	AA	340	U	C2-N3	11.85	1.46	1.37
26	BB	504	A	N9-C4	11.83	1.45	1.37
4	AD	69	C	N3-C4	11.83	1.42	1.33
26	BB	2441	U	N1-C2	11.81	1.49	1.38
1	AA	72	A	N7-C5	11.80	1.46	1.39
4	AD	16	C	N3-C4	11.78	1.42	1.33
26	BB	582	A	C6-N1	-11.78	1.27	1.35
26	BB	1131	G	P-O5'	-11.76	1.48	1.59
26	BB	76	C	N1-C6	11.71	1.44	1.37
26	BB	1315	C	P-O5'	11.71	1.71	1.59
26	BB	57	C	N1-C6	11.71	1.44	1.37
1	AA	1347	G	C8-N7	-11.70	1.24	1.30
26	BB	2359	C	P-O5'	11.69	1.71	1.59
26	BB	2452	C	N1-C6	11.68	1.44	1.37
1	AA	113	G	C2-N3	11.68	1.42	1.32
26	BB	720	U	C2-O2	-11.67	1.11	1.22
1	AA	1479	C	P-O5'	11.66	1.71	1.59
1	AA	335	C	N1-C6	-11.66	1.30	1.37
26	BB	1746	A	N3-C4	11.66	1.41	1.34
1	AA	568	G	N7-C5	-11.65	1.32	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	703	G	N3-C4	11.65	1.43	1.35
1	AA	1433	A	N3-C4	11.64	1.41	1.34
26	BB	1633	G	C8-N7	-11.64	1.24	1.30
1	AA	1201	A	N9-C4	-11.64	1.30	1.37
26	BB	406	G	N7-C5	-11.64	1.32	1.39
26	BB	1837	C	N1-C6	11.63	1.44	1.37
26	BB	2490	G	N3-C4	11.63	1.43	1.35
26	BB	2846	G	N3-C4	11.63	1.43	1.35
26	BB	2112	G	C8-N7	11.62	1.38	1.30
26	BB	2399	G	C5-C4	11.61	1.46	1.38
26	BB	892	A	N9-C8	11.61	1.47	1.37
26	BB	562	U	C2-N3	11.61	1.45	1.37
26	BB	1817	G	P-O5'	11.60	1.71	1.59
26	BB	1585	C	N1-C6	11.59	1.44	1.37
1	AA	845	A	P-O5'	11.59	1.71	1.59
26	BB	1796	U	N1-C2	11.58	1.49	1.38
26	BB	1465	G	C6-N1	11.57	1.47	1.39
26	BB	2115	G	N9-C8	11.56	1.46	1.37
26	BB	2358	A	P-O5'	11.55	1.71	1.59
1	AA	60	A	N3-C4	11.55	1.41	1.34
26	BB	516	C	C5-C6	11.54	1.43	1.34
26	BB	808	G	N9-C8	11.53	1.46	1.37
26	BB	1602	U	C2-N3	11.52	1.45	1.37
1	AA	861	G	P-O5'	11.52	1.71	1.59
1	AA	715	A	N9-C4	11.49	1.44	1.37
1	AA	548	G	N9-C8	11.48	1.45	1.37
1	AA	48	C	N3-C4	11.48	1.42	1.33
26	BB	919	U	C2-N3	11.47	1.45	1.37
26	BB	1563	U	P-O5'	11.47	1.71	1.59
1	AA	1280	A	N7-C5	-11.46	1.32	1.39
1	AA	1153	G	C6-N1	11.45	1.47	1.39
26	BB	2464	G	N3-C4	11.45	1.43	1.35
1	AA	909	A	N7-C5	11.43	1.46	1.39
1	AA	1350	A	N9-C4	11.43	1.44	1.37
26	BB	778	G	C8-N7	-11.42	1.24	1.30
1	AA	646	G	N7-C5	11.41	1.46	1.39
26	BB	364	C	C2-N3	11.41	1.44	1.35
26	BB	519	U	C2-N3	11.41	1.45	1.37
26	BB	1439	A	N9-C4	11.41	1.44	1.37
1	AA	1164	G	N7-C5	-11.40	1.32	1.39
26	BB	1913	A	N9-C8	-11.40	1.28	1.37
26	BB	1526	C	N1-C6	11.37	1.44	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	969	A	P-O5'	11.36	1.71	1.59
26	BB	114	U	C2-N3	11.36	1.45	1.37
1	AA	263	A	C6-N1	-11.35	1.27	1.35
1	AA	146	G	P-O5'	11.35	1.71	1.59
1	AA	411	A	N9-C4	-11.34	1.31	1.37
26	BB	1700	A	N9-C4	11.34	1.44	1.37
1	AA	598	U	C2-N3	11.31	1.45	1.37
26	BB	1858	A	N7-C5	-11.29	1.32	1.39
26	BB	2318	G	C8-N7	11.28	1.37	1.30
1	AA	1023	U	C2-N3	-11.27	1.29	1.37
26	BB	1560	G	N9-C8	11.27	1.45	1.37
3	AC	32	U	P-O5'	11.27	1.71	1.59
26	BB	1228	G	N3-C4	11.25	1.43	1.35
26	BB	2436	G	C6-N1	11.25	1.47	1.39
1	AA	705	G	P-O5'	11.24	1.71	1.59
26	BB	1581	G	N3-C4	11.22	1.43	1.35
1	AA	900	A	N3-C4	11.21	1.41	1.34
26	BB	1965	C	N1-C6	11.21	1.43	1.37
26	BB	2416	C	P-O5'	11.21	1.71	1.59
26	BB	297	G	P-O5'	11.20	1.71	1.59
26	BB	2761	A	C6-N1	11.20	1.43	1.35
26	BB	1118	C	P-O5'	11.19	1.71	1.59
26	BB	2307	G	C2-N3	11.19	1.41	1.32
26	BB	1930	G	P-O5'	11.19	1.71	1.59
1	AA	447	G	N3-C4	11.19	1.43	1.35
26	BB	820	A	P-O5'	11.18	1.71	1.59
26	BB	1305	C	N1-C6	11.17	1.43	1.37
25	BA	29	A	O3'-P	11.16	1.74	1.61
1	AA	1530	G	C8-N7	-11.16	1.24	1.30
26	BB	2289	G	N3-C4	11.15	1.43	1.35
1	AA	655	A	N7-C5	-11.14	1.32	1.39
1	AA	116	A	N3-C4	11.14	1.41	1.34
26	BB	2079	U	C2-N3	11.14	1.45	1.37
1	AA	569	C	P-O5'	11.13	1.70	1.59
2	AB	49	G	C2-N3	11.12	1.41	1.32
26	BB	2760	C	C2-N3	11.11	1.44	1.35
1	AA	706	A	N9-C4	-11.11	1.31	1.37
1	AA	782	A	N3-C4	11.10	1.41	1.34
1	AA	1352	C	C4-C5	11.08	1.51	1.43
26	BB	844	A	N9-C4	-11.08	1.31	1.37
2	AB	38	A	N9-C4	11.08	1.44	1.37
26	BB	2670	A	N3-C4	11.07	1.41	1.34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	AB	64	U	C2-N3	11.06	1.45	1.37
26	BB	1593	A	P-O5'	11.06	1.70	1.59
1	AA	36	C	N1-C6	-11.05	1.30	1.37
26	BB	1786	A	N3-C4	11.04	1.41	1.34
1	AA	275	G	C8-N7	11.04	1.37	1.30
26	BB	2799	A	N7-C5	-11.03	1.32	1.39
1	AA	1153	G	C2-N3	11.02	1.41	1.32
4	AD	31	G	N7-C5	11.02	1.45	1.39
26	BB	2135	A	N9-C4	-11.01	1.31	1.37
26	BB	730	A	N3-C4	10.98	1.41	1.34
26	BB	2731	G	N7-C5	-10.98	1.32	1.39
1	AA	1168	U	C4-C5	10.97	1.53	1.43
1	AA	1533	C	N1-C6	10.96	1.43	1.37
26	BB	1432	G	N1-C2	10.96	1.46	1.37
1	AA	329	A	N9-C4	10.95	1.44	1.37
1	AA	189	A	N3-C4	10.94	1.41	1.34
26	BB	768	G	N7-C5	10.94	1.45	1.39
26	BB	1387	A	C8-N7	-10.93	1.23	1.31
1	AA	403	C	N1-C6	10.92	1.43	1.37
26	BB	155	A	N7-C5	-10.92	1.32	1.39
1	AA	453	G	N7-C5	10.92	1.45	1.39
26	BB	574	A	N3-C4	10.91	1.41	1.34
26	BB	160	A	P-O5'	10.90	1.70	1.59
1	AA	964	A	N7-C5	10.90	1.45	1.39
26	BB	968	C	C4-C5	10.90	1.51	1.43
26	BB	710	U	C2-N3	10.89	1.45	1.37
1	AA	745	G	N3-C4	10.88	1.43	1.35
2	AB	5	G	N7-C5	10.88	1.45	1.39
26	BB	37	C	P-O5'	10.87	1.70	1.59
1	AA	558	G	C8-N7	-10.86	1.24	1.30
26	BB	862	G	C5'-C4'	10.86	1.64	1.51
26	BB	2146	C	N1-C6	10.85	1.43	1.37
1	AA	768	A	N9-C4	-10.85	1.31	1.37
26	BB	2164	C	N3-C4	-10.85	1.26	1.33
26	BB	1114	C	C4'-O4'	-10.84	1.31	1.45
26	BB	2	G	N7-C5	-10.84	1.32	1.39
26	BB	26	G	N7-C5	10.83	1.45	1.39
26	BB	782	A	N7-C5	10.81	1.45	1.39
26	BB	1749	A	N3-C4	10.81	1.41	1.34
1	AA	811	C	N3-C4	10.81	1.41	1.33
26	BB	2623	G	P-O5'	10.81	1.70	1.59
26	BB	266	G	O3'-P	10.80	1.74	1.61

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2892	G	C8-N7	10.80	1.37	1.30
25	BA	96	G	C6-N1	-10.79	1.31	1.39
26	BB	712	G	C2-N3	10.78	1.41	1.32
1	AA	383	A	C8-N7	-10.78	1.24	1.31
26	BB	858	G	C8-N7	-10.77	1.24	1.30
26	BB	2640	G	C5-C4	-10.77	1.30	1.38
26	BB	1301	A	P-O5'	10.77	1.70	1.59
26	BB	1695	G	C2'-O2'	-10.76	1.27	1.41
26	BB	54	G	C6-N1	10.76	1.47	1.39
26	BB	2533	U	C2-N3	10.74	1.45	1.37
1	AA	918	A	N9-C8	-10.73	1.29	1.37
26	BB	647	G	C2-N3	10.72	1.41	1.32
1	AA	462	G	C8-N7	-10.71	1.24	1.30
26	BB	602	A	N3-C4	10.72	1.41	1.34
26	BB	598	U	P-O5'	10.71	1.70	1.59
26	BB	761	A	P-O5'	10.71	1.70	1.59
26	BB	799	G	C8-N7	-10.71	1.24	1.30
26	BB	2111	U	C2-N3	10.71	1.45	1.37
1	AA	1083	U	N3-C4	10.70	1.48	1.38
26	BB	2803	G	N9-C8	-10.69	1.30	1.37
1	AA	1521	C	O3'-P	10.69	1.74	1.61
26	BB	375	G	P-O5'	10.69	1.70	1.59
26	BB	2430	A	N3-C4	10.68	1.41	1.34
1	AA	629	A	O3'-P	10.68	1.74	1.61
1	AA	215	C	N1-C6	10.67	1.43	1.37
26	BB	1983	G	C2-N3	10.67	1.41	1.32
26	BB	1416	G	C2-N3	10.65	1.41	1.32
1	AA	1399	C	N3-C4	10.63	1.41	1.33
26	BB	2510	C	O3'-P	10.63	1.74	1.61
26	BB	925	A	N7-C5	10.63	1.45	1.39
26	BB	1142	A	N3-C4	10.63	1.41	1.34
26	BB	2376	A	N3-C4	10.63	1.41	1.34
26	BB	2808	G	N1-C2	10.63	1.46	1.37
26	BB	667	U	P-O5'	10.63	1.70	1.59
1	AA	530	G	C8-N7	-10.62	1.24	1.30
25	BA	61	G	O3'-P	10.62	1.73	1.61
26	BB	599	A	N9-C4	10.62	1.44	1.37
1	AA	240	G	C6-N1	10.61	1.47	1.39
26	BB	1460	U	C2-N3	-10.61	1.30	1.37
1	AA	1078	U	C4-O4	-10.60	1.15	1.23
26	BB	1051	G	C6-O6	-10.60	1.14	1.24
26	BB	2013	A	N7-C5	10.60	1.45	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2219	U	P-O5'	-10.60	1.49	1.59
1	AA	289	G	N3-C4	10.59	1.42	1.35
26	BB	305	C	P-O5'	10.58	1.70	1.59
1	AA	120	A	N7-C5	10.57	1.45	1.39
1	AA	971	G	N3-C4	10.57	1.42	1.35
26	BB	10	A	N3-C4	10.57	1.41	1.34
26	BB	2592	G	C2-N3	10.57	1.41	1.32
25	BA	95	U	C2-N3	10.57	1.45	1.37
26	BB	943	A	N3-C4	10.56	1.41	1.34
2	AB	48	U	P-O5'	10.56	1.70	1.59
26	BB	481	G	P-O5'	10.55	1.70	1.59
26	BB	1966	A	N3-C4	10.55	1.41	1.34
1	AA	1369	C	N1-C6	10.55	1.43	1.37
26	BB	60	G	N3-C4	10.54	1.42	1.35
26	BB	906	U	P-O5'	10.54	1.70	1.59
1	AA	315	A	N3-C4	10.54	1.41	1.34
1	AA	243	A	N3-C4	10.52	1.41	1.34
4	AD	13	C	N1-C6	10.51	1.43	1.37
26	BB	656	G	N3-C4	10.51	1.42	1.35
1	AA	373	A	N7-C5	-10.50	1.32	1.39
26	BB	1603	A	P-O5'	10.50	1.70	1.59
26	BB	2008	C	C4'-O4'	-10.48	1.31	1.45
2	AB	34	C	P-O5'	10.48	1.70	1.59
4	AD	5	G	C8-N7	10.48	1.37	1.30
1	AA	1387	G	C8-N7	-10.48	1.24	1.30
26	BB	2191	A	N7-C5	-10.48	1.32	1.39
1	AA	433	G	N7-C5	-10.47	1.32	1.39
1	AA	413	G	N9-C8	-10.47	1.30	1.37
26	BB	951	C	N1-C6	10.46	1.43	1.37
1	AA	955	U	C2-N3	10.46	1.45	1.37
26	BB	892	A	N3-C4	10.45	1.41	1.34
26	BB	2472	G	N7-C5	10.45	1.45	1.39
1	AA	208	U	C2-N3	10.45	1.45	1.37
26	BB	1477	A	C5-C4	-10.45	1.31	1.38
1	AA	701	U	P-O5'	10.44	1.70	1.59
1	AA	1145	A	N7-C5	10.44	1.45	1.39
26	BB	2720	U	C2-N3	10.45	1.45	1.37
26	BB	2810	A	N3-C4	10.45	1.41	1.34
2	AB	24	G	N1-C2	10.44	1.46	1.37
26	BB	425	G	N3-C4	10.44	1.42	1.35
26	BB	1660	G	N7-C5	10.44	1.45	1.39
26	BB	1702	G	C6-N1	10.44	1.46	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2696	U	P-O5'	10.43	1.70	1.59
26	BB	2724	U	C4-C5	10.43	1.52	1.43
1	AA	649	A	N9-C4	10.43	1.44	1.37
26	BB	426	C	N1-C6	10.42	1.43	1.37
1	AA	1482	G	C6-N1	10.41	1.46	1.39
25	BA	71	C	N1-C6	10.39	1.43	1.37
26	BB	1098	A	N3-C4	10.39	1.41	1.34
26	BB	449	A	N9-C4	-10.39	1.31	1.37
26	BB	2331	G	N7-C5	10.38	1.45	1.39
26	BB	704	G	C2-N3	10.38	1.41	1.32
26	BB	422	A	C8-N7	-10.37	1.24	1.31
1	AA	585	G	C8-N7	-10.37	1.24	1.30
26	BB	2662	A	C6-N6	10.37	1.42	1.33
26	BB	2523	G	N1-C2	10.37	1.46	1.37
26	BB	2843	G	N1-C2	10.37	1.46	1.37
1	AA	338	A	P-O5'	10.36	1.70	1.59
26	BB	394	C	N1-C6	10.36	1.43	1.37
1	AA	126	G	N3-C4	10.35	1.42	1.35
26	BB	2373	G	N9-C8	10.35	1.45	1.37
26	BB	652	U	C5-C6	10.35	1.43	1.34
26	BB	2380	C	N1-C6	10.34	1.43	1.37
26	BB	1424	G	C6-N1	10.34	1.46	1.39
26	BB	1668	A	P-O5'	10.34	1.70	1.59
26	BB	2768	U	O3'-P	10.34	1.73	1.61
26	BB	88	G	P-O5'	10.33	1.70	1.59
1	AA	1197	A	P-O5'	10.33	1.70	1.59
1	AA	1465	A	P-O5'	10.33	1.70	1.59
2	AB	1	A	N3-C4	10.33	1.41	1.34
26	BB	2381	A	P-O5'	10.33	1.70	1.59
26	BB	2136	G	N7-C5	10.32	1.45	1.39
26	BB	1778	U	N3-C4	10.31	1.47	1.38
26	BB	2125	G	N3-C4	10.31	1.42	1.35
26	BB	259	G	P-O5'	10.31	1.70	1.59
1	AA	1041	G	N3-C4	10.30	1.42	1.35
26	BB	1376	C	N1-C6	10.29	1.43	1.37
26	BB	1373	A	C5-C6	10.29	1.50	1.41
26	BB	466	A	O3'-P	10.28	1.73	1.61
26	BB	2550	G	N9-C8	10.28	1.45	1.37
26	BB	2715	C	N1-C6	10.28	1.43	1.37
26	BB	2549	G	C8-N7	-10.28	1.24	1.30
1	AA	6	G	C2-N3	10.27	1.41	1.32
1	AA	771	G	N1-C2	10.25	1.46	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	845	A	N3-C4	10.25	1.41	1.34
1	AA	562	U	C2-N3	10.24	1.45	1.37
26	BB	276	U	C2-N3	10.24	1.45	1.37
26	BB	927	A	N7-C5	10.24	1.45	1.39
4	AD	68	C	C4'-C3'	10.24	1.64	1.53
26	BB	2416	C	C4-C5	10.23	1.51	1.43
26	BB	2860	A	N7-C5	-10.23	1.33	1.39
26	BB	2585	U	C4-O4	-10.23	1.15	1.23
26	BB	793	A	N9-C4	10.22	1.44	1.37
26	BB	2113	U	C2-N3	10.22	1.45	1.37
26	BB	2116	G	C2-N3	10.22	1.41	1.32
1	AA	1273	C	P-O5'	10.22	1.70	1.59
26	BB	1567	G	C4'-O4'	-10.21	1.32	1.45
1	AA	1069	C	O3'-P	10.21	1.73	1.61
26	BB	2344	U	C4'-C3'	-10.20	1.42	1.53
26	BB	218	A	P-O5'	10.20	1.70	1.59
1	AA	979	C	N3-C4	10.20	1.41	1.33
25	BA	6	G	C6-N1	10.20	1.46	1.39
1	AA	1382	C	C4-C5	10.19	1.51	1.43
1	AA	1229	A	N7-C5	-10.19	1.33	1.39
26	BB	1451	C	C4-C5	10.19	1.51	1.43
1	AA	227	G	C8-N7	-10.18	1.24	1.30
1	AA	1353	G	C6-N1	10.18	1.46	1.39
26	BB	742	A	P-O5'	-10.18	1.49	1.59
26	BB	930	G	C8-N7	10.18	1.37	1.30
26	BB	517	C	N3-C4	10.17	1.41	1.33
4	AD	45	A	P-O5'	10.17	1.70	1.59
1	AA	1304	G	N7-C5	10.16	1.45	1.39
26	BB	1083	U	C2-N3	10.16	1.44	1.37
1	AA	109	A	N3-C4	10.16	1.41	1.34
26	BB	2142	A	N7-C5	-10.15	1.33	1.39
26	BB	2851	A	N3-C4	10.15	1.41	1.34
26	BB	2750	A	N3-C4	10.15	1.41	1.34
4	AD	59	A	N3-C4	10.14	1.41	1.34
1	AA	336	A	N3-C4	10.13	1.41	1.34
1	AA	631	C	C4-C5	10.13	1.51	1.43
26	BB	1723	G	C4'-C3'	10.13	1.64	1.53
1	AA	975	A	C8-N7	-10.13	1.24	1.31
26	BB	573	U	P-O5'	10.13	1.69	1.59
26	BB	1293	C	N1-C6	10.13	1.43	1.37
26	BB	1768	C	C4-C5	10.12	1.51	1.43
1	AA	1472	U	C2-N3	10.12	1.44	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2176	A	N3-C4	10.12	1.41	1.34
26	BB	2634	A	N3-C4	10.12	1.41	1.34
26	BB	810	U	C4-C5	10.11	1.52	1.43
1	AA	35	G	C2-N3	10.11	1.40	1.32
26	BB	1738	G	P-O5'	10.11	1.69	1.59
26	BB	482	A	N9-C4	-10.11	1.31	1.37
26	BB	1906	G	P-O5'	10.10	1.69	1.59
26	BB	2131	U	P-O5'	10.10	1.69	1.59
26	BB	1772	A	P-O5'	10.09	1.69	1.59
26	BB	1654	A	N9-C4	-10.09	1.31	1.37
26	BB	1754	A	N7-C5	10.09	1.45	1.39
26	BB	843	G	C2-N3	10.09	1.40	1.32
26	BB	1107	G	P-O5'	-10.09	1.49	1.59
4	AD	30	G	N9-C8	10.08	1.45	1.37
26	BB	198	C	P-O5'	10.08	1.69	1.59
26	BB	1549	A	C8-N7	-10.08	1.24	1.31
26	BB	2856	A	P-O5'	10.08	1.69	1.59
26	BB	501	A	C6-N6	10.08	1.42	1.33
1	AA	414	A	P-O5'	10.07	1.69	1.59
26	BB	1085	A	C8-N7	-10.07	1.24	1.31
25	BA	4	C	C5-C6	10.07	1.42	1.34
3	AC	30	U	P-O5'	10.07	1.69	1.59
26	BB	435	C	C5-C6	10.07	1.42	1.34
26	BB	460	A	C8-N7	-10.07	1.24	1.31
26	BB	859	G	N7-C5	-10.06	1.33	1.39
26	BB	489	G	N3-C4	10.06	1.42	1.35
26	BB	611	C	C4-C5	10.06	1.50	1.43
25	BA	21	G	N7-C5	10.05	1.45	1.39
1	AA	943	U	P-O5'	10.05	1.69	1.59
26	BB	2581	G	C4'-C3'	10.04	1.64	1.53
26	BB	1934	C	N3-C4	10.04	1.41	1.33
26	BB	749	A	N7-C5	-10.04	1.33	1.39
26	BB	945	A	N3-C4	10.03	1.40	1.34
26	BB	2102	G	N7-C5	10.03	1.45	1.39
1	AA	1206	G	N3-C4	10.02	1.42	1.35
26	BB	664	G	N3-C4	10.02	1.42	1.35
1	AA	941	G	N9-C8	-10.02	1.30	1.37
26	BB	1187	G	N7-C5	10.02	1.45	1.39
26	BB	740	C	C4-N4	10.01	1.43	1.33
1	AA	116	A	N9-C4	-10.01	1.31	1.37
26	BB	711	G	C8-N7	10.01	1.36	1.30
1	AA	593	U	C2-N3	10.01	1.44	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1590	A	P-O5'	10.00	1.69	1.59
1	AA	1475	G	P-O5'	9.99	1.69	1.59
26	BB	2320	U	C2-N3	9.99	1.44	1.37
1	AA	355	C	N3-C4	9.99	1.41	1.33
25	BA	37	C	N1-C6	9.99	1.43	1.37
26	BB	2443	C	N3-C4	9.99	1.41	1.33
26	BB	2550	G	N1-C2	9.99	1.45	1.37
26	BB	1102	C	N1-C6	9.98	1.43	1.37
26	BB	390	U	N1-C2	9.98	1.47	1.38
26	BB	900	A	N3-C4	9.98	1.40	1.34
26	BB	252	G	N3-C4	9.97	1.42	1.35
26	BB	1100	C	N1-C6	9.97	1.43	1.37
26	BB	1166	G	N9-C8	-9.96	1.30	1.37
2	AB	73	G	P-O5'	9.96	1.69	1.59
26	BB	243	U	C2-N3	9.95	1.44	1.37
1	AA	358	U	C2-N3	9.95	1.44	1.37
26	BB	53	A	N3-C4	9.95	1.40	1.34
26	BB	1858	A	C8-N7	-9.95	1.24	1.31
1	AA	445	G	N9-C8	-9.95	1.30	1.37
26	BB	1848	A	N7-C5	-9.95	1.33	1.39
26	BB	2218	G	C2-N3	9.95	1.40	1.32
26	BB	56	A	N3-C4	9.94	1.40	1.34
26	BB	1261	C	P-O5'	9.94	1.69	1.59
25	BA	81	G	C8-N7	-9.93	1.25	1.30
1	AA	1473	G	C2-N3	9.93	1.40	1.32
26	BB	1535	A	C8-N7	-9.93	1.24	1.31
1	AA	804	U	C5'-C4'	9.92	1.63	1.51
4	AD	40	C	C2-N3	9.92	1.43	1.35
26	BB	1954	G	N7-C5	9.91	1.45	1.39
26	BB	2526	G	N9-C8	9.91	1.44	1.37
26	BB	2588	G	N7-C5	-9.91	1.33	1.39
1	AA	1396	A	N3-C4	9.91	1.40	1.34
26	BB	21	A	P-O5'	9.90	1.69	1.59
26	BB	88	G	N3-C4	9.90	1.42	1.35
26	BB	1057	A	N7-C5	9.89	1.45	1.39
3	AC	40	G	N1-C2	9.89	1.45	1.37
26	BB	411	G	C4'-C3'	9.89	1.64	1.53
26	BB	2308	G	C6-N1	9.89	1.46	1.39
26	BB	359	G	N9-C8	9.88	1.44	1.37
1	AA	415	A	N3-C4	9.88	1.40	1.34
26	BB	2074	U	P-O5'	9.87	1.69	1.59
1	AA	408	A	N9-C4	9.87	1.43	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	648	A	N7-C5	-9.87	1.33	1.39
26	BB	468	G	N9-C4	9.87	1.45	1.38
1	AA	79	G	N9-C8	9.87	1.44	1.37
26	BB	1614	A	N3-C4	9.87	1.40	1.34
1	AA	903	G	P-O5'	-9.86	1.49	1.59
1	AA	1490	U	C2-N3	9.86	1.44	1.37
1	AA	766	A	N3-C4	9.85	1.40	1.34
1	AA	879	C	N1-C6	9.85	1.43	1.37
3	AC	22	G	N3-C4	9.85	1.42	1.35
26	BB	1123	C	N1-C6	9.85	1.43	1.37
1	AA	631	C	N3-C4	9.85	1.40	1.33
26	BB	1751	U	N1-C2	9.85	1.47	1.38
1	AA	834	U	C4-C5	9.84	1.52	1.43
2	AB	70	C	C5-C6	9.84	1.42	1.34
26	BB	2212	A	C4'-O4'	-9.84	1.32	1.45
1	AA	672	U	O3'-P	9.83	1.73	1.61
1	AA	1387	G	C6-N1	9.83	1.46	1.39
26	BB	1284	A	P-O5'	9.83	1.69	1.59
26	BB	821	A	N3-C4	9.83	1.40	1.34
26	BB	631	A	N3-C4	9.82	1.40	1.34
1	AA	1376	U	C4-C5	9.82	1.52	1.43
26	BB	1626	A	C8-N7	-9.82	1.24	1.31
26	BB	279	A	C5'-C4'	9.82	1.63	1.51
26	BB	1456	G	C2-N3	9.82	1.40	1.32
26	BB	1965	C	C4-C5	9.82	1.50	1.43
26	BB	816	C	N3-C4	9.81	1.40	1.33
26	BB	1816	C	C5'-C4'	9.81	1.63	1.51
26	BB	2700	A	P-O5'	9.81	1.69	1.59
26	BB	2056	G	P-O5'	9.80	1.69	1.59
26	BB	2567	G	C8-N7	9.80	1.36	1.30
26	BB	604	G	N9-C8	-9.80	1.30	1.37
1	AA	195	A	N3-C4	9.80	1.40	1.34
1	AA	601	G	C5-C4	9.79	1.45	1.38
26	BB	271	G	P-O5'	9.79	1.69	1.59
26	BB	2635	A	N7-C5	-9.79	1.33	1.39
26	BB	197	A	N3-C4	9.79	1.40	1.34
1	AA	1525	G	N3-C4	9.79	1.42	1.35
1	AA	728	A	N3-C4	9.78	1.40	1.34
26	BB	2803	G	C6-N1	9.78	1.46	1.39
1	AA	1216	A	N3-C4	9.78	1.40	1.34
26	BB	722	A	O3'-P	9.78	1.72	1.61
1	AA	1461	G	C8-N7	9.78	1.36	1.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	591	U	P-O5'	9.78	1.69	1.59
26	BB	2469	A	N3-C4	9.77	1.40	1.34
26	BB	1937	A	N7-C5	-9.76	1.33	1.39
26	BB	2214	C	N1-C6	9.76	1.43	1.37
26	BB	1404	C	P-O5'	9.76	1.69	1.59
1	AA	464	U	C2'-C1'	9.75	1.64	1.53
1	AA	1016	A	P-O5'	9.75	1.69	1.59
26	BB	619	G	P-O5'	9.75	1.69	1.59
26	BB	798	G	C8-N7	-9.75	1.25	1.30
26	BB	1315	C	N1-C6	9.75	1.43	1.37
26	BB	1434	A	N3-C4	9.75	1.40	1.34
26	BB	2009	A	C5-C4	-9.75	1.31	1.38
1	AA	1176	A	N9-C4	-9.75	1.32	1.37
1	AA	74	A	N9-C8	-9.74	1.29	1.37
26	BB	659	G	C5-C4	-9.74	1.31	1.38
26	BB	1656	C	C5-C6	9.74	1.42	1.34
26	BB	31	C	P-O5'	9.74	1.69	1.59
26	BB	239	C	P-O5'	9.74	1.69	1.59
26	BB	1110	G	C8-N7	-9.74	1.25	1.30
26	BB	976	G	P-O5'	9.73	1.69	1.59
26	BB	2019	A	N9-C4	9.73	1.43	1.37
26	BB	2768	U	P-O5'	9.73	1.69	1.59
26	BB	2859	G	P-O5'	9.73	1.69	1.59
26	BB	1908	C	N1-C6	9.73	1.43	1.37
1	AA	816	A	N1-C2	-9.72	1.25	1.34
26	BB	667	U	O3'-P	9.72	1.72	1.61
1	AA	1153	G	N7-C5	9.72	1.45	1.39
1	AA	1127	G	P-O5'	9.72	1.69	1.59
1	AA	281	G	C8-N7	-9.72	1.25	1.30
1	AA	855	U	P-O5'	9.71	1.69	1.59
1	AA	1434	A	P-O5'	9.71	1.69	1.59
1	AA	1459	G	C2-N3	9.71	1.40	1.32
26	BB	456	C	N1-C6	9.71	1.43	1.37
26	BB	529	A	C4'-C3'	9.70	1.63	1.53
26	BB	1678	A	N7-C5	-9.70	1.33	1.39
26	BB	849	A	P-O5'	9.70	1.69	1.59
26	BB	895	U	C2-N3	9.70	1.44	1.37
26	BB	1418	G	C2-N3	9.70	1.40	1.32
1	AA	435	A	N3-C4	9.70	1.40	1.34
26	BB	2635	A	P-O5'	9.70	1.69	1.59
1	AA	1362	A	N3-C4	-9.68	1.29	1.34
26	BB	1308	A	N3-C4	9.68	1.40	1.34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2416	C	N3-C4	9.68	1.40	1.33
26	BB	553	G	N3-C4	9.68	1.42	1.35
26	BB	1690	A	N7-C5	-9.67	1.33	1.39
1	AA	1542	A	N7-C5	9.67	1.45	1.39
2	AB	49	G	N9-C8	-9.67	1.31	1.37
26	BB	1564	C	C2-N3	9.67	1.43	1.35
1	AA	653	U	P-O5'	9.66	1.69	1.59
1	AA	781	A	N9-C4	-9.66	1.32	1.37
26	BB	2512	C	P-O5'	9.66	1.69	1.59
1	AA	887	G	N3-C4	9.66	1.42	1.35
26	BB	2077	A	C8-N7	-9.66	1.24	1.31
26	BB	1460	U	C4-O4	9.65	1.31	1.23
26	BB	1864	U	N1-C2	9.65	1.47	1.38
26	BB	819	A	C6-N1	-9.65	1.28	1.35
26	BB	2272	U	P-O5'	9.65	1.69	1.59
1	AA	139	A	N3-C4	9.65	1.40	1.34
26	BB	2586	U	C2-N3	9.64	1.44	1.37
26	BB	1700	A	N3-C4	9.64	1.40	1.34
26	BB	2531	A	N9-C4	9.64	1.43	1.37
1	AA	769	G	C8-N7	-9.63	1.25	1.30
1	AA	1076	U	C2-N3	9.63	1.44	1.37
1	AA	1237	C	C2-N3	9.63	1.43	1.35
26	BB	220	G	C8-N7	9.63	1.36	1.30
1	AA	1401	G	N7-C5	-9.63	1.33	1.39
26	BB	823	C	N3-C4	9.62	1.40	1.33
1	AA	1469	C	C4-C5	9.62	1.50	1.43
1	AA	710	G	P-O5'	9.62	1.69	1.59
26	BB	1840	G	C6-N1	9.62	1.46	1.39
26	BB	536	G	C8-N7	9.61	1.36	1.30
26	BB	2453	A	C5-C4	9.62	1.45	1.38
26	BB	322	A	N3-C4	9.61	1.40	1.34
3	AC	22	G	O3'-P	9.61	1.72	1.61
1	AA	1363	A	C6-N6	-9.61	1.26	1.33
26	BB	1128	G	O3'-P	9.61	1.72	1.61
26	BB	1303	G	P-O5'	9.61	1.69	1.59
26	BB	1706	C	N3-C4	9.61	1.40	1.33
26	BB	2016	U	N1-C2	9.61	1.47	1.38
26	BB	889	C	P-O5'	9.60	1.69	1.59
26	BB	1127	A	C6-N1	9.60	1.42	1.35
26	BB	905	A	C6-N1	9.59	1.42	1.35
26	BB	761	A	N7-C5	9.58	1.45	1.39
1	AA	1309	G	N7-C5	9.58	1.45	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	AD	22	A	C4'-O4'	-9.58	1.33	1.45
26	BB	306	U	P-O5'	9.58	1.69	1.59
26	BB	748	G	C6-N1	-9.58	1.32	1.39
26	BB	2264	C	C4'-O4'	-9.58	1.33	1.45
26	BB	659	G	C2-N3	9.58	1.40	1.32
26	BB	1955	U	N1-C2	9.58	1.47	1.38
26	BB	2052	A	P-O5'	9.58	1.69	1.59
26	BB	497	A	N3-C4	9.57	1.40	1.34
26	BB	504	A	N3-C4	9.57	1.40	1.34
26	BB	1374	G	C2-N3	9.57	1.40	1.32
25	BA	105	G	C2-N3	9.56	1.40	1.32
26	BB	1391	U	C3'-O3'	9.56	1.55	1.42
26	BB	1997	C	N1-C6	9.56	1.42	1.37
1	AA	383	A	N3-C4	9.56	1.40	1.34
1	AA	424	G	C2-N3	9.55	1.40	1.32
26	BB	2107	G	C2-N3	9.55	1.40	1.32
26	BB	2128	G	N7-C5	9.55	1.45	1.39
1	AA	1099	G	N3-C4	9.55	1.42	1.35
1	AA	1241	G	C8-N7	-9.54	1.25	1.30
1	AA	830	G	C6-N1	-9.54	1.32	1.39
26	BB	1014	A	N3-C4	9.54	1.40	1.34
1	AA	1279	G	N3-C4	9.54	1.42	1.35
26	BB	1849	G	O3'-P	9.54	1.72	1.61
26	BB	1853	A	C6-N1	9.53	1.42	1.35
26	BB	503	A	N9-C4	9.53	1.43	1.37
1	AA	410	G	N3-C4	9.53	1.42	1.35
26	BB	605	G	N7-C5	9.53	1.45	1.39
26	BB	2231	U	C2-N3	9.53	1.44	1.37
26	BB	128	C	C2-N3	9.53	1.43	1.35
26	BB	515	A	N7-C5	-9.52	1.33	1.39
26	BB	1830	C	P-O5'	9.52	1.69	1.59
26	BB	1270	C	C2-N3	9.52	1.43	1.35
26	BB	2662	A	N7-C5	9.52	1.45	1.39
26	BB	1649	G	P-O5'	9.51	1.69	1.59
1	AA	525	C	N3-C4	9.51	1.40	1.33
1	AA	15	G	P-O5'	9.51	1.69	1.59
1	AA	1244	G	P-O5'	9.51	1.69	1.59
26	BB	1799	G	N7-C5	-9.51	1.33	1.39
26	BB	1995	U	C4'-O4'	-9.50	1.33	1.45
26	BB	684	G	C4'-O4'	-9.50	1.33	1.45
26	BB	1641	A	N3-C4	9.50	1.40	1.34
4	AD	5	G	N3-C4	9.49	1.42	1.35

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2472	G	C8-N7	-9.49	1.25	1.30
1	AA	1209	C	N3-C4	9.49	1.40	1.33
26	BB	1654	A	N3-C4	9.49	1.40	1.34
26	BB	237	C	N3-C4	9.48	1.40	1.33
26	BB	2665	A	N9-C4	-9.48	1.32	1.37
3	AC	14	G	N3-C4	9.48	1.42	1.35
26	BB	2772	C	C2-O2	-9.48	1.16	1.24
26	BB	1034	G	N9-C8	-9.47	1.31	1.37
1	AA	195	A	P-O5'	9.47	1.69	1.59
26	BB	1269	A	N3-C4	9.47	1.40	1.34
26	BB	1289	C	C4-C5	9.47	1.50	1.43
26	BB	1770	G	P-O5'	9.47	1.69	1.59
26	BB	538	A	N9-C4	-9.47	1.32	1.37
26	BB	2083	G	N7-C5	-9.46	1.33	1.39
26	BB	2567	G	C2-N3	9.46	1.40	1.32
26	BB	2777	G	N7-C5	-9.47	1.33	1.39
1	AA	61	G	N9-C8	9.46	1.44	1.37
1	AA	681	A	N7-C5	9.46	1.45	1.39
26	BB	1330	C	C3'-C2'	9.46	1.63	1.52
26	BB	2710	C	N3-C4	9.46	1.40	1.33
26	BB	356	G	N3-C4	9.45	1.42	1.35
26	BB	2016	U	C4-C5	9.45	1.52	1.43
26	BB	344	A	N3-C4	9.45	1.40	1.34
26	BB	1296	G	C2-N3	9.45	1.40	1.32
1	AA	630	A	C6-N6	9.44	1.41	1.33
1	AA	958	A	C5'-C4'	9.44	1.62	1.51
26	BB	2081	U	C2-N3	9.44	1.44	1.37
26	BB	2625	G	C8-N7	-9.44	1.25	1.30
26	BB	245	G	C8-N7	-9.43	1.25	1.30
1	AA	15	G	C5-C4	-9.43	1.31	1.38
1	AA	769	G	C6-N1	9.42	1.46	1.39
1	AA	854	U	P-O5'	9.42	1.69	1.59
26	BB	1889	A	P-O5'	9.42	1.69	1.59
1	AA	254	G	N3-C4	9.42	1.42	1.35
26	BB	26	G	N1-C2	9.42	1.45	1.37
26	BB	930	G	N1-C2	9.42	1.45	1.37
1	AA	498	A	N7-C5	-9.41	1.33	1.39
26	BB	1944	U	C2-N3	9.41	1.44	1.37
26	BB	2094	A	P-O5'	9.41	1.69	1.59
4	AD	68	C	P-O5'	9.41	1.69	1.59
26	BB	1009	A	N9-C4	-9.41	1.32	1.37
26	BB	1646	C	N1-C6	9.40	1.42	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2600	A	C4'-O4'	-9.40	1.33	1.45
1	AA	486	U	C2-O2	9.40	1.30	1.22
1	AA	306	A	C8-N7	9.40	1.38	1.31
26	BB	668	A	N3-C4	9.40	1.40	1.34
26	BB	1028	A	N3-C4	9.40	1.40	1.34
26	BB	2697	G	C4'-C3'	-9.39	1.42	1.53
26	BB	2305	U	C4-C5	9.39	1.51	1.43
1	AA	677	U	P-O5'	9.38	1.69	1.59
1	AA	1398	A	C5-C4	-9.38	1.32	1.38
26	BB	977	G	N3-C4	9.38	1.42	1.35
1	AA	860	A	N3-C4	9.38	1.40	1.34
1	AA	410	G	C2-N3	9.38	1.40	1.32
26	BB	1567	G	C4'-C3'	9.37	1.63	1.53
4	AD	12	G	P-O5'	9.37	1.69	1.59
26	BB	2144	G	C6-N1	9.37	1.46	1.39
1	AA	1109	C	N1-C6	9.37	1.42	1.37
26	BB	1510	G	P-O5'	9.37	1.69	1.59
1	AA	1143	G	C6-N1	9.36	1.46	1.39
26	BB	654	A	C6-N1	9.37	1.42	1.35
26	BB	690	G	N1-C2	9.36	1.45	1.37
26	BB	2661	G	C5'-C4'	9.36	1.62	1.51
1	AA	297	G	P-O5'	9.36	1.69	1.59
2	AB	71	C	P-O5'	9.36	1.69	1.59
26	BB	2890	G	N9-C8	9.36	1.44	1.37
1	AA	972	C	N3-C4	9.36	1.40	1.33
26	BB	2650	U	C5'-C4'	9.36	1.62	1.51
26	BB	2359	C	N1-C6	9.35	1.42	1.37
26	BB	1038	G	N9-C4	9.35	1.45	1.38
26	BB	1364	G	C5-C4	-9.34	1.31	1.38
26	BB	2075	U	C2-N3	9.34	1.44	1.37
1	AA	338	A	N7-C5	9.34	1.44	1.39
26	BB	1696	G	C6-O6	-9.33	1.15	1.24
26	BB	2450	A	N9-C4	9.33	1.43	1.37
26	BB	1639	C	C4-C5	9.32	1.50	1.43
26	BB	2154	A	N3-C4	9.32	1.40	1.34
26	BB	1262	A	N7-C5	-9.32	1.33	1.39
26	BB	1843	C	C5-C6	9.32	1.41	1.34
1	AA	2	A	N7-C5	9.31	1.44	1.39
1	AA	556	C	P-O5'	9.31	1.69	1.59
1	AA	819	A	N7-C5	9.31	1.44	1.39
26	BB	1127	A	C4'-O4'	-9.31	1.33	1.45
26	BB	1809	A	P-O5'	9.31	1.69	1.59

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1263	U	C4-C5	9.31	1.51	1.43
26	BB	272	A	N7-C5	-9.31	1.33	1.39
1	AA	790	A	N3-C4	9.31	1.40	1.34
26	BB	1134	A	N9-C4	-9.30	1.32	1.37
26	BB	2643	G	C5-C6	9.30	1.51	1.42
1	AA	682	G	N9-C8	9.29	1.44	1.37
26	BB	2861	U	C2'-O2'	-9.29	1.29	1.41
1	AA	874	G	N1-C2	9.29	1.45	1.37
2	AB	24	G	C8-N7	-9.29	1.25	1.30
26	BB	765	C	C2-N3	9.29	1.43	1.35
26	BB	2411	A	N9-C4	9.29	1.43	1.37
1	AA	643	C	N3-C4	9.29	1.40	1.33
26	BB	1843	C	N3-C4	9.29	1.40	1.33
1	AA	578	C	C4-C5	9.28	1.50	1.43
1	AA	170	U	C4-O4	-9.28	1.16	1.23
26	BB	87	U	C2-N3	9.28	1.44	1.37
1	AA	415	A	C5-C4	-9.27	1.32	1.38
1	AA	1346	A	C6-N1	-9.27	1.29	1.35
26	BB	2443	C	C4-C5	9.27	1.50	1.43
26	BB	2643	G	C5'-C4'	9.27	1.62	1.51
26	BB	2448	A	N3-C4	9.27	1.40	1.34
1	AA	1249	C	P-O5'	9.27	1.69	1.59
26	BB	2530	A	P-O5'	9.26	1.69	1.59
26	BB	407	G	N9-C4	-9.26	1.30	1.38
1	AA	1260	G	C2-N3	9.26	1.40	1.32
26	BB	2255	G	C3'-C2'	9.26	1.63	1.52
1	AA	1445	U	P-O5'	9.26	1.69	1.59
4	AD	29	C	O3'-P	9.26	1.72	1.61
1	AA	293	G	N9-C4	-9.25	1.30	1.38
1	AA	1361	G	C6-N1	9.25	1.46	1.39
26	BB	2783	U	C2-N3	-9.25	1.31	1.37
1	AA	130	A	C8-N7	-9.25	1.25	1.31
26	BB	1380	G	C8-N7	-9.25	1.25	1.30
1	AA	847	G	N7-C5	9.25	1.44	1.39
26	BB	283	G	C5'-C4'	9.25	1.62	1.51
26	BB	2314	A	C8-N7	-9.25	1.25	1.31
2	AB	73	G	N7-C5	9.24	1.44	1.39
26	BB	124	G	N3-C4	9.24	1.42	1.35
1	AA	350	G	N1-C2	9.23	1.45	1.37
1	AA	423	G	P-O5'	9.23	1.69	1.59
26	BB	1025	G	P-O5'	9.23	1.69	1.59
26	BB	361	G	P-O5'	9.23	1.69	1.59

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2232	C	N1-C6	9.23	1.42	1.37
26	BB	2619	C	C5-C6	9.23	1.41	1.34
1	AA	1409	C	N3-C4	9.23	1.40	1.33
26	BB	1171	G	N1-C2	9.23	1.45	1.37
1	AA	977	A	N3-C4	9.23	1.40	1.34
1	AA	1055	A	N3-C4	9.23	1.40	1.34
26	BB	194	G	N7-C5	9.23	1.44	1.39
26	BB	1881	C	C5-C6	9.22	1.41	1.34
26	BB	2131	U	O3'-P	9.22	1.72	1.61
1	AA	382	A	C8-N7	-9.22	1.25	1.31
1	AA	1169	A	P-O5'	9.22	1.69	1.59
26	BB	477	A	C8-N7	-9.22	1.25	1.31
26	BB	2741	A	C5-C4	-9.22	1.32	1.38
26	BB	157	C	C4-C5	9.22	1.50	1.43
3	AC	20	G	C5-C4	9.22	1.44	1.38
1	AA	560	A	C8-N7	-9.22	1.25	1.31
26	BB	627	A	C2'-C1'	9.22	1.63	1.53
26	BB	2012	G	C8-N7	9.21	1.36	1.30
26	BB	1022	G	N3-C4	9.21	1.41	1.35
4	AD	2	G	N7-C5	9.21	1.44	1.39
26	BB	940	G	N1-C2	9.21	1.45	1.37
26	BB	2700	A	N9-C4	9.21	1.43	1.37
1	AA	631	C	C2-N3	9.20	1.43	1.35
26	BB	481	G	C5'-C4'	9.20	1.62	1.51
1	AA	1309	G	N1-C2	9.20	1.45	1.37
26	BB	1689	A	N3-C4	9.20	1.40	1.34
26	BB	1125	G	C6-N1	9.19	1.46	1.39
1	AA	37	U	P-O5'	9.19	1.69	1.59
1	AA	661	G	N3-C4	9.18	1.41	1.35
1	AA	1182	G	C6-N1	9.18	1.46	1.39
26	BB	1079	C	C2-O2	-9.18	1.16	1.24
1	AA	21	G	C2-N3	9.18	1.40	1.32
26	BB	751	A	N3-C4	9.18	1.40	1.34
26	BB	2778	A	N9-C4	9.18	1.43	1.37
26	BB	9	G	P-O5'	9.17	1.69	1.59
26	BB	2804	U	C3'-C2'	9.17	1.63	1.52
1	AA	1226	C	P-O5'	9.17	1.69	1.59
25	BA	24	G	C5-C4	9.17	1.44	1.38
3	AC	47	C	C4-N4	9.17	1.42	1.33
1	AA	101	A	N3-C4	9.17	1.40	1.34
1	AA	191	G	N7-C5	9.17	1.44	1.39
1	AA	681	A	N9-C4	-9.17	1.32	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	541	A	C5-C4	9.16	1.45	1.38
1	AA	389	A	C8-N7	-9.16	1.25	1.31
26	BB	194	G	P-O5'	9.16	1.69	1.59
26	BB	1734	G	C8-N7	-9.16	1.25	1.30
26	BB	2118	U	P-O5'	9.15	1.68	1.59
26	BB	2563	U	O3'-P	9.15	1.72	1.61
26	BB	1839	G	C2-N3	9.14	1.40	1.32
1	AA	908	A	N9-C4	9.14	1.43	1.37
1	AA	1347	G	C5-C4	-9.14	1.31	1.38
2	AB	67	G	N7-C5	9.14	1.44	1.39
26	BB	114	U	P-O5'	9.14	1.68	1.59
26	BB	207	A	C5-C6	9.14	1.49	1.41
1	AA	157	U	C2-N3	9.13	1.44	1.37
1	AA	651	C	N1-C6	9.13	1.42	1.37
1	AA	946	A	P-O5'	9.13	1.68	1.59
26	BB	939	G	N9-C4	-9.13	1.30	1.38
26	BB	1600	C	C5'-C4'	9.13	1.62	1.51
1	AA	128	G	N9-C4	9.13	1.45	1.38
1	AA	286	C	P-O5'	9.13	1.68	1.59
1	AA	565	U	P-O5'	9.13	1.68	1.59
26	BB	696	G	O3'-P	9.13	1.72	1.61
26	BB	1929	G	C8-N7	9.13	1.36	1.30
1	AA	319	G	C6-N1	9.12	1.46	1.39
1	AA	506	G	N7-C5	9.12	1.44	1.39
26	BB	2257	U	N1-C2	9.12	1.46	1.38
1	AA	414	A	N9-C4	9.12	1.43	1.37
1	AA	614	C	N3-C4	9.12	1.40	1.33
1	AA	1350	A	N7-C5	9.11	1.44	1.39
26	BB	1488	C	N3-C4	9.11	1.40	1.33
26	BB	1935	G	C5'-C4'	9.11	1.62	1.51
26	BB	69	C	P-O5'	9.11	1.68	1.59
26	BB	2756	U	C4'-O4'	-9.10	1.33	1.45
26	BB	97	C	C2-N3	9.10	1.43	1.35
1	AA	453	G	C2-N3	9.10	1.40	1.32
1	AA	713	G	P-O5'	9.10	1.68	1.59
1	AA	1063	C	N3-C4	9.10	1.40	1.33
26	BB	2024	G	C2-N3	9.10	1.40	1.32
1	AA	233	C	N1-C6	9.09	1.42	1.37
1	AA	1203	C	C2'-O2'	9.09	1.53	1.41
25	BA	23	G	O3'-P	9.09	1.72	1.61
26	BB	57	C	C3'-C2'	9.09	1.62	1.52
26	BB	1373	A	C6-N6	9.09	1.41	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	171	A	N9-C4	-9.09	1.32	1.37
1	AA	587	G	N3-C4	9.08	1.41	1.35
26	BB	1477	A	N7-C5	-9.08	1.33	1.39
1	AA	151	A	C6-N1	-9.08	1.29	1.35
1	AA	1311	A	C5-C4	-9.08	1.32	1.38
26	BB	804	A	N3-C4	9.08	1.40	1.34
26	BB	30	G	P-O5'	9.07	1.68	1.59
26	BB	223	A	C8-N7	9.07	1.38	1.31
26	BB	2195	U	C2-N3	9.07	1.44	1.37
26	BB	2489	U	C2-N3	9.07	1.44	1.37
1	AA	1445	U	C4'-O4'	-9.07	1.33	1.45
26	BB	1842	G	N3-C4	-9.07	1.29	1.35
1	AA	1294	G	C8-N7	9.06	1.36	1.30
26	BB	2631	G	N3-C4	9.06	1.41	1.35
26	BB	2869	G	P-O5'	9.06	1.68	1.59
26	BB	2292	U	C4'-C3'	-9.06	1.43	1.53
26	BB	2496	C	N1-C6	9.06	1.42	1.37
26	BB	2076	U	O3'-P	-9.06	1.50	1.61
26	BB	449	A	N3-C4	9.05	1.40	1.34
26	BB	1226	A	N7-C5	9.05	1.44	1.39
26	BB	328	U	C4-C5	9.05	1.51	1.43
1	AA	1397	C	P-O5'	9.04	1.68	1.59
1	AA	1415	G	P-O5'	9.05	1.68	1.59
26	BB	2618	G	C6-N1	9.05	1.45	1.39
26	BB	113	U	P-O5'	9.04	1.68	1.59
26	BB	2553	G	N1-C2	-9.04	1.30	1.37
1	AA	942	G	N9-C8	9.04	1.44	1.37
1	AA	1141	C	P-O5'	9.03	1.68	1.59
26	BB	685	A	P-O5'	9.04	1.68	1.59
26	BB	2785	C	C2-N3	9.03	1.43	1.35
26	BB	33	C	C5-C6	9.03	1.41	1.34
1	AA	1141	C	C4-C5	9.03	1.50	1.43
1	AA	131	A	N7-C5	9.03	1.44	1.39
1	AA	615	G	N7-C5	-9.02	1.33	1.39
26	BB	2401	U	C2-N3	9.02	1.44	1.37
26	BB	2129	C	O3'-P	9.02	1.72	1.61
26	BB	633	A	P-O5'	9.02	1.68	1.59
1	AA	1525	G	C2-N3	9.02	1.40	1.32
26	BB	679	C	N3-C4	9.02	1.40	1.33
1	AA	923	A	N9-C8	-9.01	1.30	1.37
1	AA	1359	C	N1-C6	9.01	1.42	1.37
26	BB	2585	U	N1-C2	9.01	1.46	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	926	G	C6-N1	9.01	1.45	1.39
1	AA	1515	G	N7-C5	9.01	1.44	1.39
26	BB	1970	A	N3-C4	9.01	1.40	1.34
26	BB	2764	A	N7-C5	9.01	1.44	1.39
26	BB	2321	U	C2-N3	9.00	1.44	1.37
2	AB	36	A	P-O5'	9.00	1.68	1.59
26	BB	429	A	P-O5'	9.00	1.68	1.59
26	BB	2132	U	P-O5'	9.00	1.68	1.59
1	AA	1534	A	P-O5'	8.99	1.68	1.59
26	BB	1224	U	O3'-P	-8.99	1.50	1.61
26	BB	763	G	N1-C2	8.99	1.45	1.37
26	BB	1652	A	N7-C5	8.99	1.44	1.39
26	BB	1847	A	O3'-P	-8.99	1.50	1.61
26	BB	1966	A	N9-C4	8.99	1.43	1.37
1	AA	224	U	N1-C2	8.98	1.46	1.38
4	AD	37	U	P-O5'	8.98	1.68	1.59
26	BB	47	C	P-O5'	8.98	1.68	1.59
26	BB	2790	U	C4-C5	8.98	1.51	1.43
3	AC	37	G	O3'-P	8.98	1.72	1.61
26	BB	1249	U	C4-C5	8.98	1.51	1.43
26	BB	1496	A	N9-C8	8.98	1.45	1.37
26	BB	1662	U	C4-C5	8.98	1.51	1.43
26	BB	2280	G	N3-C4	8.98	1.41	1.35
1	AA	56	U	N1-C2	8.97	1.46	1.38
26	BB	502	A	N3-C4	8.97	1.40	1.34
26	BB	2568	U	C4'-O4'	-8.97	1.33	1.45
26	BB	712	G	N1-C2	8.97	1.45	1.37
26	BB	1527	G	C2-N3	8.97	1.40	1.32
2	AB	47	U	P-O5'	8.97	1.68	1.59
1	AA	83	C	C2-N3	8.97	1.43	1.35
1	AA	1359	C	C2-N3	8.97	1.43	1.35
26	BB	1908	C	N3-C4	8.97	1.40	1.33
1	AA	1435	G	C2'-C1'	-8.97	1.43	1.53
1	AA	314	C	C4-C5	8.96	1.50	1.43
26	BB	2110	G	P-O5'	8.96	1.68	1.59
1	AA	81	A	C5-C4	8.96	1.45	1.38
1	AA	1144	G	N7-C5	8.96	1.44	1.39
25	BA	79	G	N7-C5	8.95	1.44	1.39
26	BB	888	C	C4-C5	8.95	1.50	1.43
26	BB	967	U	C4-C5	8.95	1.51	1.43
26	BB	1612	C	P-O5'	8.95	1.68	1.59
26	BB	2052	A	N3-C4	8.94	1.40	1.34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2478	A	C6-N1	8.94	1.41	1.35
26	BB	2829	A	N3-C4	8.94	1.40	1.34
26	BB	2499	C	N1-C6	8.93	1.42	1.37
1	AA	8	A	N3-C4	8.93	1.40	1.34
26	BB	2145	C	P-O5'	8.93	1.68	1.59
1	AA	456	A	O3'-P	8.93	1.71	1.61
1	AA	482	A	N7-C5	8.93	1.44	1.39
26	BB	2490	G	N1-C2	8.93	1.44	1.37
1	AA	1451	U	C4'-O4'	-8.93	1.33	1.45
26	BB	1142	A	P-O5'	8.93	1.68	1.59
26	BB	354	A	O3'-P	8.93	1.71	1.61
26	BB	631	A	O5'-C5'	-8.93	1.28	1.42
26	BB	1831	G	N9-C4	8.93	1.45	1.38
1	AA	893	C	P-O5'	8.92	1.68	1.59
2	AB	74	C	O3'-P	8.92	1.71	1.61
26	BB	2725	A	N3-C4	8.92	1.40	1.34
2	AB	74	C	P-O5'	8.92	1.68	1.59
1	AA	80	A	N9-C4	8.92	1.43	1.37
1	AA	768	A	C5-C4	8.92	1.45	1.38
1	AA	1361	G	N7-C5	8.92	1.44	1.39
1	AA	716	A	C2'-O2'	-8.92	1.30	1.41
1	AA	1053	G	C8-N7	8.91	1.36	1.30
26	BB	182	A	N9-C4	8.91	1.43	1.37
1	AA	892	A	N9-C4	8.91	1.43	1.37
1	AA	939	G	N3-C4	8.91	1.41	1.35
26	BB	2764	A	N3-C4	8.91	1.40	1.34
26	BB	1537	G	C8-N7	-8.91	1.25	1.30
2	AB	1	A	N9-C8	8.90	1.44	1.37
1	AA	95	C	O3'-P	8.90	1.71	1.61
26	BB	2447	G	N1-C2	8.90	1.44	1.37
1	AA	938	A	P-O5'	8.90	1.68	1.59
1	AA	679	C	P-O5'	8.90	1.68	1.59
26	BB	443	A	N9-C4	8.90	1.43	1.37
1	AA	377	G	C6-N1	8.89	1.45	1.39
26	BB	2728	U	P-O5'	8.89	1.68	1.59
1	AA	259	G	N3-C4	8.89	1.41	1.35
1	AA	374	A	N3-C4	8.89	1.40	1.34
1	AA	1292	G	N3-C4	8.89	1.41	1.35
1	AA	1339	A	C6-N1	-8.89	1.29	1.35
4	AD	15	G	C2-N3	8.89	1.39	1.32
26	BB	846	U	C5-C6	8.89	1.42	1.34
26	BB	2525	G	C4'-O4'	-8.89	1.33	1.45

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	957	U	P-O5'	8.89	1.68	1.59
1	AA	1198	G	N9-C4	8.88	1.45	1.38
25	BA	107	G	C5-C4	-8.88	1.32	1.38
26	BB	1007	C	C5-C6	8.88	1.41	1.34
1	AA	1386	G	C6-N1	-8.88	1.33	1.39
26	BB	2633	G	O3'-P	8.88	1.71	1.61
1	AA	203	G	C8-N7	8.88	1.36	1.30
1	AA	593	U	P-O5'	8.88	1.68	1.59
1	AA	960	U	N1-C2	8.87	1.46	1.38
26	BB	1877	A	P-O5'	8.88	1.68	1.59
26	BB	2410	G	N9-C8	8.87	1.44	1.37
26	BB	2831	G	N3-C4	8.88	1.41	1.35
26	BB	122	G	P-O5'	8.87	1.68	1.59
26	BB	1866	A	C5-C6	8.87	1.49	1.41
26	BB	2283	C	C5'-C4'	8.87	1.61	1.51
26	BB	2564	A	N9-C4	8.87	1.43	1.37
1	AA	1051	C	C2-N3	8.87	1.42	1.35
26	BB	228	C	P-O5'	8.87	1.68	1.59
26	BB	1110	G	N7-C5	8.87	1.44	1.39
26	BB	1353	A	P-O5'	8.87	1.68	1.59
1	AA	1090	U	C4'-O4'	-8.86	1.34	1.45
1	AA	535	A	C5-C4	-8.86	1.32	1.38
1	AA	1469	C	C2-N3	8.86	1.42	1.35
1	AA	97	G	N3-C4	8.85	1.41	1.35
2	AB	28	C	N1-C6	8.85	1.42	1.37
26	BB	1422	G	P-O5'	8.85	1.68	1.59
26	BB	2842	G	P-O5'	8.85	1.68	1.59
1	AA	1086	U	C2-N3	8.85	1.44	1.37
26	BB	1874	C	C5-C6	8.85	1.41	1.34
26	BB	977	G	C5-C4	-8.85	1.32	1.38
26	BB	1952	A	P-O5'	8.85	1.68	1.59
1	AA	245	U	N1-C2	8.84	1.46	1.38
3	AC	22	G	N9-C8	-8.84	1.31	1.37
26	BB	1681	G	C5-C4	8.84	1.44	1.38
26	BB	1767	G	N1-C2	8.84	1.44	1.37
26	BB	2335	A	C3'-C2'	8.84	1.62	1.52
1	AA	669	G	C2-N3	8.84	1.39	1.32
1	AA	767	A	C6-N1	-8.84	1.29	1.35
26	BB	1960	A	N7-C5	-8.84	1.33	1.39
26	BB	726	G	N3-C4	8.84	1.41	1.35
26	BB	2005	A	P-O5'	8.84	1.68	1.59
26	BB	591	U	C5-C6	8.84	1.42	1.34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	881	G	C8-N7	-8.84	1.25	1.30
26	BB	2124	G	P-O5'	8.84	1.68	1.59
26	BB	2618	G	C2-N3	8.84	1.39	1.32
1	AA	1403	C	C3'-C2'	8.83	1.62	1.52
1	AA	218	U	C2-N3	8.83	1.44	1.37
3	AC	59	A	C6-N6	8.83	1.41	1.33
26	BB	794	A	N9-C4	8.83	1.43	1.37
1	AA	687	A	N1-C2	-8.83	1.26	1.34
26	BB	1524	G	N9-C8	-8.83	1.31	1.37
26	BB	2840	C	N1-C6	8.83	1.42	1.37
26	BB	1667	G	N7-C5	-8.83	1.33	1.39
26	BB	828	U	C4-C5	8.82	1.51	1.43
26	BB	1469	A	P-O5'	8.82	1.68	1.59
26	BB	791	C	C5-C6	8.82	1.41	1.34
26	BB	2247	A	N7-C5	-8.82	1.33	1.39
1	AA	654	G	P-O5'	8.82	1.68	1.59
26	BB	2410	G	N7-C5	8.82	1.44	1.39
26	BB	785	G	C6-N1	-8.81	1.33	1.39
26	BB	1655	A	N7-C5	-8.81	1.33	1.39
25	BA	81	G	N1-C2	8.81	1.44	1.37
26	BB	1751	U	P-O5'	8.81	1.68	1.59
26	BB	133	U	O3'-P	8.81	1.71	1.61
1	AA	143	A	N3-C4	8.80	1.40	1.34
1	AA	640	A	N7-C5	8.80	1.44	1.39
1	AA	1534	A	C6-N6	8.80	1.41	1.33
26	BB	1537	G	N3-C4	8.80	1.41	1.35
1	AA	490	C	C2-N3	8.80	1.42	1.35
26	BB	2286	G	P-O5'	8.80	1.68	1.59
1	AA	792	A	C6-N1	-8.80	1.29	1.35
26	BB	2327	A	N3-C4	8.80	1.40	1.34
26	BB	2402	U	C2-N3	8.80	1.44	1.37
26	BB	734	A	C6-N1	8.80	1.41	1.35
26	BB	2762	C	N3-C4	8.80	1.40	1.33
1	AA	1501	C	C5'-C4'	8.79	1.61	1.51
26	BB	1190	G	C2-N3	8.80	1.39	1.32
2	AB	67	G	N9-C4	8.79	1.45	1.38
26	BB	283	G	C4'-O4'	-8.79	1.34	1.45
26	BB	954	G	C8-N7	-8.79	1.25	1.30
26	BB	2553	G	P-O5'	8.79	1.68	1.59
1	AA	727	G	C8-N7	-8.79	1.25	1.30
26	BB	1157	G	C6-N1	8.79	1.45	1.39
1	AA	568	G	N1-C2	8.79	1.44	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1457	G	P-O5'	8.79	1.68	1.59
26	BB	1290	C	C5'-C4'	8.78	1.61	1.51
1	AA	1357	A	N9-C4	8.78	1.43	1.37
1	AA	378	G	C2-N3	8.78	1.39	1.32
26	BB	349	U	C4'-C3'	-8.78	1.43	1.53
1	AA	86	G	C8-N7	-8.78	1.25	1.30
1	AA	925	G	P-O5'	8.78	1.68	1.59
1	AA	1198	G	C2-N3	8.78	1.39	1.32
1	AA	754	C	P-O5'	8.77	1.68	1.59
26	BB	1129	A	C8-N7	8.77	1.37	1.31
26	BB	2893	A	N3-C4	8.77	1.40	1.34
26	BB	433	C	P-O5'	8.77	1.68	1.59
1	AA	282	A	C6-N1	-8.77	1.29	1.35
1	AA	803	G	N9-C8	8.77	1.44	1.37
26	BB	301	G	C6-N1	-8.77	1.33	1.39
1	AA	867	G	C8-N7	8.77	1.36	1.30
4	AD	19	G	N9-C8	-8.77	1.31	1.37
4	AD	47	A	P-O5'	8.77	1.68	1.59
26	BB	354	A	N9-C4	-8.77	1.32	1.37
26	BB	1076	C	C4-C5	8.77	1.50	1.43
26	BB	1309	G	O3'-P	8.77	1.71	1.61
26	BB	1254	A	N9-C8	8.76	1.44	1.37
1	AA	1232	U	P-O5'	8.76	1.68	1.59
26	BB	237	C	C4-C5	8.76	1.50	1.43
26	BB	1025	G	N9-C4	-8.76	1.30	1.38
26	BB	1091	G	N9-C8	8.76	1.44	1.37
26	BB	2863	C	N1-C6	8.76	1.42	1.37
26	BB	1690	A	C6-N1	8.76	1.41	1.35
26	BB	1352	U	C2-N3	8.75	1.43	1.37
26	BB	2889	C	C2'-C1'	8.75	1.62	1.53
1	AA	471	U	C2-N3	8.75	1.43	1.37
3	AC	55	A	N3-C4	8.75	1.40	1.34
2	AB	6	C	C5'-C4'	8.75	1.61	1.51
1	AA	1296	C	C2-N3	8.75	1.42	1.35
26	BB	2254	C	C4-N4	-8.75	1.26	1.33
26	BB	599	A	C8-N7	-8.74	1.25	1.31
26	BB	2839	G	C2-N3	8.74	1.39	1.32
1	AA	541	G	N7-C5	8.74	1.44	1.39
1	AA	880	C	N1-C6	8.74	1.42	1.37
26	BB	396	G	C6-N1	8.74	1.45	1.39
26	BB	2631	G	N1-C2	8.74	1.44	1.37
1	AA	1027	C	N1-C6	8.73	1.42	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	996	A	N9-C4	8.73	1.43	1.37
26	BB	741	U	N1-C2	8.73	1.46	1.38
1	AA	311	C	P-O5'	8.73	1.68	1.59
26	BB	707	G	N7-C5	8.73	1.44	1.39
26	BB	1415	U	C2-N3	8.73	1.43	1.37
26	BB	1456	G	N7-C5	8.73	1.44	1.39
1	AA	974	A	C4'-O4'	-8.73	1.34	1.45
26	BB	2198	A	C5'-C4'	8.72	1.61	1.51
1	AA	1447	A	N3-C4	8.72	1.40	1.34
26	BB	990	A	N9-C4	8.72	1.43	1.37
1	AA	1098	C	C4-C5	8.72	1.50	1.43
3	AC	33	A	N9-C4	8.72	1.43	1.37
26	BB	1346	G	C8-N7	8.72	1.36	1.30
1	AA	787	A	C6-N1	-8.71	1.29	1.35
26	BB	1642	G	C8-N7	8.71	1.36	1.30
26	BB	2198	A	N3-C4	8.71	1.40	1.34
1	AA	140	U	C4'-C3'	-8.70	1.43	1.53
1	AA	481	G	N1-C2	8.70	1.44	1.37
26	BB	2266	A	C8-N7	-8.70	1.25	1.31
1	AA	971	G	C4'-C3'	8.70	1.62	1.53
4	AD	53	G	N7-C5	-8.70	1.34	1.39
26	BB	626	A	C8-N7	-8.70	1.25	1.31
26	BB	1046	A	N9-C4	8.69	1.43	1.37
1	AA	300	A	P-O5'	8.69	1.68	1.59
25	BA	97	C	C4'-O4'	-8.69	1.34	1.45
26	BB	649	G	N7-C5	8.69	1.44	1.39
26	BB	2893	A	C2'-C1'	-8.69	1.43	1.53
1	AA	506	G	P-O5'	8.69	1.68	1.59
26	BB	1833	C	C2'-O2'	-8.69	1.30	1.41
26	BB	2126	A	C6-N1	-8.69	1.29	1.35
4	AD	2	G	N3-C4	8.69	1.41	1.35
26	BB	1078	U	C4'-C3'	8.69	1.62	1.53
1	AA	1449	C	C4'-O4'	-8.68	1.34	1.45
26	BB	363	G	P-O5'	8.68	1.68	1.59
1	AA	1464	U	C2-N3	8.68	1.43	1.37
26	BB	248	G	C4'-O4'	-8.67	1.34	1.45
1	AA	741	G	P-O5'	8.67	1.68	1.59
26	BB	1709	U	C5'-C4'	8.67	1.61	1.51
26	BB	1824	G	C8-N7	8.67	1.36	1.30
26	BB	1893	C	C5-C6	8.67	1.41	1.34
1	AA	1251	A	N7-C5	-8.67	1.34	1.39
2	AB	10	G	C2-N3	8.66	1.39	1.32

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	591	U	C5'-C4'	8.66	1.61	1.51
26	BB	2108	A	N3-C4	8.66	1.40	1.34
26	BB	2342	C	C2-O2	-8.66	1.16	1.24
26	BB	1968	G	C8-N7	-8.66	1.25	1.30
1	AA	237	G	P-O5'	8.66	1.68	1.59
4	AD	44	A	C8-N7	-8.66	1.25	1.31
26	BB	88	G	N9-C8	-8.66	1.31	1.37
26	BB	246	C	C2-N3	8.66	1.42	1.35
1	AA	1162	C	P-O5'	8.65	1.68	1.59
4	AD	4	G	N3-C4	8.65	1.41	1.35
26	BB	2195	U	P-O5'	8.65	1.68	1.59
1	AA	1085	U	C5'-C4'	8.65	1.61	1.51
26	BB	1047	G	C2-N3	8.65	1.39	1.32
26	BB	1173	U	P-O5'	8.65	1.68	1.59
1	AA	178	C	C5-C6	8.64	1.41	1.34
1	AA	292	G	C2-N3	8.64	1.39	1.32
4	AD	65	G	N3-C4	8.64	1.41	1.35
26	BB	1424	G	C2-N3	8.64	1.39	1.32
26	BB	1455	G	C5'-C4'	8.64	1.61	1.51
26	BB	2520	C	C2-N3	8.64	1.42	1.35
26	BB	2872	A	N3-C4	8.64	1.40	1.34
1	AA	863	U	P-O5'	8.64	1.68	1.59
26	BB	132	G	C5'-C4'	8.64	1.61	1.51
26	BB	2057	G	N9-C8	8.64	1.43	1.37
26	BB	976	G	C2-N3	8.64	1.39	1.32
26	BB	1660	G	C6-N1	8.63	1.45	1.39
1	AA	365	U	C2-N3	8.63	1.43	1.37
26	BB	1773	A	N3-C4	8.63	1.40	1.34
26	BB	2381	A	N3-C4	8.63	1.40	1.34
26	BB	519	U	C4-C5	8.63	1.51	1.43
26	BB	1040	A	N3-C4	8.63	1.40	1.34
26	BB	2345	G	P-O5'	8.62	1.68	1.59
26	BB	2840	C	C4-C5	-8.62	1.36	1.43
1	AA	805	C	N3-C4	8.62	1.40	1.33
1	AA	1107	C	C2-N3	8.62	1.42	1.35
4	AD	26	C	N1-C6	8.62	1.42	1.37
26	BB	397	U	P-O5'	8.62	1.68	1.59
26	BB	1383	A	N7-C5	8.62	1.44	1.39
26	BB	1122	G	N7-C5	8.62	1.44	1.39
26	BB	960	A	N3-C4	8.62	1.40	1.34
1	AA	453	G	N3-C4	8.62	1.41	1.35
26	BB	2385	C	N3-C4	8.62	1.40	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	AB	61	C	N3-C4	8.61	1.40	1.33
26	BB	1533	C	C5'-C4'	8.61	1.61	1.51
1	AA	796	C	C4-C5	8.61	1.49	1.43
1	AA	230	G	N3-C4	8.61	1.41	1.35
26	BB	1565	C	C4-C5	8.61	1.49	1.43
1	AA	572	A	N7-C5	8.60	1.44	1.39
1	AA	633	G	C5-C4	8.60	1.44	1.38
26	BB	5	A	P-O5'	8.60	1.68	1.59
1	AA	249	U	C2-N3	8.60	1.43	1.37
4	AD	58	A	N3-C4	8.60	1.40	1.34
26	BB	1077	A	N3-C4	8.60	1.40	1.34
26	BB	1382	G	C6-N1	8.60	1.45	1.39
26	BB	576	U	P-O5'	8.60	1.68	1.59
26	BB	778	G	C2-N3	8.60	1.39	1.32
26	BB	1575	C	P-O5'	8.60	1.68	1.59
1	AA	686	U	C4-C5	8.59	1.51	1.43
3	AC	21	U	N1-C2	8.59	1.46	1.38
26	BB	581	C	O3'-P	8.59	1.71	1.61
26	BB	1494	A	C8-N7	-8.59	1.25	1.31
26	BB	1584	U	C2-N3	8.59	1.43	1.37
26	BB	1685	C	O3'-P	8.59	1.71	1.61
26	BB	2175	C	C5-C6	8.59	1.41	1.34
26	BB	2466	C	N3-C4	8.59	1.40	1.33
26	BB	2518	A	N9-C4	8.59	1.43	1.37
1	AA	388	G	C6-N1	-8.59	1.33	1.39
1	AA	272	C	N3-C4	8.58	1.40	1.33
1	AA	1038	C	N3-C4	8.58	1.40	1.33
26	BB	2549	G	C2-N3	8.58	1.39	1.32
26	BB	1270	C	C2'-C1'	-8.58	1.44	1.53
26	BB	118	A	N3-C4	8.58	1.40	1.34
26	BB	2382	G	N7-C5	-8.58	1.34	1.39
26	BB	822	G	C5-C6	-8.58	1.33	1.42
1	AA	1219	A	N3-C4	8.58	1.40	1.34
26	BB	562	U	C3'-C2'	8.58	1.62	1.52
26	BB	2295	C	N1-C6	8.58	1.42	1.37
1	AA	388	G	N1-C2	8.57	1.44	1.37
26	BB	2551	C	P-O5'	8.57	1.68	1.59
26	BB	1993	U	P-O5'	8.57	1.68	1.59
26	BB	2848	G	P-O5'	8.57	1.68	1.59
26	BB	1929	G	C5-C4	8.57	1.44	1.38
1	AA	1421	G	C6-N1	8.56	1.45	1.39
26	BB	2328	A	N9-C8	-8.56	1.30	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1191	A	C2'-C1'	8.56	1.62	1.53
26	BB	583	G	C5-C4	-8.56	1.32	1.38
3	AC	14	G	C2-N3	8.56	1.39	1.32
26	BB	2111	U	C5'-C4'	8.56	1.61	1.51
26	BB	2277	G	C8-N7	8.56	1.36	1.30
26	BB	2718	G	N3-C4	8.56	1.41	1.35
1	AA	204	G	N9-C8	-8.55	1.31	1.37
26	BB	1106	G	N3-C4	8.55	1.41	1.35
26	BB	1327	A	P-O5'	8.55	1.68	1.59
26	BB	1515	A	N7-C5	-8.55	1.34	1.39
4	AD	63	C	N1-C6	8.55	1.42	1.37
26	BB	812	C	C2-O2	-8.55	1.16	1.24
26	BB	1169	A	N7-C5	8.54	1.44	1.39
1	AA	1126	U	N3-C4	8.54	1.46	1.38
25	BA	83	G	O3'-P	8.54	1.71	1.61
26	BB	645	C	N1-C2	8.54	1.48	1.40
26	BB	925	A	P-O5'	8.54	1.68	1.59
26	BB	83	A	N9-C4	-8.54	1.32	1.37
26	BB	408	G	C2-N3	8.54	1.39	1.32
26	BB	1182	G	O3'-P	8.54	1.71	1.61
26	BB	1680	U	C2'-C1'	-8.54	1.44	1.53
26	BB	527	C	C2-N3	8.53	1.42	1.35
26	BB	1486	U	C5'-C4'	8.54	1.61	1.51
1	AA	319	G	C2-N3	8.53	1.39	1.32
1	AA	624	C	N3-C4	8.53	1.40	1.33
4	AD	71	G	C6-N1	8.53	1.45	1.39
26	BB	1602	U	C4-O4	8.53	1.30	1.23
1	AA	812	G	N3-C4	8.53	1.41	1.35
25	BA	9	G	N7-C5	8.53	1.44	1.39
26	BB	946	C	N1-C6	8.53	1.42	1.37
26	BB	1032	A	N7-C5	8.53	1.44	1.39
26	BB	1649	G	C6-O6	-8.53	1.16	1.24
26	BB	1708	C	C4'-O4'	-8.53	1.34	1.45
26	BB	2894	G	N7-C5	-8.53	1.34	1.39
26	BB	877	A	N7-C5	8.52	1.44	1.39
1	AA	476	U	C5'-C4'	8.52	1.61	1.51
26	BB	62	U	C2-N3	8.52	1.43	1.37
26	BB	2197	U	N1-C2	8.52	1.46	1.38
26	BB	2464	G	P-O5'	8.52	1.68	1.59
1	AA	1037	C	N1-C6	8.52	1.42	1.37
1	AA	1541	U	N1-C6	8.52	1.45	1.38
26	BB	928	A	N7-C5	-8.51	1.34	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	692	U	P-O5'	8.51	1.68	1.59
1	AA	1473	G	C2'-C1'	8.51	1.62	1.53
26	BB	121	G	C6-N1	8.51	1.45	1.39
26	BB	2690	U	C2-N3	8.51	1.43	1.37
1	AA	181	A	C5'-C4'	8.51	1.61	1.51
1	AA	1190	G	C2'-C1'	8.51	1.62	1.53
1	AA	872	A	P-O5'	8.50	1.68	1.59
1	AA	1285	A	C8-N7	-8.50	1.25	1.31
26	BB	1078	U	C2-N3	8.50	1.43	1.37
26	BB	2245	U	C2-N3	8.50	1.43	1.37
26	BB	794	A	C5-C4	-8.50	1.32	1.38
1	AA	252	U	C2-N3	8.50	1.43	1.37
1	AA	999	C	P-O5'	8.50	1.68	1.59
1	AA	1222	G	C5-C4	-8.50	1.32	1.38
26	BB	856	G	N1-C2	8.50	1.44	1.37
26	BB	1941	C	N1-C6	8.50	1.42	1.37
1	AA	21	G	N3-C4	8.50	1.41	1.35
1	AA	277	C	C5-C6	8.49	1.41	1.34
1	AA	459	A	N7-C5	-8.49	1.34	1.39
4	AD	60	A	C6-N1	-8.49	1.29	1.35
26	BB	34	U	C2-N3	8.49	1.43	1.37
26	BB	910	A	N3-C4	8.49	1.40	1.34
26	BB	1106	G	P-O5'	8.49	1.68	1.59
3	AC	22	G	P-O5'	8.49	1.68	1.59
26	BB	2685	G	C2-N3	8.49	1.39	1.32
1	AA	325	A	P-O5'	8.48	1.68	1.59
1	AA	773	G	C2-N3	8.48	1.39	1.32
1	AA	843	U	C5-C6	8.48	1.41	1.34
26	BB	1854	A	N9-C8	8.48	1.44	1.37
1	AA	446	G	N9-C4	-8.48	1.31	1.38
26	BB	732	C	C3'-C2'	8.48	1.62	1.52
26	BB	1842	G	N9-C8	-8.48	1.31	1.37
26	BB	2129	C	C5-C6	8.48	1.41	1.34
1	AA	607	A	N3-C4	8.48	1.40	1.34
1	AA	1079	G	N3-C4	8.48	1.41	1.35
26	BB	2585	U	C2-N3	-8.48	1.31	1.37
25	BA	56	G	C6-N1	8.48	1.45	1.39
26	BB	2556	C	C5'-C4'	8.48	1.61	1.51
1	AA	1531	A	N3-C4	8.48	1.40	1.34
1	AA	412	A	N3-C4	8.48	1.40	1.34
1	AA	1497	G	C6-N1	8.48	1.45	1.39
26	BB	1082	U	C5-C6	8.48	1.41	1.34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1137	G	O3'-P	8.48	1.71	1.61
26	BB	2803	G	P-O5'	8.48	1.68	1.59
1	AA	1364	U	C2-N3	8.47	1.43	1.37
26	BB	19	A	C6-N1	8.47	1.41	1.35
26	BB	244	A	P-O5'	8.47	1.68	1.59
1	AA	299	G	C6-N1	8.47	1.45	1.39
1	AA	778	G	P-O5'	8.47	1.68	1.59
26	BB	241	A	N1-C2	-8.47	1.26	1.34
26	BB	1871	A	P-O5'	8.47	1.68	1.59
26	BB	2463	C	C4'-O4'	-8.47	1.34	1.45
26	BB	2482	A	N3-C4	8.47	1.40	1.34
26	BB	2396	G	C6-N1	8.46	1.45	1.39
26	BB	2458	G	N9-C8	8.47	1.43	1.37
26	BB	2800	A	P-O5'	8.47	1.68	1.59
1	AA	1301	U	N1-C2	8.46	1.46	1.38
26	BB	793	A	O3'-P	8.46	1.71	1.61
1	AA	1316	G	N7-C5	-8.46	1.34	1.39
26	BB	759	G	C5-C6	8.46	1.50	1.42
1	AA	142	G	N1-C2	8.46	1.44	1.37
26	BB	1289	C	N3-C4	8.46	1.39	1.33
26	BB	333	G	C6-N1	-8.46	1.33	1.39
26	BB	572	A	C2-N3	8.46	1.41	1.33
26	BB	1425	G	N9-C8	-8.46	1.31	1.37
26	BB	2679	A	P-O5'	8.46	1.68	1.59
26	BB	589	U	N3-C4	8.46	1.46	1.38
26	BB	1147	A	C5-C4	-8.46	1.32	1.38
26	BB	1307	A	P-O5'	8.46	1.68	1.59
1	AA	4	U	P-O5'	8.45	1.68	1.59
26	BB	506	G	P-O5'	8.45	1.68	1.59
26	BB	859	G	C5-C6	8.45	1.50	1.42
26	BB	1715	G	N7-C5	8.45	1.44	1.39
26	BB	1635	A	N3-C4	8.45	1.40	1.34
26	BB	256	A	N9-C4	8.45	1.43	1.37
26	BB	791	C	N1-C6	8.45	1.42	1.37
26	BB	19	A	N7-C5	-8.45	1.34	1.39
1	AA	279	A	N3-C4	8.45	1.40	1.34
1	AA	760	G	C2-N3	8.45	1.39	1.32
26	BB	2778	A	C5-C6	8.45	1.48	1.41
1	AA	958	A	C5-C6	8.44	1.48	1.41
26	BB	311	A	N3-C4	8.44	1.40	1.34
1	AA	445	G	N7-C5	8.44	1.44	1.39
26	BB	231	A	N9-C4	8.44	1.43	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2765	A	C5-C6	8.44	1.48	1.41
1	AA	193	C	N1-C6	8.44	1.42	1.37
4	AD	49	C	N1-C2	8.44	1.48	1.40
26	BB	1713	A	N3-C4	8.44	1.40	1.34
1	AA	761	G	C5-C4	-8.43	1.32	1.38
1	AA	885	G	C2-N3	8.43	1.39	1.32
2	AB	23	A	N3-C4	8.43	1.40	1.34
26	BB	2855	C	N1-C6	8.43	1.42	1.37
1	AA	273	U	C2-N3	8.43	1.43	1.37
26	BB	1143	A	C5-C6	8.43	1.48	1.41
1	AA	1225	A	P-O5'	8.43	1.68	1.59
1	AA	339	C	N1-C6	8.42	1.42	1.37
1	AA	476	U	P-O5'	8.42	1.68	1.59
1	AA	1330	U	O3'-P	8.42	1.71	1.61
26	BB	1572	A	C6-N1	8.42	1.41	1.35
26	BB	2454	G	C2-N3	8.42	1.39	1.32
26	BB	1388	G	N9-C8	8.42	1.43	1.37
1	AA	241	G	C5-C4	8.42	1.44	1.38
1	AA	309	A	C6-N1	8.42	1.41	1.35
1	AA	1251	A	N9-C8	-8.42	1.31	1.37
26	BB	386	G	C5'-C4'	8.42	1.61	1.51
1	AA	412	A	C5-C4	-8.41	1.32	1.38
1	AA	1483	A	N7-C5	-8.41	1.34	1.39
1	AA	992	U	C4'-O4'	-8.41	1.34	1.45
26	BB	887	U	C4-O4	-8.41	1.17	1.23
26	BB	1408	G	C6-N1	8.41	1.45	1.39
1	AA	1328	C	P-O5'	8.41	1.68	1.59
26	BB	297	G	N3-C4	8.41	1.41	1.35
26	BB	1905	C	N3-C4	-8.41	1.28	1.33
1	AA	21	G	C8-N7	-8.40	1.25	1.30
1	AA	199	A	N3-C4	8.40	1.39	1.34
1	AA	345	C	C5'-C4'	8.40	1.61	1.51
26	BB	1380	G	N9-C4	-8.40	1.31	1.38
26	BB	1492	G	C6-N1	8.40	1.45	1.39
1	AA	137	U	C2-N3	8.40	1.43	1.37
26	BB	1297	C	N1-C6	-8.40	1.32	1.37
26	BB	2085	U	C2-N3	8.40	1.43	1.37
26	BB	2277	G	C2-N3	8.40	1.39	1.32
1	AA	46	G	N1-C2	8.40	1.44	1.37
26	BB	1903	G	C8-N7	8.40	1.35	1.30
1	AA	243	A	C5'-C4'	8.39	1.61	1.51
25	BA	95	U	C4-O4	8.39	1.30	1.23

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2872	A	N7-C5	-8.39	1.34	1.39
26	BB	626	A	P-O5'	8.39	1.68	1.59
26	BB	1111	A	N3-C4	8.39	1.39	1.34
25	BA	101	A	C8-N7	-8.39	1.25	1.31
26	BB	986	C	N3-C4	8.39	1.39	1.33
26	BB	1459	G	N9-C4	8.39	1.44	1.38
1	AA	14	U	O3'-P	8.38	1.71	1.61
1	AA	790	A	P-O5'	8.38	1.68	1.59
1	AA	1470	U	C4-C5	8.38	1.51	1.43
26	BB	814	C	P-O5'	8.38	1.68	1.59
26	BB	1412	U	C4-C5	8.38	1.51	1.43
26	BB	2074	U	C4'-C3'	-8.38	1.44	1.53
2	AB	75	C	P-O5'	8.38	1.68	1.59
26	BB	648	G	P-O5'	8.38	1.68	1.59
26	BB	1541	C	N1-C6	8.38	1.42	1.37
1	AA	475	C	N1-C6	-8.38	1.32	1.37
26	BB	2686	G	C4'-O4'	-8.38	1.34	1.45
26	BB	379	G	P-O5'	8.37	1.68	1.59
1	AA	708	C	C4-C5	8.37	1.49	1.43
1	AA	1032	G	N1-C2	8.37	1.44	1.37
2	AB	10	G	O4'-C1'	8.37	1.52	1.41
26	BB	2424	C	N1-C6	8.37	1.42	1.37
1	AA	1539	C	C4-C5	8.37	1.49	1.43
25	BA	109	A	C8-N7	-8.37	1.25	1.31
26	BB	8	C	P-O5'	8.37	1.68	1.59
26	BB	2664	G	N3-C4	8.37	1.41	1.35
1	AA	573	A	N7-C5	8.36	1.44	1.39
1	AA	1059	C	C2-N3	8.36	1.42	1.35
26	BB	1021	A	N7-C5	-8.36	1.34	1.39
26	BB	1040	A	O3'-P	8.36	1.71	1.61
26	BB	2038	G	P-O5'	8.36	1.68	1.59
26	BB	1204	A	N3-C4	8.36	1.39	1.34
1	AA	1150	A	C4'-O4'	-8.35	1.34	1.45
2	AB	76	A	N7-C5	8.35	1.44	1.39
26	BB	973	A	N3-C4	8.35	1.39	1.34
26	BB	347	A	O3'-P	8.35	1.71	1.61
26	BB	1266	G	C2-N3	8.35	1.39	1.32
1	AA	974	A	C4'-C3'	8.35	1.62	1.53
1	AA	1084	G	C8-N7	-8.35	1.25	1.30
1	AA	1138	G	N3-C4	-8.35	1.29	1.35
1	AA	877	G	N9-C8	-8.35	1.32	1.37
26	BB	1233	C	N1-C6	8.35	1.42	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	399	U	C2-N3	8.34	1.43	1.37
26	BB	1761	C	N1-C6	8.34	1.42	1.37
26	BB	1770	G	C5'-C4'	8.34	1.61	1.51
1	AA	256	U	C2-N3	8.34	1.43	1.37
1	AA	541	G	P-O5'	8.34	1.68	1.59
26	BB	1283	G	C5-C6	8.34	1.50	1.42
26	BB	2897	U	C4-C5	8.34	1.51	1.43
26	BB	542	C	P-O5'	8.34	1.68	1.59
26	BB	200	U	P-O5'	8.34	1.68	1.59
1	AA	1206	G	C6-N1	8.33	1.45	1.39
4	AD	35	C	N1-C6	8.33	1.42	1.37
26	BB	33	C	N1-C6	-8.33	1.32	1.37
26	BB	2097	A	N9-C4	-8.33	1.32	1.37
26	BB	2426	A	C6-N6	-8.33	1.27	1.33
26	BB	2828	G	P-O5'	8.33	1.68	1.59
26	BB	1074	G	P-O5'	8.33	1.68	1.59
26	BB	2739	U	C2-N3	-8.33	1.31	1.37
1	AA	814	A	N1-C2	-8.32	1.26	1.34
1	AA	838	G	C6-O6	8.32	1.31	1.24
1	AA	1278	G	C4'-O4'	-8.32	1.34	1.45
26	BB	800	A	C6-N1	-8.32	1.29	1.35
26	BB	1211	C	C2'-C1'	8.32	1.62	1.53
1	AA	1474	U	C4-C5	8.32	1.51	1.43
25	BA	118	C	N1-C6	8.32	1.42	1.37
1	AA	459	A	C8-N7	-8.32	1.25	1.31
1	AA	1250	A	N9-C4	8.32	1.42	1.37
1	AA	1272	G	N1-C2	8.32	1.44	1.37
26	BB	44	A	P-O5'	8.32	1.68	1.59
26	BB	1388	G	N7-C5	8.32	1.44	1.39
26	BB	618	G	N1-C2	8.32	1.44	1.37
26	BB	1262	A	P-O5'	8.32	1.68	1.59
1	AA	251	G	N7-C5	8.32	1.44	1.39
1	AA	1472	U	P-O5'	8.32	1.68	1.59
26	BB	2574	G	C6-N1	-8.32	1.33	1.39
26	BB	354	A	N3-C4	8.32	1.39	1.34
26	BB	1072	C	O4'-C1'	8.32	1.52	1.41
26	BB	1721	G	N7-C5	8.32	1.44	1.39
4	AD	46	G	N7-C5	-8.31	1.34	1.39
26	BB	219	A	N3-C4	8.31	1.39	1.34
26	BB	2701	U	C2-N3	8.31	1.43	1.37
26	BB	250	G	N7-C5	8.31	1.44	1.39
1	AA	737	C	C5'-C4'	8.31	1.61	1.51

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	753	A	N1-C2	-8.31	1.26	1.34
1	AA	996	A	N7-C5	8.31	1.44	1.39
26	BB	159	G	N9-C8	8.31	1.43	1.37
4	AD	4	G	C2-N3	8.30	1.39	1.32
26	BB	497	A	C5'-C4'	8.30	1.61	1.51
26	BB	2741	A	C8-N7	-8.30	1.25	1.31
26	BB	2314	A	N3-C4	8.30	1.39	1.34
1	AA	1016	A	C6-N1	8.30	1.41	1.35
25	BA	10	G	C8-N7	-8.30	1.25	1.30
26	BB	681	G	N7-C5	-8.30	1.34	1.39
26	BB	1684	G	N9-C4	8.30	1.44	1.38
26	BB	1748	C	C2-N3	8.30	1.42	1.35
26	BB	2375	G	C8-N7	8.30	1.35	1.30
1	AA	816	A	O3'-P	8.29	1.71	1.61
1	AA	888	G	C2-N3	8.30	1.39	1.32
26	BB	2394	C	C2-O2	-8.30	1.17	1.24
25	BA	52	A	O3'-P	8.29	1.71	1.61
26	BB	260	G	N7-C5	8.29	1.44	1.39
26	BB	471	A	P-O5'	8.29	1.68	1.59
26	BB	616	A	C6-N1	8.29	1.41	1.35
26	BB	1859	U	C5'-C4'	8.29	1.61	1.51
1	AA	27	G	N7-C5	-8.29	1.34	1.39
25	BA	6	G	O3'-P	8.29	1.71	1.61
26	BB	35	G	C8-N7	8.29	1.35	1.30
26	BB	622	G	C5'-C4'	8.29	1.61	1.51
26	BB	1183	U	C4-O4	8.29	1.30	1.23
26	BB	2675	A	C5-C4	-8.29	1.32	1.38
26	BB	910	A	C4'-O4'	-8.28	1.34	1.45
1	AA	1243	C	C4-C5	8.28	1.49	1.43
26	BB	150	U	O3'-P	8.28	1.71	1.61
26	BB	2064	C	C2-O2	-8.28	1.17	1.24
26	BB	2618	G	C5'-C4'	8.28	1.61	1.51
26	BB	2679	A	N7-C5	-8.28	1.34	1.39
4	AD	51	U	C2-N3	8.28	1.43	1.37
26	BB	522	A	C5'-C4'	8.28	1.61	1.51
26	BB	1679	A	N3-C4	8.28	1.39	1.34
26	BB	1735	A	C5-C4	-8.28	1.32	1.38
26	BB	1085	A	C6-N6	8.27	1.40	1.33
26	BB	1302	A	N9-C4	-8.27	1.32	1.37
26	BB	1801	A	N3-C4	8.27	1.39	1.34
2	AB	52	A	N3-C4	8.27	1.39	1.34
26	BB	247	G	N7-C5	-8.27	1.34	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1212	G	C6-N1	8.27	1.45	1.39
26	BB	1274	A	P-O5'	8.27	1.68	1.59
26	BB	27	G	C8-N7	-8.27	1.25	1.30
26	BB	1133	A	N3-C4	8.27	1.39	1.34
26	BB	2132	U	C4-C5	8.27	1.50	1.43
1	AA	399	G	C2-N3	8.26	1.39	1.32
1	AA	1457	G	C6-N1	8.26	1.45	1.39
26	BB	1189	A	N9-C4	8.26	1.42	1.37
26	BB	1732	C	C5-C6	8.26	1.41	1.34
1	AA	1187	G	C2-N3	8.26	1.39	1.32
26	BB	1454	C	C5'-C4'	8.26	1.61	1.51
26	BB	2121	G	C2-N3	8.26	1.39	1.32
26	BB	2422	C	C2'-C1'	8.26	1.62	1.53
1	AA	905	U	N1-C2	8.26	1.46	1.38
26	BB	2169	A	C5-C6	8.26	1.48	1.41
1	AA	438	U	C2'-C1'	-8.26	1.44	1.53
26	BB	1165	A	N9-C4	8.26	1.42	1.37
26	BB	2334	U	C2-N3	8.26	1.43	1.37
26	BB	2453	A	P-O5'	8.26	1.68	1.59
26	BB	2532	G	C6-N1	8.26	1.45	1.39
26	BB	1610	A	N7-C5	8.26	1.44	1.39
1	AA	928	G	C5-C4	-8.25	1.32	1.38
2	AB	73	G	C4'-O4'	-8.25	1.34	1.45
26	BB	181	A	C6-N6	8.25	1.40	1.33
26	BB	2686	G	C2-N3	8.25	1.39	1.32
25	BA	30	C	O3'-P	8.25	1.71	1.61
26	BB	2486	C	O3'-P	8.25	1.71	1.61
1	AA	766	A	C5-C6	8.25	1.48	1.41
1	AA	1373	G	P-O5'	8.25	1.68	1.59
26	BB	597	G	P-O5'	8.25	1.68	1.59
26	BB	1893	C	C3'-C2'	-8.25	1.43	1.52
1	AA	148	G	N7-C5	-8.24	1.34	1.39
1	AA	852	G	C2-N3	8.24	1.39	1.32
25	BA	17	C	C2-N3	8.24	1.42	1.35
26	BB	52	A	N9-C8	-8.24	1.31	1.37
26	BB	885	C	P-O5'	8.24	1.68	1.59
26	BB	1772	A	C4'-C3'	8.24	1.62	1.53
26	BB	1136	G	N7-C5	-8.24	1.34	1.39
26	BB	2858	C	N3-C4	8.24	1.39	1.33
1	AA	928	G	N1-C2	8.24	1.44	1.37
1	AA	722	G	C5-C6	8.24	1.50	1.42
26	BB	244	A	N3-C4	8.24	1.39	1.34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1475	G	C5'-C4'	8.24	1.61	1.51
26	BB	1942	C	N3-C4	8.24	1.39	1.33
26	BB	2168	G	C2-N3	8.24	1.39	1.32
26	BB	844	A	C4'-O4'	-8.23	1.34	1.45
1	AA	546	A	N3-C4	8.23	1.39	1.34
1	AA	28	A	C8-N7	-8.23	1.25	1.31
26	BB	2297	A	N3-C4	8.23	1.39	1.34
26	BB	1271	G	P-O5'	8.23	1.68	1.59
1	AA	743	A	N7-C5	8.23	1.44	1.39
1	AA	1444	U	C4-O4	8.23	1.30	1.23
26	BB	2550	G	C5-C6	-8.23	1.34	1.42
26	BB	624	C	N3-C4	8.22	1.39	1.33
1	AA	759	A	C4'-O4'	-8.22	1.34	1.45
3	AC	57	C	N1-C6	8.22	1.42	1.37
26	BB	1660	G	N3-C4	8.22	1.41	1.35
26	BB	2032	G	N9-C8	8.22	1.43	1.37
1	AA	528	C	C2'-O2'	8.22	1.52	1.41
26	BB	2287	A	C6-N1	8.22	1.41	1.35
26	BB	2314	A	P-O5'	8.22	1.68	1.59
26	BB	2455	G	P-O5'	8.22	1.68	1.59
26	BB	2227	A	N3-C4	8.21	1.39	1.34
1	AA	81	A	N3-C4	8.21	1.39	1.34
1	AA	732	C	C4-N4	-8.21	1.26	1.33
1	AA	1517	G	C8-N7	8.21	1.35	1.30
26	BB	2079	U	C2-O2	8.21	1.29	1.22
1	AA	266	G	C6-N1	8.21	1.45	1.39
1	AA	639	G	P-O5'	8.21	1.68	1.59
1	AA	1334	G	N3-C4	8.21	1.41	1.35
1	AA	1	A	C8-N7	-8.20	1.25	1.31
1	AA	1019	A	N9-C4	-8.20	1.32	1.37
1	AA	75	G	N3-C4	8.20	1.41	1.35
1	AA	905	U	N3-C4	8.20	1.45	1.38
26	BB	400	G	P-O5'	8.20	1.68	1.59
1	AA	60	A	C6-N1	-8.20	1.29	1.35
1	AA	253	A	N7-C5	-8.20	1.34	1.39
1	AA	723	U	C4'-O4'	-8.20	1.34	1.45
1	AA	1194	U	C5'-C4'	8.20	1.61	1.51
1	AA	1067	A	C6-N1	8.19	1.41	1.35
26	BB	388	G	P-O5'	8.19	1.68	1.59
26	BB	654	A	N9-C4	8.19	1.42	1.37
26	BB	1387	A	N3-C4	8.19	1.39	1.34
26	BB	248	G	C2-N3	8.19	1.39	1.32

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1126	U	N1-C2	8.19	1.46	1.38
4	AD	77	A	N3-C4	8.19	1.39	1.34
26	BB	708	G	C8-N7	8.19	1.35	1.30
2	AB	56	C	P-O5'	8.18	1.68	1.59
26	BB	61	C	C3'-C2'	8.18	1.61	1.52
1	AA	487	A	C5-C4	-8.18	1.33	1.38
25	BA	2	G	C2-N3	8.18	1.39	1.32
26	BB	2792	A	N9-C4	8.18	1.42	1.37
1	AA	1238	A	N3-C4	8.18	1.39	1.34
26	BB	966	G	P-O5'	8.18	1.68	1.59
1	AA	163	C	N1-C6	8.18	1.42	1.37
1	AA	1423	G	N7-C5	-8.18	1.34	1.39
26	BB	452	G	N7-C5	-8.18	1.34	1.39
26	BB	2370	G	P-O5'	8.18	1.68	1.59
1	AA	821	G	C2-N3	8.17	1.39	1.32
1	AA	1367	C	C4-C5	8.17	1.49	1.43
26	BB	1527	G	N1-C2	8.17	1.44	1.37
26	BB	1889	A	N7-C5	8.17	1.44	1.39
26	BB	2264	C	C4-C5	8.17	1.49	1.43
26	BB	2526	G	N7-C5	8.17	1.44	1.39
1	AA	626	G	C5-C4	-8.17	1.32	1.38
1	AA	628	G	C6-N1	8.17	1.45	1.39
1	AA	706	A	C8-N7	-8.17	1.25	1.31
26	BB	2481	G	C8-N7	-8.17	1.26	1.30
26	BB	1711	A	N3-C4	8.17	1.39	1.34
26	BB	2532	G	C2-N3	8.17	1.39	1.32
26	BB	2736	A	P-O5'	8.17	1.68	1.59
1	AA	644	U	P-O5'	8.16	1.68	1.59
26	BB	1011	G	C8-N7	-8.16	1.26	1.30
26	BB	1589	U	C2-N3	8.16	1.43	1.37
1	AA	1111	A	N7-C5	8.16	1.44	1.39
26	BB	2322	A	C2-N3	8.16	1.40	1.33
26	BB	2340	A	N9-C4	8.16	1.42	1.37
26	BB	2071	A	N7-C5	-8.16	1.34	1.39
26	BB	2317	A	C5'-C4'	8.16	1.61	1.51
26	BB	725	G	P-O5'	8.16	1.68	1.59
1	AA	1497	G	N3-C4	8.15	1.41	1.35
26	BB	1045	C	N1-C6	8.15	1.42	1.37
26	BB	1740	G	P-O5'	8.15	1.68	1.59
26	BB	2466	C	C4-C5	8.15	1.49	1.43
1	AA	441	A	P-O5'	8.15	1.67	1.59
26	BB	514	A	N3-C4	8.15	1.39	1.34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1009	A	C4'-O4'	-8.15	1.34	1.45
26	BB	1957	C	N1-C6	8.15	1.42	1.37
26	BB	1719	G	N1-C2	8.14	1.44	1.37
26	BB	1956	U	N1-C6	8.14	1.45	1.38
26	BB	2776	A	N3-C4	8.14	1.39	1.34
1	AA	1431	A	P-O5'	8.14	1.67	1.59
1	AA	37	U	C4'-O4'	-8.14	1.34	1.45
25	BA	93	C	C5-C6	8.14	1.40	1.34
26	BB	845	A	N7-C5	8.14	1.44	1.39
26	BB	1249	U	C2'-C1'	8.14	1.62	1.53
26	BB	2184	A	C6-N1	-8.14	1.29	1.35
26	BB	2532	G	N7-C5	-8.14	1.34	1.39
26	BB	674	G	N3-C4	8.14	1.41	1.35
26	BB	1420	A	N3-C4	8.13	1.39	1.34
26	BB	1829	A	C5-C4	-8.14	1.33	1.38
1	AA	779	C	C5-C6	8.13	1.40	1.34
1	AA	979	C	C4'-O4'	-8.13	1.34	1.45
26	BB	381	G	C6-N1	8.12	1.45	1.39
26	BB	2427	C	C2-O2	-8.12	1.17	1.24
1	AA	858	G	C2-N3	8.12	1.39	1.32
26	BB	343	C	C2'-C1'	-8.12	1.44	1.53
26	BB	642	U	C2-N3	8.12	1.43	1.37
26	BB	1411	U	N1-C2	8.12	1.45	1.38
26	BB	1414	C	C2-N3	8.12	1.42	1.35
1	AA	1322	C	O3'-P	8.12	1.70	1.61
26	BB	1698	A	C5'-C4'	8.12	1.61	1.51
26	BB	2354	C	C2-N3	8.12	1.42	1.35
1	AA	1458	G	C6-N1	-8.12	1.33	1.39
1	AA	48	C	P-O5'	8.11	1.67	1.59
26	BB	429	A	C4'-O4'	-8.11	1.35	1.45
26	BB	1337	G	N7-C5	8.11	1.44	1.39
26	BB	1921	G	O4'-C1'	8.12	1.52	1.41
26	BB	2326	C	C4'-C3'	8.12	1.62	1.53
26	BB	2623	G	C3'-C2'	8.12	1.61	1.52
26	BB	231	A	C8-N7	-8.11	1.25	1.31
1	AA	995	C	C5-C6	8.11	1.40	1.34
25	BA	108	A	N7-C5	8.11	1.44	1.39
26	BB	1767	G	N7-C5	-8.11	1.34	1.39
1	AA	227	G	P-O5'	8.11	1.67	1.59
1	AA	767	A	N9-C8	-8.11	1.31	1.37
1	AA	1529	G	N7-C5	8.11	1.44	1.39
2	AB	10	G	N1-C2	8.11	1.44	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1162	G	N7-C5	-8.11	1.34	1.39
26	BB	783	A	C3'-C2'	-8.11	1.43	1.52
26	BB	190	A	N9-C8	-8.10	1.31	1.37
26	BB	1557	C	C5'-C4'	8.10	1.61	1.51
1	AA	415	A	P-O5'	8.10	1.67	1.59
1	AA	664	G	C2-N3	8.10	1.39	1.32
1	AA	688	G	C2-N3	8.10	1.39	1.32
1	AA	692	U	N1-C6	8.10	1.45	1.38
26	BB	1170	C	P-O5'	8.10	1.67	1.59
26	BB	2313	C	N1-C6	8.10	1.42	1.37
1	AA	4	U	O3'-P	8.10	1.70	1.61
2	AB	23	A	N9-C4	8.10	1.42	1.37
1	AA	860	A	P-O5'	8.10	1.67	1.59
1	AA	1142	G	N7-C5	8.10	1.44	1.39
26	BB	1523	U	C4'-O4'	-8.10	1.35	1.45
26	BB	1753	G	C6-N1	8.09	1.45	1.39
26	BB	2025	C	N3-C4	8.09	1.39	1.33
26	BB	2657	A	N9-C4	8.09	1.42	1.37
26	BB	2695	U	C4-C5	8.09	1.50	1.43
26	BB	212	G	C2-N3	8.09	1.39	1.32
26	BB	520	G	C6-N1	8.09	1.45	1.39
26	BB	668	A	C8-N7	-8.09	1.25	1.31
26	BB	1484	U	C2-N3	8.09	1.43	1.37
1	AA	142	G	C6-N1	8.09	1.45	1.39
1	AA	869	G	C8-N7	8.09	1.35	1.30
1	AA	263	A	C8-N7	-8.09	1.25	1.31
26	BB	405	U	C4-O4	-8.09	1.17	1.23
26	BB	1357	C	P-O5'	8.09	1.67	1.59
26	BB	2485	G	N1-C2	8.09	1.44	1.37
26	BB	2816	G	N3-C4	8.09	1.41	1.35
1	AA	56	U	N3-C4	8.08	1.45	1.38
1	AA	147	G	O3'-P	8.08	1.70	1.61
26	BB	1246	A	N3-C4	8.08	1.39	1.34
26	BB	2870	C	C4'-O4'	-8.08	1.35	1.45
1	AA	1181	G	C8-N7	-8.08	1.26	1.30
1	AA	1372	U	P-O5'	8.08	1.67	1.59
26	BB	2330	G	N7-C5	8.08	1.44	1.39
26	BB	158	U	C5'-C4'	8.08	1.61	1.51
1	AA	265	G	C2-N3	8.08	1.39	1.32
4	AD	46	G	P-O5'	8.08	1.67	1.59
26	BB	1797	G	N3-C4	8.08	1.41	1.35
1	AA	1230	C	N1-C6	-8.08	1.32	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2346	A	N1-C2	8.08	1.41	1.34
26	BB	448	U	C4'-O4'	-8.07	1.35	1.45
26	BB	882	G	C6-N1	8.07	1.45	1.39
1	AA	416	G	N3-C4	8.07	1.41	1.35
1	AA	666	G	N9-C4	-8.07	1.31	1.38
26	BB	822	G	C5'-C4'	8.07	1.61	1.51
26	BB	2696	U	C2-N3	8.07	1.43	1.37
1	AA	649	A	N7-C5	-8.07	1.34	1.39
26	BB	231	A	C6-N6	8.07	1.40	1.33
26	BB	1061	U	C4'-O4'	-8.07	1.35	1.45
1	AA	293	G	O3'-P	8.07	1.70	1.61
1	AA	1094	G	P-O5'	8.07	1.67	1.59
26	BB	328	U	C4'-O4'	-8.07	1.35	1.45
26	BB	1960	A	C8-N7	8.07	1.37	1.31
1	AA	90	C	N1-C6	-8.06	1.32	1.37
26	BB	1466	U	P-O5'	8.06	1.67	1.59
26	BB	2412	A	N3-C4	-8.06	1.30	1.34
1	AA	564	C	C2'-C1'	8.06	1.62	1.53
26	BB	777	G	P-O5'	8.06	1.67	1.59
26	BB	1425	G	N7-C5	-8.06	1.34	1.39
26	BB	2492	U	N1-C2	8.06	1.45	1.38
1	AA	67	C	N1-C6	8.06	1.42	1.37
1	AA	114	U	C5-C6	8.06	1.41	1.34
26	BB	792	A	N9-C4	8.06	1.42	1.37
1	AA	72	A	P-O5'	8.05	1.67	1.59
1	AA	173	U	C5'-C4'	8.05	1.61	1.51
26	BB	1285	A	C8-N7	-8.05	1.25	1.31
4	AD	28	U	P-O5'	8.05	1.67	1.59
1	AA	334	C	P-O5'	8.05	1.67	1.59
1	AA	1075	U	P-O5'	8.05	1.67	1.59
26	BB	251	A	N9-C4	-8.05	1.33	1.37
1	AA	1386	G	N7-C5	8.05	1.44	1.39
26	BB	2054	A	N9-C8	8.05	1.44	1.37
1	AA	184	G	N9-C8	8.05	1.43	1.37
4	AD	20	G	P-O5'	8.04	1.67	1.59
26	BB	2134	A	N3-C4	8.04	1.39	1.34
1	AA	894	G	C6-N1	8.04	1.45	1.39
1	AA	561	U	C2-N3	8.04	1.43	1.37
1	AA	563	A	C8-N7	-8.04	1.25	1.31
1	AA	952	U	C3'-C2'	8.04	1.61	1.52
26	BB	2709	G	N3-C4	8.04	1.41	1.35
1	AA	1329	A	C6-N1	8.04	1.41	1.35

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	802	A	N9-C4	-8.04	1.33	1.37
1	AA	200	G	P-O5'	8.04	1.67	1.59
26	BB	1275	A	N3-C4	8.04	1.39	1.34
26	BB	1742	U	N3-C4	-8.04	1.31	1.38
4	AD	43	G	P-O5'	8.04	1.67	1.59
1	AA	491	G	O3'-P	8.03	1.70	1.61
1	AA	714	G	N3-C4	8.03	1.41	1.35
1	AA	1145	A	P-O5'	8.03	1.67	1.59
26	BB	1528	A	P-O5'	8.03	1.67	1.59
26	BB	2821	A	N7-C5	-8.03	1.34	1.39
3	AC	37	G	P-O5'	8.03	1.67	1.59
1	AA	1401	G	N9-C4	8.03	1.44	1.38
26	BB	290	U	N1-C2	8.03	1.45	1.38
1	AA	970	C	N3-C4	8.03	1.39	1.33
26	BB	1137	G	P-O5'	8.03	1.67	1.59
1	AA	1087	G	C8-N7	8.02	1.35	1.30
26	BB	816	C	N1-C6	8.02	1.42	1.37
26	BB	1674	G	C8-N7	-8.02	1.26	1.30
26	BB	2560	A	N7-C5	-8.02	1.34	1.39
1	AA	207	C	C2-N3	8.02	1.42	1.35
1	AA	430	A	C8-N7	8.02	1.37	1.31
26	BB	2484	G	C2-N3	8.02	1.39	1.32
1	AA	457	G	N7-C5	-8.02	1.34	1.39
1	AA	487	A	N3-C4	8.02	1.39	1.34
26	BB	292	U	P-O5'	8.02	1.67	1.59
26	BB	463	G	C8-N7	-8.02	1.26	1.30
26	BB	952	G	C5'-C4'	8.02	1.60	1.51
26	BB	647	G	C5-C4	8.02	1.44	1.38
26	BB	2155	U	C4'-C3'	8.02	1.61	1.53
26	BB	2737	G	C2-N3	8.02	1.39	1.32
1	AA	682	G	C6-N1	8.02	1.45	1.39
1	AA	862	C	C4-C5	8.02	1.49	1.43
26	BB	564	C	N1-C6	8.02	1.42	1.37
26	BB	1475	G	N7-C5	8.02	1.44	1.39
1	AA	889	A	P-O5'	8.01	1.67	1.59
1	AA	1392	G	O3'-P	8.01	1.70	1.61
26	BB	1559	U	P-O5'	8.01	1.67	1.59
26	BB	2484	G	N7-C5	8.01	1.44	1.39
26	BB	2126	A	N7-C5	8.01	1.44	1.39
26	BB	2127	G	C2-N3	8.01	1.39	1.32
1	AA	1291	U	C5-C6	8.01	1.41	1.34
26	BB	2000	C	O3'-P	8.01	1.70	1.61

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2731	G	N9-C8	8.01	1.43	1.37
26	BB	2161	C	N1-C6	8.00	1.42	1.37
26	BB	2750	A	N7-C5	8.00	1.44	1.39
26	BB	1712	U	C4-C5	8.00	1.50	1.43
26	BB	67	U	C2-N3	8.00	1.43	1.37
26	BB	2040	G	C2-N3	8.00	1.39	1.32
26	BB	2716	C	P-O5'	8.00	1.67	1.59
1	AA	268	U	C2'-C1'	-8.00	1.44	1.53
26	BB	973	A	N7-C5	8.00	1.44	1.39
26	BB	2085	U	N3-C4	8.00	1.45	1.38
26	BB	2488	G	N7-C5	8.00	1.44	1.39
1	AA	758	C	P-O5'	7.99	1.67	1.59
3	AC	29	G	C2-N3	7.99	1.39	1.32
26	BB	1111	A	C4'-O4'	-7.99	1.35	1.45
26	BB	2429	G	N3-C4	7.99	1.41	1.35
1	AA	203	G	C6-O6	-7.99	1.17	1.24
1	AA	1335	U	C2-N3	7.99	1.43	1.37
1	AA	389	A	N7-C5	-7.99	1.34	1.39
1	AA	907	A	C5'-C4'	7.99	1.60	1.51
2	AB	49	G	O3'-P	7.99	1.70	1.61
3	AC	19	A	P-O5'	7.99	1.67	1.59
26	BB	1256	G	C2-N3	7.99	1.39	1.32
1	AA	1091	U	P-O5'	7.99	1.67	1.59
26	BB	1075	C	P-O5'	7.99	1.67	1.59
26	BB	1125	G	N9-C8	7.99	1.43	1.37
1	AA	895	G	N3-C4	7.99	1.41	1.35
26	BB	2	G	C5'-C4'	7.99	1.60	1.51
26	BB	593	U	C3'-C2'	-7.99	1.44	1.52
26	BB	2516	A	N9-C4	-7.99	1.33	1.37
26	BB	2694	G	C6-O6	-7.99	1.17	1.24
26	BB	1247	A	N9-C4	-7.98	1.33	1.37
26	BB	152	A	N3-C4	7.98	1.39	1.34
26	BB	249	C	C5-C6	7.98	1.40	1.34
26	BB	1866	A	N3-C4	7.98	1.39	1.34
26	BB	1993	U	C4'-O4'	-7.98	1.35	1.45
1	AA	1469	C	N1-C6	7.98	1.42	1.37
26	BB	330	A	O3'-P	7.98	1.70	1.61
26	BB	631	A	N9-C4	7.98	1.42	1.37
26	BB	768	G	P-O5'	7.98	1.67	1.59
26	BB	2371	G	N7-C5	7.98	1.44	1.39
1	AA	29	U	P-O5'	7.97	1.67	1.59
1	AA	524	G	N9-C8	7.97	1.43	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BA	115	A	N9-C8	-7.97	1.31	1.37
1	AA	258	G	O3'-P	7.97	1.70	1.61
26	BB	320	A	C6-N1	7.97	1.41	1.35
26	BB	1993	U	C2-O2	7.97	1.29	1.22
1	AA	688	G	N9-C8	-7.97	1.32	1.37
26	BB	1800	C	C4-C5	7.97	1.49	1.43
1	AA	1180	A	N3-C4	7.97	1.39	1.34
26	BB	384	A	C5-C4	-7.97	1.33	1.38
26	BB	808	G	P-O5'	7.97	1.67	1.59
26	BB	1511	G	N7-C5	7.97	1.44	1.39
26	BB	2295	C	C4'-O4'	-7.97	1.35	1.45
1	AA	392	C	C2'-C1'	7.96	1.62	1.53
26	BB	931	U	C2-N3	7.96	1.43	1.37
26	BB	1980	G	N7-C5	7.96	1.44	1.39
26	BB	913	U	N1-C2	7.96	1.45	1.38
1	AA	767	A	N3-C4	7.96	1.39	1.34
1	AA	840	C	C2'-C1'	7.96	1.62	1.53
1	AA	1454	G	N3-C4	7.96	1.41	1.35
25	BA	116	G	N7-C5	7.96	1.44	1.39
26	BB	2611	C	P-O5'	-7.96	1.51	1.59
1	AA	16	A	N3-C4	7.96	1.39	1.34
1	AA	781	A	N3-C4	7.96	1.39	1.34
3	AC	18	A	N3-C4	7.96	1.39	1.34
1	AA	304	U	C4'-O4'	-7.95	1.35	1.45
1	AA	1536	C	C4'-C3'	7.95	1.61	1.53
1	AA	465	A	N9-C8	7.95	1.44	1.37
26	BB	2394	C	N1-C6	7.95	1.42	1.37
26	BB	125	A	C8-N7	-7.95	1.25	1.31
26	BB	264	C	N3-C4	7.95	1.39	1.33
26	BB	570	G	C4'-C3'	-7.95	1.44	1.53
26	BB	653	U	C2-O2	7.95	1.29	1.22
26	BB	683	U	N1-C2	7.95	1.45	1.38
26	BB	703	U	C5-C6	7.95	1.41	1.34
26	BB	2324	U	C4-C5	7.95	1.50	1.43
26	BB	2458	G	N3-C4	7.95	1.41	1.35
26	BB	2568	U	N1-C2	7.95	1.45	1.38
26	BB	613	A	N3-C4	7.95	1.39	1.34
26	BB	64	A	N7-C5	-7.95	1.34	1.39
26	BB	107	G	C3'-C2'	7.95	1.61	1.52
26	BB	684	G	C8-N7	7.95	1.35	1.30
26	BB	2736	A	N7-C5	-7.95	1.34	1.39
26	BB	949	G	P-O5'	7.94	1.67	1.59

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1072	C	P-O5'	7.94	1.67	1.59
26	BB	1424	G	P-O5'	7.94	1.67	1.59
26	BB	2426	A	P-O5'	7.94	1.67	1.59
1	AA	1117	A	N9-C4	7.94	1.42	1.37
26	BB	910	A	N7-C5	7.94	1.44	1.39
26	BB	2031	A	N9-C4	7.94	1.42	1.37
26	BB	490	C	C4-C5	7.94	1.49	1.43
1	AA	1193	G	P-O5'	7.94	1.67	1.59
26	BB	635	C	C4'-O4'	-7.94	1.35	1.45
26	BB	2314	A	N9-C4	7.94	1.42	1.37
26	BB	2450	A	C6-N1	7.94	1.41	1.35
26	BB	139	U	N1-C6	7.93	1.45	1.38
26	BB	2235	G	N3-C4	7.93	1.41	1.35
1	AA	1057	G	C5-C6	7.93	1.50	1.42
26	BB	2648	G	N7-C5	-7.93	1.34	1.39
26	BB	2885	G	P-O5'	7.93	1.67	1.59
26	BB	220	G	N1-C2	7.93	1.44	1.37
26	BB	2692	G	C8-N7	-7.93	1.26	1.30
1	AA	399	G	N3-C4	7.93	1.41	1.35
1	AA	682	G	C5-C4	7.93	1.43	1.38
25	BA	71	C	C3'-C2'	7.93	1.61	1.52
26	BB	2141	G	O3'-P	7.93	1.70	1.61
26	BB	2365	G	C6-N1	-7.93	1.34	1.39
1	AA	208	U	C5'-C4'	7.92	1.60	1.51
26	BB	1878	G	N7-C5	-7.92	1.34	1.39
26	BB	2446	G	C2-N3	7.92	1.39	1.32
26	BB	2697	G	N9-C4	-7.92	1.31	1.38
26	BB	2015	A	N3-C4	7.92	1.39	1.34
25	BA	113	C	N3-C4	-7.92	1.28	1.33
26	BB	1938	A	P-O5'	7.92	1.67	1.59
2	AB	36	A	N7-C5	-7.92	1.34	1.39
26	BB	1417	C	C5-C6	7.92	1.40	1.34
26	BB	1562	U	N1-C2	7.92	1.45	1.38
1	AA	389	A	N9-C4	7.92	1.42	1.37
1	AA	597	G	C8-N7	7.92	1.35	1.30
26	BB	2899	A	N9-C8	-7.92	1.31	1.37
26	BB	1902	C	N3-C4	-7.92	1.28	1.33
26	BB	2004	G	N7-C5	-7.91	1.34	1.39
26	BB	2845	U	C4-C5	7.91	1.50	1.43
1	AA	677	U	C2-O2	7.91	1.29	1.22
1	AA	1362	A	P-O5'	7.91	1.67	1.59
1	AA	1432	G	N7-C5	-7.91	1.34	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1475	G	N9-C4	7.91	1.44	1.38
26	BB	2661	G	C2-N3	7.91	1.39	1.32
26	BB	1136	G	N3-C4	7.91	1.41	1.35
1	AA	1088	G	C2-N3	7.91	1.39	1.32
26	BB	2614	A	C4'-O4'	-7.91	1.35	1.45
1	AA	1428	A	P-O5'	7.90	1.67	1.59
26	BB	1410	G	N7-C5	7.90	1.44	1.39
1	AA	1285	A	N3-C4	7.90	1.39	1.34
1	AA	1340	A	C8-N7	-7.90	1.26	1.31
26	BB	811	U	C2-N3	7.90	1.43	1.37
26	BB	2075	U	C4'-O4'	-7.90	1.35	1.45
1	AA	463	U	C2-O2	7.90	1.29	1.22
1	AA	728	A	C5'-C4'	7.90	1.60	1.51
2	AB	75	C	N1-C6	7.90	1.41	1.37
26	BB	232	G	N3-C4	7.90	1.41	1.35
26	BB	1039	A	C8-N7	-7.90	1.26	1.31
26	BB	2072	C	C4-C5	7.90	1.49	1.43
26	BB	643	A	C4'-O4'	-7.90	1.35	1.45
26	BB	2168	G	O3'-P	7.90	1.70	1.61
1	AA	787	A	C4'-O4'	-7.89	1.35	1.45
26	BB	326	G	C6-N1	7.89	1.45	1.39
26	BB	1175	A	N3-C4	7.89	1.39	1.34
1	AA	940	C	O3'-P	7.89	1.70	1.61
26	BB	1995	U	C5-C6	7.89	1.41	1.34
26	BB	2607	G	N9-C8	7.89	1.43	1.37
26	BB	2658	C	P-O5'	7.89	1.67	1.59
26	BB	2824	C	P-O5'	7.89	1.67	1.59
1	AA	1176	A	P-O5'	7.89	1.67	1.59
26	BB	1681	G	P-O5'	7.89	1.67	1.59
26	BB	2300	C	P-O5'	7.89	1.67	1.59
1	AA	601	G	N7-C5	7.89	1.44	1.39
1	AA	1188	A	C3'-O3'	7.89	1.53	1.42
1	AA	153	C	C4-C5	7.89	1.49	1.43
1	AA	1349	A	N3-C4	7.89	1.39	1.34
1	AA	520	A	N3-C4	7.88	1.39	1.34
1	AA	671	G	C4'-C3'	7.88	1.61	1.53
1	AA	1126	U	C2-N3	7.88	1.43	1.37
2	AB	57	G	N7-C5	7.88	1.44	1.39
26	BB	2016	U	C2-N3	-7.88	1.32	1.37
1	AA	560	A	P-O5'	-7.88	1.51	1.59
26	BB	1568	G	C2-N3	7.88	1.39	1.32
26	BB	889	C	C5-C6	7.88	1.40	1.34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	168	G	N3-C4	-7.88	1.29	1.35
1	AA	792	A	N3-C4	7.88	1.39	1.34
26	BB	1004	U	C5'-C4'	7.88	1.60	1.51
26	BB	769	U	O4'-C1'	7.87	1.51	1.41
26	BB	2641	G	O3'-P	7.87	1.70	1.61
1	AA	315	A	P-O5'	7.87	1.67	1.59
26	BB	1628	G	C6-N1	7.87	1.45	1.39
26	BB	2373	G	N3-C4	7.87	1.41	1.35
2	AB	68	C	C3'-C2'	7.87	1.61	1.52
1	AA	303	A	C5'-C4'	7.87	1.60	1.51
3	AC	39	U	C2-O2	7.87	1.29	1.22
1	AA	1142	G	N1-C2	-7.87	1.31	1.37
3	AC	44	U	C2-N3	7.87	1.43	1.37
26	BB	1807	G	C2-N3	7.87	1.39	1.32
1	AA	898	G	O3'-P	-7.86	1.51	1.61
26	BB	565	C	O4'-C1'	7.86	1.51	1.41
26	BB	2587	A	C5'-C4'	7.86	1.60	1.51
1	AA	661	G	N9-C8	7.86	1.43	1.37
26	BB	93	G	C6-N1	7.86	1.45	1.39
26	BB	303	G	C5'-C4'	7.86	1.60	1.51
1	AA	562	U	C5'-C4'	7.86	1.60	1.51
1	AA	761	G	C6-N1	7.86	1.45	1.39
26	BB	1675	C	C5-C6	7.86	1.40	1.34
26	BB	1205	A	C5-C4	7.86	1.44	1.38
26	BB	1964	G	P-O5'	7.86	1.67	1.59
26	BB	1866	A	C5'-C4'	7.86	1.60	1.51
26	BB	2086	U	N1-C2	7.85	1.45	1.38
26	BB	1994	C	N1-C6	-7.85	1.32	1.37
1	AA	519	C	C5-C6	7.85	1.40	1.34
26	BB	431	U	N3-C4	7.85	1.45	1.38
26	BB	892	A	N9-C4	-7.85	1.33	1.37
26	BB	1309	G	C2-N3	7.85	1.39	1.32
1	AA	666	G	N7-C5	-7.84	1.34	1.39
1	AA	1146	A	N3-C4	7.84	1.39	1.34
1	AA	1379	G	C3'-C2'	7.84	1.61	1.52
26	BB	849	A	N3-C4	7.84	1.39	1.34
26	BB	1603	A	C3'-C2'	7.84	1.61	1.52
1	AA	405	U	C5'-C4'	7.84	1.60	1.51
1	AA	493	A	C8-N7	7.84	1.37	1.31
3	AC	49	U	P-O5'	7.84	1.67	1.59
26	BB	149	A	N7-C5	-7.84	1.34	1.39
3	AC	43	U	C3'-C2'	7.84	1.61	1.52

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1105	A	O3'-P	7.84	1.70	1.61
26	BB	1007	C	P-O5'	7.84	1.67	1.59
1	AA	202	G	N9-C8	-7.84	1.32	1.37
1	AA	329	A	P-O5'	7.84	1.67	1.59
1	AA	568	G	C5-C4	7.83	1.43	1.38
1	AA	1111	A	N3-C4	-7.83	1.30	1.34
26	BB	1164	C	N1-C6	7.83	1.41	1.37
26	BB	1185	G	C2'-C1'	7.83	1.61	1.53
26	BB	1583	A	N9-C8	-7.83	1.31	1.37
26	BB	1660	G	C5'-C4'	7.83	1.60	1.51
26	BB	2650	U	N1-C2	7.83	1.45	1.38
26	BB	1008	A	N3-C4	7.83	1.39	1.34
1	AA	1026	G	C2-N3	7.83	1.39	1.32
26	BB	1413	A	N3-C4	7.83	1.39	1.34
1	AA	72	A	N3-C4	7.83	1.39	1.34
1	AA	1019	A	N3-C4	7.83	1.39	1.34
2	AB	7	G	C4'-O4'	-7.83	1.35	1.45
26	BB	267	C	C4'-C3'	-7.83	1.44	1.53
26	BB	942	G	C2-N3	7.83	1.39	1.32
1	AA	254	G	C8-N7	7.83	1.35	1.30
1	AA	149	A	N9-C8	-7.83	1.31	1.37
2	AB	49	G	C8-N7	-7.83	1.26	1.30
1	AA	1405	G	N9-C8	7.82	1.43	1.37
2	AB	40	C	N1-C6	7.82	1.41	1.37
26	BB	1236	G	C2-N3	7.82	1.39	1.32
26	BB	1911	PSU	O3'-P	7.82	1.70	1.61
26	BB	288	U	C5'-C4'	7.82	1.60	1.51
1	AA	245	U	C4-C5	7.82	1.50	1.43
4	AD	6	G	C5-C6	7.82	1.50	1.42
26	BB	964	C	O3'-P	7.82	1.70	1.61
26	BB	1132	U	C5'-C4'	7.82	1.60	1.51
26	BB	1152	C	P-O5'	7.82	1.67	1.59
26	BB	829	A	N3-C4	7.82	1.39	1.34
26	BB	2867	G	N3-C4	7.82	1.41	1.35
1	AA	1155	A	N9-C4	7.81	1.42	1.37
1	AA	14	U	C4-C5	7.81	1.50	1.43
1	AA	1231	G	C4'-C3'	-7.81	1.44	1.53
26	BB	2356	U	O3'-P	7.81	1.70	1.61
3	AC	45	G	N9-C4	-7.81	1.31	1.38
26	BB	57	C	C5-C6	7.81	1.40	1.34
26	BB	1139	G	C6-N1	7.81	1.45	1.39
1	AA	1261	A	N3-C4	7.80	1.39	1.34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	AB	51	G	C2-N3	7.80	1.39	1.32
26	BB	1143	A	C6-N1	-7.80	1.30	1.35
26	BB	1690	A	N3-C4	7.80	1.39	1.34
26	BB	2384	U	C2-N3	7.80	1.43	1.37
1	AA	662	U	C5-C6	7.80	1.41	1.34
1	AA	210	C	N3-C4	7.80	1.39	1.33
26	BB	1167	C	N3-C4	7.80	1.39	1.33
1	AA	1385	G	N7-C5	7.80	1.44	1.39
26	BB	507	A	P-O5'	7.80	1.67	1.59
26	BB	1787	A	C8-N7	-7.80	1.26	1.31
26	BB	2714	G	C8-N7	7.80	1.35	1.30
26	BB	657	U	P-O5'	7.80	1.67	1.59
26	BB	287	G	C5-C4	7.80	1.43	1.38
26	BB	993	G	P-O5'	7.80	1.67	1.59
26	BB	1595	C	C2-N3	7.80	1.42	1.35
26	BB	1867	G	N1-C2	-7.80	1.31	1.37
26	BB	2784	U	C5-C6	7.80	1.41	1.34
26	BB	361	G	N7-C5	7.79	1.44	1.39
26	BB	394	C	N3-C4	7.79	1.39	1.33
26	BB	2281	A	N3-C4	7.79	1.39	1.34
1	AA	70	U	C5'-C4'	7.79	1.60	1.51
1	AA	438	U	C4'-O4'	-7.79	1.35	1.45
1	AA	866	C	O4'-C1'	7.79	1.51	1.41
26	BB	1552	A	N3-C4	7.79	1.39	1.34
26	BB	2202	U	O3'-P	-7.79	1.51	1.61
26	BB	1566	A	P-O5'	7.79	1.67	1.59
26	BB	1668	A	C6-N1	-7.79	1.30	1.35
1	AA	212	G	C5-C4	7.79	1.43	1.38
1	AA	31	G	N7-C5	-7.79	1.34	1.39
26	BB	801	G	N1-C2	7.79	1.44	1.37
26	BB	858	G	C5-C4	-7.79	1.32	1.38
26	BB	978	G	C5-C4	-7.79	1.32	1.38
26	BB	2188	U	C2-N3	7.79	1.43	1.37
3	AC	52	U	C2-O2	7.79	1.29	1.22
26	BB	2427	C	C5-C6	7.79	1.40	1.34
1	AA	622	A	C5-C6	7.79	1.48	1.41
1	AA	858	G	P-O5'	7.79	1.67	1.59
1	AA	1487	G	C2-N3	7.79	1.39	1.32
26	BB	670	A	O3'-P	7.79	1.70	1.61
1	AA	1000	A	N7-C5	-7.78	1.34	1.39
26	BB	171	U	N3-C4	7.78	1.45	1.38
26	BB	922	C	C4-C5	7.78	1.49	1.43

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1053	C	P-O5'	7.78	1.67	1.59
26	BB	2375	G	N7-C5	-7.78	1.34	1.39
1	AA	979	C	P-O5'	7.78	1.67	1.59
26	BB	2717	C	C5-C6	7.78	1.40	1.34
1	AA	218	U	N3-C4	-7.78	1.31	1.38
1	AA	778	G	C2-N3	7.78	1.39	1.32
26	BB	90	U	C4'-C3'	7.78	1.61	1.53
26	BB	677	A	N9-C4	7.78	1.42	1.37
26	BB	761	A	C5'-C4'	7.78	1.60	1.51
26	BB	2274	A	C6-N1	-7.78	1.30	1.35
1	AA	1019	A	O3'-P	7.78	1.70	1.61
26	BB	431	U	P-O5'	7.78	1.67	1.59
26	BB	340	A	C5-C4	7.78	1.44	1.38
26	BB	1383	A	C5-C6	7.78	1.48	1.41
26	BB	1910	G	N1-C2	7.78	1.44	1.37
26	BB	897	C	N1-C6	7.77	1.41	1.37
26	BB	1586	A	P-O5'	7.77	1.67	1.59
1	AA	78	A	C4'-C3'	-7.77	1.44	1.53
26	BB	2141	G	N7-C5	7.77	1.44	1.39
26	BB	833	A	P-O5'	7.77	1.67	1.59
26	BB	1448	G	C8-N7	-7.77	1.26	1.30
26	BB	953	G	C2-N3	7.77	1.39	1.32
26	BB	1814	G	N9-C4	-7.77	1.31	1.38
26	BB	1846	G	C2'-C1'	7.77	1.61	1.53
26	BB	2137	U	C2'-C1'	-7.77	1.44	1.53
26	BB	2716	C	C4-N4	7.77	1.41	1.33
1	AA	1288	A	O3'-P	7.77	1.70	1.61
26	BB	378	C	N1-C2	7.77	1.48	1.40
26	BB	774	G	N7-C5	7.77	1.44	1.39
1	AA	41	G	C2'-C1'	7.76	1.61	1.53
1	AA	133	U	N3-C4	7.76	1.45	1.38
1	AA	165	G	C6-N1	7.76	1.45	1.39
1	AA	1532	U	P-O5'	7.76	1.67	1.59
1	AA	394	G	C2-N3	7.76	1.39	1.32
26	BB	491	G	N9-C8	7.76	1.43	1.37
26	BB	1252	G	N3-C4	-7.76	1.30	1.35
1	AA	84	U	C2-N3	7.76	1.43	1.37
1	AA	620	C	P-O5'	7.76	1.67	1.59
26	BB	1133	A	P-O5'	7.76	1.67	1.59
26	BB	1396	U	C2-N3	7.76	1.43	1.37
26	BB	1782	U	C2-N3	7.76	1.43	1.37
1	AA	47	C	C2-O2	-7.76	1.17	1.24

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	585	G	N1-C2	7.76	1.44	1.37
1	AA	1311	A	N9-C4	7.76	1.42	1.37
3	AC	20	G	N9-C8	-7.76	1.32	1.37
26	BB	1369	G	P-O5'	7.76	1.67	1.59
26	BB	622	G	N9-C8	-7.76	1.32	1.37
26	BB	1165	A	C6-N1	-7.76	1.30	1.35
26	BB	2079	U	C4'-O4'	-7.76	1.35	1.45
26	BB	2772	C	C2-N3	7.76	1.42	1.35
1	AA	833	G	N7-C5	7.75	1.44	1.39
26	BB	2311	A	C5-C6	7.75	1.48	1.41
1	AA	78	A	C5-C6	-7.75	1.34	1.41
25	BA	17	C	C4'-O4'	-7.75	1.35	1.45
25	BA	6	G	N7-C5	-7.75	1.34	1.39
26	BB	698	C	C5-C6	7.75	1.40	1.34
26	BB	1807	G	N1-C2	7.75	1.44	1.37
1	AA	773	G	N9-C8	7.75	1.43	1.37
1	AA	809	G	C2-N3	7.75	1.39	1.32
1	AA	1365	G	P-O5'	-7.75	1.52	1.59
1	AA	1496	C	C2'-C1'	7.75	1.61	1.53
26	BB	1728	C	C4-C5	7.75	1.49	1.43
26	BB	1890	A	C6-N1	7.75	1.41	1.35
26	BB	2808	G	N7-C5	7.75	1.43	1.39
1	AA	1535	C	C5'-C4'	7.75	1.60	1.51
26	BB	1245	G	N1-C2	7.75	1.44	1.37
26	BB	2500	U	C5-C6	7.74	1.41	1.34
26	BB	626	A	C6-N1	7.74	1.41	1.35
26	BB	652	U	C4-C5	-7.74	1.36	1.43
26	BB	841	G	N1-C2	7.74	1.44	1.37
26	BB	1808	A	N9-C8	7.74	1.44	1.37
26	BB	1252	G	O4'-C1'	7.74	1.51	1.41
26	BB	2313	C	N3-C4	7.74	1.39	1.33
26	BB	547	A	N3-C4	7.74	1.39	1.34
26	BB	669	G	C6-N1	-7.74	1.34	1.39
26	BB	1101	U	C2-N3	7.74	1.43	1.37
26	BB	2398	U	C2-N3	7.74	1.43	1.37
26	BB	2511	U	N3-C4	7.74	1.45	1.38
26	BB	2654	A	C6-N6	-7.74	1.27	1.33
26	BB	1492	G	N9-C8	7.74	1.43	1.37
1	AA	1368	A	C8-N7	-7.74	1.26	1.31
1	AA	1427	C	N1-C6	7.74	1.41	1.37
26	BB	403	U	C4'-O4'	-7.74	1.35	1.45
26	BB	1192	G	C5-C4	7.74	1.43	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1537	G	C2-N3	7.74	1.39	1.32
26	BB	1729	U	N1-C2	7.73	1.45	1.38
1	AA	274	A	C8-N7	-7.73	1.26	1.31
26	BB	229	C	P-O5'	7.73	1.67	1.59
26	BB	682	G	N1-C2	-7.73	1.31	1.37
26	BB	1462	C	N1-C6	7.73	1.41	1.37
26	BB	2449	H2U	O3'-P	7.73	1.70	1.61
26	BB	2839	G	P-O5'	7.73	1.67	1.59
26	BB	2878	U	C2-N3	7.73	1.43	1.37
26	BB	1757	A	P-O5'	7.73	1.67	1.59
1	AA	6	G	C8-N7	-7.73	1.26	1.30
26	BB	1766	G	O3'-P	7.73	1.70	1.61
26	BB	2156	G	N9-C4	-7.73	1.31	1.38
25	BA	91	C	P-O5'	7.72	1.67	1.59
26	BB	2550	G	C4'-O4'	-7.72	1.35	1.45
1	AA	1234	C	P-O5'	7.72	1.67	1.59
26	BB	1384	A	N9-C8	7.72	1.44	1.37
26	BB	371	A	C6-N1	-7.72	1.30	1.35
26	BB	1309	G	N9-C8	-7.72	1.32	1.37
26	BB	652	U	O4'-C1'	7.72	1.51	1.41
26	BB	1359	A	N7-C5	-7.72	1.34	1.39
26	BB	2356	U	P-O5'	7.72	1.67	1.59
1	AA	775	G	N7-C5	7.72	1.43	1.39
2	AB	10	G	C5'-C4'	7.72	1.60	1.51
26	BB	1723	G	N9-C4	7.72	1.44	1.38
1	AA	226	G	C6-N1	7.72	1.45	1.39
1	AA	422	C	N1-C6	7.72	1.41	1.37
1	AA	415	A	N7-C5	7.71	1.43	1.39
1	AA	706	A	N3-C4	7.71	1.39	1.34
26	BB	105	C	C4-C5	7.71	1.49	1.43
26	BB	231	A	C5-C4	-7.71	1.33	1.38
26	BB	234	U	P-O5'	7.71	1.67	1.59
26	BB	1145	C	C5-C6	-7.71	1.28	1.34
26	BB	2147	A	N3-C4	7.71	1.39	1.34
1	AA	754	C	C4-C5	7.71	1.49	1.43
26	BB	2046	G	C2-N2	-7.71	1.26	1.34
25	BA	47	C	C5-C6	7.71	1.40	1.34
26	BB	974	G	C2-N3	7.71	1.39	1.32
26	BB	985	C	C4-C5	7.71	1.49	1.43
1	AA	16	A	P-O5'	7.71	1.67	1.59
26	BB	2387	U	C2-N3	7.71	1.43	1.37
26	BB	1051	G	C5-C4	7.71	1.43	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	128	C	N1-C6	7.70	1.41	1.37
26	BB	482	A	C8-N7	-7.70	1.26	1.31
1	AA	250	A	N3-C4	7.70	1.39	1.34
26	BB	383	C	N1-C2	7.70	1.47	1.40
1	AA	640	A	C2'-O2'	-7.70	1.31	1.41
1	AA	857	C	C5'-C4'	7.70	1.60	1.51
26	BB	215	G	P-O5'	7.70	1.67	1.59
26	BB	1055	G	C8-N7	-7.70	1.26	1.30
2	AB	63	C	N3-C4	7.70	1.39	1.33
1	AA	121	U	N3-C4	7.70	1.45	1.38
1	AA	629	A	C3'-C2'	-7.70	1.44	1.52
4	AD	68	C	N1-C6	7.70	1.41	1.37
26	BB	968	C	C2-N3	7.70	1.42	1.35
26	BB	1561	C	C2-N3	7.70	1.42	1.35
26	BB	2090	A	N9-C4	7.69	1.42	1.37
26	BB	2531	A	N3-C4	7.69	1.39	1.34
1	AA	365	U	C3'-C2'	7.69	1.61	1.52
1	AA	655	A	P-O5'	7.69	1.67	1.59
3	AC	43	U	C5'-C4'	7.69	1.60	1.51
26	BB	1159	U	C5'-C4'	7.69	1.60	1.51
26	BB	1705	A	N3-C4	7.69	1.39	1.34
1	AA	1288	A	C8-N7	-7.69	1.26	1.31
26	BB	2808	G	N9-C8	7.69	1.43	1.37
26	BB	1380	G	P-O5'	7.69	1.67	1.59
26	BB	1556	C	O3'-P	7.69	1.70	1.61
26	BB	1296	G	C4'-O4'	-7.68	1.35	1.45
2	AB	50	G	C2'-O2'	-7.68	1.31	1.41
26	BB	686	U	P-O5'	7.68	1.67	1.59
1	AA	15	G	C8-N7	7.68	1.35	1.30
1	AA	1287	A	N9-C4	7.68	1.42	1.37
1	AA	1310	G	C8-N7	-7.68	1.26	1.30
26	BB	1480	C	N1-C6	7.68	1.41	1.37
26	BB	2209	G	C6-O6	-7.68	1.17	1.24
1	AA	13	U	O3'-P	7.68	1.70	1.61
1	AA	69	G	N3-C4	7.68	1.40	1.35
26	BB	1664	A	N9-C8	7.68	1.43	1.37
26	BB	1083	U	C5'-C4'	7.68	1.60	1.51
26	BB	1613	G	C2-N3	7.68	1.38	1.32
1	AA	82	G	C3'-C2'	-7.67	1.44	1.52
1	AA	1127	G	N9-C8	-7.67	1.32	1.37
26	BB	1009	A	N3-C4	7.67	1.39	1.34
26	BB	1773	A	P-O5'	7.67	1.67	1.59

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2246	G	N9-C8	-7.67	1.32	1.37
26	BB	2270	A	C8-N7	-7.67	1.26	1.31
26	BB	2795	C	N3-C4	-7.67	1.28	1.33
26	BB	2117	A	C5-C4	-7.67	1.33	1.38
26	BB	176	A	C6-N6	7.67	1.40	1.33
26	BB	2510	C	N1-C6	7.67	1.41	1.37
1	AA	1127	G	C6-N1	7.67	1.45	1.39
26	BB	259	G	C2-N3	7.67	1.38	1.32
26	BB	2050	C	C2'-C1'	7.67	1.61	1.53
26	BB	2699	C	C5-C6	7.67	1.40	1.34
26	BB	2735	G	N7-C5	7.67	1.43	1.39
1	AA	1219	A	C8-N7	-7.67	1.26	1.31
1	AA	653	U	C2'-C1'	-7.66	1.45	1.53
25	BA	83	G	N1-C2	7.66	1.43	1.37
26	BB	396	G	N9-C4	7.66	1.44	1.38
1	AA	922	G	N7-C5	-7.66	1.34	1.39
26	BB	1968	G	N9-C4	7.66	1.44	1.38
1	AA	847	G	N9-C8	7.66	1.43	1.37
26	BB	2372	U	C2-N3	7.66	1.43	1.37
1	AA	1436	U	C2-N3	7.66	1.43	1.37
26	BB	71	A	C5-C6	7.66	1.48	1.41
26	BB	1056	G	C2-N3	7.66	1.38	1.32
26	BB	1070	A	N3-C4	7.66	1.39	1.34
26	BB	2317	A	C5-C4	-7.66	1.33	1.38
1	AA	814	A	C6-N6	7.66	1.40	1.33
25	BA	16	G	N7-C5	-7.66	1.34	1.39
25	BA	64	G	N3-C4	7.66	1.40	1.35
1	AA	845	A	N7-C5	-7.65	1.34	1.39
1	AA	1535	C	C4-C5	7.65	1.49	1.43
26	BB	79	C	C4-C5	7.65	1.49	1.43
26	BB	1928	A	C5'-C4'	7.65	1.60	1.51
26	BB	2707	U	N3-C4	7.65	1.45	1.38
1	AA	879	C	O4'-C1'	7.65	1.51	1.41
1	AA	1222	G	P-O5'	7.65	1.67	1.59
26	BB	39	G	C5-C6	7.65	1.50	1.42
26	BB	180	G	C5-C4	7.65	1.43	1.38
26	BB	1464	G	C5'-C4'	7.65	1.60	1.51
26	BB	2094	A	N9-C4	7.65	1.42	1.37
26	BB	1345	C	C4'-O4'	-7.65	1.35	1.45
26	BB	1887	C	C4-C5	7.65	1.49	1.43
26	BB	2114	A	N3-C4	7.65	1.39	1.34
26	BB	2225	A	N9-C4	7.65	1.42	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	851	G	C2'-C1'	-7.65	1.45	1.53
1	AA	1107	C	C2'-C1'	-7.65	1.45	1.53
26	BB	1567	G	C2-N3	7.65	1.38	1.32
1	AA	1305	G	N9-C8	7.64	1.43	1.37
26	BB	368	A	C8-N7	-7.64	1.26	1.31
26	BB	416	U	C4-O4	-7.64	1.17	1.23
26	BB	2553	G	O3'-P	-7.64	1.51	1.61
1	AA	1368	A	C4'-C3'	7.64	1.61	1.53
3	AC	20	G	N7-C5	-7.64	1.34	1.39
25	BA	57	A	P-O5'	7.64	1.67	1.59
26	BB	1381	G	C5'-C4'	7.64	1.60	1.51
26	BB	1918	A	N3-C4	7.64	1.39	1.34
26	BB	2573	C	C4-C5	7.64	1.49	1.43
1	AA	19	A	P-O5'	7.64	1.67	1.59
26	BB	1567	G	N9-C4	7.64	1.44	1.38
26	BB	1709	U	C4-C5	7.64	1.50	1.43
1	AA	936	C	C4-C5	7.64	1.49	1.43
4	AD	52	C	P-O5'	7.64	1.67	1.59
26	BB	706	A	N3-C4	7.64	1.39	1.34
26	BB	1940	U	C4'-O4'	-7.64	1.35	1.45
26	BB	1951	U	P-O5'	7.64	1.67	1.59
26	BB	2163	A	N3-C4	7.64	1.39	1.34
1	AA	1450	U	N3-C4	7.64	1.45	1.38
26	BB	1661	G	C6-N1	7.64	1.44	1.39
1	AA	387	U	C2-N3	-7.64	1.32	1.37
1	AA	538	G	C5'-C4'	7.64	1.60	1.51
1	AA	553	A	N3-C4	7.64	1.39	1.34
1	AA	596	A	N3-C4	7.64	1.39	1.34
1	AA	1539	C	P-O5'	7.64	1.67	1.59
25	BA	44	G	C5-C4	-7.64	1.33	1.38
1	AA	1530	G	C2-N3	7.63	1.38	1.32
26	BB	523	C	P-O5'	7.63	1.67	1.59
26	BB	1981	A	N9-C4	7.63	1.42	1.37
26	BB	195	A	O3'-P	7.63	1.70	1.61
26	BB	264	C	C2'-O2'	7.63	1.51	1.41
2	AB	15	A	N3-C4	7.63	1.39	1.34
26	BB	1341	G	O3'-P	7.63	1.70	1.61
26	BB	1605	C	C2-O2	-7.63	1.17	1.24
26	BB	1831	G	N3-C4	7.63	1.40	1.35
1	AA	1287	A	P-O5'	7.63	1.67	1.59
26	BB	658	U	O3'-P	7.63	1.70	1.61
26	BB	972	A	P-O5'	7.63	1.67	1.59

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1991	U	C5'-C4'	7.62	1.60	1.51
1	AA	130	A	C5-C4	-7.62	1.33	1.38
4	AD	29	C	C5-C6	7.62	1.40	1.34
26	BB	94	A	N3-C4	7.62	1.39	1.34
26	BB	1753	G	P-O5'	7.62	1.67	1.59
26	BB	1889	A	N3-C4	-7.62	1.30	1.34
1	AA	211	G	N9-C4	7.62	1.44	1.38
1	AA	434	U	N1-C2	7.62	1.45	1.38
26	BB	2414	G	P-O5'	7.62	1.67	1.59
2	AB	22	G	P-O5'	7.62	1.67	1.59
26	BB	217	A	C3'-C2'	7.62	1.61	1.52
26	BB	1718	G	C2-N3	7.62	1.38	1.32
1	AA	271	C	N1-C2	7.62	1.47	1.40
26	BB	663	G	C8-N7	7.62	1.35	1.30
1	AA	1124	G	P-O5'	7.62	1.67	1.59
26	BB	261	G	C2-N3	7.61	1.38	1.32
26	BB	873	C	P-O5'	7.61	1.67	1.59
26	BB	1631	G	C2-N3	7.61	1.38	1.32
1	AA	775	G	N3-C4	7.61	1.40	1.35
26	BB	1157	G	N3-C4	7.61	1.40	1.35
1	AA	51	A	C5-C6	7.61	1.47	1.41
1	AA	166	U	N1-C2	7.61	1.45	1.38
25	BA	32	U	N3-C4	7.61	1.45	1.38
26	BB	2855	C	P-O5'	7.61	1.67	1.59
25	BA	94	A	C6-N6	7.60	1.40	1.33
26	BB	18	U	N3-C4	7.60	1.45	1.38
26	BB	844	A	N3-C4	7.60	1.39	1.34
26	BB	1785	A	C8-N7	-7.60	1.26	1.31
26	BB	2648	G	C2-N3	7.60	1.38	1.32
26	BB	1621	U	C4-C5	7.60	1.50	1.43
26	BB	1776	G	N3-C4	7.60	1.40	1.35
26	BB	868	U	P-O5'	7.60	1.67	1.59
26	BB	994	C	P-O5'	7.60	1.67	1.59
26	BB	62	U	P-O5'	7.60	1.67	1.59
1	AA	41	G	O3'-P	7.59	1.70	1.61
1	AA	1282	C	P-O5'	7.59	1.67	1.59
2	AB	44	G	C5-C4	7.59	1.43	1.38
26	BB	1230	A	N9-C4	7.59	1.42	1.37
1	AA	419	C	C2-O2	7.59	1.31	1.24
1	AA	296	U	N1-C2	7.59	1.45	1.38
1	AA	1505	G	C2-N3	7.59	1.38	1.32
26	BB	1153	C	N3-C4	7.59	1.39	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	954	G	C2-N3	7.59	1.38	1.32
25	BA	83	G	C2-N3	7.59	1.38	1.32
26	BB	386	G	N7-C5	7.59	1.43	1.39
26	BB	1429	G	N1-C2	7.59	1.43	1.37
26	BB	2443	C	N1-C6	7.59	1.41	1.37
26	BB	552	U	C2'-C1'	7.58	1.61	1.53
26	BB	2814	A	N9-C4	7.58	1.42	1.37
1	AA	804	U	C2-N3	7.58	1.43	1.37
26	BB	219	A	O3'-P	-7.58	1.52	1.61
26	BB	2662	A	N9-C4	-7.58	1.33	1.37
2	AB	42	G	O3'-P	7.58	1.70	1.61
25	BA	4	C	N3-C4	7.58	1.39	1.33
1	AA	1114	C	C5-C6	7.58	1.40	1.34
26	BB	1663	G	C2'-C1'	7.58	1.61	1.53
1	AA	115	G	N7-C5	-7.58	1.34	1.39
26	BB	964	C	N1-C6	7.58	1.41	1.37
1	AA	379	C	C2-N3	7.57	1.41	1.35
26	BB	1397	U	N1-C2	7.57	1.45	1.38
26	BB	2139	U	P-O5'	7.57	1.67	1.59
1	AA	1428	A	O3'-P	7.57	1.70	1.61
26	BB	1284	A	C3'-C2'	7.57	1.61	1.52
26	BB	2512	C	C2-N3	7.57	1.41	1.35
1	AA	383	A	C6-N1	7.57	1.40	1.35
1	AA	491	G	N9-C8	7.57	1.43	1.37
1	AA	794	A	P-O5'	7.57	1.67	1.59
26	BB	1767	G	C6-N1	7.57	1.44	1.39
26	BB	1901	A	C6-N6	7.56	1.40	1.33
26	BB	208	C	C2-N3	7.56	1.41	1.35
1	AA	248	C	C4-N4	7.56	1.40	1.33
26	BB	1935	G	C2-N3	7.56	1.38	1.32
26	BB	2020	A	C6-N6	7.56	1.40	1.33
26	BB	2202	U	C4'-O4'	-7.56	1.35	1.45
1	AA	603	U	C2-N3	7.56	1.43	1.37
2	AB	48	U	N3-C4	7.56	1.45	1.38
26	BB	1705	A	C2'-C1'	-7.56	1.45	1.53
26	BB	2138	G	N9-C8	7.56	1.43	1.37
1	AA	489	C	C4'-O4'	-7.56	1.35	1.45
1	AA	720	C	N1-C6	7.56	1.41	1.37
26	BB	116	C	P-O5'	7.56	1.67	1.59
26	BB	1483	G	P-O5'	7.56	1.67	1.59
26	BB	1776	G	C5'-C4'	7.55	1.60	1.51
26	BB	1928	A	P-O5'	7.55	1.67	1.59

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1402	U	C2-N3	-7.55	1.32	1.37
26	BB	395	U	N1-C6	7.55	1.44	1.38
26	BB	423	A	P-O5'	7.55	1.67	1.59
26	BB	2500	U	C2-N3	7.55	1.43	1.37
25	BA	105	G	C8-N7	-7.55	1.26	1.30
26	BB	2056	G	C2-N3	7.55	1.38	1.32
26	BB	2740	A	O3'-P	-7.55	1.52	1.61
1	AA	308	C	C4-N4	7.55	1.40	1.33
1	AA	930	C	N1-C6	7.55	1.41	1.37
1	AA	1130	A	C5'-C4'	7.55	1.60	1.51
26	BB	181	A	P-O5'	7.55	1.67	1.59
1	AA	16	A	N9-C4	7.54	1.42	1.37
2	AB	24	G	P-O5'	7.54	1.67	1.59
26	BB	933	A	C6-N1	-7.54	1.30	1.35
26	BB	1588	G	C2-N3	7.54	1.38	1.32
26	BB	2013	A	C4'-C3'	7.54	1.61	1.53
1	AA	528	C	N3-C4	-7.54	1.28	1.33
26	BB	1482	G	P-O5'	7.54	1.67	1.59
26	BB	2123	G	C4'-O4'	-7.54	1.35	1.45
1	AA	854	U	C3'-O3'	7.54	1.52	1.42
26	BB	387	U	C4'-C3'	7.54	1.61	1.53
26	BB	464	U	N1-C2	7.54	1.45	1.38
26	BB	1282	U	C2-N3	7.54	1.43	1.37
26	BB	1305	C	N3-C4	7.54	1.39	1.33
26	BB	2020	A	N7-C5	7.54	1.43	1.39
26	BB	1192	G	C8-N7	7.54	1.35	1.30
26	BB	164	C	N3-C4	7.54	1.39	1.33
26	BB	534	U	C4'-O4'	-7.54	1.35	1.45
26	BB	189	G	C2-N3	7.53	1.38	1.32
26	BB	309	A	C8-N7	-7.53	1.26	1.31
26	BB	1593	A	N3-C4	7.53	1.39	1.34
26	BB	1669	A	N7-C5	-7.53	1.34	1.39
26	BB	906	U	C2-N3	-7.53	1.32	1.37
26	BB	1387	A	C5-C6	7.53	1.47	1.41
25	BA	15	A	C6-N6	7.53	1.40	1.33
26	BB	191	A	N3-C4	7.53	1.39	1.34
1	AA	113	G	N1-C2	7.53	1.43	1.37
25	BA	28	C	C2-N3	7.53	1.41	1.35
26	BB	651	G	N7-C5	7.53	1.43	1.39
26	BB	753	A	C6-N1	-7.53	1.30	1.35
26	BB	1076	C	P-O5'	7.53	1.67	1.59
26	BB	99	U	O3'-P	7.53	1.70	1.61

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	260	G	P-O5'	7.53	1.67	1.59
1	AA	104	G	P-O5'	7.52	1.67	1.59
26	BB	997	G	C3'-C2'	-7.52	1.44	1.52
26	BB	422	A	N9-C4	7.52	1.42	1.37
26	BB	2835	A	N7-C5	-7.52	1.34	1.39
26	BB	1885	A	N9-C4	-7.52	1.33	1.37
26	BB	2849	U	C4-C5	7.52	1.50	1.43
25	BA	106	G	N7-C5	7.52	1.43	1.39
25	BA	118	C	P-O5'	7.52	1.67	1.59
26	BB	784	G	N3-C4	7.52	1.40	1.35
26	BB	1080	A	C6-N1	7.52	1.40	1.35
26	BB	1095	A	C6-N1	7.52	1.40	1.35
25	BA	85	G	P-O5'	7.52	1.67	1.59
26	BB	2343	U	C4'-O4'	-7.52	1.35	1.45
9	AI	25	TYR	CE2-CZ	7.51	1.48	1.38
26	BB	40	U	C2-N3	7.51	1.43	1.37
26	BB	486	C	O3'-P	7.51	1.70	1.61
26	BB	2252	G	N7-C5	7.51	1.43	1.39
26	BB	2389	G	N9-C8	7.51	1.43	1.37
26	BB	1482	G	C2'-C1'	-7.51	1.45	1.53
1	AA	889	A	C3'-O3'	7.51	1.52	1.42
1	AA	1168	U	P-O5'	7.51	1.67	1.59
26	BB	850	U	C5'-C4'	7.51	1.60	1.51
26	BB	1166	G	C5'-C4'	7.51	1.60	1.51
26	BB	1872	A	N7-C5	-7.51	1.34	1.39
26	BB	2688	G	C6-N1	7.51	1.44	1.39
26	BB	2831	G	N7-C5	-7.51	1.34	1.39
26	BB	950	G	P-O5'	7.51	1.67	1.59
26	BB	1776	G	C2-N3	7.51	1.38	1.32
26	BB	445	C	P-O5'	7.51	1.67	1.59
26	BB	2359	C	C4-C5	7.51	1.49	1.43
1	AA	53	A	N9-C4	7.50	1.42	1.37
1	AA	1201	A	N3-C4	7.50	1.39	1.34
25	BA	77	U	P-O5'	7.50	1.67	1.59
26	BB	946	C	C4'-O4'	-7.50	1.35	1.45
1	AA	413	G	C5'-C4'	7.50	1.60	1.51
1	AA	783	C	N3-C4	7.50	1.39	1.33
1	AA	1264	U	N1-C2	7.50	1.45	1.38
26	BB	2646	C	P-O5'	7.50	1.67	1.59
1	AA	782	A	N9-C4	7.50	1.42	1.37
26	BB	70	G	C4'-O4'	-7.50	1.35	1.45
26	BB	150	U	N3-C4	7.50	1.45	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1022	A	N3-C4	7.50	1.39	1.34
1	AA	1302	C	N1-C6	7.50	1.41	1.37
26	BB	387	U	C2-N3	7.50	1.43	1.37
26	BB	482	A	C5'-C4'	7.50	1.60	1.51
26	BB	2853	C	C4-C5	7.50	1.49	1.43
1	AA	648	A	P-O5'	7.50	1.67	1.59
1	AA	1123	U	N1-C2	7.50	1.45	1.38
26	BB	2598	A	C5-C4	7.50	1.44	1.38
26	BB	642	U	N1-C2	7.50	1.45	1.38
26	BB	1528	A	N3-C4	7.50	1.39	1.34
1	AA	1403	C	N1-C6	7.49	1.41	1.37
2	AB	72	U	N1-C2	7.49	1.45	1.38
4	AD	26	C	C2-N3	7.49	1.41	1.35
26	BB	1260	A	C8-N7	-7.49	1.26	1.31
26	BB	1883	U	C4-O4	-7.49	1.17	1.23
1	AA	882	C	P-O5'	7.49	1.67	1.59
26	BB	282	A	N3-C4	7.49	1.39	1.34
26	BB	2269	G	N1-C2	7.49	1.43	1.37
1	AA	64	G	C2'-C1'	-7.49	1.45	1.53
1	AA	1177	G	N1-C2	7.49	1.43	1.37
26	BB	1416	G	N9-C8	-7.49	1.32	1.37
26	BB	2131	U	C4'-O4'	-7.49	1.35	1.45
1	AA	1374	A	N3-C4	7.49	1.39	1.34
26	BB	1263	U	C2-N3	7.49	1.43	1.37
26	BB	2050	C	C5'-C4'	7.49	1.60	1.51
26	BB	2900	A	N9-C4	7.49	1.42	1.37
1	AA	699	C	C2-N3	7.49	1.41	1.35
26	BB	370	G	C5-C4	7.49	1.43	1.38
26	BB	1359	A	P-O5'	7.49	1.67	1.59
1	AA	857	C	N3-C4	7.49	1.39	1.33
1	AA	858	G	N1-C2	-7.49	1.31	1.37
26	BB	1860	G	C4'-C3'	7.49	1.61	1.53
26	BB	763	G	O3'-P	7.48	1.70	1.61
26	BB	1933	G	C2-N3	7.48	1.38	1.32
26	BB	2722	G	N1-C2	7.48	1.43	1.37
1	AA	159	G	N3-C4	7.48	1.40	1.35
1	AA	789	U	C2-N3	7.48	1.43	1.37
1	AA	895	G	N9-C8	7.48	1.43	1.37
26	BB	751	A	N9-C4	-7.48	1.33	1.37
1	AA	399	G	C3'-C2'	7.48	1.61	1.52
1	AA	493	A	O3'-P	7.48	1.70	1.61
1	AA	703	G	C5-C6	7.48	1.49	1.42

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1734	G	C5'-C4'	7.48	1.60	1.51
26	BB	1884	G	C6-N1	7.48	1.44	1.39
26	BB	2871	U	C2-N3	7.48	1.43	1.37
3	AC	46	C	P-O5'	7.48	1.67	1.59
26	BB	2639	A	C5'-C4'	7.48	1.60	1.51
1	AA	156	C	C4-C5	7.48	1.49	1.43
26	BB	155	A	C5-C6	7.48	1.47	1.41
26	BB	382	A	P-O5'	7.48	1.67	1.59
26	BB	19	A	N3-C4	7.48	1.39	1.34
26	BB	1332	G	C6-N1	7.48	1.44	1.39
26	BB	2679	A	C2'-C1'	-7.48	1.45	1.53
1	AA	603	U	O4'-C1'	-7.47	1.31	1.41
1	AA	928	G	C2-N3	7.47	1.38	1.32
26	BB	943	A	C8-N7	-7.47	1.26	1.31
1	AA	675	A	N9-C8	7.47	1.43	1.37
1	AA	1389	C	P-O5'	7.47	1.67	1.59
26	BB	705	A	P-O5'	7.47	1.67	1.59
26	BB	2480	C	C2-N3	7.47	1.41	1.35
26	BB	2714	G	N3-C4	7.47	1.40	1.35
1	AA	373	A	P-O5'	7.47	1.67	1.59
3	AC	57	C	C4'-C3'	7.47	1.61	1.53
1	AA	1345	U	C4'-C3'	-7.47	1.45	1.53
4	AD	24	C	P-O5'	7.47	1.67	1.59
26	BB	2266	A	C6-N1	-7.47	1.30	1.35
26	BB	2647	U	N1-C2	7.47	1.45	1.38
1	AA	803	G	C2-N3	7.47	1.38	1.32
26	BB	2548	U	N1-C2	7.47	1.45	1.38
1	AA	1201	A	C6-N1	7.47	1.40	1.35
4	AD	71	G	C6-O6	-7.47	1.17	1.24
26	BB	1343	G	C4'-O4'	-7.47	1.35	1.45
26	BB	2226	C	O3'-P	7.47	1.70	1.61
1	AA	866	C	N1-C6	7.46	1.41	1.37
26	BB	562	U	C4-C5	7.46	1.50	1.43
26	BB	1845	G	C8-N7	7.46	1.35	1.30
1	AA	1422	G	C2-N3	7.46	1.38	1.32
26	BB	245	G	P-O5'	7.46	1.67	1.59
26	BB	1747	U	C2-N3	7.46	1.43	1.37
1	AA	521	G	N9-C4	-7.46	1.31	1.38
1	AA	1011	C	P-O5'	7.46	1.67	1.59
2	AB	62	U	P-O5'	7.46	1.67	1.59
26	BB	2023	C	C2-N3	7.46	1.41	1.35
26	BB	2508	G	N9-C4	7.46	1.44	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2767	C	C5-C6	7.46	1.40	1.34
26	BB	1586	A	N3-C4	7.46	1.39	1.34
1	AA	611	C	C4-C5	7.46	1.49	1.43
1	AA	676	A	N3-C4	7.46	1.39	1.34
26	BB	465	G	C8-N7	-7.46	1.26	1.30
1	AA	153	C	N1-C6	7.46	1.41	1.37
1	AA	1156	G	N7-C5	7.46	1.43	1.39
26	BB	280	U	O3'-P	7.46	1.70	1.61
26	BB	1120	G	N3-C4	7.46	1.40	1.35
1	AA	790	A	N9-C4	7.46	1.42	1.37
26	BB	587	C	C2-N3	-7.46	1.29	1.35
26	BB	2707	U	P-O5'	7.46	1.67	1.59
1	AA	86	G	N3-C4	7.45	1.40	1.35
26	BB	935	C	C4-C5	7.45	1.49	1.43
26	BB	1670	C	N1-C6	7.45	1.41	1.37
26	BB	2751	G	N7-C5	7.45	1.43	1.39
1	AA	473	U	C4-C5	7.45	1.50	1.43
1	AA	1249	C	C2-O2	-7.45	1.17	1.24
26	BB	52	A	P-O5'	-7.45	1.52	1.59
26	BB	2883	A	N9-C4	7.45	1.42	1.37
1	AA	518	C	C2'-C1'	7.45	1.61	1.53
4	AD	59	A	N9-C8	-7.45	1.31	1.37
1	AA	236	A	P-O5'	7.45	1.67	1.59
1	AA	718	A	C2-N3	-7.45	1.26	1.33
1	AA	1132	C	N1-C6	7.45	1.41	1.37
26	BB	1848	A	N3-C4	7.45	1.39	1.34
26	BB	1906	G	N3-C4	7.45	1.40	1.35
26	BB	2399	G	C2-N2	-7.45	1.27	1.34
26	BB	2640	G	C2-N3	7.45	1.38	1.32
26	BB	443	A	C5'-C4'	7.45	1.60	1.51
26	BB	1891	G	N3-C4	7.45	1.40	1.35
1	AA	538	G	C2-N3	7.45	1.38	1.32
1	AA	1016	A	N9-C4	7.45	1.42	1.37
26	BB	986	C	C5'-C4'	7.45	1.60	1.51
26	BB	2317	A	C8-N7	-7.44	1.26	1.31
1	AA	878	A	N3-C4	7.44	1.39	1.34
2	AB	12	U	C2-N3	7.44	1.43	1.37
26	BB	449	A	C8-N7	-7.44	1.26	1.31
26	BB	570	G	N9-C8	7.44	1.43	1.37
26	BB	672	C	C2-N3	-7.44	1.29	1.35
1	AA	668	G	N7-C5	-7.44	1.34	1.39
25	BA	12	C	C5-C6	7.44	1.40	1.34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	299	A	N7-C5	-7.44	1.34	1.39
26	BB	650	C	N3-C4	7.44	1.39	1.33
26	BB	1092	C	N1-C6	7.44	1.41	1.37
1	AA	212	G	C2-N3	7.44	1.38	1.32
26	BB	1362	C	C4-N4	7.44	1.40	1.33
26	BB	2276	G	C6-N1	7.44	1.44	1.39
26	BB	431	U	C2-N3	7.44	1.43	1.37
26	BB	1670	C	O3'-P	7.43	1.70	1.61
26	BB	1953	A	C8-N7	-7.43	1.26	1.31
26	BB	2383	G	O3'-P	7.43	1.70	1.61
26	BB	2771	C	N1-C6	7.43	1.41	1.37
26	BB	2801	G	C3'-C2'	7.43	1.61	1.52
1	AA	142	G	C5'-C4'	7.43	1.60	1.51
4	AD	11	A	N1-C2	7.43	1.41	1.34
26	BB	1430	G	C3'-C2'	7.43	1.61	1.52
25	BA	112	G	C6-N1	7.43	1.44	1.39
1	AA	759	A	C6-N6	7.43	1.39	1.33
1	AA	1187	G	N7-C5	7.43	1.43	1.39
4	AD	34	U	C2-N3	7.43	1.43	1.37
1	AA	897	C	C4-C5	7.43	1.48	1.43
2	AB	29	G	C5-C6	7.43	1.49	1.42
26	BB	569	U	N3-C4	7.43	1.45	1.38
26	BB	1827	U	C5'-C4'	7.43	1.60	1.51
26	BB	2637	U	C2-N3	7.43	1.43	1.37
1	AA	250	A	C4'-O4'	-7.42	1.35	1.45
2	AB	21	A	N7-C5	7.42	1.43	1.39
26	BB	1447	C	P-O5'	7.42	1.67	1.59
26	BB	1836	C	C2-N3	-7.42	1.29	1.35
1	AA	1136	C	C4-C5	7.42	1.48	1.43
26	BB	347	A	N9-C4	7.42	1.42	1.37
26	BB	1846	G	C5'-C4'	7.42	1.60	1.51
1	AA	933	G	N3-C4	7.42	1.40	1.35
1	AA	1330	U	N1-C6	7.42	1.44	1.38
26	BB	1016	G	N7-C5	-7.42	1.34	1.39
26	BB	1625	C	O3'-P	7.42	1.70	1.61
26	BB	2080	A	C2-N3	7.42	1.40	1.33
1	AA	137	U	C5'-C4'	7.42	1.60	1.51
1	AA	1041	G	N9-C8	-7.42	1.32	1.37
26	BB	2287	A	P-O5'	7.42	1.67	1.59
26	BB	2545	G	N1-C2	7.42	1.43	1.37
26	BB	544	C	N3-C4	7.42	1.39	1.33
1	AA	165	G	C5-C6	7.41	1.49	1.42

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	671	C	N1-C6	7.41	1.41	1.37
26	BB	757	G	C6-O6	-7.41	1.17	1.24
1	AA	645	G	N7-C5	7.41	1.43	1.39
1	AA	988	G	C8-N7	-7.41	1.26	1.30
1	AA	1134	G	C8-N7	-7.41	1.26	1.30
26	BB	709	U	C5-C6	7.41	1.40	1.34
1	AA	1244	G	C8-N7	7.41	1.35	1.30
1	AA	1494	G	C8-N7	-7.41	1.26	1.30
26	BB	142	A	N3-C4	7.41	1.39	1.34
26	BB	635	C	C5'-C4'	7.41	1.60	1.51
1	AA	762	U	P-O5'	7.41	1.67	1.59
25	BA	72	G	N9-C8	7.41	1.43	1.37
1	AA	224	U	C2-N3	7.41	1.43	1.37
1	AA	1287	A	C5'-C4'	7.41	1.60	1.51
26	BB	1218	G	C2-N3	7.41	1.38	1.32
26	BB	1792	G	P-O5'	7.41	1.67	1.59
1	AA	848	C	P-O5'	7.41	1.67	1.59
26	BB	2584	U	C4-C5	7.41	1.50	1.43
1	AA	656	G	C5'-C4'	7.40	1.60	1.51
26	BB	1821	A	C6-N1	-7.40	1.30	1.35
26	BB	2236	U	C5-C6	7.40	1.40	1.34
26	BB	348	A	N7-C5	7.40	1.43	1.39
26	BB	597	G	C6-N1	7.40	1.44	1.39
26	BB	841	G	O3'-P	7.40	1.70	1.61
26	BB	1801	A	C6-N1	-7.40	1.30	1.35
26	BB	1124	G	C8-N7	-7.40	1.26	1.30
26	BB	1410	G	C6-O6	-7.40	1.17	1.24
26	BB	2045	C	C5-C6	7.40	1.40	1.34
26	BB	2560	A	P-O5'	7.40	1.67	1.59
1	AA	293	G	C5-C4	-7.40	1.33	1.38
26	BB	2182	U	P-O5'	7.40	1.67	1.59
1	AA	364	A	C5-C6	7.40	1.47	1.41
3	AC	56	G	N7-C5	7.40	1.43	1.39
1	AA	369	G	N1-C2	7.39	1.43	1.37
1	AA	1247	U	C2'-C1'	7.39	1.61	1.53
1	AA	1429	A	C6-N6	7.39	1.39	1.33
26	BB	2484	G	N9-C8	7.39	1.43	1.37
1	AA	434	U	C2-O2	-7.39	1.15	1.22
1	AA	1002	G	C6-N1	7.39	1.44	1.39
1	AA	1435	G	C5-C6	7.39	1.49	1.42
26	BB	236	C	C4-N4	-7.39	1.27	1.33
26	BB	647	G	C6-O6	-7.39	1.17	1.24

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1137	G	C2-N3	7.39	1.38	1.32
26	BB	2657	A	N3-C4	7.39	1.39	1.34
26	BB	136	G	C6-N1	7.39	1.44	1.39
26	BB	567	U	N1-C2	7.39	1.45	1.38
1	AA	530	G	N3-C4	7.39	1.40	1.35
1	AA	1254	A	O3'-P	7.39	1.70	1.61
26	BB	1893	C	C2-N3	7.39	1.41	1.35
1	AA	1347	G	N1-C2	7.38	1.43	1.37
26	BB	922	C	O3'-P	-7.38	1.52	1.61
26	BB	971	G	C2-N3	7.38	1.38	1.32
26	BB	1124	G	C5-C6	7.38	1.49	1.42
26	BB	1585	C	C4-C5	7.38	1.48	1.43
26	BB	1654	A	P-O5'	7.38	1.67	1.59
1	AA	874	G	N7-C5	-7.38	1.34	1.39
1	AA	1086	U	N1-C2	7.38	1.45	1.38
26	BB	149	A	P-O5'	7.38	1.67	1.59
26	BB	704	G	P-O5'	7.38	1.67	1.59
1	AA	46	G	N7-C5	7.38	1.43	1.39
1	AA	800	G	C2-N3	7.38	1.38	1.32
26	BB	1262	A	C8-N7	7.38	1.36	1.31
26	BB	2508	G	N1-C2	-7.38	1.31	1.37
1	AA	1284	C	P-O5'	7.38	1.67	1.59
26	BB	1115	G	C5'-C4'	7.38	1.60	1.51
26	BB	1215	G	N3-C4	7.38	1.40	1.35
26	BB	1365	A	C8-N7	-7.38	1.26	1.31
26	BB	2651	C	C2-N3	-7.38	1.29	1.35
1	AA	48	C	C4-C5	7.38	1.48	1.43
26	BB	1920	C	N1-C6	7.38	1.41	1.37
26	BB	2266	A	C3'-C2'	7.38	1.61	1.52
1	AA	591	U	N1-C2	7.37	1.45	1.38
1	AA	727	G	C6-N1	7.37	1.44	1.39
26	BB	278	A	C6-N1	-7.37	1.30	1.35
3	AC	53	G	N3-C4	7.37	1.40	1.35
26	BB	22	C	P-O5'	7.37	1.67	1.59
26	BB	1252	G	N9-C8	-7.37	1.32	1.37
26	BB	2455	G	C2-N3	7.37	1.38	1.32
1	AA	1193	G	C8-N7	7.37	1.35	1.30
26	BB	171	U	C4-O4	7.37	1.29	1.23
26	BB	960	A	C5'-C4'	7.37	1.60	1.51
25	BA	60	C	C4-C5	7.37	1.48	1.43
1	AA	600	A	N3-C4	-7.37	1.30	1.34
4	AD	12	G	N3-C4	7.37	1.40	1.35

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	182	A	N9-C4	7.37	1.42	1.37
1	AA	1284	C	C4'-O4'	-7.37	1.35	1.45
1	AA	1312	G	O3'-P	7.37	1.70	1.61
26	BB	4	U	C5'-C4'	7.37	1.60	1.51
26	BB	464	U	C4-C5	7.37	1.50	1.43
26	BB	1850	G	C3'-C2'	7.37	1.61	1.52
26	BB	2664	G	N7-C5	7.37	1.43	1.39
1	AA	26	A	N7-C5	7.36	1.43	1.39
1	AA	85	U	P-O5'	7.36	1.67	1.59
1	AA	428	G	C8-N7	-7.36	1.26	1.30
1	AA	483	C	N3-C4	7.36	1.39	1.33
26	BB	2250	G	C2-N3	7.36	1.38	1.32
26	BB	2697	G	C6-N1	7.36	1.44	1.39
26	BB	1735	A	N3-C4	7.36	1.39	1.34
26	BB	2071	A	C6-N6	7.36	1.39	1.33
1	AA	1488	G	C8-N7	-7.36	1.26	1.30
26	BB	1124	G	N3-C4	7.36	1.40	1.35
26	BB	2139	U	C2-N3	7.36	1.43	1.37
26	BB	2108	A	P-O5'	7.36	1.67	1.59
26	BB	1923	U	C5'-C4'	7.36	1.60	1.51
26	BB	2177	C	P-O5'	7.36	1.67	1.59
26	BB	2821	A	N3-C4	-7.36	1.30	1.34
1	AA	639	G	N9-C8	7.36	1.43	1.37
1	AA	1195	C	P-O5'	7.36	1.67	1.59
1	AA	1345	U	N1-C2	7.36	1.45	1.38
1	AA	1467	C	P-O5'	7.36	1.67	1.59
26	BB	367	G	C6-N1	7.36	1.44	1.39
26	BB	1102	C	N3-C4	7.36	1.39	1.33
26	BB	1785	A	C4'-O4'	-7.36	1.35	1.45
26	BB	2344	U	C3'-C2'	7.36	1.61	1.52
1	AA	443	C	N3-C4	7.35	1.39	1.33
1	AA	1284	C	N1-C6	7.35	1.41	1.37
26	BB	1354	A	N3-C4	7.35	1.39	1.34
26	BB	978	G	C6-O6	-7.35	1.17	1.24
26	BB	1700	A	C6-N1	7.35	1.40	1.35
26	BB	2383	G	N7-C5	7.35	1.43	1.39
1	AA	53	A	C4'-O4'	-7.35	1.35	1.45
1	AA	456	A	C6-N1	7.35	1.40	1.35
26	BB	1066	U	P-O5'	7.35	1.67	1.59
26	BB	1705	A	N7-C5	7.35	1.43	1.39
26	BB	1473	G	C5'-C4'	7.35	1.60	1.51
26	BB	1556	C	C4'-O4'	-7.35	1.35	1.45

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1882	U	C2-O2	7.35	1.28	1.22
26	BB	2670	A	O3'-P	7.35	1.70	1.61
26	BB	2679	A	N3-C4	7.35	1.39	1.34
1	AA	214	C	C4-N4	7.35	1.40	1.33
1	AA	559	A	C4'-C3'	7.35	1.61	1.53
26	BB	2888	C	C5-C6	7.35	1.40	1.34
1	AA	153	C	C5'-C4'	7.34	1.60	1.51
1	AA	888	G	C5'-C4'	7.34	1.60	1.51
26	BB	62	U	C5'-C4'	7.34	1.60	1.51
26	BB	41	C	C3'-C2'	7.34	1.61	1.52
26	BB	224	U	N1-C2	7.34	1.45	1.38
1	AA	62	U	N1-C2	7.34	1.45	1.38
26	BB	1017	G	P-O5'	7.34	1.67	1.59
3	AC	47	C	N1-C2	7.34	1.47	1.40
26	BB	810	U	P-O5'	7.34	1.67	1.59
26	BB	2706	A	N3-C4	7.34	1.39	1.34
1	AA	267	C	C2'-O2'	7.34	1.51	1.41
7	AG	23	GLY	N-CA	7.34	1.57	1.46
26	BB	1208	C	P-O5'	7.34	1.67	1.59
26	BB	2893	A	O3'-P	7.34	1.70	1.61
26	BB	1843	C	C4'-O4'	-7.33	1.36	1.45
26	BB	1908	C	P-O5'	7.33	1.67	1.59
1	AA	205	A	N9-C4	7.33	1.42	1.37
26	BB	570	G	C8-N7	7.33	1.35	1.30
1	AA	330	C	P-O5'	7.33	1.67	1.59
26	BB	2369	A	C2-N3	-7.33	1.26	1.33
1	AA	608	A	C6-N1	-7.33	1.30	1.35
25	BA	96	G	C5-C6	7.33	1.49	1.42
26	BB	156	A	N9-C4	-7.33	1.33	1.37
26	BB	318	C	C2'-C1'	-7.33	1.45	1.53
26	BB	1679	A	O3'-P	7.33	1.70	1.61
26	BB	1903	G	N3-C4	7.33	1.40	1.35
26	BB	2315	G	O3'-P	7.33	1.70	1.61
1	AA	470	C	C2-N3	7.33	1.41	1.35
1	AA	427	U	C2-O2	7.33	1.28	1.22
1	AA	630	A	N3-C4	7.33	1.39	1.34
26	BB	1053	C	N3-C4	-7.33	1.28	1.33
26	BB	1073	A	C5-C4	-7.33	1.33	1.38
26	BB	1785	A	N9-C4	7.33	1.42	1.37
1	AA	610	U	O3'-P	7.32	1.70	1.61
26	BB	228	C	C5-C6	7.32	1.40	1.34
26	BB	781	A	N3-C4	7.32	1.39	1.34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1387	A	N9-C8	7.32	1.43	1.37
1	AA	1266	G	C2-N3	7.32	1.38	1.32
26	BB	69	C	N3-C4	7.32	1.39	1.33
26	BB	2895	G	C8-N7	-7.32	1.26	1.30
1	AA	318	G	O3'-P	7.32	1.70	1.61
26	BB	1019	U	C5'-C4'	7.32	1.60	1.51
26	BB	1763	G	N7-C5	-7.32	1.34	1.39
26	BB	2819	G	C2-N3	7.32	1.38	1.32
26	BB	37	C	C2-N3	7.32	1.41	1.35
1	AA	671	G	C8-N7	7.32	1.35	1.30
1	AA	957	U	C2-O2	7.32	1.28	1.22
26	BB	1654	A	N9-C8	7.32	1.43	1.37
26	BB	1723	G	O3'-P	7.32	1.70	1.61
1	AA	877	G	N7-C5	-7.32	1.34	1.39
1	AA	1344	C	C2-N3	7.32	1.41	1.35
26	BB	2062	A	C4'-C3'	7.32	1.61	1.53
26	BB	2477	U	C2-N3	7.32	1.42	1.37
1	AA	1048	G	N1-C2	7.31	1.43	1.37
1	AA	1497	G	P-O5'	7.31	1.67	1.59
1	AA	1509	C	O3'-P	7.31	1.70	1.61
26	BB	944	C	C4-C5	7.31	1.48	1.43
26	BB	1969	A	N3-C4	7.31	1.39	1.34
1	AA	707	U	C2-N3	7.31	1.42	1.37
26	BB	22	C	C5-C6	7.31	1.40	1.34
1	AA	788	U	C4'-C3'	7.31	1.61	1.53
3	AC	30	U	C4'-O4'	-7.31	1.36	1.45
26	BB	606	U	C4-C5	7.31	1.50	1.43
1	AA	1074	G	C2-N3	7.31	1.38	1.32
26	BB	1749	A	C6-N1	7.31	1.40	1.35
26	BB	1810	A	N7-C5	-7.31	1.34	1.39
26	BB	344	A	N7-C5	-7.31	1.34	1.39
26	BB	459	U	N3-C4	-7.31	1.31	1.38
26	BB	588	U	C2-N3	7.31	1.42	1.37
26	BB	2584	U	C5'-C4'	7.31	1.60	1.51
1	AA	394	G	P-O5'	7.30	1.67	1.59
26	BB	5	A	C5-C6	7.30	1.47	1.41
26	BB	2176	A	N7-C5	7.30	1.43	1.39
25	BA	106	G	P-O5'	7.30	1.67	1.59
1	AA	231	U	C2-O2	7.30	1.28	1.22
1	AA	556	C	N1-C6	-7.30	1.32	1.37
1	AA	1165	U	C5-C6	7.30	1.40	1.34
26	BB	1770	G	N9-C4	7.30	1.43	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2096	C	N3-C4	7.30	1.39	1.33
1	AA	25	C	N1-C6	7.30	1.41	1.37
1	AA	229	U	N3-C4	7.30	1.45	1.38
1	AA	327	A	N7-C5	-7.30	1.34	1.39
3	AC	44	U	C5-C6	7.30	1.40	1.34
26	BB	735	A	C2'-C1'	7.30	1.61	1.53
2	AB	72	U	C4'-O4'	-7.30	1.36	1.45
26	BB	421	C	C2-O2	7.30	1.31	1.24
1	AA	211	G	P-O5'	7.30	1.67	1.59
1	AA	1496	C	N1-C6	7.30	1.41	1.37
26	BB	248	G	N7-C5	7.30	1.43	1.39
26	BB	628	G	O4'-C1'	7.30	1.51	1.41
26	BB	1167	C	C2'-C1'	7.30	1.61	1.53
1	AA	987	G	C8-N7	-7.29	1.26	1.30
26	BB	405	U	N3-C4	7.29	1.45	1.38
26	BB	2409	G	P-O5'	7.29	1.67	1.59
26	BB	2826	A	C5'-C4'	7.29	1.60	1.51
25	BA	7	G	C6-N1	7.29	1.44	1.39
26	BB	868	U	C2-N3	7.29	1.42	1.37
26	BB	2267	A	C5-C4	-7.29	1.33	1.38
1	AA	299	G	C2-N3	7.29	1.38	1.32
25	BA	88	C	C5-C6	7.29	1.40	1.34
26	BB	2238	G	C5-C4	7.29	1.43	1.38
26	BB	2824	C	C2-O2	-7.29	1.17	1.24
1	AA	684	U	C5-C6	7.29	1.40	1.34
26	BB	136	G	P-O5'	7.29	1.67	1.59
26	BB	1283	G	C8-N7	-7.29	1.26	1.30
26	BB	2441	U	P-O5'	7.29	1.67	1.59
26	BB	2752	C	C5-C6	7.29	1.40	1.34
1	AA	1522	U	C2-N3	7.29	1.42	1.37
26	BB	252	G	P-O5'	7.29	1.67	1.59
26	BB	664	G	O3'-P	7.29	1.69	1.61
26	BB	2732	G	C2'-C1'	-7.29	1.45	1.53
1	AA	875	U	N1-C6	-7.28	1.31	1.38
26	BB	1865	U	C2-O2	7.28	1.28	1.22
26	BB	2418	A	N3-C4	7.28	1.39	1.34
1	AA	181	A	C4'-O4'	-7.28	1.36	1.45
1	AA	1059	C	C4'-O4'	-7.28	1.36	1.45
26	BB	235	U	C4'-O4'	-7.28	1.36	1.45
1	AA	1222	G	N3-C4	7.28	1.40	1.35
4	AD	9	G	P-O5'	7.28	1.67	1.59
26	BB	35	G	P-O5'	7.28	1.67	1.59

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	143	A	C5-C4	-7.28	1.33	1.38
1	AA	1241	G	N1-C2	7.28	1.43	1.37
26	BB	2560	A	C6-N6	7.28	1.39	1.33
26	BB	379	G	C4'-O4'	-7.28	1.36	1.45
26	BB	1186	G	O3'-P	7.28	1.69	1.61
26	BB	147	C	C4-N4	7.27	1.40	1.33
26	BB	1658	C	P-O5'	7.27	1.67	1.59
26	BB	1903	G	N9-C4	7.27	1.43	1.38
1	AA	520	A	N7-C5	7.27	1.43	1.39
26	BB	1716	U	C2-N3	7.27	1.42	1.37
1	AA	1067	A	C5-C4	7.27	1.43	1.38
25	BA	75	G	N9-C4	7.27	1.43	1.38
1	AA	259	G	C5-C6	7.27	1.49	1.42
1	AA	561	U	C3'-C2'	7.27	1.60	1.52
26	BB	1514	G	C2'-C1'	-7.27	1.45	1.53
26	BB	407	G	C3'-C2'	7.27	1.60	1.52
1	AA	64	G	C3'-O3'	-7.26	1.31	1.42
2	AB	76	A	P-O5'	7.26	1.67	1.59
26	BB	2130	U	C2-N3	7.26	1.42	1.37
26	BB	2161	C	C4-C5	-7.26	1.37	1.43
26	BB	2391	G	C6-O6	-7.26	1.17	1.24
1	AA	182	A	N3-C4	7.26	1.39	1.34
1	AA	757	U	C2-O2	7.26	1.28	1.22
26	BB	250	G	N3-C4	7.26	1.40	1.35
26	BB	2298	A	C5-C4	-7.26	1.33	1.38
1	AA	117	G	P-O5'	7.26	1.67	1.59
1	AA	135	C	O5'-C5'	-7.26	1.31	1.42
1	AA	715	A	C6-N1	-7.26	1.30	1.35
26	BB	2320	U	C2'-O2'	7.26	1.51	1.41
26	BB	120	U	C5'-C4'	7.26	1.60	1.51
26	BB	160	A	O4'-C1'	7.26	1.51	1.41
26	BB	177	G	N9-C8	-7.26	1.32	1.37
26	BB	253	C	C2-N3	7.26	1.41	1.35
26	BB	701	G	P-O5'	7.26	1.67	1.59
26	BB	1713	A	P-O5'	7.26	1.67	1.59
1	AA	740	U	C4-C5	7.26	1.50	1.43
26	BB	61	C	P-O5'	7.26	1.67	1.59
26	BB	1098	A	N7-C5	-7.26	1.34	1.39
26	BB	2771	C	C4'-O4'	-7.26	1.36	1.45
26	BB	439	A	P-O5'	7.26	1.67	1.59
26	BB	819	A	C3'-C2'	-7.26	1.44	1.52
26	BB	1948	G	N7-C5	-7.26	1.34	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2454	G	N7-C5	-7.26	1.34	1.39
26	BB	2640	G	N3-C4	7.26	1.40	1.35
1	AA	1370	G	N7-C5	-7.25	1.34	1.39
25	BA	9	G	C2-N3	7.25	1.38	1.32
26	BB	564	C	C5-C6	7.25	1.40	1.34
1	AA	38	G	N1-C2	7.25	1.43	1.37
26	BB	133	U	C2-N3	7.25	1.42	1.37
26	BB	1054	A	N7-C5	7.25	1.43	1.39
26	BB	1277	G	P-O5'	-7.25	1.52	1.59
1	AA	478	A	C2'-C1'	-7.25	1.45	1.53
1	AA	1530	G	N3-C4	7.25	1.40	1.35
26	BB	1832	C	C4-C5	7.25	1.48	1.43
26	BB	2847	U	C3'-C2'	-7.25	1.44	1.52
1	AA	377	G	N3-C4	7.25	1.40	1.35
1	AA	573	A	N3-C4	7.25	1.39	1.34
1	AA	1037	C	N3-C4	-7.25	1.28	1.33
26	BB	2584	U	P-O5'	7.25	1.67	1.59
1	AA	406	G	C4'-O4'	-7.25	1.36	1.45
26	BB	403	U	O3'-P	7.25	1.69	1.61
26	BB	2641	G	C8-N7	-7.25	1.26	1.30
1	AA	1134	G	N7-C5	-7.25	1.34	1.39
26	BB	2483	C	N1-C6	7.25	1.41	1.37
2	AB	35	C	N1-C6	-7.25	1.32	1.37
26	BB	1201	U	O4'-C1'	7.25	1.51	1.41
26	BB	2732	G	C6-N1	7.25	1.44	1.39
25	BA	101	A	C5-C6	7.24	1.47	1.41
26	BB	859	G	N3-C4	7.24	1.40	1.35
26	BB	2308	G	C4'-O4'	-7.24	1.36	1.45
26	BB	2352	A	P-O5'	7.24	1.67	1.59
26	BB	2719	G	P-O5'	7.24	1.67	1.59
1	AA	526	C	C2-N3	7.24	1.41	1.35
1	AA	552	U	C2-N3	7.24	1.42	1.37
1	AA	851	G	N3-C4	7.24	1.40	1.35
26	BB	96	C	C2'-C1'	7.24	1.61	1.53
26	BB	2561	U	C5-C6	7.24	1.40	1.34
26	BB	2778	A	P-O5'	7.24	1.67	1.59
26	BB	2801	G	C8-N7	-7.24	1.26	1.30
1	AA	253	A	N3-C4	7.24	1.39	1.34
1	AA	427	U	C2-N3	7.24	1.42	1.37
1	AA	1542	A	N3-C4	7.24	1.39	1.34
1	AA	1175	G	C5-C4	-7.24	1.33	1.38
25	BA	14	U	C2-N3	7.24	1.42	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1034	G	C2-N3	7.24	1.38	1.32
25	BA	112	G	N7-C5	-7.24	1.34	1.39
26	BB	1596	A	P-O5'	7.24	1.67	1.59
26	BB	2245	U	O3'-P	7.24	1.69	1.61
26	BB	2361	G	C8-N7	7.24	1.35	1.30
26	BB	1360	G	N9-C8	7.23	1.43	1.37
1	AA	1504	G	C6-O6	-7.23	1.17	1.24
1	AA	1468	A	C6-N1	7.23	1.40	1.35
26	BB	346	A	N7-C5	-7.23	1.34	1.39
26	BB	839	U	C4-O4	-7.23	1.17	1.23
26	BB	1240	U	C2-N3	7.23	1.42	1.37
26	BB	1537	G	P-O5'	7.23	1.67	1.59
26	BB	1811	G	N7-C5	7.23	1.43	1.39
4	AD	65	G	C8-N7	-7.23	1.26	1.30
26	BB	577	G	C8-N7	-7.23	1.26	1.30
26	BB	2162	G	P-O5'	7.23	1.67	1.59
1	AA	1339	A	C6-N6	7.23	1.39	1.33
4	AD	5	G	N9-C4	7.23	1.43	1.38
26	BB	1682	G	C8-N7	-7.23	1.26	1.30
26	BB	1755	A	C5-C4	-7.23	1.33	1.38
26	BB	2360	G	O3'-P	7.23	1.69	1.61
26	BB	78	U	C2-N3	7.22	1.42	1.37
26	BB	121	G	N3-C4	7.22	1.40	1.35
26	BB	342	A	N9-C8	7.22	1.43	1.37
26	BB	837	C	C5'-C4'	7.22	1.60	1.51
26	BB	1477	A	O3'-P	7.22	1.69	1.61
26	BB	1895	C	C2-N3	7.22	1.41	1.35
1	AA	22	G	N7-C5	-7.22	1.34	1.39
1	AA	1499	A	C5-C6	-7.22	1.34	1.41
26	BB	842	U	P-O5'	7.22	1.67	1.59
26	BB	1785	A	N3-C4	7.22	1.39	1.34
26	BB	2260	C	C2-O2	-7.22	1.18	1.24
1	AA	721	G	C8-N7	7.22	1.35	1.30
1	AA	1401	G	N9-C8	7.22	1.43	1.37
26	BB	1052	C	N1-C6	7.22	1.41	1.37
26	BB	2040	G	N9-C8	-7.22	1.32	1.37
26	BB	2335	A	C6-N6	7.22	1.39	1.33
25	BA	39	A	N3-C4	7.22	1.39	1.34
26	BB	297	G	O3'-P	7.22	1.69	1.61
26	BB	2104	C	C4'-O4'	-7.22	1.36	1.45
2	AB	19	G	N9-C8	7.22	1.43	1.37
26	BB	204	A	C2-N3	-7.22	1.27	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	688	U	N3-C4	7.22	1.45	1.38
26	BB	2007	U	C4'-O4'	-7.22	1.36	1.45
1	AA	348	G	N3-C4	-7.22	1.30	1.35
1	AA	1299	A	P-O5'	7.22	1.67	1.59
26	BB	230	G	N9-C8	7.22	1.43	1.37
26	BB	2517	C	N1-C6	-7.22	1.32	1.37
26	BB	2688	G	P-O5'	7.22	1.67	1.59
26	BB	2761	A	C8-N7	7.22	1.36	1.31
26	BB	911	A	C8-N7	-7.21	1.26	1.31
26	BB	2093	G	N9-C4	7.21	1.43	1.38
26	BB	2301	C	C2'-O2'	7.21	1.51	1.41
2	AB	3	G	N9-C4	7.21	1.43	1.38
26	BB	1793	C	P-O5'	7.21	1.67	1.59
26	BB	2142	A	C5-C6	7.21	1.47	1.41
26	BB	1685	C	C4'-O4'	-7.21	1.36	1.45
26	BB	1761	C	C4-N4	7.21	1.40	1.33
26	BB	1963	U	C4'-O4'	-7.21	1.36	1.45
26	BB	2626	C	C4-C5	7.21	1.48	1.43
1	AA	290	C	N1-C2	-7.21	1.32	1.40
1	AA	1220	G	C3'-C2'	7.21	1.60	1.52
25	BA	66	A	N3-C4	7.21	1.39	1.34
26	BB	1957	C	C2-N3	7.21	1.41	1.35
1	AA	1478	U	C5'-C4'	7.21	1.59	1.51
26	BB	1230	A	N7-C5	7.21	1.43	1.39
26	BB	1231	U	O3'-P	7.21	1.69	1.61
26	BB	2854	G	P-O5'	7.21	1.67	1.59
1	AA	240	G	C3'-C2'	7.20	1.60	1.52
25	BA	88	C	C4-C5	7.20	1.48	1.43
26	BB	790	U	C5'-C4'	7.20	1.59	1.51
26	BB	1948	G	C8-N7	7.20	1.35	1.30
26	BB	2785	C	P-O5'	7.20	1.67	1.59
1	AA	410	G	N1-C2	7.20	1.43	1.37
1	AA	703	G	C2-N3	7.20	1.38	1.32
26	BB	26	G	C2-N3	7.20	1.38	1.32
26	BB	2816	G	P-O5'	7.20	1.67	1.59
1	AA	939	G	P-O5'	7.20	1.67	1.59
26	BB	262	A	N7-C5	7.20	1.43	1.39
26	BB	809	G	N7-C5	7.20	1.43	1.39
26	BB	1772	A	N9-C4	7.20	1.42	1.37
26	BB	636	G	C8-N7	-7.20	1.26	1.30
26	BB	1093	G	C2'-O2'	7.20	1.51	1.41
1	AA	430	A	C2'-O2'	7.20	1.51	1.41

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	460	A	C4'-C3'	7.20	1.61	1.53
1	AA	524	G	C6-O6	-7.20	1.17	1.24
1	AA	926	G	C6-N1	7.20	1.44	1.39
1	AA	954	G	C5-C4	7.20	1.43	1.38
1	AA	1362	A	C5'-C4'	7.20	1.59	1.51
25	BA	76	G	N9-C4	7.20	1.43	1.38
26	BB	566	U	C4'-C3'	-7.20	1.45	1.53
26	BB	1383	A	N9-C4	7.20	1.42	1.37
26	BB	72	U	N1-C2	7.19	1.45	1.38
26	BB	336	C	N3-C4	-7.19	1.28	1.33
26	BB	2347	C	C4-C5	7.19	1.48	1.43
1	AA	1190	G	O3'-P	7.19	1.69	1.61
26	BB	73	A	N3-C4	7.19	1.39	1.34
26	BB	2798	U	O4'-C1'	7.19	1.50	1.41
26	BB	189	G	N7-C5	7.19	1.43	1.39
26	BB	621	A	N7-C5	-7.19	1.34	1.39
26	BB	1701	A	C6-N6	7.19	1.39	1.33
26	BB	2296	U	N3-C4	7.19	1.45	1.38
26	BB	2634	A	N7-C5	7.19	1.43	1.39
1	AA	465	A	C8-N7	-7.19	1.26	1.31
26	BB	309	A	C6-N1	-7.19	1.30	1.35
26	BB	754	U	P-O5'	7.19	1.67	1.59
26	BB	1983	G	N9-C8	-7.19	1.32	1.37
1	AA	1203	C	C2-N3	7.19	1.41	1.35
1	AA	335	C	O4'-C1'	7.18	1.50	1.41
1	AA	768	A	N3-C4	7.18	1.39	1.34
1	AA	1015	G	C2-N3	7.18	1.38	1.32
26	BB	317	G	C2-N3	7.18	1.38	1.32
26	BB	681	G	C4'-O4'	-7.18	1.36	1.45
1	AA	1130	A	N7-C5	7.18	1.43	1.39
26	BB	5	A	N3-C4	7.18	1.39	1.34
26	BB	1405	U	C4'-C3'	-7.18	1.45	1.53
4	AD	30	G	O3'-P	7.18	1.69	1.61
26	BB	169	G	C6-N1	7.18	1.44	1.39
26	BB	874	G	P-O5'	7.18	1.67	1.59
26	BB	2162	G	N7-C5	7.18	1.43	1.39
1	AA	179	A	N9-C4	-7.18	1.33	1.37
26	BB	183	C	C2-N3	7.18	1.41	1.35
26	BB	556	A	N7-C5	-7.18	1.34	1.39
1	AA	780	A	C4'-C3'	-7.18	1.45	1.53
26	BB	601	C	N3-C4	7.18	1.39	1.33
26	BB	696	G	C5-C4	7.18	1.43	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	415	A	O4'-C1'	7.18	1.50	1.41
1	AA	1092	A	C3'-C2'	7.18	1.60	1.52
2	AB	60	U	C5'-C4'	7.18	1.59	1.51
26	BB	1754	A	N3-C4	7.18	1.39	1.34
3	AC	45	G	C8-N7	7.17	1.35	1.30
26	BB	1772	A	N7-C5	7.17	1.43	1.39
26	BB	2255	G	C5'-C4'	7.17	1.59	1.51
1	AA	95	C	C4-C5	7.17	1.48	1.43
26	BB	809	G	C2'-C1'	7.17	1.61	1.53
26	BB	1858	A	N9-C4	-7.17	1.33	1.37
26	BB	513	A	C4'-O4'	-7.17	1.36	1.45
1	AA	798	U	C2-N3	7.17	1.42	1.37
1	AA	933	G	C2-N3	7.17	1.38	1.32
1	AA	1330	U	P-O5'	7.17	1.67	1.59
4	AD	63	C	N1-C2	7.17	1.47	1.40
10	AJ	1	PRO	N-CD	-7.17	1.37	1.47
26	BB	675	A	N7-C5	-7.17	1.34	1.39
26	BB	2065	C	C2-N3	7.17	1.41	1.35
1	AA	1151	A	N7-C5	-7.17	1.34	1.39
26	BB	501	A	P-O5'	7.17	1.67	1.59
26	BB	2781	A	C5'-C4'	7.17	1.59	1.51
26	BB	2821	A	C5-C6	7.17	1.47	1.41
1	AA	1493	A	C5-C6	7.17	1.47	1.41
26	BB	377	G	N1-C2	7.17	1.43	1.37
1	AA	240	G	O3'-P	7.16	1.69	1.61
1	AA	1065	U	N1-C2	7.16	1.45	1.38
26	BB	1427	A	N9-C4	7.16	1.42	1.37
4	AD	36	A	N3-C4	7.16	1.39	1.34
26	BB	339	U	P-O5'	7.16	1.67	1.59
26	BB	396	G	C8-N7	-7.16	1.26	1.30
26	BB	1978	A	N9-C8	-7.16	1.32	1.37
4	AD	14	A	N3-C4	7.16	1.39	1.34
26	BB	822	G	N3-C4	7.16	1.40	1.35
1	AA	396	C	N3-C4	7.16	1.39	1.33
26	BB	2213	U	N1-C2	7.16	1.45	1.38
1	AA	1046	A	C4'-C3'	7.15	1.61	1.53
26	BB	117	G	O3'-P	7.15	1.69	1.61
1	AA	89	U	C2-N3	7.15	1.42	1.37
26	BB	709	U	C2'-C1'	7.15	1.61	1.53
26	BB	735	A	N3-C4	-7.15	1.30	1.34
26	BB	1276	A	N3-C4	7.15	1.39	1.34
1	AA	109	A	C4'-C3'	7.15	1.61	1.53

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	862	G	C8-N7	7.15	1.35	1.30
26	BB	942	G	N7-C5	7.15	1.43	1.39
1	AA	495	A	C6-N1	-7.15	1.30	1.35
26	BB	505	A	C2-N3	7.15	1.40	1.33
26	BB	1279	G	C6-N1	-7.15	1.34	1.39
26	BB	1866	A	N9-C8	7.15	1.43	1.37
26	BB	2128	G	O3'-P	-7.15	1.52	1.61
1	AA	295	C	C5-C6	7.15	1.40	1.34
1	AA	1387	G	C2-N3	7.15	1.38	1.32
26	BB	144	A	N9-C4	7.15	1.42	1.37
1	AA	613	C	C4'-C3'	7.14	1.61	1.53
26	BB	132	G	N7-C5	-7.14	1.34	1.39
26	BB	211	C	C4'-O4'	-7.14	1.36	1.45
26	BB	474	G	N3-C4	-7.14	1.30	1.35
26	BB	1980	G	C4'-O4'	-7.14	1.36	1.45
26	BB	96	C	C4-C5	7.14	1.48	1.43
26	BB	855	G	P-O5'	7.14	1.66	1.59
26	BB	2598	A	P-O5'	7.14	1.66	1.59
1	AA	43	C	N3-C4	7.14	1.39	1.33
26	BB	1041	G	N3-C4	7.14	1.40	1.35
1	AA	1102	A	C4'-O4'	-7.14	1.36	1.45
1	AA	1283	U	N3-C4	7.14	1.44	1.38
26	BB	1933	G	C4'-O4'	-7.14	1.36	1.45
1	AA	909	A	N3-C4	7.14	1.39	1.34
26	BB	780	G	P-O5'	7.14	1.66	1.59
26	BB	2402	U	C4-C5	7.14	1.50	1.43
1	AA	930	C	P-O5'	7.13	1.66	1.59
1	AA	984	C	N1-C6	7.13	1.41	1.37
26	BB	1091	G	O3'-P	7.13	1.69	1.61
26	BB	1633	G	C2-N3	7.13	1.38	1.32
4	AD	31	G	N9-C8	7.13	1.42	1.37
26	BB	1646	C	C4'-O4'	-7.13	1.36	1.45
1	AA	387	U	N1-C2	7.13	1.45	1.38
26	BB	996	A	N9-C8	7.13	1.43	1.37
1	AA	518	C	C5'-C4'	7.13	1.59	1.51
1	AA	1157	A	C6-N6	7.13	1.39	1.33
26	BB	2283	C	C2-N3	7.13	1.41	1.35
26	BB	42	A	O3'-P	-7.13	1.52	1.61
26	BB	409	G	P-O5'	7.13	1.66	1.59
26	BB	1577	C	C2-O2	-7.13	1.18	1.24
1	AA	153	C	C2-N3	-7.13	1.30	1.35
1	AA	952	U	C4-C5	7.13	1.50	1.43

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1201	A	C4'-O4'	-7.13	1.36	1.45
1	AA	1324	A	C2'-C1'	7.13	1.61	1.53
2	AB	73	G	O3'-P	7.13	1.69	1.61
26	BB	481	G	C2-N3	7.13	1.38	1.32
26	BB	2400	G	N3-C4	7.13	1.40	1.35
1	AA	597	G	C6-N1	7.12	1.44	1.39
1	AA	1466	C	P-O5'	7.12	1.66	1.59
1	AA	1486	G	N7-C5	-7.12	1.34	1.39
26	BB	1223	G	N7-C5	7.12	1.43	1.39
26	BB	2417	C	C5-C6	7.12	1.40	1.34
26	BB	2753	A	N7-C5	-7.12	1.34	1.39
1	AA	870	U	C4-C5	7.12	1.50	1.43
1	AA	1063	C	P-O5'	7.12	1.66	1.59
1	AA	1422	G	C8-N7	-7.12	1.26	1.30
26	BB	355	U	P-O5'	7.12	1.66	1.59
26	BB	1453	A	C6-N6	7.12	1.39	1.33
26	BB	1698	A	C4'-C3'	7.12	1.60	1.53
26	BB	1756	G	N7-C5	7.12	1.43	1.39
26	BB	855	G	C5-C4	-7.12	1.33	1.38
26	BB	1616	A	C3'-O3'	7.12	1.52	1.42
26	BB	312	G	P-O5'	7.12	1.66	1.59
26	BB	998	C	C3'-C2'	7.12	1.60	1.52
4	AD	61	U	P-O5'	7.12	1.66	1.59
26	BB	664	G	P-O5'	7.12	1.66	1.59
1	AA	142	G	N3-C4	7.12	1.40	1.35
25	BA	1	U	C4-C5	7.12	1.50	1.43
26	BB	984	A	N7-C5	-7.12	1.34	1.39
26	BB	1247	A	P-O5'	7.12	1.66	1.59
26	BB	2642	G	C2-N3	7.12	1.38	1.32
1	AA	1352	C	C2'-O2'	7.11	1.50	1.41
26	BB	804	A	C8-N7	-7.11	1.26	1.31
26	BB	2242	G	N3-C4	7.11	1.40	1.35
26	BB	2476	A	N1-C2	7.11	1.40	1.34
26	BB	2854	G	C5'-C4'	-7.11	1.42	1.51
1	AA	165	G	N9-C4	-7.11	1.32	1.38
26	BB	788	A	P-O5'	7.11	1.66	1.59
26	BB	1068	G	C4'-O4'	-7.11	1.36	1.45
26	BB	1429	G	N3-C4	7.11	1.40	1.35
26	BB	1870	C	C4-C5	7.11	1.48	1.43
26	BB	1900	A	C2'-O2'	-7.11	1.32	1.41
26	BB	2533	U	C5-C6	7.11	1.40	1.34
26	BB	2842	G	C5-C6	7.11	1.49	1.42

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2866	U	C4-O4	-7.11	1.18	1.23
1	AA	699	C	P-O5'	7.11	1.66	1.59
1	AA	1081	A	C5-C4	-7.11	1.33	1.38
26	BB	1171	G	N9-C4	7.11	1.43	1.38
25	BA	30	C	N1-C6	7.11	1.41	1.37
26	BB	898	C	C3'-C2'	7.11	1.60	1.52
26	BB	1390	U	C2-N3	7.11	1.42	1.37
26	BB	2267	A	N3-C4	7.11	1.39	1.34
26	BB	2607	G	P-O5'	7.11	1.66	1.59
4	AD	61	U	C4-O4	-7.11	1.18	1.23
26	BB	1241	A	C5-C4	7.11	1.43	1.38
26	BB	1826	G	C6-N1	7.11	1.44	1.39
26	BB	2067	G	P-O5'	-7.11	1.52	1.59
1	AA	168	G	C6-O6	-7.10	1.17	1.24
1	AA	990	C	P-O5'	7.10	1.66	1.59
2	AB	3	G	N7-C5	7.10	1.43	1.39
25	BA	106	G	C2-N3	7.10	1.38	1.32
26	BB	70	G	P-O5'	7.10	1.66	1.59
26	BB	1388	G	N3-C4	7.10	1.40	1.35
26	BB	1426	G	C8-N7	-7.10	1.26	1.30
26	BB	1702	G	C5-C4	7.10	1.43	1.38
26	BB	2800	A	C2'-O2'	7.10	1.50	1.41
28	BD	61	TYR	CE2-CZ	7.10	1.47	1.38
1	AA	1239	A	N7-C5	-7.10	1.34	1.39
26	BB	6	A	N9-C4	7.10	1.42	1.37
26	BB	782	A	N9-C4	7.10	1.42	1.37
26	BB	858	G	C2-N2	-7.10	1.27	1.34
26	BB	1837	C	O3'-P	7.10	1.69	1.61
26	BB	2563	U	C4'-C3'	7.10	1.60	1.53
1	AA	294	U	C2-N3	7.10	1.42	1.37
25	BA	20	G	C6-N1	7.10	1.44	1.39
26	BB	1173	U	N1-C2	7.10	1.45	1.38
26	BB	1202	G	N1-C2	7.10	1.43	1.37
26	BB	1525	A	C8-N7	-7.10	1.26	1.31
1	AA	801	U	N3-C4	7.10	1.44	1.38
1	AA	1093	A	P-O5'	7.10	1.66	1.59
1	AA	912	C	C4-C5	7.10	1.48	1.43
1	AA	235	C	N3-C4	7.09	1.39	1.33
1	AA	270	A	N9-C8	-7.09	1.32	1.37
26	BB	87	U	C4-C5	7.09	1.50	1.43
26	BB	1781	U	C4-C5	7.09	1.50	1.43
26	BB	1906	G	C4'-O4'	-7.09	1.36	1.45

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	577	G	C4'-O4'	-7.09	1.36	1.45
1	AA	942	G	C4'-O4'	-7.09	1.36	1.45
26	BB	2479	U	P-O5'	7.09	1.66	1.59
26	BB	1656	C	C3'-C2'	7.09	1.60	1.52
26	BB	2026	U	C2-N3	7.09	1.42	1.37
1	AA	220	G	C6-N1	7.09	1.44	1.39
26	BB	2098	U	P-O5'	7.09	1.66	1.59
26	BB	247	G	N3-C4	7.09	1.40	1.35
26	BB	2293	G	C5'-C4'	7.09	1.59	1.51
26	BB	565	C	C5'-C4'	7.09	1.59	1.51
26	BB	1047	G	C6-N1	7.09	1.44	1.39
26	BB	247	G	C2-N3	7.08	1.38	1.32
26	BB	498	G	C2-N2	-7.08	1.27	1.34
26	BB	690	G	P-O5'	7.08	1.66	1.59
26	BB	1720	U	O3'-P	7.08	1.69	1.61
3	AC	13	A	N7-C5	7.08	1.43	1.39
26	BB	91	A	C5'-C4'	7.08	1.59	1.51
26	BB	787	C	C4'-C3'	-7.08	1.45	1.53
26	BB	1871	A	C5'-C4'	7.08	1.59	1.51
26	BB	2781	A	N9-C8	-7.08	1.32	1.37
1	AA	695	A	C4'-C3'	7.08	1.60	1.53
1	AA	933	G	P-O5'	7.08	1.66	1.59
26	BB	877	A	C6-N6	-7.08	1.28	1.33
26	BB	1172	C	N1-C6	7.08	1.41	1.37
26	BB	2067	G	C5'-C4'	7.08	1.59	1.51
26	BB	345	A	N9-C4	7.08	1.42	1.37
1	AA	1137	C	C5-C6	7.08	1.40	1.34
26	BB	1450	G	C5'-C4'	7.08	1.59	1.51
1	AA	142	G	N9-C8	-7.08	1.32	1.37
26	BB	2812	G	C2-N3	7.08	1.38	1.32
1	AA	330	C	N3-C4	7.08	1.39	1.33
1	AA	1433	A	C5-C4	-7.08	1.33	1.38
26	BB	1337	G	C2-N3	7.08	1.38	1.32
26	BB	1584	U	O3'-P	7.08	1.69	1.61
26	BB	2612	C	N1-C6	7.08	1.41	1.37
1	AA	321	A	N7-C5	-7.07	1.35	1.39
1	AA	972	C	N1-C6	7.07	1.41	1.37
26	BB	1071	G	C4'-O4'	-7.07	1.36	1.45
26	BB	1190	G	N1-C2	-7.07	1.32	1.37
26	BB	1396	U	C4'-O4'	-7.07	1.36	1.45
1	AA	271	C	C5-C6	7.07	1.40	1.34
26	BB	2436	G	P-O5'	7.07	1.66	1.59

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	128	G	N1-C2	7.07	1.43	1.37
1	AA	582	C	P-O5'	7.07	1.66	1.59
1	AA	731	G	C5'-C4'	7.07	1.59	1.51
26	BB	760	G	C4'-O4'	-7.07	1.36	1.45
26	BB	2901	C	N1-C6	-7.07	1.32	1.37
1	AA	1381	U	C2-N3	7.07	1.42	1.37
26	BB	802	A	N9-C8	-7.07	1.32	1.37
26	BB	2434	A	C5-C4	-7.07	1.33	1.38
1	AA	537	G	C2-N3	7.07	1.38	1.32
1	AA	657	U	N1-C6	7.07	1.44	1.38
26	BB	128	C	P-O5'	7.07	1.66	1.59
26	BB	256	A	C8-N7	-7.07	1.26	1.31
26	BB	543	G	C4'-O4'	-7.07	1.36	1.45
26	BB	662	G	N9-C4	-7.07	1.32	1.38
26	BB	1300	G	N9-C8	-7.07	1.32	1.37
26	BB	2135	A	N3-C4	7.07	1.39	1.34
25	BA	100	G	C2'-O2'	7.07	1.50	1.41
26	BB	451	U	P-O5'	-7.07	1.52	1.59
2	AB	5	G	C2-N3	7.06	1.38	1.32
26	BB	223	A	N9-C4	-7.06	1.33	1.37
26	BB	1070	A	C4'-C3'	-7.06	1.45	1.53
38	BN	78	ARG	NE-CZ	7.06	1.42	1.33
26	BB	1030	C	C4'-O4'	-7.06	1.36	1.45
26	BB	1754	A	O3'-P	7.06	1.69	1.61
26	BB	2325	G	C6-N1	-7.06	1.34	1.39
1	AA	108	G	C6-N1	7.06	1.44	1.39
1	AA	624	C	N1-C6	7.06	1.41	1.37
1	AA	670	G	N9-C4	7.06	1.43	1.38
25	BA	24	G	C6-N1	7.06	1.44	1.39
26	BB	1906	G	O3'-P	7.06	1.69	1.61
1	AA	602	A	C6-N1	-7.06	1.30	1.35
1	AA	975	A	P-O5'	7.06	1.66	1.59
1	AA	1206	G	C2-N3	7.06	1.38	1.32
26	BB	1520	U	C4'-O4'	-7.06	1.36	1.45
1	AA	935	A	N9-C4	-7.06	1.33	1.37
26	BB	2181	U	P-O5'	7.06	1.66	1.59
26	BB	2456	C	N3-C4	7.06	1.38	1.33
1	AA	592	G	N9-C4	7.05	1.43	1.38
26	BB	1657	U	C5-C6	7.05	1.40	1.34
1	AA	1214	C	C5'-C4'	7.05	1.59	1.51
3	AC	18	A	N7-C5	7.05	1.43	1.39
26	BB	510	C	C5'-C4'	7.05	1.59	1.51

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	661	A	C2'-C1'	7.05	1.61	1.53
26	BB	1479	G	C6-N1	7.05	1.44	1.39
26	BB	2063	C	C4-C5	7.05	1.48	1.43
26	BB	1256	G	C2'-O2'	7.05	1.50	1.41
26	BB	2701	U	P-O5'	7.05	1.66	1.59
1	AA	78	A	C2-N3	7.05	1.39	1.33
1	AA	1093	A	O3'-P	7.05	1.69	1.61
26	BB	276	U	C4-O4	-7.05	1.18	1.23
26	BB	662	G	C2'-O2'	-7.05	1.32	1.41
26	BB	760	G	N7-C5	7.05	1.43	1.39
26	BB	775	G	N1-C2	7.05	1.43	1.37
26	BB	902	C	N1-C6	7.05	1.41	1.37
26	BB	1023	U	N1-C2	7.05	1.44	1.38
26	BB	1120	G	C4'-C3'	-7.05	1.45	1.53
26	BB	1454	C	O3'-P	7.05	1.69	1.61
26	BB	1791	A	C8-N7	-7.05	1.26	1.31
1	AA	252	U	N3-C4	7.05	1.44	1.38
1	AA	1060	U	N1-C2	7.05	1.44	1.38
25	BA	75	G	C5-C4	-7.05	1.33	1.38
26	BB	1916	A	P-O5'	7.05	1.66	1.59
26	BB	1982	U	P-O5'	7.05	1.66	1.59
26	BB	2462	C	N3-C4	7.05	1.38	1.33
1	AA	443	C	N1-C6	7.04	1.41	1.37
2	AB	67	G	N9-C8	7.04	1.42	1.37
26	BB	1711	A	C6-N1	-7.04	1.30	1.35
26	BB	1803	A	C2'-C1'	-7.04	1.45	1.53
26	BB	2419	U	C5-C6	7.04	1.40	1.34
1	AA	1070	U	C3'-C2'	-7.04	1.45	1.52
26	BB	75	G	C5'-C4'	7.04	1.59	1.51
1	AA	76	G	N9-C8	7.04	1.42	1.37
26	BB	65	U	C2-N3	7.04	1.42	1.37
26	BB	209	C	C4-C5	7.04	1.48	1.43
26	BB	1577	C	O4'-C1'	7.04	1.50	1.41
1	AA	142	G	N7-C5	7.04	1.43	1.39
26	BB	304	U	C3'-C2'	7.04	1.60	1.52
26	BB	318	C	P-O5'	7.04	1.66	1.59
26	BB	1253	A	N3-C4	7.04	1.39	1.34
26	BB	2635	A	C6-N6	7.04	1.39	1.33
1	AA	675	A	C5-C6	7.04	1.47	1.41
25	BA	68	C	N1-C6	-7.04	1.32	1.37
26	BB	16	C	C2-N3	-7.04	1.30	1.35
26	BB	509	C	O3'-P	7.04	1.69	1.61

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	824	U	N3-C4	7.04	1.44	1.38
26	BB	1249	U	N1-C2	7.04	1.44	1.38
1	AA	20	U	N1-C2	7.04	1.44	1.38
1	AA	1024	G	C8-N7	-7.04	1.26	1.30
3	AC	21	U	C4-C5	7.04	1.49	1.43
26	BB	768	G	N3-C4	7.04	1.40	1.35
26	BB	1398	C	C5'-C4'	7.04	1.59	1.51
1	AA	753	A	O4'-C1'	-7.03	1.32	1.41
1	AA	793	U	C4-C5	7.03	1.49	1.43
26	BB	1422	G	C2-N3	7.03	1.38	1.32
26	BB	1515	A	N9-C8	7.03	1.43	1.37
26	BB	1951	U	C2-N3	7.03	1.42	1.37
1	AA	1002	G	C5'-C4'	7.03	1.59	1.51
1	AA	1120	C	N3-C4	7.03	1.38	1.33
26	BB	880	G	C2'-C1'	7.03	1.61	1.53
1	AA	311	C	C5'-C4'	7.03	1.59	1.51
26	BB	1923	U	C2-N3	7.03	1.42	1.37
26	BB	1979	U	C2-O2	7.03	1.28	1.22
1	AA	384	G	N3-C4	7.03	1.40	1.35
1	AA	437	U	N1-C6	7.03	1.44	1.38
26	BB	19	A	C8-N7	-7.03	1.26	1.31
26	BB	575	A	N7-C5	-7.03	1.35	1.39
26	BB	924	G	C5-C4	7.03	1.43	1.38
26	BB	1130	U	P-O5'	7.03	1.66	1.59
26	BB	1647	U	N1-C2	7.03	1.44	1.38
26	BB	1964	G	N9-C8	-7.03	1.32	1.37
26	BB	2249	U	N3-C4	7.03	1.44	1.38
1	AA	42	G	P-O5'	7.03	1.66	1.59
1	AA	427	U	P-O5'	7.03	1.66	1.59
26	BB	585	G	C2-N2	7.03	1.41	1.34
26	BB	1995	U	P-O5'	7.03	1.66	1.59
26	BB	2253	G	C3'-C2'	7.02	1.60	1.52
1	AA	112	G	C4'-O4'	-7.02	1.36	1.45
1	AA	710	G	C2-N2	7.02	1.41	1.34
1	AA	806	C	C5-C6	7.02	1.40	1.34
1	AA	1063	C	C5-C6	7.02	1.40	1.34
25	BA	76	G	P-O5'	7.02	1.66	1.59
26	BB	1175	A	C8-N7	7.02	1.36	1.31
26	BB	1884	G	C2'-C1'	7.02	1.61	1.53
26	BB	2108	A	O3'-P	7.02	1.69	1.61
26	BB	468	G	C2'-O2'	-7.02	1.32	1.41
26	BB	1666	G	C2-N2	-7.02	1.27	1.34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2863	C	C2'-C1'	-7.02	1.45	1.53
26	BB	884	U	P-O5'	7.02	1.66	1.59
26	BB	1008	A	P-O5'	-7.02	1.52	1.59
26	BB	2037	A	C8-N7	7.02	1.36	1.31
26	BB	2331	G	C5-C6	-7.02	1.35	1.42
26	BB	2535	G	C2'-C1'	7.02	1.61	1.53
1	AA	890	G	C8-N7	7.02	1.35	1.30
1	AA	1441	A	C6-N1	7.02	1.40	1.35
26	BB	209	C	C5'-C4'	7.02	1.59	1.51
26	BB	808	G	O3'-P	7.02	1.69	1.61
26	BB	977	G	C5'-C4'	7.02	1.59	1.51
26	BB	1399	C	N1-C6	7.02	1.41	1.37
26	BB	61	C	C4-C5	7.02	1.48	1.43
26	BB	328	U	C5-C6	7.02	1.40	1.34
26	BB	720	U	C2-N3	7.02	1.42	1.37
1	AA	567	G	C2-N3	7.01	1.38	1.32
26	BB	714	U	N1-C2	7.01	1.44	1.38
26	BB	1099	G	N7-C5	-7.01	1.35	1.39
26	BB	1306	C	N1-C6	7.01	1.41	1.37
26	BB	1685	C	C5-C6	7.01	1.40	1.34
26	BB	1859	U	C5-C6	7.01	1.40	1.34
26	BB	2413	G	N7-C5	-7.01	1.35	1.39
26	BB	2447	G	C5'-C4'	7.01	1.59	1.51
26	BB	2624	G	C5'-C4'	7.01	1.59	1.51
36	BL	75	TYR	CE2-CZ	7.01	1.47	1.38
26	BB	2295	C	O3'-P	7.01	1.69	1.61
1	AA	294	U	C4-O4	-7.01	1.18	1.23
1	AA	748	G	N9-C4	7.01	1.43	1.38
1	AA	1050	G	N3-C4	7.01	1.40	1.35
26	BB	632	A	C5'-C4'	7.01	1.59	1.51
26	BB	759	G	C2-N3	7.01	1.38	1.32
26	BB	1940	U	P-O5'	7.01	1.66	1.59
1	AA	146	G	C3'-O3'	7.01	1.51	1.42
1	AA	766	A	N9-C4	-7.01	1.33	1.37
26	BB	722	A	C4'-O4'	-7.01	1.36	1.45
26	BB	1200	C	N3-C4	7.01	1.38	1.33
26	BB	1586	A	N7-C5	-7.01	1.35	1.39
1	AA	432	A	C8-N7	-7.01	1.26	1.31
1	AA	590	U	C5-C6	7.01	1.40	1.34
1	AA	973	G	C3'-O3'	7.01	1.51	1.42
26	BB	88	G	C6-N1	7.01	1.44	1.39
26	BB	856	G	N9-C8	-7.01	1.32	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2296	U	N1-C2	-7.01	1.32	1.38
26	BB	2412	A	C5-C4	-7.01	1.33	1.38
26	BB	2421	G	N9-C8	-7.01	1.32	1.37
26	BB	716	A	N3-C4	7.01	1.39	1.34
26	BB	732	C	O4'-C1'	7.01	1.50	1.41
26	BB	2138	G	C5'-C4'	7.00	1.59	1.51
1	AA	227	G	C4'-O4'	-7.00	1.36	1.45
1	AA	865	A	C5-C4	7.00	1.43	1.38
1	AA	1440	U	C2-N3	7.00	1.42	1.37
4	AD	43	G	N7-C5	7.00	1.43	1.39
1	AA	793	U	N3-C4	7.00	1.44	1.38
1	AA	1007	U	N1-C2	7.00	1.44	1.38
26	BB	1388	G	N1-C2	7.00	1.43	1.37
26	BB	1721	G	C5-C6	7.00	1.49	1.42
26	BB	2448	A	C5'-C4'	7.00	1.59	1.51
1	AA	1342	C	P-O5'	7.00	1.66	1.59
3	AC	33	A	N7-C5	7.00	1.43	1.39
26	BB	2225	A	N1-C2	-7.00	1.28	1.34
1	AA	174	A	N9-C4	7.00	1.42	1.37
1	AA	1239	A	C5-C6	7.00	1.47	1.41
1	AA	1256	A	C2-N3	7.00	1.39	1.33
1	AA	1306	A	C8-N7	-7.00	1.26	1.31
1	AA	1438	G	C3'-C2'	7.00	1.60	1.52
26	BB	2307	G	P-O5'	7.00	1.66	1.59
1	AA	140	U	O3'-P	7.00	1.69	1.61
26	BB	744	U	C2'-O2'	6.99	1.50	1.41
26	BB	1838	C	P-O5'	6.99	1.66	1.59
26	BB	2444	G	C5-C4	6.99	1.43	1.38
1	AA	1084	G	C5-C6	6.99	1.49	1.42
26	BB	1891	G	C6-N1	6.99	1.44	1.39
1	AA	1114	C	C2-N3	6.99	1.41	1.35
25	BA	43	C	C2-N3	6.99	1.41	1.35
25	BA	102	G	N3-C4	6.99	1.40	1.35
26	BB	1373	A	P-O5'	6.99	1.66	1.59
26	BB	2226	C	N1-C6	6.99	1.41	1.37
26	BB	2471	A	C2-N3	-6.99	1.27	1.33
1	AA	571	U	C2-N3	6.99	1.42	1.37
26	BB	1292	G	N7-C5	-6.99	1.35	1.39
1	AA	144	G	C2-N2	6.99	1.41	1.34
1	AA	1384	C	N1-C6	6.99	1.41	1.37
4	AD	76	C	N1-C6	-6.99	1.32	1.37
26	BB	542	C	O3'-P	6.99	1.69	1.61

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1186	G	N9-C4	-6.99	1.32	1.38
26	BB	1777	U	C2-N3	-6.99	1.32	1.37
26	BB	2123	G	O3'-P	6.99	1.69	1.61
26	BB	2224	G	N3-C4	6.99	1.40	1.35
26	BB	2315	G	C5-C6	6.99	1.49	1.42
1	AA	325	A	C5-C4	-6.98	1.33	1.38
1	AA	737	C	O4'-C1'	6.98	1.50	1.41
26	BB	167	A	N3-C4	6.98	1.39	1.34
26	BB	2248	C	C2-N3	6.98	1.41	1.35
1	AA	891	U	C5-C6	6.98	1.40	1.34
1	AA	922	G	N3-C4	6.98	1.40	1.35
1	AA	1006	G	O5'-C5'	-6.98	1.31	1.42
1	AA	1225	A	N7-C5	6.98	1.43	1.39
26	BB	736	C	N3-C4	6.98	1.38	1.33
26	BB	1592	C	N1-C6	6.98	1.41	1.37
26	BB	2407	A	C6-N6	-6.98	1.28	1.33
26	BB	2799	A	C2-N3	-6.98	1.27	1.33
1	AA	1321	U	O3'-P	6.98	1.69	1.61
1	AA	1331	G	C6-N1	-6.98	1.34	1.39
25	BA	114	C	C5'-C4'	6.98	1.59	1.51
26	BB	105	C	C5'-C4'	6.98	1.59	1.51
26	BB	2066	C	C5-C6	6.98	1.40	1.34
26	BB	2249	U	P-O5'	6.98	1.66	1.59
1	AA	1237	C	P-O5'	6.98	1.66	1.59
1	AA	577	G	C8-N7	-6.98	1.26	1.30
1	AA	724	G	C5-C6	6.98	1.49	1.42
26	BB	2568	U	C5'-C4'	6.98	1.59	1.51
33	BI	32	PRO	N-CD	-6.98	1.38	1.47
56	B5	35	ARG	CZ-NH2	6.98	1.42	1.33
1	AA	1178	G	N3-C4	6.97	1.40	1.35
26	BB	158	U	C4'-O4'	-6.97	1.36	1.45
26	BB	495	G	C2-N3	6.97	1.38	1.32
26	BB	518	G	N3-C4	6.97	1.40	1.35
1	AA	348	G	N1-C2	6.97	1.43	1.37
1	AA	1146	A	N9-C4	-6.97	1.33	1.37
1	AA	1147	C	C4-C5	6.97	1.48	1.43
26	BB	1118	C	C2-N3	6.97	1.41	1.35
26	BB	1586	A	C5'-C4'	6.97	1.59	1.51
26	BB	2871	U	C5-C6	6.97	1.40	1.34
1	AA	1424	U	N1-C2	6.97	1.44	1.38
25	BA	53	A	C4'-C3'	6.97	1.60	1.53
26	BB	822	G	N1-C2	6.97	1.43	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1349	C	C5-C6	6.97	1.40	1.34
26	BB	1840	G	N1-C2	6.97	1.43	1.37
26	BB	2067	G	N7-C5	-6.97	1.35	1.39
26	BB	2883	A	P-O5'	6.97	1.66	1.59
1	AA	473	U	N1-C2	6.97	1.44	1.38
26	BB	719	C	P-O5'	6.97	1.66	1.59
26	BB	1192	G	C4'-O4'	-6.97	1.36	1.45
1	AA	1021	A	O3'-P	-6.96	1.52	1.61
26	BB	862	G	C6-N1	6.96	1.44	1.39
26	BB	2017	U	C4'-O4'	-6.96	1.36	1.45
26	BB	2097	A	C5-C6	6.96	1.47	1.41
2	AB	12	U	P-O5'	6.96	1.66	1.59
26	BB	2807	U	C4'-C3'	-6.96	1.45	1.53
1	AA	468	A	N9-C8	6.96	1.43	1.37
1	AA	828	U	C4-C5	6.96	1.49	1.43
26	BB	1121	C	C3'-C2'	6.96	1.60	1.52
26	BB	1837	C	C4'-C3'	6.96	1.60	1.53
26	BB	2108	A	C5-C4	-6.96	1.33	1.38
4	AD	19	G	C2'-C1'	-6.96	1.45	1.53
26	BB	446	G	P-O5'	6.96	1.66	1.59
26	BB	1367	A	C6-N1	6.96	1.40	1.35
26	BB	1610	A	N1-C2	-6.96	1.28	1.34
1	AA	1186	G	C2-N3	6.96	1.38	1.32
26	BB	781	A	C4'-O4'	-6.96	1.36	1.45
26	BB	1141	U	C2-N3	6.96	1.42	1.37
26	BB	1851	U	C2-N3	6.96	1.42	1.37
26	BB	2070	A	O3'-P	6.96	1.69	1.61
1	AA	426	U	N1-C2	6.96	1.44	1.38
1	AA	1351	U	O3'-P	6.96	1.69	1.61
4	AD	63	C	N3-C4	-6.96	1.29	1.33
26	BB	121	G	P-O5'	6.96	1.66	1.59
26	BB	1168	G	C8-N7	-6.96	1.26	1.30
26	BB	2054	A	N9-C4	6.96	1.42	1.37
26	BB	2119	A	N1-C2	-6.96	1.28	1.34
26	BB	2307	G	C3'-C2'	-6.96	1.45	1.52
26	BB	2713	U	C4-C5	6.96	1.49	1.43
1	AA	601	G	P-O5'	6.96	1.66	1.59
26	BB	213	A	C2-N3	6.96	1.39	1.33
26	BB	1552	A	N9-C8	6.96	1.43	1.37
26	BB	1566	A	N3-C4	-6.96	1.30	1.34
26	BB	2793	C	P-O5'	6.96	1.66	1.59
1	AA	285	C	P-O5'	6.95	1.66	1.59

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	465	A	N9-C4	6.95	1.42	1.37
26	BB	532	A	C5-C4	6.95	1.43	1.38
26	BB	2167	U	N1-C2	6.95	1.44	1.38
26	BB	870	U	C4'-O4'	-6.95	1.36	1.45
26	BB	1207	C	P-O5'	6.95	1.66	1.59
26	BB	2820	A	N7-C5	6.95	1.43	1.39
2	AB	41	C	C4'-O4'	-6.95	1.36	1.45
4	AD	29	C	C4'-C3'	6.95	1.60	1.53
1	AA	31	G	P-O5'	6.95	1.66	1.59
1	AA	807	A	N9-C4	-6.95	1.33	1.37
1	AA	1080	A	N7-C5	6.95	1.43	1.39
1	AA	1308	U	C5-C6	6.95	1.40	1.34
1	AA	1419	G	C5-C4	-6.95	1.33	1.38
26	BB	327	G	C8-N7	6.95	1.35	1.30
26	BB	2305	U	N1-C2	6.95	1.44	1.38
26	BB	1583	A	O3'-P	6.95	1.69	1.61
26	BB	2434	A	C6-N1	-6.95	1.30	1.35
26	BB	2811	G	C6-N1	6.95	1.44	1.39
1	AA	755	G	C6-O6	6.95	1.30	1.24
1	AA	817	C	P-O5'	6.95	1.66	1.59
1	AA	1084	G	C2-N3	6.95	1.38	1.32
26	BB	51	G	C2'-O2'	6.95	1.50	1.41
26	BB	55	G	C6-O6	6.95	1.30	1.24
26	BB	463	G	C5-C6	-6.95	1.35	1.42
26	BB	1682	G	C4'-C3'	-6.95	1.45	1.53
26	BB	1804	C	N1-C6	6.94	1.41	1.37
1	AA	150	U	N1-C2	6.94	1.44	1.38
26	BB	127	A	C8-N7	-6.94	1.26	1.31
26	BB	1129	A	N3-C4	6.94	1.39	1.34
26	BB	1502	A	N3-C4	6.94	1.39	1.34
26	BB	1586	A	C8-N7	-6.94	1.26	1.31
26	BB	1626	A	N3-C4	6.94	1.39	1.34
26	BB	1966	A	N7-C5	6.94	1.43	1.39
26	BB	2487	G	N3-C4	6.94	1.40	1.35
1	AA	1337	G	C2-N3	6.94	1.38	1.32
26	BB	407	G	C6-O6	-6.94	1.18	1.24
26	BB	645	C	N3-C4	6.94	1.38	1.33
26	BB	718	A	C6-N1	6.94	1.40	1.35
26	BB	2324	U	C5'-C4'	6.94	1.59	1.51
26	BB	2374	C	N1-C6	6.94	1.41	1.37
1	AA	1162	C	C4-C5	6.94	1.48	1.43
26	BB	1401	G	C8-N7	6.94	1.35	1.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2201	G	O3'-P	6.94	1.69	1.61
26	BB	2688	G	N7-C5	-6.94	1.35	1.39
1	AA	551	U	N3-C4	6.94	1.44	1.38
1	AA	1227	A	C8-N7	-6.94	1.26	1.31
26	BB	1068	G	P-O5'	6.94	1.66	1.59
26	BB	1123	C	N1-C2	6.94	1.47	1.40
26	BB	1171	G	C2'-C1'	6.94	1.60	1.53
26	BB	2100	G	C2-N3	6.94	1.38	1.32
1	AA	776	G	C2-N3	6.93	1.38	1.32
2	AB	18	G	N9-C8	-6.93	1.32	1.37
25	BA	55	U	C2'-C1'	6.93	1.60	1.53
26	BB	162	U	P-O5'	6.93	1.66	1.59
26	BB	839	U	C3'-C2'	6.93	1.60	1.52
1	AA	178	C	P-O5'	6.93	1.66	1.59
1	AA	424	G	N7-C5	-6.93	1.35	1.39
1	AA	572	A	N3-C4	6.93	1.39	1.34
26	BB	806	C	C4'-O4'	-6.93	1.36	1.45
26	BB	1655	A	C3'-C2'	6.93	1.60	1.52
26	BB	1896	G	N9-C4	-6.93	1.32	1.38
26	BB	2564	A	P-O5'	-6.93	1.52	1.59
1	AA	502	A	C4'-O4'	-6.93	1.36	1.45
1	AA	750	C	C5-C6	6.93	1.39	1.34
1	AA	903	G	C5'-C4'	6.93	1.59	1.51
1	AA	921	U	C3'-C2'	6.93	1.60	1.52
1	AA	1375	A	N9-C4	6.93	1.42	1.37
2	AB	47	U	C5-C6	6.93	1.40	1.34
26	BB	1616	A	O3'-P	6.93	1.69	1.61
26	BB	17	G	N7-C5	-6.93	1.35	1.39
26	BB	2770	G	C8-N7	-6.93	1.26	1.30
1	AA	203	G	C6-N1	6.92	1.44	1.39
1	AA	696	A	C2'-C1'	-6.92	1.45	1.53
1	AA	808	C	C2-N3	6.92	1.41	1.35
1	AA	1089	G	C6-N1	-6.92	1.34	1.39
25	BA	96	G	C2-N3	6.92	1.38	1.32
26	BB	1489	C	C4-C5	6.92	1.48	1.43
26	BB	2392	A	P-O5'	6.92	1.66	1.59
1	AA	288	A	C3'-O3'	-6.92	1.32	1.42
1	AA	353	A	N3-C4	6.92	1.39	1.34
26	BB	382	A	C2-N3	6.92	1.39	1.33
1	AA	898	G	O4'-C1'	6.92	1.50	1.41
1	AA	1332	A	C4'-O4'	-6.92	1.36	1.45
26	BB	299	A	C3'-O3'	6.92	1.51	1.42

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	479	A	C6-N1	-6.92	1.30	1.35
26	BB	1517	G	P-O5'	6.92	1.66	1.59
26	BB	1707	G	N1-C2	6.92	1.43	1.37
26	BB	2559	C	C4-N4	-6.92	1.27	1.33
26	BB	2722	G	N3-C4	6.92	1.40	1.35
26	BB	1676	A	C5'-C4'	6.92	1.59	1.51
26	BB	1983	G	N3-C4	6.92	1.40	1.35
25	BA	110	C	C5'-C4'	6.92	1.59	1.51
26	BB	2760	C	P-O5'	6.92	1.66	1.59
2	AB	43	G	P-O5'	6.92	1.66	1.59
26	BB	1534	U	C5'-C4'	6.92	1.59	1.51
26	BB	2447	G	N9-C8	6.92	1.42	1.37
26	BB	2181	U	C2-N3	6.91	1.42	1.37
1	AA	1022	A	C3'-C2'	6.91	1.60	1.52
4	AD	10	G	O4'-C1'	6.91	1.50	1.41
25	BA	70	C	C2-O2	-6.91	1.18	1.24
26	BB	1621	U	O3'-P	6.91	1.69	1.61
26	BB	2099	U	C5-C6	6.91	1.40	1.34
26	BB	621	A	C5-C4	6.91	1.43	1.38
26	BB	1072	C	N3-C4	6.91	1.38	1.33
26	BB	2080	A	P-O5'	6.91	1.66	1.59
1	AA	727	G	P-O5'	6.91	1.66	1.59
26	BB	1738	G	C6-N1	6.91	1.44	1.39
1	AA	481	G	C2'-C1'	6.91	1.60	1.53
25	BA	14	U	C3'-C2'	6.91	1.60	1.52
25	BA	77	U	N1-C2	6.91	1.44	1.38
26	BB	169	G	C8-N7	-6.91	1.26	1.30
26	BB	874	G	C5'-C4'	6.91	1.59	1.51
1	AA	290	C	C4-C5	6.90	1.48	1.43
26	BB	1332	G	N9-C8	6.90	1.42	1.37
26	BB	2597	G	O3'-P	6.90	1.69	1.61
1	AA	389	A	N9-C8	6.90	1.43	1.37
1	AA	1240	U	C4'-O4'	-6.90	1.36	1.45
26	BB	806	C	C5-C6	6.90	1.39	1.34
1	AA	149	A	O3'-P	6.90	1.69	1.61
1	AA	726	C	C5'-C4'	6.90	1.59	1.51
26	BB	102	U	C4-O4	6.90	1.29	1.23
26	BB	220	G	C5'-C4'	6.90	1.59	1.51
26	BB	401	A	N3-C4	6.90	1.39	1.34
26	BB	428	A	C8-N7	-6.90	1.26	1.31
26	BB	1042	G	C8-N7	-6.90	1.26	1.30
26	BB	1672	A	P-O5'	6.90	1.66	1.59

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1913	A	P-O5'	6.90	1.66	1.59
26	BB	1936	A	N7-C5	-6.90	1.35	1.39
26	BB	2243	U	C2'-C1'	6.90	1.60	1.53
1	AA	1349	A	C8-N7	-6.90	1.26	1.31
1	AA	1365	G	N1-C2	6.90	1.43	1.37
26	BB	1054	A	C4'-C3'	-6.90	1.45	1.53
26	BB	563	A	P-O5'	6.90	1.66	1.59
1	AA	206	C	N3-C4	6.89	1.38	1.33
1	AA	300	A	N7-C5	6.89	1.43	1.39
1	AA	481	G	C5-C4	-6.89	1.33	1.38
26	BB	472	A	C6-N1	-6.89	1.30	1.35
26	BB	2139	U	C2-O2	6.89	1.28	1.22
1	AA	985	C	P-O5'	6.89	1.66	1.59
1	AA	1099	G	N1-C2	6.89	1.43	1.37
26	BB	213	A	P-O5'	6.89	1.66	1.59
26	BB	1933	G	O3'-P	6.89	1.69	1.61
26	BB	2003	A	C5'-C4'	6.89	1.59	1.51
26	BB	1878	G	N3-C4	6.89	1.40	1.35
26	BB	2745	C	P-O5'	6.89	1.66	1.59
26	BB	212	G	C6-O6	-6.89	1.18	1.24
54	B3	47	TYR	CD2-CE2	6.89	1.49	1.39
1	AA	1367	C	N3-C4	6.89	1.38	1.33
1	AA	1455	G	N1-C2	6.89	1.43	1.37
3	AC	46	C	N1-C2	6.89	1.47	1.40
26	BB	997	G	C5-C4	-6.89	1.33	1.38
26	BB	1687	G	N1-C2	-6.89	1.32	1.37
1	AA	46	G	C2-N2	-6.88	1.27	1.34
26	BB	1412	U	N1-C2	6.88	1.44	1.38
26	BB	1877	A	N7-C5	-6.88	1.35	1.39
26	BB	2778	A	C4'-O4'	-6.88	1.36	1.45
26	BB	2881	U	N3-C4	6.88	1.44	1.38
1	AA	976	G	C3'-C2'	6.88	1.60	1.52
26	BB	1695	G	N9-C8	-6.88	1.33	1.37
26	BB	58	G	C8-N7	6.88	1.35	1.30
26	BB	1044	C	N3-C4	6.88	1.38	1.33
1	AA	481	G	N9-C4	6.88	1.43	1.38
26	BB	1201	U	O3'-P	6.88	1.69	1.61
1	AA	529	G	C2'-C1'	6.88	1.60	1.53
26	BB	41	C	P-O5'	6.88	1.66	1.59
26	BB	312	G	O4'-C1'	-6.88	1.32	1.41
26	BB	1773	A	O4'-C1'	6.88	1.50	1.41
26	BB	2024	G	C6-N1	6.88	1.44	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2747	G	P-O5'	6.88	1.66	1.59
26	BB	2811	G	O5'-C5'	-6.88	1.31	1.42
25	BA	24	G	N7-C5	6.88	1.43	1.39
26	BB	726	G	C6-N1	6.88	1.44	1.39
26	BB	2113	U	C2-O2	-6.88	1.16	1.22
26	BB	2554	U	N1-C2	6.88	1.44	1.38
1	AA	580	C	C2'-C1'	6.88	1.60	1.53
26	BB	297	G	C2-N3	6.88	1.38	1.32
26	BB	684	G	C5'-C4'	6.88	1.59	1.51
26	BB	1244	A	N9-C4	6.88	1.42	1.37
26	BB	1587	G	N7-C5	-6.88	1.35	1.39
26	BB	2576	G	O3'-P	6.88	1.69	1.61
1	AA	777	A	C6-N6	-6.87	1.28	1.33
26	BB	1380	G	C5'-C4'	6.87	1.59	1.51
26	BB	1606	C	C4-N4	6.87	1.40	1.33
1	AA	324	G	N3-C4	6.87	1.40	1.35
26	BB	118	A	C5-C4	-6.87	1.33	1.38
26	BB	141	G	N9-C4	-6.87	1.32	1.38
1	AA	1349	A	C5-C4	-6.87	1.33	1.38
26	BB	1683	U	C5-C6	6.87	1.40	1.34
26	BB	276	U	P-O5'	6.87	1.66	1.59
26	BB	846	U	C2-O2	6.87	1.28	1.22
26	BB	1689	A	N9-C4	-6.87	1.33	1.37
26	BB	2629	U	C4-C5	6.87	1.49	1.43
25	BA	26	C	C4'-C3'	-6.87	1.45	1.53
26	BB	390	U	C5'-C4'	6.87	1.59	1.51
26	BB	468	G	N3-C4	6.87	1.40	1.35
1	AA	1097	C	N3-C4	6.86	1.38	1.33
1	AA	1162	C	C2-O2	-6.86	1.18	1.24
26	BB	553	G	C4'-O4'	-6.86	1.36	1.45
26	BB	815	C	C2-O2	-6.86	1.18	1.24
26	BB	1589	U	N1-C2	6.86	1.44	1.38
1	AA	946	A	C4'-O4'	-6.86	1.36	1.45
1	AA	1422	G	N9-C8	-6.86	1.33	1.37
26	BB	181	A	O3'-P	6.86	1.69	1.61
26	BB	1792	G	C2'-O2'	6.86	1.50	1.41
26	BB	2230	G	O3'-P	-6.86	1.52	1.61
26	BB	2617	U	C4'-O4'	-6.86	1.36	1.45
26	BB	2775	G	N3-C4	6.86	1.40	1.35
26	BB	232	G	C2'-C1'	-6.86	1.45	1.53
1	AA	729	A	C5'-C4'	6.86	1.59	1.51
26	BB	1061	U	N1-C2	6.86	1.44	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	283	G	C5-C4	6.86	1.43	1.38
26	BB	467	G	N9-C8	6.86	1.42	1.37
26	BB	720	U	N3-C4	6.86	1.44	1.38
26	BB	733	G	C8-N7	6.86	1.35	1.30
26	BB	1729	U	C3'-O3'	-6.86	1.32	1.42
26	BB	1884	G	N3-C4	6.86	1.40	1.35
26	BB	1927	A	P-O5'	6.86	1.66	1.59
26	BB	2883	A	C5-C6	6.86	1.47	1.41
26	BB	1288	G	C5'-C4'	6.86	1.59	1.51
26	BB	2001	C	C4'-O4'	-6.86	1.36	1.45
26	BB	2174	C	C5-C6	6.86	1.39	1.34
1	AA	719	C	C3'-C2'	6.85	1.60	1.52
26	BB	382	A	N1-C2	-6.85	1.28	1.34
26	BB	988	A	C2'-C1'	6.85	1.60	1.53
26	BB	2886	A	C2-N3	6.85	1.39	1.33
1	AA	1481	U	C2-N3	6.85	1.42	1.37
4	AD	48	U	N3-C4	6.85	1.44	1.38
26	BB	514	A	O3'-P	6.85	1.69	1.61
26	BB	710	U	C2-O2	6.85	1.28	1.22
26	BB	2028	U	C4-C5	6.85	1.49	1.43
26	BB	2432	A	C1'-N9	6.85	1.59	1.48
26	BB	2711	A	P-O5'	6.85	1.66	1.59
26	BB	2729	G	P-O5'	6.85	1.66	1.59
1	AA	39	G	C3'-C2'	6.85	1.60	1.52
1	AA	440	C	C2-N3	6.85	1.41	1.35
26	BB	1116	G	P-O5'	6.85	1.66	1.59
26	BB	1234	U	C2-N3	6.85	1.42	1.37
26	BB	1580	A	C2-N3	6.85	1.39	1.33
26	BB	1723	G	C6-N1	6.85	1.44	1.39
1	AA	148	G	C6-O6	-6.85	1.18	1.24
1	AA	1016	A	C4'-O4'	-6.85	1.36	1.45
1	AA	1039	G	O3'-P	6.85	1.69	1.61
1	AA	1439	G	C3'-C2'	6.85	1.60	1.52
26	BB	2413	G	C2'-C1'	6.85	1.60	1.53
1	AA	22	G	C5-C4	-6.85	1.33	1.38
1	AA	127	G	P-O5'	-6.85	1.52	1.59
1	AA	957	U	N3-C4	6.85	1.44	1.38
1	AA	995	C	N1-C6	6.85	1.41	1.37
1	AA	1124	G	C3'-C2'	-6.85	1.45	1.52
25	BA	112	G	O4'-C1'	6.85	1.50	1.41
26	BB	2721	A	C2'-C1'	6.85	1.60	1.53
41	BQ	25	ARG	CZ-NH1	6.85	1.42	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	585	G	C2-N3	6.85	1.38	1.32
2	AB	49	G	N9-C4	-6.85	1.32	1.38
26	BB	1095	A	N3-C4	6.85	1.39	1.34
26	BB	1573	G	C8-N7	-6.85	1.26	1.30
26	BB	1819	A	N7-C5	6.85	1.43	1.39
26	BB	1855	U	C5-C6	6.85	1.40	1.34
1	AA	1280	A	C5-C6	6.84	1.47	1.41
1	AA	1439	G	C5'-C4'	6.84	1.59	1.51
26	BB	216	A	O3'-P	6.84	1.69	1.61
26	BB	2143	C	P-O5'	6.84	1.66	1.59
26	BB	496	G	C2-N3	6.84	1.38	1.32
26	BB	2358	A	N7-C5	6.84	1.43	1.39
1	AA	1091	U	C2-N3	6.84	1.42	1.37
4	AD	53	G	C8-N7	6.84	1.35	1.30
26	BB	266	G	C3'-C2'	-6.84	1.45	1.52
26	BB	404	A	C5-C6	-6.84	1.34	1.41
26	BB	551	G	N1-C2	6.84	1.43	1.37
26	BB	1526	C	O3'-P	6.84	1.69	1.61
26	BB	2765	A	N7-C5	6.84	1.43	1.39
26	BB	2841	C	C5'-C4'	6.84	1.59	1.51
1	AA	269	C	O3'-P	6.84	1.69	1.61
1	AA	589	U	C4-C5	6.84	1.49	1.43
26	BB	430	A	N7-C5	6.84	1.43	1.39
26	BB	890	C	N1-C6	6.84	1.41	1.37
1	AA	105	G	C6-N1	6.84	1.44	1.39
1	AA	236	A	O3'-P	6.84	1.69	1.61
26	BB	2234	G	N9-C4	6.84	1.43	1.38
1	AA	486	U	C5-C6	6.84	1.40	1.34
1	AA	1382	C	P-O5'	6.84	1.66	1.59
1	AA	1445	U	C4-C5	6.84	1.49	1.43
26	BB	326	G	N3-C4	-6.84	1.30	1.35
26	BB	778	G	N1-C2	6.84	1.43	1.37
26	BB	1857	G	C6-O6	-6.84	1.18	1.24
26	BB	416	U	P-O5'	6.83	1.66	1.59
26	BB	1859	U	N1-C2	6.83	1.44	1.38
26	BB	2882	A	O5'-C5'	-6.83	1.31	1.42
1	AA	75	G	C5'-C4'	6.83	1.59	1.51
26	BB	2473	U	N3-C4	6.83	1.44	1.38
1	AA	431	A	N9-C4	6.83	1.42	1.37
1	AA	563	A	O4'-C1'	6.83	1.50	1.41
1	AA	819	A	N3-C4	6.83	1.39	1.34
1	AA	1283	U	C2'-C1'	-6.83	1.45	1.53

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1408	G	C5-C6	6.83	1.49	1.42
1	AA	381	C	C2-N3	6.83	1.41	1.35
1	AA	829	G	C6-N1	6.83	1.44	1.39
1	AA	927	G	N7-C5	6.83	1.43	1.39
1	AA	1393	U	N1-C6	6.83	1.44	1.38
2	AB	47	U	O3'-P	6.83	1.69	1.61
26	BB	1291	C	C5-C6	-6.83	1.28	1.34
26	BB	1519	G	C5-C4	6.83	1.43	1.38
26	BB	230	G	N7-C5	6.83	1.43	1.39
26	BB	1577	C	C4'-C3'	6.83	1.60	1.53
25	BA	46	A	C5'-C4'	6.83	1.59	1.51
26	BB	544	C	O3'-P	6.83	1.69	1.61
26	BB	568	U	O3'-P	6.83	1.69	1.61
26	BB	1161	C	C4'-C3'	-6.83	1.45	1.53
26	BB	1525	A	C6-N1	-6.83	1.30	1.35
26	BB	2278	A	C3'-C2'	6.83	1.60	1.52
1	AA	83	C	C4'-O4'	-6.82	1.36	1.45
1	AA	128	G	C6-N1	6.82	1.44	1.39
1	AA	1128	C	C5-C6	6.82	1.39	1.34
26	BB	1410	G	C2-N3	6.82	1.38	1.32
26	BB	1447	C	C4-N4	6.82	1.40	1.33
26	BB	1705	A	C5-C4	-6.82	1.33	1.38
26	BB	2143	C	C2-N3	6.82	1.41	1.35
1	AA	663	A	N7-C5	-6.82	1.35	1.39
26	BB	1953	A	N3-C4	6.82	1.39	1.34
26	BB	2340	A	N1-C2	-6.82	1.28	1.34
1	AA	1046	A	P-O5'	6.82	1.66	1.59
1	AA	1050	G	N1-C2	6.82	1.43	1.37
26	BB	321	U	C2-N3	6.82	1.42	1.37
26	BB	2540	C	O3'-P	6.82	1.69	1.61
26	BB	2681	C	N1-C6	6.82	1.41	1.37
26	BB	142	A	O3'-P	6.82	1.69	1.61
26	BB	1295	C	C5'-C4'	6.82	1.59	1.51
26	BB	1813	G	C2-N3	6.82	1.38	1.32
26	BB	2383	G	C2-N3	6.82	1.38	1.32
1	AA	507	C	P-O5'	-6.82	1.52	1.59
3	AC	40	G	N9-C4	-6.82	1.32	1.38
26	BB	307	G	C8-N7	-6.82	1.26	1.30
26	BB	684	G	N9-C8	6.82	1.42	1.37
26	BB	1374	G	N3-C4	6.82	1.40	1.35
26	BB	2093	G	N9-C8	-6.82	1.33	1.37
26	BB	2720	U	P-O5'	6.82	1.66	1.59

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	762	U	C5-C6	6.82	1.40	1.34
1	AA	1159	U	N1-C6	-6.82	1.31	1.38
4	AD	20	G	C8-N7	6.82	1.35	1.30
26	BB	1140	C	C4'-O4'	-6.82	1.36	1.45
26	BB	1542	U	C4-O4	-6.82	1.18	1.23
26	BB	1713	A	C6-N1	6.82	1.40	1.35
26	BB	1894	C	C4'-O4'	-6.82	1.36	1.45
1	AA	111	G	C2-N3	6.81	1.38	1.32
1	AA	464	U	C2-N3	6.81	1.42	1.37
1	AA	1468	A	N9-C8	6.81	1.43	1.37
26	BB	1105	U	C2-N3	6.81	1.42	1.37
1	AA	396	C	C2'-O2'	6.81	1.50	1.41
1	AA	1368	A	N1-C2	6.81	1.40	1.34
26	BB	668	A	P-O5'	-6.81	1.52	1.59
26	BB	684	G	N3-C4	6.81	1.40	1.35
26	BB	1492	G	P-O5'	-6.81	1.52	1.59
26	BB	1903	G	C5-C4	6.81	1.43	1.38
26	BB	2106	U	C5-C6	6.81	1.40	1.34
1	AA	1337	G	C5-C4	-6.81	1.33	1.38
1	AA	1337	G	N9-C8	6.81	1.42	1.37
26	BB	251	A	C8-N7	-6.81	1.26	1.31
1	AA	923	A	N3-C4	6.81	1.39	1.34
26	BB	379	G	N7-C5	-6.81	1.35	1.39
26	BB	888	C	C2-N3	6.81	1.41	1.35
26	BB	1181	U	C4-O4	-6.81	1.18	1.23
26	BB	1189	A	C6-N1	6.81	1.40	1.35
26	BB	1541	C	O3'-P	6.81	1.69	1.61
26	BB	2856	A	C5-C4	6.81	1.43	1.38
1	AA	123	U	P-O5'	6.81	1.66	1.59
1	AA	1365	G	C5-C4	-6.81	1.33	1.38
26	BB	283	G	N9-C8	-6.81	1.33	1.37
26	BB	1220	G	N7-C5	-6.81	1.35	1.39
26	BB	2165	C	P-O5'	6.81	1.66	1.59
1	AA	772	U	C5'-C4'	6.81	1.59	1.51
26	BB	793	A	N7-C5	-6.81	1.35	1.39
26	BB	1057	A	C2-N3	-6.81	1.27	1.33
26	BB	1971	U	C4-C5	6.81	1.49	1.43
1	AA	109	A	C5-C4	-6.80	1.33	1.38
1	AA	975	A	C2-N3	6.80	1.39	1.33
25	BA	20	G	C8-N7	-6.80	1.26	1.30
25	BA	92	C	N1-C6	6.80	1.41	1.37
26	BB	132	G	C8-N7	-6.80	1.26	1.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1116	G	C5'-C4'	6.80	1.59	1.51
1	AA	23	C	C4'-O4'	-6.80	1.36	1.45
26	BB	489	G	C8-N7	6.80	1.35	1.30
25	BA	21	G	C5-C4	-6.80	1.33	1.38
25	BA	60	C	C4'-C3'	-6.80	1.45	1.53
26	BB	94	A	C5'-C4'	6.80	1.59	1.51
26	BB	581	C	N1-C6	6.80	1.41	1.37
26	BB	697	G	P-O5'	6.80	1.66	1.59
26	BB	867	C	P-O5'	6.80	1.66	1.59
26	BB	988	A	C5'-C4'	6.80	1.59	1.51
26	BB	1350	C	O3'-P	6.80	1.69	1.61
26	BB	2146	C	C4'-O4'	-6.80	1.36	1.45
1	AA	961	U	C5'-C4'	6.80	1.59	1.51
26	BB	2170	A	N7-C5	-6.80	1.35	1.39
1	AA	1410	A	C3'-C2'	-6.80	1.45	1.52
26	BB	170	U	C2-N3	6.80	1.42	1.37
26	BB	1709	U	C3'-C2'	6.80	1.60	1.52
26	BB	36	G	C6-N1	6.80	1.44	1.39
26	BB	380	G	N7-C5	-6.80	1.35	1.39
26	BB	1551	A	N3-C4	6.80	1.39	1.34
26	BB	2667	C	C4-C5	6.80	1.48	1.43
26	BB	818	G	N7-C5	6.79	1.43	1.39
1	AA	116	A	P-O5'	6.79	1.66	1.59
26	BB	1422	G	N9-C4	-6.79	1.32	1.38
26	BB	1767	G	N3-C4	6.79	1.40	1.35
26	BB	2039	U	C2'-C1'	6.79	1.60	1.53
26	BB	2472	G	N9-C8	6.79	1.42	1.37
2	AB	21	A	C4'-O4'	-6.79	1.36	1.45
26	BB	35	G	C3'-C2'	6.79	1.60	1.52
26	BB	505	A	O3'-P	6.79	1.69	1.61
26	BB	1853	A	N3-C4	6.79	1.39	1.34
26	BB	2059	A	C6-N6	6.79	1.39	1.33
26	BB	2774	C	C2-N3	6.79	1.41	1.35
26	BB	2801	G	C2-N3	6.79	1.38	1.32
1	AA	344	A	C2'-O2'	-6.79	1.32	1.41
26	BB	621	A	C5-C6	6.79	1.47	1.41
26	BB	948	C	P-O5'	6.79	1.66	1.59
26	BB	1833	C	C5'-C4'	6.79	1.59	1.51
26	BB	2413	G	N3-C4	6.79	1.40	1.35
26	BB	2649	C	N3-C4	6.79	1.38	1.33
26	BB	2857	G	N9-C8	6.79	1.42	1.37
26	BB	2864	G	P-O5'	6.79	1.66	1.59

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	867	G	P-O5'	6.79	1.66	1.59
1	AA	1530	G	C5-C4	-6.79	1.33	1.38
26	BB	2421	G	N3-C4	6.79	1.40	1.35
1	AA	412	A	C5'-C4'	6.78	1.59	1.51
1	AA	187	G	N1-C2	6.78	1.43	1.37
1	AA	837	U	O3'-P	6.78	1.69	1.61
1	AA	53	A	C5'-C4'	6.78	1.59	1.51
1	AA	1148	U	P-O5'	6.78	1.66	1.59
26	BB	680	C	N1-C6	6.78	1.41	1.37
26	BB	1281	G	C5-C6	6.78	1.49	1.42
1	AA	1087	G	C2-N3	6.78	1.38	1.32
2	AB	39	A	N9-C4	6.78	1.42	1.37
26	BB	129	C	N1-C2	6.78	1.47	1.40
1	AA	180	U	C2-N3	6.78	1.42	1.37
1	AA	1312	G	O4'-C1'	6.78	1.50	1.41
1	AA	1360	A	C5-C6	6.78	1.47	1.41
26	BB	1419	A	P-O5'	6.78	1.66	1.59
26	BB	2480	C	N1-C6	6.78	1.41	1.37
1	AA	107	G	N3-C4	6.77	1.40	1.35
1	AA	1416	G	C4'-O4'	-6.77	1.36	1.45
26	BB	268	C	C4-C5	6.77	1.48	1.43
26	BB	1375	U	N1-C2	6.77	1.44	1.38
26	BB	1970	A	P-O5'	6.77	1.66	1.59
26	BB	2298	A	C4'-O4'	-6.77	1.36	1.45
26	BB	2309	A	N7-C5	6.77	1.43	1.39
1	AA	43	C	P-O5'	6.77	1.66	1.59
26	BB	2267	A	C5'-C4'	6.77	1.59	1.51
26	BB	2609	U	P-O5'	6.77	1.66	1.59
1	AA	120	A	C6-N6	6.77	1.39	1.33
1	AA	237	G	C8-N7	-6.77	1.26	1.30
1	AA	243	A	N1-C2	-6.77	1.28	1.34
1	AA	998	C	C4'-O4'	-6.77	1.36	1.45
1	AA	1128	C	N3-C4	6.77	1.38	1.33
1	AA	1180	A	C5'-C4'	6.77	1.59	1.51
26	BB	508	A	P-O5'	6.77	1.66	1.59
26	BB	1313	U	C5-C6	6.77	1.40	1.34
26	BB	1876	A	C4'-C3'	-6.77	1.45	1.53
26	BB	2209	G	C2-N3	6.77	1.38	1.32
26	BB	381	G	N9-C8	6.77	1.42	1.37
26	BB	999	U	C2-N3	6.77	1.42	1.37
26	BB	1378	A	N3-C4	6.77	1.39	1.34
26	BB	1766	G	N7-C5	6.77	1.43	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	913	U	P-O5'	6.77	1.66	1.59
26	BB	1031	G	N7-C5	-6.77	1.35	1.39
26	BB	2592	G	N9-C8	6.77	1.42	1.37
1	AA	394	G	N9-C4	-6.76	1.32	1.38
1	AA	614	C	C3'-C2'	6.76	1.60	1.52
1	AA	713	G	O3'-P	6.76	1.69	1.61
1	AA	868	C	N1-C6	-6.76	1.33	1.37
1	AA	1213	A	N3-C4	6.76	1.39	1.34
1	AA	349	A	C6-N6	6.76	1.39	1.33
1	AA	1327	C	C2-N3	6.76	1.41	1.35
26	BB	1551	A	C6-N6	6.76	1.39	1.33
26	BB	1933	G	C5-C4	-6.76	1.33	1.38
1	AA	1365	G	C2-N3	6.76	1.38	1.32
26	BB	713	G	C2-N3	6.76	1.38	1.32
26	BB	781	A	C8-N7	6.76	1.36	1.31
26	BB	812	C	C5-C6	-6.76	1.28	1.34
26	BB	933	A	N7-C5	6.76	1.43	1.39
26	BB	2327	A	N1-C2	-6.76	1.28	1.34
1	AA	202	G	C5-C4	-6.76	1.33	1.38
26	BB	30	G	N3-C4	6.76	1.40	1.35
26	BB	240	C	C2-N3	-6.76	1.30	1.35
26	BB	1305	C	P-O5'	6.76	1.66	1.59
1	AA	311	C	N1-C6	6.76	1.41	1.37
1	AA	831	A	N1-C2	-6.76	1.28	1.34
1	AA	1279	G	N1-C2	6.76	1.43	1.37
26	BB	1502	A	N7-C5	-6.76	1.35	1.39
1	AA	1409	C	C3'-C2'	6.76	1.60	1.52
6	AF	28	PHE	CG-CD1	6.76	1.48	1.38
26	BB	794	A	C2'-C1'	-6.76	1.46	1.53
26	BB	1195	G	N1-C2	6.76	1.43	1.37
26	BB	1848	A	N9-C4	6.76	1.42	1.37
26	BB	2267	A	N7-C5	6.75	1.43	1.39
1	AA	52	C	C2-O2	-6.75	1.18	1.24
1	AA	238	A	C5-C4	6.75	1.43	1.38
1	AA	515	G	P-O5'	6.75	1.66	1.59
1	AA	818	G	N1-C2	6.75	1.43	1.37
1	AA	1165	U	C3'-C2'	6.75	1.60	1.52
26	BB	168	G	N9-C8	-6.75	1.33	1.37
26	BB	761	A	C3'-O3'	-6.75	1.32	1.42
26	BB	1075	C	C2-O2	-6.75	1.18	1.24
26	BB	1580	A	N3-C4	6.75	1.39	1.34
26	BB	2055	C	C5'-C4'	6.75	1.59	1.51

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2496	C	P-O5'	-6.75	1.52	1.59
26	BB	2737	G	P-O5'	6.75	1.66	1.59
26	BB	2861	U	C4-C5	6.75	1.49	1.43
26	BB	191	A	N7-C5	-6.75	1.35	1.39
26	BB	834	G	N7-C5	-6.75	1.35	1.39
26	BB	1391	U	N1-C2	6.75	1.44	1.38
1	AA	1378	C	C4'-O4'	-6.75	1.36	1.45
26	BB	956	G	N9-C8	-6.75	1.33	1.37
26	BB	2836	U	O3'-P	6.75	1.69	1.61
26	BB	2880	C	N1-C6	6.75	1.41	1.37
1	AA	376	G	C8-N7	6.75	1.34	1.30
1	AA	858	G	N3-C4	6.75	1.40	1.35
1	AA	1326	U	N1-C2	6.75	1.44	1.38
26	BB	799	G	N9-C8	-6.75	1.33	1.37
26	BB	1258	U	C5-C6	6.75	1.40	1.34
26	BB	2081	U	C4'-O4'	-6.75	1.36	1.45
1	AA	915	A	C8-N7	-6.75	1.26	1.31
2	AB	67	G	C3'-C2'	6.75	1.60	1.52
26	BB	1033	U	C5-C6	6.75	1.40	1.34
26	BB	1271	G	C4'-O4'	-6.75	1.36	1.45
1	AA	1528	U	C2-N3	6.75	1.42	1.37
26	BB	771	G	C2-N2	6.75	1.41	1.34
1	AA	1233	G	N7-C5	6.74	1.43	1.39
1	AA	1502	A	N9-C8	-6.74	1.32	1.37
26	BB	676	A	C2-N3	6.74	1.39	1.33
26	BB	2419	U	C4-C5	6.74	1.49	1.43
26	BB	731	C	N1-C6	6.74	1.41	1.37
26	BB	2616	C	C4-N4	6.74	1.40	1.33
26	BB	2819	G	O3'-P	6.74	1.69	1.61
1	AA	130	A	C5'-C4'	6.74	1.59	1.51
1	AA	679	C	C4-C5	6.74	1.48	1.43
1	AA	930	C	C2-N3	6.74	1.41	1.35
1	AA	1379	G	O3'-P	6.74	1.69	1.61
1	AA	1449	C	C4'-C3'	-6.74	1.45	1.53
4	AD	1	C	O3'-P	6.74	1.69	1.61
26	BB	802	A	C8-N7	6.74	1.36	1.31
26	BB	1098	A	N9-C4	6.74	1.41	1.37
26	BB	1238	G	C2-N3	6.74	1.38	1.32
26	BB	165	A	C5-C4	-6.74	1.34	1.38
26	BB	179	C	P-O5'	6.74	1.66	1.59
26	BB	1516	G	N9-C8	6.74	1.42	1.37
1	AA	758	C	O3'-P	6.74	1.69	1.61

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	951	G	N1-C2	6.74	1.43	1.37
26	BB	1122	G	N3-C4	6.74	1.40	1.35
26	BB	1600	C	O3'-P	6.74	1.69	1.61
26	BB	1604	C	N1-C6	6.74	1.41	1.37
26	BB	1790	C	P-O5'	6.74	1.66	1.59
1	AA	1098	C	N1-C6	-6.73	1.33	1.37
1	AA	1171	A	C6-N1	-6.73	1.30	1.35
26	BB	886	A	O4'-C1'	-6.73	1.32	1.41
1	AA	54	C	N3-C4	6.73	1.38	1.33
1	AA	1371	G	C8-N7	-6.73	1.26	1.30
1	AA	1441	A	O3'-P	6.73	1.69	1.61
1	AA	1510	C	N1-C6	-6.73	1.33	1.37
2	AB	6	C	P-O5'	6.73	1.66	1.59
26	BB	561	G	C8-N7	-6.73	1.26	1.30
26	BB	2027	G	N7-C5	-6.73	1.35	1.39
26	BB	2059	A	N1-C2	-6.73	1.28	1.34
26	BB	2218	G	N7-C5	-6.73	1.35	1.39
1	AA	358	U	C5-C6	6.73	1.40	1.34
2	AB	12	U	N1-C6	6.73	1.44	1.38
26	BB	371	A	P-O5'	6.73	1.66	1.59
26	BB	899	A	C4'-O4'	-6.73	1.36	1.45
26	BB	1573	G	N9-C8	6.73	1.42	1.37
26	BB	2197	U	C5'-C4'	6.73	1.59	1.51
26	BB	2286	G	N7-C5	6.73	1.43	1.39
26	BB	2460	U	C5'-C4'	6.73	1.59	1.51
1	AA	1346	A	P-O5'	6.73	1.66	1.59
26	BB	1003	G	P-O5'	6.73	1.66	1.59
26	BB	1901	A	P-O5'	6.73	1.66	1.59
26	BB	1973	G	C8-N7	6.73	1.34	1.30
26	BB	96	C	P-O5'	6.73	1.66	1.59
26	BB	720	U	C5-C6	6.73	1.40	1.34
26	BB	736	C	C5'-C4'	6.73	1.59	1.51
26	BB	1324	G	C2-N3	6.73	1.38	1.32
26	BB	1659	G	C8-N7	-6.73	1.26	1.30
26	BB	825	A	C6-N1	-6.73	1.30	1.35
1	AA	639	G	C6-N1	6.72	1.44	1.39
1	AA	1204	A	C6-N6	6.72	1.39	1.33
25	BA	65	U	C5'-C4'	6.72	1.59	1.51
26	BB	617	G	C6-O6	-6.72	1.18	1.24
26	BB	784	G	C8-N7	-6.72	1.26	1.30
26	BB	2241	A	C5'-C4'	6.72	1.59	1.51
26	BB	2506	U	C2-N3	6.72	1.42	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	299	G	N3-C4	-6.72	1.30	1.35
1	AA	380	G	N3-C4	6.72	1.40	1.35
26	BB	122	G	N1-C2	6.72	1.43	1.37
26	BB	797	G	N1-C2	6.72	1.43	1.37
26	BB	1348	C	O4'-C1'	6.72	1.50	1.41
26	BB	2136	G	N1-C2	6.72	1.43	1.37
26	BB	1977	A	O3'-P	6.72	1.69	1.61
1	AA	91	U	C5'-C4'	6.72	1.59	1.51
1	AA	133	U	C5-C6	6.72	1.40	1.34
4	AD	73	A	O3'-P	6.72	1.69	1.61
26	BB	752	A	C6-N6	6.72	1.39	1.33
26	BB	2473	U	N1-C2	6.72	1.44	1.38
1	AA	305	G	N7-C5	6.72	1.43	1.39
26	BB	2173	A	N3-C4	6.72	1.38	1.34
26	BB	2371	G	C2'-O2'	-6.72	1.32	1.41
1	AA	251	G	N3-C4	6.72	1.40	1.35
26	BB	245	G	N9-C8	-6.72	1.33	1.37
26	BB	276	U	O3'-P	6.72	1.69	1.61
26	BB	735	A	P-O5'	6.72	1.66	1.59
1	AA	1066	C	O3'-P	6.71	1.69	1.61
3	AC	55	A	N1-C2	6.71	1.40	1.34
26	BB	821	A	C2'-O2'	6.71	1.50	1.41
26	BB	1581	G	P-O5'	6.71	1.66	1.59
26	BB	1716	U	C4'-O4'	-6.71	1.36	1.45
26	BB	1888	G	C2'-C1'	6.71	1.60	1.53
26	BB	711	G	N7-C5	-6.71	1.35	1.39
26	BB	1281	G	N3-C4	6.71	1.40	1.35
26	BB	1641	A	N9-C4	-6.71	1.33	1.37
1	AA	175	C	N3-C4	6.71	1.38	1.33
1	AA	949	A	N9-C4	6.71	1.41	1.37
26	BB	851	C	C2'-C1'	-6.71	1.46	1.53
26	BB	1741	C	C5'-C4'	6.71	1.59	1.51
26	BB	2036	C	N1-C6	6.71	1.41	1.37
26	BB	462	C	N1-C2	6.71	1.46	1.40
26	BB	638	G	C2'-O2'	6.71	1.50	1.41
26	BB	744	U	N1-C2	6.71	1.44	1.38
26	BB	1204	A	P-O5'	6.71	1.66	1.59
1	AA	192	A	C4'-C3'	6.71	1.60	1.53
1	AA	540	G	C8-N7	6.71	1.34	1.30
1	AA	676	A	P-O5'	6.71	1.66	1.59
25	BA	53	A	C5-C4	-6.71	1.34	1.38
26	BB	1001	A	C5-C4	-6.71	1.34	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1826	G	O3'-P	6.71	1.69	1.61
26	BB	2332	C	C4'-O4'	-6.71	1.36	1.45
26	BB	2345	G	N1-C2	6.71	1.43	1.37
26	BB	2709	G	N7-C5	-6.71	1.35	1.39
1	AA	361	G	N9-C8	-6.71	1.33	1.37
1	AA	801	U	N1-C2	6.71	1.44	1.38
1	AA	877	G	C8-N7	-6.71	1.26	1.30
1	AA	943	U	C5-C6	6.71	1.40	1.34
3	AC	41	A	C6-N1	-6.71	1.30	1.35
26	BB	11	C	C4-N4	6.71	1.40	1.33
26	BB	1218	G	N9-C8	-6.71	1.33	1.37
26	BB	1557	C	C4'-O4'	-6.71	1.36	1.45
1	AA	168	G	C5'-C4'	6.70	1.59	1.51
1	AA	255	G	P-O5'	6.70	1.66	1.59
1	AA	505	G	P-O5'	6.70	1.66	1.59
3	AC	38	G	C6-O6	-6.70	1.18	1.24
26	BB	187	G	O3'-P	-6.70	1.53	1.61
26	BB	2643	G	N3-C4	6.70	1.40	1.35
1	AA	561	U	O3'-P	6.70	1.69	1.61
26	BB	124	G	N9-C4	6.70	1.43	1.38
1	AA	728	A	C6-N1	6.70	1.40	1.35
25	BA	46	A	C5-C4	6.70	1.43	1.38
26	BB	370	G	N1-C2	6.70	1.43	1.37
26	BB	555	G	C4'-C3'	-6.70	1.45	1.53
26	BB	1355	G	N7-C5	6.70	1.43	1.39
26	BB	2097	A	N3-C4	6.70	1.38	1.34
1	AA	1024	G	P-O5'	6.70	1.66	1.59
1	AA	1234	C	C2-O2	-6.70	1.18	1.24
26	BB	323	C	N3-C4	6.70	1.38	1.33
26	BB	387	U	N1-C2	6.70	1.44	1.38
26	BB	874	G	N3-C4	6.70	1.40	1.35
26	BB	1943	U	P-O5'	-6.70	1.53	1.59
26	BB	2158	A	C4'-C3'	6.70	1.60	1.53
26	BB	2597	G	P-O5'	6.70	1.66	1.59
2	AB	3	G	C5-C6	6.70	1.49	1.42
26	BB	122	G	N3-C4	6.70	1.40	1.35
26	BB	136	G	C4'-O4'	-6.70	1.36	1.45
26	BB	1261	C	N1-C6	-6.70	1.33	1.37
1	AA	99	C	C4-N4	6.70	1.40	1.33
1	AA	162	A	C8-N7	-6.70	1.26	1.31
1	AA	872	A	N9-C8	-6.70	1.32	1.37
1	AA	1289	A	N7-C5	-6.70	1.35	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	166	U	C2-N3	6.70	1.42	1.37
26	BB	177	G	C6-N1	-6.70	1.34	1.39
26	BB	1890	A	N9-C4	6.70	1.41	1.37
26	BB	2773	C	C2-N3	6.70	1.41	1.35
1	AA	623	C	N1-C2	-6.69	1.33	1.40
26	BB	1474	U	N3-C4	6.69	1.44	1.38
26	BB	1854	A	N7-C5	-6.69	1.35	1.39
26	BB	2835	A	N3-C4	6.69	1.38	1.34
1	AA	1419	G	N1-C2	6.69	1.43	1.37
4	AD	69	C	O3'-P	-6.69	1.53	1.61
26	BB	1125	G	C5-C4	6.69	1.43	1.38
26	BB	1643	G	N9-C4	6.69	1.43	1.38
26	BB	2092	U	C2-O2	6.69	1.28	1.22
1	AA	1214	C	C2-N3	6.69	1.41	1.35
26	BB	544	C	N1-C6	6.69	1.41	1.37
26	BB	1849	G	C2-N2	-6.69	1.27	1.34
26	BB	2265	U	C4-O4	6.69	1.29	1.23
1	AA	1356	G	N1-C2	6.69	1.43	1.37
3	AC	18	A	C8-N7	-6.69	1.26	1.31
26	BB	764	A	N3-C4	6.69	1.38	1.34
26	BB	874	G	N9-C8	-6.69	1.33	1.37
26	BB	1760	C	P-O5'	6.69	1.66	1.59
26	BB	2136	G	C3'-C2'	6.69	1.60	1.52
26	BB	2142	A	C5'-C4'	6.69	1.59	1.51
1	AA	33	A	C2'-O2'	-6.69	1.32	1.41
26	BB	1229	C	C2-N3	6.69	1.41	1.35
26	BB	696	G	C5-C6	6.68	1.49	1.42
26	BB	1046	A	C4'-O4'	-6.68	1.36	1.45
26	BB	1296	G	C8-N7	-6.68	1.26	1.30
26	BB	2177	C	O3'-P	6.68	1.69	1.61
1	AA	447	G	C2-N3	6.68	1.38	1.32
1	AA	617	G	P-O5'	6.68	1.66	1.59
1	AA	1236	A	C8-N7	6.68	1.36	1.31
26	BB	2239	G	C5-C6	-6.68	1.35	1.42
26	BB	2886	A	N9-C8	-6.68	1.32	1.37
1	AA	1310	G	N1-C2	6.68	1.43	1.37
1	AA	1406	U	C4-C5	6.68	1.49	1.43
26	BB	163	C	C4-C5	6.68	1.48	1.43
1	AA	254	G	C2'-C1'	-6.68	1.46	1.53
1	AA	730	G	C4'-O4'	-6.68	1.36	1.45
26	BB	1543	G	C2-N3	6.68	1.38	1.32
26	BB	2059	A	C8-N7	-6.68	1.26	1.31

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2072	C	C2-N3	6.68	1.41	1.35
26	BB	2829	A	C6-N1	6.68	1.40	1.35
4	AD	14	A	P-O5'	6.68	1.66	1.59
26	BB	1750	G	C5'-C4'	6.68	1.59	1.51
1	AA	980	C	C4'-O4'	-6.68	1.36	1.45
1	AA	1205	U	P-O5'	6.68	1.66	1.59
26	BB	532	A	N9-C4	6.68	1.41	1.37
26	BB	2713	U	O4'-C1'	6.68	1.50	1.41
1	AA	1506	U	C4-C5	-6.67	1.37	1.43
26	BB	1183	U	C2-N3	6.67	1.42	1.37
26	BB	1488	C	N1-C6	-6.67	1.33	1.37
26	BB	2392	A	N3-C4	6.67	1.38	1.34
1	AA	865	A	C2-N3	6.67	1.39	1.33
26	BB	815	C	N3-C4	6.67	1.38	1.33
26	BB	2477	U	C4'-O4'	-6.67	1.36	1.45
1	AA	226	G	C5'-C4'	6.67	1.59	1.51
1	AA	1469	C	C4-N4	6.67	1.40	1.33
25	BA	97	C	C5'-C4'	6.67	1.59	1.51
26	BB	55	G	N7-C5	-6.67	1.35	1.39
26	BB	1029	A	N3-C4	6.67	1.38	1.34
26	BB	2698	U	C4'-O4'	-6.67	1.36	1.45
26	BB	455	C	C5-C6	6.67	1.39	1.34
26	BB	1156	A	P-O5'	6.67	1.66	1.59
26	BB	1570	A	C6-N1	6.67	1.40	1.35
26	BB	1677	A	C4'-C3'	-6.67	1.45	1.53
26	BB	2006	C	P-O5'	6.67	1.66	1.59
26	BB	2256	G	C2-N3	6.67	1.38	1.32
1	AA	1221	G	P-O5'	6.67	1.66	1.59
26	BB	727	A	N9-C8	-6.67	1.32	1.37
26	BB	1468	U	C2-N3	6.67	1.42	1.37
26	BB	1566	A	N9-C4	6.67	1.41	1.37
1	AA	273	U	C2-O2	6.66	1.28	1.22
1	AA	1097	C	N1-C6	6.66	1.41	1.37
26	BB	311	A	N7-C5	6.66	1.43	1.39
26	BB	1500	G	C6-N1	6.66	1.44	1.39
26	BB	2364	C	C5'-C4'	6.66	1.59	1.51
26	BB	2422	C	N3-C4	6.66	1.38	1.33
26	BB	2439	A	O3'-P	6.66	1.69	1.61
26	BB	2573	C	O3'-P	6.66	1.69	1.61
26	BB	2393	U	C4-O4	-6.66	1.18	1.23
1	AA	143	A	N9-C4	6.66	1.41	1.37
1	AA	812	G	N9-C8	-6.66	1.33	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	404	A	N7-C5	-6.66	1.35	1.39
26	BB	567	U	C4-O4	-6.66	1.18	1.23
26	BB	1768	C	N1-C6	6.66	1.41	1.37
1	AA	68	G	N1-C2	6.66	1.43	1.37
1	AA	681	A	O3'-P	6.66	1.69	1.61
1	AA	1384	C	O3'-P	6.66	1.69	1.61
4	AD	4	G	C4'-O4'	-6.66	1.36	1.45
26	BB	2203	U	C4-O4	6.66	1.28	1.23
1	AA	1060	U	N3-C4	6.66	1.44	1.38
26	BB	1181	U	N3-C4	6.66	1.44	1.38
26	BB	1669	A	P-O5'	6.66	1.66	1.59
26	BB	1830	C	C2-N3	6.66	1.41	1.35
1	AA	26	A	C8-N7	-6.66	1.26	1.31
1	AA	515	G	C3'-C2'	6.66	1.60	1.52
1	AA	787	A	N3-C4	6.66	1.38	1.34
25	BA	99	A	C8-N7	6.66	1.36	1.31
26	BB	1645	G	C8-N7	-6.66	1.26	1.30
26	BB	2294	G	N7-C5	6.66	1.43	1.39
30	BF	64	GLY	N-CA	6.66	1.56	1.46
26	BB	415	A	N9-C4	-6.65	1.33	1.37
26	BB	1755	A	N9-C8	-6.65	1.32	1.37
26	BB	1906	G	C5-C4	6.65	1.43	1.38
26	BB	2861	U	C5-C6	6.65	1.40	1.34
1	AA	1238	A	N9-C8	6.65	1.43	1.37
26	BB	187	G	C2-N3	6.65	1.38	1.32
26	BB	806	C	N1-C6	6.65	1.41	1.37
26	BB	1648	U	C4'-O4'	-6.65	1.36	1.45
26	BB	2255	G	C6-O6	-6.65	1.18	1.24
26	BB	2665	A	P-O5'	6.65	1.66	1.59
1	AA	13	U	N3-C4	6.65	1.44	1.38
1	AA	671	G	N3-C4	6.65	1.40	1.35
1	AA	1397	C	C4'-O4'	-6.65	1.36	1.45
25	BA	93	C	N3-C4	-6.65	1.29	1.33
26	BB	307	G	N1-C2	6.65	1.43	1.37
26	BB	1430	G	N7-C5	6.65	1.43	1.39
26	BB	1723	G	N7-C5	-6.65	1.35	1.39
26	BB	2807	U	N3-C4	6.65	1.44	1.38
1	AA	1062	U	C3'-O3'	6.65	1.51	1.42
4	AD	12	G	C5'-C4'	6.65	1.59	1.51
26	BB	2120	G	P-O5'	6.65	1.66	1.59
26	BB	2518	A	N7-C5	6.65	1.43	1.39
26	BB	2551	C	N3-C4	6.65	1.38	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1127	G	N3-C4	6.65	1.40	1.35
1	AA	1405	G	C4'-C3'	-6.65	1.45	1.53
26	BB	840	C	P-O5'	6.65	1.66	1.59
26	BB	1031	G	C5'-C4'	6.65	1.59	1.51
26	BB	2086	U	C2-O2	6.65	1.28	1.22
1	AA	67	C	C2-O2	6.65	1.30	1.24
1	AA	344	A	N3-C4	6.65	1.38	1.34
1	AA	1281	C	N3-C4	6.65	1.38	1.33
26	BB	728	G	C3'-C2'	6.65	1.60	1.52
26	BB	1509	A	P-O5'	6.65	1.66	1.59
1	AA	110	C	P-O5'	6.64	1.66	1.59
1	AA	1259	C	N1-C6	-6.64	1.33	1.37
1	AA	1332	A	C8-N7	-6.64	1.26	1.31
26	BB	579	G	C2-N3	6.64	1.38	1.32
26	BB	1336	A	C5'-C4'	6.64	1.59	1.51
4	AD	58	A	P-O5'	6.64	1.66	1.59
26	BB	141	G	C8-N7	-6.64	1.26	1.30
26	BB	477	A	N3-C4	-6.64	1.30	1.34
26	BB	2188	U	P-O5'	6.64	1.66	1.59
26	BB	1057	A	C5'-C4'	6.64	1.59	1.51
26	BB	2239	G	C4'-O4'	-6.64	1.36	1.45
1	AA	216	U	C2'-O2'	-6.64	1.33	1.41
26	BB	292	U	N1-C2	6.64	1.44	1.38
26	BB	399	U	P-O5'	6.64	1.66	1.59
26	BB	1134	A	C8-N7	-6.64	1.26	1.31
26	BB	1401	G	C6-N1	-6.64	1.34	1.39
26	BB	1786	A	O3'-P	6.64	1.69	1.61
1	AA	597	G	C3'-C2'	6.64	1.60	1.52
26	BB	604	G	C3'-C2'	-6.64	1.45	1.52
26	BB	1127	A	N3-C4	6.64	1.38	1.34
1	AA	337	G	C2-N3	6.64	1.38	1.32
1	AA	733	G	O3'-P	-6.64	1.53	1.61
26	BB	426	C	O3'-P	6.64	1.69	1.61
1	AA	811	C	C3'-O3'	6.63	1.51	1.42
26	BB	93	G	P-O5'	6.63	1.66	1.59
26	BB	101	A	N3-C4	-6.63	1.30	1.34
26	BB	299	A	N9-C8	-6.63	1.32	1.37
26	BB	878	A	C6-N1	-6.63	1.30	1.35
26	BB	1336	A	C5-C6	6.63	1.47	1.41
26	BB	1345	C	C1'-N1	6.63	1.58	1.48
26	BB	1614	A	C5'-C4'	6.63	1.59	1.51
1	AA	50	A	C4'-C3'	6.63	1.60	1.53

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1261	A	C4'-C3'	6.63	1.60	1.53
26	BB	818	G	O3'-P	6.63	1.69	1.61
1	AA	1113	C	C4'-O4'	-6.63	1.36	1.45
26	BB	801	G	C5'-C4'	6.63	1.59	1.51
26	BB	1087	G	N7-C5	6.63	1.43	1.39
26	BB	1819	A	N3-C4	6.63	1.38	1.34
26	BB	1963	U	N1-C2	6.63	1.44	1.38
1	AA	495	A	C4'-O4'	-6.63	1.36	1.45
1	AA	705	G	C6-N1	-6.63	1.34	1.39
1	AA	1065	U	C4-C5	6.63	1.49	1.43
1	AA	1426	G	N3-C4	6.63	1.40	1.35
26	BB	892	A	C2'-C1'	6.63	1.60	1.53
26	BB	673	C	N3-C4	-6.63	1.29	1.33
26	BB	678	C	C4'-O4'	-6.63	1.36	1.45
26	BB	735	A	C8-N7	-6.63	1.26	1.31
26	BB	743	A	C8-N7	-6.63	1.26	1.31
26	BB	1179	G	N9-C4	6.63	1.43	1.38
26	BB	1262	A	C5-C6	6.63	1.47	1.41
26	BB	1328	A	N3-C4	6.63	1.38	1.34
26	BB	1965	C	N3-C4	6.63	1.38	1.33
26	BB	2563	U	C5-C6	6.63	1.40	1.34
26	BB	2808	G	P-O5'	6.63	1.66	1.59
1	AA	513	C	C2-N3	6.63	1.41	1.35
1	AA	656	G	O3'-P	6.63	1.69	1.61
1	AA	920	U	P-O5'	6.63	1.66	1.59
1	AA	1232	U	C2'-C1'	6.63	1.60	1.53
26	BB	894	U	N3-C4	6.63	1.44	1.38
26	BB	1042	G	N9-C8	-6.63	1.33	1.37
26	BB	1831	G	C5-C6	6.63	1.49	1.42
26	BB	2499	C	C4-N4	-6.63	1.27	1.33
1	AA	610	U	C3'-O3'	-6.62	1.32	1.42
1	AA	521	G	N9-C8	-6.62	1.33	1.37
1	AA	1467	C	N1-C6	-6.62	1.33	1.37
3	AC	53	G	C5'-C4'	6.62	1.59	1.51
26	BB	800	A	C5-C6	6.62	1.47	1.41
1	AA	1227	A	N7-C5	6.62	1.43	1.39
26	BB	271	G	N9-C8	6.62	1.42	1.37
26	BB	583	G	N1-C2	6.62	1.43	1.37
26	BB	1828	G	N3-C4	6.62	1.40	1.35
26	BB	381	G	N3-C4	-6.62	1.30	1.35
26	BB	2112	G	C2-N3	6.62	1.38	1.32
26	BB	2737	G	C8-N7	6.62	1.34	1.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	639	U	N1-C2	6.62	1.44	1.38
26	BB	1100	C	C2'-O2'	6.62	1.50	1.41
26	BB	1410	G	N1-C2	6.62	1.43	1.37
26	BB	2842	G	N9-C8	6.62	1.42	1.37
1	AA	514	C	O3'-P	6.62	1.69	1.61
1	AA	1457	G	C5-C6	6.62	1.49	1.42
26	BB	2425	A	O3'-P	6.62	1.69	1.61
1	AA	1210	C	C2-N3	6.62	1.41	1.35
26	BB	408	G	C8-N7	-6.62	1.26	1.30
26	BB	1093	G	C8-N7	-6.62	1.26	1.30
26	BB	1317	G	C2-N3	6.62	1.38	1.32
26	BB	1560	G	N7-C5	6.62	1.43	1.39
26	BB	1849	G	N1-C2	6.62	1.43	1.37
1	AA	582	C	C5-C6	6.61	1.39	1.34
1	AA	622	A	C5-C4	-6.61	1.34	1.38
1	AA	658	C	C2-O2	6.61	1.30	1.24
1	AA	1259	C	N3-C4	6.61	1.38	1.33
4	AD	74	A	N9-C4	-6.61	1.33	1.37
26	BB	665	U	C5'-C4'	6.61	1.59	1.51
26	BB	861	A	C3'-O3'	6.61	1.51	1.42
26	BB	1272	A	C4'-O4'	-6.61	1.36	1.45
26	BB	1723	G	N3-C4	6.61	1.40	1.35
26	BB	2807	U	P-O5'	6.61	1.66	1.59
26	BB	1377	G	C1'-N9	6.61	1.58	1.48
1	AA	454	G	C8-N7	-6.61	1.26	1.30
1	AA	520	A	C2'-C1'	-6.61	1.46	1.53
1	AA	775	G	N9-C4	6.61	1.43	1.38
1	AA	921	U	C5-C6	6.61	1.40	1.34
1	AA	1514	G	C2'-C1'	6.61	1.60	1.53
2	AB	60	U	C2-N3	6.61	1.42	1.37
26	BB	197	A	C6-N1	-6.61	1.30	1.35
26	BB	370	G	P-O5'	6.61	1.66	1.59
26	BB	1275	A	P-O5'	6.61	1.66	1.59
26	BB	1400	U	N1-C6	6.61	1.43	1.38
26	BB	1499	C	C5-C6	6.61	1.39	1.34
1	AA	621	A	C8-N7	-6.61	1.26	1.31
1	AA	958	A	C8-N7	-6.61	1.26	1.31
2	AB	44	G	O3'-P	6.61	1.69	1.61
25	BA	72	G	P-O5'	6.61	1.66	1.59
26	BB	11	C	N1-C6	6.61	1.41	1.37
26	BB	184	C	N1-C6	6.61	1.41	1.37
26	BB	448	U	C2-O2	6.61	1.28	1.22

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1701	A	N9-C4	6.61	1.41	1.37
26	BB	1994	C	C2-N3	6.61	1.41	1.35
26	BB	2118	U	C3'-C2'	-6.61	1.45	1.52
26	BB	2395	C	N3-C4	6.61	1.38	1.33
26	BB	2485	G	C5'-C4'	6.61	1.59	1.51
26	BB	2578	G	C2-N3	6.61	1.38	1.32
1	AA	32	A	N7-C5	-6.61	1.35	1.39
1	AA	733	G	N3-C4	6.61	1.40	1.35
1	AA	832	G	C8-N7	6.61	1.34	1.30
1	AA	1455	G	P-O5'	6.61	1.66	1.59
1	AA	1478	U	C5-C6	6.61	1.40	1.34
26	BB	2002	G	P-O5'	6.61	1.66	1.59
26	BB	2188	U	N1-C2	6.60	1.44	1.38
26	BB	2440	C	C2'-C1'	6.60	1.60	1.53
1	AA	1087	G	C5'-C4'	6.60	1.59	1.51
1	AA	1143	G	N9-C8	6.60	1.42	1.37
4	AD	15	G	C5'-C4'	6.60	1.59	1.51
26	BB	2289	G	C4'-C3'	-6.60	1.45	1.53
26	BB	2665	A	N7-C5	-6.60	1.35	1.39
26	BB	226	A	N7-C5	-6.60	1.35	1.39
26	BB	928	A	N3-C4	6.60	1.38	1.34
26	BB	2766	A	N7-C5	6.60	1.43	1.39
1	AA	396	C	P-O5'	6.60	1.66	1.59
26	BB	254	G	C3'-C2'	-6.60	1.45	1.52
26	BB	1371	G	C5'-C4'	6.60	1.59	1.51
1	AA	583	A	N7-C5	6.60	1.43	1.39
1	AA	1036	A	O3'-P	6.60	1.69	1.61
1	AA	1537	U	N1-C2	6.60	1.44	1.38
26	BB	1754	A	C5-C6	6.60	1.47	1.41
26	BB	1947	C	C5'-C4'	6.60	1.59	1.51
26	BB	2033	A	P-O5'	6.60	1.66	1.59
26	BB	2141	G	N9-C4	6.60	1.43	1.38
37	BM	71	ARG	CZ-NH1	6.60	1.41	1.33
2	AB	47	U	C4'-O4'	-6.60	1.36	1.45
22	AV	79	TYR	CG-CD1	6.60	1.47	1.39
26	BB	2014	A	C6-N1	-6.60	1.30	1.35
26	BB	2132	U	N1-C2	6.60	1.44	1.38
26	BB	2184	A	C8-N7	-6.60	1.26	1.31
1	AA	446	G	N9-C8	6.59	1.42	1.37
1	AA	604	G	C2-N2	6.59	1.41	1.34
1	AA	777	A	N9-C8	-6.59	1.32	1.37
1	AA	800	G	C4'-O4'	-6.59	1.36	1.45

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BA	64	G	C2-N3	6.59	1.38	1.32
26	BB	594	U	N1-C6	6.59	1.43	1.38
26	BB	778	G	P-O5'	6.59	1.66	1.59
26	BB	1161	C	C4-C5	-6.59	1.37	1.43
26	BB	1876	A	C6-N6	6.59	1.39	1.33
26	BB	2181	U	C4-C5	-6.59	1.37	1.43
1	AA	713	G	C5-C4	6.59	1.43	1.38
1	AA	1007	U	C5'-C4'	6.59	1.59	1.51
1	AA	794	A	C6-N6	-6.59	1.28	1.33
1	AA	1334	G	C2-N2	-6.59	1.27	1.34
26	BB	468	G	C5'-C4'	6.59	1.59	1.51
26	BB	1027	A	O3'-P	6.59	1.69	1.61
26	BB	1030	C	N1-C6	6.59	1.41	1.37
26	BB	1437	C	C4'-O4'	-6.59	1.36	1.45
26	BB	1648	U	P-O5'	6.59	1.66	1.59
1	AA	1333	A	C5'-C4'	6.59	1.59	1.51
26	BB	155	A	C8-N7	-6.59	1.26	1.31
1	AA	5	U	C4'-O4'	-6.59	1.36	1.45
1	AA	793	U	C4'-C3'	6.59	1.60	1.53
1	AA	1040	U	C5'-C4'	6.59	1.59	1.51
26	BB	91	A	C5-C6	6.59	1.47	1.41
26	BB	507	A	C6-N6	6.59	1.39	1.33
26	BB	546	U	C5'-C4'	6.59	1.59	1.51
26	BB	712	G	N3-C4	6.59	1.40	1.35
26	BB	2252	G	O3'-P	6.59	1.69	1.61
26	BB	2779	U	C4'-O4'	-6.59	1.36	1.45
26	BB	2803	G	C1'-N9	6.59	1.58	1.48
1	AA	183	C	N3-C4	6.58	1.38	1.33
1	AA	755	G	O4'-C1'	6.58	1.50	1.41
1	AA	1009	U	C4'-O4'	-6.58	1.36	1.45
7	AG	77	GLU	CG-CD	6.58	1.61	1.51
26	BB	2161	C	P-O5'	6.58	1.66	1.59
3	AC	17	U	C4'-O4'	-6.58	1.36	1.45
26	BB	600	G	N1-C2	6.58	1.43	1.37
26	BB	2010	G	P-O5'	6.58	1.66	1.59
26	BB	2650	U	C4'-O4'	-6.58	1.36	1.45
26	BB	903	C	N1-C6	6.58	1.41	1.37
26	BB	1971	U	N1-C2	6.58	1.44	1.38
1	AA	115	G	C6-N1	6.58	1.44	1.39
1	AA	1477	U	C2'-C1'	6.58	1.60	1.53
25	BA	105	G	C2'-C1'	-6.58	1.46	1.53
26	BB	1553	A	C8-N7	6.58	1.36	1.31

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2021	C	C5-C6	6.58	1.39	1.34
26	BB	2423	U	C4'-C3'	-6.58	1.46	1.53
26	BB	2535	G	C5-C6	6.58	1.49	1.42
26	BB	770	G	C4'-O4'	-6.58	1.37	1.45
1	AA	948	C	C5-C6	6.58	1.39	1.34
1	AA	1080	A	C2-N3	6.58	1.39	1.33
26	BB	69	C	C5'-C4'	6.58	1.59	1.51
26	BB	1879	C	C2-O2	-6.58	1.18	1.24
26	BB	2373	G	C6-N1	6.58	1.44	1.39
1	AA	831	A	C6-N1	-6.57	1.30	1.35
25	BA	56	G	C5-C6	6.57	1.49	1.42
26	BB	2230	G	P-O5'	6.57	1.66	1.59
1	AA	338	A	C4'-C3'	-6.57	1.46	1.53
1	AA	1405	G	O3'-P	6.57	1.69	1.61
26	BB	473	G	O3'-P	6.57	1.69	1.61
1	AA	539	A	C8-N7	-6.57	1.26	1.31
26	BB	787	C	N1-C6	6.57	1.41	1.37
26	BB	1679	A	C5-C4	6.57	1.43	1.38
1	AA	753	A	C4'-O4'	-6.57	1.37	1.45
26	BB	885	C	N1-C6	6.57	1.41	1.37
26	BB	1032	A	C8-N7	-6.57	1.26	1.31
26	BB	1666	G	C2-N3	6.57	1.38	1.32
1	AA	730	G	N9-C8	-6.57	1.33	1.37
1	AA	1314	C	P-O5'	6.57	1.66	1.59
26	BB	878	A	N1-C2	-6.57	1.28	1.34
26	BB	2042	A	N9-C4	6.57	1.41	1.37
26	BB	740	C	C2-N3	6.57	1.41	1.35
26	BB	1152	C	C4'-O4'	-6.57	1.37	1.45
26	BB	2431	U	N1-C2	6.57	1.44	1.38
1	AA	1258	G	C2-N2	-6.56	1.27	1.34
26	BB	441	U	C2-N3	6.56	1.42	1.37
26	BB	518	G	N9-C4	-6.56	1.32	1.38
26	BB	1503	A	C6-N6	6.56	1.39	1.33
26	BB	2051	A	N9-C8	6.56	1.43	1.37
26	BB	2217	G	N7-C5	6.56	1.43	1.39
26	BB	2757	A	P-O5'	6.56	1.66	1.59
1	AA	572	A	C5-C6	-6.56	1.35	1.41
26	BB	1396	U	C5'-C4'	6.56	1.59	1.51
26	BB	1493	C	C2-N3	6.56	1.41	1.35
26	BB	1642	G	N9-C4	6.56	1.43	1.38
1	AA	587	G	N7-C5	6.56	1.43	1.39
1	AA	1257	A	C2-N3	-6.56	1.27	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	277	G	C5-C4	6.56	1.43	1.38
26	BB	1309	G	O4'-C1'	6.56	1.50	1.41
26	BB	1967	C	N1-C2	-6.56	1.33	1.40
26	BB	2027	G	C4'-C3'	6.56	1.60	1.53
1	AA	82	G	C6-O6	-6.56	1.18	1.24
1	AA	103	U	P-O5'	6.56	1.66	1.59
3	AC	40	G	P-O5'	6.56	1.66	1.59
26	BB	2370	G	C2-N3	6.56	1.38	1.32
26	BB	2469	A	C2'-C1'	6.56	1.60	1.53
26	BB	479	A	P-O5'	6.56	1.66	1.59
26	BB	1616	A	P-O5'	6.56	1.66	1.59
28	BD	47	ARG	CZ-NH1	6.56	1.41	1.33
1	AA	503	C	C2-N3	-6.55	1.30	1.35
1	AA	1094	G	N7-C5	-6.55	1.35	1.39
1	AA	1157	A	N9-C4	6.55	1.41	1.37
26	BB	289	G	N1-C2	6.55	1.43	1.37
26	BB	350	G	N9-C8	6.55	1.42	1.37
26	BB	447	A	C8-N7	-6.55	1.26	1.31
26	BB	1343	G	C5'-C4'	6.55	1.59	1.51
26	BB	245	G	C5'-C4'	6.55	1.59	1.51
1	AA	11	G	N3-C4	6.55	1.40	1.35
26	BB	365	U	C4-C5	6.55	1.49	1.43
26	BB	789	A	C5'-C4'	6.55	1.59	1.51
26	BB	822	G	N9-C8	-6.55	1.33	1.37
26	BB	1376	C	C4'-C3'	6.55	1.60	1.53
26	BB	2659	G	C5'-C4'	6.55	1.59	1.51
26	BB	2792	A	N9-C8	-6.55	1.32	1.37
1	AA	390	U	C2-N3	6.55	1.42	1.37
1	AA	664	G	C4'-O4'	-6.55	1.37	1.45
1	AA	824	G	N7-C5	6.55	1.43	1.39
26	BB	1260	A	N3-C4	6.55	1.38	1.34
26	BB	2097	A	C6-N1	6.55	1.40	1.35
26	BB	2275	C	C2-N3	6.55	1.41	1.35
26	BB	2359	C	C2-O2	-6.55	1.18	1.24
26	BB	2742	G	C6-O6	6.55	1.30	1.24
1	AA	765	G	O3'-P	6.55	1.69	1.61
1	AA	903	G	C2'-C1'	6.55	1.60	1.53
26	BB	681	G	P-O5'	6.55	1.66	1.59
26	BB	1383	A	C4'-O4'	-6.55	1.37	1.45
26	BB	2133	G	C6-N1	-6.55	1.34	1.39
1	AA	906	A	C5-C6	6.55	1.47	1.41
1	AA	1185	G	C2-N3	6.55	1.38	1.32

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BA	14	U	N1-C2	6.55	1.44	1.38
26	BB	2515	C	C4-N4	6.55	1.39	1.33
26	BB	2632	A	N9-C4	6.55	1.41	1.37
26	BB	2859	G	C5'-C4'	6.55	1.59	1.51
26	BB	2640	G	C6-O6	-6.54	1.18	1.24
1	AA	1156	G	O3'-P	6.54	1.69	1.61
25	BA	86	G	N3-C4	6.54	1.40	1.35
26	BB	462	C	C2'-C1'	-6.54	1.46	1.53
26	BB	502	A	C5-C4	-6.54	1.34	1.38
26	BB	1194	A	O3'-P	-6.54	1.53	1.61
26	BB	1242	U	C4-C5	6.54	1.49	1.43
26	BB	1800	C	O4'-C1'	6.54	1.50	1.41
26	BB	2311	A	C2'-C1'	6.54	1.60	1.53
1	AA	327	A	C4'-C3'	6.54	1.60	1.53
1	AA	549	C	C4-N4	-6.54	1.28	1.33
1	AA	821	G	C5-C4	6.54	1.43	1.38
4	AD	50	G	O3'-P	6.54	1.69	1.61
25	BA	57	A	C4'-O4'	-6.54	1.37	1.45
26	BB	930	G	C4'-O4'	-6.54	1.37	1.45
26	BB	2568	U	C2-N3	6.54	1.42	1.37
26	BB	415	A	N3-C4	6.54	1.38	1.34
26	BB	2010	G	N9-C4	6.54	1.43	1.38
26	BB	2472	G	N9-C4	-6.54	1.32	1.38
1	AA	184	G	C6-N1	6.54	1.44	1.39
1	AA	439	U	C2'-C1'	6.54	1.60	1.53
26	BB	644	A	O3'-P	6.54	1.69	1.61
26	BB	884	U	C4-C5	6.54	1.49	1.43
26	BB	1733	G	C6-N1	6.54	1.44	1.39
1	AA	167	A	C5-C4	-6.54	1.34	1.38
26	BB	1041	G	C8-N7	6.54	1.34	1.30
1	AA	11	G	C2-N3	6.54	1.38	1.32
1	AA	54	C	C5'-C4'	6.54	1.59	1.51
1	AA	1500	A	C5'-C4'	6.54	1.59	1.51
26	BB	470	A	C4'-C3'	6.54	1.60	1.53
26	BB	1865	U	C4-C5	6.54	1.49	1.43
26	BB	2711	A	O3'-P	6.54	1.69	1.61
1	AA	284	C	C4'-O4'	-6.53	1.37	1.45
26	BB	468	G	N9-C8	6.53	1.42	1.37
26	BB	552	U	N1-C6	6.53	1.43	1.38
26	BB	881	G	C2'-O2'	-6.53	1.33	1.41
26	BB	1353	A	N1-C2	-6.53	1.28	1.34
26	BB	1995	U	C2-N3	6.53	1.42	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2068	U	C4-C5	6.53	1.49	1.43
1	AA	117	G	N1-C2	6.53	1.43	1.37
50	BZ	18	SER	CA-CB	6.53	1.62	1.52
26	BB	572	A	N9-C4	6.53	1.41	1.37
26	BB	1207	C	N3-C4	6.53	1.38	1.33
26	BB	2747	G	C5-C4	6.53	1.43	1.38
1	AA	911	U	N1-C6	6.53	1.43	1.38
26	BB	417	C	N3-C4	-6.53	1.29	1.33
31	BG	23	SER	CB-OG	-6.53	1.33	1.42
1	AA	1212	U	P-O5'	-6.53	1.53	1.59
1	AA	1323	G	P-O5'	6.53	1.66	1.59
25	BA	102	G	C5-C4	6.53	1.43	1.38
26	BB	196	A	C4'-O4'	-6.53	1.37	1.45
26	BB	585	G	N9-C4	-6.53	1.32	1.38
26	BB	1149	G	P-O5'	6.53	1.66	1.59
26	BB	1735	A	C5'-C4'	6.53	1.59	1.51
26	BB	2255	G	C8-N7	6.53	1.34	1.30
4	AD	28	U	N1-C2	6.53	1.44	1.38
26	BB	438	G	O4'-C1'	6.53	1.50	1.41
26	BB	667	U	C2-N3	6.53	1.42	1.37
26	BB	1128	G	N9-C8	6.53	1.42	1.37
26	BB	1664	A	C2'-C1'	6.53	1.60	1.53
26	BB	1698	A	P-O5'	-6.53	1.53	1.59
15	AO	30	ARG	NE-CZ	6.52	1.41	1.33
1	AA	533	A	N3-C4	6.52	1.38	1.34
26	BB	1051	G	N9-C8	-6.52	1.33	1.37
26	BB	1832	C	C2'-C1'	6.52	1.60	1.53
26	BB	2608	G	N7-C5	-6.52	1.35	1.39
1	AA	81	A	O3'-P	6.52	1.69	1.61
26	BB	2642	G	O3'-P	6.52	1.69	1.61
1	AA	505	G	C5'-C4'	6.52	1.59	1.51
1	AA	601	G	C4'-O4'	-6.52	1.37	1.45
26	BB	1694	C	N3-C4	6.52	1.38	1.33
3	AC	39	U	C2'-O2'	-6.52	1.33	1.41
26	BB	192	C	C4'-C3'	6.52	1.60	1.53
26	BB	776	G	C8-N7	6.52	1.34	1.30
26	BB	2547	A	N7-C5	-6.52	1.35	1.39
26	BB	2761	A	C2-N3	-6.52	1.27	1.33
26	BB	2889	C	N1-C6	-6.52	1.33	1.37
26	BB	255	A	O3'-P	6.52	1.69	1.61
26	BB	791	C	N3-C4	6.52	1.38	1.33
26	BB	822	G	P-O5'	-6.52	1.53	1.59

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	503	A	C4'-O4'	-6.51	1.37	1.45
26	BB	1315	C	O3'-P	6.51	1.69	1.61
26	BB	1946	U	C4'-O4'	-6.51	1.37	1.45
26	BB	2528	U	C2-O2	6.51	1.28	1.22
1	AA	583	A	N3-C4	6.51	1.38	1.34
26	BB	1899	A	N7-C5	-6.51	1.35	1.39
26	BB	2901	C	C5-C6	6.51	1.39	1.34
1	AA	608	A	N3-C4	6.51	1.38	1.34
1	AA	824	G	N9-C4	6.51	1.43	1.38
26	BB	163	C	C2-N3	6.51	1.41	1.35
26	BB	509	C	C5'-C4'	6.51	1.59	1.51
26	BB	2562	U	P-O5'	6.51	1.66	1.59
1	AA	124	C	N1-C6	6.51	1.41	1.37
26	BB	168	G	P-O5'	6.51	1.66	1.59
1	AA	251	G	N9-C8	-6.51	1.33	1.37
1	AA	862	C	N1-C6	6.51	1.41	1.37
26	BB	956	G	C6-N1	6.51	1.44	1.39
1	AA	586	C	N1-C6	6.51	1.41	1.37
1	AA	991	U	C5-C6	6.51	1.40	1.34
1	AA	1099	G	C5'-C4'	6.51	1.59	1.51
1	AA	1373	G	C2'-C1'	6.51	1.60	1.53
1	AA	1448	C	P-O5'	6.51	1.66	1.59
2	AB	19	G	C5-C4	6.51	1.43	1.38
26	BB	22	C	C4-N4	6.51	1.39	1.33
26	BB	429	A	N3-C4	6.51	1.38	1.34
26	BB	1766	G	C2-N3	6.51	1.38	1.32
26	BB	288	U	P-O5'	6.50	1.66	1.59
26	BB	2654	A	C4'-O4'	-6.50	1.37	1.45
1	AA	973	G	N1-C2	6.50	1.43	1.37
1	AA	1332	A	O3'-P	6.50	1.69	1.61
26	BB	59	U	N1-C2	6.50	1.44	1.38
26	BB	1666	G	P-O5'	-6.50	1.53	1.59
26	BB	2014	A	C3'-C2'	6.50	1.60	1.52
26	BB	2474	U	C2-N3	6.50	1.42	1.37
1	AA	791	G	N7-C5	6.50	1.43	1.39
26	BB	1745	A	C2'-O2'	-6.50	1.33	1.41
26	BB	2437	G	N3-C4	6.50	1.40	1.35
26	BB	2868	A	C6-N6	-6.50	1.28	1.33
1	AA	335	C	N3-C4	6.50	1.38	1.33
2	AB	29	G	N9-C4	-6.50	1.32	1.38
25	BA	90	C	N1-C2	6.50	1.46	1.40
26	BB	104	A	C3'-C2'	6.50	1.60	1.52

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	868	U	C5-C6	6.50	1.40	1.34
26	BB	1913	A	N9-C4	-6.50	1.33	1.37
26	BB	2254	C	N1-C6	6.50	1.41	1.37
26	BB	2361	G	C4'-O4'	-6.50	1.37	1.45
26	BB	2462	C	O3'-P	6.50	1.69	1.61
26	BB	2742	G	C2'-C1'	-6.50	1.46	1.53
26	BB	174	U	C5'-C4'	6.50	1.59	1.51
26	BB	1643	G	C8-N7	6.50	1.34	1.30
26	BB	2047	C	C4-N4	6.50	1.39	1.33
26	BB	2409	G	N3-C4	6.50	1.40	1.35
1	AA	652	U	C2-N3	6.49	1.42	1.37
1	AA	1440	U	C4-O4	-6.49	1.18	1.23
26	BB	252	G	N9-C8	6.49	1.42	1.37
26	BB	561	G	N9-C8	6.49	1.42	1.37
26	BB	1246	A	C5'-C4'	6.49	1.59	1.51
26	BB	1366	A	C3'-C2'	6.49	1.60	1.52
26	BB	2032	G	P-O5'	6.49	1.66	1.59
26	BB	2256	G	N9-C8	6.49	1.42	1.37
26	BB	2631	G	N9-C8	6.49	1.42	1.37
1	AA	572	A	P-O5'	6.49	1.66	1.59
26	BB	2434	A	C2'-C1'	6.49	1.60	1.53
1	AA	281	G	C4'-C3'	6.49	1.60	1.53
1	AA	1020	G	N9-C4	-6.49	1.32	1.38
1	AA	1063	C	C4'-O4'	-6.49	1.37	1.45
26	BB	644	A	N3-C4	6.49	1.38	1.34
26	BB	680	C	C2-N3	6.49	1.41	1.35
26	BB	1347	A	O3'-P	6.49	1.69	1.61
26	BB	1432	G	C6-O6	-6.49	1.18	1.24
26	BB	1630	A	P-O5'	6.49	1.66	1.59
26	BB	1730	C	P-O5'	6.49	1.66	1.59
26	BB	1834	U	C4'-O4'	-6.49	1.37	1.45
1	AA	78	A	P-O5'	6.49	1.66	1.59
1	AA	901	A	P-O5'	-6.49	1.53	1.59
26	BB	1162	G	C2-N3	6.49	1.38	1.32
26	BB	1668	A	N7-C5	6.49	1.43	1.39
26	BB	2452	C	P-O5'	6.49	1.66	1.59
1	AA	2	A	N3-C4	6.49	1.38	1.34
1	AA	115	G	N3-C4	6.49	1.40	1.35
1	AA	470	C	C4'-O4'	-6.49	1.37	1.45
1	AA	685	G	N7-C5	-6.49	1.35	1.39
1	AA	1522	U	O3'-P	6.49	1.69	1.61
2	AB	11	U	C5'-C4'	6.49	1.59	1.51

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	334	C	N1-C6	6.49	1.41	1.37
26	BB	1098	A	N1-C2	-6.49	1.28	1.34
26	BB	1969	A	N7-C5	-6.49	1.35	1.39
1	AA	475	C	O3'-P	6.49	1.69	1.61
1	AA	598	U	C5-C6	6.49	1.40	1.34
1	AA	1205	U	C4'-O4'	-6.49	1.37	1.45
1	AA	1502	A	C8-N7	-6.49	1.27	1.31
1	AA	1540	U	P-O5'	6.49	1.66	1.59
26	BB	2297	A	P-O5'	6.49	1.66	1.59
26	BB	2733	A	P-O5'	6.49	1.66	1.59
1	AA	435	A	N9-C8	6.48	1.43	1.37
1	AA	1242	G	C6-N1	-6.48	1.35	1.39
4	AD	77	A	N9-C4	6.48	1.41	1.37
26	BB	2411	A	N3-C4	6.48	1.38	1.34
1	AA	1238	A	N9-C4	6.48	1.41	1.37
26	BB	1259	G	C5-C6	6.48	1.48	1.42
26	BB	1338	G	N7-C5	-6.48	1.35	1.39
26	BB	2280	G	C4'-O4'	-6.48	1.37	1.45
1	AA	699	C	N3-C4	6.48	1.38	1.33
1	AA	838	G	C5'-C4'	6.48	1.59	1.51
26	BB	221	A	P-O5'	6.48	1.66	1.59
26	BB	2687	U	C4-C5	6.48	1.49	1.43
1	AA	687	A	N9-C4	6.48	1.41	1.37
26	BB	1223	G	C5-C4	-6.48	1.33	1.38
1	AA	945	G	C3'-C2'	6.48	1.60	1.52
26	BB	956	G	C4'-C3'	-6.48	1.46	1.53
26	BB	1222	U	C2'-C1'	-6.48	1.46	1.53
26	BB	2175	C	N3-C4	6.48	1.38	1.33
26	BB	508	A	C2'-C1'	6.48	1.60	1.53
26	BB	2176	A	N9-C4	6.48	1.41	1.37
1	AA	826	C	C4'-O4'	-6.47	1.37	1.45
1	AA	1154	G	N9-C8	-6.47	1.33	1.37
1	AA	1214	C	N3-C4	6.47	1.38	1.33
1	AA	1438	G	C8-N7	-6.47	1.27	1.30
26	BB	1062	G	C2-N3	6.47	1.38	1.32
26	BB	2320	U	C2'-C1'	6.47	1.60	1.53
1	AA	556	C	C2-N3	6.47	1.41	1.35
1	AA	1353	G	P-O5'	6.47	1.66	1.59
1	AA	1477	U	C5-C6	6.47	1.40	1.34
1	AA	1493	A	N9-C4	6.47	1.41	1.37
26	BB	10	A	C4'-O4'	-6.47	1.37	1.45
26	BB	487	C	N3-C4	6.47	1.38	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1154	G	C2'-C1'	-6.47	1.46	1.53
26	BB	1854	A	N3-C4	6.47	1.38	1.34
1	AA	308	C	C4-C5	6.47	1.48	1.43
26	BB	267	C	O3'-P	6.47	1.69	1.61
26	BB	287	G	N3-C4	-6.47	1.30	1.35
26	BB	1887	C	C5-C6	6.47	1.39	1.34
26	BB	2268	A	N3-C4	6.47	1.38	1.34
1	AA	1455	G	C6-N1	6.47	1.44	1.39
4	AD	10	G	N9-C8	-6.47	1.33	1.37
26	BB	505	A	N1-C2	-6.47	1.28	1.34
26	BB	624	C	C5'-C4'	6.47	1.59	1.51
26	BB	740	C	O4'-C1'	6.47	1.50	1.41
26	BB	900	A	O5'-C5'	-6.47	1.32	1.42
26	BB	1431	A	N3-C4	-6.47	1.30	1.34
26	BB	1528	A	C5-C6	-6.47	1.35	1.41
26	BB	1561	C	P-O5'	-6.47	1.53	1.59
26	BB	1707	G	O3'-P	6.47	1.69	1.61
26	BB	2107	G	C8-N7	6.47	1.34	1.30
26	BB	2749	A	N7-C5	-6.47	1.35	1.39
26	BB	2871	U	C2'-C1'	6.47	1.60	1.53
26	BB	2667	C	O3'-P	6.47	1.69	1.61
26	BB	2852	G	C5-C4	6.47	1.42	1.38
26	BB	2895	G	C5-C6	-6.47	1.35	1.42
26	BB	2899	A	N9-C4	-6.47	1.33	1.37
1	AA	620	C	C2-N3	6.47	1.41	1.35
1	AA	898	G	C3'-O3'	-6.47	1.33	1.42
1	AA	1315	U	C1'-N1	6.47	1.58	1.48
1	AA	1364	U	N1-C2	6.47	1.44	1.38
1	AA	1418	A	C5-C4	-6.47	1.34	1.38
26	BB	1555	G	C8-N7	-6.47	1.27	1.30
26	BB	2269	G	C2-N2	6.47	1.41	1.34
26	BB	2269	G	C2-N3	6.47	1.38	1.32
1	AA	547	A	C4'-C3'	6.46	1.60	1.53
1	AA	922	G	N9-C4	-6.46	1.32	1.38
4	AD	71	G	N3-C4	6.46	1.40	1.35
26	BB	181	A	C2'-O2'	6.46	1.50	1.41
26	BB	1286	A	C5-C4	-6.46	1.34	1.38
26	BB	1532	A	N7-C5	6.46	1.43	1.39
26	BB	2505	G	N9-C8	-6.46	1.33	1.37
1	AA	512	U	C2-N3	6.46	1.42	1.37
26	BB	1385	A	C5-C4	-6.46	1.34	1.38
26	BB	2018	G	P-O5'	6.46	1.66	1.59

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2051	A	N9-C4	6.46	1.41	1.37
26	BB	2141	G	P-O5'	6.46	1.66	1.59
26	BB	966	G	C3'-C2'	-6.46	1.45	1.52
26	BB	1341	G	C5'-C4'	6.46	1.59	1.51
26	BB	2054	A	C8-N7	-6.46	1.27	1.31
26	BB	2591	C	C2-N3	6.46	1.41	1.35
26	BB	2884	U	C5-C6	6.46	1.40	1.34
1	AA	289	G	N7-C5	6.46	1.43	1.39
1	AA	1283	U	O3'-P	6.46	1.69	1.61
26	BB	554	U	C5-C6	6.46	1.40	1.34
26	BB	1226	A	N9-C4	6.46	1.41	1.37
1	AA	453	G	P-O5'	6.46	1.66	1.59
26	BB	34	U	O3'-P	6.46	1.68	1.61
26	BB	2663	G	C8-N7	6.46	1.34	1.30
1	AA	1128	C	C2-O2	-6.46	1.18	1.24
1	AA	1374	A	N1-C2	-6.46	1.28	1.34
26	BB	86	G	P-O5'	6.46	1.66	1.59
26	BB	491	G	O3'-P	6.46	1.68	1.61
26	BB	1314	C	O3'-P	6.46	1.68	1.61
26	BB	1682	G	C2-N3	6.46	1.38	1.32
26	BB	1713	A	N9-C8	-6.46	1.32	1.37
26	BB	2008	C	C2'-C1'	6.46	1.60	1.53
26	BB	2671	G	N7-C5	-6.46	1.35	1.39
26	BB	2757	A	C8-N7	-6.46	1.27	1.31
26	BB	1070	A	C6-N6	-6.46	1.28	1.33
26	BB	1876	A	N1-C2	-6.46	1.28	1.34
26	BB	1956	U	N1-C2	6.46	1.44	1.38
26	BB	1966	A	C6-N1	6.46	1.40	1.35
26	BB	249	C	P-O5'	6.45	1.66	1.59
26	BB	2129	C	C3'-O3'	6.45	1.51	1.42
26	BB	2770	G	N7-C5	6.45	1.43	1.39
1	AA	296	U	C2-N3	6.45	1.42	1.37
1	AA	1076	U	N1-C2	6.45	1.44	1.38
25	BA	5	U	P-O5'	6.45	1.66	1.59
26	BB	1693	U	N3-C4	6.45	1.44	1.38
1	AA	130	A	N9-C8	-6.45	1.32	1.37
2	AB	39	A	N1-C2	-6.45	1.28	1.34
26	BB	173	A	C6-N1	-6.45	1.31	1.35
26	BB	1064	C	O3'-P	6.45	1.68	1.61
26	BB	1090	A	C6-N6	6.45	1.39	1.33
1	AA	255	G	N1-C2	6.45	1.43	1.37
1	AA	330	C	C2'-C1'	6.45	1.60	1.53

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BA	95	U	C4'-C3'	6.45	1.60	1.53
26	BB	1728	C	P-O5'	6.45	1.66	1.59
26	BB	2183	A	C8-N7	-6.45	1.27	1.31
26	BB	2870	C	C2-O2	-6.45	1.18	1.24
26	BB	2807	U	C2'-C1'	-6.45	1.46	1.53
1	AA	1235	U	C2-N3	6.45	1.42	1.37
26	BB	484	C	C2-N3	6.45	1.41	1.35
26	BB	1487	U	C2-N3	6.45	1.42	1.37
26	BB	1538	G	C6-N1	-6.45	1.35	1.39
26	BB	1814	G	C2-N3	6.45	1.38	1.32
26	BB	2055	C	P-O5'	6.45	1.66	1.59
1	AA	299	G	C3'-C2'	6.44	1.60	1.52
25	BA	109	A	C2'-C1'	6.44	1.60	1.53
1	AA	1126	U	P-O5'	6.44	1.66	1.59
1	AA	1420	U	P-O5'	6.44	1.66	1.59
26	BB	487	C	N1-C2	6.44	1.46	1.40
26	BB	675	A	O3'-P	6.44	1.68	1.61
1	AA	398	U	C2-N3	6.44	1.42	1.37
26	BB	187	G	C6-N1	6.44	1.44	1.39
26	BB	1157	G	N7-C5	-6.44	1.35	1.39
26	BB	1455	G	N3-C4	6.44	1.40	1.35
26	BB	1500	G	N3-C4	6.44	1.40	1.35
26	BB	2332	C	C2-N3	6.44	1.41	1.35
1	AA	307	C	C4-C5	6.44	1.48	1.43
26	BB	2252	G	N1-C2	6.44	1.43	1.37
1	AA	351	G	C5-C4	6.44	1.42	1.38
1	AA	634	C	C4-N4	6.44	1.39	1.33
26	BB	596	U	P-O5'	6.44	1.66	1.59
26	BB	990	A	N3-C4	6.44	1.38	1.34
26	BB	1450	G	C4'-O4'	-6.44	1.37	1.45
1	AA	660	C	P-O5'	6.44	1.66	1.59
1	AA	1540	U	C4-C5	6.44	1.49	1.43
26	BB	188	G	N9-C8	6.44	1.42	1.37
26	BB	484	C	C3'-O3'	-6.44	1.33	1.42
25	BA	36	C	C2-N3	-6.43	1.30	1.35
26	BB	525	U	C4'-C3'	-6.43	1.46	1.53
26	BB	862	G	C5-C6	6.43	1.48	1.42
26	BB	893	C	C5'-C4'	6.43	1.59	1.51
26	BB	1575	C	C2'-C1'	6.43	1.60	1.53
26	BB	2355	G	N7-C5	6.43	1.43	1.39
26	BB	2382	G	N3-C4	6.43	1.40	1.35
1	AA	1057	G	C5-C4	-6.43	1.33	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	748	G	C5-C6	6.43	1.48	1.42
26	BB	886	A	N7-C5	6.43	1.43	1.39
26	BB	1473	G	N9-C4	6.43	1.43	1.38
26	BB	1815	A	C5-C6	6.43	1.46	1.41
26	BB	2896	C	C4'-O4'	-6.43	1.37	1.45
1	AA	198	G	N3-C4	6.43	1.40	1.35
26	BB	2873	A	N3-C4	-6.43	1.30	1.34
1	AA	432	A	N9-C4	6.43	1.41	1.37
25	BA	23	G	C8-N7	6.43	1.34	1.30
25	BA	97	C	C2'-C1'	-6.43	1.46	1.53
26	BB	292	U	N1-C6	6.43	1.43	1.38
26	BB	480	A	O4'-C1'	6.43	1.50	1.41
26	BB	791	C	C3'-C2'	6.43	1.60	1.52
26	BB	832	U	C2-N3	6.43	1.42	1.37
26	BB	1564	C	C5'-C4'	6.43	1.59	1.51
1	AA	251	G	O3'-P	6.43	1.68	1.61
1	AA	1034	G	N3-C4	6.43	1.40	1.35
1	AA	1073	U	O3'-P	6.43	1.68	1.61
1	AA	314	C	N1-C2	6.43	1.46	1.40
1	AA	370	C	C4-C5	6.43	1.48	1.43
26	BB	596	U	C2'-C1'	6.43	1.60	1.53
26	BB	1162	G	N9-C8	6.43	1.42	1.37
26	BB	1218	G	C6-N1	-6.43	1.35	1.39
26	BB	1655	A	C6-N1	6.43	1.40	1.35
26	BB	1693	U	N1-C2	6.43	1.44	1.38
26	BB	1823	G	C5-C4	6.43	1.42	1.38
26	BB	2140	G	N3-C4	6.43	1.40	1.35
26	BB	2242	G	N9-C8	6.43	1.42	1.37
1	AA	447	G	N1-C2	6.42	1.42	1.37
26	BB	1368	G	C8-N7	-6.42	1.27	1.30
26	BB	2515	C	N1-C6	6.42	1.41	1.37
1	AA	1212	U	N3-C4	6.42	1.44	1.38
26	BB	2516	A	C8-N7	6.42	1.36	1.31
1	AA	208	U	C4-C5	6.42	1.49	1.43
1	AA	804	U	P-O5'	6.42	1.66	1.59
14	AN	75	GLU	CD-OE1	-6.42	1.18	1.25
26	BB	523	C	C5-C6	6.42	1.39	1.34
26	BB	921	C	P-O5'	6.42	1.66	1.59
26	BB	923	G	C4'-C3'	-6.42	1.46	1.53
26	BB	1676	A	N7-C5	-6.42	1.35	1.39
26	BB	2293	G	C2-N3	6.42	1.37	1.32
26	BB	2321	U	O3'-P	6.42	1.68	1.61

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2619	C	C4'-O4'	-6.42	1.37	1.45
1	AA	1432	G	N9-C4	-6.42	1.32	1.38
1	AA	1539	C	C5-C6	-6.42	1.29	1.34
26	BB	1026	G	N3-C4	6.42	1.40	1.35
26	BB	2237	G	C8-N7	6.42	1.34	1.30
26	BB	2249	U	C4-C5	6.42	1.49	1.43
26	BB	2635	A	C5-C6	6.42	1.46	1.41
1	AA	765	G	C5'-C4'	6.42	1.59	1.51
26	BB	456	C	N3-C4	6.42	1.38	1.33
26	BB	987	C	C4-C5	6.42	1.48	1.43
26	BB	2193	G	C6-N1	-6.42	1.35	1.39
26	BB	2588	G	C2-N3	6.42	1.37	1.32
26	BB	503	A	C8-N7	-6.42	1.27	1.31
26	BB	996	A	P-O5'	6.42	1.66	1.59
26	BB	1265	A	C2'-C1'	-6.42	1.46	1.53
26	BB	1594	U	C5'-C4'	6.42	1.59	1.51
27	BC	138	PRO	N-CD	-6.42	1.38	1.47
1	AA	41	G	N1-C2	6.42	1.42	1.37
1	AA	1520	C	P-O5'	6.42	1.66	1.59
26	BB	2384	U	N3-C4	6.42	1.44	1.38
1	AA	201	G	N3-C4	6.41	1.40	1.35
1	AA	942	G	N7-C5	-6.41	1.35	1.39
1	AA	1000	A	C2-N3	-6.41	1.27	1.33
3	AC	52	U	P-O5'	6.41	1.66	1.59
26	BB	1035	U	O3'-P	6.41	1.68	1.61
26	BB	2229	U	C5-C6	6.41	1.40	1.34
1	AA	946	A	C4'-C3'	6.41	1.60	1.53
1	AA	974	A	P-O5'	6.41	1.66	1.59
1	AA	78	A	N9-C8	6.41	1.42	1.37
1	AA	302	G	O3'-P	6.41	1.68	1.61
1	AA	464	U	P-O5'	6.41	1.66	1.59
1	AA	1369	C	C4-C5	6.41	1.48	1.43
2	AB	29	G	C8-N7	-6.41	1.27	1.30
26	BB	969	G	C5-C4	6.41	1.42	1.38
26	BB	1090	A	C5-C4	6.41	1.43	1.38
26	BB	1460	U	C5'-C4'	6.41	1.59	1.51
1	AA	252	U	C5-C6	6.41	1.40	1.34
1	AA	949	A	O3'-P	6.41	1.68	1.61
1	AA	1103	C	C5-C6	6.41	1.39	1.34
25	BA	44	G	N1-C2	6.41	1.42	1.37
26	BB	890	C	C2-N3	6.41	1.40	1.35
26	BB	1968	G	P-O5'	-6.41	1.53	1.59

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2520	C	N3-C4	-6.41	1.29	1.33
26	BB	2838	G	C3'-C2'	6.41	1.59	1.52
1	AA	600	A	P-O5'	6.41	1.66	1.59
25	BA	91	C	N3-C4	-6.41	1.29	1.33
34	BJ	131	TYR	CE1-CZ	6.41	1.46	1.38
1	AA	989	U	O5'-C5'	-6.41	1.32	1.42
1	AA	1431	A	O4'-C1'	6.41	1.50	1.41
2	AB	24	G	C5'-C4'	6.41	1.59	1.51
26	BB	290	U	P-O5'	6.41	1.66	1.59
26	BB	1201	U	N1-C2	-6.41	1.32	1.38
26	BB	2336	A	N7-C5	-6.41	1.35	1.39
26	BB	2748	A	C3'-C2'	6.41	1.59	1.52
1	AA	77	A	C3'-C2'	6.40	1.59	1.52
1	AA	243	A	C6-N1	6.40	1.40	1.35
26	BB	794	A	O3'-P	6.40	1.68	1.61
26	BB	1040	A	C4'-O4'	-6.40	1.37	1.45
26	BB	2508	G	N7-C5	6.40	1.43	1.39
26	BB	2717	C	N3-C4	6.40	1.38	1.33
1	AA	526	C	C4-C5	6.40	1.48	1.43
26	BB	695	G	C6-N1	6.40	1.44	1.39
26	BB	1224	U	N3-C4	6.40	1.44	1.38
26	BB	2461	A	N9-C4	6.40	1.41	1.37
26	BB	2694	G	C8-N7	6.40	1.34	1.30
1	AA	336	A	N9-C8	6.40	1.42	1.37
1	AA	990	C	C4'-O4'	-6.40	1.37	1.45
26	BB	2784	U	C4-C5	6.40	1.49	1.43
1	AA	555	U	N3-C4	6.40	1.44	1.38
3	AC	29	G	C5-C6	6.40	1.48	1.42
26	BB	2071	A	N3-C4	6.40	1.38	1.34
26	BB	2379	G	C2-N3	6.40	1.37	1.32
1	AA	102	G	P-O5'	6.40	1.66	1.59
26	BB	655	A	N9-C4	6.40	1.41	1.37
26	BB	1605	C	C2-N3	6.40	1.40	1.35
26	BB	2714	G	C6-N1	6.40	1.44	1.39
1	AA	1200	C	O3'-P	6.40	1.68	1.61
21	AU	36	GLY	CA-C	6.39	1.62	1.51
26	BB	898	C	P-O5'	6.39	1.66	1.59
26	BB	1827	U	C4'-O4'	-6.39	1.37	1.45
26	BB	2352	A	O3'-P	6.39	1.68	1.61
26	BB	2738	A	N7-C5	-6.39	1.35	1.39
1	AA	1470	U	C2-N3	6.39	1.42	1.37
3	AC	34	U	C2-O2	6.39	1.28	1.22

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	35	G	O3'-P	6.39	1.68	1.61
26	BB	324	A	O3'-P	6.39	1.68	1.61
26	BB	672	C	N1-C6	-6.39	1.33	1.37
26	BB	2185	U	P-O5'	6.39	1.66	1.59
26	BB	2659	G	C5-C4	6.39	1.42	1.38
26	BB	2667	C	N3-C4	6.39	1.38	1.33
1	AA	341	C	C5-C6	6.39	1.39	1.34
1	AA	1046	A	N3-C4	6.39	1.38	1.34
2	AB	67	G	C2-N3	6.39	1.37	1.32
26	BB	923	G	N7-C5	-6.39	1.35	1.39
26	BB	1702	G	N7-C5	-6.39	1.35	1.39
26	BB	2269	G	N3-C4	6.39	1.40	1.35
1	AA	891	U	C3'-C2'	-6.39	1.45	1.52
1	AA	1501	C	N1-C6	6.39	1.41	1.37
25	BA	27	C	C4-C5	6.39	1.48	1.43
26	BB	248	G	P-O5'	6.39	1.66	1.59
26	BB	471	A	C4'-O4'	-6.39	1.37	1.45
26	BB	872	U	C4'-O4'	-6.39	1.37	1.45
26	BB	1615	C	C4-N4	-6.39	1.28	1.33
26	BB	2213	U	C4-C5	6.39	1.49	1.43
26	BB	2597	G	C5-C4	6.39	1.42	1.38
1	AA	34	C	N3-C4	6.39	1.38	1.33
1	AA	746	A	C5'-C4'	6.39	1.59	1.51
25	BA	64	G	C5-C6	6.39	1.48	1.42
26	BB	789	A	C6-N1	6.39	1.40	1.35
26	BB	1027	A	P-O5'	6.39	1.66	1.59
26	BB	2038	G	C8-N7	-6.39	1.27	1.30
1	AA	253	A	C5-C4	6.39	1.43	1.38
1	AA	809	G	C5'-C4'	6.39	1.59	1.51
1	AA	1468	A	O3'-P	6.39	1.68	1.61
3	AC	57	C	O3'-P	-6.39	1.53	1.61
26	BB	531	C	C4'-C3'	6.39	1.60	1.53
26	BB	784	G	N7-C5	-6.39	1.35	1.39
26	BB	846	U	C2'-C1'	-6.39	1.46	1.53
26	BB	1177	G	C5'-C4'	6.39	1.59	1.51
26	BB	1788	C	N1-C6	6.39	1.41	1.37
1	AA	588	G	O3'-P	-6.38	1.53	1.61
1	AA	627	G	C5-C4	6.38	1.42	1.38
32	BH	162	ARG	CZ-NH2	6.38	1.41	1.33
1	AA	648	A	C4'-O4'	-6.38	1.37	1.45
26	BB	130	C	N1-C6	6.38	1.41	1.37
26	BB	2357	G	C5'-C4'	6.38	1.59	1.51

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	685	G	N3-C4	6.38	1.40	1.35
1	AA	1076	U	C5'-C4'	6.38	1.59	1.51
1	AA	1287	A	O3'-P	6.38	1.68	1.61
26	BB	451	U	C4-O4	6.38	1.28	1.23
26	BB	657	U	C2-N3	6.38	1.42	1.37
26	BB	928	A	C5'-C4'	6.38	1.59	1.51
26	BB	1195	G	C2-N3	6.38	1.37	1.32
26	BB	1353	A	N3-C4	-6.38	1.31	1.34
26	BB	2230	G	C6-O6	-6.38	1.18	1.24
26	BB	2676	C	C1'-N1	6.38	1.58	1.48
1	AA	1185	G	C6-N1	6.38	1.44	1.39
26	BB	320	A	N7-C5	6.38	1.43	1.39
26	BB	700	G	C4'-O4'	-6.38	1.37	1.45
1	AA	386	C	C4'-O4'	-6.38	1.37	1.45
1	AA	423	G	C6-N1	-6.38	1.35	1.39
1	AA	687	A	C4'-O4'	-6.38	1.37	1.45
26	BB	2569	G	C2-N3	6.38	1.37	1.32
1	AA	1041	G	N7-C5	6.38	1.43	1.39
1	AA	1208	C	N1-C6	6.38	1.41	1.37
26	BB	1476	U	C2'-C1'	6.38	1.60	1.53
26	BB	1726	C	C2-N3	6.38	1.40	1.35
26	BB	2860	A	P-O5'	6.38	1.66	1.59
1	AA	1013	G	O4'-C1'	6.38	1.50	1.41
26	BB	470	A	N7-C5	6.38	1.43	1.39
26	BB	776	G	N9-C8	-6.38	1.33	1.37
26	BB	1116	G	N9-C4	-6.38	1.32	1.38
26	BB	1954	G	C8-N7	6.38	1.34	1.30
1	AA	897	C	C4-N4	6.37	1.39	1.33
1	AA	1170	A	N1-C2	-6.37	1.28	1.34
26	BB	1446	C	N3-C4	6.37	1.38	1.33
26	BB	1623	G	C2-N3	6.37	1.37	1.32
26	BB	2308	G	C5'-C4'	6.37	1.58	1.51
26	BB	2453	A	C2-N3	6.37	1.39	1.33
26	BB	2730	C	C4-N4	6.37	1.39	1.33
1	AA	94	G	C2-N3	6.37	1.37	1.32
1	AA	119	A	O3'-P	6.37	1.68	1.61
1	AA	331	G	C4'-O4'	-6.37	1.37	1.45
1	AA	785	G	N7-C5	-6.37	1.35	1.39
1	AA	912	C	C2'-C1'	6.37	1.60	1.53
1	AA	1035	A	C5'-C4'	6.37	1.58	1.51
1	AA	1088	G	C8-N7	-6.37	1.27	1.30
1	AA	1513	A	N7-C5	6.37	1.43	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1287	A	C8-N7	-6.37	1.27	1.31
26	BB	2560	A	O3'-P	6.37	1.68	1.61
1	AA	223	A	N9-C4	-6.37	1.34	1.37
1	AA	1018	G	N7-C5	6.37	1.43	1.39
26	BB	832	U	N1-C2	6.37	1.44	1.38
1	AA	318	G	P-O5'	6.37	1.66	1.59
1	AA	564	C	P-O5'	6.37	1.66	1.59
1	AA	1040	U	C2-N3	6.37	1.42	1.37
1	AA	1432	G	N3-C4	6.37	1.40	1.35
3	AC	27	A	C6-N1	6.37	1.40	1.35
26	BB	2564	A	C5-C6	6.37	1.46	1.41
26	BB	2725	A	N1-C2	6.37	1.40	1.34
26	BB	2687	U	N1-C2	6.37	1.44	1.38
1	AA	185	U	C4'-C3'	6.37	1.60	1.53
1	AA	351	G	C2-N3	6.37	1.37	1.32
1	AA	375	U	O3'-P	6.37	1.68	1.61
1	AA	414	A	C2-N3	6.37	1.39	1.33
1	AA	546	A	C4'-O4'	-6.37	1.37	1.45
1	AA	595	A	N9-C4	6.37	1.41	1.37
1	AA	1168	U	C2-O2	6.37	1.28	1.22
26	BB	167	A	C4'-C3'	6.37	1.60	1.53
26	BB	824	U	C2-O2	6.37	1.28	1.22
26	BB	881	G	C2-N3	6.37	1.37	1.32
26	BB	1757	A	C5'-C4'	6.37	1.58	1.51
26	BB	1896	G	C8-N7	-6.37	1.27	1.30
1	AA	940	C	C5'-C4'	6.36	1.58	1.51
1	AA	1444	U	P-O5'	6.36	1.66	1.59
1	AA	1513	A	N3-C4	6.36	1.38	1.34
26	BB	132	G	C5-C6	6.36	1.48	1.42
26	BB	661	A	C6-N1	6.36	1.40	1.35
26	BB	774	G	P-O5'	6.36	1.66	1.59
26	BB	2094	A	O3'-P	6.36	1.68	1.61
1	AA	890	G	C4'-O4'	-6.36	1.37	1.45
26	BB	1419	A	C3'-C2'	6.36	1.59	1.52
26	BB	2271	G	C6-N1	-6.36	1.35	1.39
1	AA	461	A	C5'-C4'	6.36	1.58	1.51
4	AD	20	G	N9-C4	6.36	1.43	1.38
4	AD	65	G	P-O5'	6.36	1.66	1.59
26	BB	704	G	C4'-C3'	6.36	1.60	1.53
26	BB	2256	G	N9-C4	-6.36	1.32	1.38
26	BB	1539	U	C2-O2	6.36	1.28	1.22
1	AA	953	G	P-O5'	6.36	1.66	1.59

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1037	C	C4'-O4'	-6.36	1.37	1.45
26	BB	1568	G	C6-N1	6.36	1.44	1.39
26	BB	2655	G	O3'-P	6.36	1.68	1.61
1	AA	352	C	P-O5'	-6.36	1.53	1.59
1	AA	1380	U	C2-N3	6.36	1.42	1.37
25	BA	57	A	N3-C4	-6.36	1.31	1.34
26	BB	284	U	N1-C2	6.36	1.44	1.38
26	BB	939	G	N3-C4	-6.36	1.31	1.35
26	BB	1033	U	N3-C4	-6.36	1.32	1.38
26	BB	1744	A	C3'-C2'	-6.36	1.45	1.52
26	BB	1847	A	C4'-C3'	-6.36	1.46	1.53
26	BB	2785	C	N3-C4	6.36	1.38	1.33
1	AA	350	G	C4'-C3'	6.35	1.60	1.53
1	AA	617	G	C5'-C4'	6.35	1.58	1.51
1	AA	626	G	P-O5'	6.35	1.66	1.59
1	AA	944	G	N7-C5	-6.35	1.35	1.39
26	BB	444	C	N3-C4	6.35	1.38	1.33
26	BB	1015	U	O4'-C1'	6.35	1.50	1.41
1	AA	71	A	N1-C2	-6.35	1.28	1.34
1	AA	450	G	N1-C2	6.35	1.42	1.37
1	AA	738	C	C4-C5	6.35	1.48	1.43
1	AA	770	C	C4'-O4'	-6.35	1.37	1.45
26	BB	190	A	N3-C4	6.35	1.38	1.34
26	BB	1153	C	C4-C5	6.35	1.48	1.43
26	BB	1722	A	C4'-O4'	-6.35	1.37	1.45
26	BB	2751	G	P-O5'	-6.35	1.53	1.59
31	BG	142	TYR	CE2-CZ	6.35	1.46	1.38
1	AA	38	G	N3-C4	6.35	1.39	1.35
1	AA	280	C	C4'-C3'	6.35	1.60	1.53
1	AA	786	G	C5-C6	6.35	1.48	1.42
1	AA	1269	A	N9-C4	6.35	1.41	1.37
1	AA	1404	C	C4'-O4'	-6.35	1.37	1.45
26	BB	156	A	C8-N7	-6.35	1.27	1.31
26	BB	186	G	N9-C4	6.35	1.43	1.38
26	BB	1968	G	C3'-C2'	6.35	1.59	1.52
26	BB	2003	A	N7-C5	-6.35	1.35	1.39
26	BB	2391	G	C5'-C4'	6.35	1.58	1.51
1	AA	401	C	O3'-P	-6.35	1.53	1.61
1	AA	987	G	N3-C4	6.35	1.39	1.35
26	BB	175	G	C5-C4	-6.35	1.33	1.38
26	BB	177	G	O3'-P	6.35	1.68	1.61
26	BB	352	A	C2'-C1'	-6.35	1.46	1.53

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1116	G	C4'-C3'	6.35	1.60	1.53
26	BB	2001	C	N3-C4	6.35	1.38	1.33
26	BB	2424	C	P-O5'	6.35	1.66	1.59
26	BB	2810	A	C5-C4	-6.35	1.34	1.38
1	AA	205	A	N7-C5	6.34	1.43	1.39
1	AA	693	G	O3'-P	6.34	1.68	1.61
1	AA	1458	G	P-O5'	6.34	1.66	1.59
26	BB	344	A	C8-N7	6.34	1.35	1.31
26	BB	661	A	C2-N3	6.34	1.39	1.33
26	BB	1369	G	C5-C4	6.34	1.42	1.38
26	BB	1387	A	P-O5'	6.34	1.66	1.59
26	BB	2518	A	N3-C4	-6.34	1.31	1.34
26	BB	2838	G	C2'-C1'	6.34	1.60	1.53
1	AA	683	G	C2-N3	6.34	1.37	1.32
26	BB	6	A	O4'-C1'	6.34	1.49	1.41
26	BB	1451	C	C2-O2	-6.34	1.18	1.24
1	AA	428	G	N9-C8	6.34	1.42	1.37
1	AA	1150	A	P-O5'	6.34	1.66	1.59
2	AB	60	U	C4-C5	6.34	1.49	1.43
26	BB	649	G	C4'-C3'	6.34	1.60	1.53
26	BB	879	G	N1-C2	6.34	1.42	1.37
26	BB	493	G	C2-N2	-6.34	1.28	1.34
26	BB	1353	A	N7-C5	6.34	1.43	1.39
26	BB	1773	A	N7-C5	-6.34	1.35	1.39
1	AA	248	C	C5-C6	6.34	1.39	1.34
26	BB	335	C	O3'-P	6.34	1.68	1.61
1	AA	1231	G	N9-C8	-6.34	1.33	1.37
26	BB	257	C	C2-N3	6.34	1.40	1.35
26	BB	341	C	P-O5'	6.34	1.66	1.59
26	BB	2228	G	N9-C4	6.34	1.43	1.38
26	BB	2252	G	P-O5'	6.34	1.66	1.59
26	BB	2312	U	C4'-C3'	6.34	1.60	1.53
26	BB	2833	U	N1-C2	6.34	1.44	1.38
26	BB	572	A	C6-N6	-6.33	1.28	1.33
26	BB	601	C	C4-C5	6.33	1.48	1.43
26	BB	1531	C	N1-C6	6.33	1.41	1.37
26	BB	2391	G	C8-N7	-6.33	1.27	1.30
1	AA	179	A	N7-C5	-6.33	1.35	1.39
1	AA	376	G	N7-C5	-6.33	1.35	1.39
1	AA	599	C	N1-C6	6.33	1.41	1.37
26	BB	333	G	C2'-O2'	6.33	1.49	1.41
26	BB	607	U	O3'-P	6.33	1.68	1.61

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	898	C	C4-N4	6.33	1.39	1.33
1	AA	459	A	C4'-O4'	-6.33	1.37	1.45
1	AA	542	G	P-O5'	6.33	1.66	1.59
1	AA	1304	G	N9-C8	-6.33	1.33	1.37
2	AB	47	U	C3'-O3'	6.33	1.51	1.42
3	AC	34	U	P-O5'	6.33	1.66	1.59
4	AD	2	G	C2-N3	6.33	1.37	1.32
26	BB	1772	A	C5-C4	-6.33	1.34	1.38
26	BB	1862	G	P-O5'	6.33	1.66	1.59
26	BB	2758	A	C5-C4	-6.33	1.34	1.38
1	AA	585	G	P-O5'	-6.33	1.53	1.59
1	AA	1056	U	P-O5'	6.33	1.66	1.59
1	AA	1532	U	C2'-C1'	6.33	1.60	1.53
2	AB	42	G	C2'-C1'	6.33	1.60	1.53
26	BB	34	U	C3'-C2'	6.33	1.59	1.52
1	AA	401	C	C2'-O2'	-6.33	1.33	1.41
26	BB	2390	U	N1-C6	6.33	1.43	1.38
26	BB	2453	A	N9-C8	-6.33	1.32	1.37
1	AA	193	C	C4-N4	6.33	1.39	1.33
1	AA	260	G	N1-C2	6.33	1.42	1.37
1	AA	515	G	N1-C2	6.33	1.42	1.37
1	AA	518	C	P-O5'	6.33	1.66	1.59
1	AA	1387	G	P-O5'	6.33	1.66	1.59
3	AC	56	G	P-O5'	6.33	1.66	1.59
26	BB	413	C	C4'-O4'	-6.33	1.37	1.45
26	BB	556	A	N3-C4	6.33	1.38	1.34
26	BB	945	A	N9-C4	-6.33	1.34	1.37
26	BB	2004	G	N3-C4	6.33	1.39	1.35
26	BB	2349	G	C6-N1	6.33	1.44	1.39
26	BB	2494	G	O3'-P	6.33	1.68	1.61
26	BB	2589	A	C6-N1	-6.33	1.31	1.35
32	BH	93	TYR	CB-CG	-6.33	1.42	1.51
1	AA	151	A	P-O5'	6.32	1.66	1.59
1	AA	1081	A	N9-C4	6.32	1.41	1.37
1	AA	1166	G	O3'-P	6.32	1.68	1.61
26	BB	1142	A	C5-C4	6.32	1.43	1.38
26	BB	1520	U	C3'-C2'	6.32	1.59	1.52
26	BB	1557	C	N3-C4	6.32	1.38	1.33
26	BB	1149	G	N7-C5	6.32	1.43	1.39
26	BB	2521	C	C5'-C4'	6.32	1.58	1.51
26	BB	2777	G	C3'-C2'	6.32	1.59	1.52
1	AA	1036	A	C3'-C2'	-6.32	1.45	1.52

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1400	C	C5-C6	6.32	1.39	1.34
4	AD	31	G	C5'-C4'	6.32	1.58	1.51
26	BB	97	C	C2-O2	-6.32	1.18	1.24
26	BB	2333	A	C2-N3	-6.32	1.27	1.33
26	BB	2343	U	P-O5'	6.32	1.66	1.59
26	BB	2549	G	N3-C4	6.32	1.39	1.35
1	AA	1111	A	P-O5'	6.32	1.66	1.59
25	BA	63	C	C4'-O4'	-6.32	1.37	1.45
26	BB	2047	C	C5'-C4'	6.32	1.58	1.51
26	BB	2275	C	N1-C2	6.32	1.46	1.40
1	AA	33	A	C4'-C3'	-6.32	1.46	1.53
1	AA	359	G	C8-N7	-6.32	1.27	1.30
1	AA	609	A	C4'-O4'	-6.32	1.37	1.45
1	AA	1100	C	C2'-C1'	-6.32	1.46	1.53
26	BB	132	G	P-O5'	6.32	1.66	1.59
26	BB	894	U	C5-C6	6.32	1.39	1.34
26	BB	2395	C	N1-C6	6.32	1.41	1.37
1	AA	408	A	N7-C5	6.32	1.43	1.39
1	AA	462	G	P-O5'	6.32	1.66	1.59
25	BA	99	A	C4'-O4'	-6.32	1.37	1.45
26	BB	634	C	O3'-P	6.32	1.68	1.61
26	BB	880	G	N1-C2	6.32	1.42	1.37
26	BB	2184	A	N9-C4	-6.32	1.34	1.37
32	BH	155	PRO	N-CD	-6.32	1.39	1.47
1	AA	1012	A	P-O5'	6.31	1.66	1.59
1	AA	52	C	C4'-O4'	-6.31	1.37	1.45
26	BB	661	A	C8-N7	-6.31	1.27	1.31
26	BB	2062	A	C4'-O4'	-6.31	1.37	1.45
26	BB	2255	G	N7-C5	6.31	1.43	1.39
1	AA	1473	G	N1-C2	6.31	1.42	1.37
26	BB	307	G	C5'-C4'	6.31	1.58	1.51
26	BB	1717	A	N3-C4	6.31	1.38	1.34
26	BB	1735	A	N9-C8	6.31	1.42	1.37
1	AA	1164	G	P-O5'	6.31	1.66	1.59
26	BB	440	C	N1-C2	6.31	1.46	1.40
26	BB	1171	G	C2'-O2'	-6.31	1.33	1.41
26	BB	1771	C	O4'-C1'	6.31	1.49	1.41
38	BN	58	TYR	CG-CD2	6.31	1.47	1.39
1	AA	640	A	N3-C4	6.31	1.38	1.34
26	BB	423	A	N3-C4	6.31	1.38	1.34
26	BB	491	G	C5-C4	-6.31	1.33	1.38
26	BB	1996	C	C4-C5	6.31	1.48	1.43

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2673	G	N1-C2	6.31	1.42	1.37
1	AA	1304	G	C6-N1	6.31	1.44	1.39
3	AC	33	A	C4'-C3'	6.31	1.60	1.53
25	BA	79	G	C4'-C3'	-6.31	1.46	1.53
26	BB	531	C	C4'-O4'	-6.31	1.37	1.45
26	BB	717	C	P-O5'	6.31	1.66	1.59
26	BB	1274	A	C5-C6	-6.31	1.35	1.41
1	AA	858	G	O3'-P	6.30	1.68	1.61
1	AA	1074	G	O3'-P	6.30	1.68	1.61
26	BB	60	G	N1-C2	6.30	1.42	1.37
26	BB	338	G	C4'-O4'	-6.30	1.37	1.45
26	BB	520	G	C8-N7	6.30	1.34	1.30
26	BB	809	G	N9-C4	6.30	1.43	1.38
26	BB	1003	G	C5-C6	6.30	1.48	1.42
26	BB	1152	C	C1'-N1	6.30	1.58	1.48
26	BB	2873	A	C2'-C1'	6.30	1.60	1.53
1	AA	238	A	N3-C4	6.30	1.38	1.34
1	AA	1147	C	C4-N4	-6.30	1.28	1.33
1	AA	264	C	P-O5'	6.30	1.66	1.59
25	BA	72	G	C2-N3	6.30	1.37	1.32
26	BB	325	G	O5'-C5'	-6.30	1.32	1.42
26	BB	429	A	C2'-C1'	-6.30	1.46	1.53
26	BB	1187	G	C2-N3	6.30	1.37	1.32
26	BB	1332	G	N9-C4	6.30	1.43	1.38
26	BB	1913	A	C6-N1	-6.30	1.31	1.35
26	BB	2029	G	P-O5'	6.30	1.66	1.59
26	BB	2131	U	N1-C2	6.30	1.44	1.38
26	BB	2684	U	C2-N3	6.30	1.42	1.37
26	BB	2763	G	O3'-P	6.30	1.68	1.61
26	BB	350	G	C6-N1	6.30	1.44	1.39
26	BB	1802	A	C5'-C4'	6.30	1.58	1.51
26	BB	2061	G	P-O5'	6.30	1.66	1.59
26	BB	2837	A	N3-C4	6.30	1.38	1.34
1	AA	766	A	P-O5'	6.30	1.66	1.59
26	BB	1273	U	C4-O4	6.30	1.28	1.23
26	BB	1484	U	N1-C2	6.30	1.44	1.38
26	BB	2844	G	C6-O6	-6.30	1.18	1.24
1	AA	537	G	P-O5'	6.30	1.66	1.59
26	BB	909	A	C5-C6	-6.30	1.35	1.41
26	BB	1069	A	O3'-P	6.30	1.68	1.61
26	BB	2348	U	C2-N3	6.30	1.42	1.37
26	BB	2351	G	N9-C4	-6.30	1.32	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2587	A	N9-C4	-6.30	1.34	1.37
26	BB	2663	G	N3-C4	6.30	1.39	1.35
26	BB	2722	G	N7-C5	6.30	1.43	1.39
4	AD	29	C	C3'-C2'	6.29	1.59	1.52
26	BB	180	G	N9-C8	6.29	1.42	1.37
1	AA	136	C	C2-N3	6.29	1.40	1.35
1	AA	288	A	C5'-C4'	6.29	1.58	1.51
1	AA	536	C	C2-N3	6.29	1.40	1.35
1	AA	790	A	C5-C6	6.29	1.46	1.41
26	BB	232	G	P-O5'	6.29	1.66	1.59
26	BB	410	G	C2-N3	6.29	1.37	1.32
26	BB	775	G	C4'-O4'	-6.29	1.37	1.45
26	BB	896	A	N3-C4	6.29	1.38	1.34
26	BB	1030	C	O3'-P	6.29	1.68	1.61
1	AA	571	U	C3'-C2'	6.29	1.59	1.52
1	AA	644	U	N3-C4	-6.29	1.32	1.38
1	AA	1454	G	C5-C6	6.29	1.48	1.42
4	AD	60	A	C8-N7	-6.29	1.27	1.31
26	BB	898	C	C5-C6	6.29	1.39	1.34
26	BB	1944	U	P-O5'	6.29	1.66	1.59
26	BB	2083	G	N1-C2	6.29	1.42	1.37
28	BD	84	PRO	N-CD	-6.29	1.39	1.47
1	AA	1510	C	C4'-C3'	-6.29	1.46	1.53
26	BB	593	U	C2-O2	6.29	1.28	1.22
26	BB	1743	G	N3-C4	6.29	1.39	1.35
1	AA	243	A	C5-C4	-6.29	1.34	1.38
1	AA	770	C	C5'-C4'	6.29	1.58	1.51
1	AA	801	U	C5-C6	6.29	1.39	1.34
1	AA	811	C	C4'-C3'	-6.29	1.46	1.53
26	BB	315	G	C2-N3	6.29	1.37	1.32
26	BB	646	U	O3'-P	6.29	1.68	1.61
26	BB	962	G	N3-C4	6.29	1.39	1.35
26	BB	1587	G	N9-C4	-6.29	1.32	1.38
1	AA	145	G	O5'-C5'	-6.29	1.32	1.42
26	BB	259	G	C8-N7	-6.29	1.27	1.30
26	BB	1590	A	N3-C4	6.29	1.38	1.34
1	AA	1	A	C5-C6	6.29	1.46	1.41
1	AA	58	C	N1-C2	6.29	1.46	1.40
1	AA	152	A	C2'-O2'	6.29	1.49	1.41
1	AA	1156	G	C4'-C3'	6.29	1.60	1.53
26	BB	608	A	C3'-C2'	6.29	1.59	1.52
26	BB	699	A	N9-C4	6.29	1.41	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	929	U	N1-C2	6.29	1.44	1.38
26	BB	1829	A	N9-C4	-6.29	1.34	1.37
26	BB	2491	U	P-O5'	6.29	1.66	1.59
1	AA	1134	G	N1-C2	6.28	1.42	1.37
1	AA	1170	A	C4'-O4'	-6.28	1.37	1.45
25	BA	72	G	C5-C6	6.28	1.48	1.42
26	BB	333	G	C5'-C4'	6.28	1.58	1.51
26	BB	2324	U	P-O5'	6.28	1.66	1.59
26	BB	2588	G	O4'-C1'	6.28	1.49	1.41
26	BB	987	C	O3'-P	6.28	1.68	1.61
26	BB	2012	G	C5-C6	6.28	1.48	1.42
1	AA	307	C	C2-N3	6.28	1.40	1.35
1	AA	598	U	N3-C4	6.28	1.44	1.38
1	AA	1193	G	C2-N3	6.28	1.37	1.32
1	AA	1276	G	C6-O6	-6.28	1.18	1.24
1	AA	1299	A	C4'-O4'	-6.28	1.37	1.45
1	AA	1515	G	C1'-N9	6.28	1.58	1.48
4	AD	75	C	C3'-C2'	6.28	1.59	1.52
26	BB	81	G	N3-C4	6.28	1.39	1.35
26	BB	1176	U	C2-N3	6.28	1.42	1.37
26	BB	1482	G	O3'-P	-6.28	1.53	1.61
26	BB	1876	A	N7-C5	6.28	1.43	1.39
26	BB	2022	U	P-O5'	-6.28	1.53	1.59
26	BB	2497	A	C6-N6	6.28	1.39	1.33
26	BB	2603	G	C5'-C4'	6.28	1.58	1.51
2	AB	76	A	C5'-C4'	6.28	1.58	1.51
26	BB	904	G	C6-O6	-6.28	1.18	1.24
1	AA	348	G	C2-N3	6.28	1.37	1.32
1	AA	360	G	C6-O6	-6.28	1.18	1.24
1	AA	380	G	N7-C5	6.28	1.43	1.39
1	AA	896	C	C2-O2	-6.28	1.18	1.24
1	AA	1261	A	C1'-N9	6.28	1.58	1.48
1	AA	1346	A	N7-C5	6.28	1.43	1.39
26	BB	259	G	N9-C4	6.28	1.43	1.38
26	BB	1862	G	C5'-C4'	6.28	1.58	1.51
26	BB	2450	A	N3-C4	6.28	1.38	1.34
1	AA	194	C	C4-N4	6.28	1.39	1.33
1	AA	500	G	C2-N3	6.28	1.37	1.32
3	AC	17	U	C4'-C3'	6.28	1.60	1.53
26	BB	126	A	O4'-C1'	-6.28	1.33	1.41
26	BB	2044	C	C5'-C4'	6.28	1.58	1.51
1	AA	802	A	P-O5'	6.27	1.66	1.59

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	41	C	N1-C6	6.27	1.41	1.37
26	BB	1346	G	P-O5'	6.27	1.66	1.59
26	BB	2393	U	P-O5'	6.27	1.66	1.59
25	BA	45	A	N7-C5	6.27	1.43	1.39
25	BA	66	A	N7-C5	6.27	1.43	1.39
26	BB	2609	U	C4'-C3'	6.27	1.60	1.53
1	AA	1179	A	O3'-P	6.27	1.68	1.61
1	AA	1441	A	C5-C4	-6.27	1.34	1.38
26	BB	465	G	N9-C8	6.27	1.42	1.37
26	BB	1688	U	C4-C5	6.27	1.49	1.43
26	BB	1699	G	C6-N1	6.27	1.44	1.39
1	AA	691	G	C6-O6	-6.27	1.18	1.24
26	BB	1491	G	N1-C2	6.27	1.42	1.37
26	BB	1739	A	N9-C8	6.27	1.42	1.37
26	BB	2089	C	N1-C6	6.27	1.41	1.37
1	AA	579	A	O3'-P	6.27	1.68	1.61
13	AM	31	ARG	CZ-NH2	6.27	1.41	1.33
26	BB	459	U	P-O5'	6.27	1.66	1.59
26	BB	765	C	C3'-O3'	-6.27	1.33	1.42
26	BB	1979	U	C2-N3	6.27	1.42	1.37
26	BB	2096	C	C4'-O4'	-6.27	1.37	1.45
26	BB	2499	C	O3'-P	-6.27	1.53	1.61
26	BB	2510	C	C2-N3	-6.27	1.30	1.35
26	BB	2548	U	P-O5'	6.27	1.66	1.59
31	BG	82	TYR	CG-CD1	6.27	1.47	1.39
43	BS	42	GLY	CA-C	6.27	1.61	1.51
1	AA	819	A	O4'-C1'	6.27	1.49	1.41
1	AA	1386	G	C5'-C4'	6.27	1.58	1.51
1	AA	1425	U	C4-C5	6.27	1.49	1.43
26	BB	992	C	P-O5'	6.27	1.66	1.59
26	BB	1481	U	C4'-O4'	-6.27	1.37	1.45
26	BB	2295	C	C3'-O3'	6.27	1.50	1.42
26	BB	2698	U	C2'-C1'	-6.27	1.46	1.53
1	AA	688	G	N3-C4	6.26	1.39	1.35
26	BB	169	G	N3-C4	6.26	1.39	1.35
26	BB	572	A	C6-N1	6.26	1.40	1.35
26	BB	1106	G	C8-N7	6.26	1.34	1.30
26	BB	1149	G	N3-C4	6.26	1.39	1.35
26	BB	1252	G	N1-C2	6.26	1.42	1.37
26	BB	1992	G	C5-C6	6.26	1.48	1.42
26	BB	1459	G	C4'-C3'	-6.26	1.46	1.53
1	AA	180	U	O3'-P	-6.26	1.53	1.61

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	216	A	C2'-C1'	6.26	1.60	1.53
26	BB	628	G	C8-N7	-6.26	1.27	1.30
26	BB	753	A	N3-C4	6.26	1.38	1.34
26	BB	2148	G	C2-N3	6.26	1.37	1.32
26	BB	2839	G	C2-N2	6.26	1.40	1.34
1	AA	44	A	N3-C4	6.26	1.38	1.34
26	BB	286	U	N1-C2	6.26	1.44	1.38
26	BB	1062	G	C6-N1	6.26	1.44	1.39
26	BB	1327	A	O3'-P	6.26	1.68	1.61
1	AA	411	A	C4'-O4'	-6.26	1.37	1.45
26	BB	1438	U	C5-C6	6.26	1.39	1.34
26	BB	2651	C	C4'-O4'	-6.26	1.37	1.45
1	AA	1386	G	N9-C4	-6.26	1.32	1.38
4	AD	4	G	P-O5'	6.26	1.66	1.59
26	BB	110	G	N1-C2	6.26	1.42	1.37
26	BB	363	G	C5'-C4'	6.26	1.58	1.51
26	BB	465	G	N9-C4	6.26	1.43	1.38
26	BB	1767	G	C6-O6	-6.26	1.18	1.24
26	BB	2218	G	C8-N7	-6.26	1.27	1.30
26	BB	2726	A	N9-C8	-6.26	1.32	1.37
26	BB	406	G	C6-N1	6.25	1.44	1.39
26	BB	1509	A	C2'-C1'	-6.25	1.46	1.53
26	BB	2562	U	C5'-C4'	6.25	1.58	1.51
26	BB	2680	U	C2-N3	6.25	1.42	1.37
1	AA	140	U	C2-N3	6.25	1.42	1.37
1	AA	453	G	C4'-O4'	-6.25	1.37	1.45
2	AB	58	A	C4'-O4'	-6.25	1.37	1.45
3	AC	49	U	C2'-O2'	-6.25	1.33	1.41
26	BB	938	G	P-O5'	-6.25	1.53	1.59
26	BB	1976	U	C5-C6	6.25	1.39	1.34
26	BB	2063	C	C4'-C3'	-6.25	1.46	1.53
26	BB	2220	U	C2-N3	-6.25	1.33	1.37
26	BB	2429	G	N9-C8	-6.25	1.33	1.37
1	AA	102	G	N1-C2	6.25	1.42	1.37
1	AA	774	G	C2-N3	6.25	1.37	1.32
3	AC	55	A	C6-N1	6.25	1.40	1.35
26	BB	438	G	C2'-C1'	6.25	1.60	1.53
26	BB	1135	C	C2-N3	6.25	1.40	1.35
26	BB	2683	C	C5-C6	6.25	1.39	1.34
1	AA	688	G	N7-C5	6.25	1.43	1.39
1	AA	971	G	P-O5'	6.25	1.66	1.59
1	AA	1153	G	N1-C2	6.25	1.42	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	AC	17	U	C2-N3	6.25	1.42	1.37
26	BB	42	A	N3-C4	6.25	1.38	1.34
26	BB	2160	C	N1-C2	6.25	1.46	1.40
26	BB	2314	A	C5-C4	-6.25	1.34	1.38
26	BB	2468	A	C4'-O4'	-6.25	1.37	1.45
26	BB	2867	G	N9-C8	-6.25	1.33	1.37
1	AA	1043	G	C2-N2	6.25	1.40	1.34
1	AA	1388	C	N1-C6	6.25	1.40	1.37
26	BB	119	A	O4'-C1'	6.25	1.49	1.41
26	BB	718	A	N3-C4	6.25	1.38	1.34
26	BB	958	U	P-O5'	6.25	1.66	1.59
26	BB	1000	A	N9-C4	-6.25	1.34	1.37
26	BB	1094	U	P-O5'	6.25	1.66	1.59
26	BB	1452	G	C5'-C4'	6.25	1.58	1.51
26	BB	1950	G	P-O5'	6.25	1.66	1.59
26	BB	2551	C	C4-N4	6.25	1.39	1.33
1	AA	89	U	O3'-P	6.25	1.68	1.61
1	AA	1232	U	C4'-O4'	-6.25	1.37	1.45
26	BB	1656	C	C5'-C4'	6.25	1.58	1.51
26	BB	2078	C	C3'-O3'	6.25	1.50	1.42
26	BB	2894	G	N9-C8	6.25	1.42	1.37
1	AA	924	C	P-O5'	6.24	1.66	1.59
1	AA	1152	A	C4'-C3'	-6.24	1.46	1.53
1	AA	1456	A	C6-N1	6.24	1.40	1.35
25	BA	28	C	C4'-O4'	-6.24	1.37	1.45
26	BB	237	C	P-O5'	6.24	1.66	1.59
26	BB	1206	G	C8-N7	6.24	1.34	1.30
26	BB	1514	G	N9-C8	6.24	1.42	1.37
26	BB	2386	A	C6-N6	6.24	1.39	1.33
1	AA	845	A	N3-C4	6.24	1.38	1.34
1	AA	1275	A	C8-N7	-6.24	1.27	1.31
1	AA	1536	C	C4'-O4'	-6.24	1.37	1.45
26	BB	1495	A	C5-C6	6.24	1.46	1.41
26	BB	1563	U	C2-N3	6.24	1.42	1.37
26	BB	2258	C	C5-C6	6.24	1.39	1.34
1	AA	946	A	N9-C4	6.24	1.41	1.37
26	BB	220	G	P-O5'	6.24	1.66	1.59
26	BB	278	A	C4'-O4'	-6.24	1.37	1.45
26	BB	1648	U	O3'-P	6.24	1.68	1.61
1	AA	323	U	P-O5'	6.24	1.66	1.59
1	AA	1241	G	C3'-C2'	-6.24	1.45	1.52
3	AC	38	G	C5-C4	-6.24	1.33	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	818	G	C2-N3	6.24	1.37	1.32
26	BB	899	A	N3-C4	6.24	1.38	1.34
26	BB	1607	C	N1-C6	6.24	1.40	1.37
26	BB	1651	G	C4'-O4'	-6.24	1.37	1.45
26	BB	2219	U	C5'-C4'	6.24	1.58	1.51
26	BB	2291	U	C4'-O4'	-6.24	1.37	1.45
26	BB	2841	C	N1-C6	6.24	1.40	1.37
26	BB	108	G	C4'-O4'	-6.24	1.37	1.45
26	BB	1815	A	O3'-P	6.24	1.68	1.61
1	AA	861	G	N7-C5	6.24	1.43	1.39
1	AA	1454	G	N7-C5	6.24	1.43	1.39
3	AC	14	G	C5-C4	-6.24	1.33	1.38
26	BB	153	U	C4-C5	6.24	1.49	1.43
26	BB	1420	A	C6-N6	6.24	1.39	1.33
26	BB	2065	C	N1-C6	6.24	1.40	1.37
26	BB	1861	G	N3-C4	6.23	1.39	1.35
26	BB	2660	A	C4'-O4'	-6.23	1.37	1.45
26	BB	2739	U	C5'-C4'	6.23	1.58	1.51
26	BB	2817	U	C2-N3	6.23	1.42	1.37
1	AA	314	C	C5'-C4'	6.23	1.58	1.51
1	AA	1048	G	C4'-O4'	-6.23	1.37	1.45
1	AA	1058	G	C8-N7	-6.23	1.27	1.30
1	AA	1164	G	C5'-C4'	6.23	1.58	1.51
1	AA	1229	A	N9-C8	-6.23	1.32	1.37
1	AA	72	A	C5-C4	-6.23	1.34	1.38
1	AA	72	A	N9-C8	-6.23	1.32	1.37
1	AA	713	G	C4'-O4'	-6.23	1.37	1.45
1	AA	772	U	N1-C2	6.23	1.44	1.38
25	BA	95	U	C3'-C2'	6.23	1.59	1.52
26	BB	473	G	C8-N7	6.23	1.34	1.30
26	BB	923	G	C6-N1	6.23	1.44	1.39
26	BB	1920	C	C5-C6	6.23	1.39	1.34
26	BB	2544	G	C6-N1	-6.23	1.35	1.39
26	BB	1122	G	P-O5'	6.23	1.66	1.59
26	BB	2776	A	N1-C2	-6.23	1.28	1.34
1	AA	696	A	C5-C4	-6.23	1.34	1.38
1	AA	1392	G	C2-N3	6.23	1.37	1.32
3	AC	59	A	C2'-C1'	-6.23	1.46	1.53
26	BB	738	G	C5-C6	6.23	1.48	1.42
26	BB	1141	U	N1-C6	6.23	1.43	1.38
26	BB	1164	C	C4-C5	6.23	1.48	1.43
26	BB	1211	C	C4-N4	-6.23	1.28	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1705	A	N9-C4	-6.23	1.34	1.37
26	BB	1933	G	C4'-C3'	6.23	1.59	1.53
26	BB	2044	C	C4'-C3'	6.23	1.59	1.53
1	AA	680	C	C2-N3	6.23	1.40	1.35
26	BB	1976	U	C4-C5	6.23	1.49	1.43
26	BB	2466	C	C5-C6	-6.23	1.29	1.34
1	AA	265	G	P-O5'	6.22	1.66	1.59
1	AA	408	A	P-O5'	6.22	1.66	1.59
1	AA	855	U	C2'-C1'	6.22	1.60	1.53
1	AA	1249	C	O3'-P	6.22	1.68	1.61
2	AB	7	G	C6-N1	6.22	1.44	1.39
2	AB	38	A	C3'-C2'	-6.22	1.46	1.52
26	BB	162	U	C2-O2	6.22	1.27	1.22
26	BB	2234	G	O3'-P	6.22	1.68	1.61
26	BB	204	A	C4'-C3'	6.22	1.59	1.53
26	BB	993	G	N1-C2	6.22	1.42	1.37
26	BB	1400	U	N1-C2	6.22	1.44	1.38
26	BB	2299	U	C4'-O4'	-6.22	1.37	1.45
26	BB	2400	G	C2-N3	6.22	1.37	1.32
26	BB	2551	C	C4-C5	6.22	1.48	1.43
26	BB	2646	C	N3-C4	6.22	1.38	1.33
26	BB	2679	A	C3'-O3'	-6.22	1.33	1.42
1	AA	214	C	C2-N3	6.22	1.40	1.35
1	AA	833	G	C3'-O3'	6.22	1.50	1.42
1	AA	1504	G	P-O5'	6.22	1.66	1.59
26	BB	474	G	O3'-P	6.22	1.68	1.61
26	BB	2115	G	C5'-C4'	6.22	1.58	1.51
1	AA	1037	C	O3'-P	6.22	1.68	1.61
26	BB	103	A	C6-N6	6.22	1.39	1.33
26	BB	252	G	N1-C2	6.22	1.42	1.37
26	BB	529	A	N9-C4	6.22	1.41	1.37
26	BB	2120	G	N1-C2	6.22	1.42	1.37
26	BB	2363	G	N1-C2	6.22	1.42	1.37
1	AA	254	G	C5'-C4'	6.22	1.58	1.51
26	BB	1416	G	C6-O6	-6.22	1.18	1.24
26	BB	1478	G	C2-N3	6.22	1.37	1.32
26	BB	2650	U	C3'-C2'	6.22	1.59	1.52
26	BB	2735	G	N3-C4	6.22	1.39	1.35
1	AA	167	A	C6-N1	-6.22	1.31	1.35
1	AA	806	C	C5'-C4'	6.22	1.58	1.51
26	BB	483	A	O4'-C1'	6.22	1.49	1.41
26	BB	826	U	C2-N3	6.22	1.42	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1636	U	N3-C4	6.22	1.44	1.38
26	BB	1728	C	N3-C4	6.22	1.38	1.33
26	BB	2186	G	N9-C8	-6.22	1.33	1.37
1	AA	1038	C	N1-C2	6.21	1.46	1.40
1	AA	1156	G	N9-C8	6.21	1.42	1.37
26	BB	105	C	C2-N3	6.21	1.40	1.35
26	BB	588	U	C5'-C4'	6.21	1.58	1.51
26	BB	915	C	C5'-C4'	6.21	1.58	1.51
1	AA	875	U	C4-O4	6.21	1.28	1.23
26	BB	2113	U	P-O5'	6.21	1.66	1.59
1	AA	93	U	C2'-O2'	-6.21	1.33	1.41
1	AA	949	A	P-O5'	6.21	1.66	1.59
1	AA	1142	G	C2-N3	6.21	1.37	1.32
26	BB	388	G	O3'-P	6.21	1.68	1.61
26	BB	409	G	C6-O6	-6.21	1.18	1.24
26	BB	468	G	C2-N3	6.21	1.37	1.32
26	BB	1010	A	C6-N1	6.21	1.39	1.35
26	BB	1243	C	C4-N4	6.21	1.39	1.33
26	BB	1424	G	O4'-C1'	6.21	1.49	1.41
26	BB	1811	G	C6-O6	-6.21	1.18	1.24
26	BB	2199	A	N9-C8	6.21	1.42	1.37
26	BB	2335	A	N3-C4	-6.21	1.31	1.34
26	BB	2377	A	N9-C4	-6.21	1.34	1.37
26	BB	2608	G	P-O5'	6.21	1.66	1.59
1	AA	749	A	N9-C4	6.21	1.41	1.37
1	AA	760	G	P-O5'	6.21	1.66	1.59
4	AD	16	C	C4'-O4'	-6.21	1.37	1.45
25	BA	22	U	C5-C6	6.21	1.39	1.34
26	BB	627	A	N9-C4	6.21	1.41	1.37
26	BB	940	G	C4'-O4'	-6.21	1.37	1.45
1	AA	29	U	C4'-O4'	-6.21	1.37	1.45
1	AA	630	A	N7-C5	6.21	1.43	1.39
1	AA	807	A	C5-C6	6.21	1.46	1.41
26	BB	814	C	C2'-C1'	-6.21	1.46	1.53
26	BB	1195	G	N3-C4	6.21	1.39	1.35
26	BB	1956	U	C5-C6	6.21	1.39	1.34
1	AA	384	G	C5-C4	-6.21	1.34	1.38
4	AD	10	G	C4'-O4'	-6.21	1.37	1.45
25	BA	51	G	N9-C8	6.21	1.42	1.37
26	BB	308	G	N7-C5	-6.21	1.35	1.39
26	BB	954	G	C5-C4	-6.21	1.34	1.38
26	BB	1632	A	N9-C4	6.21	1.41	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2161	C	C2-N3	6.21	1.40	1.35
1	AA	333	U	C4'-O4'	-6.21	1.37	1.45
1	AA	138	G	C2-N2	6.20	1.40	1.34
1	AA	1451	U	C2-N3	6.20	1.42	1.37
26	BB	67	U	P-O5'	6.20	1.66	1.59
26	BB	621	A	N9-C4	-6.20	1.34	1.37
26	BB	701	G	C4'-O4'	-6.20	1.37	1.45
26	BB	2166	U	O3'-P	6.20	1.68	1.61
26	BB	2210	U	P-O5'	6.20	1.66	1.59
26	BB	2738	A	C6-N6	-6.20	1.28	1.33
1	AA	634	C	C4-C5	6.20	1.48	1.43
2	AB	9	A	C2'-C1'	6.20	1.60	1.53
26	BB	1937	A	C4'-O4'	-6.20	1.37	1.45
26	BB	2319	G	C5'-C4'	6.20	1.58	1.51
26	BB	2667	C	P-O5'	6.20	1.66	1.59
1	AA	551	U	N1-C6	6.20	1.43	1.38
1	AA	619	U	C4'-C3'	6.20	1.59	1.53
1	AA	644	U	C2-O2	6.20	1.27	1.22
1	AA	664	G	C3'-C2'	-6.20	1.46	1.52
1	AA	743	A	C8-N7	-6.20	1.27	1.31
1	AA	1190	G	P-O5'	6.20	1.66	1.59
2	AB	36	A	N9-C4	-6.20	1.34	1.37
3	AC	24	A	N3-C4	6.20	1.38	1.34
4	AD	64	G	C5-C4	6.20	1.42	1.38
4	AD	66	C	C2-N3	6.20	1.40	1.35
26	BB	1168	G	P-O5'	6.20	1.66	1.59
26	BB	1259	G	C5'-C4'	6.20	1.58	1.51
26	BB	1455	G	C2-N2	-6.20	1.28	1.34
26	BB	1640	A	C6-N6	6.20	1.39	1.33
26	BB	2027	G	P-O5'	6.20	1.66	1.59
26	BB	72	U	C4'-O4'	-6.20	1.37	1.45
26	BB	1279	G	C2-N3	6.20	1.37	1.32
26	BB	1925	C	N3-C4	6.20	1.38	1.33
26	BB	2316	G	C6-N1	6.20	1.43	1.39
1	AA	1113	C	N1-C6	6.20	1.40	1.37
1	AA	495	A	C8-N7	-6.20	1.27	1.31
1	AA	684	U	C5'-C4'	6.20	1.58	1.51
1	AA	1116	U	C4'-C3'	-6.20	1.46	1.53
26	BB	621	A	C6-N6	-6.20	1.28	1.33
26	BB	940	G	O4'-C1'	6.20	1.49	1.41
26	BB	1559	U	C4-O4	-6.20	1.18	1.23
26	BB	1931	U	C5-C6	6.20	1.39	1.34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2117	A	P-O5'	6.20	1.66	1.59
43	BS	10	ARG	NE-CZ	6.20	1.41	1.33
26	BB	609	A	C5-C4	-6.19	1.34	1.38
26	BB	1338	G	P-O5'	6.19	1.66	1.59
26	BB	1748	C	C4'-O4'	-6.19	1.37	1.45
26	BB	2278	A	N9-C4	-6.19	1.34	1.37
1	AA	592	G	N7-C5	6.19	1.43	1.39
1	AA	1242	G	C8-N7	-6.19	1.27	1.30
26	BB	517	C	C2'-C1'	6.19	1.60	1.53
26	BB	524	G	N3-C4	-6.19	1.31	1.35
26	BB	2022	U	C3'-C2'	-6.19	1.46	1.52
1	AA	128	G	N3-C4	-6.19	1.31	1.35
1	AA	708	C	C2'-C1'	6.19	1.60	1.53
1	AA	1323	G	C2'-C1'	6.19	1.60	1.53
26	BB	96	C	C2-N3	6.19	1.40	1.35
26	BB	230	G	C2'-C1'	6.19	1.60	1.53
26	BB	251	A	O3'-P	6.19	1.68	1.61
26	BB	2000	C	C4-C5	6.19	1.48	1.43
26	BB	2379	G	N1-C2	6.19	1.42	1.37
1	AA	1275	A	C2-N3	-6.19	1.27	1.33
26	BB	296	U	C4-C5	6.19	1.49	1.43
26	BB	1428	C	C5-C6	6.19	1.39	1.34
26	BB	1719	G	N3-C4	6.19	1.39	1.35
26	BB	2289	G	C6-N1	6.19	1.43	1.39
26	BB	2800	A	N9-C4	-6.19	1.34	1.37
1	AA	493	A	N3-C4	6.19	1.38	1.34
1	AA	562	U	C4-C5	6.19	1.49	1.43
1	AA	646	G	C4'-O4'	-6.19	1.37	1.45
1	AA	1250	A	N7-C5	6.19	1.43	1.39
26	BB	1166	G	C3'-O3'	6.19	1.50	1.42
26	BB	1220	G	O4'-C1'	6.19	1.49	1.41
26	BB	1825	U	C2-N3	6.19	1.42	1.37
26	BB	2078	C	P-O5'	6.19	1.66	1.59
26	BB	2485	G	C2-N3	6.19	1.37	1.32
26	BB	2558	C	C5'-C4'	6.19	1.58	1.51
26	BB	2714	G	C2-N3	6.19	1.37	1.32
1	AA	273	U	C4-C5	6.19	1.49	1.43
26	BB	354	A	C2'-C1'	-6.19	1.46	1.53
26	BB	721	A	C5-C4	6.19	1.43	1.38
26	BB	1216	G	C5-C4	6.19	1.42	1.38
26	BB	1345	C	N1-C6	6.19	1.40	1.37
26	BB	1910	G	C8-N7	-6.19	1.27	1.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2012	G	N7-C5	-6.19	1.35	1.39
26	BB	2903	U	C5-C6	6.19	1.39	1.34
1	AA	934	C	P-O5'	6.18	1.66	1.59
1	AA	1068	G	C8-N7	-6.18	1.27	1.30
1	AA	1147	C	O3'-P	-6.18	1.53	1.61
1	AA	1435	G	N1-C2	6.18	1.42	1.37
1	AA	1530	G	C3'-C2'	-6.18	1.46	1.52
25	BA	67	G	N9-C8	6.18	1.42	1.37
26	BB	715	A	C5'-C4'	6.18	1.58	1.51
26	BB	1062	G	C5-C4	6.18	1.42	1.38
26	BB	1116	G	C2-N3	6.18	1.37	1.32
25	BA	113	C	O4'-C1'	6.18	1.49	1.41
26	BB	1186	G	N7-C5	-6.18	1.35	1.39
26	BB	1467	U	C4'-O4'	-6.18	1.37	1.45
26	BB	1992	G	C2'-C1'	6.18	1.60	1.53
26	BB	2798	U	N1-C2	6.18	1.44	1.38
1	AA	442	G	C5-C4	-6.18	1.34	1.38
26	BB	783	A	P-O5'	-6.18	1.53	1.59
26	BB	1343	G	C5-C6	6.18	1.48	1.42
26	BB	2241	A	C8-N7	-6.18	1.27	1.31
26	BB	2474	U	P-O5'	6.18	1.66	1.59
1	AA	549	C	P-O5'	6.18	1.66	1.59
1	AA	803	G	C8-N7	-6.18	1.27	1.30
4	AD	2	G	C3'-C2'	6.18	1.59	1.52
25	BA	2	G	C8-N7	6.18	1.34	1.30
26	BB	683	U	C5-C6	6.18	1.39	1.34
26	BB	852	U	O4'-C1'	6.18	1.49	1.41
26	BB	904	G	N9-C4	-6.18	1.33	1.38
26	BB	1624	U	C5'-C4'	6.18	1.58	1.51
26	BB	2666	C	N1-C6	6.18	1.40	1.37
26	BB	2795	C	P-O5'	6.18	1.66	1.59
1	AA	213	G	N7-C5	6.18	1.43	1.39
1	AA	798	U	O3'-P	6.18	1.68	1.61
4	AD	42	C	O3'-P	6.18	1.68	1.61
26	BB	1170	C	O3'-P	6.18	1.68	1.61
26	BB	1635	A	C2-N3	6.18	1.39	1.33
26	BB	1763	G	N3-C4	6.18	1.39	1.35
26	BB	1791	A	C5'-C4'	6.18	1.58	1.51
1	AA	390	U	C2'-C1'	-6.18	1.46	1.53
1	AA	568	G	C2-N2	-6.18	1.28	1.34
1	AA	714	G	C4'-O4'	-6.18	1.37	1.45
1	AA	1460	C	C4-N4	6.18	1.39	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	219	A	C2'-O2'	6.18	1.49	1.41
26	BB	343	C	C4-C5	6.18	1.47	1.43
26	BB	553	G	C5-C4	-6.18	1.34	1.38
26	BB	1050	A	N3-C4	6.18	1.38	1.34
26	BB	1321	A	N1-C2	6.18	1.40	1.34
26	BB	1756	G	C6-N1	6.18	1.43	1.39
26	BB	2606	C	N3-C4	6.18	1.38	1.33
1	AA	1249	C	C2-N3	6.17	1.40	1.35
26	BB	308	G	N9-C4	6.17	1.42	1.38
26	BB	377	G	C4'-O4'	-6.17	1.37	1.45
26	BB	514	A	N7-C5	6.17	1.43	1.39
26	BB	597	G	N1-C2	6.17	1.42	1.37
26	BB	1347	A	P-O5'	6.17	1.66	1.59
26	BB	1355	G	O3'-P	6.17	1.68	1.61
26	BB	2546	U	P-O5'	6.17	1.66	1.59
26	BB	2628	C	C4-C5	-6.17	1.38	1.43
26	BB	439	A	C2'-O2'	6.17	1.49	1.41
1	AA	1197	A	N3-C4	6.17	1.38	1.34
26	BB	176	A	N7-C5	-6.17	1.35	1.39
26	BB	397	U	C5'-C4'	6.17	1.58	1.51
26	BB	667	U	N1-C2	6.17	1.44	1.38
26	BB	1092	C	C4'-O4'	-6.17	1.37	1.45
26	BB	1188	U	C5'-C4'	6.17	1.58	1.51
26	BB	2700	A	C2-N3	-6.17	1.27	1.33
1	AA	310	G	C3'-C2'	6.17	1.59	1.52
1	AA	529	G	C4'-C3'	6.17	1.59	1.53
26	BB	858	G	C6-N1	6.17	1.43	1.39
26	BB	1466	U	N1-C2	6.17	1.44	1.38
1	AA	327	A	O3'-P	-6.17	1.53	1.61
1	AA	1074	G	C4'-O4'	-6.17	1.37	1.45
1	AA	1417	G	C8-N7	-6.17	1.27	1.30
26	BB	1117	C	C2'-C1'	6.17	1.60	1.53
26	BB	1247	A	C4'-O4'	-6.17	1.37	1.45
26	BB	1488	C	P-O5'	6.17	1.66	1.59
26	BB	1535	A	C3'-O3'	6.17	1.50	1.42
26	BB	2425	A	N3-C4	6.17	1.38	1.34
1	AA	1102	A	C2'-O2'	6.17	1.49	1.41
1	AA	1457	G	C8-N7	6.17	1.34	1.30
25	BA	58	A	C2-N3	6.17	1.39	1.33
26	BB	43	G	C6-N1	6.17	1.43	1.39
26	BB	200	U	N3-C4	6.17	1.44	1.38
26	BB	655	A	C8-N7	-6.17	1.27	1.31

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	804	A	N1-C2	6.17	1.39	1.34
26	BB	1040	A	C2-N3	6.17	1.39	1.33
26	BB	1312	U	N1-C6	6.17	1.43	1.38
26	BB	1460	U	N1-C2	6.17	1.44	1.38
26	BB	1523	U	C2-N3	6.17	1.42	1.37
26	BB	1619	G	C2-N3	6.17	1.37	1.32
26	BB	2157	G	N9-C8	-6.17	1.33	1.37
26	BB	2322	A	N7-C5	6.17	1.43	1.39
1	AA	348	G	C5-C6	6.17	1.48	1.42
26	BB	1028	A	N9-C4	6.17	1.41	1.37
26	BB	2319	G	N1-C2	6.17	1.42	1.37
1	AA	223	A	C5'-C4'	6.16	1.58	1.51
1	AA	1249	C	C3'-C2'	6.16	1.59	1.52
26	BB	758	C	N1-C6	6.16	1.40	1.37
26	BB	869	G	N7-C5	6.16	1.43	1.39
26	BB	1096	A	N9-C8	-6.16	1.32	1.37
26	BB	1149	G	C4'-O4'	-6.16	1.37	1.45
26	BB	1251	C	N3-C4	6.16	1.38	1.33
26	BB	2160	C	C5-C6	6.16	1.39	1.34
1	AA	853	C	P-O5'	6.16	1.66	1.59
1	AA	1073	U	C2-N3	6.16	1.42	1.37
1	AA	1408	A	P-O5'	6.16	1.66	1.59
26	BB	599	A	C5-C4	-6.16	1.34	1.38
26	BB	1692	U	O3'-P	6.16	1.68	1.61
1	AA	1179	A	C4'-C3'	-6.16	1.46	1.53
1	AA	1282	C	O3'-P	6.16	1.68	1.61
3	AC	56	G	N1-C2	6.16	1.42	1.37
26	BB	2065	C	C4-C5	6.16	1.47	1.43
26	BB	2835	A	N9-C4	6.16	1.41	1.37
1	AA	1432	G	C5'-C4'	6.16	1.58	1.51
2	AB	22	G	N7-C5	-6.16	1.35	1.39
25	BA	28	C	O3'-P	6.16	1.68	1.61
26	BB	942	G	C2'-C1'	-6.16	1.46	1.53
1	AA	1118	U	N1-C6	6.16	1.43	1.38
26	BB	23	G	C2-N3	6.16	1.37	1.32
26	BB	124	G	C5'-C4'	6.16	1.58	1.51
26	BB	2044	C	C2-N3	6.16	1.40	1.35
1	AA	31	G	C2-N2	-6.16	1.28	1.34
1	AA	43	C	C2-N3	6.16	1.40	1.35
1	AA	1184	G	N3-C4	6.16	1.39	1.35
2	AB	34	C	C5-C6	6.16	1.39	1.34
26	BB	173	A	C4'-O4'	-6.16	1.37	1.45

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	292	U	C5-C6	6.16	1.39	1.34
26	BB	968	C	O3'-P	6.16	1.68	1.61
26	BB	1137	G	C5-C4	-6.16	1.34	1.38
26	BB	1407	G	N3-C4	6.16	1.39	1.35
26	BB	2195	U	C5-C6	6.16	1.39	1.34
1	AA	117	G	C6-N1	6.15	1.43	1.39
1	AA	1140	C	C5-C6	6.15	1.39	1.34
4	AD	42	C	C2-O2	-6.15	1.19	1.24
26	BB	6	A	C4'-C3'	6.15	1.59	1.53
26	BB	2820	A	N3-C4	6.15	1.38	1.34
1	AA	53	A	N3-C4	6.15	1.38	1.34
1	AA	338	A	O3'-P	6.15	1.68	1.61
4	AD	69	C	C5-C6	6.15	1.39	1.34
26	BB	1609	A	C2'-C1'	6.15	1.60	1.53
26	BB	2765	A	N9-C4	6.15	1.41	1.37
1	AA	927	G	P-O5'	6.15	1.66	1.59
1	AA	1492	A	C2'-C1'	-6.15	1.46	1.53
2	AB	43	G	C5-C4	-6.15	1.34	1.38
1	AA	631	C	P-O5'	6.15	1.65	1.59
1	AA	1114	C	O5'-C5'	-6.15	1.33	1.42
26	BB	2276	G	C6-O6	-6.15	1.18	1.24
1	AA	171	A	N7-C5	-6.15	1.35	1.39
1	AA	955	U	C4'-O4'	-6.15	1.37	1.45
1	AA	1101	A	C5-C4	-6.15	1.34	1.38
1	AA	1448	C	N1-C6	6.15	1.40	1.37
26	BB	91	A	C4'-O4'	-6.15	1.37	1.45
26	BB	107	G	C5'-C4'	6.15	1.58	1.51
26	BB	1087	G	C5'-C4'	6.15	1.58	1.51
26	BB	1271	G	N9-C8	6.15	1.42	1.37
26	BB	1653	G	N1-C2	6.15	1.42	1.37
26	BB	1846	G	N9-C4	-6.15	1.33	1.38
1	AA	124	C	O3'-P	6.15	1.68	1.61
1	AA	894	G	C2-N2	-6.15	1.28	1.34
25	BA	51	G	C5'-C4'	6.15	1.58	1.51
26	BB	1070	A	C8-N7	-6.15	1.27	1.31
26	BB	1686	C	O3'-P	6.15	1.68	1.61
1	AA	496	A	C8-N7	-6.14	1.27	1.31
1	AA	736	C	C5-C6	-6.14	1.29	1.34
26	BB	390	U	C5-C6	6.14	1.39	1.34
26	BB	1574	C	O4'-C1'	6.14	1.49	1.41
26	BB	2010	G	N7-C5	-6.14	1.35	1.39
26	BB	2283	C	N3-C4	6.14	1.38	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2602	A	C5-C4	-6.14	1.34	1.38
1	AA	141	G	N1-C2	6.14	1.42	1.37
26	BB	25	U	C2-O2	6.14	1.27	1.22
26	BB	604	G	C2-N3	6.14	1.37	1.32
26	BB	1572	A	N7-C5	-6.14	1.35	1.39
26	BB	2407	A	N3-C4	6.14	1.38	1.34
26	BB	2662	A	P-O5'	6.14	1.65	1.59
26	BB	2064	C	C2-N3	6.14	1.40	1.35
1	AA	1389	C	C3'-C2'	-6.14	1.46	1.52
3	AC	29	G	N3-C4	6.14	1.39	1.35
26	BB	1398	C	N1-C2	6.14	1.46	1.40
26	BB	2213	U	C3'-C2'	6.14	1.59	1.52
26	BB	2302	U	C2-N3	6.14	1.42	1.37
26	BB	2330	G	O3'-P	-6.14	1.53	1.61
1	AA	540	G	C6-N1	-6.14	1.35	1.39
1	AA	1000	A	N9-C4	-6.14	1.34	1.37
13	AM	45	ARG	CZ-NH1	6.14	1.41	1.33
26	BB	2417	C	C4-C5	6.14	1.47	1.43
26	BB	2476	A	N7-C5	6.14	1.43	1.39
1	AA	329	A	C8-N7	-6.14	1.27	1.31
1	AA	532	A	N3-C4	6.14	1.38	1.34
1	AA	860	A	C4'-C3'	6.14	1.59	1.53
1	AA	894	G	N7-C5	6.14	1.43	1.39
26	BB	511	U	C3'-O3'	6.14	1.50	1.42
26	BB	513	A	C8-N7	-6.14	1.27	1.31
26	BB	798	G	O5'-C5'	-6.14	1.33	1.42
26	BB	806	C	C2-N3	6.14	1.40	1.35
26	BB	901	C	C4-N4	6.14	1.39	1.33
26	BB	1419	A	C4'-O4'	-6.14	1.37	1.45
26	BB	1814	G	N1-C2	6.14	1.42	1.37
26	BB	2129	C	C3'-C2'	6.14	1.59	1.52
1	AA	645	G	N9-C8	-6.13	1.33	1.37
1	AA	954	G	C2'-C1'	6.13	1.60	1.53
1	AA	960	U	C2-O2	6.13	1.27	1.22
1	AA	1232	U	C2-N3	6.13	1.42	1.37
1	AA	1257	A	C6-N1	-6.13	1.31	1.35
1	AA	1311	A	C6-N6	6.13	1.38	1.33
1	AA	1510	C	C4-N4	6.13	1.39	1.33
2	AB	53	G	C5-C4	6.13	1.42	1.38
3	AC	58	C	C5'-C4'	6.13	1.58	1.51
26	BB	660	C	C2'-O2'	6.13	1.49	1.41
26	BB	674	G	N7-C5	-6.13	1.35	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1445	G	O3'-P	6.13	1.68	1.61
26	BB	1753	G	C5'-C4'	6.13	1.58	1.51
26	BB	2317	A	N9-C4	6.13	1.41	1.37
26	BB	2792	A	C2'-C1'	6.13	1.60	1.53
1	AA	375	U	C2-N3	6.13	1.42	1.37
26	BB	755	U	C4'-O4'	-6.13	1.37	1.45
26	BB	2817	U	N1-C6	6.13	1.43	1.38
1	AA	485	U	C4'-C3'	6.13	1.59	1.53
26	BB	429	A	N7-C5	-6.13	1.35	1.39
26	BB	533	G	O3'-P	6.13	1.68	1.61
26	BB	868	U	N1-C2	6.13	1.44	1.38
26	BB	2550	G	O4'-C1'	6.13	1.49	1.41
1	AA	8	A	O4'-C1'	6.13	1.49	1.41
1	AA	926	G	C5'-C4'	6.13	1.58	1.51
1	AA	948	C	C2-N3	6.13	1.40	1.35
1	AA	949	A	O5'-C5'	-6.13	1.33	1.42
1	AA	999	C	C2-N3	6.13	1.40	1.35
4	AD	54	G	C8-N7	6.13	1.34	1.30
26	BB	20	C	C5-C6	6.13	1.39	1.34
26	BB	191	A	P-O5'	6.13	1.65	1.59
26	BB	540	C	C4'-C3'	-6.13	1.46	1.53
26	BB	1292	G	N1-C2	6.13	1.42	1.37
26	BB	1479	G	C4'-O4'	-6.13	1.37	1.45
26	BB	1721	G	C5'-C4'	6.13	1.58	1.51
26	BB	1726	C	P-O5'	6.13	1.65	1.59
1	AA	198	G	C4'-C3'	-6.13	1.46	1.53
1	AA	962	C	P-O5'	6.13	1.65	1.59
1	AA	1096	C	C4-C5	6.13	1.47	1.43
26	BB	25	U	P-O5'	6.13	1.65	1.59
26	BB	832	U	C4-O4	-6.13	1.18	1.23
26	BB	965	C	N3-C4	-6.13	1.29	1.33
26	BB	1323	C	N3-C4	6.13	1.38	1.33
26	BB	1794	A	C3'-O3'	-6.13	1.33	1.42
26	BB	2439	A	C4'-O4'	-6.13	1.37	1.45
1	AA	22	G	N3-C4	6.12	1.39	1.35
1	AA	1307	U	P-O5'	6.12	1.65	1.59
1	AA	1523	G	C6-O6	-6.12	1.18	1.24
3	AC	49	U	C5'-C4'	6.12	1.58	1.51
26	BB	1292	G	O3'-P	6.12	1.68	1.61
1	AA	641	U	N1-C6	6.12	1.43	1.38
26	BB	159	G	N1-C2	6.12	1.42	1.37
26	BB	167	A	C4'-O4'	-6.12	1.37	1.45

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	470	A	P-O5'	6.12	1.65	1.59
26	BB	1069	A	C6-N1	6.12	1.39	1.35
26	BB	1179	G	N7-C5	-6.12	1.35	1.39
26	BB	1627	G	N3-C4	6.12	1.39	1.35
26	BB	1800	C	C4'-O4'	-6.12	1.37	1.45
26	BB	2368	C	O4'-C1'	6.12	1.49	1.41
1	AA	902	G	C2'-C1'	-6.12	1.46	1.53
26	BB	94	A	C8-N7	-6.12	1.27	1.31
26	BB	117	G	P-O5'	6.12	1.65	1.59
26	BB	533	G	N9-C8	6.12	1.42	1.37
26	BB	604	G	N3-C4	-6.12	1.31	1.35
26	BB	1927	A	C6-N1	-6.12	1.31	1.35
1	AA	822	U	O5'-C5'	-6.12	1.33	1.42
26	BB	237	C	C4'-O4'	-6.12	1.37	1.45
1	AA	1227	A	O5'-C5'	-6.12	1.33	1.42
4	AD	54	G	P-O5'	6.12	1.65	1.59
26	BB	203	A	C5-C4	6.12	1.43	1.38
26	BB	878	A	N9-C4	6.12	1.41	1.37
26	BB	964	C	C4'-C3'	-6.12	1.46	1.53
26	BB	1235	G	C6-O6	-6.12	1.18	1.24
26	BB	1368	G	C5-C6	6.12	1.48	1.42
26	BB	1746	A	N1-C2	-6.12	1.28	1.34
26	BB	1896	G	N1-C2	6.12	1.42	1.37
26	BB	2459	A	C6-N6	-6.12	1.29	1.33
1	AA	1154	G	N9-C4	-6.12	1.33	1.38
26	BB	2205	A	N3-C4	6.12	1.38	1.34
26	BB	2813	A	C6-N6	6.12	1.38	1.33
58	B7	4	ARG	CD-NE	6.12	1.56	1.46
1	AA	41	G	N3-C4	6.12	1.39	1.35
1	AA	1063	C	O3'-P	6.12	1.68	1.61
1	AA	1139	G	N7-C5	6.12	1.43	1.39
26	BB	432	A	O4'-C1'	6.12	1.49	1.41
26	BB	832	U	C4-C5	6.12	1.49	1.43
26	BB	1196	C	N3-C4	-6.12	1.29	1.33
1	AA	1131	G	C8-N7	-6.11	1.27	1.30
4	AD	13	C	N3-C4	6.11	1.38	1.33
26	BB	138	U	N1-C2	6.11	1.44	1.38
26	BB	289	G	P-O5'	-6.11	1.53	1.59
26	BB	473	G	N7-C5	6.11	1.43	1.39
26	BB	677	A	N9-C8	6.11	1.42	1.37
26	BB	846	U	C3'-O3'	-6.11	1.33	1.42
26	BB	1079	C	C2-N3	6.11	1.40	1.35

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2184	A	C5'-C4'	6.11	1.58	1.51
1	AA	482	A	N3-C4	6.11	1.38	1.34
27	BC	9	ARG	NE-CZ	6.11	1.41	1.33
1	AA	426	U	C3'-C2'	6.11	1.59	1.52
1	AA	1308	U	C4-O4	-6.11	1.18	1.23
26	BB	752	A	C5-C4	-6.11	1.34	1.38
26	BB	1051	G	C5'-C4'	6.11	1.58	1.51
26	BB	2260	C	O4'-C1'	6.11	1.49	1.41
26	BB	2673	G	O3'-P	6.11	1.68	1.61
25	BA	18	G	C5-C4	-6.11	1.34	1.38
26	BB	153	U	N1-C6	6.11	1.43	1.38
26	BB	1817	G	C5'-C4'	6.11	1.58	1.51
1	AA	1034	G	C5'-C4'	6.11	1.58	1.51
1	AA	1118	U	C2-N3	6.11	1.42	1.37
2	AB	15	A	C4'-O4'	-6.11	1.37	1.45
26	BB	568	U	C2-N3	6.11	1.42	1.37
26	BB	1378	A	P-O5'	6.11	1.65	1.59
26	BB	2116	G	N7-C5	-6.11	1.35	1.39
1	AA	12	U	P-O5'	6.11	1.65	1.59
1	AA	447	G	N7-C5	6.11	1.43	1.39
1	AA	795	C	C5-C6	6.11	1.39	1.34
1	AA	797	C	C3'-C2'	6.11	1.59	1.52
1	AA	1285	A	N7-C5	6.11	1.43	1.39
3	AC	13	A	N3-C4	6.11	1.38	1.34
26	BB	161	A	C2-N3	-6.11	1.28	1.33
26	BB	938	G	N7-C5	6.11	1.43	1.39
26	BB	1008	A	C4'-O4'	-6.11	1.37	1.45
26	BB	1175	A	C6-N6	6.11	1.38	1.33
26	BB	1927	A	C4'-O4'	-6.11	1.37	1.45
26	BB	2840	C	O4'-C1'	-6.11	1.33	1.41
1	AA	735	C	C5-C6	6.10	1.39	1.34
1	AA	1005	A	C3'-C2'	6.10	1.59	1.52
26	BB	609	A	P-O5'	6.10	1.65	1.59
26	BB	2008	C	N1-C6	6.10	1.40	1.37
26	BB	2525	G	N3-C4	6.10	1.39	1.35
1	AA	58	C	C2-N3	-6.10	1.30	1.35
1	AA	856	C	C5'-C4'	6.10	1.58	1.51
1	AA	870	U	C2'-C1'	6.10	1.60	1.53
1	AA	1245	C	C2-O2	-6.10	1.19	1.24
26	BB	28	A	O3'-P	6.10	1.68	1.61
26	BB	282	A	O3'-P	6.10	1.68	1.61
26	BB	377	G	C5'-C4'	6.10	1.58	1.51

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1011	G	N1-C2	6.10	1.42	1.37
26	BB	1039	A	N3-C4	6.10	1.38	1.34
26	BB	2011	U	C4-C5	6.10	1.49	1.43
26	BB	2099	U	C2-N3	6.10	1.42	1.37
26	BB	2369	A	N9-C4	6.10	1.41	1.37
36	BL	15	TRP	CD2-CE2	6.10	1.48	1.41
26	BB	655	A	N7-C5	-6.10	1.35	1.39
26	BB	1317	G	C6-N1	6.10	1.43	1.39
26	BB	1475	G	N9-C8	-6.10	1.33	1.37
1	AA	388	G	P-O5'	6.10	1.65	1.59
1	AA	407	U	N3-C4	6.10	1.44	1.38
1	AA	552	U	C5'-C4'	6.10	1.58	1.51
1	AA	719	C	O4'-C1'	-6.10	1.33	1.41
1	AA	974	A	C6-N1	-6.10	1.31	1.35
1	AA	1431	A	N9-C8	6.10	1.42	1.37
25	BA	106	G	N3-C4	6.10	1.39	1.35
26	BB	913	U	C2-O2	6.10	1.27	1.22
26	BB	1098	A	C2'-O2'	6.10	1.49	1.41
26	BB	1338	G	C8-N7	-6.10	1.27	1.30
26	BB	2088	A	P-O5'	6.10	1.65	1.59
26	BB	2306	C	N1-C6	6.10	1.40	1.37
26	BB	458	G	C8-N7	6.10	1.34	1.30
26	BB	950	G	C8-N7	6.10	1.34	1.30
26	BB	2764	A	C3'-C2'	6.10	1.59	1.52
26	BB	2828	G	C2-N3	6.10	1.37	1.32
2	AB	44	G	C6-O6	-6.10	1.18	1.24
26	BB	579	G	C3'-O3'	6.10	1.50	1.42
26	BB	1497	U	C4'-O4'	-6.10	1.37	1.45
26	BB	1815	A	C6-N6	-6.10	1.29	1.33
1	AA	884	U	P-O5'	6.09	1.65	1.59
2	AB	4	G	O3'-P	6.09	1.68	1.61
4	AD	72	C	N3-C4	6.09	1.38	1.33
26	BB	1658	C	C2-N3	6.09	1.40	1.35
26	BB	2096	C	C4'-C3'	-6.09	1.46	1.53
26	BB	2269	G	C5'-C4'	6.09	1.58	1.51
26	BB	2471	A	P-O5'	6.09	1.65	1.59
26	BB	2587	A	C6-N1	6.09	1.39	1.35
26	BB	500	G	N9-C4	-6.09	1.33	1.38
26	BB	502	A	N7-C5	6.09	1.43	1.39
26	BB	2468	A	N3-C4	6.09	1.38	1.34
1	AA	86	G	C3'-C2'	-6.09	1.46	1.52
1	AA	263	A	C4'-O4'	-6.09	1.37	1.45

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	376	G	P-O5'	6.09	1.65	1.59
1	AA	397	A	P-O5'	6.09	1.65	1.59
26	BB	316	C	N3-C4	6.09	1.38	1.33
26	BB	442	G	P-O5'	6.09	1.65	1.59
26	BB	1298	C	C2-N3	6.09	1.40	1.35
26	BB	1751	U	C5'-C4'	6.09	1.58	1.51
26	BB	1828	G	C4'-C3'	6.09	1.59	1.53
26	BB	2598	A	C5'-C4'	6.09	1.58	1.51
1	AA	95	C	C2-N3	-6.09	1.30	1.35
1	AA	1443	C	P-O5'	6.09	1.65	1.59
26	BB	662	G	C3'-C2'	6.09	1.59	1.52
26	BB	2425	A	N7-C5	6.09	1.43	1.39
26	BB	2682	A	P-O5'	6.09	1.65	1.59
1	AA	80	A	N1-C2	6.09	1.39	1.34
1	AA	879	C	C2'-C1'	6.09	1.60	1.53
26	BB	2172	U	C2-O2	6.09	1.27	1.22
1	AA	1114	C	C2'-C1'	6.09	1.60	1.53
4	AD	47	A	C8-N7	6.09	1.35	1.31
26	BB	45	G	N1-C2	6.09	1.42	1.37
26	BB	1555	G	O3'-P	-6.09	1.53	1.61
26	BB	1567	G	P-O5'	6.09	1.65	1.59
26	BB	1673	G	O3'-P	-6.09	1.53	1.61
1	AA	750	C	C2'-O2'	6.08	1.49	1.41
26	BB	188	G	C5-C4	6.08	1.42	1.38
26	BB	336	C	N1-C6	6.08	1.40	1.37
26	BB	2021	C	N1-C6	-6.08	1.33	1.37
26	BB	2079	U	C4'-C3'	6.08	1.59	1.53
1	AA	212	G	C6-N1	6.08	1.43	1.39
1	AA	1515	G	P-O5'	6.08	1.65	1.59
25	BA	52	A	C5-C4	-6.08	1.34	1.38
26	BB	56	A	O3'-P	6.08	1.68	1.61
26	BB	151	C	C4'-C3'	-6.08	1.46	1.53
26	BB	387	U	N1-C6	6.08	1.43	1.38
26	BB	1267	U	N1-C2	6.08	1.44	1.38
26	BB	1453	A	C5-C6	6.08	1.46	1.41
26	BB	1682	G	C5-C4	-6.08	1.34	1.38
26	BB	2478	A	C5-C6	-6.08	1.35	1.41
1	AA	74	A	O3'-P	-6.08	1.53	1.61
1	AA	1057	G	C2-N3	6.08	1.37	1.32
26	BB	29	U	P-O5'	6.08	1.65	1.59
26	BB	521	U	N3-C4	6.08	1.44	1.38
26	BB	1638	C	P-O5'	6.08	1.65	1.59

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	607	A	C6-N6	6.08	1.38	1.33
1	AA	227	G	C6-N1	-6.08	1.35	1.39
1	AA	274	A	O3'-P	6.08	1.68	1.61
1	AA	459	A	N3-C4	6.08	1.38	1.34
1	AA	674	G	C5-C6	6.08	1.48	1.42
1	AA	848	C	C2-N3	6.08	1.40	1.35
25	BA	65	U	C3'-C2'	6.08	1.59	1.52
26	BB	157	C	N3-C4	6.08	1.38	1.33
26	BB	749	A	C5'-C4'	6.08	1.58	1.51
26	BB	1492	G	N3-C4	6.08	1.39	1.35
26	BB	1694	C	C5-C6	6.08	1.39	1.34
26	BB	2481	G	C4'-O4'	-6.08	1.37	1.45
26	BB	2837	A	C2'-C1'	-6.08	1.46	1.53
25	BA	112	G	C4'-O4'	-6.08	1.37	1.45
1	AA	1517	G	C2'-C1'	-6.08	1.46	1.53
26	BB	164	C	C5'-C4'	6.08	1.58	1.51
26	BB	913	U	C2-N3	-6.08	1.33	1.37
26	BB	1293	C	O4'-C1'	6.08	1.49	1.41
26	BB	2106	U	C3'-C2'	6.08	1.59	1.52
4	AD	47	A	C2'-O2'	6.07	1.49	1.41
26	BB	784	G	C5-C4	6.07	1.42	1.38
26	BB	2011	U	C5'-C4'	6.07	1.58	1.51
26	BB	78	U	C5'-C4'	6.07	1.58	1.51
26	BB	785	G	P-O5'	6.07	1.65	1.59
26	BB	904	G	O3'-P	6.07	1.68	1.61
26	BB	2259	U	O3'-P	-6.07	1.53	1.61
1	AA	234	C	C2-N3	6.07	1.40	1.35
1	AA	1258	G	N1-C2	6.07	1.42	1.37
26	BB	97	C	C2'-O2'	6.07	1.49	1.41
26	BB	1522	A	C6-N6	6.07	1.38	1.33
26	BB	1603	A	O3'-P	6.07	1.68	1.61
26	BB	1621	U	C4'-O4'	-6.07	1.37	1.45
26	BB	39	G	C6-N1	6.07	1.43	1.39
26	BB	153	U	O4'-C1'	-6.07	1.33	1.41
26	BB	1734	G	C4'-O4'	-6.07	1.37	1.45
26	BB	2600	A	P-O5'	6.07	1.65	1.59
1	AA	465	A	N3-C4	6.07	1.38	1.34
1	AA	693	G	C4'-O4'	-6.07	1.37	1.45
1	AA	767	A	C5-C6	6.07	1.46	1.41
1	AA	1045	C	C4-C5	6.07	1.47	1.43
26	BB	311	A	C8-N7	-6.07	1.27	1.31
26	BB	464	U	C4'-O4'	-6.07	1.37	1.45

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	777	G	C6-N1	6.07	1.43	1.39
26	BB	2354	C	P-O5'	6.07	1.65	1.59
26	BB	2452	C	C4-C5	6.07	1.47	1.43
26	BB	2469	A	N9-C4	-6.07	1.34	1.37
26	BB	2886	A	N7-C5	-6.07	1.35	1.39
1	AA	105	G	C4'-O4'	-6.07	1.37	1.45
1	AA	316	C	C5-C6	6.07	1.39	1.34
1	AA	571	U	C2-O2	6.07	1.27	1.22
1	AA	601	G	C2-N3	6.07	1.37	1.32
26	BB	193	U	C2'-O2'	6.07	1.49	1.41
26	BB	324	A	C5-C6	6.07	1.46	1.41
26	BB	1116	G	C3'-C2'	6.07	1.59	1.52
26	BB	1628	G	C3'-O3'	6.07	1.50	1.42
26	BB	1721	G	C8-N7	-6.07	1.27	1.30
26	BB	1935	G	O3'-P	6.07	1.68	1.61
26	BB	2464	G	N9-C8	-6.07	1.33	1.37
26	BB	2521	C	C2-N3	6.07	1.40	1.35
26	BB	2685	G	N9-C4	-6.07	1.33	1.38
1	AA	508	U	N1-C2	6.06	1.44	1.38
1	AA	687	A	O3'-P	6.06	1.68	1.61
4	AD	68	C	O5'-C5'	-6.06	1.33	1.42
26	BB	2171	A	N9-C4	-6.06	1.34	1.37
26	BB	2638	G	C4'-C3'	6.06	1.59	1.53
1	AA	1030	U	C5'-C4'	6.06	1.58	1.51
26	BB	181	A	C5-C4	-6.06	1.34	1.38
26	BB	1972	G	O3'-P	6.06	1.68	1.61
26	BB	2154	A	C4'-C3'	-6.06	1.46	1.53
26	BB	2361	G	C6-N1	-6.06	1.35	1.39
26	BB	2697	G	C5-C4	-6.06	1.34	1.38
3	AC	45	G	C5-C6	6.06	1.48	1.42
26	BB	1381	G	C3'-C2'	-6.06	1.46	1.52
26	BB	1566	A	O3'-P	6.06	1.68	1.61
26	BB	1662	U	O3'-P	6.06	1.68	1.61
26	BB	2638	G	C2-N3	6.06	1.37	1.32
1	AA	303	A	N9-C4	6.06	1.41	1.37
1	AA	432	A	N7-C5	-6.06	1.35	1.39
1	AA	1239	A	C6-N6	-6.06	1.29	1.33
25	BA	42	C	O4'-C1'	6.06	1.49	1.41
26	BB	468	G	N7-C5	-6.06	1.35	1.39
26	BB	2016	U	C4-O4	-6.06	1.18	1.23
26	BB	2215	C	P-O5'	6.06	1.65	1.59
26	BB	2739	U	P-O5'	6.06	1.65	1.59

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	96	U	P-O5'	6.06	1.65	1.59
1	AA	134	G	C8-N7	6.06	1.34	1.30
1	AA	158	G	C2'-C1'	6.06	1.60	1.53
1	AA	410	G	C5-C4	6.06	1.42	1.38
1	AA	831	A	C8-N7	6.06	1.35	1.31
26	BB	400	G	O3'-P	-6.06	1.53	1.61
26	BB	1293	C	P-O5'	6.06	1.65	1.59
26	BB	1601	G	N9-C4	6.06	1.42	1.38
26	BB	1803	A	O3'-P	-6.06	1.53	1.61
26	BB	2730	C	N3-C4	6.06	1.38	1.33
26	BB	2848	G	C4'-O4'	-6.06	1.37	1.45
1	AA	166	U	C2-O2	6.06	1.27	1.22
1	AA	305	G	C6-N1	6.06	1.43	1.39
1	AA	1281	C	N1-C6	6.06	1.40	1.37
21	AU	60	ARG	NE-CZ	6.06	1.41	1.33
26	BB	87	U	C5'-C4'	6.06	1.58	1.51
26	BB	1413	A	P-O5'	6.06	1.65	1.59
26	BB	2261	C	C2'-O2'	6.06	1.49	1.41
1	AA	19	A	N9-C8	-6.05	1.32	1.37
1	AA	665	A	C8-N7	-6.05	1.27	1.31
1	AA	928	G	N7-C5	6.05	1.42	1.39
1	AA	1236	A	P-O5'	6.05	1.65	1.59
1	AA	1421	G	C2-N3	6.05	1.37	1.32
26	BB	277	G	C2-N3	6.05	1.37	1.32
26	BB	945	A	O3'-P	6.05	1.68	1.61
26	BB	1358	G	C6-N1	6.05	1.43	1.39
26	BB	1526	C	C4'-C3'	-6.05	1.46	1.53
26	BB	1989	G	P-O5'	6.05	1.65	1.59
26	BB	1934	C	P-O5'	6.05	1.65	1.59
26	BB	2134	A	C6-N1	6.05	1.39	1.35
1	AA	428	G	N3-C4	6.05	1.39	1.35
1	AA	620	C	C4'-O4'	-6.05	1.37	1.45
1	AA	733	G	N7-C5	-6.05	1.35	1.39
1	AA	937	A	N7-C5	-6.05	1.35	1.39
26	BB	392	U	O4'-C1'	6.05	1.49	1.41
26	BB	422	A	N1-C2	6.05	1.39	1.34
26	BB	554	U	C2'-C1'	-6.05	1.46	1.53
26	BB	1769	U	C5-C6	6.05	1.39	1.34
26	BB	2622	U	N1-C2	-6.05	1.33	1.38
26	BB	420	C	C4'-C3'	6.05	1.59	1.53
26	BB	1243	C	N1-C6	6.05	1.40	1.37
26	BB	2257	U	C4-C5	6.05	1.49	1.43

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1601	G	O3'-P	6.05	1.68	1.61
26	BB	2831	G	C2'-C1'	6.05	1.60	1.53
1	AA	819	A	N9-C4	6.05	1.41	1.37
1	AA	833	G	O3'-P	-6.05	1.53	1.61
1	AA	1120	C	C4-N4	-6.05	1.28	1.33
5	AE	148	GLY	CA-C	6.05	1.61	1.51
26	BB	454	A	N7-C5	-6.05	1.35	1.39
26	BB	568	U	C5'-C4'	6.05	1.58	1.51
26	BB	635	C	C2-O2	-6.05	1.19	1.24
26	BB	886	A	O3'-P	6.05	1.68	1.61
26	BB	1455	G	C5-C4	-6.05	1.34	1.38
26	BB	1816	C	C2-O2	-6.05	1.19	1.24
26	BB	1891	G	C5'-C4'	6.05	1.58	1.51
26	BB	2059	A	C5-C4	-6.05	1.34	1.38
26	BB	2718	G	C2-N3	6.05	1.37	1.32
1	AA	684	U	C4-O4	-6.04	1.18	1.23
1	AA	780	A	N3-C4	6.04	1.38	1.34
26	BB	2589	A	C6-N6	6.04	1.38	1.33
26	BB	2811	G	N1-C2	6.04	1.42	1.37
1	AA	842	U	C5-C6	6.04	1.39	1.34
1	AA	1064	G	N7-C5	6.04	1.42	1.39
1	AA	1466	C	O3'-P	6.04	1.68	1.61
3	AC	38	G	N7-C5	6.04	1.42	1.39
26	BB	537	G	C2-N3	6.04	1.37	1.32
26	BB	537	G	N9-C4	6.04	1.42	1.38
26	BB	1234	U	C5'-C4'	6.04	1.58	1.51
26	BB	1413	A	O3'-P	6.04	1.68	1.61
1	AA	276	G	C8-N7	6.04	1.34	1.30
1	AA	621	A	C6-N6	6.04	1.38	1.33
1	AA	945	G	N1-C2	6.04	1.42	1.37
1	AA	1289	A	N9-C4	6.04	1.41	1.37
25	BA	52	A	N9-C4	6.04	1.41	1.37
26	BB	620	G	C4'-O4'	-6.04	1.37	1.45
26	BB	2618	G	C5-C6	6.04	1.48	1.42
26	BB	2722	G	N9-C8	6.04	1.42	1.37
1	AA	938	A	C6-N1	-6.04	1.31	1.35
1	AA	1493	A	N3-C4	6.04	1.38	1.34
26	BB	538	A	N3-C4	6.04	1.38	1.34
1	AA	806	C	P-O5'	6.04	1.65	1.59
1	AA	1281	C	P-O5'	6.04	1.65	1.59
2	AB	71	C	C4-C5	6.04	1.47	1.43
26	BB	222	A	C5-C4	-6.04	1.34	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	762	U	C2-N3	6.04	1.42	1.37
26	BB	1815	A	N3-C4	6.04	1.38	1.34
26	BB	1831	G	C6-N1	6.04	1.43	1.39
26	BB	2052	A	C2'-C1'	-6.04	1.46	1.53
26	BB	2144	G	C2-N3	6.04	1.37	1.32
26	BB	2276	G	C2-N3	6.04	1.37	1.32
26	BB	2880	C	C4-N4	6.04	1.39	1.33
1	AA	250	A	C2'-O2'	6.04	1.49	1.41
1	AA	613	C	N3-C4	-6.04	1.29	1.33
26	BB	373	U	P-O5'	6.04	1.65	1.59
26	BB	579	G	N9-C8	-6.04	1.33	1.37
4	AD	11	A	C4'-C3'	6.04	1.59	1.53
5	AE	95	TRP	CD2-CE2	6.04	1.48	1.41
26	BB	235	U	O4'-C1'	6.04	1.49	1.41
26	BB	2407	A	N9-C4	-6.04	1.34	1.37
1	AA	767	A	C8-N7	6.03	1.35	1.31
1	AA	898	G	C8-N7	-6.03	1.27	1.30
1	AA	1375	A	N9-C8	6.03	1.42	1.37
1	AA	1377	A	P-O5'	6.03	1.65	1.59
26	BB	1363	C	C2-N3	6.03	1.40	1.35
26	BB	1397	U	C2-N3	6.03	1.42	1.37
26	BB	1721	G	C3'-O3'	-6.03	1.33	1.42
26	BB	1932	A	N7-C5	-6.03	1.35	1.39
26	BB	2199	A	C4'-O4'	-6.03	1.37	1.45
26	BB	2336	A	N9-C8	6.03	1.42	1.37
26	BB	2468	A	C5-C4	-6.03	1.34	1.38
1	AA	488	C	C3'-C2'	6.03	1.59	1.52
1	AA	882	C	C3'-C2'	6.03	1.59	1.52
1	AA	1387	G	C3'-O3'	-6.03	1.33	1.42
26	BB	424	G	C2-N3	6.03	1.37	1.32
26	BB	2561	U	N1-C2	6.03	1.44	1.38
1	AA	604	G	C4'-C3'	6.03	1.59	1.53
1	AA	968	A	N3-C4	6.03	1.38	1.34
17	AQ	54	SER	CA-CB	6.03	1.61	1.52
26	BB	733	G	C2'-C1'	-6.03	1.46	1.53
26	BB	1637	A	C8-N7	-6.03	1.27	1.31
26	BB	2287	A	C8-N7	-6.03	1.27	1.31
26	BB	2552	OMU	O3'-P	6.03	1.68	1.61
26	BB	2623	G	N9-C8	-6.03	1.33	1.37
1	AA	958	A	C6-N6	6.03	1.38	1.33
1	AA	1125	U	C2-N3	6.03	1.42	1.37
26	BB	587	C	C4'-O4'	-6.03	1.37	1.45

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	869	G	N9-C8	-6.03	1.33	1.37
26	BB	1528	A	C4'-C3'	6.03	1.59	1.53
26	BB	1803	A	N9-C8	-6.03	1.32	1.37
1	AA	423	G	N9-C8	-6.03	1.33	1.37
1	AA	554	A	N9-C4	-6.03	1.34	1.37
1	AA	648	A	N1-C2	6.03	1.39	1.34
1	AA	724	G	C3'-C2'	6.03	1.59	1.52
4	AD	71	G	C8-N7	-6.03	1.27	1.30
26	BB	134	G	C6-N1	6.03	1.43	1.39
26	BB	685	A	C8-N7	6.03	1.35	1.31
26	BB	1077	A	P-O5'	6.03	1.65	1.59
26	BB	1984	G	C5-C4	6.03	1.42	1.38
26	BB	2467	C	C4'-O4'	-6.03	1.37	1.45
26	BB	2707	U	N1-C2	6.03	1.44	1.38
1	AA	411	A	N7-C5	6.03	1.42	1.39
3	AC	40	G	C6-N1	6.03	1.43	1.39
26	BB	763	G	C4'-O4'	-6.03	1.37	1.45
26	BB	2135	A	C6-N1	6.03	1.39	1.35
1	AA	27	G	C2-N3	6.02	1.37	1.32
1	AA	47	C	N1-C6	-6.02	1.33	1.37
1	AA	1116	U	P-O5'	6.02	1.65	1.59
26	BB	433	C	N1-C6	-6.02	1.33	1.37
26	BB	792	A	C8-N7	-6.02	1.27	1.31
26	BB	1002	G	C8-N7	-6.02	1.27	1.30
26	BB	1425	G	C4'-C3'	6.02	1.59	1.53
1	AA	112	G	P-O5'	6.02	1.65	1.59
1	AA	941	G	N7-C5	6.02	1.42	1.39
4	AD	14	A	N9-C4	6.02	1.41	1.37
26	BB	762	U	O4'-C1'	6.02	1.49	1.41
26	BB	1845	G	C2-N2	-6.02	1.28	1.34
1	AA	1282	C	N3-C4	6.02	1.38	1.33
26	BB	2536	G	C6-N1	-6.02	1.35	1.39
42	BR	84	SER	CB-OG	-6.02	1.34	1.42
1	AA	87	C	C5'-C4'	6.02	1.58	1.51
1	AA	231	U	C4-O4	-6.02	1.18	1.23
1	AA	615	G	O4'-C1'	6.02	1.49	1.41
1	AA	824	G	C4'-O4'	-6.02	1.37	1.45
1	AA	943	U	C2-N3	6.02	1.42	1.37
1	AA	1316	G	N3-C4	6.02	1.39	1.35
26	BB	792	A	O3'-P	6.02	1.68	1.61
26	BB	852	U	N1-C6	6.02	1.43	1.38
26	BB	925	A	C5'-C4'	6.02	1.58	1.51

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1643	G	P-O5'	6.02	1.65	1.59
26	BB	2338	C	C4-C5	-6.02	1.38	1.43
1	AA	678	U	P-O5'	6.02	1.65	1.59
26	BB	481	G	N7-C5	6.02	1.42	1.39
26	BB	997	G	P-O5'	6.02	1.65	1.59
26	BB	1042	G	C5-C6	6.02	1.48	1.42
26	BB	1378	A	C3'-O3'	6.02	1.50	1.42
26	BB	2465	C	N3-C4	6.02	1.38	1.33
26	BB	2701	U	C5'-C4'	6.02	1.58	1.51
1	AA	821	G	C2'-O2'	6.02	1.49	1.41
4	AD	35	C	N3-C4	6.02	1.38	1.33
1	AA	282	A	N3-C4	-6.01	1.31	1.34
1	AA	411	A	C5'-C4'	6.01	1.58	1.51
1	AA	1316	G	C2-N3	6.01	1.37	1.32
26	BB	1677	A	N3-C4	6.01	1.38	1.34
26	BB	1892	C	N1-C6	6.01	1.40	1.37
26	BB	2043	C	C5'-C4'	6.01	1.58	1.51
26	BB	2378	A	N9-C4	6.01	1.41	1.37
1	AA	874	G	N9-C8	-6.01	1.33	1.37
1	AA	974	A	C8-N7	-6.01	1.27	1.31
1	AA	1430	A	C5-C4	6.01	1.43	1.38
26	BB	1242	U	C2'-O2'	-6.01	1.33	1.41
26	BB	1434	A	C6-N1	-6.01	1.31	1.35
26	BB	1786	A	C5-C4	-6.01	1.34	1.38
26	BB	2511	U	N1-C6	6.01	1.43	1.38
1	AA	1292	G	C8-N7	-6.01	1.27	1.30
26	BB	67	U	C2'-C1'	-6.01	1.46	1.53
26	BB	94	A	P-O5'	6.01	1.65	1.59
26	BB	543	G	C6-N1	6.01	1.43	1.39
1	AA	285	C	C2-N3	6.01	1.40	1.35
1	AA	681	A	C5-C4	-6.01	1.34	1.38
1	AA	813	U	C4'-C3'	6.01	1.59	1.53
4	AD	9	G	C4'-O4'	-6.01	1.37	1.45
26	BB	113	U	C2-N3	6.01	1.42	1.37
26	BB	2768	U	C2'-O2'	6.01	1.49	1.41
25	BA	45	A	N3-C4	6.01	1.38	1.34
26	BB	265	A	C2-N3	6.01	1.39	1.33
26	BB	442	G	C5'-C4'	6.01	1.58	1.51
26	BB	547	A	N7-C5	6.01	1.42	1.39
26	BB	1544	A	N1-C2	-6.01	1.28	1.34
26	BB	2852	G	C5'-C4'	6.01	1.58	1.51
1	AA	610	U	N3-C4	6.01	1.43	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	AD	35	C	P-O5'	6.01	1.65	1.59
26	BB	1065	U	C2-O2	6.01	1.27	1.22
26	BB	1648	U	C4-O4	6.01	1.28	1.23
26	BB	1907	G	N9-C4	6.01	1.42	1.38
26	BB	2330	G	P-O5'	6.01	1.65	1.59
26	BB	2371	G	N9-C8	6.01	1.42	1.37
26	BB	282	A	P-O5'	6.00	1.65	1.59
26	BB	2446	G	C4'-C3'	-6.00	1.46	1.52
1	AA	258	G	O4'-C1'	6.00	1.49	1.41
1	AA	802	A	C5'-C4'	6.00	1.58	1.51
26	BB	1143	A	N7-C5	-6.00	1.35	1.39
26	BB	1324	G	N9-C4	-6.00	1.33	1.38
26	BB	1435	G	O5'-C5'	-6.00	1.33	1.42
26	BB	1579	A	P-O5'	6.00	1.65	1.59
26	BB	2292	U	O3'-P	6.00	1.68	1.61
26	BB	2466	C	C5'-C4'	6.00	1.58	1.51
26	BB	2572	A	C2-N3	6.00	1.39	1.33
26	BB	2835	A	N9-C8	6.00	1.42	1.37
26	BB	2885	G	N3-C4	6.00	1.39	1.35
1	AA	263	A	N7-C5	6.00	1.42	1.39
1	AA	667	G	C6-N1	-6.00	1.35	1.39
26	BB	70	G	C5'-C4'	6.00	1.58	1.51
26	BB	144	A	C3'-C2'	6.00	1.59	1.52
26	BB	1243	C	C4'-O4'	-6.00	1.37	1.45
26	BB	1847	A	C8-N7	-6.00	1.27	1.31
26	BB	2159	G	C4'-O4'	-6.00	1.37	1.45
26	BB	2456	C	C5'-C4'	6.00	1.58	1.51
26	BB	2607	G	C3'-C2'	-6.00	1.46	1.52
1	AA	144	G	C5-C6	6.00	1.48	1.42
1	AA	482	A	C6-N1	6.00	1.39	1.35
26	BB	432	A	O3'-P	6.00	1.68	1.61
26	BB	921	C	C5-C6	6.00	1.39	1.34
26	BB	922	C	C3'-C2'	6.00	1.59	1.52
26	BB	1320	C	P-O5'	6.00	1.65	1.59
26	BB	1858	A	C5-C6	6.00	1.46	1.41
26	BB	2353	G	C2-N3	6.00	1.37	1.32
26	BB	2448	A	P-O5'	6.00	1.65	1.59
1	AA	268	U	C5-C6	6.00	1.39	1.34
1	AA	350	G	P-O5'	6.00	1.65	1.59
26	BB	524	G	N1-C2	6.00	1.42	1.37
26	BB	668	A	C5-C4	-6.00	1.34	1.38
26	BB	1174	U	C4-O4	-6.00	1.18	1.23

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1181	U	C3'-C2'	-6.00	1.46	1.52
26	BB	1192	G	N1-C2	6.00	1.42	1.37
26	BB	1631	G	C4'-C3'	-6.00	1.46	1.52
26	BB	1946	U	N3-C4	6.00	1.43	1.38
26	BB	1969	A	N9-C4	6.00	1.41	1.37
26	BB	2331	G	C5-C4	6.00	1.42	1.38
26	BB	2431	U	C2-N3	6.00	1.42	1.37
26	BB	2486	C	N3-C4	6.00	1.38	1.33
26	BB	2789	C	C5'-C4'	6.00	1.58	1.51
1	AA	111	G	N1-C2	-6.00	1.32	1.37
1	AA	959	A	N3-C4	6.00	1.38	1.34
1	AA	1133	G	N9-C8	6.00	1.42	1.37
1	AA	1338	G	N1-C2	6.00	1.42	1.37
2	AB	74	C	C5-C6	6.00	1.39	1.34
4	AD	27	G	C6-O6	-6.00	1.18	1.24
26	BB	543	G	N1-C2	6.00	1.42	1.37
26	BB	701	G	O3'-P	6.00	1.68	1.61
26	BB	1286	A	C4'-O4'	-6.00	1.37	1.45
26	BB	2727	A	C5-C6	6.00	1.46	1.41
26	BB	2737	G	N3-C4	6.00	1.39	1.35
26	BB	128	C	C4'-O4'	-6.00	1.37	1.45
26	BB	1627	G	O3'-P	6.00	1.68	1.61
26	BB	2278	A	C3'-O3'	-6.00	1.33	1.42
1	AA	310	G	N9-C8	-5.99	1.33	1.37
1	AA	462	G	C5'-C4'	5.99	1.58	1.51
1	AA	725	G	N9-C8	5.99	1.42	1.37
1	AA	879	C	O3'-P	-5.99	1.53	1.61
3	AC	34	U	C4-O4	-5.99	1.18	1.23
26	BB	219	A	N1-C2	-5.99	1.28	1.34
26	BB	474	G	C8-N7	5.99	1.34	1.30
26	BB	663	G	C5'-C4'	5.99	1.58	1.51
26	BB	1041	G	C2-N2	-5.99	1.28	1.34
26	BB	1051	G	N3-C4	5.99	1.39	1.35
26	BB	2153	C	C5-C6	5.99	1.39	1.34
26	BB	2601	C	N1-C2	5.99	1.46	1.40
1	AA	1462	C	C2-O2	-5.99	1.19	1.24
26	BB	1634	A	N9-C4	5.99	1.41	1.37
1	AA	543	U	C5'-C4'	5.99	1.58	1.51
1	AA	793	U	P-O5'	5.99	1.65	1.59
26	BB	21	A	C6-N1	5.99	1.39	1.35
26	BB	489	G	N9-C4	5.99	1.42	1.38
26	BB	1394	U	P-O5'	5.99	1.65	1.59

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	980	C	C2-N3	5.99	1.40	1.35
4	AD	38	A	C6-N6	-5.99	1.29	1.33
25	BA	78	A	C6-N6	-5.99	1.29	1.33
26	BB	1074	G	C5-C4	-5.99	1.34	1.38
26	BB	1426	G	N9-C4	-5.99	1.33	1.38
26	BB	2570	G	N7-C5	-5.99	1.35	1.39
1	AA	374	A	P-O5'	5.99	1.65	1.59
1	AA	558	G	N7-C5	-5.99	1.35	1.39
1	AA	842	U	C3'-O3'	5.99	1.50	1.42
26	BB	801	G	C2-N3	5.99	1.37	1.32
1	AA	1112	C	N3-C4	5.99	1.38	1.33
25	BA	15	A	N9-C4	-5.99	1.34	1.37
26	BB	277	G	C8-N7	5.99	1.34	1.30
26	BB	861	A	P-O5'	5.99	1.65	1.59
26	BB	874	G	N7-C5	5.99	1.42	1.39
26	BB	909	A	N9-C8	5.99	1.42	1.37
26	BB	997	G	N7-C5	5.99	1.42	1.39
26	BB	2099	U	P-O5'	5.99	1.65	1.59
26	BB	2216	G	C4'-O4'	-5.99	1.37	1.45
26	BB	64	A	P-O5'	-5.98	1.53	1.59
26	BB	631	A	C6-N1	5.98	1.39	1.35
26	BB	694	U	C4-C5	-5.98	1.38	1.43
26	BB	1099	G	N9-C4	5.98	1.42	1.38
1	AA	173	U	C2-N3	5.98	1.42	1.37
1	AA	421	U	N3-C4	5.98	1.43	1.38
1	AA	457	G	C2-N3	5.98	1.37	1.32
1	AA	1229	A	P-O5'	5.98	1.65	1.59
26	BB	138	U	C4-C5	5.98	1.49	1.43
26	BB	691	C	C4-C5	5.98	1.47	1.43
26	BB	806	C	C2'-C1'	5.98	1.59	1.53
26	BB	1843	C	C4-C5	5.98	1.47	1.43
26	BB	2152	G	N1-C2	5.98	1.42	1.37
26	BB	2286	G	N3-C4	5.98	1.39	1.35
1	AA	917	G	N7-C5	-5.98	1.35	1.39
1	AA	1343	G	O4'-C1'	-5.98	1.33	1.41
25	BA	101	A	N3-C4	5.98	1.38	1.34
26	BB	1064	C	P-O5'	5.98	1.65	1.59
26	BB	1139	G	C4'-C3'	-5.98	1.46	1.52
26	BB	1799	G	C8-N7	-5.98	1.27	1.30
26	BB	2066	C	C4-C5	5.98	1.47	1.43
26	BB	2272	U	C2-N3	5.98	1.42	1.37
1	AA	1286	U	C2-N3	-5.98	1.33	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1192	G	C6-O6	-5.98	1.18	1.24
26	BB	1952	A	N7-C5	5.98	1.42	1.39
26	BB	2288	A	N7-C5	-5.98	1.35	1.39
1	AA	1369	C	C3'-C2'	-5.98	1.46	1.52
1	AA	1389	C	N3-C4	-5.98	1.29	1.33
26	BB	517	C	N1-C6	5.98	1.40	1.37
26	BB	643	A	C5'-C4'	5.98	1.58	1.51
26	BB	1712	U	C4'-O4'	-5.98	1.37	1.45
26	BB	2220	U	C4-C5	5.98	1.49	1.43
26	BB	2891	U	C5-C6	5.98	1.39	1.34
30	BF	110	SER	CB-OG	-5.98	1.34	1.42
1	AA	807	A	N7-C5	-5.98	1.35	1.39
1	AA	1327	C	P-O5'	5.98	1.65	1.59
26	BB	224	U	C2'-O2'	5.98	1.49	1.41
26	BB	1103	A	N9-C4	-5.98	1.34	1.37
26	BB	1182	G	N9-C8	5.98	1.42	1.37
1	AA	523	A	C2'-O2'	5.97	1.49	1.41
1	AA	607	A	C8-N7	5.97	1.35	1.31
1	AA	722	G	C5'-C4'	5.97	1.58	1.51
1	AA	1157	A	N3-C4	5.97	1.38	1.34
6	AF	84	GLU	CG-CD	5.97	1.60	1.51
26	BB	278	A	C5'-C4'	5.97	1.58	1.51
26	BB	954	G	C6-N1	5.97	1.43	1.39
1	AA	283	U	C4-C5	5.97	1.49	1.43
1	AA	332	G	N9-C8	5.97	1.42	1.37
1	AA	416	G	N9-C8	-5.97	1.33	1.37
1	AA	896	C	N1-C6	5.97	1.40	1.37
2	AB	59	G	C2-N3	5.97	1.37	1.32
17	AQ	20	PHE	CG-CD2	5.97	1.47	1.38
26	BB	193	U	P-O5'	5.97	1.65	1.59
26	BB	1289	C	C5-C6	5.97	1.39	1.34
26	BB	1360	G	C2-N3	5.97	1.37	1.32
26	BB	2110	G	O4'-C1'	5.97	1.49	1.41
26	BB	2802	G	C5-C6	5.97	1.48	1.42
26	BB	2869	G	C6-O6	-5.97	1.18	1.24
1	AA	1005	A	C5-C6	5.97	1.46	1.41
3	AC	37	G	C2-N3	5.97	1.37	1.32
26	BB	283	G	P-O5'	5.97	1.65	1.59
26	BB	1765	U	C2-N3	5.97	1.42	1.37
26	BB	1953	A	N7-C5	5.97	1.42	1.39
26	BB	2027	G	N3-C4	5.97	1.39	1.35
26	BB	2684	U	C4'-O4'	-5.97	1.37	1.45

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	456	A	C5'-C4'	5.97	1.58	1.51
1	AA	1007	U	N1-C6	5.97	1.43	1.38
1	AA	1213	A	N7-C5	-5.97	1.35	1.39
4	AD	41	C	C4-C5	5.97	1.47	1.43
6	AF	216	PRO	N-CA	-5.97	1.37	1.47
26	BB	118	A	N9-C4	-5.97	1.34	1.37
26	BB	666	A	O3'-P	5.97	1.68	1.61
26	BB	774	G	C4'-C3'	5.97	1.59	1.53
26	BB	1230	A	N9-C8	5.97	1.42	1.37
26	BB	1532	A	N9-C4	5.97	1.41	1.37
26	BB	1580	A	N9-C4	-5.97	1.34	1.37
26	BB	1830	C	N3-C4	5.97	1.38	1.33
26	BB	2023	C	C3'-C2'	5.97	1.59	1.52
26	BB	2025	C	C2-N3	5.97	1.40	1.35
26	BB	2257	U	C2-N3	5.97	1.42	1.37
1	AA	626	G	C2'-C1'	-5.97	1.46	1.53
1	AA	1521	C	C4-C5	5.97	1.47	1.43
26	BB	549	G	N1-C2	5.97	1.42	1.37
1	AA	627	G	O3'-P	5.97	1.68	1.61
1	AA	1501	C	C3'-C2'	5.97	1.59	1.52
4	AD	40	C	C4'-C3'	-5.97	1.46	1.52
4	AD	43	G	C8-N7	5.97	1.34	1.30
26	BB	313	G	N3-C4	5.97	1.39	1.35
26	BB	629	G	C6-N1	5.97	1.43	1.39
26	BB	648	G	N9-C4	5.97	1.42	1.38
26	BB	872	U	N1-C2	5.97	1.44	1.38
26	BB	1791	A	N3-C4	5.97	1.38	1.34
26	BB	2018	G	N9-C8	-5.97	1.33	1.37
26	BB	2182	U	O3'-P	5.97	1.68	1.61
26	BB	2363	G	P-O5'	5.97	1.65	1.59
26	BB	2536	G	N7-C5	-5.97	1.35	1.39
1	AA	752	G	C2'-C1'	5.96	1.59	1.53
25	BA	53	A	N7-C5	-5.96	1.35	1.39
26	BB	1028	A	C5-C4	-5.96	1.34	1.38
1	AA	51	A	P-O5'	5.96	1.65	1.59
4	AD	15	G	C4'-O4'	-5.96	1.37	1.45
26	BB	446	G	N7-C5	-5.96	1.35	1.39
26	BB	1375	U	N3-C4	5.96	1.43	1.38
26	BB	1519	G	C6-N1	5.96	1.43	1.39
26	BB	1897	G	O3'-P	5.96	1.68	1.61
26	BB	1900	A	N7-C5	5.96	1.42	1.39
26	BB	2143	C	N1-C6	5.96	1.40	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	132	C	N1-C6	5.96	1.40	1.37
1	AA	587	G	C6-N1	-5.96	1.35	1.39
1	AA	1285	A	C3'-C2'	-5.96	1.46	1.52
3	AC	53	G	C6-O6	-5.96	1.18	1.24
25	BA	81	G	P-O5'	5.96	1.65	1.59
26	BB	493	G	N3-C4	-5.96	1.31	1.35
26	BB	614	A	N7-C5	-5.96	1.35	1.39
26	BB	642	U	P-O5'	5.96	1.65	1.59
26	BB	1203	U	C2-N3	5.96	1.42	1.37
26	BB	1533	C	N1-C6	5.96	1.40	1.37
26	BB	1738	G	C8-N7	5.96	1.34	1.30
1	AA	279	A	C3'-C2'	5.96	1.59	1.52
1	AA	666	G	N9-C8	-5.96	1.33	1.37
1	AA	954	G	C4'-C3'	5.96	1.59	1.53
1	AA	1342	C	C5-C6	5.96	1.39	1.34
26	BB	1579	A	C5'-C4'	5.96	1.58	1.51
1	AA	417	G	C4'-O4'	-5.96	1.37	1.45
1	AA	430	A	O3'-P	5.96	1.68	1.61
1	AA	507	C	N1-C6	5.96	1.40	1.37
1	AA	870	U	N1-C2	5.96	1.44	1.38
1	AA	891	U	C5'-C4'	5.96	1.58	1.51
3	AC	56	G	C6-N1	5.96	1.43	1.39
26	BB	598	U	C4-O4	5.96	1.28	1.23
26	BB	1443	U	C4-C5	5.96	1.49	1.43
26	BB	1728	C	C5-C6	5.96	1.39	1.34
26	BB	1925	C	O3'-P	5.96	1.68	1.61
26	BB	2738	A	C5'-C4'	5.96	1.58	1.51
1	AA	71	A	C2'-O2'	5.96	1.49	1.41
1	AA	1147	C	C3'-O3'	5.96	1.50	1.42
26	BB	102	U	C4'-C3'	5.96	1.59	1.53
26	BB	363	G	O3'-P	5.96	1.68	1.61
26	BB	517	C	O3'-P	5.96	1.68	1.61
26	BB	896	A	N7-C5	-5.96	1.35	1.39
26	BB	1543	G	C8-N7	5.96	1.34	1.30
26	BB	1598	A	N1-C2	5.96	1.39	1.34
26	BB	2810	A	O3'-P	5.96	1.68	1.61
26	BB	547	A	C3'-C2'	5.96	1.59	1.52
26	BB	875	G	N9-C8	-5.96	1.33	1.37
26	BB	1359	A	C6-N6	-5.96	1.29	1.33
26	BB	2624	G	C4'-O4'	-5.96	1.37	1.45
26	BB	2818	U	O5'-C5'	-5.96	1.33	1.42
1	AA	288	A	C5-C6	5.95	1.46	1.41

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	310	G	N3-C4	5.95	1.39	1.35
1	AA	868	C	P-O5'	5.95	1.65	1.59
1	AA	1246	A	C6-N1	5.95	1.39	1.35
4	AD	24	C	C4'-O4'	-5.95	1.37	1.45
26	BB	369	U	C5'-C4'	5.95	1.58	1.51
26	BB	1445	G	P-O5'	5.95	1.65	1.59
26	BB	1789	A	C8-N7	5.95	1.35	1.31
26	BB	2066	C	P-O5'	-5.95	1.53	1.59
26	BB	2711	A	C5'-C4'	5.95	1.58	1.51
1	AA	520	A	C5-C6	5.95	1.46	1.41
26	BB	554	U	P-O5'	5.95	1.65	1.59
26	BB	910	A	C6-N1	-5.95	1.31	1.35
1	AA	42	G	C5-C4	5.95	1.42	1.38
1	AA	997	U	C4-C5	5.95	1.49	1.43
26	BB	148	U	C4'-O4'	-5.95	1.37	1.45
26	BB	1101	U	C4-O4	-5.95	1.18	1.23
26	BB	2147	A	N9-C4	-5.95	1.34	1.37
1	AA	20	U	C2-O2	-5.95	1.17	1.22
1	AA	274	A	N1-C2	-5.95	1.28	1.34
26	BB	388	G	N3-C4	-5.95	1.31	1.35
26	BB	1189	A	N3-C4	5.95	1.38	1.34
26	BB	1333	G	C2-N3	5.95	1.37	1.32
26	BB	1833	C	C5-C6	5.95	1.39	1.34
26	BB	2244	U	N1-C2	-5.95	1.33	1.38
26	BB	2542	A	C5'-C4'	5.95	1.58	1.51
29	BE	101	PHE	CE1-CZ	5.95	1.48	1.37
1	AA	699	C	C4'-O4'	-5.95	1.37	1.45
1	AA	1285	A	C6-N1	-5.95	1.31	1.35
26	BB	2107	G	N3-C4	-5.95	1.31	1.35
26	BB	2117	A	N9-C8	-5.95	1.32	1.37
26	BB	375	G	N9-C4	-5.95	1.33	1.38
26	BB	1211	C	N3-C4	5.95	1.38	1.33
26	BB	2142	A	N9-C4	-5.95	1.34	1.37
1	AA	726	C	C2-N3	5.94	1.40	1.35
1	AA	1455	G	C4'-O4'	-5.94	1.37	1.45
26	BB	146	A	C6-N6	5.94	1.38	1.33
26	BB	1078	U	C2-O2	5.94	1.27	1.22
26	BB	1095	A	C5-C6	5.94	1.46	1.41
26	BB	1799	G	C4'-O4'	-5.94	1.37	1.45
1	AA	39	G	N9-C8	5.94	1.42	1.37
1	AA	138	G	N1-C2	5.94	1.42	1.37
26	BB	99	U	C4'-O4'	-5.94	1.37	1.45

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	139	U	C4-C5	5.94	1.48	1.43
26	BB	612	G	C2-N3	5.94	1.37	1.32
26	BB	2717	C	C4'-C3'	5.94	1.59	1.53
1	AA	180	U	C3'-O3'	5.94	1.50	1.42
26	BB	709	U	C3'-C2'	5.94	1.59	1.52
26	BB	1740	G	C2'-C1'	5.94	1.59	1.53
26	BB	1931	U	C2-N3	5.94	1.42	1.37
26	BB	1983	G	P-O5'	5.94	1.65	1.59
26	BB	2062	A	C6-N6	-5.94	1.29	1.33
26	BB	2429	G	C2-N3	5.94	1.37	1.32
26	BB	2642	G	C5-C4	5.94	1.42	1.38
34	BJ	68	PHE	CB-CG	-5.94	1.41	1.51
1	AA	921	U	C4'-C3'	-5.94	1.46	1.52
26	BB	455	C	O3'-P	5.94	1.68	1.61
26	BB	621	A	N3-C4	5.94	1.38	1.34
26	BB	1211	C	O3'-P	5.94	1.68	1.61
26	BB	1414	C	N1-C6	-5.94	1.33	1.37
1	AA	370	C	N3-C4	5.94	1.38	1.33
1	AA	788	U	C4'-O4'	-5.94	1.37	1.45
1	AA	871	U	P-O5'	5.94	1.65	1.59
1	AA	1059	C	N1-C6	5.94	1.40	1.37
2	AB	9	A	N7-C5	5.94	1.42	1.39
26	BB	1266	G	C2'-O2'	5.94	1.49	1.41
26	BB	1736	U	C4'-O4'	-5.94	1.37	1.45
1	AA	877	G	C5'-C4'	5.94	1.58	1.51
1	AA	1106	G	C6-O6	-5.94	1.18	1.24
1	AA	1124	G	C5-C4	-5.94	1.34	1.38
1	AA	1392	G	N9-C8	-5.94	1.33	1.37
26	BB	613	A	C6-N6	-5.94	1.29	1.33
26	BB	887	U	C4-C5	5.94	1.48	1.43
26	BB	2461	A	O3'-P	5.94	1.68	1.61
1	AA	442	G	O3'-P	5.93	1.68	1.61
26	BB	159	G	C2-N2	-5.93	1.28	1.34
26	BB	582	A	N7-C5	5.93	1.42	1.39
26	BB	814	C	N3-C4	5.93	1.38	1.33
26	BB	1888	G	N9-C4	5.93	1.42	1.38
26	BB	777	G	C2-N3	5.93	1.37	1.32
26	BB	2315	G	C5-C4	-5.93	1.34	1.38
26	BB	2821	A	P-O5'	5.93	1.65	1.59
1	AA	131	A	O3'-P	5.93	1.68	1.61
1	AA	1269	A	C5'-C4'	5.93	1.58	1.51
1	AA	1320	C	O3'-P	5.93	1.68	1.61

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1162	G	N3-C4	-5.93	1.31	1.35
26	BB	1344	U	C2-N3	5.93	1.42	1.37
26	BB	2759	G	C6-O6	-5.93	1.18	1.24
26	BB	2861	U	P-O5'	5.93	1.65	1.59
1	AA	332	G	C2-N3	5.93	1.37	1.32
1	AA	1275	A	N3-C4	5.93	1.38	1.34
26	BB	235	U	C3'-C2'	5.93	1.59	1.52
26	BB	991	C	C5'-C4'	-5.93	1.44	1.51
26	BB	1875	G	P-O5'	5.93	1.65	1.59
26	BB	2578	G	N7-C5	-5.93	1.35	1.39
26	BB	2780	G	P-O5'	5.93	1.65	1.59
26	BB	2787	C	C5-C6	5.93	1.39	1.34
26	BB	1152	C	N3-C4	5.93	1.38	1.33
26	BB	1599	U	C4'-C3'	5.93	1.59	1.53
1	AA	404	G	P-O5'	5.93	1.65	1.59
1	AA	504	C	C5'-C4'	5.93	1.58	1.51
1	AA	545	C	P-O5'	-5.93	1.53	1.59
1	AA	688	G	P-O5'	5.93	1.65	1.59
1	AA	712	A	N9-C8	-5.93	1.33	1.37
1	AA	974	A	N3-C4	-5.93	1.31	1.34
1	AA	856	C	C2-N3	5.92	1.40	1.35
1	AA	1010	U	N1-C2	5.92	1.43	1.38
1	AA	1032	G	N9-C8	-5.92	1.33	1.37
26	BB	1875	G	C2-N2	-5.92	1.28	1.34
26	BB	2496	C	N3-C4	5.92	1.38	1.33
1	AA	747	A	C4'-C3'	5.92	1.59	1.53
26	BB	80	G	O3'-P	5.92	1.68	1.61
26	BB	914	G	C2-N3	5.92	1.37	1.32
1	AA	1481	U	N3-C4	5.92	1.43	1.38
26	BB	54	G	C5'-C4'	5.92	1.58	1.51
26	BB	143	C	C4'-O4'	-5.92	1.37	1.45
26	BB	1465	G	C6-O6	-5.92	1.18	1.24
26	BB	2705	A	N9-C4	-5.92	1.34	1.37
26	BB	2873	A	C5-C4	5.92	1.42	1.38
1	AA	682	G	C8-N7	-5.92	1.27	1.30
1	AA	807	A	O3'-P	5.92	1.68	1.61
1	AA	1334	G	C6-N1	5.92	1.43	1.39
26	BB	3	U	N1-C2	5.92	1.43	1.38
1	AA	60	A	C1'-N9	5.92	1.57	1.48
1	AA	959	A	P-O5'	5.92	1.65	1.59
26	BB	32	C	C4-C5	5.92	1.47	1.43
26	BB	465	G	N7-C5	5.92	1.42	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1497	U	C2-N3	5.92	1.41	1.37
26	BB	1578	U	C2-O2	5.92	1.27	1.22
1	AA	784	A	N9-C4	5.92	1.41	1.37
1	AA	1483	A	C6-N1	-5.92	1.31	1.35
26	BB	1266	G	N7-C5	5.92	1.42	1.39
26	BB	1487	U	C4-C5	5.92	1.48	1.43
26	BB	1726	C	O3'-P	5.92	1.68	1.61
26	BB	2876	G	C8-N7	-5.92	1.27	1.30
26	BB	2876	G	N9-C8	-5.92	1.33	1.37
26	BB	2893	A	C4'-O4'	-5.92	1.37	1.45
1	AA	914	A	N9-C8	5.92	1.42	1.37
1	AA	1271	A	N9-C8	-5.92	1.33	1.37
2	AB	4	G	N7-C5	5.92	1.42	1.39
26	BB	1137	G	C2'-O2'	-5.92	1.33	1.41
26	BB	1444	G	N3-C4	5.92	1.39	1.35
26	BB	1610	A	C4'-C3'	5.92	1.59	1.53
26	BB	2488	G	N9-C8	5.92	1.42	1.37
26	BB	2840	C	C4'-O4'	-5.92	1.37	1.45
1	AA	236	A	N9-C4	5.91	1.41	1.37
1	AA	1304	G	N3-C4	5.91	1.39	1.35
1	AA	1408	A	N9-C4	-5.91	1.34	1.37
9	AI	134	GLU	CG-CD	5.91	1.60	1.51
26	BB	410	G	O3'-P	5.91	1.68	1.61
26	BB	1265	A	N3-C4	5.91	1.38	1.34
25	BA	94	A	N9-C4	-5.91	1.34	1.37
26	BB	1174	U	C4'-C3'	5.91	1.59	1.53
26	BB	2491	U	N1-C2	5.91	1.43	1.38
1	AA	923	A	C6-N1	5.91	1.39	1.35
22	AV	40	PHE	CG-CD2	5.91	1.47	1.38
25	BA	11	C	C4'-C3'	-5.91	1.46	1.52
26	BB	1172	C	N3-C4	5.91	1.38	1.33
26	BB	1228	G	C2-N3	-5.91	1.28	1.32
26	BB	1317	G	C5'-C4'	5.91	1.58	1.51
26	BB	2551	C	C3'-C2'	5.91	1.59	1.52
26	BB	2803	G	C8-N7	5.91	1.34	1.30
1	AA	858	G	C6-N1	5.91	1.43	1.39
26	BB	1112	G	N7-C5	-5.91	1.35	1.39
26	BB	2135	A	C5-C6	5.91	1.46	1.41
1	AA	1199	U	C5-C6	5.91	1.39	1.34
26	BB	47	C	C1'-N1	5.91	1.57	1.48
26	BB	489	G	C2-N3	5.91	1.37	1.32
1	AA	548	G	C2-N3	5.91	1.37	1.32

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1169	A	O3'-P	5.91	1.68	1.61
1	AA	1316	G	C4'-C3'	5.91	1.59	1.53
25	BA	82	U	P-O5'	5.91	1.65	1.59
26	BB	10	A	C5-C4	5.91	1.42	1.38
26	BB	232	G	C4'-C3'	5.91	1.59	1.53
26	BB	553	G	C2-N3	5.91	1.37	1.32
26	BB	1965	C	C2-N3	5.91	1.40	1.35
26	BB	2668	G	N1-C2	5.91	1.42	1.37
1	AA	111	G	P-O5'	-5.90	1.53	1.59
1	AA	375	U	C4-O4	-5.90	1.19	1.23
1	AA	1276	G	N9-C4	5.90	1.42	1.38
25	BA	37	C	C5-C6	5.90	1.39	1.34
26	BB	714	U	C2-N3	5.90	1.41	1.37
26	BB	2502	G	P-O5'	5.90	1.65	1.59
1	AA	228	A	C2'-C1'	5.90	1.59	1.53
1	AA	291	U	P-O5'	5.90	1.65	1.59
1	AA	359	G	C5'-C4'	5.90	1.58	1.51
1	AA	562	U	C4-O4	5.90	1.28	1.23
1	AA	1341	U	O3'-P	-5.90	1.54	1.61
7	AG	187	ARG	NE-CZ	5.90	1.40	1.33
26	BB	190	A	C4'-O4'	-5.90	1.37	1.45
26	BB	298	G	C2-N3	5.90	1.37	1.32
26	BB	1968	G	N3-C4	5.90	1.39	1.35
26	BB	2177	C	C2-O2	5.90	1.29	1.24
26	BB	2583	G	C2'-C1'	5.90	1.59	1.53
26	BB	2626	C	O3'-P	-5.90	1.54	1.61
1	AA	200	G	C4'-C3'	5.90	1.59	1.53
25	BA	83	G	N9-C8	-5.90	1.33	1.37
25	BA	119	A	N3-C4	5.90	1.38	1.34
26	BB	236	C	C4'-O4'	-5.90	1.37	1.45
26	BB	541	A	C5'-C4'	5.90	1.58	1.51
26	BB	601	C	C5-C6	5.90	1.39	1.34
26	BB	794	A	C6-N6	5.90	1.38	1.33
26	BB	1106	G	N1-C2	5.90	1.42	1.37
26	BB	2018	G	C2-N2	5.90	1.40	1.34
1	AA	446	G	C6-O6	-5.90	1.18	1.24
26	BB	1041	G	C5-C6	5.90	1.48	1.42
26	BB	1121	C	O4'-C1'	5.90	1.49	1.41
1	AA	882	C	C4'-O4'	-5.90	1.37	1.45
4	AD	58	A	O3'-P	5.90	1.68	1.61
5	AE	73	ARG	NE-CZ	5.90	1.40	1.33
26	BB	209	C	C5-C6	-5.90	1.29	1.34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	911	A	N9-C8	5.90	1.42	1.37
26	BB	988	A	P-O5'	5.90	1.65	1.59
26	BB	1033	U	C4'-O4'	-5.90	1.37	1.45
26	BB	1422	G	N3-C4	5.90	1.39	1.35
26	BB	1792	G	C8-N7	5.90	1.34	1.30
26	BB	2115	G	C8-N7	-5.90	1.27	1.30
26	BB	2360	G	C2-N3	5.90	1.37	1.32
1	AA	1020	G	C6-N1	-5.90	1.35	1.39
1	AA	1263	C	O3'-P	-5.90	1.54	1.61
1	AA	1263	C	N3-C4	5.90	1.38	1.33
1	AA	1509	C	C4-C5	5.90	1.47	1.43
4	AD	72	C	P-O5'	5.90	1.65	1.59
26	BB	92	U	C2'-O2'	-5.90	1.33	1.41
26	BB	1101	U	N1-C6	-5.90	1.32	1.38
26	BB	535	G	P-O5'	5.89	1.65	1.59
26	BB	585	G	C3'-C2'	5.89	1.59	1.52
26	BB	1255	U	C4-C5	5.89	1.48	1.43
26	BB	1535	A	P-O5'	5.89	1.65	1.59
26	BB	1639	C	O4'-C1'	-5.89	1.33	1.41
26	BB	2876	G	N7-C5	-5.89	1.35	1.39
1	AA	35	G	N9-C8	5.89	1.42	1.37
25	BA	24	G	N3-C4	5.89	1.39	1.35
26	BB	402	A	N9-C4	-5.89	1.34	1.37
26	BB	522	A	N9-C8	5.89	1.42	1.37
1	AA	233	C	O3'-P	5.89	1.68	1.61
26	BB	325	G	N9-C4	5.89	1.42	1.38
26	BB	585	G	N7-C5	-5.89	1.35	1.39
26	BB	1080	A	N9-C4	5.89	1.41	1.37
26	BB	1576	U	C4-O4	5.89	1.28	1.23
26	BB	2362	C	O3'-P	5.89	1.68	1.61
26	BB	2657	A	C5'-C4'	5.89	1.58	1.51
1	AA	108	G	C6-O6	-5.89	1.18	1.24
1	AA	405	U	N3-C4	5.89	1.43	1.38
1	AA	534	U	C2-O2	5.89	1.27	1.22
1	AA	1041	G	N9-C4	-5.89	1.33	1.38
25	BA	99	A	C5-C4	-5.89	1.34	1.38
26	BB	105	C	P-O5'	5.89	1.65	1.59
26	BB	1283	G	C6-O6	-5.89	1.18	1.24
26	BB	1331	G	N9-C4	5.89	1.42	1.38
26	BB	2120	G	C4'-O4'	-5.89	1.37	1.45
26	BB	2292	U	C4-C5	-5.89	1.38	1.43
26	BB	2294	G	P-O5'	-5.89	1.53	1.59

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	AC	33	A	P-O5'	5.89	1.65	1.59
26	BB	595	C	C5-C6	5.89	1.39	1.34
26	BB	1970	A	N1-C2	-5.89	1.29	1.34
26	BB	2050	C	N3-C4	5.89	1.38	1.33
1	AA	437	U	N3-C4	5.89	1.43	1.38
26	BB	119	A	N9-C8	5.89	1.42	1.37
26	BB	945	A	C6-N1	5.89	1.39	1.35
26	BB	1511	G	C2-N3	5.89	1.37	1.32
26	BB	2168	G	C5-C6	5.89	1.48	1.42
26	BB	2584	U	N1-C6	5.89	1.43	1.38
26	BB	381	G	C4'-C3'	5.88	1.59	1.53
26	BB	408	G	N1-C2	5.88	1.42	1.37
26	BB	759	G	N1-C2	5.88	1.42	1.37
26	BB	1085	A	N9-C8	5.88	1.42	1.37
26	BB	1572	A	N9-C8	5.88	1.42	1.37
26	BB	2117	A	C5'-C4'	5.88	1.58	1.51
26	BB	2788	C	N3-C4	5.88	1.38	1.33
1	AA	12	U	C2-N3	5.88	1.41	1.37
1	AA	832	G	N1-C2	5.88	1.42	1.37
26	BB	281	C	C4-C5	5.88	1.47	1.43
26	BB	1319	C	N3-C4	5.88	1.38	1.33
1	AA	589	U	C5'-C4'	5.88	1.58	1.51
1	AA	733	G	C2-N2	-5.88	1.28	1.34
1	AA	975	A	C5'-C4'	-5.88	1.44	1.51
1	AA	984	C	N3-C4	5.88	1.38	1.33
1	AA	1217	C	C4-N4	5.88	1.39	1.33
4	AD	42	C	C3'-C2'	-5.88	1.46	1.52
4	AD	52	C	N1-C6	5.88	1.40	1.37
26	BB	701	G	N3-C4	5.88	1.39	1.35
26	BB	1095	A	O3'-P	5.88	1.68	1.61
1	AA	1077	G	O3'-P	5.88	1.68	1.61
1	AA	1129	C	C4-C5	-5.88	1.38	1.43
26	BB	342	A	N9-C4	5.88	1.41	1.37
26	BB	622	G	C2-N3	5.88	1.37	1.32
26	BB	910	A	C5-C4	-5.88	1.34	1.38
26	BB	1504	A	C5-C4	-5.88	1.34	1.38
26	BB	1949	G	N3-C4	-5.88	1.31	1.35
26	BB	1951	U	C4-C5	5.88	1.48	1.43
26	BB	2664	G	N9-C4	5.88	1.42	1.38
1	AA	265	G	N7-C5	-5.88	1.35	1.39
1	AA	710	G	C6-O6	-5.88	1.18	1.24
2	AB	70	C	C2'-C1'	-5.88	1.46	1.53

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	AB	72	U	C2-O2	5.88	1.27	1.22
25	BA	14	U	O5'-C5'	-5.88	1.33	1.42
26	BB	358	U	C5'-C4'	5.88	1.58	1.51
26	BB	621	A	C3'-C2'	5.88	1.59	1.52
26	BB	800	A	O4'-C1'	5.88	1.49	1.41
26	BB	1173	U	C2-N3	5.88	1.41	1.37
26	BB	2333	A	C5-C4	-5.88	1.34	1.38
26	BB	2626	C	C2'-C1'	5.88	1.59	1.53
26	BB	2765	A	C2-N3	5.88	1.38	1.33
26	BB	2822	G	C2'-C1'	-5.88	1.46	1.53
1	AA	175	C	C2-O2	-5.88	1.19	1.24
1	AA	1084	G	C6-O6	-5.88	1.18	1.24
1	AA	1153	G	C2-N2	-5.88	1.28	1.34
2	AB	58	A	N3-C4	5.88	1.38	1.34
4	AD	69	C	P-O5'	5.88	1.65	1.59
26	BB	42	A	P-O5'	5.88	1.65	1.59
26	BB	537	G	C4'-O4'	-5.88	1.38	1.45
26	BB	1213	A	C3'-C2'	-5.88	1.46	1.52
26	BB	1539	U	C4-C5	5.88	1.48	1.43
26	BB	1577	C	C4-C5	-5.88	1.38	1.43
26	BB	2562	U	C2-N3	5.88	1.41	1.37
1	AA	230	G	C4'-C3'	-5.88	1.46	1.52
1	AA	1355	G	N9-C8	5.88	1.42	1.37
26	BB	1005	C	C3'-C2'	5.88	1.59	1.52
26	BB	1102	C	C5'-C4'	5.88	1.58	1.51
26	BB	1344	U	N1-C2	5.88	1.43	1.38
26	BB	1410	G	C1'-N9	5.88	1.57	1.48
26	BB	2854	G	N1-C2	5.88	1.42	1.37
1	AA	368	U	P-O5'	5.87	1.65	1.59
1	AA	550	G	P-O5'	-5.87	1.53	1.59
1	AA	1451	U	C4-O4	-5.87	1.19	1.23
1	AA	1509	C	C5'-C4'	5.87	1.58	1.51
1	AA	1524	C	N3-C4	5.87	1.38	1.33
25	BA	85	G	N1-C2	5.87	1.42	1.37
26	BB	462	C	C4'-O4'	-5.87	1.38	1.45
26	BB	549	G	C8-N7	-5.87	1.27	1.30
26	BB	1448	G	O3'-P	5.87	1.68	1.61
26	BB	2045	C	N1-C6	5.87	1.40	1.37
26	BB	2053	G	C2-N3	5.87	1.37	1.32
26	BB	2470	G	P-O5'	5.87	1.65	1.59
26	BB	2835	A	C4'-O4'	-5.87	1.38	1.45
1	AA	263	A	N3-C4	5.87	1.38	1.34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	892	A	C3'-C2'	-5.87	1.46	1.52
1	AA	1345	U	C5-C6	5.87	1.39	1.34
2	AB	25	C	C2-O2	5.87	1.29	1.24
25	BA	78	A	N9-C8	-5.87	1.33	1.37
26	BB	156	A	C6-N6	5.87	1.38	1.33
26	BB	629	G	N7-C5	-5.87	1.35	1.39
26	BB	1113	U	N1-C6	5.87	1.43	1.38
26	BB	2495	G	N9-C4	5.87	1.42	1.38
1	AA	1100	C	C2-N3	5.87	1.40	1.35
3	AC	40	G	C2'-C1'	-5.87	1.46	1.53
26	BB	80	G	C5-C4	-5.87	1.34	1.38
26	BB	277	G	C4'-C3'	5.87	1.59	1.53
26	BB	2539	C	C5-C6	5.87	1.39	1.34
26	BB	2811	G	N9-C8	-5.87	1.33	1.37
26	BB	2900	A	C8-N7	5.87	1.35	1.31
1	AA	269	C	C4-C5	5.87	1.47	1.43
1	AA	271	C	N1-C6	5.87	1.40	1.37
26	BB	26	G	P-O5'	5.87	1.65	1.59
26	BB	526	A	C8-N7	-5.87	1.27	1.31
26	BB	528	A	N3-C4	5.87	1.38	1.34
26	BB	710	U	N1-C2	5.87	1.43	1.38
26	BB	1419	A	N7-C5	-5.87	1.35	1.39
26	BB	1471	G	P-O5'	5.87	1.65	1.59
26	BB	1614	A	N1-C2	-5.87	1.29	1.34
26	BB	2561	U	C3'-C2'	5.87	1.59	1.52
26	BB	2675	A	N7-C5	-5.87	1.35	1.39
26	BB	2873	A	C6-N6	5.87	1.38	1.33
1	AA	687	A	P-O5'	5.87	1.65	1.59
1	AA	919	A	C4'-O4'	-5.87	1.38	1.45
1	AA	925	G	N3-C4	5.87	1.39	1.35
1	AA	1227	A	N3-C4	5.87	1.38	1.34
1	AA	1378	C	O4'-C1'	5.87	1.49	1.41
1	AA	1412	C	C2-O2	-5.87	1.19	1.24
4	AD	40	C	O3'-P	-5.87	1.54	1.61
26	BB	1328	A	N9-C8	-5.87	1.33	1.37
26	BB	1657	U	C2-N3	5.87	1.41	1.37
1	AA	854	U	O3'-P	5.87	1.68	1.61
26	BB	1129	A	C4'-O4'	-5.87	1.38	1.45
26	BB	1391	U	N1-C6	5.87	1.43	1.38
26	BB	1458	U	C5'-C4'	5.87	1.58	1.51
26	BB	1530	G	N9-C4	5.87	1.42	1.38
26	BB	1664	A	N9-C4	5.87	1.41	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2165	C	C4'-O4'	-5.87	1.38	1.45
26	BB	2208	C	P-O5'	5.87	1.65	1.59
26	BB	2377	A	N7-C5	5.87	1.42	1.39
26	BB	2798	U	O3'-P	5.87	1.68	1.61
1	AA	146	G	C4'-O4'	-5.86	1.38	1.45
1	AA	540	G	N7-C5	-5.86	1.35	1.39
1	AA	1293	C	C4'-O4'	-5.86	1.38	1.45
1	AA	1491	G	O3'-P	-5.86	1.54	1.61
4	AD	47	A	N3-C4	5.86	1.38	1.34
26	BB	2249	U	O3'-P	-5.86	1.54	1.61
27	BC	41	SER	CB-OG	-5.86	1.34	1.42
1	AA	902	G	C2-N3	5.86	1.37	1.32
26	BB	81	G	C2-N3	5.86	1.37	1.32
1	AA	1060	U	C2-O2	5.86	1.27	1.22
1	AA	1125	U	C4-C5	5.86	1.48	1.43
1	AA	1294	G	C5'-C4'	5.86	1.58	1.51
2	AB	43	G	N1-C2	5.86	1.42	1.37
25	BA	60	C	C2-N3	5.86	1.40	1.35
26	BB	1044	C	N1-C6	5.86	1.40	1.37
26	BB	1295	C	C2-N3	5.86	1.40	1.35
26	BB	1851	U	C4-C5	5.86	1.48	1.43
26	BB	2229	U	C2'-C1'	5.86	1.59	1.53
1	AA	637	C	C5'-C4'	5.86	1.58	1.51
26	BB	321	U	P-O5'	5.86	1.65	1.59
26	BB	560	C	N3-C4	-5.86	1.29	1.33
26	BB	2063	C	O3'-P	5.86	1.68	1.61
26	BB	2373	G	C2-N3	5.86	1.37	1.32
26	BB	2472	G	N1-C2	5.86	1.42	1.37
26	BB	2583	G	C3'-C2'	5.86	1.59	1.52
26	BB	2744	G	N1-C2	5.86	1.42	1.37
1	AA	211	G	C5-C6	5.86	1.48	1.42
1	AA	270	A	C2'-C1'	-5.86	1.47	1.53
1	AA	602	A	C5-C4	-5.86	1.34	1.38
1	AA	1434	A	C4'-O4'	-5.86	1.38	1.45
2	AB	19	G	C2-N3	5.86	1.37	1.32
26	BB	347	A	N7-C5	-5.86	1.35	1.39
26	BB	419	U	N1-C6	5.86	1.43	1.38
26	BB	420	C	O3'-P	5.86	1.68	1.61
1	AA	611	C	C5'-C4'	5.86	1.58	1.51
26	BB	764	A	C2-N3	5.86	1.38	1.33
26	BB	1553	A	N9-C8	5.86	1.42	1.37
26	BB	1804	C	C3'-C2'	-5.86	1.46	1.52

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2390	U	C4-C5	5.86	1.48	1.43
26	BB	115	C	C4-C5	5.85	1.47	1.43
26	BB	250	G	C2'-C1'	-5.85	1.47	1.53
26	BB	1397	U	C4-C5	-5.85	1.38	1.43
26	BB	2034	U	N1-C2	5.85	1.43	1.38
26	BB	2550	G	C5'-C4'	5.85	1.58	1.51
1	AA	492	C	C4-N4	-5.85	1.28	1.33
3	AC	48	C	O3'-P	5.85	1.68	1.61
4	AD	7	G	C2-N2	5.85	1.40	1.34
25	BA	19	C	C4-C5	5.85	1.47	1.43
26	BB	1415	U	N1-C2	5.85	1.43	1.38
26	BB	1831	G	C2-N3	5.85	1.37	1.32
26	BB	2372	U	O3'-P	5.85	1.68	1.61
26	BB	2374	C	P-O5'	5.85	1.65	1.59
28	BD	137	GLY	CA-C	5.85	1.61	1.51
25	BA	89	U	C4'-C3'	5.85	1.59	1.53
1	AA	460	A	C5-C4	-5.85	1.34	1.38
1	AA	466	A	N9-C8	5.85	1.42	1.37
1	AA	677	U	C5-C6	5.85	1.39	1.34
1	AA	1434	A	C2-N3	5.85	1.38	1.33
1	AA	1508	A	N9-C8	5.85	1.42	1.37
25	BA	8	C	C2-O2	-5.85	1.19	1.24
26	BB	355	U	C5-C6	5.85	1.39	1.34
26	BB	577	G	C6-N1	-5.85	1.35	1.39
26	BB	608	A	C6-N6	-5.85	1.29	1.33
26	BB	874	G	C3'-C2'	5.85	1.59	1.52
26	BB	1708	C	C1'-N1	5.85	1.57	1.48
26	BB	2087	G	P-O5'	-5.85	1.53	1.59
26	BB	2235	G	N9-C4	5.85	1.42	1.38
26	BB	2361	G	C2-N3	5.85	1.37	1.32
26	BB	2418	A	P-O5'	5.85	1.65	1.59
26	BB	2587	A	C4'-O4'	-5.85	1.38	1.45
26	BB	2852	G	C2-N3	5.85	1.37	1.32
1	AA	183	C	C3'-C2'	5.85	1.59	1.52
1	AA	423	G	C5-C4	-5.85	1.34	1.38
1	AA	592	G	C2'-O2'	-5.85	1.34	1.41
1	AA	980	C	N3-C4	5.85	1.38	1.33
4	AD	7	G	N9-C4	5.85	1.42	1.38
26	BB	379	G	C3'-C2'	5.85	1.59	1.52
26	BB	437	U	N3-C4	5.85	1.43	1.38
26	BB	1976	U	C2-O2	-5.85	1.17	1.22
26	BB	2488	G	C8-N7	-5.85	1.27	1.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2732	G	C2-N3	5.85	1.37	1.32
26	BB	2759	G	C2-N3	5.85	1.37	1.32
30	BF	101	TYR	CD2-CE2	5.85	1.48	1.39
26	BB	220	G	N7-C5	-5.85	1.35	1.39
26	BB	1462	C	P-O5'	5.85	1.65	1.59
26	BB	1949	G	C5'-C4'	-5.85	1.44	1.51
36	BL	75	TYR	CG-CD2	5.85	1.46	1.39
1	AA	650	G	N3-C4	5.84	1.39	1.35
1	AA	773	G	C5-C4	-5.84	1.34	1.38
1	AA	923	A	O3'-P	5.84	1.68	1.61
1	AA	1235	U	C3'-O3'	-5.84	1.33	1.42
1	AA	1385	G	N1-C2	5.84	1.42	1.37
26	BB	905	A	P-O5'	5.84	1.65	1.59
26	BB	2036	C	C5'-C4'	5.84	1.58	1.51
26	BB	2192	U	C5-C6	5.84	1.39	1.34
26	BB	2712	C	C5'-C4'	5.84	1.58	1.51
1	AA	420	U	C2'-C1'	-5.84	1.47	1.53
1	AA	649	A	N9-C8	5.84	1.42	1.37
26	BB	44	A	C6-N1	5.84	1.39	1.35
26	BB	1147	A	C6-N6	5.84	1.38	1.33
26	BB	1670	C	C4'-O4'	-5.84	1.38	1.45
26	BB	1842	G	O3'-P	5.84	1.68	1.61
1	AA	1196	A	N3-C4	5.84	1.38	1.34
4	AD	2	G	N9-C4	5.84	1.42	1.38
26	BB	689	A	C5-C6	5.84	1.46	1.41
26	BB	804	A	P-O5'	5.84	1.65	1.59
26	BB	1760	C	C2-O2	-5.84	1.19	1.24
26	BB	1840	G	O3'-P	5.84	1.68	1.61
26	BB	1850	G	C2-N3	5.84	1.37	1.32
26	BB	2436	G	C8-N7	-5.84	1.27	1.30
1	AA	591	U	N1-C6	5.84	1.43	1.38
2	AB	11	U	C4'-C3'	-5.84	1.46	1.52
26	BB	1973	G	C4'-O4'	-5.84	1.38	1.45
26	BB	2038	G	N1-C2	-5.84	1.33	1.37
26	BB	2051	A	C3'-C2'	5.84	1.59	1.52
1	AA	179	A	C2'-C1'	-5.84	1.47	1.53
1	AA	1079	G	C2'-O2'	5.84	1.49	1.41
1	AA	1169	A	N7-C5	-5.84	1.35	1.39
26	BB	189	G	C6-N1	5.84	1.43	1.39
1	AA	705	G	C8-N7	-5.84	1.27	1.30
26	BB	1592	C	C4'-O4'	-5.84	1.38	1.45
26	BB	1638	C	C4-C5	5.84	1.47	1.43

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2793	C	C3'-C2'	-5.84	1.46	1.52
26	BB	1815	A	N7-C5	-5.83	1.35	1.39
32	BH	34	ARG	CZ-NH1	5.83	1.40	1.33
1	AA	158	G	N7-C5	-5.83	1.35	1.39
1	AA	663	A	C5-C4	-5.83	1.34	1.38
1	AA	926	G	C2-N3	5.83	1.37	1.32
1	AA	1029	U	C2-N3	5.83	1.41	1.37
26	BB	142	A	N9-C4	5.83	1.41	1.37
26	BB	757	G	C2'-C1'	-5.83	1.47	1.53
26	BB	1043	C	C5'-C4'	5.83	1.58	1.51
26	BB	1237	A	O3'-P	-5.83	1.54	1.61
26	BB	1879	C	N1-C6	-5.83	1.33	1.37
26	BB	2056	G	C6-N1	5.83	1.43	1.39
26	BB	2167	U	N1-C6	-5.83	1.32	1.38
26	BB	2331	G	P-O5'	5.83	1.65	1.59
26	BB	2541	A	P-O5'	5.83	1.65	1.59
1	AA	324	G	N9-C8	-5.83	1.33	1.37
26	BB	548	G	C8-N7	-5.83	1.27	1.30
26	BB	1258	U	P-O5'	5.83	1.65	1.59
26	BB	2130	U	C5-C6	5.83	1.39	1.34
26	BB	2722	G	C6-N1	5.83	1.43	1.39
26	BB	2892	G	N3-C4	5.83	1.39	1.35
26	BB	981	A	N9-C4	5.83	1.41	1.37
26	BB	1873	G	C2'-C1'	-5.83	1.47	1.53
1	AA	149	A	N9-C4	5.83	1.41	1.37
1	AA	294	U	C4'-O4'	-5.83	1.38	1.45
1	AA	1334	G	N1-C2	5.83	1.42	1.37
1	AA	1525	G	C2'-C1'	5.83	1.59	1.53
25	BA	30	C	O4'-C1'	5.83	1.49	1.41
26	BB	329	G	C5'-C4'	5.83	1.58	1.51
26	BB	507	A	C4'-O4'	-5.83	1.38	1.45
26	BB	959	A	O3'-P	5.83	1.68	1.61
26	BB	1709	U	P-O5'	5.83	1.65	1.59
26	BB	2036	C	P-O5'	5.83	1.65	1.59
30	BF	151	GLY	CA-C	5.83	1.61	1.51
1	AA	171	A	C5'-C4'	5.83	1.58	1.51
1	AA	807	A	C5'-C4'	5.83	1.58	1.51
26	BB	1269	A	N9-C8	5.83	1.42	1.37
1	AA	449	G	N3-C4	5.83	1.39	1.35
1	AA	563	A	C4'-O4'	-5.83	1.38	1.45
1	AA	767	A	O4'-C1'	-5.83	1.34	1.41
1	AA	1285	A	C2'-C1'	5.83	1.59	1.53

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	534	U	C2-N3	5.83	1.41	1.37
26	BB	1235	G	C2-N3	5.83	1.37	1.32
26	BB	1386	C	C3'-C2'	-5.83	1.46	1.52
26	BB	1955	U	C4'-O4'	-5.83	1.38	1.45
26	BB	1989	G	N3-C4	5.83	1.39	1.35
26	BB	1998	A	C3'-C2'	5.83	1.59	1.52
26	BB	2902	C	C2-N3	5.83	1.40	1.35
1	AA	755	G	N1-C2	5.82	1.42	1.37
1	AA	810	C	C4-N4	5.82	1.39	1.33
1	AA	1054	C	P-O5'	5.82	1.65	1.59
1	AA	1303	C	N1-C6	5.82	1.40	1.37
1	AA	1315	U	C5'-C4'	5.82	1.58	1.51
1	AA	1412	C	N1-C6	-5.82	1.33	1.37
26	BB	2114	A	C6-N1	5.82	1.39	1.35
26	BB	2450	A	N7-C5	-5.82	1.35	1.39
1	AA	203	G	N9-C4	5.82	1.42	1.38
2	AB	10	G	N7-C5	-5.82	1.35	1.39
26	BB	705	A	C6-N6	5.82	1.38	1.33
1	AA	154	U	N1-C2	5.82	1.43	1.38
1	AA	394	G	C6-N1	5.82	1.43	1.39
1	AA	643	C	C4-C5	5.82	1.47	1.43
1	AA	993	G	C6-N1	5.82	1.43	1.39
1	AA	1266	G	C4'-C3'	5.82	1.59	1.53
1	AA	1327	C	O3'-P	5.82	1.68	1.61
26	BB	119	A	N7-C5	-5.82	1.35	1.39
26	BB	175	G	C5'-C4'	5.82	1.58	1.51
26	BB	838	C	C2-O2	-5.82	1.19	1.24
26	BB	898	C	C4'-O4'	-5.82	1.38	1.45
26	BB	1711	A	C3'-O3'	-5.82	1.34	1.42
26	BB	2045	C	C4-C5	5.82	1.47	1.43
26	BB	2324	U	C3'-O3'	5.82	1.50	1.42
1	AA	1150	A	N7-C5	-5.82	1.35	1.39
26	BB	310	A	C4'-O4'	-5.82	1.38	1.45
26	BB	1328	A	C5-C6	5.82	1.46	1.41
26	BB	1943	U	N1-C2	5.82	1.43	1.38
1	AA	1015	G	C4'-O4'	-5.82	1.38	1.45
1	AA	1229	A	C2-N3	5.82	1.38	1.33
25	BA	55	U	C5-C6	5.82	1.39	1.34
26	BB	163	C	C2-O2	-5.82	1.19	1.24
26	BB	1121	C	C5-C6	5.82	1.39	1.34
26	BB	1404	C	C4-C5	5.82	1.47	1.43
26	BB	1427	A	C5'-C4'	5.82	1.58	1.51

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1698	A	C3'-O3'	5.82	1.50	1.42
26	BB	1843	C	N1-C6	-5.82	1.33	1.37
26	BB	1965	C	C4'-C3'	-5.82	1.46	1.52
26	BB	2415	G	C2-N3	5.82	1.37	1.32
26	BB	2864	G	C5'-C4'	5.82	1.58	1.51
41	BQ	66	GLY	N-CA	5.82	1.54	1.46
1	AA	56	U	O3'-P	5.82	1.68	1.61
1	AA	780	A	P-O5'	5.82	1.65	1.59
1	AA	1288	A	N9-C4	-5.82	1.34	1.37
26	BB	34	U	P-O5'	5.82	1.65	1.59
26	BB	207	A	N3-C4	5.82	1.38	1.34
26	BB	239	C	C4-N4	-5.82	1.28	1.33
26	BB	503	A	C5-C6	5.82	1.46	1.41
26	BB	717	C	N1-C6	5.82	1.40	1.37
26	BB	1029	A	C4'-C3'	5.82	1.59	1.53
26	BB	1163	G	C2-N3	5.82	1.37	1.32
26	BB	2140	G	P-O5'	5.82	1.65	1.59
26	BB	2706	A	N9-C4	-5.82	1.34	1.37
1	AA	938	A	C5-C4	-5.81	1.34	1.38
26	BB	805	G	P-O5'	5.81	1.65	1.59
26	BB	1737	G	O4'-C1'	5.81	1.49	1.41
26	BB	1781	U	C5'-C4'	5.81	1.58	1.51
26	BB	2053	G	C8-N7	5.81	1.34	1.30
26	BB	2850	A	N9-C8	5.81	1.42	1.37
1	AA	40	C	N1-C2	5.81	1.46	1.40
1	AA	393	A	N7-C5	5.81	1.42	1.39
1	AA	529	G	C4'-O4'	-5.81	1.38	1.45
26	BB	23	G	C6-O6	-5.81	1.19	1.24
26	BB	798	G	C4'-C3'	-5.81	1.46	1.52
26	BB	1098	A	C4'-C3'	-5.81	1.46	1.52
26	BB	1571	A	N3-C4	5.81	1.38	1.34
26	BB	1774	C	O3'-P	-5.81	1.54	1.61
26	BB	1860	G	N9-C8	-5.81	1.33	1.37
26	BB	2042	A	N7-C5	5.81	1.42	1.39
26	BB	2138	G	P-O5'	-5.81	1.53	1.59
25	BA	119	A	C5'-C4'	5.81	1.58	1.51
26	BB	1325	U	P-O5'	5.81	1.65	1.59
1	AA	767	A	C5'-C4'	5.81	1.58	1.51
1	AA	1035	A	C5-C4	5.81	1.42	1.38
1	AA	1526	G	N9-C8	5.81	1.42	1.37
26	BB	153	U	C2-O2	5.81	1.27	1.22
26	BB	467	G	C3'-C2'	5.81	1.59	1.52

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2217	G	N1-C2	5.81	1.42	1.37
26	BB	2333	A	N9-C4	-5.81	1.34	1.37
1	AA	793	U	N1-C6	5.81	1.43	1.38
1	AA	868	C	C5-C6	5.81	1.39	1.34
1	AA	1512	U	O3'-P	5.81	1.68	1.61
26	BB	836	G	N7-C5	5.81	1.42	1.39
26	BB	1155	A	N9-C4	-5.81	1.34	1.37
26	BB	1342	A	C3'-C2'	5.81	1.59	1.52
26	BB	2220	U	P-O5'	5.81	1.65	1.59
26	BB	2268	A	P-O5'	-5.81	1.53	1.59
26	BB	2322	A	P-O5'	5.81	1.65	1.59
26	BB	2468	A	N9-C4	5.81	1.41	1.37
1	AA	763	G	N7-C5	5.81	1.42	1.39
26	BB	799	G	P-O5'	-5.81	1.53	1.59
26	BB	884	U	C4'-O4'	-5.81	1.38	1.45
26	BB	1758	U	P-O5'	5.81	1.65	1.59
1	AA	1042	A	C6-N6	5.80	1.38	1.33
1	AA	1149	C	P-O5'	5.80	1.65	1.59
1	AA	1218	C	C4-N4	-5.80	1.28	1.33
26	BB	321	U	N1-C2	5.80	1.43	1.38
26	BB	661	A	C6-N6	-5.80	1.29	1.33
26	BB	709	U	C4-C5	5.80	1.48	1.43
26	BB	2402	U	C4'-O4'	-5.80	1.38	1.45
1	AA	114	U	C4-C5	-5.80	1.38	1.43
26	BB	37	C	C5-C6	5.80	1.39	1.34
26	BB	257	C	C4'-C3'	-5.80	1.46	1.52
26	BB	514	A	C6-N1	-5.80	1.31	1.35
26	BB	1649	G	C2-N3	5.80	1.37	1.32
26	BB	2200	C	P-O5'	5.80	1.65	1.59
26	BB	2226	C	C4-C5	5.80	1.47	1.43
26	BB	2236	U	C4'-O4'	-5.80	1.38	1.45
26	BB	2250	G	N3-C4	5.80	1.39	1.35
26	BB	2763	G	N9-C4	-5.80	1.33	1.38
1	AA	75	G	C6-N1	-5.80	1.35	1.39
1	AA	838	G	C8-N7	5.80	1.34	1.30
1	AA	1481	U	C2'-C1'	5.80	1.59	1.53
26	BB	1440	U	C2'-O2'	5.80	1.49	1.41
26	BB	2479	U	C2-O2	5.80	1.27	1.22
26	BB	2574	G	C5'-C4'	5.80	1.58	1.51
2	AB	25	C	C4-C5	5.80	1.47	1.43
26	BB	1234	U	N3-C4	5.80	1.43	1.38
26	BB	1407	G	O3'-P	5.80	1.68	1.61

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1700	A	O4'-C1'	5.80	1.49	1.41
1	AA	461	A	O3'-P	5.80	1.68	1.61
1	AA	532	A	N7-C5	5.80	1.42	1.39
1	AA	581	G	C2-N3	5.80	1.37	1.32
1	AA	1227	A	N1-C2	-5.80	1.29	1.34
1	AA	1281	C	C2'-O2'	5.80	1.49	1.41
25	BA	91	C	C5'-C4'	5.80	1.58	1.51
26	BB	188	G	N1-C2	5.80	1.42	1.37
26	BB	1125	G	N1-C2	5.80	1.42	1.37
26	BB	1778	U	C2-N3	5.80	1.41	1.37
26	BB	2886	A	C2'-O2'	-5.80	1.34	1.41
1	AA	1024	G	C5'-C4'	5.79	1.58	1.51
26	BB	354	A	C2-N3	5.79	1.38	1.33
26	BB	1123	C	C2-O2	-5.79	1.19	1.24
1	AA	1139	G	P-O5'	5.79	1.65	1.59
1	AA	1278	G	C8-N7	5.79	1.34	1.30
1	AA	1329	A	C8-N7	-5.79	1.27	1.31
10	AJ	159	ARG	NE-CZ	5.79	1.40	1.33
26	BB	23	G	C2-N2	-5.79	1.28	1.34
26	BB	2197	U	C4-C5	5.79	1.48	1.43
26	BB	2216	G	C3'-C2'	5.79	1.59	1.52
1	AA	98	A	C4'-C3'	5.79	1.59	1.53
1	AA	253	A	C2-N3	5.79	1.38	1.33
1	AA	289	G	P-O5'	5.79	1.65	1.59
1	AA	665	A	C5-C6	5.79	1.46	1.41
1	AA	745	G	C2'-C1'	5.79	1.59	1.53
1	AA	895	G	C6-N1	5.79	1.43	1.39
1	AA	945	G	C5-C6	5.79	1.48	1.42
25	BA	53	A	P-O5'	5.79	1.65	1.59
26	BB	245	G	C5-C6	5.79	1.48	1.42
26	BB	796	C	C4-C5	5.79	1.47	1.43
26	BB	1379	U	C2'-C1'	-5.79	1.47	1.53
26	BB	1573	G	C4'-C3'	-5.79	1.46	1.52
26	BB	2315	G	N9-C4	-5.79	1.33	1.38
39	BO	55	ARG	NE-CZ	5.79	1.40	1.33
1	AA	358	U	C4'-O4'	-5.79	1.38	1.45
1	AA	367	U	N1-C2	5.79	1.43	1.38
26	BB	1122	G	C2-N3	5.79	1.37	1.32
26	BB	1152	C	C5'-C4'	5.79	1.58	1.51
26	BB	2144	G	C4'-O4'	-5.79	1.38	1.45
1	AA	367	U	C4'-C3'	5.79	1.59	1.53
1	AA	911	U	C5'-C4'	5.79	1.58	1.51

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	AH	47	PHE	CG-CD2	5.79	1.47	1.38
25	BA	18	G	N9-C8	5.79	1.42	1.37
26	BB	1370	C	C2-N3	5.79	1.40	1.35
26	BB	2127	G	C5'-C4'	5.79	1.58	1.51
1	AA	752	G	C6-N1	-5.79	1.35	1.39
1	AA	848	C	C5-C6	5.79	1.39	1.34
1	AA	1478	U	C4-C5	5.79	1.48	1.43
26	BB	1602	U	C4-C5	5.79	1.48	1.43
26	BB	1810	A	C5-C4	-5.79	1.34	1.38
26	BB	2848	G	O3'-P	5.79	1.68	1.61
1	AA	74	A	P-O5'	5.79	1.65	1.59
1	AA	256	U	C4-C5	5.79	1.48	1.43
1	AA	1533	C	C5-C6	5.79	1.39	1.34
26	BB	1277	G	C6-N1	5.79	1.43	1.39
26	BB	2282	G	N7-C5	5.79	1.42	1.39
1	AA	259	G	P-O5'	5.78	1.65	1.59
26	BB	189	G	P-O5'	5.78	1.65	1.59
26	BB	221	A	N3-C4	5.78	1.38	1.34
26	BB	649	G	C6-N1	-5.78	1.35	1.39
26	BB	768	G	C4'-O4'	-5.78	1.38	1.45
26	BB	1612	C	C2-N3	5.78	1.40	1.35
26	BB	2887	A	N9-C8	5.78	1.42	1.37
1	AA	1001	C	C5'-C4'	5.78	1.58	1.51
26	BB	2525	G	C5'-C4'	5.78	1.58	1.51
1	AA	205	A	C8-N7	-5.78	1.27	1.31
4	AD	6	G	C4'-O4'	-5.78	1.38	1.45
26	BB	840	C	O3'-P	5.78	1.68	1.61
26	BB	1937	A	C2'-C1'	5.78	1.59	1.53
26	BB	2626	C	N1-C6	5.78	1.40	1.37
26	BB	2876	G	C5-C4	5.78	1.42	1.38
1	AA	1193	G	C5-C4	5.78	1.42	1.38
1	AA	1452	C	C2-O2	-5.78	1.19	1.24
26	BB	528	A	C2-N3	5.78	1.38	1.33
26	BB	1048	A	N9-C4	-5.78	1.34	1.37
26	BB	1117	C	N1-C2	-5.78	1.34	1.40
26	BB	1502	A	C6-N1	5.78	1.39	1.35
26	BB	1626	A	C5-C4	-5.78	1.34	1.38
26	BB	2136	G	C2-N2	-5.78	1.28	1.34
1	AA	1321	U	C2'-C1'	5.78	1.59	1.53
26	BB	362	A	N9-C8	5.78	1.42	1.37
26	BB	444	C	C2'-C1'	5.78	1.59	1.53
26	BB	1805	A	C1'-N9	5.78	1.57	1.48

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2553	G	C1'-N9	5.78	1.57	1.48
1	AA	655	A	C6-N1	-5.78	1.31	1.35
1	AA	824	G	C6-O6	-5.78	1.19	1.24
1	AA	972	C	C1'-N1	5.78	1.57	1.48
1	AA	978	A	N3-C4	5.78	1.38	1.34
1	AA	1068	G	P-O5'	5.78	1.65	1.59
3	AC	14	G	N7-C5	-5.78	1.35	1.39
26	BB	469	G	N3-C4	5.78	1.39	1.35
26	BB	1359	A	N9-C4	5.78	1.41	1.37
26	BB	1717	A	C3'-C2'	5.78	1.59	1.52
26	BB	1753	G	O4'-C1'	5.78	1.49	1.41
26	BB	2234	G	C4'-O4'	-5.78	1.38	1.45
26	BB	2849	U	N1-C6	5.78	1.43	1.38
1	AA	734	G	N7-C5	-5.77	1.35	1.39
1	AA	938	A	N3-C4	5.77	1.38	1.34
26	BB	1790	C	C2'-O2'	5.77	1.49	1.41
1	AA	326	G	C5'-C4'	5.77	1.58	1.51
1	AA	627	G	C3'-C2'	5.77	1.59	1.52
1	AA	785	G	N9-C8	5.77	1.41	1.37
26	BB	123	G	O3'-P	5.77	1.68	1.61
26	BB	208	C	N3-C4	5.77	1.38	1.33
26	BB	507	A	N7-C5	-5.77	1.35	1.39
26	BB	1112	G	N1-C2	5.77	1.42	1.37
26	BB	1383	A	C8-N7	-5.77	1.27	1.31
1	AA	630	A	N9-C4	-5.77	1.34	1.37
26	BB	617	G	C6-N1	5.77	1.43	1.39
26	BB	1382	G	N3-C4	5.77	1.39	1.35
26	BB	2544	G	N1-C2	5.77	1.42	1.37
43	BS	60	TRP	CD2-CE2	5.77	1.48	1.41
1	AA	297	G	C8-N7	5.77	1.34	1.30
1	AA	877	G	N3-C4	5.77	1.39	1.35
1	AA	1333	A	N7-C5	-5.77	1.35	1.39
26	BB	186	G	C3'-O3'	-5.77	1.34	1.42
26	BB	402	A	P-O5'	5.77	1.65	1.59
26	BB	1447	C	C4'-O4'	-5.77	1.38	1.45
26	BB	1547	C	N1-C6	5.77	1.40	1.37
26	BB	1672	A	C5-C6	5.77	1.46	1.41
26	BB	1677	A	C5'-C4'	5.77	1.58	1.51
26	BB	1710	G	N3-C4	5.77	1.39	1.35
26	BB	2039	U	C2-O2	5.77	1.27	1.22
26	BB	2724	U	C4'-O4'	-5.77	1.38	1.45
1	AA	119	A	P-O5'	5.77	1.65	1.59

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	251	G	C5-C6	5.77	1.48	1.42
1	AA	1348	U	O4'-C1'	5.77	1.49	1.41
26	BB	183	C	C4-C5	5.77	1.47	1.43
26	BB	442	G	C2'-C1'	-5.77	1.47	1.53
26	BB	2017	U	N3-C4	5.77	1.43	1.38
26	BB	2438	U	C4'-O4'	-5.77	1.38	1.45
26	BB	2650	U	N3-C4	5.77	1.43	1.38
25	BA	98	G	C2-N3	5.77	1.37	1.32
26	BB	17	G	P-O5'	5.77	1.65	1.59
26	BB	990	A	N7-C5	-5.77	1.35	1.39
26	BB	1312	U	C3'-C2'	5.77	1.59	1.52
26	BB	2113	U	C4-C5	5.77	1.48	1.43
26	BB	2581	G	P-O5'	5.77	1.65	1.59
26	BB	2802	G	N3-C4	5.77	1.39	1.35
1	AA	1371	G	N7-C5	-5.76	1.35	1.39
1	AA	1529	G	O3'-P	5.76	1.68	1.61
26	BB	2163	A	N9-C4	-5.76	1.34	1.37
26	BB	2521	C	C4-C5	5.76	1.47	1.43
26	BB	2741	A	N3-C4	5.76	1.38	1.34
26	BB	2809	A	C2-N3	5.76	1.38	1.33
1	AA	754	C	N1-C6	5.76	1.40	1.37
1	AA	1326	U	C2-O2	-5.76	1.17	1.22
26	BB	833	A	C4'-O4'	-5.76	1.38	1.45
26	BB	2639	A	C3'-C2'	5.76	1.59	1.52
1	AA	472	U	C4'-C3'	-5.76	1.46	1.52
1	AA	864	A	N3-C4	5.76	1.38	1.34
1	AA	884	U	O4'-C1'	5.76	1.49	1.41
1	AA	975	A	N3-C4	5.76	1.38	1.34
1	AA	1490	U	C3'-C2'	5.76	1.59	1.52
26	BB	944	C	C2'-C1'	5.76	1.59	1.53
26	BB	1454	C	C4'-O4'	-5.76	1.38	1.45
1	AA	376	G	N1-C2	5.76	1.42	1.37
2	AB	38	A	N7-C5	5.76	1.42	1.39
26	BB	231	A	N3-C4	5.76	1.38	1.34
26	BB	720	U	N1-C6	5.76	1.43	1.38
26	BB	942	G	P-O5'	5.76	1.65	1.59
26	BB	1505	A	N9-C4	5.76	1.41	1.37
26	BB	1838	C	O3'-P	5.76	1.68	1.61
26	BB	2458	G	O3'-P	5.76	1.68	1.61
26	BB	2900	A	C5-C6	5.76	1.46	1.41
1	AA	298	A	C5'-C4'	5.76	1.58	1.51
1	AA	1079	G	N7-C5	5.76	1.42	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1121	U	C2-O2	5.76	1.27	1.22
26	BB	320	A	O3'-P	-5.76	1.54	1.61
26	BB	857	G	C2-N3	5.76	1.37	1.32
26	BB	1327	A	N3-C4	5.76	1.38	1.34
26	BB	1686	C	C4'-O4'	-5.76	1.38	1.45
26	BB	2715	C	C4-N4	5.76	1.39	1.33
1	AA	698	G	N1-C2	5.76	1.42	1.37
1	AA	863	U	C4-C5	5.76	1.48	1.43
1	AA	1505	G	C5-C6	5.76	1.48	1.42
26	BB	718	A	N1-C2	-5.76	1.29	1.34
26	BB	1613	G	C5'-C4'	5.76	1.58	1.51
1	AA	777	A	N3-C4	5.75	1.38	1.34
1	AA	1291	U	C2'-C1'	5.75	1.59	1.53
26	BB	337	C	N1-C6	5.75	1.40	1.37
26	BB	1663	G	C8-N7	-5.75	1.27	1.30
26	BB	1809	A	N3-C4	5.75	1.38	1.34
26	BB	2657	A	C5-C6	5.75	1.46	1.41
26	BB	51	G	N9-C8	5.75	1.41	1.37
26	BB	507	A	C5-C6	-5.75	1.35	1.41
26	BB	1796	U	C4-C5	5.75	1.48	1.43
26	BB	2335	A	C5'-C4'	5.75	1.58	1.51
26	BB	2452	C	C2-O2	-5.75	1.19	1.24
26	BB	2884	U	O3'-P	5.75	1.68	1.61
1	AA	1439	G	N1-C2	5.75	1.42	1.37
10	AJ	61	PHE	CG-CD2	5.75	1.47	1.38
26	BB	125	A	N9-C4	-5.75	1.34	1.37
26	BB	221	A	N7-C5	-5.75	1.35	1.39
26	BB	276	U	C2-O2	5.75	1.27	1.22
26	BB	513	A	O3'-P	5.75	1.68	1.61
26	BB	589	U	C4-O4	-5.75	1.19	1.23
26	BB	618	G	N7-C5	5.75	1.42	1.39
26	BB	1113	U	C4'-C3'	-5.75	1.46	1.52
26	BB	1157	G	C8-N7	-5.75	1.27	1.30
26	BB	1220	G	P-O5'	5.75	1.65	1.59
26	BB	1501	G	C3'-C2'	5.75	1.59	1.52
26	BB	1597	A	C6-N6	-5.75	1.29	1.33
26	BB	2507	C	C3'-C2'	5.75	1.59	1.52
26	BB	2751	G	C6-N1	5.75	1.43	1.39
26	BB	2903	U	O3'-P	-5.75	1.54	1.61
25	BA	60	C	N1-C6	5.75	1.40	1.37
26	BB	54	G	N1-C2	5.75	1.42	1.37
26	BB	1158	C	C2'-O2'	5.75	1.49	1.41

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1935	G	C8-N7	5.75	1.34	1.30
26	BB	2204	G	C8-N7	-5.75	1.27	1.30
26	BB	2464	G	N1-C2	5.75	1.42	1.37
1	AA	566	G	C6-O6	-5.75	1.19	1.24
1	AA	829	G	N7-C5	5.75	1.42	1.39
1	AA	1345	U	N3-C4	5.75	1.43	1.38
2	AB	72	U	C5-C6	5.75	1.39	1.34
26	BB	810	U	N3-C4	5.75	1.43	1.38
26	BB	2055	C	C4'-O4'	-5.75	1.38	1.45
1	AA	1271	A	N9-C4	-5.75	1.34	1.37
26	BB	717	C	C4-N4	5.75	1.39	1.33
26	BB	2623	G	C5'-C4'	5.75	1.58	1.51
1	AA	1437	A	C2'-O2'	-5.75	1.34	1.41
26	BB	219	A	N7-C5	5.75	1.42	1.39
26	BB	502	A	C8-N7	-5.74	1.27	1.31
26	BB	1367	A	C4'-O4'	-5.74	1.38	1.45
26	BB	1937	A	C6-N1	5.74	1.39	1.35
26	BB	2016	U	C5-C6	5.74	1.39	1.34
26	BB	2169	A	N9-C8	-5.74	1.33	1.37
1	AA	94	G	C6-N1	5.74	1.43	1.39
3	AC	51	C	C4'-C3'	5.74	1.59	1.53
1	AA	236	A	C8-N7	-5.74	1.27	1.31
1	AA	520	A	C5-C4	-5.74	1.34	1.38
1	AA	1320	C	P-O5'	5.74	1.65	1.59
26	BB	646	U	C5-C6	5.74	1.39	1.34
26	BB	742	A	C1'-N9	5.74	1.57	1.48
26	BB	802	A	C2'-O2'	5.74	1.49	1.41
26	BB	1395	A	O3'-P	5.74	1.68	1.61
26	BB	1657	U	N1-C2	5.74	1.43	1.38
26	BB	1693	U	C4'-O4'	-5.74	1.38	1.45
26	BB	1958	C	C4-C5	5.74	1.47	1.43
26	BB	2584	U	C2-O2	5.74	1.27	1.22
26	BB	2693	G	C5-C6	5.74	1.48	1.42
26	BB	2748	A	P-O5'	5.74	1.65	1.59
26	BB	2890	G	N1-C2	5.74	1.42	1.37
26	BB	2904	U	C2'-C1'	-5.74	1.47	1.53
38	BN	21	ARG	CZ-NH1	5.74	1.40	1.33
1	AA	66	A	C6-N6	5.74	1.38	1.33
1	AA	332	G	C8-N7	-5.74	1.27	1.30
1	AA	509	A	P-O5'	5.74	1.65	1.59
25	BA	29	A	C6-N1	5.74	1.39	1.35
26	BB	557	C	N1-C6	5.74	1.40	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	764	A	C5'-C4'	5.74	1.58	1.51
26	BB	978	G	N9-C4	-5.74	1.33	1.38
26	BB	1205	A	C6-N1	-5.74	1.31	1.35
32	BH	13	GLY	CA-C	5.74	1.61	1.51
1	AA	635	A	P-O5'	5.74	1.65	1.59
1	AA	1074	G	N1-C2	5.74	1.42	1.37
1	AA	1274	A	C4'-O4'	-5.74	1.38	1.45
26	BB	856	G	N7-C5	5.74	1.42	1.39
26	BB	919	U	C4-O4	5.74	1.28	1.23
26	BB	1028	A	C4'-O4'	-5.74	1.38	1.45
26	BB	1504	A	C2'-C1'	-5.74	1.47	1.53
26	BB	2083	G	C8-N7	5.74	1.34	1.30
1	AA	349	A	C5-C4	-5.74	1.34	1.38
1	AA	1176	A	C8-N7	5.74	1.35	1.31
1	AA	1459	G	O3'-P	5.74	1.68	1.61
26	BB	569	U	C2-O2	5.74	1.27	1.22
26	BB	1160	G	N3-C4	5.74	1.39	1.35
26	BB	2077	A	C5-C6	5.74	1.46	1.41
26	BB	2361	G	C5-C4	-5.74	1.34	1.38
26	BB	2815	C	C5'-C4'	5.74	1.58	1.51
26	BB	2855	C	N3-C4	-5.74	1.29	1.33
26	BB	2880	C	C5-C6	5.74	1.39	1.34
1	AA	310	G	N9-C4	5.73	1.42	1.38
1	AA	609	A	N9-C4	-5.73	1.34	1.37
1	AA	891	U	N1-C2	5.73	1.43	1.38
1	AA	1306	A	N7-C5	-5.73	1.35	1.39
1	AA	1412	C	C4'-C3'	5.73	1.59	1.53
26	BB	127	A	P-O5'	5.73	1.65	1.59
26	BB	1212	G	N9-C4	5.73	1.42	1.38
26	BB	2141	G	C3'-O3'	5.73	1.50	1.42
26	BB	2230	G	N9-C4	5.73	1.42	1.38
1	AA	1482	G	C3'-O3'	5.73	1.50	1.42
26	BB	64	A	C5'-C4'	5.73	1.58	1.51
26	BB	150	U	C2'-C1'	-5.73	1.47	1.53
26	BB	273	G	C2'-O2'	5.73	1.49	1.41
26	BB	344	A	N9-C4	-5.73	1.34	1.37
26	BB	516	C	C2-N3	5.73	1.40	1.35
26	BB	830	G	C5-C4	-5.73	1.34	1.38
26	BB	2534	A	C2-N3	5.73	1.38	1.33
26	BB	2558	C	C4'-C3'	-5.73	1.46	1.52
40	BP	12	ARG	NE-CZ	5.73	1.40	1.33
3	AC	22	G	C4'-C3'	5.73	1.59	1.53

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	239	C	C1'-N1	5.73	1.57	1.48
26	BB	641	U	P-O5'	-5.73	1.54	1.59
26	BB	766	U	P-O5'	5.73	1.65	1.59
26	BB	1070	A	P-O5'	5.73	1.65	1.59
26	BB	1919	A	N3-C4	5.73	1.38	1.34
1	AA	848	C	C5'-C4'	-5.73	1.44	1.51
26	BB	1980	G	N3-C4	5.73	1.39	1.35
26	BB	2889	C	C4-C5	5.73	1.47	1.43
1	AA	956	U	C4'-O4'	-5.73	1.38	1.45
26	BB	126	A	P-O5'	5.73	1.65	1.59
26	BB	902	C	C3'-C2'	5.73	1.59	1.52
26	BB	1376	C	C4-C5	5.73	1.47	1.43
26	BB	1878	G	C2-N3	5.73	1.37	1.32
26	BB	2218	G	P-O5'	5.73	1.65	1.59
26	BB	2904	U	C5'-C4'	5.73	1.58	1.51
1	AA	113	G	C5'-C4'	5.73	1.58	1.51
1	AA	952	U	C2'-C1'	-5.73	1.47	1.53
26	BB	149	A	C3'-C2'	5.73	1.59	1.52
26	BB	191	A	C3'-C2'	5.73	1.59	1.52
26	BB	345	A	N3-C4	5.73	1.38	1.34
26	BB	1436	G	C6-N1	5.73	1.43	1.39
26	BB	1516	G	N3-C4	-5.73	1.31	1.35
26	BB	2733	A	C3'-C2'	5.73	1.59	1.52
1	AA	424	G	N3-C4	5.72	1.39	1.35
1	AA	1163	A	P-O5'	5.72	1.65	1.59
26	BB	845	A	P-O5'	5.72	1.65	1.59
26	BB	1232	G	N1-C2	5.72	1.42	1.37
26	BB	1300	G	O3'-P	5.72	1.68	1.61
26	BB	2091	C	P-O5'	5.72	1.65	1.59
1	AA	143	A	C5-C6	5.72	1.46	1.41
3	AC	28	U	C4-O4	5.72	1.28	1.23
25	BA	100	G	C3'-C2'	-5.72	1.46	1.52
26	BB	236	C	C5-C6	5.72	1.39	1.34
26	BB	593	U	C4-O4	-5.72	1.19	1.23
26	BB	1331	G	C2'-O2'	-5.72	1.34	1.41
26	BB	2330	G	N9-C4	5.72	1.42	1.38
1	AA	1391	U	N1-C2	5.72	1.43	1.38
26	BB	752	A	C2'-C1'	-5.72	1.47	1.53
26	BB	2712	C	P-O5'	5.72	1.65	1.59
1	AA	107	G	N1-C2	5.72	1.42	1.37
1	AA	191	G	C5'-C4'	5.72	1.58	1.51
1	AA	363	A	N9-C4	5.72	1.41	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	111	A	C5'-C4'	5.72	1.58	1.51
26	BB	206	U	O3'-P	5.72	1.68	1.61
26	BB	969	G	P-O5'	5.72	1.65	1.59
1	AA	1515	G	C6-N1	5.72	1.43	1.39
25	BA	41	G	N9-C4	5.72	1.42	1.38
26	BB	581	C	C2-O2	-5.72	1.19	1.24
26	BB	2147	A	N9-C8	-5.72	1.33	1.37
1	AA	1540	U	N1-C2	5.72	1.43	1.38
4	AD	49	C	C4'-O4'	-5.72	1.38	1.45
26	BB	113	U	O3'-P	5.72	1.68	1.61
26	BB	416	U	C2'-C1'	5.72	1.59	1.53
26	BB	655	A	C5-C4	-5.72	1.34	1.38
26	BB	1567	G	C2'-C1'	5.72	1.59	1.53
26	BB	2043	C	C4'-O4'	-5.72	1.38	1.45
26	BB	2149	U	C2-O2	-5.72	1.17	1.22
1	AA	110	C	N1-C6	5.71	1.40	1.37
1	AA	1178	G	N9-C4	5.71	1.42	1.38
1	AA	1192	C	N1-C6	5.71	1.40	1.37
21	AU	3	TYR	CD1-CE1	5.71	1.48	1.39
26	BB	187	G	C2'-C1'	-5.71	1.47	1.53
26	BB	1022	G	C5-C4	-5.71	1.34	1.38
26	BB	1033	U	C4-C5	5.71	1.48	1.43
26	BB	1845	G	O3'-P	5.71	1.68	1.61
26	BB	2425	A	C5'-C4'	5.71	1.58	1.51
26	BB	2593	U	C2-O2	5.71	1.27	1.22
26	BB	2835	A	C5-C6	5.71	1.46	1.41
26	BB	2890	G	C3'-C2'	5.71	1.59	1.52
1	AA	83	C	N3-C4	5.71	1.38	1.33
1	AA	283	U	C2-O2	5.71	1.27	1.22
1	AA	359	G	C6-O6	-5.71	1.19	1.24
1	AA	931	C	C4'-O4'	-5.71	1.38	1.45
1	AA	1132	C	N1-C2	5.71	1.45	1.40
1	AA	1412	C	C4-C5	5.71	1.47	1.43
4	AD	2	G	P-O5'	5.71	1.65	1.59
26	BB	662	G	C4'-C3'	5.71	1.59	1.53
26	BB	1274	A	C6-N1	-5.71	1.31	1.35
26	BB	2317	A	P-O5'	5.71	1.65	1.59
1	AA	946	A	C3'-C2'	5.71	1.59	1.52
1	AA	1527	U	N1-C2	5.71	1.43	1.38
4	AD	12	G	C4'-C3'	-5.71	1.46	1.52
25	BA	71	C	C4'-O4'	-5.71	1.38	1.45
26	BB	120	U	N1-C2	5.71	1.43	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	39	G	C5'-C4'	5.71	1.58	1.51
1	AA	901	A	C4'-C3'	5.71	1.59	1.53
1	AA	921	U	N1-C6	-5.71	1.32	1.38
1	AA	950	U	N1-C2	5.71	1.43	1.38
1	AA	1082	A	C4'-C3'	5.71	1.59	1.53
1	AA	1314	C	C4'-O4'	-5.71	1.38	1.45
2	AB	9	A	N9-C8	5.71	1.42	1.37
26	BB	163	C	C3'-C2'	5.71	1.59	1.52
26	BB	1387	A	C2-N3	5.71	1.38	1.33
26	BB	1420	A	C8-N7	-5.71	1.27	1.31
26	BB	2308	G	C2-N2	-5.71	1.28	1.34
26	BB	2831	G	C6-N1	-5.71	1.35	1.39
26	BB	2902	C	N3-C4	5.71	1.38	1.33
1	AA	445	G	N1-C2	5.71	1.42	1.37
1	AA	592	G	C3'-C2'	5.71	1.59	1.52
1	AA	1183	U	C1'-N1	5.71	1.57	1.48
26	BB	1203	U	P-O5'	5.71	1.65	1.59
26	BB	1973	G	N1-C2	-5.71	1.33	1.37
26	BB	2573	C	C2-O2	-5.71	1.19	1.24
26	BB	2802	G	C4'-O4'	-5.71	1.38	1.45
2	AB	70	C	C5'-C4'	5.71	1.58	1.51
26	BB	608	A	C2-N3	5.71	1.38	1.33
26	BB	2274	A	N3-C4	5.71	1.38	1.34
26	BB	2578	G	N1-C2	5.71	1.42	1.37
1	AA	342	C	N1-C6	5.70	1.40	1.37
26	BB	208	C	C4'-O4'	-5.70	1.38	1.45
26	BB	1523	U	N1-C6	5.70	1.43	1.38
26	BB	1668	A	C5'-C4'	5.70	1.58	1.51
26	BB	1701	A	C5'-C4'	5.70	1.58	1.51
26	BB	1803	A	C4'-O4'	-5.70	1.38	1.45
26	BB	1860	G	C2-N3	5.70	1.37	1.32
26	BB	2113	U	C5'-C4'	5.70	1.58	1.51
26	BB	1885	A	N3-C4	-5.70	1.31	1.34
26	BB	2366	A	C5-C4	-5.70	1.34	1.38
1	AA	167	A	N1-C2	-5.70	1.29	1.34
1	AA	650	G	C8-N7	5.70	1.34	1.30
1	AA	666	G	C5-C4	-5.70	1.34	1.38
26	BB	230	G	C8-N7	5.70	1.34	1.30
26	BB	256	A	N7-C5	5.70	1.42	1.39
26	BB	1161	C	N1-C6	5.70	1.40	1.37
26	BB	1646	C	P-O5'	-5.70	1.54	1.59
26	BB	1996	C	C5-C6	5.70	1.39	1.34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2747	G	C2-N3	5.70	1.37	1.32
1	AA	1143	G	N7-C5	5.70	1.42	1.39
26	BB	98	G	C3'-C2'	5.70	1.59	1.52
26	BB	602	A	C2'-C1'	5.70	1.59	1.53
26	BB	2112	G	N9-C4	-5.70	1.33	1.38
26	BB	2448	A	N7-C5	-5.70	1.35	1.39
1	AA	164	G	C4'-O4'	-5.70	1.38	1.45
1	AA	366	A	C5'-C4'	5.70	1.58	1.51
26	BB	1113	U	P-O5'	5.70	1.65	1.59
26	BB	2365	G	C2-N2	-5.70	1.28	1.34
26	BB	2752	C	N3-C4	5.70	1.38	1.33
29	BE	127	PHE	CE2-CZ	5.70	1.48	1.37
1	AA	244	U	N1-C2	5.70	1.43	1.38
1	AA	579	A	C5-C6	-5.70	1.35	1.41
1	AA	975	A	O3'-P	5.70	1.68	1.61
2	AB	34	C	N1-C6	5.70	1.40	1.37
26	BB	120	U	C4-C5	5.70	1.48	1.43
26	BB	141	G	C4'-C3'	-5.70	1.46	1.52
26	BB	653	U	P-O5'	5.70	1.65	1.59
26	BB	1020	A	N9-C4	-5.70	1.34	1.37
26	BB	1139	G	O3'-P	5.70	1.68	1.61
26	BB	1617	C	C5-C6	5.70	1.39	1.34
26	BB	1657	U	N1-C6	-5.70	1.32	1.38
26	BB	1999	C	C5-C6	5.70	1.39	1.34
1	AA	373	A	C2'-C1'	-5.69	1.47	1.53
25	BA	105	G	C6-N1	5.69	1.43	1.39
26	BB	182	A	C5-C4	5.69	1.42	1.38
26	BB	1012	U	C3'-C2'	5.69	1.59	1.52
26	BB	1217	U	P-O5'	5.69	1.65	1.59
26	BB	2007	U	N1-C6	5.69	1.43	1.38
1	AA	241	G	C4'-O4'	-5.69	1.38	1.45
1	AA	511	C	C2-O2	-5.69	1.19	1.24
1	AA	1326	U	C4-C5	5.69	1.48	1.43
2	AB	42	G	C5-C6	5.69	1.48	1.42
26	BB	6	A	C8-N7	-5.69	1.27	1.31
26	BB	120	U	C3'-C2'	5.69	1.59	1.52
26	BB	327	G	N1-C2	5.69	1.42	1.37
26	BB	347	A	P-O5'	5.69	1.65	1.59
26	BB	503	A	C2-N3	5.69	1.38	1.33
26	BB	1193	G	N9-C4	-5.69	1.33	1.38
26	BB	1436	G	N9-C8	5.69	1.41	1.37
26	BB	1515	A	C8-N7	-5.69	1.27	1.31

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1993	U	C4-O4	-5.69	1.19	1.23
26	BB	2241	A	C5-C6	5.69	1.46	1.41
26	BB	2676	C	C4-N4	5.69	1.39	1.33
31	BG	7	TYR	CE1-CZ	5.69	1.46	1.38
1	AA	308	C	C1'-N1	5.69	1.57	1.48
1	AA	611	C	O3'-P	5.69	1.68	1.61
1	AA	892	A	C6-N6	-5.69	1.29	1.33
1	AA	1261	A	N9-C4	5.69	1.41	1.37
1	AA	1278	G	N9-C4	5.69	1.42	1.38
1	AA	1513	A	C6-N1	-5.69	1.31	1.35
26	BB	421	C	N3-C4	5.69	1.38	1.33
26	BB	652	U	C2-O2	5.69	1.27	1.22
26	BB	693	A	C5-C4	-5.69	1.34	1.38
26	BB	2388	A	N3-C4	5.69	1.38	1.34
1	AA	1002	G	N1-C2	5.69	1.42	1.37
1	AA	1456	A	P-O5'	5.69	1.65	1.59
26	BB	1248	G	C2-N2	5.69	1.40	1.34
26	BB	2726	A	P-O5'	5.69	1.65	1.59
4	AD	64	G	C6-N1	5.69	1.43	1.39
26	BB	395	U	C4-O4	-5.69	1.19	1.23
26	BB	450	G	C2-N3	5.69	1.37	1.32
26	BB	472	A	P-O5'	5.69	1.65	1.59
26	BB	830	G	P-O5'	5.69	1.65	1.59
26	BB	967	U	O3'-P	5.69	1.68	1.61
26	BB	1215	G	C5'-C4'	5.69	1.58	1.51
26	BB	1216	G	O3'-P	-5.69	1.54	1.61
26	BB	2124	G	N1-C2	5.69	1.42	1.37
26	BB	2138	G	C8-N7	-5.69	1.27	1.30
26	BB	2825	G	N3-C4	-5.69	1.31	1.35
26	BB	2883	A	O3'-P	5.69	1.68	1.61
48	BX	15	GLY	CA-C	5.69	1.60	1.51
1	AA	894	G	C3'-C2'	-5.69	1.46	1.52
1	AA	1123	U	C4-C5	5.69	1.48	1.43
25	BA	33	G	N9-C4	5.68	1.42	1.38
26	BB	1592	C	N3-C4	5.68	1.38	1.33
39	BO	75	GLU	CB-CG	5.68	1.62	1.52
1	AA	367	U	O3'-P	-5.68	1.54	1.61
1	AA	415	A	C8-N7	-5.68	1.27	1.31
1	AA	647	C	C4'-O4'	-5.68	1.38	1.45
1	AA	710	G	C6-N1	5.68	1.43	1.39
1	AA	970	C	C2-O2	-5.68	1.19	1.24
1	AA	1213	A	C3'-C2'	5.68	1.59	1.52

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1367	C	N1-C2	5.68	1.45	1.40
1	AA	1425	U	C5-C6	5.68	1.39	1.34
4	AD	36	A	O4'-C1'	-5.68	1.34	1.41
26	BB	1558	C	C4-C5	5.68	1.47	1.43
1	AA	183	C	C4-C5	5.68	1.47	1.43
1	AA	203	G	C2-N3	5.68	1.37	1.32
4	AD	1	C	C2-N3	-5.68	1.31	1.35
26	BB	797	G	N3-C4	5.68	1.39	1.35
26	BB	819	A	P-O5'	5.68	1.65	1.59
1	AA	935	A	C2'-C1'	5.68	1.59	1.53
1	AA	997	U	N3-C4	5.68	1.43	1.38
10	AJ	176	TYR	CE1-CZ	5.68	1.46	1.38
26	BB	578	G	C8-N7	-5.68	1.27	1.30
26	BB	1045	C	C5-C6	5.68	1.38	1.34
26	BB	1560	G	N9-C4	5.68	1.42	1.38
26	BB	2283	C	C4'-C3'	-5.68	1.46	1.52
1	AA	628	G	N3-C4	5.68	1.39	1.35
1	AA	1345	U	C4-C5	5.68	1.48	1.43
25	BA	66	A	C6-N1	5.68	1.39	1.35
25	BA	120	U	C2-O2	5.68	1.27	1.22
26	BB	575	A	N3-C4	5.68	1.38	1.34
26	BB	1324	G	N7-C5	-5.68	1.35	1.39
26	BB	1733	G	C2-N3	5.68	1.37	1.32
1	AA	1178	G	C5'-C4'	5.68	1.58	1.51
1	AA	1300	G	P-O5'	5.68	1.65	1.59
1	AA	1397	C	N1-C6	5.68	1.40	1.37
26	BB	1214	A	C6-N6	-5.68	1.29	1.33
26	BB	1716	U	N3-C4	5.68	1.43	1.38
26	BB	1859	U	C4'-C3'	-5.68	1.46	1.52
26	BB	2203	U	C4-C5	5.68	1.48	1.43
1	AA	729	A	C4'-O4'	-5.67	1.38	1.45
25	BA	102	G	C2-N3	5.67	1.37	1.32
26	BB	797	G	C4'-C3'	5.67	1.59	1.53
26	BB	973	A	C8-N7	-5.67	1.27	1.31
26	BB	2188	U	C2-O2	5.67	1.27	1.22
26	BB	2453	A	C4'-O4'	-5.67	1.38	1.45
26	BB	2488	G	N9-C4	5.67	1.42	1.38
13	AM	48	ARG	NE-CZ	5.67	1.40	1.33
26	BB	240	C	C2-O2	-5.67	1.19	1.24
26	BB	757	G	O3'-P	5.67	1.68	1.61
26	BB	2015	A	C5-C6	5.67	1.46	1.41
26	BB	2641	G	C4'-O4'	-5.67	1.38	1.45

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2733	A	C2-N3	-5.67	1.28	1.33
1	AA	59	A	N9-C8	-5.67	1.33	1.37
1	AA	608	A	C4'-C3'	5.67	1.59	1.53
1	AA	1013	G	C4'-O4'	-5.67	1.38	1.45
1	AA	1423	G	N3-C4	5.67	1.39	1.35
26	BB	487	C	C5-C6	5.67	1.38	1.34
26	BB	917	A	C4'-O4'	-5.67	1.38	1.45
26	BB	1587	G	C8-N7	-5.67	1.27	1.30
26	BB	2706	A	C5'-C4'	5.67	1.58	1.51
26	BB	2778	A	N7-C5	5.67	1.42	1.39
26	BB	2845	U	N1-C2	5.67	1.43	1.38
1	AA	1033	G	C8-N7	5.67	1.34	1.30
1	AA	1216	A	P-O5'	5.67	1.65	1.59
26	BB	354	A	C6-N6	-5.67	1.29	1.33
26	BB	1195	G	N7-C5	5.67	1.42	1.39
26	BB	1978	A	N9-C4	5.67	1.41	1.37
26	BB	2757	A	C6-N6	-5.67	1.29	1.33
1	AA	9	G	C4'-C3'	5.67	1.59	1.53
1	AA	1004	A	N9-C4	5.67	1.41	1.37
1	AA	1492	A	N9-C8	5.67	1.42	1.37
25	BA	9	G	O4'-C1'	5.67	1.49	1.41
26	BB	1430	G	C2-N3	5.67	1.37	1.32
26	BB	1496	A	C5-C4	-5.67	1.34	1.38
26	BB	2467	C	O4'-C1'	5.67	1.49	1.41
1	AA	392	C	C2-N3	5.67	1.40	1.35
1	AA	1168	U	C5-C6	5.67	1.39	1.34
1	AA	1220	G	N3-C4	5.67	1.39	1.35
1	AA	1264	U	N3-C4	5.67	1.43	1.38
1	AA	1317	C	O3'-P	5.67	1.68	1.61
26	BB	271	G	C6-N1	5.67	1.43	1.39
26	BB	1035	U	P-O5'	5.67	1.65	1.59
26	BB	1174	U	C5-C6	5.67	1.39	1.34
26	BB	2123	G	C5-C6	5.67	1.48	1.42
26	BB	2265	U	C4'-C3'	5.67	1.59	1.53
26	BB	2557	G	N9-C4	5.67	1.42	1.38
1	AA	166	U	O5'-C5'	-5.67	1.33	1.42
2	AB	76	A	C5-C4	-5.67	1.34	1.38
25	BA	73	A	C5-C4	-5.67	1.34	1.38
25	BA	99	A	P-O5'	5.67	1.65	1.59
26	BB	351	C	P-O5'	5.67	1.65	1.59
26	BB	1483	G	N1-C2	-5.67	1.33	1.37
26	BB	2776	A	C5'-C4'	5.67	1.58	1.51

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
43	BS	110	GLU	CG-CD	5.67	1.60	1.51
1	AA	170	U	O3'-P	5.66	1.68	1.61
1	AA	440	C	N1-C6	5.66	1.40	1.37
1	AA	1033	G	C4'-O4'	-5.66	1.38	1.45
26	BB	28	A	C6-N1	-5.66	1.31	1.35
26	BB	2488	G	C2-N3	5.66	1.37	1.32
1	AA	157	U	O3'-P	5.66	1.68	1.61
1	AA	910	C	C5-C6	5.66	1.38	1.34
26	BB	650	C	N1-C6	-5.66	1.33	1.37
1	AA	466	A	N3-C4	5.66	1.38	1.34
1	AA	588	G	N7-C5	-5.66	1.35	1.39
1	AA	1206	G	N1-C2	5.66	1.42	1.37
3	AC	21	U	C4'-O4'	-5.66	1.38	1.45
26	BB	231	A	C3'-O3'	5.66	1.50	1.42
26	BB	350	G	C8-N7	-5.66	1.27	1.30
26	BB	416	U	C5'-C4'	5.66	1.58	1.51
26	BB	542	C	N3-C4	5.66	1.38	1.33
26	BB	562	U	P-O5'	5.66	1.65	1.59
26	BB	1010	A	N9-C4	-5.66	1.34	1.37
26	BB	1132	U	N3-C4	5.66	1.43	1.38
26	BB	1139	G	P-O5'	5.66	1.65	1.59
26	BB	1735	A	C8-N7	-5.66	1.27	1.31
26	BB	1772	A	N3-C4	5.66	1.38	1.34
26	BB	2459	A	P-O5'	5.66	1.65	1.59
26	BB	2895	G	C3'-C2'	-5.66	1.46	1.52
1	AA	1137	C	N3-C4	-5.66	1.29	1.33
26	BB	172	A	C5-C6	-5.66	1.35	1.41
26	BB	236	C	P-O5'	5.66	1.65	1.59
26	BB	1270	C	C4-C5	5.66	1.47	1.43
26	BB	1305	C	C2-O2	-5.66	1.19	1.24
26	BB	1610	A	C6-N6	5.66	1.38	1.33
26	BB	1750	G	O3'-P	5.66	1.68	1.61
1	AA	450	G	C2'-C1'	5.66	1.59	1.53
25	BA	53	A	C8-N7	5.66	1.35	1.31
26	BB	2344	U	C4'-O4'	-5.66	1.38	1.45
26	BB	2492	U	C5'-C4'	5.66	1.58	1.51
1	AA	101	A	C3'-O3'	5.66	1.50	1.42
1	AA	668	G	C4'-O4'	-5.66	1.38	1.45
1	AA	691	G	C2-N3	5.66	1.37	1.32
1	AA	1390	U	N3-C4	5.66	1.43	1.38
26	BB	164	C	N1-C2	5.66	1.45	1.40
26	BB	211	C	C4'-C3'	-5.66	1.46	1.52

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	670	A	N3-C4	5.66	1.38	1.34
26	BB	1363	C	C4'-O4'	-5.66	1.38	1.45
26	BB	2160	C	P-O5'	-5.66	1.54	1.59
26	BB	2309	A	N1-C2	-5.66	1.29	1.34
1	AA	337	G	N7-C5	-5.65	1.35	1.39
1	AA	793	U	C2-N3	5.65	1.41	1.37
2	AB	12	U	N1-C2	5.65	1.43	1.38
26	BB	1444	G	P-O5'	5.65	1.65	1.59
26	BB	2153	C	C2'-O2'	5.65	1.49	1.41
26	BB	2650	U	C4-C5	5.65	1.48	1.43
1	AA	879	C	P-O5'	5.65	1.65	1.59
1	AA	1181	G	N1-C2	5.65	1.42	1.37
26	BB	33	C	O3'-P	5.65	1.68	1.61
26	BB	258	G	C4'-O4'	-5.65	1.38	1.45
26	BB	336	C	O3'-P	5.65	1.68	1.61
26	BB	752	A	N3-C4	5.65	1.38	1.34
26	BB	1611	C	P-O5'	5.65	1.65	1.59
26	BB	2387	U	N1-C6	5.65	1.43	1.38
26	BB	2470	G	C4'-O4'	-5.65	1.38	1.45
29	BE	166	GLY	CA-C	-5.65	1.42	1.51
26	BB	254	G	N1-C2	5.65	1.42	1.37
26	BB	1024	G	C4'-C3'	-5.65	1.46	1.52
26	BB	1037	G	P-O5'	5.65	1.65	1.59
26	BB	1325	U	C2'-C1'	5.65	1.59	1.53
26	BB	2012	G	N1-C2	5.65	1.42	1.37
1	AA	469	C	C5'-C4'	5.65	1.58	1.51
26	BB	2276	G	N9-C8	-5.65	1.33	1.37
1	AA	14	U	C4'-C3'	5.65	1.59	1.53
1	AA	175	C	C2-N3	5.65	1.40	1.35
1	AA	185	U	N3-C4	5.65	1.43	1.38
1	AA	229	U	C3'-O3'	5.65	1.50	1.42
1	AA	467	U	C2-N3	5.65	1.41	1.37
1	AA	593	U	C4-C5	5.65	1.48	1.43
1	AA	812	G	C5'-C4'	5.65	1.58	1.51
6	AF	68	HIS	CB-CG	5.65	1.60	1.50
26	BB	139	U	C2'-C1'	-5.65	1.47	1.53
26	BB	1155	A	C3'-C2'	5.65	1.59	1.52
1	AA	821	G	N1-C2	-5.65	1.33	1.37
26	BB	733	G	C5-C4	-5.65	1.34	1.38
26	BB	2032	G	C2'-C1'	5.65	1.59	1.53
26	BB	2035	G	C6-N1	5.65	1.43	1.39
1	AA	282	A	P-O5'	5.64	1.65	1.59

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	932	C	C5-C6	5.64	1.38	1.34
26	BB	1128	G	C4'-O4'	-5.64	1.38	1.45
26	BB	1342	A	C5'-C4'	5.64	1.58	1.51
26	BB	1441	G	C5'-C4'	5.64	1.58	1.51
26	BB	1733	G	N7-C5	5.64	1.42	1.39
26	BB	1903	G	C2-N3	5.64	1.37	1.32
26	BB	1949	G	C8-N7	5.64	1.34	1.30
26	BB	2272	U	C5'-C4'	5.64	1.58	1.51
26	BB	2497	A	C2-N3	-5.64	1.28	1.33
26	BB	2676	C	N1-C6	-5.64	1.33	1.37
1	AA	203	G	C2-N2	-5.64	1.28	1.34
1	AA	641	U	C5'-C4'	5.64	1.58	1.51
1	AA	845	A	C2-N3	-5.64	1.28	1.33
1	AA	1266	G	C5-C4	5.64	1.42	1.38
1	AA	1283	U	C5-C6	5.64	1.39	1.34
1	AA	1320	C	C2-O2	-5.64	1.19	1.24
1	AA	1352	C	C2-N3	5.64	1.40	1.35
26	BB	288	U	C3'-C2'	-5.64	1.46	1.52
26	BB	973	A	C5'-C4'	5.64	1.58	1.51
26	BB	2082	A	C4'-O4'	-5.64	1.38	1.45
26	BB	2321	U	C4'-O4'	-5.64	1.38	1.45
26	BB	2395	C	C4-C5	5.64	1.47	1.43
26	BB	2851	A	C4'-C3'	5.64	1.59	1.53
26	BB	2892	G	C2-N3	5.64	1.37	1.32
2	AB	5	G	C2'-C1'	-5.64	1.47	1.53
26	BB	1024	G	C6-N1	5.64	1.43	1.39
26	BB	2375	G	P-O5'	5.64	1.65	1.59
1	AA	25	C	O4'-C1'	-5.64	1.34	1.41
1	AA	232	G	C5'-C4'	5.64	1.58	1.51
2	AB	25	C	C5'-C4'	5.64	1.58	1.51
26	BB	797	G	C4'-O4'	-5.64	1.38	1.45
26	BB	1729	U	C4-C5	5.64	1.48	1.43
26	BB	1900	A	N9-C8	5.64	1.42	1.37
26	BB	2541	A	C6-N6	-5.64	1.29	1.33
26	BB	2843	G	C3'-O3'	5.64	1.50	1.42
26	BB	2878	U	C3'-C2'	-5.64	1.46	1.52
1	AA	1000	A	O3'-P	5.64	1.68	1.61
1	AA	1535	C	C4'-O4'	-5.64	1.38	1.45
26	BB	676	A	N7-C5	-5.64	1.35	1.39
26	BB	737	C	N3-C4	5.64	1.37	1.33
49	BY	67	LYS	CD-CE	5.64	1.65	1.51
1	AA	567	G	P-O5'	-5.64	1.54	1.59

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
19	AS	25	ARG	NE-CZ	5.64	1.40	1.33
26	BB	367	G	C8-N7	-5.64	1.27	1.30
26	BB	489	G	C5-C4	5.64	1.42	1.38
26	BB	767	U	O3'-P	5.64	1.68	1.61
26	BB	1538	G	C5'-C4'	5.64	1.58	1.51
26	BB	1969	A	C2'-C1'	-5.64	1.47	1.53
26	BB	2032	G	C2-N3	5.64	1.37	1.32
26	BB	2200	C	C2-N3	5.64	1.40	1.35
26	BB	2270	A	C6-N6	-5.64	1.29	1.33
26	BB	2473	U	C4'-O4'	-5.64	1.38	1.45
26	BB	2728	U	N1-C2	5.64	1.43	1.38
26	BB	2753	A	C2'-C1'	-5.64	1.47	1.53
1	AA	365	U	C5-C6	5.63	1.39	1.34
1	AA	471	U	C3'-C2'	5.63	1.59	1.52
1	AA	1255	G	C2-N3	5.63	1.37	1.32
1	AA	1528	U	C5-C6	5.63	1.39	1.34
26	BB	161	A	P-O5'	5.63	1.65	1.59
26	BB	785	G	C5-C4	5.63	1.42	1.38
26	BB	799	G	C6-O6	-5.63	1.19	1.24
26	BB	1219	U	O3'-P	5.63	1.68	1.61
26	BB	1377	G	N9-C8	-5.63	1.33	1.37
26	BB	1625	C	C2'-C1'	5.63	1.59	1.53
26	BB	1627	G	C4'-O4'	-5.63	1.38	1.45
26	BB	2016	U	C5'-C4'	5.63	1.58	1.51
26	BB	2074	U	C3'-O3'	-5.63	1.34	1.42
1	AA	853	C	O4'-C1'	5.63	1.49	1.41
1	AA	1050	G	N7-C5	5.63	1.42	1.39
26	BB	49	A	C2'-C1'	-5.63	1.47	1.53
26	BB	285	G	N7-C5	5.63	1.42	1.39
26	BB	1532	A	P-O5'	5.63	1.65	1.59
26	BB	1557	C	C4'-C3'	5.63	1.59	1.53
26	BB	2828	G	N9-C4	5.63	1.42	1.38
26	BB	2829	A	C4'-C3'	5.63	1.59	1.53
1	AA	419	C	O3'-P	5.63	1.68	1.61
3	AC	53	G	C2-N3	5.63	1.37	1.32
26	BB	374	A	P-O5'	5.63	1.65	1.59
26	BB	725	G	C5-C4	-5.63	1.34	1.38
26	BB	1251	C	C4-N4	-5.63	1.28	1.33
32	BH	61	TRP	CG-CD1	-5.63	1.28	1.36
1	AA	568	G	C6-O6	-5.63	1.19	1.24
26	BB	754	U	C4-C5	5.63	1.48	1.43
26	BB	774	G	O3'-P	5.63	1.68	1.61

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2668	G	N3-C4	5.63	1.39	1.35
1	AA	520	A	P-O5'	5.63	1.65	1.59
4	AD	19	G	C2-N3	5.63	1.37	1.32
25	BA	28	C	O4'-C1'	5.63	1.49	1.41
26	BB	284	U	N3-C4	5.63	1.43	1.38
26	BB	1320	C	N1-C6	5.63	1.40	1.37
26	BB	1418	G	C3'-C2'	5.63	1.59	1.52
26	BB	1901	A	C5-C4	-5.63	1.34	1.38
26	BB	2145	C	N1-C6	5.63	1.40	1.37
26	BB	2439	A	P-O5'	5.63	1.65	1.59
26	BB	2807	U	C4'-O4'	-5.63	1.38	1.45
1	AA	1158	C	O4'-C1'	5.63	1.49	1.41
1	AA	1222	G	N9-C8	-5.63	1.33	1.37
1	AA	1228	C	N3-C4	5.63	1.37	1.33
26	BB	36	G	C4'-C3'	5.63	1.59	1.53
26	BB	163	C	C4-N4	-5.63	1.28	1.33
26	BB	492	A	N3-C4	5.63	1.38	1.34
26	BB	566	U	O4'-C1'	5.63	1.49	1.41
26	BB	843	G	O3'-P	-5.63	1.54	1.61
26	BB	875	G	C6-N1	-5.63	1.35	1.39
26	BB	1159	U	C3'-C2'	-5.63	1.46	1.52
26	BB	1295	C	O3'-P	5.63	1.68	1.61
26	BB	1363	C	C5'-C4'	5.63	1.58	1.51
26	BB	1396	U	C2-O2	5.63	1.27	1.22
26	BB	2428	G	C8-N7	5.63	1.34	1.30
26	BB	2544	G	C5-C6	5.63	1.48	1.42
26	BB	67	U	N1-C6	5.62	1.43	1.38
26	BB	303	G	N9-C8	5.62	1.41	1.37
26	BB	1010	A	C2-N3	-5.62	1.28	1.33
26	BB	1748	C	P-O5'	5.62	1.65	1.59
26	BB	1804	C	C4-C5	5.62	1.47	1.43
26	BB	1956	U	C2-N3	-5.62	1.33	1.37
26	BB	2140	G	C4'-O4'	-5.62	1.38	1.45
26	BB	2557	G	C5'-C4'	5.62	1.58	1.51
26	BB	2750	A	N1-C2	-5.62	1.29	1.34
26	BB	2845	U	C4-O4	5.62	1.28	1.23
1	AA	549	C	N3-C4	5.62	1.37	1.33
1	AA	605	U	C4-O4	-5.62	1.19	1.23
1	AA	646	G	C5-C6	5.62	1.48	1.42
1	AA	1430	A	C1'-N9	5.62	1.57	1.48
26	BB	280	U	C2-N3	5.62	1.41	1.37
26	BB	427	U	C2'-O2'	5.62	1.49	1.41

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	850	U	O3'-P	5.62	1.67	1.61
26	BB	1817	G	C2-N2	-5.62	1.28	1.34
26	BB	2216	G	C4'-C3'	5.62	1.59	1.53
1	AA	65	A	P-O5'	5.62	1.65	1.59
1	AA	141	G	C8-N7	5.62	1.34	1.30
1	AA	429	U	C4-C5	5.62	1.48	1.43
1	AA	475	C	C5'-C4'	5.62	1.58	1.51
1	AA	555	U	C5-C6	5.62	1.39	1.34
1	AA	881	G	N9-C4	5.62	1.42	1.38
1	AA	1001	C	C2-O2	-5.62	1.19	1.24
1	AA	1391	U	C4-C5	5.62	1.48	1.43
3	AC	14	G	N9-C4	5.62	1.42	1.38
26	BB	264	C	P-O5'	5.62	1.65	1.59
26	BB	2545	G	C3'-C2'	5.62	1.59	1.52
26	BB	2833	U	C2-N3	5.62	1.41	1.37
1	AA	702	A	C2-N3	5.62	1.38	1.33
1	AA	1197	A	C2-N3	5.62	1.38	1.33
26	BB	149	A	C5-C4	-5.62	1.34	1.38
26	BB	353	C	C4'-O4'	-5.62	1.38	1.45
26	BB	383	C	C2-N3	5.62	1.40	1.35
26	BB	1121	C	P-O5'	5.62	1.65	1.59
26	BB	1250	G	C5'-C4'	5.62	1.58	1.51
1	AA	258	G	C2-N3	-5.62	1.28	1.32
1	AA	259	G	C6-N1	5.62	1.43	1.39
1	AA	1455	G	N7-C5	5.62	1.42	1.39
26	BB	32	C	O3'-P	5.62	1.67	1.61
26	BB	377	G	N3-C4	5.62	1.39	1.35
26	BB	427	U	C2'-C1'	5.62	1.59	1.53
26	BB	582	A	C6-N6	5.62	1.38	1.33
26	BB	829	A	P-O5'	5.62	1.65	1.59
26	BB	1026	G	C6-O6	-5.62	1.19	1.24
26	BB	1367	A	C3'-O3'	5.62	1.50	1.42
26	BB	1512	C	C5-C6	5.62	1.38	1.34
26	BB	2259	U	C4-C5	5.62	1.48	1.43
26	BB	2884	U	O4'-C1'	5.62	1.49	1.41
1	AA	470	C	C3'-C2'	5.62	1.59	1.52
26	BB	2193	G	C4'-O4'	-5.62	1.38	1.45
26	BB	2772	C	C5-C6	5.62	1.38	1.34
1	AA	235	C	O3'-P	5.62	1.67	1.61
1	AA	1050	G	C2'-C1'	-5.62	1.47	1.53
1	AA	1215	G	C2-N3	5.62	1.37	1.32
25	BA	99	A	C4'-C3'	5.62	1.59	1.53

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	283	G	O4'-C1'	5.62	1.49	1.41
26	BB	303	G	N3-C4	5.62	1.39	1.35
26	BB	484	C	N3-C4	5.62	1.37	1.33
26	BB	2649	C	N1-C6	5.62	1.40	1.37
27	BC	21	TYR	CD2-CE2	5.62	1.47	1.39
42	BR	111	GLU	CB-CG	5.62	1.62	1.52
1	AA	1133	G	C4'-C3'	5.61	1.59	1.53
1	AA	1332	A	C6-N1	5.61	1.39	1.35
3	AC	44	U	O4'-C1'	5.61	1.49	1.41
26	BB	13	A	N3-C4	5.61	1.38	1.34
26	BB	23	G	O3'-P	5.61	1.67	1.61
26	BB	734	A	N7-C5	-5.61	1.35	1.39
26	BB	768	G	C4'-C3'	5.61	1.59	1.53
26	BB	996	A	N9-C4	-5.61	1.34	1.37
26	BB	1037	G	C2-N3	5.61	1.37	1.32
26	BB	1139	G	C2-N2	5.61	1.40	1.34
26	BB	2186	G	C2-N3	5.61	1.37	1.32
1	AA	28	A	N1-C2	-5.61	1.29	1.34
1	AA	1094	G	N1-C2	5.61	1.42	1.37
1	AA	1121	U	C3'-O3'	-5.61	1.34	1.42
19	AS	68	SER	CA-CB	-5.61	1.44	1.52
26	BB	221	A	C6-N1	5.61	1.39	1.35
26	BB	721	A	N7-C5	5.61	1.42	1.39
26	BB	890	C	N3-C4	5.61	1.37	1.33
1	AA	484	G	C2-N3	5.61	1.37	1.32
1	AA	1502	A	C6-N1	-5.61	1.31	1.35
2	AB	58	A	N9-C8	5.61	1.42	1.37
25	BA	99	A	C6-N6	5.61	1.38	1.33
26	BB	243	U	C2-O2	5.61	1.27	1.22
26	BB	394	C	C2-N3	5.61	1.40	1.35
26	BB	523	C	C4'-C3'	5.61	1.59	1.53
26	BB	1038	G	C8-N7	-5.61	1.27	1.30
26	BB	1142	A	C2'-O2'	-5.61	1.34	1.41
26	BB	1758	U	C3'-O3'	5.61	1.50	1.42
26	BB	2151	U	C3'-O3'	-5.61	1.34	1.42
26	BB	2478	A	O3'-P	5.61	1.67	1.61
1	AA	192	A	C5-C4	-5.61	1.34	1.38
1	AA	747	A	C4'-O4'	-5.61	1.38	1.45
26	BB	56	A	C2'-C1'	-5.61	1.47	1.53
26	BB	868	U	C4-C5	5.61	1.48	1.43
1	AA	277	C	C4'-O4'	-5.61	1.38	1.45
1	AA	1160	G	P-O5'	5.61	1.65	1.59

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1474	U	C5'-C4'	5.61	1.58	1.51
1	AA	1540	U	C4'-C3'	5.61	1.59	1.53
26	BB	248	G	C8-N7	-5.61	1.27	1.30
26	BB	422	A	C5'-C4'	5.61	1.58	1.51
26	BB	623	C	C2'-O2'	-5.61	1.34	1.41
26	BB	1018	U	C4'-O4'	-5.61	1.38	1.45
26	BB	1696	G	C2-N2	5.61	1.40	1.34
26	BB	2541	A	C3'-C2'	5.61	1.59	1.52
26	BB	2558	C	N1-C6	5.61	1.40	1.37
32	BH	1	SER	CB-OG	5.61	1.49	1.42
1	AA	608	A	N7-C5	-5.61	1.35	1.39
1	AA	1230	C	C4-C5	-5.61	1.38	1.43
26	BB	1216	G	C6-O6	-5.61	1.19	1.24
26	BB	2624	G	C6-O6	5.61	1.29	1.24
26	BB	2848	G	C3'-C2'	5.61	1.59	1.52
26	BB	2863	C	C4'-C3'	5.61	1.59	1.53
1	AA	1257	A	O3'-P	5.60	1.67	1.61
1	AA	1355	G	N1-C2	5.60	1.42	1.37
26	BB	425	G	C2-N3	5.60	1.37	1.32
26	BB	1845	G	C6-N1	5.60	1.43	1.39
26	BB	2535	G	O4'-C1'	5.60	1.49	1.41
26	BB	2817	U	P-O5'	5.60	1.65	1.59
1	AA	566	G	N1-C2	5.60	1.42	1.37
2	AB	15	A	C5-C4	-5.60	1.34	1.38
2	AB	57	G	C2-N3	-5.60	1.28	1.32
25	BA	4	C	N1-C6	5.60	1.40	1.37
26	BB	230	G	C3'-C2'	5.60	1.59	1.52
26	BB	1009	A	C5'-C4'	5.60	1.58	1.51
26	BB	1124	G	P-O5'	5.60	1.65	1.59
26	BB	1534	U	C4'-O4'	-5.60	1.38	1.45
26	BB	1689	A	C4'-O4'	-5.60	1.38	1.45
26	BB	1745	A	N3-C4	5.60	1.38	1.34
26	BB	2833	U	C4-C5	5.60	1.48	1.43
1	AA	259	G	N1-C2	5.60	1.42	1.37
1	AA	327	A	C1'-N9	5.60	1.57	1.48
3	AC	20	G	O3'-P	5.60	1.67	1.61
26	BB	535	G	N7-C5	5.60	1.42	1.39
26	BB	665	U	P-O5'	5.60	1.65	1.59
26	BB	1344	U	C4-C5	5.60	1.48	1.43
26	BB	1535	A	C2'-C1'	-5.60	1.47	1.53
26	BB	1896	G	C5-C4	-5.60	1.34	1.38
26	BB	2643	G	P-O5'	5.60	1.65	1.59

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	400	C	C3'-C2'	-5.60	1.46	1.52
1	AA	484	G	C3'-O3'	5.60	1.50	1.42
1	AA	901	A	C5-C4	-5.60	1.34	1.38
1	AA	1106	G	C8-N7	-5.60	1.27	1.30
18	AR	71	ARG	CZ-NH2	5.60	1.40	1.33
26	BB	405	U	C5-C6	5.60	1.39	1.34
26	BB	893	C	N3-C4	5.60	1.37	1.33
26	BB	1101	U	N3-C4	5.60	1.43	1.38
26	BB	1179	G	C2'-O2'	5.60	1.49	1.41
26	BB	1591	A	C2'-O2'	-5.60	1.34	1.41
26	BB	1818	U	C4'-O4'	-5.60	1.38	1.45
26	BB	2037	A	C4'-C3'	-5.60	1.47	1.52
26	BB	2802	G	C4'-C3'	-5.60	1.47	1.52
1	AA	234	C	C4'-O4'	-5.60	1.38	1.45
1	AA	268	U	N1-C6	5.60	1.43	1.38
16	AP	23	GLY	N-CA	5.60	1.54	1.46
25	BA	10	G	C4'-O4'	-5.60	1.38	1.45
25	BA	16	G	C5-C6	5.60	1.48	1.42
26	BB	343	C	C2-O2	5.60	1.29	1.24
26	BB	1735	A	C4'-C3'	5.60	1.59	1.53
26	BB	1752	C	C2'-C1'	5.60	1.59	1.53
26	BB	1961	C	C3'-O3'	5.60	1.50	1.42
26	BB	2117	A	C2'-C1'	-5.60	1.47	1.53
26	BB	2556	C	N1-C6	5.60	1.40	1.37
26	BB	2799	A	P-O5'	5.60	1.65	1.59
26	BB	2878	U	C4-O4	5.60	1.28	1.23
1	AA	1126	U	N1-C6	5.60	1.43	1.38
26	BB	194	G	C8-N7	-5.60	1.27	1.30
26	BB	277	G	N1-C2	5.60	1.42	1.37
26	BB	412	A	N3-C4	-5.60	1.31	1.34
26	BB	2685	G	N9-C8	5.60	1.41	1.37
26	BB	2731	G	C6-N1	5.60	1.43	1.39
1	AA	225	C	C2-N3	5.59	1.40	1.35
1	AA	877	G	O4'-C1'	5.59	1.49	1.41
1	AA	1467	C	C4-C5	5.59	1.47	1.43
25	BA	47	C	C3'-C2'	-5.59	1.46	1.52
25	BA	112	G	N1-C2	5.59	1.42	1.37
26	BB	1893	C	N3-C4	-5.59	1.30	1.33
1	AA	435	A	C2'-O2'	-5.59	1.34	1.41
25	BA	56	G	P-O5'	5.59	1.65	1.59
1	AA	1211	U	N3-C4	5.59	1.43	1.38
25	BA	114	C	C5-C6	5.59	1.38	1.34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	854	C	N1-C6	5.59	1.40	1.37
26	BB	1258	U	C2-N3	5.59	1.41	1.37
26	BB	1826	G	C8-N7	-5.59	1.27	1.30
26	BB	2581	G	C8-N7	5.59	1.34	1.30
40	BP	63	ARG	NE-CZ	5.59	1.40	1.33
1	AA	6	G	C4'-C3'	-5.59	1.47	1.52
1	AA	94	G	N1-C2	-5.59	1.33	1.37
1	AA	97	G	N1-C2	5.59	1.42	1.37
1	AA	634	C	C2'-C1'	5.59	1.59	1.53
1	AA	947	G	N3-C4	5.59	1.39	1.35
1	AA	1064	G	C5-C4	5.59	1.42	1.38
1	AA	1404	C	C2-O2	5.59	1.29	1.24
25	BA	95	U	C2-O2	5.59	1.27	1.22
26	BB	652	U	C2'-C1'	5.59	1.59	1.53
26	BB	1175	A	N9-C8	5.59	1.42	1.37
1	AA	369	G	O4'-C1'	5.59	1.49	1.41
1	AA	1191	A	C6-N6	5.59	1.38	1.33
26	BB	806	C	N1-C2	-5.59	1.34	1.40
26	BB	1169	A	C3'-C2'	5.59	1.59	1.52
26	BB	2470	G	N7-C5	5.59	1.42	1.39
1	AA	287	U	P-O5'	5.59	1.65	1.59
1	AA	346	G	C5'-C4'	5.59	1.58	1.51
1	AA	970	C	C4-N4	5.59	1.39	1.33
1	AA	1088	G	C5-C4	5.59	1.42	1.38
26	BB	89	A	O3'-P	-5.59	1.54	1.61
26	BB	711	G	N3-C4	5.59	1.39	1.35
26	BB	890	C	C4'-C3'	-5.59	1.47	1.52
26	BB	1543	G	C4'-O4'	-5.59	1.38	1.45
26	BB	1591	A	N9-C8	-5.59	1.33	1.37
26	BB	2124	G	N9-C8	5.59	1.41	1.37
26	BB	2288	A	C8-N7	-5.59	1.27	1.31
26	BB	2642	G	C5'-C4'	5.59	1.58	1.51
43	BS	19	GLN	CA-CB	5.59	1.66	1.53
1	AA	45	G	C6-N1	5.58	1.43	1.39
1	AA	472	U	C4-C5	5.58	1.48	1.43
1	AA	576	C	C5'-C4'	5.58	1.58	1.51
1	AA	656	G	P-O5'	5.58	1.65	1.59
1	AA	1003	G	N7-C5	5.58	1.42	1.39
3	AC	36	U	N1-C2	5.58	1.43	1.38
26	BB	1434	A	C1'-N9	5.58	1.57	1.48
26	BB	2634	A	O3'-P	5.58	1.67	1.61
1	AA	33	A	C4'-O4'	-5.58	1.38	1.45

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	144	G	P-O5'	5.58	1.65	1.59
1	AA	1006	G	C2-N3	5.58	1.37	1.32
1	AA	1043	G	O4'-C1'	5.58	1.49	1.41
1	AA	1058	G	N3-C4	-5.58	1.31	1.35
1	AA	1127	G	C8-N7	5.58	1.34	1.30
26	BB	733	G	N7-C5	5.58	1.42	1.39
26	BB	803	U	C4-C5	5.58	1.48	1.43
26	BB	1388	G	C2-N3	5.58	1.37	1.32
26	BB	1460	U	C2'-C1'	-5.58	1.47	1.53
36	BL	27	ARG	CD-NE	5.58	1.55	1.46
1	AA	608	A	C8-N7	-5.58	1.27	1.31
1	AA	838	G	N1-C2	5.58	1.42	1.37
1	AA	870	U	C4'-O4'	-5.58	1.38	1.45
1	AA	952	U	O3'-P	5.58	1.67	1.61
1	AA	1057	G	N9-C8	5.58	1.41	1.37
25	BA	47	C	C4-C5	5.58	1.47	1.43
26	BB	39	G	C2-N2	-5.58	1.28	1.34
26	BB	1079	C	N1-C6	5.58	1.40	1.37
26	BB	2709	G	C6-N1	-5.58	1.35	1.39
1	AA	565	U	C2-O2	5.58	1.27	1.22
1	AA	1423	G	C4'-O4'	-5.58	1.38	1.45
4	AD	31	G	C8-N7	5.58	1.34	1.30
26	BB	2483	C	C2-O2	-5.58	1.19	1.24
1	AA	211	G	N7-C5	5.58	1.42	1.39
1	AA	385	C	C2-N3	5.58	1.40	1.35
1	AA	513	C	C5'-C4'	5.58	1.58	1.51
1	AA	579	A	C6-N6	-5.58	1.29	1.33
1	AA	1339	A	C4'-O4'	-5.58	1.38	1.45
1	AA	1492	A	C8-N7	5.58	1.35	1.31
26	BB	4	U	C2'-C1'	5.58	1.59	1.53
26	BB	1406	U	C2-N3	5.58	1.41	1.37
26	BB	1455	G	C8-N7	-5.58	1.27	1.30
26	BB	1904	G	C4'-C3'	5.58	1.59	1.53
26	BB	2893	A	C6-N1	5.58	1.39	1.35
31	BG	99	PHE	CG-CD1	5.58	1.47	1.38
1	AA	846	G	N9-C4	5.58	1.42	1.38
1	AA	1000	A	N3-C4	5.58	1.38	1.34
1	AA	1030	U	C2-O2	5.58	1.27	1.22
1	AA	1060	U	C3'-C2'	5.58	1.59	1.52
1	AA	1236	A	O3'-P	5.58	1.67	1.61
1	AA	1514	G	C5-C4	5.58	1.42	1.38
26	BB	17	G	C5-C6	5.58	1.48	1.42

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	177	G	C2-N3	5.58	1.37	1.32
26	BB	224	U	N3-C4	5.58	1.43	1.38
26	BB	465	G	O3'-P	5.58	1.67	1.61
26	BB	1239	G	C8-N7	-5.58	1.27	1.30
26	BB	1515	A	C6-N1	-5.58	1.31	1.35
26	BB	1717	A	C2'-C1'	5.58	1.59	1.53
26	BB	1737	G	C2-N2	-5.58	1.28	1.34
26	BB	1981	A	C5'-C4'	5.58	1.58	1.51
26	BB	2566	A	P-O5'	5.58	1.65	1.59
26	BB	559	G	N3-C4	5.57	1.39	1.35
26	BB	1878	G	C2'-C1'	5.57	1.59	1.53
26	BB	2317	A	N3-C4	5.57	1.38	1.34
26	BB	2576	G	N7-C5	-5.57	1.35	1.39
1	AA	258	G	C5-C6	5.57	1.48	1.42
1	AA	473	U	N3-C4	5.57	1.43	1.38
1	AA	1210	C	C5'-C4'	5.57	1.58	1.51
4	AD	39	A	P-O5'	5.57	1.65	1.59
26	BB	30	G	C4'-C3'	5.57	1.59	1.53
26	BB	342	A	O4'-C1'	5.57	1.48	1.41
26	BB	1283	G	O3'-P	5.57	1.67	1.61
26	BB	1318	U	N1-C2	5.57	1.43	1.38
26	BB	1790	C	C4'-O4'	-5.57	1.38	1.45
1	AA	89	U	C5-C6	5.57	1.39	1.34
1	AA	237	G	N9-C8	5.57	1.41	1.37
1	AA	730	G	N1-C2	5.57	1.42	1.37
26	BB	539	G	C2-N3	5.57	1.37	1.32
26	BB	1300	G	N7-C5	5.57	1.42	1.39
26	BB	1383	A	N3-C4	5.57	1.38	1.34
26	BB	1797	G	C3'-C2'	5.57	1.59	1.52
26	BB	2381	A	C8-N7	5.57	1.35	1.31
1	AA	1391	U	O3'-P	5.57	1.67	1.61
2	AB	29	G	P-O5'	5.57	1.65	1.59
26	BB	2763	G	C5-C4	5.57	1.42	1.38
1	AA	268	U	P-O5'	5.57	1.65	1.59
1	AA	327	A	C5-C6	-5.57	1.36	1.41
1	AA	384	G	C6-N1	5.57	1.43	1.39
1	AA	448	A	N3-C4	5.57	1.38	1.34
1	AA	658	C	C4-C5	5.57	1.47	1.43
1	AA	1067	A	P-O5'	-5.57	1.54	1.59
26	BB	1534	U	C2-N3	5.57	1.41	1.37
26	BB	1540	G	C6-N1	5.57	1.43	1.39
26	BB	1610	A	O3'-P	5.57	1.67	1.61

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1632	A	N1-C2	-5.57	1.29	1.34
26	BB	2450	A	C5-C4	-5.57	1.34	1.38
26	BB	2561	U	C2'-C1'	5.57	1.59	1.53
26	BB	2642	G	P-O5'	5.57	1.65	1.59
1	AA	197	A	N9-C4	-5.57	1.34	1.37
1	AA	211	G	N3-C4	-5.57	1.31	1.35
1	AA	1010	U	C3'-C2'	-5.57	1.46	1.52
1	AA	1152	A	P-O5'	5.57	1.65	1.59
1	AA	1195	C	C2'-C1'	-5.57	1.47	1.53
1	AA	1213	A	C5'-C4'	5.57	1.58	1.51
1	AA	1482	G	N9-C4	5.57	1.42	1.38
26	BB	95	A	C6-N1	-5.57	1.31	1.35
26	BB	120	U	N3-C4	5.57	1.43	1.38
26	BB	312	G	N9-C4	-5.57	1.33	1.38
26	BB	467	G	C5'-C4'	5.57	1.58	1.51
26	BB	1429	G	C6-N1	-5.57	1.35	1.39
26	BB	2113	U	N1-C2	5.57	1.43	1.38
26	BB	2240	U	C2-N3	5.57	1.41	1.37
28	BD	147	PRO	N-CD	5.57	1.55	1.47
1	AA	346	G	C8-N7	5.56	1.34	1.30
1	AA	533	A	N9-C4	5.56	1.41	1.37
1	AA	722	G	N3-C4	5.56	1.39	1.35
1	AA	820	U	C1'-N1	5.56	1.57	1.48
1	AA	961	U	C4'-C3'	-5.56	1.47	1.52
4	AD	32	G	N9-C4	-5.56	1.33	1.38
9	AI	131	GLU	CG-CD	5.56	1.60	1.51
26	BB	1807	G	N3-C4	5.56	1.39	1.35
26	BB	2803	G	C2-N3	5.56	1.37	1.32
1	AA	338	A	C8-N7	-5.56	1.27	1.31
1	AA	567	G	N7-C5	-5.56	1.35	1.39
1	AA	1415	G	C6-N1	5.56	1.43	1.39
25	BA	83	G	C6-N1	5.56	1.43	1.39
26	BB	777	G	C5'-C4'	5.56	1.58	1.51
26	BB	934	U	C2'-C1'	-5.56	1.47	1.53
26	BB	938	G	C6-O6	-5.56	1.19	1.24
26	BB	1378	A	C5-C4	-5.56	1.34	1.38
26	BB	1645	G	N7-C5	-5.56	1.35	1.39
26	BB	2281	A	N9-C8	5.56	1.42	1.37
1	AA	202	G	C5-C6	5.56	1.48	1.42
26	BB	273	G	C6-N1	5.56	1.43	1.39
26	BB	486	C	C4'-O4'	-5.56	1.38	1.45
26	BB	1581	G	C2-N3	5.56	1.37	1.32

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1873	G	C6-N1	5.56	1.43	1.39
1	AA	225	C	O3'-P	5.56	1.67	1.61
1	AA	604	G	C2-N3	5.56	1.37	1.32
1	AA	1143	G	N3-C4	-5.56	1.31	1.35
1	AA	1458	G	N9-C4	5.56	1.42	1.38
26	BB	1145	C	C2-N3	5.56	1.40	1.35
1	AA	836	G	N1-C2	5.56	1.42	1.37
1	AA	1171	A	O3'-P	5.56	1.67	1.61
1	AA	1525	G	C6-N1	5.56	1.43	1.39
1	AA	1528	U	N1-C6	-5.56	1.32	1.38
26	BB	495	G	N3-C4	5.56	1.39	1.35
26	BB	516	C	C4-C5	5.56	1.47	1.43
26	BB	833	A	N3-C4	5.56	1.38	1.34
26	BB	881	G	N9-C8	-5.56	1.33	1.37
26	BB	1117	C	O3'-P	5.56	1.67	1.61
26	BB	1471	G	C5'-C4'	5.56	1.58	1.51
26	BB	2026	U	C5'-C4'	5.56	1.58	1.51
26	BB	2128	G	P-O5'	5.56	1.65	1.59
26	BB	2159	G	O5'-C5'	-5.56	1.33	1.42
26	BB	2191	A	N3-C4	5.56	1.38	1.34
1	AA	388	G	C5-C6	5.56	1.48	1.42
1	AA	1264	U	C2-N3	5.56	1.41	1.37
1	AA	1420	U	N1-C2	5.56	1.43	1.38
26	BB	614	A	N3-C4	5.56	1.38	1.34
26	BB	1701	A	N9-C8	-5.56	1.33	1.37
1	AA	16	A	O3'-P	-5.55	1.54	1.61
25	BA	17	C	C5-C6	5.55	1.38	1.34
26	BB	871	U	C3'-C2'	-5.55	1.46	1.52
26	BB	1063	G	O3'-P	5.55	1.67	1.61
26	BB	1176	U	C5'-C4'	5.55	1.58	1.51
26	BB	1949	G	N9-C4	-5.55	1.33	1.38
26	BB	2603	G	N1-C2	5.55	1.42	1.37
26	BB	1005	C	C3'-O3'	-5.55	1.34	1.42
1	AA	177	G	C6-O6	5.55	1.29	1.24
1	AA	788	U	C4-C5	5.55	1.48	1.43
1	AA	866	C	C2'-C1'	-5.55	1.47	1.53
26	BB	141	G	N1-C2	5.55	1.42	1.37
26	BB	858	G	C2-N3	5.55	1.37	1.32
1	AA	1191	A	N7-C5	5.55	1.42	1.39
25	BA	52	A	N3-C4	5.55	1.38	1.34
25	BA	105	G	N9-C4	-5.55	1.33	1.38
26	BB	742	A	N3-C4	5.55	1.38	1.34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1140	C	O4'-C1'	5.55	1.48	1.41
26	BB	1449	G	C6-O6	5.55	1.29	1.24
26	BB	2350	C	C3'-C2'	5.55	1.59	1.52
26	BB	2518	A	P-O5'	5.55	1.65	1.59
26	BB	2874	C	C5-C6	5.55	1.38	1.34
42	BR	100	ARG	NE-CZ	5.55	1.40	1.33
1	AA	909	A	P-O5'	5.55	1.65	1.59
1	AA	1009	U	C3'-C2'	5.55	1.59	1.52
26	BB	1134	A	P-O5'	5.55	1.65	1.59
26	BB	1812	U	C2-N3	5.55	1.41	1.37
26	BB	2000	C	C2-O2	-5.55	1.19	1.24
26	BB	2029	G	C6-N1	-5.55	1.35	1.39
1	AA	278	G	C2-N3	5.55	1.37	1.32
2	AB	58	A	C2-N3	-5.55	1.28	1.33
26	BB	1055	G	C5-C6	5.55	1.47	1.42
26	BB	2110	G	N1-C2	5.55	1.42	1.37
26	BB	2809	A	C4'-O4'	-5.55	1.38	1.45
1	AA	1333	A	C8-N7	-5.54	1.27	1.31
26	BB	752	A	N9-C4	5.54	1.41	1.37
26	BB	1928	A	O3'-P	5.54	1.67	1.61
26	BB	2317	A	N7-C5	5.54	1.42	1.39
1	AA	679	C	C4'-C3'	-5.54	1.47	1.52
1	AA	1455	G	C5'-C4'	5.54	1.58	1.51
26	BB	473	G	N3-C4	-5.54	1.31	1.35
26	BB	872	U	C4-C5	5.54	1.48	1.43
26	BB	962	G	C5-C4	-5.54	1.34	1.38
26	BB	1014	A	C6-N6	5.54	1.38	1.33
26	BB	1017	G	N9-C8	5.54	1.41	1.37
26	BB	1047	G	C4'-O4'	-5.54	1.38	1.45
26	BB	1067	A	C5'-C4'	5.54	1.58	1.51
26	BB	1089	A	P-O5'	5.54	1.65	1.59
26	BB	1998	A	C2-N3	5.54	1.38	1.33
26	BB	2078	C	C5-C6	5.54	1.38	1.34
26	BB	2629	U	P-O5'	5.54	1.65	1.59
1	AA	230	G	N9-C4	5.54	1.42	1.38
1	AA	311	C	N1-C2	5.54	1.45	1.40
1	AA	337	G	C8-N7	-5.54	1.27	1.30
1	AA	752	G	C2'-O2'	5.54	1.48	1.41
1	AA	963	G	N7-C5	5.54	1.42	1.39
26	BB	55	G	N9-C4	-5.54	1.33	1.38
26	BB	1133	A	C2-N3	-5.54	1.28	1.33
26	BB	1876	A	C8-N7	-5.54	1.27	1.31

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2361	G	C5-C6	-5.54	1.36	1.42
26	BB	2538	C	C4-N4	-5.54	1.28	1.33
26	BB	2676	C	C2-N3	5.54	1.40	1.35
26	BB	1069	A	C4'-O4'	-5.54	1.38	1.45
26	BB	1094	U	C4-C5	5.54	1.48	1.43
26	BB	2830	C	C3'-C2'	5.54	1.59	1.52
26	BB	2837	A	C4'-O4'	-5.54	1.38	1.45
1	AA	1394	A	O3'-P	5.54	1.67	1.61
3	AC	33	A	C3'-C2'	5.54	1.59	1.52
5	AE	109	SER	CA-CB	5.54	1.61	1.52
26	BB	16	C	N1-C2	5.54	1.45	1.40
26	BB	19	A	O3'-P	5.54	1.67	1.61
26	BB	533	G	N7-C5	5.54	1.42	1.39
26	BB	1373	A	N9-C8	-5.54	1.33	1.37
26	BB	2119	A	O3'-P	5.54	1.67	1.61
26	BB	2841	C	C2-N3	5.54	1.40	1.35
1	AA	86	G	N7-C5	-5.54	1.35	1.39
26	BB	1097	U	N1-C6	5.54	1.43	1.38
26	BB	2359	C	C5'-C4'	5.54	1.57	1.51
26	BB	2731	G	C5'-C4'	5.54	1.57	1.51
1	AA	110	C	C4'-O4'	-5.54	1.38	1.45
1	AA	1159	U	C4'-C3'	-5.54	1.47	1.52
26	BB	9	G	C4'-O4'	-5.54	1.38	1.45
26	BB	1238	G	C4'-C3'	5.54	1.59	1.53
26	BB	1555	G	N9-C8	-5.54	1.33	1.37
26	BB	1640	A	N9-C8	-5.54	1.33	1.37
26	BB	1844	C	N1-C6	5.54	1.40	1.37
26	BB	1898	U	C5'-C4'	5.54	1.57	1.51
26	BB	1958	C	P-O5'	-5.54	1.54	1.59
26	BB	2216	G	C5'-C4'	5.54	1.57	1.51
1	AA	42	G	C2'-C1'	5.53	1.59	1.53
1	AA	713	G	C8-N7	5.53	1.34	1.30
26	BB	22	C	C1'-N1	5.53	1.57	1.48
26	BB	670	A	N9-C4	5.53	1.41	1.37
26	BB	1886	U	N1-C6	-5.53	1.32	1.38
26	BB	2145	C	C5'-C4'	5.53	1.57	1.51
26	BB	2341	G	C2-N2	5.53	1.40	1.34
26	BB	2538	C	C2'-C1'	5.53	1.59	1.53
26	BB	520	G	C2-N3	5.53	1.37	1.32
26	BB	848	C	C3'-O3'	5.53	1.49	1.42
26	BB	2010	G	N9-C8	5.53	1.41	1.37
1	AA	388	G	O3'-P	-5.53	1.54	1.61

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	952	U	N1-C6	5.53	1.43	1.38
1	AA	985	C	C4'-O4'	-5.53	1.38	1.45
1	AA	988	G	N1-C2	5.53	1.42	1.37
1	AA	1247	U	C4-O4	-5.53	1.19	1.23
25	BA	102	G	P-O5'	5.53	1.65	1.59
26	BB	173	A	C6-N6	-5.53	1.29	1.33
26	BB	603	A	C6-N6	5.53	1.38	1.33
26	BB	2055	C	C5-C6	5.53	1.38	1.34
26	BB	2082	A	C4'-C3'	5.53	1.59	1.53
26	BB	2438	U	C4'-C3'	-5.53	1.47	1.52
26	BB	2446	G	P-O5'	5.53	1.65	1.59
26	BB	2880	C	N3-C4	5.53	1.37	1.33
26	BB	2883	A	N7-C5	5.53	1.42	1.39
1	AA	272	C	C3'-C2'	5.53	1.59	1.52
1	AA	1312	G	C6-O6	-5.53	1.19	1.24
1	AA	1319	A	C5'-C4'	5.53	1.57	1.51
26	BB	1005	C	C5-C6	5.53	1.38	1.34
1	AA	14	U	C2'-O2'	5.53	1.48	1.41
1	AA	471	U	C4-O4	-5.53	1.19	1.23
1	AA	1045	C	C2-N3	5.53	1.40	1.35
1	AA	1415	G	N9-C8	5.53	1.41	1.37
1	AA	1492	A	C2'-O2'	-5.53	1.34	1.41
26	BB	1002	G	P-O5'	5.53	1.65	1.59
26	BB	2586	U	N1-C2	5.53	1.43	1.38
26	BB	2678	C	C2-N3	5.53	1.40	1.35
26	BB	2725	A	C8-N7	-5.53	1.27	1.31
1	AA	140	U	C5'-C4'	5.53	1.57	1.51
25	BA	43	C	C4-N4	-5.53	1.28	1.33
26	BB	254	G	N9-C4	5.53	1.42	1.38
26	BB	525	U	C2-N3	5.53	1.41	1.37
26	BB	572	A	C4'-C3'	5.53	1.59	1.53
26	BB	628	G	N1-C2	5.53	1.42	1.37
26	BB	822	G	C6-N1	5.53	1.43	1.39
26	BB	1203	U	C4'-C3'	-5.53	1.47	1.52
26	BB	1260	A	C2'-O2'	-5.53	1.34	1.41
26	BB	1930	G	C8-N7	5.53	1.34	1.30
26	BB	2510	C	C5'-C4'	5.53	1.57	1.51
26	BB	801	G	C4'-O4'	-5.52	1.38	1.45
26	BB	1492	G	C1'-N9	5.52	1.57	1.48
26	BB	2401	U	N1-C6	5.52	1.43	1.38
26	BB	2546	U	C2-N3	-5.52	1.33	1.37
26	BB	2567	G	C6-N1	5.52	1.43	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	185	U	C5-C6	5.52	1.39	1.34
2	AB	53	G	C4'-O4'	-5.52	1.38	1.45
26	BB	26	G	C4'-O4'	-5.52	1.38	1.45
26	BB	600	G	N9-C8	-5.52	1.33	1.37
26	BB	757	G	C6-N1	-5.52	1.35	1.39
26	BB	1009	A	O3'-P	-5.52	1.54	1.61
26	BB	1198	U	C4-O4	-5.52	1.19	1.23
26	BB	1443	U	C4'-O4'	-5.52	1.38	1.45
26	BB	1609	A	O3'-P	5.52	1.67	1.61
26	BB	822	G	C2-N3	5.52	1.37	1.32
26	BB	1440	U	C4'-O4'	-5.52	1.38	1.45
26	BB	1512	C	N1-C6	-5.52	1.33	1.37
1	AA	922	G	C8-N7	-5.52	1.27	1.30
1	AA	1035	A	C2'-C1'	-5.52	1.47	1.53
2	AB	9	A	O3'-P	5.52	1.67	1.61
26	BB	40	U	O3'-P	5.52	1.67	1.61
26	BB	247	G	C4'-C3'	-5.52	1.47	1.52
26	BB	834	G	C2-N3	5.52	1.37	1.32
26	BB	1316	U	O3'-P	5.52	1.67	1.61
26	BB	1759	A	C8-N7	5.52	1.35	1.31
26	BB	1829	A	N3-C4	5.52	1.38	1.34
26	BB	1988	G	O4'-C1'	-5.52	1.34	1.41
26	BB	2024	G	O4'-C1'	5.52	1.48	1.41
26	BB	2185	U	C2-O2	5.52	1.27	1.22
26	BB	2478	A	C8-N7	-5.52	1.27	1.31
26	BB	2521	C	P-O5'	5.52	1.65	1.59
26	BB	2593	U	C3'-O3'	5.52	1.49	1.42
43	BS	88	GLU	CD-OE2	-5.52	1.19	1.25
1	AA	1215	G	C8-N7	-5.52	1.27	1.30
2	AB	53	G	C8-N7	-5.52	1.27	1.30
25	BA	35	C	C4'-C3'	5.52	1.59	1.53
26	BB	10	A	N9-C4	5.52	1.41	1.37
26	BB	285	G	C6-N1	5.52	1.43	1.39
26	BB	1432	G	P-O5'	-5.52	1.54	1.59
26	BB	2052	A	C5'-C4'	5.52	1.57	1.51
26	BB	2440	C	C4-C5	5.52	1.47	1.43
26	BB	2780	G	C2'-O2'	-5.52	1.34	1.41
46	BV	73	ARG	CZ-NH2	5.52	1.40	1.33
1	AA	321	A	N3-C4	5.52	1.38	1.34
1	AA	1024	G	O3'-P	5.52	1.67	1.61
26	BB	1278	C	C2-N3	5.52	1.40	1.35
26	BB	2565	A	C4'-O4'	-5.52	1.38	1.45

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	166	U	O3'-P	5.51	1.67	1.61
1	AA	1229	A	C5'-C4'	5.51	1.57	1.51
1	AA	1352	C	C2-O2	5.51	1.29	1.24
2	AB	33	U	C4-C5	5.51	1.48	1.43
19	AS	44	SER	CA-CB	5.51	1.61	1.52
26	BB	75	G	N1-C2	5.51	1.42	1.37
26	BB	496	G	C5-C4	-5.51	1.34	1.38
26	BB	1594	U	C2-N3	5.51	1.41	1.37
26	BB	2572	A	C2'-C1'	-5.51	1.47	1.53
1	AA	479	U	C2-N3	5.51	1.41	1.37
1	AA	748	G	O3'-P	-5.51	1.54	1.61
1	AA	1167	A	C5'-C4'	5.51	1.57	1.51
2	AB	2	G	P-O5'	5.51	1.65	1.59
25	BA	44	G	C8-N7	5.51	1.34	1.30
26	BB	166	U	C4'-O4'	-5.51	1.38	1.45
26	BB	274	C	N3-C4	5.51	1.37	1.33
1	AA	50	A	C5-C6	5.51	1.46	1.41
1	AA	132	C	C2'-C1'	5.51	1.59	1.53
1	AA	860	A	C6-N1	-5.51	1.31	1.35
1	AA	1282	C	C2'-C1'	5.51	1.59	1.53
1	AA	1344	C	O3'-P	5.51	1.67	1.61
1	AA	1445	U	N3-C4	5.51	1.43	1.38
3	AC	59	A	P-O5'	5.51	1.65	1.59
25	BA	63	C	P-O5'	5.51	1.65	1.59
26	BB	270	A	C6-N1	-5.51	1.31	1.35
26	BB	577	G	O3'-P	5.51	1.67	1.61
26	BB	1833	C	C2'-C1'	5.51	1.59	1.53
26	BB	2119	A	C5-C6	-5.51	1.36	1.41
1	AA	410	G	N9-C4	-5.51	1.33	1.38
1	AA	553	A	C4'-O4'	-5.51	1.38	1.45
1	AA	1363	A	C6-N1	5.51	1.39	1.35
26	BB	185	G	C6-N1	5.51	1.43	1.39
26	BB	1114	C	P-O5'	5.51	1.65	1.59
26	BB	1180	U	C4-C5	5.51	1.48	1.43
26	BB	1359	A	C5-C4	5.51	1.42	1.38
26	BB	2509	G	C4'-O4'	-5.51	1.38	1.45
31	BG	97	GLU	CG-CD	5.51	1.60	1.51
1	AA	155	A	C6-N1	-5.51	1.31	1.35
4	AD	53	G	C6-O6	-5.51	1.19	1.24
26	BB	399	U	C4'-O4'	-5.51	1.38	1.45
26	BB	1449	G	C2-N3	5.51	1.37	1.32
26	BB	1622	G	C4'-C3'	5.51	1.59	1.53

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2267	A	C2-N3	5.51	1.38	1.33
26	BB	2671	G	C4'-O4'	-5.51	1.38	1.45
1	AA	136	C	C5-C6	5.51	1.38	1.34
1	AA	406	G	N1-C2	5.51	1.42	1.37
1	AA	939	G	C8-N7	5.51	1.34	1.30
1	AA	1075	U	C5'-C4'	5.51	1.57	1.51
1	AA	1218	C	C5-C6	5.51	1.38	1.34
1	AA	1395	C	C2-N3	5.51	1.40	1.35
26	BB	988	A	C8-N7	-5.51	1.27	1.31
26	BB	1225	G	C2'-O2'	-5.51	1.34	1.41
26	BB	1266	G	C4'-O4'	-5.51	1.38	1.45
26	BB	1316	U	C2-N3	5.51	1.41	1.37
26	BB	1726	C	N1-C2	5.51	1.45	1.40
26	BB	1795	C	C2-N3	5.51	1.40	1.35
26	BB	2541	A	C6-N1	5.51	1.39	1.35
26	BB	2868	A	C5'-C4'	5.51	1.57	1.51
1	AA	709	U	C2-N3	5.50	1.41	1.37
1	AA	731	G	N3-C4	-5.50	1.31	1.35
1	AA	1167	A	C2-N3	-5.50	1.28	1.33
25	BA	78	A	O4'-C1'	5.50	1.48	1.41
26	BB	1691	C	C4-N4	5.50	1.39	1.33
26	BB	2244	U	C5-C6	5.50	1.39	1.34
1	AA	333	U	C2'-C1'	-5.50	1.47	1.53
1	AA	334	C	N1-C6	5.50	1.40	1.37
1	AA	1048	G	C4'-C3'	5.50	1.59	1.53
1	AA	1089	G	N1-C2	5.50	1.42	1.37
1	AA	1287	A	C5-C6	5.50	1.46	1.41
1	AA	1416	G	C2'-C1'	5.50	1.59	1.53
26	BB	514	A	O4'-C1'	5.50	1.48	1.41
26	BB	1200	C	C5-C6	5.50	1.38	1.34
26	BB	1216	G	N1-C2	5.50	1.42	1.37
26	BB	1519	G	C5'-C4'	5.50	1.57	1.51
26	BB	1648	U	C4-C5	5.50	1.48	1.43
26	BB	2494	G	N9-C8	5.50	1.41	1.37
26	BB	2596	U	N1-C2	5.50	1.43	1.38
26	BB	2812	G	N7-C5	-5.50	1.35	1.39
1	AA	958	A	C4'-O4'	-5.50	1.38	1.45
1	AA	1471	U	N3-C4	5.50	1.43	1.38
26	BB	372	G	P-O5'	5.50	1.65	1.59
26	BB	381	G	C2-N2	-5.50	1.29	1.34
26	BB	458	G	N1-C2	-5.50	1.33	1.37
26	BB	922	C	C2-O2	-5.50	1.19	1.24

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1375	U	C4-O4	-5.50	1.19	1.23
26	BB	1753	G	C8-N7	-5.50	1.27	1.30
26	BB	2260	C	O3'-P	5.50	1.67	1.61
26	BB	2706	A	C6-N1	-5.50	1.31	1.35
42	BR	68	GLY	CA-C	5.50	1.60	1.51
1	AA	991	U	C5'-C4'	5.50	1.57	1.51
26	BB	268	C	C4-N4	5.50	1.39	1.33
26	BB	852	U	N3-C4	5.50	1.43	1.38
26	BB	1732	C	N1-C2	5.50	1.45	1.40
1	AA	384	G	C6-O6	-5.50	1.19	1.24
26	BB	474	G	N9-C8	-5.50	1.34	1.37
26	BB	525	U	C5-C6	5.50	1.39	1.34
26	BB	669	G	C5-C4	-5.50	1.34	1.38
26	BB	1132	U	C5-C6	5.50	1.39	1.34
26	BB	1345	C	N1-C2	5.50	1.45	1.40
26	BB	1611	C	C4'-O4'	-5.50	1.38	1.45
26	BB	1854	A	C6-N1	5.50	1.39	1.35
26	BB	2138	G	N7-C5	-5.50	1.35	1.39
1	AA	944	G	C2'-C1'	5.50	1.59	1.53
1	AA	1070	U	C4'-C3'	-5.50	1.47	1.52
1	AA	1362	A	C4'-C3'	5.50	1.59	1.53
25	BA	46	A	N9-C4	5.50	1.41	1.37
26	BB	148	U	C3'-C2'	-5.50	1.46	1.52
26	BB	972	A	C4'-O4'	-5.50	1.38	1.45
26	BB	1579	A	C4'-O4'	-5.50	1.38	1.45
1	AA	1291	U	C3'-C2'	-5.50	1.46	1.52
26	BB	599	A	N3-C4	5.50	1.38	1.34
26	BB	882	G	C5'-C4'	5.50	1.57	1.51
26	BB	2768	U	C5-C6	5.50	1.39	1.34
1	AA	76	G	C6-N1	-5.49	1.35	1.39
1	AA	170	U	C5'-C4'	5.49	1.57	1.51
5	AE	61	SER	CB-OG	5.49	1.49	1.42
26	BB	409	G	C8-N7	5.49	1.34	1.30
26	BB	567	U	P-O5'	5.49	1.65	1.59
26	BB	606	U	C5'-C4'	5.49	1.57	1.51
26	BB	1028	A	C6-N1	5.49	1.39	1.35
26	BB	1219	U	C4'-O4'	-5.49	1.38	1.45
26	BB	1783	A	C2'-C1'	-5.49	1.47	1.53
26	BB	1916	A	N1-C2	-5.49	1.29	1.34
26	BB	2002	G	N9-C4	-5.49	1.33	1.38
26	BB	2470	G	C8-N7	-5.49	1.27	1.30
26	BB	2797	U	C2-N3	5.49	1.41	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	692	U	C2-N3	5.49	1.41	1.37
1	AA	1014	A	N7-C5	5.49	1.42	1.39
26	BB	579	G	N3-C4	5.49	1.39	1.35
26	BB	2435	A	C5'-C4'	5.49	1.57	1.51
1	AA	20	U	C2'-C1'	-5.49	1.47	1.53
1	AA	34	C	P-O5'	5.49	1.65	1.59
1	AA	476	U	N1-C2	5.49	1.43	1.38
1	AA	717	U	O3'-P	-5.49	1.54	1.61
4	AD	7	G	C8-N7	-5.49	1.27	1.30
25	BA	46	A	C6-N6	-5.49	1.29	1.33
26	BB	43	G	N7-C5	5.49	1.42	1.39
26	BB	333	G	C3'-C2'	-5.49	1.46	1.52
26	BB	1055	G	N7-C5	5.49	1.42	1.39
26	BB	1514	G	C2'-O2'	-5.49	1.34	1.41
26	BB	1959	G	N7-C5	5.49	1.42	1.39
26	BB	2762	C	N1-C6	5.49	1.40	1.37
26	BB	2852	G	C6-N1	5.49	1.43	1.39
40	BP	39	PRO	N-CA	5.49	1.56	1.47
1	AA	567	G	C5-C6	5.49	1.47	1.42
1	AA	883	C	C4'-C3'	5.49	1.59	1.53
1	AA	909	A	C6-N1	-5.49	1.31	1.35
26	BB	52	A	N9-C4	5.49	1.41	1.37
26	BB	260	G	N9-C4	5.49	1.42	1.38
26	BB	1452	G	N9-C4	5.49	1.42	1.38
26	BB	2667	C	C4'-O4'	-5.49	1.38	1.45
26	BB	2813	A	N3-C4	5.49	1.38	1.34
1	AA	622	A	C6-N1	-5.49	1.31	1.35
26	BB	640	C	C5-C6	5.49	1.38	1.34
26	BB	1191	G	C8-N7	5.49	1.34	1.30
26	BB	1770	G	N7-C5	-5.49	1.35	1.39
26	BB	1988	G	C2'-C1'	5.49	1.59	1.53
26	BB	2558	C	C4-N4	5.49	1.38	1.33
1	AA	235	C	O4'-C1'	5.49	1.48	1.41
1	AA	584	G	N9-C4	-5.49	1.33	1.38
1	AA	845	A	C6-N1	5.49	1.39	1.35
1	AA	1331	G	N3-C4	5.49	1.39	1.35
26	BB	302	C	C5-C6	5.49	1.38	1.34
26	BB	339	U	C5'-C4'	5.49	1.57	1.51
26	BB	1063	G	C2-N3	5.49	1.37	1.32
26	BB	1781	U	C2-N3	5.49	1.41	1.37
26	BB	2860	A	C4'-O4'	-5.49	1.38	1.45
1	AA	155	A	P-O5'	-5.48	1.54	1.59

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1068	G	C2'-O2'	-5.48	1.34	1.41
1	AA	1135	U	P-O5'	-5.48	1.54	1.59
26	BB	415	A	C5'-C4'	5.48	1.57	1.51
26	BB	646	U	O4'-C1'	5.48	1.48	1.41
26	BB	2337	G	C2-N3	5.48	1.37	1.32
1	AA	220	G	P-O5'	5.48	1.65	1.59
1	AA	255	G	C5-C4	5.48	1.42	1.38
1	AA	639	G	C5-C6	5.48	1.47	1.42
26	BB	951	C	O4'-C1'	5.48	1.48	1.41
26	BB	2261	C	N3-C4	5.48	1.37	1.33
26	BB	2442	C	N1-C2	-5.48	1.34	1.40
1	AA	796	C	C5-C6	5.48	1.38	1.34
1	AA	1045	C	C4'-O4'	-5.48	1.38	1.45
1	AA	1046	A	N9-C4	-5.48	1.34	1.37
1	AA	1201	A	O3'-P	5.48	1.67	1.61
1	AA	1442	G	O3'-P	5.48	1.67	1.61
15	AO	99	GLY	CA-C	5.48	1.60	1.51
26	BB	44	A	N3-C4	5.48	1.38	1.34
26	BB	626	A	C2-N3	-5.48	1.28	1.33
26	BB	856	G	O3'-P	5.48	1.67	1.61
26	BB	1852	U	C2-N3	5.48	1.41	1.37
26	BB	2168	G	C4'-C3'	5.48	1.59	1.53
39	BO	103	TYR	CE2-CZ	5.48	1.45	1.38
6	AF	135	ARG	NE-CZ	5.48	1.40	1.33
26	BB	412	A	N9-C4	-5.48	1.34	1.37
26	BB	1002	G	N1-C2	5.48	1.42	1.37
26	BB	2495	G	C2-N3	5.48	1.37	1.32
1	AA	907	A	C6-N6	-5.48	1.29	1.33
1	AA	1106	G	P-O5'	5.48	1.65	1.59
1	AA	1367	C	O3'-P	-5.48	1.54	1.61
19	AS	64	GLY	CA-C	5.48	1.60	1.51
26	BB	285	G	C5-C6	5.48	1.47	1.42
26	BB	628	G	C2-N3	5.48	1.37	1.32
26	BB	794	A	C6-N1	5.48	1.39	1.35
26	BB	925	A	C2-N3	5.48	1.38	1.33
26	BB	1597	A	C3'-C2'	5.48	1.58	1.52
26	BB	1719	G	N9-C8	-5.48	1.34	1.37
1	AA	691	G	C6-N1	5.48	1.43	1.39
25	BA	43	C	C5-C6	5.48	1.38	1.34
26	BB	223	A	O5'-C5'	-5.48	1.34	1.42
26	BB	857	G	C5'-C4'	5.48	1.57	1.51
26	BB	1877	A	C5-C4	-5.48	1.34	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1980	G	N1-C2	5.48	1.42	1.37
26	BB	2362	C	C4-C5	-5.48	1.38	1.43
1	AA	1173	U	C2-N3	5.47	1.41	1.37
25	BA	26	C	C1'-N1	5.47	1.56	1.48
26	BB	124	G	C4'-O4'	-5.47	1.38	1.45
26	BB	620	G	N9-C8	-5.47	1.34	1.37
26	BB	787	C	C2-O2	-5.47	1.19	1.24
26	BB	858	G	N7-C5	-5.47	1.35	1.39
26	BB	1074	G	N9-C4	5.47	1.42	1.38
26	BB	1471	G	O3'-P	-5.47	1.54	1.61
1	AA	376	G	C6-N1	5.47	1.43	1.39
1	AA	460	A	P-O5'	5.47	1.65	1.59
1	AA	477	C	O3'-P	5.47	1.67	1.61
1	AA	648	A	N9-C8	-5.47	1.33	1.37
1	AA	694	A	N3-C4	5.47	1.38	1.34
1	AA	1005	A	P-O5'	5.47	1.65	1.59
1	AA	1206	G	C5'-C4'	5.47	1.57	1.51
1	AA	1357	A	N7-C5	-5.47	1.35	1.39
2	AB	4	G	N1-C2	5.47	1.42	1.37
26	BB	699	A	N1-C2	-5.47	1.29	1.34
26	BB	1964	G	N1-C2	5.47	1.42	1.37
26	BB	2488	G	N1-C2	-5.47	1.33	1.37
26	BB	2663	G	O3'-P	5.47	1.67	1.61
1	AA	305	G	C8-N7	-5.47	1.27	1.30
1	AA	581	G	C2'-C1'	-5.47	1.47	1.53
1	AA	1215	G	C6-N1	-5.47	1.35	1.39
1	AA	1437	A	C2'-C1'	-5.47	1.47	1.53
25	BA	75	G	C5-C6	5.47	1.47	1.42
26	BB	1202	G	C2-N3	5.47	1.37	1.32
26	BB	1449	G	C5-C6	5.47	1.47	1.42
26	BB	1570	A	N9-C4	-5.47	1.34	1.37
26	BB	1650	A	O3'-P	5.47	1.67	1.61
26	BB	1808	A	N3-C4	5.47	1.38	1.34
26	BB	2005	A	C2-N3	5.47	1.38	1.33
1	AA	140	U	C4-C5	5.47	1.48	1.43
1	AA	675	A	C4'-C3'	5.47	1.59	1.53
1	AA	1047	G	N1-C2	5.47	1.42	1.37
25	BA	26	C	C2'-C1'	-5.47	1.47	1.53
26	BB	68	G	N1-C2	5.47	1.42	1.37
26	BB	550	C	C5'-C4'	5.47	1.57	1.51
26	BB	762	U	C4'-O4'	-5.47	1.38	1.45
26	BB	1628	G	C6-O6	-5.47	1.19	1.24

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1887	C	P-O5'	5.47	1.65	1.59
26	BB	2403	C	N3-C4	5.47	1.37	1.33
1	AA	407	U	C4-C5	5.47	1.48	1.43
3	AC	36	U	C2-N3	5.47	1.41	1.37
26	BB	2834	G	C2-N3	5.47	1.37	1.32
1	AA	306	A	N3-C4	5.47	1.38	1.34
1	AA	730	G	C8-N7	5.47	1.34	1.30
1	AA	1160	G	N9-C8	5.47	1.41	1.37
1	AA	1273	C	C4'-O4'	-5.47	1.38	1.45
3	AC	49	U	C2-N3	5.47	1.41	1.37
26	BB	328	U	N3-C4	5.47	1.43	1.38
26	BB	915	C	N1-C6	5.47	1.40	1.37
26	BB	1250	G	C6-N1	-5.47	1.35	1.39
26	BB	1971	U	N1-C6	5.47	1.42	1.38
26	BB	2322	A	N9-C8	-5.47	1.33	1.37
1	AA	688	G	C3'-O3'	5.46	1.49	1.42
1	AA	698	G	C6-O6	-5.46	1.19	1.24
1	AA	1073	U	P-O5'	5.46	1.65	1.59
1	AA	1339	A	N7-C5	-5.46	1.35	1.39
26	BB	721	A	C4'-O4'	-5.46	1.38	1.45
26	BB	760	G	N9-C4	5.46	1.42	1.38
26	BB	1125	G	C2-N3	5.46	1.37	1.32
26	BB	1191	G	N3-C4	5.46	1.39	1.35
26	BB	1298	C	C4'-O4'	-5.46	1.38	1.45
26	BB	2033	A	N3-C4	5.46	1.38	1.34
26	BB	2711	A	N3-C4	5.46	1.38	1.34
31	BG	31	GLU	CD-OE2	-5.46	1.19	1.25
46	BV	76	ARG	CZ-NH1	5.46	1.40	1.33
1	AA	9	G	N1-C2	5.46	1.42	1.37
1	AA	333	U	C4-O4	-5.46	1.19	1.23
1	AA	723	U	C5'-C4'	5.46	1.57	1.51
1	AA	1064	G	N9-C8	-5.46	1.34	1.37
1	AA	1177	G	N7-C5	5.46	1.42	1.39
2	AB	22	G	C6-N1	5.46	1.43	1.39
26	BB	249	C	C4'-O4'	-5.46	1.38	1.45
26	BB	1528	A	C5-C4	-5.46	1.34	1.38
1	AA	28	A	N7-C5	5.46	1.42	1.39
1	AA	103	U	O4'-C1'	5.46	1.48	1.41
1	AA	228	A	C6-N6	5.46	1.38	1.33
1	AA	230	G	C5'-C4'	5.46	1.57	1.51
1	AA	625	U	P-O5'	5.46	1.65	1.59
1	AA	728	A	P-O5'	5.46	1.65	1.59

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	840	C	O4'-C1'	5.46	1.48	1.41
1	AA	896	C	C2'-C1'	5.46	1.59	1.53
26	BB	185	G	N9-C8	-5.46	1.34	1.37
26	BB	526	A	N9-C4	5.46	1.41	1.37
26	BB	1283	G	N7-C5	-5.46	1.35	1.39
26	BB	2579	C	C5-C6	5.46	1.38	1.34
26	BB	2707	U	C2-N3	5.46	1.41	1.37
25	BA	85	G	C5-C6	5.46	1.47	1.42
26	BB	265	A	C4'-O4'	-5.46	1.38	1.45
26	BB	739	A	O3'-P	5.46	1.67	1.61
26	BB	2541	A	C4'-O4'	-5.46	1.38	1.45
26	BB	2848	G	C6-N1	5.46	1.43	1.39
1	AA	705	G	C5-C4	-5.46	1.34	1.38
1	AA	1323	G	N3-C4	5.46	1.39	1.35
7	AG	134	TYR	CE2-CZ	5.46	1.45	1.38
25	BA	11	C	N1-C6	-5.46	1.33	1.37
26	BB	700	G	C5-C4	-5.46	1.34	1.38
26	BB	1142	A	C6-N1	-5.46	1.31	1.35
26	BB	2319	G	C4'-O4'	-5.46	1.38	1.45
26	BB	2572	A	N9-C4	5.46	1.41	1.37
26	BB	2576	G	C2-N3	5.46	1.37	1.32
1	AA	1031	C	C1'-N1	5.46	1.56	1.48
1	AA	1483	A	C4'-O4'	-5.46	1.38	1.45
25	BA	57	A	N1-C2	-5.46	1.29	1.34
26	BB	529	A	C2'-C1'	-5.46	1.47	1.53
26	BB	1053	C	C4'-O4'	-5.46	1.38	1.45
1	AA	1412	C	O4'-C1'	5.46	1.48	1.41
26	BB	13	A	C5'-C4'	5.46	1.57	1.51
26	BB	1254	A	N7-C5	-5.46	1.35	1.39
26	BB	2024	G	N9-C4	5.46	1.42	1.38
26	BB	2528	U	N1-C2	5.46	1.43	1.38
26	BB	2891	U	C4'-C3'	-5.46	1.47	1.52
1	AA	162	A	N9-C4	5.45	1.41	1.37
1	AA	1204	A	N9-C4	-5.45	1.34	1.37
26	BB	116	C	N1-C6	5.45	1.40	1.37
26	BB	728	G	N1-C2	5.45	1.42	1.37
1	AA	381	C	P-O5'	5.45	1.65	1.59
1	AA	1486	G	N3-C4	5.45	1.39	1.35
26	BB	1405	U	C3'-C2'	5.45	1.58	1.52
1	AA	219	U	C2-N3	5.45	1.41	1.37
1	AA	433	G	N9-C8	5.45	1.41	1.37
26	BB	53	A	N7-C5	-5.45	1.35	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	500	G	C2-N3	5.45	1.37	1.32
26	BB	540	C	N1-C6	5.45	1.40	1.37
26	BB	730	A	O4'-C1'	5.45	1.48	1.41
26	BB	1098	A	C4'-O4'	-5.45	1.38	1.45
26	BB	1294	U	C4'-O4'	-5.45	1.38	1.45
26	BB	1568	G	C5-C4	5.45	1.42	1.38
26	BB	1644	C	C2-N3	5.45	1.40	1.35
26	BB	1880	U	C2-O2	5.45	1.27	1.22
1	AA	1097	C	C2-O2	-5.45	1.19	1.24
1	AA	1163	A	C5-C4	-5.45	1.34	1.38
1	AA	1226	C	N3-C4	-5.45	1.30	1.33
1	AA	1375	A	N7-C5	5.45	1.42	1.39
1	AA	1538	C	N1-C6	5.45	1.40	1.37
2	AB	14	A	N3-C4	5.45	1.38	1.34
4	AD	11	A	N3-C4	-5.45	1.31	1.34
26	BB	46	G	N9-C8	-5.45	1.34	1.37
26	BB	516	C	C5'-C4'	5.45	1.57	1.51
26	BB	1525	A	N9-C8	5.45	1.42	1.37
26	BB	2206	C	O3'-P	5.45	1.67	1.61
26	BB	2594	C	N3-C4	5.45	1.37	1.33
26	BB	2681	C	C3'-C2'	5.45	1.58	1.52
1	AA	197	A	C5'-C4'	5.45	1.57	1.51
1	AA	950	U	P-O5'	5.45	1.65	1.59
1	AA	570	G	N9-C4	-5.45	1.33	1.38
1	AA	605	U	C4'-C3'	-5.45	1.47	1.52
1	AA	670	G	C2-N3	5.45	1.37	1.32
1	AA	776	G	C5-C6	5.45	1.47	1.42
1	AA	779	C	C4'-O4'	-5.45	1.38	1.45
26	BB	1550	C	P-O5'	5.45	1.65	1.59
26	BB	2210	U	N3-C4	5.45	1.43	1.38
41	BQ	10	ARG	CD-NE	5.45	1.55	1.46
1	AA	931	C	N1-C2	5.44	1.45	1.40
2	AB	14	A	C5-C6	5.44	1.46	1.41
4	AD	44	A	N9-C4	-5.44	1.34	1.37
26	BB	98	G	N9-C8	5.44	1.41	1.37
1	AA	489	C	C4-C5	5.44	1.47	1.43
1	AA	948	C	C4-N4	5.44	1.38	1.33
1	AA	1202	U	N1-C6	-5.44	1.33	1.38
1	AA	1514	G	P-O5'	-5.44	1.54	1.59
26	BB	192	C	O3'-P	5.44	1.67	1.61
26	BB	754	U	O3'-P	5.44	1.67	1.61
26	BB	1653	G	C2-N3	5.44	1.37	1.32

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1747	U	O3'-P	5.44	1.67	1.61
26	BB	1840	G	C5-C4	-5.44	1.34	1.38
26	BB	2074	U	O3'-P	-5.44	1.54	1.61
26	BB	2294	G	C2-N2	5.44	1.40	1.34
26	BB	2307	G	C4'-O4'	-5.44	1.38	1.45
26	BB	2421	G	C2-N2	-5.44	1.29	1.34
26	BB	2790	U	C5-C6	5.44	1.39	1.34
26	BB	2883	A	C2'-C1'	-5.44	1.47	1.53
1	AA	236	A	C4'-C3'	5.44	1.59	1.53
1	AA	751	U	C4-O4	-5.44	1.19	1.23
1	AA	1053	G	C2'-C1'	5.44	1.59	1.53
1	AA	1172	C	P-O5'	5.44	1.65	1.59
4	AD	1	C	C4-C5	5.44	1.47	1.43
20	AT	33	TYR	CE1-CZ	5.44	1.45	1.38
26	BB	658	U	P-O5'	5.44	1.65	1.59
26	BB	672	C	N1-C2	5.44	1.45	1.40
26	BB	1124	G	C6-O6	-5.44	1.19	1.24
26	BB	1425	G	C4'-O4'	-5.44	1.38	1.45
26	BB	2150	C	C5-C6	5.44	1.38	1.34
26	BB	2589	A	C2'-C1'	-5.44	1.47	1.53
26	BB	2634	A	N9-C4	5.44	1.41	1.37
26	BB	2693	G	N7-C5	-5.44	1.35	1.39
1	AA	12	U	C5-C6	5.44	1.39	1.34
1	AA	268	U	C2'-O2'	5.44	1.48	1.41
1	AA	669	G	N3-C4	5.44	1.39	1.35
26	BB	1640	A	N7-C5	5.44	1.42	1.39
1	AA	323	U	C2'-C1'	5.44	1.59	1.53
1	AA	1366	C	C4'-O4'	-5.44	1.38	1.45
1	AA	1373	G	N7-C5	-5.44	1.35	1.39
26	BB	156	A	N3-C4	5.44	1.38	1.34
26	BB	348	A	C5-C4	-5.44	1.34	1.38
26	BB	391	A	N9-C4	5.44	1.41	1.37
26	BB	1582	C	C2-N3	5.44	1.40	1.35
26	BB	1979	U	C4'-C3'	5.44	1.59	1.53
26	BB	2222	C	C2'-C1'	-5.44	1.47	1.53
1	AA	633	G	C2-N3	5.44	1.37	1.32
1	AA	1398	A	C2-N3	-5.44	1.28	1.33
26	BB	511	U	C5-C6	5.44	1.39	1.34
26	BB	1485	U	N3-C4	5.44	1.43	1.38
26	BB	2497	A	C5-C4	-5.44	1.34	1.38
1	AA	384	G	C1'-N9	5.43	1.56	1.48
1	AA	404	G	C6-O6	-5.43	1.19	1.24

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	498	A	N3-C4	5.43	1.38	1.34
1	AA	893	C	C4'-O4'	-5.43	1.38	1.45
1	AA	1171	A	N7-C5	-5.43	1.35	1.39
1	AA	1219	A	C4'-O4'	-5.43	1.38	1.45
1	AA	1258	G	C8-N7	5.43	1.34	1.30
26	BB	345	A	C5'-C4'	-5.43	1.44	1.51
26	BB	373	U	C4-C5	5.43	1.48	1.43
26	BB	1022	G	N9-C8	5.43	1.41	1.37
26	BB	1157	G	C2'-C1'	-5.43	1.47	1.53
26	BB	1367	A	P-O5'	5.43	1.65	1.59
26	BB	1420	A	C4'-O4'	-5.43	1.38	1.45
26	BB	1628	G	N7-C5	-5.43	1.35	1.39
26	BB	1889	A	O5'-C5'	-5.43	1.34	1.42
26	BB	1983	G	C8-N7	-5.43	1.27	1.30
1	AA	61	G	C6-N1	-5.43	1.35	1.39
1	AA	275	G	C2-N3	5.43	1.37	1.32
1	AA	724	G	N3-C4	5.43	1.39	1.35
1	AA	732	C	O3'-P	-5.43	1.54	1.61
1	AA	771	G	C2-N3	5.43	1.37	1.32
1	AA	961	U	N3-C4	5.43	1.43	1.38
26	BB	771	G	P-O5'	5.43	1.65	1.59
26	BB	1042	G	C6-O6	5.43	1.29	1.24
26	BB	1480	C	C5-C6	5.43	1.38	1.34
26	BB	1635	A	P-O5'	5.43	1.65	1.59
26	BB	2204	G	C6-N1	-5.43	1.35	1.39
26	BB	2301	C	O3'-P	5.43	1.67	1.61
1	AA	380	G	C8-N7	5.43	1.34	1.30
1	AA	728	A	C3'-O3'	5.43	1.49	1.42
1	AA	1228	C	N1-C6	5.43	1.40	1.37
26	BB	1252	G	C6-N1	-5.43	1.35	1.39
26	BB	2029	G	N3-C4	5.43	1.39	1.35
26	BB	2540	C	C2-N3	5.43	1.40	1.35
1	AA	21	G	C2'-O2'	-5.43	1.34	1.41
1	AA	167	A	N9-C4	5.43	1.41	1.37
1	AA	420	U	C2-O2	5.43	1.27	1.22
1	AA	443	C	C4-N4	-5.43	1.29	1.33
1	AA	939	G	N9-C4	-5.43	1.33	1.38
4	AD	54	G	N3-C4	5.43	1.39	1.35
26	BB	351	C	C3'-O3'	-5.43	1.34	1.42
26	BB	677	A	C4'-O4'	-5.43	1.38	1.45
26	BB	718	A	P-O5'	5.43	1.65	1.59
26	BB	809	G	C5-C6	5.43	1.47	1.42

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1002	G	N9-C8	-5.43	1.34	1.37
26	BB	1393	A	N7-C5	-5.43	1.35	1.39
26	BB	1798	U	C2-N3	5.43	1.41	1.37
26	BB	2037	A	C6-N1	-5.43	1.31	1.35
26	BB	2161	C	O3'-P	-5.43	1.54	1.61
26	BB	2298	A	N3-C4	5.43	1.38	1.34
26	BB	2409	G	C4'-O4'	-5.43	1.38	1.45
32	BH	125	PRO	N-CD	-5.43	1.40	1.47
1	AA	1505	G	C8-N7	-5.43	1.27	1.30
26	BB	189	G	N3-C4	5.43	1.39	1.35
26	BB	476	G	N7-C5	-5.43	1.35	1.39
26	BB	974	G	C5-C4	-5.43	1.34	1.38
26	BB	1169	A	N9-C8	5.43	1.42	1.37
26	BB	1796	U	P-O5'	5.43	1.65	1.59
1	AA	302	G	N1-C2	5.43	1.42	1.37
1	AA	358	U	N3-C4	5.43	1.43	1.38
3	AC	35	G	N9-C8	-5.43	1.34	1.37
26	BB	171	U	C2-N3	-5.43	1.33	1.37
26	BB	899	A	C2'-O2'	5.43	1.48	1.41
26	BB	1265	A	C2'-O2'	5.43	1.48	1.41
26	BB	1885	A	C2-N3	-5.43	1.28	1.33
26	BB	1969	A	C8-N7	-5.43	1.27	1.31
26	BB	2169	A	C2'-C1'	-5.43	1.47	1.53
1	AA	970	C	C5-C6	5.42	1.38	1.34
3	AC	48	C	C4-C5	5.42	1.47	1.43
26	BB	789	A	C4'-O4'	-5.42	1.38	1.45
26	BB	1420	A	C2'-O2'	5.42	1.48	1.41
26	BB	2610	C	C3'-C2'	5.42	1.58	1.52
27	BC	208	TYR	CE2-CZ	5.42	1.45	1.38
48	BX	57	TYR	CE1-CZ	5.42	1.45	1.38
1	AA	295	C	P-O5'	-5.42	1.54	1.59
1	AA	593	U	C2'-C1'	5.42	1.59	1.53
25	BA	84	G	N9-C8	5.42	1.41	1.37
1	AA	139	A	C5-C4	-5.42	1.34	1.38
1	AA	294	U	N1-C2	5.42	1.43	1.38
1	AA	566	G	C8-N7	-5.42	1.27	1.30
20	AT	79	GLU	CD-OE1	-5.42	1.19	1.25
26	BB	517	C	C4'-O4'	-5.42	1.38	1.45
26	BB	1676	A	C4'-O4'	-5.42	1.38	1.45
26	BB	2463	C	N3-C4	5.42	1.37	1.33
1	AA	1084	G	N7-C5	-5.42	1.35	1.39
4	AD	59	A	C5-C4	-5.42	1.34	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	110	G	C6-N1	5.42	1.43	1.39
26	BB	1088	A	C3'-C2'	5.42	1.58	1.52
26	BB	1116	G	C4'-O4'	-5.42	1.38	1.45
26	BB	2388	A	C3'-O3'	-5.42	1.34	1.42
26	BB	2790	U	N1-C2	5.42	1.43	1.38
1	AA	91	U	N3-C4	5.42	1.43	1.38
1	AA	467	U	C4-O4	5.42	1.27	1.23
1	AA	755	G	C2'-C1'	-5.42	1.47	1.53
1	AA	829	G	N9-C4	5.42	1.42	1.38
1	AA	986	U	N1-C2	5.42	1.43	1.38
2	AB	65	C	N1-C6	-5.42	1.33	1.37
26	BB	304	U	O3'-P	5.42	1.67	1.61
26	BB	2727	A	C5-C4	-5.42	1.34	1.38
26	BB	2806	C	C5-C6	5.42	1.38	1.34
50	BZ	45	PHE	CE2-CZ	5.42	1.47	1.37
1	AA	526	C	C5'-C4'	5.42	1.57	1.51
1	AA	563	A	P-O5'	5.42	1.65	1.59
1	AA	592	G	O3'-P	5.42	1.67	1.61
4	AD	60	A	C5'-C4'	5.42	1.57	1.51
26	BB	1275	A	N7-C5	5.42	1.42	1.39
26	BB	1645	G	C4'-C3'	5.42	1.59	1.53
26	BB	2135	A	N7-C5	5.42	1.42	1.39
2	AB	18	G	C6-O6	-5.42	1.19	1.24
2	AB	35	C	C4'-O4'	-5.42	1.38	1.45
17	AQ	80	ARG	CZ-NH1	5.42	1.40	1.33
25	BA	106	G	N9-C4	5.42	1.42	1.38
26	BB	507	A	C2'-C1'	5.42	1.59	1.53
26	BB	1113	U	N3-C4	5.42	1.43	1.38
26	BB	1447	C	N1-C2	5.42	1.45	1.40
26	BB	2172	U	C5-C6	5.42	1.39	1.34
1	AA	2	A	C5-C4	-5.41	1.34	1.38
1	AA	49	U	P-O5'	5.41	1.65	1.59
1	AA	360	G	N1-C2	5.41	1.42	1.37
1	AA	836	G	C2'-C1'	-5.41	1.47	1.53
26	BB	580	U	C2-N3	5.41	1.41	1.37
26	BB	643	A	N3-C4	5.41	1.38	1.34
26	BB	953	G	N3-C4	5.41	1.39	1.35
26	BB	1162	G	C4'-C3'	5.41	1.59	1.53
26	BB	2487	G	C5-C6	5.41	1.47	1.42
26	BB	2571	U	P-O5'	-5.41	1.54	1.59
1	AA	918	A	C3'-C2'	5.41	1.58	1.52
1	AA	1104	G	C3'-C2'	5.41	1.58	1.52

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	AC	38	G	C2-N3	5.41	1.37	1.32
26	BB	710	U	C3'-C2'	-5.41	1.46	1.52
26	BB	1393	A	C2'-C1'	5.41	1.59	1.53
26	BB	1494	A	C5-C4	-5.41	1.34	1.38
26	BB	1640	A	C4'-O4'	-5.41	1.38	1.45
1	AA	332	G	N7-C5	5.41	1.42	1.39
1	AA	446	G	N3-C4	5.41	1.39	1.35
1	AA	1388	C	C3'-C2'	5.41	1.58	1.52
1	AA	1417	G	N1-C2	5.41	1.42	1.37
11	AK	64	TYR	CE2-CZ	5.41	1.45	1.38
26	BB	314	C	N3-C4	-5.41	1.30	1.33
26	BB	710	U	N3-C4	5.41	1.43	1.38
26	BB	1307	A	N9-C4	-5.41	1.34	1.37
26	BB	2625	G	C2-N3	5.41	1.37	1.32
26	BB	2846	G	C8-N7	5.41	1.34	1.30
41	BQ	36	TYR	CG-CD2	5.41	1.46	1.39
1	AA	105	G	N3-C4	5.41	1.39	1.35
1	AA	397	A	C2'-C1'	5.41	1.59	1.53
1	AA	681	A	C2-N3	5.41	1.38	1.33
1	AA	1360	A	N9-C8	-5.41	1.33	1.37
2	AB	27	C	P-O5'	-5.41	1.54	1.59
3	AC	15	G	C1'-N9	5.41	1.56	1.48
26	BB	254	G	C5'-C4'	5.41	1.57	1.51
26	BB	430	A	P-O5'	5.41	1.65	1.59
26	BB	1255	U	C5'-C4'	5.41	1.57	1.51
26	BB	2098	U	N3-C4	5.41	1.43	1.38
1	AA	6	G	C1'-N9	5.41	1.56	1.48
1	AA	704	A	N7-C5	-5.41	1.36	1.39
1	AA	1182	G	N9-C8	5.41	1.41	1.37
26	BB	682	G	N7-C5	5.41	1.42	1.39
26	BB	1409	U	N1-C6	-5.41	1.33	1.38
26	BB	2376	A	C4'-O4'	-5.41	1.38	1.45
26	BB	2635	A	C5-C4	5.41	1.42	1.38
26	BB	2893	A	C2'-O2'	-5.41	1.34	1.41
1	AA	654	G	N7-C5	-5.41	1.36	1.39
1	AA	1040	U	N1-C6	5.41	1.42	1.38
1	AA	1088	G	N7-C5	5.41	1.42	1.39
1	AA	1489	G	C5'-C4'	5.41	1.57	1.51
26	BB	1830	C	C5-C6	5.41	1.38	1.34
26	BB	1883	U	N1-C2	5.41	1.43	1.38
26	BB	2267	A	C8-N7	-5.41	1.27	1.31
26	BB	2459	A	C2'-C1'	-5.41	1.47	1.53

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2533	U	N1-C6	-5.41	1.33	1.38
26	BB	2644	G	C1'-N9	5.41	1.56	1.48
1	AA	970	C	O3'-P	5.40	1.67	1.61
1	AA	1054	C	O5'-C5'	-5.40	1.34	1.42
3	AC	25	U	C3'-C2'	-5.40	1.46	1.52
26	BB	686	U	N1-C2	5.40	1.43	1.38
26	BB	2238	G	C5'-C4'	-5.40	1.44	1.51
1	AA	225	C	C5'-C4'	5.40	1.57	1.51
1	AA	337	G	C2-N2	-5.40	1.29	1.34
1	AA	554	A	C2'-C1'	5.40	1.59	1.53
1	AA	628	G	C3'-C2'	5.40	1.58	1.52
1	AA	780	A	N9-C4	-5.40	1.34	1.37
1	AA	1160	G	C2-N3	5.40	1.37	1.32
1	AA	1167	A	C5-C6	-5.40	1.36	1.41
26	BB	353	C	N3-C4	5.40	1.37	1.33
26	BB	442	G	N9-C8	-5.40	1.34	1.37
26	BB	1434	A	C6-N6	-5.40	1.29	1.33
26	BB	2107	G	N9-C8	5.40	1.41	1.37
26	BB	2734	A	N3-C4	5.40	1.38	1.34
26	BB	2766	A	O3'-P	-5.40	1.54	1.61
26	BB	2794	C	C2'-C1'	-5.40	1.47	1.53
26	BB	2872	A	C8-N7	-5.40	1.27	1.31
1	AA	112	G	N9-C4	5.40	1.42	1.38
1	AA	187	G	C8-N7	5.40	1.34	1.30
1	AA	417	G	N9-C4	5.40	1.42	1.38
1	AA	700	G	C2-N3	5.40	1.37	1.32
1	AA	778	G	C2'-O2'	-5.40	1.34	1.41
1	AA	788	U	P-O5'	5.40	1.65	1.59
1	AA	1209	C	C4'-O4'	-5.40	1.38	1.45
2	AB	48	U	C5'-C4'	5.40	1.57	1.51
26	BB	100	U	C1'-N1	5.40	1.56	1.48
26	BB	719	C	C5'-C4'	5.40	1.57	1.51
26	BB	910	A	N1-C2	5.40	1.39	1.34
26	BB	1189	A	C8-N7	-5.40	1.27	1.31
26	BB	1406	U	C2'-O2'	5.40	1.48	1.41
26	BB	1473	G	O5'-C5'	-5.40	1.34	1.42
26	BB	2321	U	P-O5'	5.40	1.65	1.59
1	AA	729	A	C8-N7	-5.40	1.27	1.31
26	BB	175	G	C2-N2	-5.40	1.29	1.34
26	BB	1011	G	C4'-O4'	-5.40	1.38	1.45
26	BB	1609	A	N9-C4	5.40	1.41	1.37
26	BB	2214	C	P-O5'	5.40	1.65	1.59

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2815	C	C2'-C1'	-5.40	1.47	1.53
37	BM	120	PRO	N-CD	-5.40	1.40	1.47
1	AA	61	G	P-O5'	5.40	1.65	1.59
1	AA	164	G	C8-N7	5.40	1.34	1.30
1	AA	696	A	C6-N6	-5.40	1.29	1.33
1	AA	1006	G	C5-C6	5.40	1.47	1.42
26	BB	1	G	N1-C2	5.40	1.42	1.37
26	BB	1295	C	C1'-N1	5.40	1.56	1.48
26	BB	1501	G	C2-N3	5.40	1.37	1.32
26	BB	2124	G	C2-N3	5.40	1.37	1.32
26	BB	2483	C	N3-C4	5.40	1.37	1.33
1	AA	867	G	O3'-P	-5.40	1.54	1.61
26	BB	2674	G	C6-N1	5.40	1.43	1.39
1	AA	525	C	C4-C5	-5.39	1.38	1.43
26	BB	197	A	O4'-C1'	5.39	1.48	1.41
26	BB	491	G	C2-N2	-5.39	1.29	1.34
26	BB	1021	A	C8-N7	-5.39	1.27	1.31
26	BB	1100	C	C4'-O4'	-5.39	1.38	1.45
26	BB	1287	A	C6-N6	5.39	1.38	1.33
26	BB	1436	G	O3'-P	5.39	1.67	1.61
26	BB	1904	G	C2-N3	5.39	1.37	1.32
26	BB	2026	U	P-O5'	5.39	1.65	1.59
26	BB	2179	C	N3-C4	5.39	1.37	1.33
26	BB	2842	G	N1-C2	5.39	1.42	1.37
1	AA	1379	G	C2'-O2'	5.39	1.48	1.41
1	AA	1524	C	C4-C5	5.39	1.47	1.43
26	BB	263	G	C2-N3	5.39	1.37	1.32
26	BB	457	A	C6-N6	-5.39	1.29	1.33
26	BB	978	G	C2-N3	-5.39	1.28	1.32
26	BB	1265	A	C6-N6	-5.39	1.29	1.33
26	BB	1389	G	O3'-P	5.39	1.67	1.61
26	BB	1665	A	N9-C4	-5.39	1.34	1.37
26	BB	1784	A	C2-N3	5.39	1.38	1.33
26	BB	2201	G	O4'-C1'	5.39	1.48	1.41
26	BB	2888	C	C2-N3	5.39	1.40	1.35
34	BJ	20	GLY	CA-C	5.39	1.60	1.51
1	AA	800	G	O3'-P	-5.39	1.54	1.61
1	AA	1181	G	C4'-C3'	5.39	1.59	1.53
1	AA	1523	G	N7-C5	5.39	1.42	1.39
2	AB	76	A	N9-C4	5.39	1.41	1.37
26	BB	542	C	C5'-C4'	5.39	1.57	1.51
26	BB	2494	G	N3-C4	5.39	1.39	1.35

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	145	G	C8-N7	-5.39	1.27	1.30
1	AA	846	G	N7-C5	5.39	1.42	1.39
26	BB	58	G	N9-C4	-5.39	1.33	1.38
26	BB	146	A	P-O5'	-5.39	1.54	1.59
26	BB	953	G	N9-C8	-5.39	1.34	1.37
26	BB	1214	A	C5-C4	5.39	1.42	1.38
26	BB	1225	G	C8-N7	-5.39	1.27	1.30
26	BB	1513	U	C3'-C2'	5.39	1.58	1.52
26	BB	1514	G	C2-N3	5.39	1.37	1.32
26	BB	1534	U	C2-O2	5.39	1.27	1.22
26	BB	2551	C	N1-C2	5.39	1.45	1.40
26	BB	2697	G	N3-C4	5.39	1.39	1.35
26	BB	2849	U	O3'-P	-5.39	1.54	1.61
1	AA	733	G	C4'-C3'	5.39	1.59	1.53
1	AA	944	G	O4'-C1'	5.39	1.48	1.41
1	AA	977	A	C4'-C3'	5.39	1.59	1.53
1	AA	1092	A	C6-N1	-5.39	1.31	1.35
26	BB	2005	A	C6-N1	-5.39	1.31	1.35
26	BB	2819	G	N9-C4	5.39	1.42	1.38
1	AA	439	U	C2-N3	5.39	1.41	1.37
1	AA	846	G	C6-N1	5.39	1.43	1.39
1	AA	892	A	N3-C4	5.39	1.38	1.34
1	AA	901	A	C4'-O4'	-5.39	1.38	1.45
26	BB	442	G	N9-C4	5.39	1.42	1.38
26	BB	548	G	C2-N3	5.39	1.37	1.32
26	BB	997	G	C2-N3	5.39	1.37	1.32
26	BB	1387	A	C4'-O4'	-5.39	1.38	1.45
26	BB	1455	G	O3'-P	5.39	1.67	1.61
26	BB	1797	G	C4'-O4'	-5.39	1.38	1.45
26	BB	2109	U	N1-C2	5.39	1.43	1.38
26	BB	2597	G	C2-N3	5.39	1.37	1.32
26	BB	2617	U	N1-C2	5.39	1.43	1.38
1	AA	153	C	N1-C2	5.38	1.45	1.40
1	AA	617	G	O3'-P	5.38	1.67	1.61
26	BB	480	A	C4'-O4'	-5.38	1.38	1.45
26	BB	804	A	C5-C6	-5.38	1.36	1.41
26	BB	1137	G	N9-C8	-5.38	1.34	1.37
26	BB	1179	G	C2-N3	5.38	1.37	1.32
26	BB	1461	C	P-O5'	5.38	1.65	1.59
26	BB	1858	A	C2'-C1'	-5.38	1.47	1.53
26	BB	2184	A	C5-C4	-5.38	1.34	1.38
26	BB	2477	U	C4-O4	-5.38	1.19	1.23

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2572	A	N3-C4	5.38	1.38	1.34
51	B0	13	GLU	CD-OE2	5.38	1.31	1.25
1	AA	1233	G	O3'-P	5.38	1.67	1.61
2	AB	28	C	C5-C6	5.38	1.38	1.34
26	BB	734	A	C1'-N9	5.38	1.56	1.48
26	BB	1276	A	C5-C6	-5.38	1.36	1.41
26	BB	1663	G	C6-O6	-5.38	1.19	1.24
26	BB	2618	G	C4'-O4'	-5.38	1.38	1.45
1	AA	128	G	P-O5'	5.38	1.65	1.59
1	AA	1092	A	C4'-O4'	-5.38	1.38	1.45
1	AA	1258	G	N7-C5	5.38	1.42	1.39
26	BB	453	A	N9-C8	-5.38	1.33	1.37
26	BB	643	A	N9-C4	5.38	1.41	1.37
26	BB	999	U	C4-C5	5.38	1.48	1.43
26	BB	1054	A	P-O5'	-5.38	1.54	1.59
26	BB	1815	A	O4'-C1'	-5.38	1.34	1.41
26	BB	2247	A	C2'-O2'	5.38	1.48	1.41
26	BB	2638	G	N7-C5	5.38	1.42	1.39
26	BB	2751	G	O3'-P	-5.38	1.54	1.61
26	BB	2781	A	N7-C5	5.38	1.42	1.39
26	BB	2900	A	C4'-O4'	-5.38	1.38	1.45
26	BB	263	G	C8-N7	-5.38	1.27	1.30
26	BB	962	G	N7-C5	-5.38	1.36	1.39
26	BB	1469	A	N3-C4	5.38	1.38	1.34
26	BB	1507	C	N1-C6	5.38	1.40	1.37
26	BB	2305	U	C3'-C2'	-5.38	1.46	1.52
1	AA	109	A	N9-C4	5.38	1.41	1.37
1	AA	537	G	N7-C5	5.38	1.42	1.39
26	BB	360	U	C5'-C4'	5.38	1.57	1.51
26	BB	490	C	C4'-O4'	-5.38	1.38	1.45
26	BB	715	A	N7-C5	5.38	1.42	1.39
26	BB	950	G	C5-C6	5.38	1.47	1.42
26	BB	1599	U	C5-C6	5.38	1.39	1.34
26	BB	2387	U	C5'-C4'	5.38	1.57	1.51
26	BB	2681	C	P-O5'	5.38	1.65	1.59
1	AA	119	A	N3-C4	5.38	1.38	1.34
1	AA	865	A	N3-C4	-5.38	1.31	1.34
1	AA	1508	A	C5-C4	-5.38	1.34	1.38
4	AD	14	A	C2-N3	5.38	1.38	1.33
25	BA	37	C	C3'-C2'	5.38	1.58	1.52
26	BB	947	A	C6-N6	5.38	1.38	1.33
26	BB	1976	U	P-O5'	5.38	1.65	1.59

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2563	U	C2-N3	5.38	1.41	1.37
1	AA	420	U	C5-C6	5.38	1.39	1.34
1	AA	671	G	C3'-C2'	5.38	1.58	1.52
1	AA	987	G	O3'-P	5.38	1.67	1.61
1	AA	1055	A	C5'-C4'	-5.38	1.44	1.51
26	BB	2126	A	C4'-O4'	-5.38	1.38	1.45
26	BB	2662	A	C5-C6	5.38	1.45	1.41
26	BB	2735	G	C3'-C2'	5.38	1.58	1.52
47	BW	93	ARG	NE-CZ	5.38	1.40	1.33
1	AA	1079	G	C5-C6	5.37	1.47	1.42
26	BB	266	G	C6-N1	-5.37	1.35	1.39
26	BB	991	C	N1-C6	5.37	1.40	1.37
26	BB	1684	G	C8-N7	5.37	1.34	1.30
26	BB	1978	A	C3'-C2'	5.37	1.58	1.52
26	BB	2141	G	C6-N1	-5.37	1.35	1.39
26	BB	2222	C	N1-C2	5.37	1.45	1.40
26	BB	2797	U	P-O5'	5.37	1.65	1.59
1	AA	952	U	C2-N3	5.37	1.41	1.37
26	BB	25	U	O5'-C5'	-5.37	1.34	1.42
26	BB	275	C	P-O5'	5.37	1.65	1.59
26	BB	351	C	C2-N3	5.37	1.40	1.35
26	BB	895	U	N1-C2	5.37	1.43	1.38
1	AA	1062	U	O3'-P	5.37	1.67	1.61
26	BB	1706	C	C3'-C2'	5.37	1.58	1.52
1	AA	194	C	C5-C6	5.37	1.38	1.34
1	AA	233	C	P-O5'	5.37	1.65	1.59
1	AA	492	C	C4'-O4'	-5.37	1.38	1.45
1	AA	989	U	C2'-C1'	-5.37	1.47	1.53
1	AA	1230	C	C5-C6	5.37	1.38	1.34
1	AA	1332	A	N9-C8	-5.37	1.33	1.37
26	BB	255	A	C4'-O4'	-5.37	1.38	1.45
26	BB	891	G	C5-C6	5.37	1.47	1.42
26	BB	1449	G	C2'-C1'	-5.37	1.47	1.53
26	BB	1918	A	C2'-O2'	5.37	1.48	1.41
26	BB	2052	A	C8-N7	-5.37	1.27	1.31
26	BB	2530	A	C3'-C2'	-5.37	1.46	1.52
26	BB	2616	C	N1-C6	5.37	1.40	1.37
43	BS	54	ARG	CZ-NH2	5.37	1.40	1.33
1	AA	861	G	C2-N3	5.37	1.37	1.32
1	AA	1425	U	C2-N3	5.37	1.41	1.37
26	BB	493	G	C3'-C2'	-5.37	1.46	1.52
26	BB	587	C	C4-C5	5.37	1.47	1.43

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	676	A	N9-C4	5.37	1.41	1.37
26	BB	79	C	N1-C6	5.37	1.40	1.37
26	BB	91	A	N3-C4	5.37	1.38	1.34
26	BB	308	G	O4'-C1'	-5.37	1.34	1.41
26	BB	686	U	C4-O4	-5.37	1.19	1.23
26	BB	827	U	N1-C2	5.37	1.43	1.38
26	BB	2136	G	C8-N7	5.37	1.34	1.30
26	BB	2259	U	C2-N3	5.37	1.41	1.37
1	AA	36	C	C5'-C4'	5.36	1.57	1.51
1	AA	306	A	C5-C6	5.36	1.45	1.41
1	AA	549	C	O3'-P	-5.36	1.54	1.61
26	BB	1490	A	C8-N7	-5.36	1.27	1.31
26	BB	1872	A	C6-N1	-5.36	1.31	1.35
26	BB	2417	C	N1-C6	5.36	1.40	1.37
26	BB	2781	A	O3'-P	5.36	1.67	1.61
32	BH	169	ARG	NE-CZ	5.36	1.40	1.33
1	AA	1227	A	N9-C8	5.36	1.42	1.37
26	BB	1431	A	C5'-C4'	5.36	1.57	1.51
26	BB	1562	U	C5'-C4'	5.36	1.57	1.51
26	BB	1789	A	C5-C6	5.36	1.45	1.41
26	BB	2035	G	C5'-C4'	5.36	1.57	1.51
26	BB	2040	G	O3'-P	5.36	1.67	1.61
26	BB	2332	C	C2'-O2'	5.36	1.48	1.41
26	BB	2832	U	C2'-C1'	5.36	1.59	1.53
1	AA	265	G	C5-C4	5.36	1.42	1.38
1	AA	336	A	C4'-O4'	-5.36	1.38	1.45
1	AA	739	C	C4-C5	5.36	1.47	1.43
26	BB	95	A	C4'-O4'	-5.36	1.38	1.45
26	BB	352	A	C6-N1	5.36	1.39	1.35
26	BB	1600	C	O4'-C1'	5.36	1.48	1.41
26	BB	1969	A	C6-N6	5.36	1.38	1.33
26	BB	2132	U	C2'-O2'	5.36	1.48	1.41
26	BB	2588	G	C2'-C1'	5.36	1.59	1.53
26	BB	2695	U	C5'-C4'	5.36	1.57	1.51
26	BB	2751	G	N9-C8	5.36	1.41	1.37
26	BB	2755	C	C2'-C1'	-5.36	1.47	1.53
33	BI	113	SER	CA-CB	5.36	1.60	1.52
1	AA	600	A	C5-C6	5.36	1.45	1.41
26	BB	411	G	C4'-O4'	-5.36	1.38	1.45
26	BB	412	A	O3'-P	5.36	1.67	1.61
26	BB	770	G	N3-C4	5.36	1.39	1.35
26	BB	1359	A	N3-C4	5.36	1.38	1.34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	3	A	N1-C2	-5.36	1.29	1.34
1	AA	108	G	N3-C4	5.36	1.39	1.35
1	AA	189	A	N7-C5	-5.36	1.36	1.39
1	AA	372	C	C4-C5	5.36	1.47	1.43
1	AA	452	A	N3-C4	5.36	1.38	1.34
1	AA	738	C	N1-C6	5.36	1.40	1.37
1	AA	1058	G	N7-C5	5.36	1.42	1.39
1	AA	1187	G	C5'-C4'	5.36	1.57	1.51
3	AC	42	U	N3-C4	5.36	1.43	1.38
26	BB	917	A	N9-C4	5.36	1.41	1.37
26	BB	1062	G	C6-O6	-5.36	1.19	1.24
26	BB	1242	U	C3'-C2'	5.36	1.58	1.52
26	BB	1354	A	N7-C5	5.36	1.42	1.39
26	BB	1499	C	C1'-N1	5.36	1.56	1.48
26	BB	1813	G	P-O5'	5.36	1.65	1.59
26	BB	2202	U	N3-C4	5.36	1.43	1.38
26	BB	2387	U	C4'-O4'	-5.36	1.38	1.45
26	BB	2452	C	C5'-C4'	5.36	1.57	1.51
26	BB	2669	G	C6-O6	-5.36	1.19	1.24
26	BB	2697	G	C2-N3	5.36	1.37	1.32
1	AA	13	U	C4-O4	-5.36	1.19	1.23
1	AA	745	G	N1-C2	5.36	1.42	1.37
1	AA	1022	A	C4'-O4'	-5.36	1.38	1.45
1	AA	1233	G	C5-C4	-5.36	1.34	1.38
1	AA	1267	C	N3-C4	5.36	1.37	1.33
4	AD	32	G	C6-N1	-5.36	1.35	1.39
26	BB	677	A	C6-N1	5.36	1.39	1.35
26	BB	684	G	C6-N1	-5.36	1.35	1.39
26	BB	919	U	C2-O2	5.36	1.27	1.22
26	BB	1031	G	N1-C2	-5.36	1.33	1.37
26	BB	1312	U	C4'-C3'	5.36	1.59	1.53
26	BB	1340	U	C4'-O4'	-5.36	1.38	1.45
26	BB	2098	U	C2-N3	5.36	1.41	1.37
26	BB	2223	G	C4'-C3'	5.36	1.59	1.53
26	BB	2247	A	N9-C4	5.36	1.41	1.37
26	BB	540	C	C5'-C4'	5.35	1.57	1.51
26	BB	706	A	N9-C8	5.35	1.42	1.37
26	BB	2314	A	O3'-P	5.35	1.67	1.61
26	BB	2341	G	N9-C8	5.35	1.41	1.37
26	BB	2374	C	C5'-C4'	5.35	1.57	1.51
33	BI	25	TYR	CG-CD1	5.35	1.46	1.39
1	AA	257	G	C4'-O4'	-5.35	1.38	1.45

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	854	U	C5'-C4'	5.35	1.57	1.51
1	AA	925	G	C6-O6	-5.35	1.19	1.24
1	AA	1035	A	C4'-O4'	-5.35	1.38	1.45
1	AA	1430	A	C5'-C4'	-5.35	1.45	1.51
1	AA	1476	A	N3-C4	5.35	1.38	1.34
2	AB	40	C	C1'-N1	5.35	1.56	1.48
26	BB	578	G	N1-C2	-5.35	1.33	1.37
26	BB	711	G	O3'-P	5.35	1.67	1.61
26	BB	961	C	N3-C4	-5.35	1.30	1.33
26	BB	997	G	N3-C4	5.35	1.39	1.35
26	BB	2338	C	O3'-P	5.35	1.67	1.61
1	AA	36	C	P-O5'	5.35	1.65	1.59
1	AA	1276	G	N9-C8	5.35	1.41	1.37
2	AB	8	4SU	O3'-P	5.35	1.67	1.61
26	BB	22	C	C3'-C2'	5.35	1.58	1.52
26	BB	152	A	C3'-C2'	-5.35	1.46	1.52
26	BB	495	G	P-O5'	5.35	1.65	1.59
26	BB	1777	U	C5-C6	5.35	1.39	1.34
26	BB	2540	C	C2-O2	-5.35	1.19	1.24
1	AA	502	A	N3-C4	-5.35	1.31	1.34
1	AA	1106	G	C2-N3	5.35	1.37	1.32
1	AA	1252	A	C8-N7	-5.35	1.27	1.31
3	AC	57	C	C2'-C1'	5.35	1.59	1.53
25	BA	20	G	C5'-C4'	5.35	1.57	1.51
26	BB	530	G	C4'-C3'	5.35	1.59	1.53
26	BB	689	A	C2-N3	5.35	1.38	1.33
26	BB	2365	G	O3'-P	5.35	1.67	1.61
1	AA	768	A	N9-C8	5.35	1.42	1.37
1	AA	1394	A	C6-N1	-5.35	1.31	1.35
25	BA	35	C	C4-C5	5.35	1.47	1.43
26	BB	700	G	O4'-C1'	-5.35	1.34	1.41
26	BB	1372	U	O3'-P	5.35	1.67	1.61
26	BB	1699	G	O5'-C5'	-5.35	1.34	1.42
26	BB	2034	U	P-O5'	5.35	1.65	1.59
26	BB	2458	G	C5'-C4'	5.35	1.57	1.51
1	AA	107	G	C2-N3	-5.35	1.28	1.32
1	AA	1246	A	C3'-C2'	-5.35	1.46	1.52
1	AA	1345	U	P-O5'	5.35	1.65	1.59
1	AA	1346	A	C2'-C1'	5.35	1.59	1.53
26	BB	2489	U	C5-C6	5.35	1.39	1.34
26	BB	2895	G	C1'-N9	5.35	1.56	1.48
1	AA	175	C	C3'-C2'	5.34	1.58	1.52

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	242	G	P-O5'	5.34	1.65	1.59
1	AA	618	C	C4-C5	5.34	1.47	1.43
1	AA	1291	U	C4-C5	5.34	1.48	1.43
2	AB	14	A	O3'-P	5.34	1.67	1.61
26	BB	226	A	C2-N3	5.34	1.38	1.33
26	BB	580	U	N3-C4	5.34	1.43	1.38
26	BB	836	G	C2-N3	5.34	1.37	1.32
26	BB	969	G	C2-N2	-5.34	1.29	1.34
26	BB	1481	U	P-O5'	5.34	1.65	1.59
26	BB	1787	A	N1-C2	-5.34	1.29	1.34
26	BB	2132	U	C4-O4	-5.34	1.19	1.23
26	BB	2626	C	C5-C6	5.34	1.38	1.34
1	AA	289	G	O3'-P	-5.34	1.54	1.61
1	AA	492	C	N1-C2	5.34	1.45	1.40
26	BB	676	A	C6-N1	-5.34	1.31	1.35
26	BB	1511	G	N3-C4	5.34	1.39	1.35
26	BB	1549	A	C6-N1	5.34	1.39	1.35
26	BB	2096	C	C5-C6	5.34	1.38	1.34
1	AA	144	G	C2-N3	5.34	1.37	1.32
1	AA	264	C	C4-N4	5.34	1.38	1.33
1	AA	716	A	C8-N7	5.34	1.35	1.31
1	AA	752	G	N9-C8	5.34	1.41	1.37
1	AA	958	A	N3-C4	5.34	1.38	1.34
1	AA	1368	A	O3'-P	5.34	1.67	1.61
6	AF	104	GLU	CG-CD	5.34	1.59	1.51
26	BB	115	C	N1-C6	-5.34	1.33	1.37
26	BB	257	C	N3-C4	5.34	1.37	1.33
26	BB	516	C	N1-C6	5.34	1.40	1.37
26	BB	590	A	C2-N3	5.34	1.38	1.33
26	BB	605	G	O3'-P	5.34	1.67	1.61
26	BB	1300	G	C5-C4	5.34	1.42	1.38
26	BB	1482	G	N9-C8	-5.34	1.34	1.37
26	BB	1651	G	C5'-C4'	5.34	1.57	1.51
26	BB	1895	C	O4'-C1'	5.34	1.48	1.41
26	BB	2014	A	C1'-N9	5.34	1.56	1.48
26	BB	2360	G	N3-C4	5.34	1.39	1.35
26	BB	2485	G	N3-C4	5.34	1.39	1.35
1	AA	298	A	C5-C6	5.34	1.45	1.41
1	AA	679	C	C2-N3	5.34	1.40	1.35
1	AA	763	G	C2'-C1'	5.34	1.59	1.53
1	AA	983	A	C3'-C2'	5.34	1.58	1.52
26	BB	460	A	C3'-O3'	5.34	1.49	1.42

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	688	U	C2-O2	5.34	1.27	1.22
26	BB	1067	A	C3'-C2'	5.34	1.58	1.52
26	BB	1537	G	C6-N1	-5.34	1.35	1.39
26	BB	1538	G	N1-C2	5.34	1.42	1.37
26	BB	1685	C	C2'-O2'	5.34	1.48	1.41
26	BB	1935	G	C3'-C2'	5.34	1.58	1.52
26	BB	2376	A	C6-N6	-5.34	1.29	1.33
26	BB	2405	G	C6-O6	-5.34	1.19	1.24
26	BB	2629	U	O5'-C5'	-5.34	1.34	1.42
26	BB	2644	G	N3-C4	5.34	1.39	1.35
1	AA	352	C	C4-N4	5.34	1.38	1.33
1	AA	813	U	C2'-C1'	-5.34	1.47	1.53
1	AA	1224	U	C2-N3	5.34	1.41	1.37
26	BB	85	G	O4'-C1'	5.34	1.48	1.41
26	BB	2232	C	O4'-C1'	5.34	1.48	1.41
1	AA	117	G	N7-C5	5.34	1.42	1.39
1	AA	750	C	C4-C5	5.34	1.47	1.43
1	AA	915	A	N9-C8	-5.34	1.33	1.37
26	BB	117	G	C2-N3	5.34	1.37	1.32
26	BB	267	C	N1-C6	5.34	1.40	1.37
26	BB	417	C	C3'-C2'	-5.34	1.46	1.52
26	BB	1109	C	P-O5'	5.34	1.65	1.59
1	AA	960	U	C5'-C4'	-5.33	1.45	1.51
1	AA	1360	A	N9-C4	5.33	1.41	1.37
4	AD	23	G	C4'-O4'	-5.33	1.38	1.45
1	AA	446	G	N7-C5	5.33	1.42	1.39
1	AA	456	A	N9-C4	-5.33	1.34	1.37
1	AA	662	U	C4-C5	5.33	1.48	1.43
1	AA	1406	U	C4'-C3'	-5.33	1.47	1.52
1	AA	1417	G	C4'-O4'	-5.33	1.38	1.45
11	AK	14	ARG	CD-NE	5.33	1.55	1.46
26	BB	123	G	N7-C5	5.33	1.42	1.39
26	BB	240	C	N3-C4	5.33	1.37	1.33
26	BB	292	U	O3'-P	5.33	1.67	1.61
26	BB	369	U	C4-O4	5.33	1.27	1.23
26	BB	591	U	N1-C2	5.33	1.43	1.38
26	BB	1071	G	C6-O6	-5.33	1.19	1.24
26	BB	1279	G	C6-O6	-5.33	1.19	1.24
26	BB	1394	U	C2-O2	5.33	1.27	1.22
26	BB	1413	A	C6-N1	-5.33	1.31	1.35
26	BB	2576	G	N3-C4	5.33	1.39	1.35
26	BB	2783	U	P-O5'	5.33	1.65	1.59

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	32	A	C3'-C2'	5.33	1.58	1.52
1	AA	491	G	N3-C4	-5.33	1.31	1.35
1	AA	581	G	N3-C4	5.33	1.39	1.35
1	AA	985	C	N3-C4	5.33	1.37	1.33
26	BB	898	C	C5'-C4'	5.33	1.57	1.51
26	BB	1217	U	O4'-C1'	5.33	1.48	1.41
26	BB	1896	G	N7-C5	-5.33	1.36	1.39
26	BB	2272	U	O4'-C1'	5.33	1.48	1.41
31	BG	38	GLY	N-CA	5.33	1.54	1.46
1	AA	1049	U	C5-C6	-5.33	1.29	1.34
26	BB	179	C	C3'-C2'	5.33	1.58	1.52
26	BB	2610	C	C5-C6	5.33	1.38	1.34
26	BB	333	G	P-O5'	5.33	1.65	1.59
26	BB	1015	U	N1-C6	-5.33	1.33	1.38
26	BB	1693	U	C2-N3	5.33	1.41	1.37
26	BB	2273	A	C5'-C4'	5.33	1.57	1.51
26	BB	2502	G	C2-N2	-5.33	1.29	1.34
26	BB	2546	U	C4'-O4'	-5.33	1.38	1.45
26	BB	2638	G	N1-C2	5.33	1.42	1.37
1	AA	494	G	C4'-C3'	5.33	1.59	1.53
1	AA	807	A	N1-C2	-5.33	1.29	1.34
1	AA	1291	U	C2-N3	5.33	1.41	1.37
26	BB	333	G	C2-N3	5.33	1.37	1.32
26	BB	818	G	C6-N1	5.33	1.43	1.39
26	BB	2899	A	C8-N7	-5.33	1.27	1.31
1	AA	568	G	N9-C4	5.33	1.42	1.38
1	AA	730	G	C2'-C1'	-5.33	1.47	1.53
1	AA	1021	A	O4'-C1'	-5.33	1.34	1.41
26	BB	428	A	C4'-O4'	-5.33	1.38	1.45
26	BB	1206	G	N3-C4	5.33	1.39	1.35
26	BB	1695	G	P-O5'	5.33	1.65	1.59
26	BB	1735	A	C4'-O4'	-5.33	1.38	1.45
26	BB	1780	A	N9-C8	5.33	1.42	1.37
26	BB	1963	U	O3'-P	5.33	1.67	1.61
26	BB	2033	A	C8-N7	-5.33	1.27	1.31
32	BH	150	TYR	CG-CD2	5.33	1.46	1.39
1	AA	722	G	C4'-O4'	-5.32	1.38	1.45
1	AA	1178	G	C2'-C1'	-5.32	1.47	1.53
26	BB	961	C	C5-C6	5.32	1.38	1.34
26	BB	1192	G	C5-C6	5.32	1.47	1.42
26	BB	1900	A	C2'-C1'	5.32	1.59	1.53
26	BB	2298	A	N1-C2	5.32	1.39	1.34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2303	G	C5-C4	-5.32	1.34	1.38
26	BB	2628	C	O3'-P	5.32	1.67	1.61
26	BB	174	U	C2-O2	5.32	1.27	1.22
26	BB	539	G	P-O5'	-5.32	1.54	1.59
26	BB	1253	A	P-O5'	5.32	1.65	1.59
26	BB	1497	U	C5-C6	5.32	1.39	1.34
26	BB	1680	U	N1-C2	5.32	1.43	1.38
1	AA	661	G	P-O5'	5.32	1.65	1.59
1	AA	712	A	N7-C5	5.32	1.42	1.39
1	AA	1174	G	C8-N7	-5.32	1.27	1.30
25	BA	6	G	C8-N7	-5.32	1.27	1.30
26	BB	70	G	N3-C4	5.32	1.39	1.35
26	BB	290	U	C4-O4	-5.32	1.19	1.23
26	BB	438	G	C2-N3	5.32	1.37	1.32
26	BB	660	C	C5-C6	-5.32	1.30	1.34
26	BB	857	G	C5-C4	-5.32	1.34	1.38
26	BB	865	C	C5'-C4'	5.32	1.57	1.51
26	BB	927	A	C3'-C2'	5.32	1.58	1.52
26	BB	1358	G	C2-N3	5.32	1.37	1.32
26	BB	1504	A	C5-C6	5.32	1.45	1.41
26	BB	2113	U	C2'-C1'	5.32	1.59	1.53
26	BB	2382	G	N9-C8	5.32	1.41	1.37
26	BB	2519	U	C5'-C4'	5.32	1.57	1.51
1	AA	237	G	N1-C2	5.32	1.42	1.37
1	AA	359	G	C2-N2	5.32	1.39	1.34
1	AA	670	G	C5-C4	-5.32	1.34	1.38
1	AA	958	A	C6-N1	-5.32	1.31	1.35
26	BB	218	A	C4'-O4'	-5.32	1.38	1.45
26	BB	938	G	C3'-C2'	-5.32	1.46	1.52
26	BB	1349	C	C4'-C3'	5.32	1.59	1.53
26	BB	2041	U	C5-C6	5.32	1.39	1.34
26	BB	2590	A	N9-C4	-5.32	1.34	1.37
26	BB	2674	G	P-O5'	5.32	1.65	1.59
1	AA	300	A	C3'-C2'	5.32	1.58	1.52
1	AA	307	C	C3'-O3'	-5.32	1.34	1.42
1	AA	1024	G	C3'-O3'	5.32	1.49	1.42
1	AA	1067	A	N3-C4	5.32	1.38	1.34
2	AB	48	U	C4-C5	5.32	1.48	1.43
4	AD	74	A	C3'-O3'	5.32	1.49	1.42
25	BA	26	C	N1-C6	-5.32	1.33	1.37
26	BB	315	G	N7-C5	-5.32	1.36	1.39
26	BB	1039	A	C5-C4	-5.32	1.35	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1243	C	C2-N3	5.32	1.40	1.35
26	BB	1353	A	O3'-P	5.32	1.67	1.61
26	BB	1425	G	N9-C4	-5.32	1.33	1.38
26	BB	1611	C	C2-O2	-5.32	1.19	1.24
26	BB	1703	G	C4'-O4'	-5.32	1.38	1.45
26	BB	2035	G	N3-C4	5.32	1.39	1.35
26	BB	2207	C	C5'-C4'	5.32	1.57	1.51
26	BB	2211	A	N7-C5	5.32	1.42	1.39
26	BB	2276	G	O3'-P	5.32	1.67	1.61
26	BB	2334	U	C4'-O4'	-5.32	1.38	1.45
26	BB	2752	C	O3'-P	5.32	1.67	1.61
1	AA	248	C	O3'-P	-5.32	1.54	1.61
1	AA	285	C	C4-C5	5.32	1.47	1.43
1	AA	431	A	N3-C4	5.32	1.38	1.34
7	AG	19	PHE	CG-CD1	5.32	1.46	1.38
26	BB	1638	C	C2'-C1'	-5.32	1.47	1.53
26	BB	1856	U	N1-C6	5.32	1.42	1.38
26	BB	2225	A	P-O5'	5.32	1.65	1.59
26	BB	2396	G	C2-N2	5.32	1.39	1.34
1	AA	112	G	C5-C6	-5.31	1.37	1.42
1	AA	1453	G	C2'-O2'	5.31	1.48	1.41
26	BB	1675	C	C5'-C4'	5.31	1.57	1.51
1	AA	135	C	C4-C5	5.31	1.47	1.43
4	AD	38	A	N3-C4	-5.31	1.31	1.34
26	BB	71	A	C5'-C4'	5.31	1.57	1.51
26	BB	224	U	C2-O2	-5.31	1.17	1.22
26	BB	240	C	C5'-C4'	5.31	1.57	1.51
26	BB	800	A	C2'-C1'	-5.31	1.47	1.53
26	BB	869	G	N1-C2	5.31	1.42	1.37
26	BB	1841	U	N1-C2	5.31	1.43	1.38
26	BB	1897	G	C8-N7	5.31	1.34	1.30
26	BB	1961	C	C2-N3	-5.31	1.31	1.35
26	BB	2511	U	C2'-C1'	-5.31	1.47	1.53
26	BB	2511	U	C4'-C3'	5.31	1.58	1.53
26	BB	2736	A	N9-C4	5.31	1.41	1.37
45	BU	99	ARG	CZ-NH2	5.31	1.40	1.33
1	AA	48	C	C4-N4	5.31	1.38	1.33
1	AA	912	C	O3'-P	5.31	1.67	1.61
1	AA	1137	C	C4-N4	5.31	1.38	1.33
1	AA	1499	A	C4'-O4'	-5.31	1.38	1.45
24	AX	65	ARG	NE-CZ	5.31	1.40	1.33
26	BB	778	G	N9-C8	5.31	1.41	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1090	A	C2'-C1'	5.31	1.59	1.53
1	AA	133	U	C2-N3	5.31	1.41	1.37
1	AA	285	C	C3'-C2'	5.31	1.58	1.52
1	AA	322	C	N3-C4	5.31	1.37	1.33
1	AA	411	A	P-O5'	5.31	1.65	1.59
1	AA	1166	G	N1-C2	5.31	1.42	1.37
1	AA	1225	A	N9-C4	5.31	1.41	1.37
1	AA	1428	A	N9-C4	-5.31	1.34	1.37
1	AA	1515	G	C8-N7	5.31	1.34	1.30
2	AB	73	G	C2-N3	5.31	1.36	1.32
26	BB	429	A	C5-C4	5.31	1.42	1.38
26	BB	502	A	C6-N1	5.31	1.39	1.35
26	BB	1732	C	C2-O2	-5.31	1.19	1.24
26	BB	1814	G	C5'-C4'	5.31	1.57	1.51
26	BB	2101	A	C5'-C4'	5.31	1.57	1.51
26	BB	2415	G	C5'-C4'	5.31	1.57	1.51
26	BB	2464	G	N7-C5	5.31	1.42	1.39
1	AA	808	C	C4'-O4'	-5.31	1.38	1.45
1	AA	968	A	N7-C5	5.31	1.42	1.39
26	BB	140	C	N1-C6	5.31	1.40	1.37
26	BB	1234	U	N1-C6	-5.31	1.33	1.38
26	BB	2282	G	N3-C4	-5.31	1.31	1.35
26	BB	2354	C	C5-C6	5.31	1.38	1.34
26	BB	2768	U	C3'-C2'	-5.31	1.47	1.52
26	BB	2791	G	N3-C4	-5.31	1.31	1.35
26	BB	2885	G	C5'-C4'	5.31	1.57	1.51
1	AA	549	C	N1-C6	5.31	1.40	1.37
26	BB	48	G	N9-C8	-5.31	1.34	1.37
26	BB	1207	C	C4'-C3'	-5.31	1.47	1.52
26	BB	1490	A	O3'-P	5.31	1.67	1.61
26	BB	1806	C	C4-N4	5.31	1.38	1.33
1	AA	250	A	N7-C5	-5.30	1.36	1.39
1	AA	259	G	C3'-C2'	5.30	1.58	1.52
1	AA	843	U	O3'-P	5.30	1.67	1.61
1	AA	1255	G	C8-N7	5.30	1.34	1.30
1	AA	1456	A	C3'-C2'	-5.30	1.47	1.52
3	AC	15	G	P-O5'	5.30	1.65	1.59
26	BB	352	A	N9-C8	5.30	1.42	1.37
26	BB	472	A	C3'-C2'	5.30	1.58	1.52
26	BB	559	G	N7-C5	-5.30	1.36	1.39
26	BB	612	G	C4'-C3'	5.30	1.58	1.53
26	BB	1029	A	N9-C8	5.30	1.42	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1497	U	C4-C5	5.30	1.48	1.43
1	AA	275	G	N9-C4	5.30	1.42	1.38
1	AA	1531	A	C6-N6	5.30	1.38	1.33
26	BB	275	C	C2-N3	5.30	1.40	1.35
26	BB	376	G	C2'-C1'	-5.30	1.47	1.53
26	BB	376	G	N7-C5	-5.30	1.36	1.39
26	BB	396	G	N9-C8	-5.30	1.34	1.37
26	BB	866	A	C5-C6	5.30	1.45	1.41
26	BB	2210	U	C4-O4	-5.30	1.19	1.23
26	BB	2666	C	C2'-C1'	-5.30	1.47	1.53
58	B7	36	ARG	NE-CZ	5.30	1.40	1.33
1	AA	75	G	C4'-C3'	5.30	1.58	1.53
1	AA	321	A	C2-N3	-5.30	1.28	1.33
1	AA	486	U	N3-C4	5.30	1.43	1.38
1	AA	1099	G	C4'-O4'	-5.30	1.38	1.45
1	AA	1374	A	P-O5'	5.30	1.65	1.59
1	AA	1458	G	C4'-O4'	-5.30	1.38	1.45
1	AA	1506	U	C5-C6	5.30	1.39	1.34
25	BA	32	U	P-O5'	5.30	1.65	1.59
26	BB	602	A	C5-C4	-5.30	1.35	1.38
26	BB	1102	C	C2'-O2'	5.30	1.48	1.41
26	BB	1869	G	C4'-O4'	-5.30	1.38	1.45
26	BB	2456	C	O4'-C1'	-5.30	1.34	1.41
26	BB	2602	A	O3'-P	5.30	1.67	1.61
26	BB	2822	G	P-O5'	5.30	1.65	1.59
26	BB	2893	A	C5-C6	5.30	1.45	1.41
1	AA	762	U	N3-C4	5.30	1.43	1.38
2	AB	65	C	C4-C5	5.30	1.47	1.43
25	BA	95	U	C3'-O3'	5.30	1.49	1.42
26	BB	58	G	C5'-C4'	5.30	1.57	1.51
26	BB	448	U	N1-C2	5.30	1.43	1.38
26	BB	795	C	C2-N3	5.30	1.40	1.35
26	BB	959	A	N9-C4	5.30	1.41	1.37
26	BB	1097	U	C3'-C2'	-5.30	1.47	1.52
26	BB	1429	G	C4'-O4'	-5.30	1.38	1.45
26	BB	1979	U	C4-O4	-5.30	1.19	1.23
26	BB	2337	G	C4'-O4'	-5.30	1.38	1.45
26	BB	2461	A	C2-N3	5.30	1.38	1.33
26	BB	2528	U	C4'-O4'	-5.30	1.38	1.45
26	BB	2769	U	C5'-C4'	5.30	1.57	1.51
26	BB	1970	A	N7-C5	-5.30	1.36	1.39
26	BB	2245	U	C4-O4	-5.30	1.19	1.23

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
46	BV	54	GLU	CB-CG	5.30	1.62	1.52
1	AA	397	A	N9-C4	5.30	1.41	1.37
1	AA	949	A	C3'-O3'	5.30	1.49	1.42
4	AD	20	G	C6-N1	5.30	1.43	1.39
26	BB	829	A	C4'-C3'	5.30	1.58	1.53
26	BB	1555	G	C3'-O3'	5.30	1.49	1.42
26	BB	1664	A	O3'-P	5.30	1.67	1.61
26	BB	2007	U	C4-O4	-5.30	1.19	1.23
26	BB	2064	C	C4'-C3'	5.30	1.58	1.53
1	AA	390	U	C5'-C4'	5.29	1.57	1.51
1	AA	1073	U	C5'-C4'	5.29	1.57	1.51
1	AA	1139	G	O3'-P	5.29	1.67	1.61
26	BB	385	C	C4'-O4'	-5.29	1.38	1.45
26	BB	1098	A	C8-N7	5.29	1.35	1.31
26	BB	1676	A	N9-C4	5.29	1.41	1.37
26	BB	1749	A	N9-C4	-5.29	1.34	1.37
1	AA	589	U	C2-N3	5.29	1.41	1.37
1	AA	847	G	N1-C2	5.29	1.42	1.37
1	AA	1288	A	C5-C6	5.29	1.45	1.41
1	AA	1458	G	C3'-C2'	5.29	1.58	1.52
1	AA	1531	A	N9-C8	5.29	1.42	1.37
25	BA	28	C	C5'-C4'	5.29	1.57	1.51
25	BA	56	G	N9-C8	-5.29	1.34	1.37
26	BB	802	A	C4'-C3'	5.29	1.58	1.53
26	BB	1250	G	O3'-P	5.29	1.67	1.61
26	BB	1679	A	P-O5'	5.29	1.65	1.59
26	BB	1695	G	C6-N1	5.29	1.43	1.39
26	BB	1738	G	C2'-C1'	5.29	1.59	1.53
26	BB	1967	C	C2-O2	-5.29	1.19	1.24
26	BB	2318	G	N9-C4	5.29	1.42	1.38
1	AA	137	U	C2'-O2'	5.29	1.48	1.41
1	AA	272	C	C4'-C3'	-5.29	1.47	1.52
1	AA	528	C	N1-C6	5.29	1.40	1.37
1	AA	1050	G	C6-N1	5.29	1.43	1.39
4	AD	26	C	C3'-C2'	-5.29	1.47	1.52
25	BA	82	U	C2'-C1'	5.29	1.59	1.53
26	BB	66	C	C4-C5	-5.29	1.38	1.43
26	BB	453	A	C5-C4	-5.29	1.35	1.38
26	BB	576	U	C4-O4	-5.29	1.19	1.23
26	BB	656	G	C2'-C1'	5.29	1.59	1.53
26	BB	1407	G	C4'-C3'	5.29	1.58	1.53
26	BB	1998	A	C2'-O2'	5.29	1.48	1.41

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2751	G	C8-N7	-5.29	1.27	1.30
1	AA	1160	G	N3-C4	5.29	1.39	1.35
26	BB	329	G	C4'-C3'	5.29	1.58	1.53
26	BB	667	U	C5'-C4'	5.29	1.57	1.51
26	BB	1042	G	N1-C2	-5.29	1.33	1.37
26	BB	2467	C	C2'-C1'	-5.29	1.47	1.53
1	AA	636	U	N1-C2	5.29	1.43	1.38
1	AA	660	C	O3'-P	5.29	1.67	1.61
1	AA	771	G	N7-C5	5.29	1.42	1.39
1	AA	1259	C	C4'-O4'	-5.29	1.38	1.45
21	AU	2	ARG	CZ-NH2	5.29	1.40	1.33
26	BB	43	G	C3'-O3'	-5.29	1.34	1.42
26	BB	713	G	C4'-O4'	-5.29	1.38	1.45
26	BB	1302	A	N7-C5	5.29	1.42	1.39
26	BB	1762	A	C5-C4	5.29	1.42	1.38
26	BB	1938	A	N7-C5	-5.29	1.36	1.39
26	BB	2704	C	C4-N4	5.29	1.38	1.33
1	AA	828	U	C5'-C4'	5.29	1.57	1.51
1	AA	1232	U	C5'-C4'	5.29	1.57	1.51
1	AA	1374	A	C5-C6	5.29	1.45	1.41
1	AA	1446	A	N3-C4	5.29	1.38	1.34
26	BB	841	G	C8-N7	-5.29	1.27	1.30
26	BB	1627	G	N9-C4	5.29	1.42	1.38
26	BB	1663	G	C6-N1	5.29	1.43	1.39
1	AA	81	A	C8-N7	5.29	1.35	1.31
26	BB	48	G	C3'-C2'	-5.29	1.47	1.52
26	BB	111	A	N9-C8	-5.29	1.33	1.37
26	BB	164	C	C2-N3	5.29	1.40	1.35
26	BB	226	A	C6-N1	-5.29	1.31	1.35
26	BB	1059	G	N1-C2	5.29	1.42	1.37
26	BB	1192	G	C5'-C4'	5.29	1.57	1.51
26	BB	1219	U	N1-C2	5.29	1.43	1.38
26	BB	1708	C	C4'-C3'	-5.29	1.47	1.52
26	BB	1770	G	N3-C4	-5.29	1.31	1.35
26	BB	1882	U	C1'-N1	5.29	1.56	1.48
26	BB	2040	G	C6-N1	5.29	1.43	1.39
26	BB	2492	U	P-O5'	5.29	1.65	1.59
33	BI	25	TYR	CE1-CZ	5.29	1.45	1.38
1	AA	524	G	N7-C5	-5.28	1.36	1.39
25	BA	71	C	N1-C2	5.28	1.45	1.40
26	BB	580	U	C4-O4	-5.28	1.19	1.23
26	BB	1224	U	C3'-C2'	-5.28	1.47	1.52

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1322	A	P-O5'	-5.28	1.54	1.59
26	BB	1470	A	C5-C4	5.28	1.42	1.38
26	BB	1676	A	C6-N1	5.28	1.39	1.35
26	BB	2611	C	C2'-C1'	5.28	1.59	1.53
26	BB	2700	A	N3-C4	5.28	1.38	1.34
26	BB	2717	C	P-O5'	5.28	1.65	1.59
26	BB	2823	A	O3'-P	5.28	1.67	1.61
1	AA	228	A	N1-C2	5.28	1.39	1.34
26	BB	2086	U	P-O5'	5.28	1.65	1.59
1	AA	3	A	C6-N6	5.28	1.38	1.33
1	AA	101	A	C5-C4	5.28	1.42	1.38
1	AA	1170	A	C5-C4	-5.28	1.35	1.38
1	AA	1189	U	C3'-C2'	5.28	1.58	1.52
1	AA	1420	U	C4-O4	-5.28	1.19	1.23
4	AD	32	G	C5-C4	-5.28	1.34	1.38
14	AN	48	GLY	CA-C	5.28	1.60	1.51
26	BB	277	G	C6-N1	-5.28	1.35	1.39
26	BB	417	C	C4-C5	5.28	1.47	1.43
26	BB	446	G	C2-N3	5.28	1.36	1.32
26	BB	758	C	P-O5'	-5.28	1.54	1.59
26	BB	1220	G	N1-C2	5.28	1.42	1.37
26	BB	1461	C	O3'-P	-5.28	1.54	1.61
26	BB	2129	C	P-O5'	5.28	1.65	1.59
26	BB	2672	U	N1-C2	5.28	1.43	1.38
26	BB	262	A	C3'-C2'	-5.28	1.47	1.52
26	BB	1078	U	C2'-C1'	-5.28	1.47	1.53
26	BB	2481	G	C5-C4	-5.28	1.34	1.38
26	BB	2650	U	C2-N3	5.28	1.41	1.37
26	BB	2827	C	O3'-P	5.28	1.67	1.61
1	AA	387	U	C2'-C1'	5.28	1.59	1.53
1	AA	833	G	C6-N1	-5.28	1.35	1.39
1	AA	1397	C	O3'-P	5.28	1.67	1.61
2	AB	76	A	N3-C4	5.28	1.38	1.34
26	BB	212	G	N3-C4	5.28	1.39	1.35
26	BB	941	A	C8-N7	-5.28	1.27	1.31
26	BB	1115	G	N1-C2	5.28	1.42	1.37
26	BB	2137	U	C2-N3	5.28	1.41	1.37
26	BB	2491	U	O4'-C1'	5.28	1.48	1.41
26	BB	2618	G	C8-N7	5.28	1.34	1.30
1	AA	389	A	O4'-C1'	5.28	1.48	1.41
26	BB	230	G	C5-C4	5.28	1.42	1.38
26	BB	514	A	C4'-C3'	5.28	1.58	1.53

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	794	A	P-O5'	5.28	1.65	1.59
26	BB	1115	G	N7-C5	-5.28	1.36	1.39
26	BB	2264	C	N1-C6	-5.28	1.33	1.37
43	BS	96	ASP	CB-CG	5.28	1.62	1.51
1	AA	887	G	O3'-P	5.27	1.67	1.61
1	AA	1025	U	O5'-C5'	5.27	1.52	1.44
26	BB	478	A	C6-N1	5.27	1.39	1.35
26	BB	565	C	C4-C5	5.27	1.47	1.43
26	BB	637	A	N9-C8	5.27	1.42	1.37
26	BB	1387	A	C5-C4	-5.27	1.35	1.38
26	BB	2692	G	N7-C5	-5.27	1.36	1.39
1	AA	651	C	N3-C4	5.27	1.37	1.33
1	AA	792	A	C2-N3	5.27	1.38	1.33
1	AA	803	G	C2'-C1'	-5.27	1.47	1.53
1	AA	825	A	N9-C8	5.27	1.42	1.37
1	AA	875	U	N1-C2	5.27	1.43	1.38
1	AA	959	A	N9-C4	-5.27	1.34	1.37
1	AA	1185	G	O3'-P	5.27	1.67	1.61
1	AA	1374	A	N7-C5	5.27	1.42	1.39
8	AH	128	GLY	N-CA	5.27	1.53	1.46
26	BB	86	G	N3-C4	-5.27	1.31	1.35
26	BB	665	U	C5-C6	5.27	1.38	1.34
26	BB	984	A	C6-N1	5.27	1.39	1.35
26	BB	1204	A	C4'-C3'	5.27	1.58	1.53
26	BB	1530	G	C8-N7	-5.27	1.27	1.30
26	BB	1565	C	P-O5'	5.27	1.65	1.59
26	BB	2435	A	O4'-C1'	5.27	1.48	1.41
1	AA	1361	G	C4'-C3'	-5.27	1.47	1.52
2	AB	59	G	N9-C4	5.27	1.42	1.38
25	BA	29	A	N3-C4	5.27	1.38	1.34
26	BB	668	A	C2'-O2'	-5.27	1.34	1.41
26	BB	887	U	C2-O2	5.27	1.27	1.22
26	BB	1214	A	C4'-O4'	-5.27	1.38	1.45
26	BB	2163	A	C5-C4	-5.27	1.35	1.38
54	B3	39	ARG	CZ-NH1	5.27	1.40	1.33
1	AA	58	C	O3'-P	5.27	1.67	1.61
1	AA	1379	G	C2-N3	5.27	1.36	1.32
4	AD	3	C	O4'-C1'	-5.27	1.34	1.41
4	AD	77	A	N9-C8	5.27	1.42	1.37
26	BB	323	C	N1-C6	5.27	1.40	1.37
26	BB	1029	A	O4'-C1'	5.27	1.48	1.41
26	BB	1481	U	N1-C2	5.27	1.43	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2079	U	C1'-N1	5.27	1.56	1.48
26	BB	2371	G	C4'-C3'	-5.27	1.47	1.52
26	BB	2683	C	C4'-O4'	-5.27	1.38	1.45
30	BF	101	TYR	CB-CG	5.27	1.59	1.51
1	AA	437	U	C5-C6	5.27	1.38	1.34
1	AA	484	G	O3'-P	5.27	1.67	1.61
1	AA	540	G	C4'-C3'	5.27	1.58	1.53
1	AA	1216	A	C4'-O4'	-5.27	1.38	1.45
1	AA	1268	G	C5-C4	5.27	1.42	1.38
1	AA	1364	U	C1'-N1	5.27	1.56	1.48
3	AC	41	A	P-O5'	5.27	1.65	1.59
26	BB	584	C	P-O5'	5.27	1.65	1.59
26	BB	680	C	C4-C5	-5.27	1.38	1.43
26	BB	1240	U	C5'-C4'	5.27	1.57	1.51
26	BB	1545	A	C6-N1	5.27	1.39	1.35
26	BB	2018	G	C5'-C4'	5.27	1.57	1.51
26	BB	2559	C	C4'-C3'	-5.27	1.47	1.52
1	AA	15	G	C2-N3	5.27	1.36	1.32
1	AA	167	A	N7-C5	5.27	1.42	1.39
1	AA	413	G	N9-C4	-5.27	1.33	1.38
3	AC	24	A	C5-C6	5.27	1.45	1.41
26	BB	886	A	C5'-C4'	5.27	1.57	1.51
26	BB	1975	G	C4'-O4'	-5.27	1.38	1.45
1	AA	561	U	C2-O2	5.26	1.27	1.22
1	AA	653	U	C4-C5	5.26	1.48	1.43
1	AA	732	C	O4'-C1'	5.26	1.48	1.41
1	AA	915	A	C6-N1	-5.26	1.31	1.35
1	AA	1261	A	C5-C4	-5.26	1.35	1.38
2	AB	31	U	C5'-C4'	5.26	1.57	1.51
26	BB	412	A	C2'-C1'	-5.26	1.47	1.53
26	BB	1122	G	O4'-C1'	5.26	1.48	1.41
26	BB	1400	U	C2-N3	5.26	1.41	1.37
26	BB	1424	G	C2'-O2'	-5.26	1.34	1.41
26	BB	2676	C	O3'-P	5.26	1.67	1.61
1	AA	35	G	C6-O6	-5.26	1.19	1.24
1	AA	1336	C	N1-C6	5.26	1.40	1.37
3	AC	53	G	O4'-C1'	5.26	1.48	1.41
26	BB	2156	G	P-O5'	5.26	1.65	1.59
1	AA	82	G	N3-C4	5.26	1.39	1.35
1	AA	234	C	C5-C6	5.26	1.38	1.34
1	AA	997	U	C2-N3	5.26	1.41	1.37
1	AA	1238	A	N1-C2	-5.26	1.29	1.34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1286	U	C2'-C1'	-5.26	1.47	1.53
1	AA	1480	A	C5'-C4'	5.26	1.57	1.51
26	BB	363	G	N9-C8	5.26	1.41	1.37
26	BB	999	U	C4-O4	5.26	1.27	1.23
26	BB	1393	A	N9-C8	-5.26	1.33	1.37
26	BB	2127	G	P-O5'	5.26	1.65	1.59
26	BB	2385	C	N1-C6	5.26	1.40	1.37
26	BB	2727	A	P-O5'	5.26	1.65	1.59
1	AA	320	A	C5'-C4'	5.26	1.57	1.51
1	AA	596	A	P-O5'	5.26	1.65	1.59
1	AA	707	U	C5'-C4'	5.26	1.57	1.51
1	AA	1283	U	C2-N3	5.26	1.41	1.37
1	AA	1528	U	C4'-O4'	-5.26	1.38	1.45
25	BA	101	A	C2-N3	5.26	1.38	1.33
26	BB	146	A	N3-C4	5.26	1.38	1.34
26	BB	619	G	O4'-C1'	5.26	1.48	1.41
26	BB	756	A	C6-N6	-5.26	1.29	1.33
26	BB	1137	G	C5'-C4'	5.26	1.57	1.51
26	BB	1250	G	N7-C5	-5.26	1.36	1.39
26	BB	1575	C	O3'-P	5.26	1.67	1.61
26	BB	1675	C	N1-C6	5.26	1.40	1.37
26	BB	1744	A	C2'-O2'	5.26	1.48	1.41
26	BB	2831	G	C2-N3	5.26	1.36	1.32
1	AA	539	A	P-O5'	5.26	1.65	1.59
1	AA	853	C	C3'-C2'	5.26	1.58	1.52
1	AA	988	G	C2-N3	-5.26	1.28	1.32
1	AA	1080	A	C5'-C4'	5.26	1.57	1.51
26	BB	56	A	C8-N7	-5.26	1.27	1.31
26	BB	628	G	C5-C6	5.26	1.47	1.42
1	AA	158	G	P-O5'	5.26	1.65	1.59
1	AA	293	G	N7-C5	-5.26	1.36	1.39
1	AA	730	G	N7-C5	5.26	1.42	1.39
1	AA	925	G	C2-N3	5.26	1.36	1.32
2	AB	51	G	C5'-C4'	5.26	1.57	1.51
26	BB	207	A	C4'-C3'	5.26	1.58	1.53
26	BB	400	G	C2'-C1'	5.26	1.59	1.53
26	BB	641	U	C4'-C3'	-5.26	1.47	1.52
26	BB	886	A	C6-N6	5.26	1.38	1.33
26	BB	1224	U	N1-C6	5.26	1.42	1.38
26	BB	2269	G	C6-O6	-5.26	1.19	1.24
26	BB	2444	G	C8-N7	5.26	1.34	1.30
1	AA	559	A	N3-C4	5.25	1.38	1.34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	661	G	O4'-C1'	5.25	1.48	1.41
26	BB	401	A	N9-C4	5.25	1.41	1.37
26	BB	632	A	C2'-C1'	5.25	1.59	1.53
26	BB	1188	U	N1-C6	-5.25	1.33	1.38
26	BB	1532	A	C2'-C1'	-5.25	1.47	1.53
26	BB	2782	G	C8-N7	-5.25	1.27	1.30
1	AA	65	A	C5'-C4'	-5.25	1.45	1.51
1	AA	179	A	N1-C2	-5.25	1.29	1.34
1	AA	485	U	C4'-O4'	-5.25	1.38	1.45
1	AA	496	A	C3'-C2'	-5.25	1.47	1.52
1	AA	800	G	N9-C8	-5.25	1.34	1.37
1	AA	970	C	P-O5'	5.25	1.65	1.59
1	AA	1048	G	O4'-C1'	5.25	1.48	1.41
1	AA	1093	A	C3'-C2'	5.25	1.58	1.52
1	AA	1320	C	C5-C6	5.25	1.38	1.34
25	BA	93	C	C4-C5	5.25	1.47	1.43
26	BB	260	G	O4'-C1'	5.25	1.48	1.41
26	BB	331	C	C2'-C1'	5.25	1.59	1.53
26	BB	639	U	O4'-C1'	5.25	1.48	1.41
26	BB	821	A	C6-N6	-5.25	1.29	1.33
26	BB	1090	A	N3-C4	-5.25	1.31	1.34
26	BB	1945	G	C2-N3	5.25	1.36	1.32
26	BB	1951	U	C5-C6	5.25	1.38	1.34
26	BB	2239	G	P-O5'	5.25	1.65	1.59
26	BB	2369	A	C2'-C1'	5.25	1.59	1.53
1	AA	1093	A	C4'-O4'	-5.25	1.38	1.45
1	AA	1102	A	C5'-C4'	5.25	1.57	1.51
26	BB	135	U	P-O5'	5.25	1.65	1.59
26	BB	445	C	N3-C4	5.25	1.37	1.33
26	BB	553	G	C3'-C2'	5.25	1.58	1.52
26	BB	2115	G	C6-N1	5.25	1.43	1.39
26	BB	2426	A	C5-C4	-5.25	1.35	1.38
26	BB	2642	G	C2'-C1'	5.25	1.59	1.53
26	BB	2728	U	C2-N3	5.25	1.41	1.37
1	AA	636	U	P-O5'	5.25	1.65	1.59
1	AA	1193	G	C2'-C1'	5.25	1.59	1.53
26	BB	472	A	O3'-P	5.25	1.67	1.61
26	BB	1101	U	C4'-C3'	5.25	1.58	1.53
26	BB	2659	G	N7-C5	5.25	1.42	1.39
1	AA	319	G	N3-C4	5.25	1.39	1.35
1	AA	421	U	C4'-O4'	-5.25	1.38	1.45
1	AA	734	G	C4'-O4'	-5.25	1.38	1.45

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	873	A	C4'-C3'	5.25	1.58	1.53
1	AA	1040	U	C3'-C2'	5.25	1.58	1.52
1	AA	1142	G	N9-C4	5.25	1.42	1.38
1	AA	1185	G	C5'-C4'	5.25	1.57	1.51
26	BB	22	C	C2-N3	5.25	1.40	1.35
26	BB	25	U	N1-C6	5.25	1.42	1.38
26	BB	1058	U	C2-N3	5.25	1.41	1.37
26	BB	1130	U	C4-O4	5.25	1.27	1.23
26	BB	1540	G	N3-C4	5.25	1.39	1.35
26	BB	1737	G	C5-C6	5.25	1.47	1.42
26	BB	1758	U	N1-C2	5.25	1.43	1.38
26	BB	2386	A	N7-C5	-5.25	1.36	1.39
26	BB	2694	G	C5-C4	5.25	1.42	1.38
26	BB	2760	C	C3'-C2'	5.25	1.58	1.52
26	BB	2771	C	C3'-C2'	-5.25	1.47	1.52
26	BB	2871	U	O4'-C1'	5.25	1.48	1.41
26	BB	2876	G	C2-N3	5.25	1.36	1.32
1	AA	120	A	C3'-O3'	5.25	1.49	1.42
1	AA	251	G	N9-C4	5.25	1.42	1.38
1	AA	1122	U	C5-C6	5.25	1.38	1.34
1	AA	1171	A	C3'-O3'	5.25	1.49	1.42
1	AA	1418	A	N3-C4	5.25	1.38	1.34
26	BB	428	A	N9-C4	-5.25	1.34	1.37
26	BB	547	A	O3'-P	5.25	1.67	1.61
26	BB	1089	A	N7-C5	5.25	1.42	1.39
26	BB	1532	A	C4'-O4'	-5.25	1.38	1.45
26	BB	1870	C	N3-C4	-5.25	1.30	1.33
26	BB	1987	A	O4'-C1'	5.25	1.48	1.41
26	BB	2214	C	C4-C5	5.25	1.47	1.43
26	BB	2313	C	O3'-P	5.25	1.67	1.61
1	AA	169	C	C5'-C4'	5.25	1.57	1.51
1	AA	211	G	N9-C8	-5.25	1.34	1.37
1	AA	428	G	N1-C2	5.25	1.42	1.37
1	AA	1058	G	O4'-C1'	5.25	1.48	1.41
26	BB	108	G	N7-C5	5.25	1.42	1.39
26	BB	2837	A	C3'-O3'	-5.25	1.34	1.42
1	AA	323	U	C5-C6	5.24	1.38	1.34
1	AA	1005	A	C5'-C4'	5.24	1.57	1.51
1	AA	1101	A	C5-C6	-5.24	1.36	1.41
1	AA	1418	A	C4'-C3'	5.24	1.58	1.53
2	AB	43	G	N3-C4	5.24	1.39	1.35
26	BB	200	U	C4'-O4'	-5.24	1.38	1.45

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	461	C	C2-O2	-5.24	1.19	1.24
26	BB	624	C	C2-N3	5.24	1.40	1.35
26	BB	1142	A	N7-C5	5.24	1.42	1.39
26	BB	1903	G	C4'-O4'	-5.24	1.38	1.45
26	BB	2362	C	C3'-C2'	5.24	1.58	1.52
26	BB	2576	G	C4'-O4'	-5.24	1.38	1.45
26	BB	2885	G	O3'-P	5.24	1.67	1.61
1	AA	375	U	C5-C6	5.24	1.38	1.34
26	BB	127	A	C5'-C4'	5.24	1.57	1.51
26	BB	488	G	C2'-O2'	-5.24	1.34	1.41
26	BB	2061	G	C5-C6	-5.24	1.37	1.42
1	AA	222	C	P-O5'	5.24	1.65	1.59
1	AA	552	U	C5-C6	5.24	1.38	1.34
1	AA	607	A	N9-C8	5.24	1.42	1.37
1	AA	1370	G	N3-C4	5.24	1.39	1.35
7	AG	50	TYR	CE2-CZ	5.24	1.45	1.38
25	BA	43	C	C4-C5	5.24	1.47	1.43
26	BB	226	A	N3-C4	-5.24	1.31	1.34
26	BB	429	A	O3'-P	5.24	1.67	1.61
26	BB	455	C	C4'-O4'	-5.24	1.38	1.45
26	BB	1084	A	C5'-C4'	5.24	1.57	1.51
26	BB	1371	G	N3-C4	5.24	1.39	1.35
26	BB	1725	U	C2'-O2'	5.24	1.48	1.41
26	BB	2084	C	C4'-O4'	-5.24	1.38	1.45
26	BB	2198	A	P-O5'	5.24	1.65	1.59
26	BB	2221	G	C2-N2	-5.24	1.29	1.34
26	BB	2268	A	O3'-P	-5.24	1.54	1.61
26	BB	2513	A	C2-N3	5.24	1.38	1.33
26	BB	2799	A	O3'-P	5.24	1.67	1.61
1	AA	164	G	C2-N2	-5.24	1.29	1.34
1	AA	492	C	C3'-C2'	5.24	1.58	1.52
1	AA	649	A	C6-N6	-5.24	1.29	1.33
1	AA	725	G	C6-N1	5.24	1.43	1.39
1	AA	1123	U	C2-N3	-5.24	1.34	1.37
1	AA	1445	U	N1-C2	5.24	1.43	1.38
2	AB	14	A	C5-C4	5.24	1.42	1.38
26	BB	427	U	P-O5'	-5.24	1.54	1.59
26	BB	1050	A	P-O5'	5.24	1.65	1.59
26	BB	2898	U	O4'-C1'	5.24	1.48	1.41
26	BB	1235	G	C2'-O2'	5.24	1.48	1.41
26	BB	1377	G	C5-C6	5.24	1.47	1.42
26	BB	2521	C	C4-N4	-5.24	1.29	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
30	BF	19	PHE	CB-CG	5.24	1.60	1.51
1	AA	380	G	P-OP1	5.24	1.57	1.49
1	AA	454	G	C3'-C2'	5.24	1.58	1.52
1	AA	560	A	N3-C4	5.24	1.38	1.34
1	AA	678	U	C2-N3	5.24	1.41	1.37
1	AA	826	C	O4'-C1'	5.24	1.48	1.41
1	AA	1255	G	N1-C2	5.24	1.42	1.37
1	AA	1466	C	N3-C4	5.24	1.37	1.33
2	AB	31	U	N1-C6	5.24	1.42	1.38
25	BA	79	G	C3'-C2'	-5.24	1.47	1.52
26	BB	496	G	C2'-C1'	5.24	1.59	1.53
26	BB	720	U	N1-C2	5.24	1.43	1.38
26	BB	856	G	C6-N1	-5.24	1.35	1.39
26	BB	864	G	C8-N7	5.24	1.34	1.30
26	BB	898	C	N1-C6	5.24	1.40	1.37
26	BB	1673	G	C2'-O2'	5.24	1.48	1.41
26	BB	1805	A	N9-C8	-5.24	1.33	1.37
26	BB	2529	G	C4'-O4'	-5.24	1.38	1.45
1	AA	404	G	C5-C4	5.23	1.42	1.38
1	AA	1231	G	C3'-O3'	-5.23	1.34	1.42
26	BB	50	U	N1-C2	5.23	1.43	1.38
26	BB	2038	G	N7-C5	5.23	1.42	1.39
26	BB	2347	C	N1-C6	5.23	1.40	1.37
1	AA	112	G	O4'-C1'	5.23	1.48	1.41
1	AA	857	C	N1-C6	5.23	1.40	1.37
1	AA	921	U	C4-C5	5.23	1.48	1.43
1	AA	957	U	C2-N3	5.23	1.41	1.37
1	AA	1205	U	C5-C6	5.23	1.38	1.34
1	AA	1258	G	C5-C4	5.23	1.42	1.38
1	AA	1539	C	C1'-N1	5.23	1.56	1.48
2	AB	14	A	N9-C4	-5.23	1.34	1.37
4	AD	40	C	O4'-C1'	5.23	1.48	1.41
26	BB	219	A	P-O5'	-5.23	1.54	1.59
26	BB	316	C	C2-N3	5.23	1.40	1.35
26	BB	332	A	C8-N7	-5.23	1.27	1.31
26	BB	722	A	N9-C8	5.23	1.42	1.37
26	BB	815	C	C2-N3	5.23	1.40	1.35
26	BB	948	C	C4-C5	-5.23	1.38	1.43
26	BB	1209	U	C2'-C1'	5.23	1.59	1.53
26	BB	1659	G	P-O5'	5.23	1.65	1.59
26	BB	2147	A	C4'-O4'	-5.23	1.38	1.45
26	BB	2269	G	C8-N7	5.23	1.34	1.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2319	G	N7-C5	-5.23	1.36	1.39
26	BB	2785	C	C4-N4	5.23	1.38	1.33
26	BB	2886	A	C3'-O3'	5.23	1.49	1.42
1	AA	171	A	N3-C4	5.23	1.38	1.34
1	AA	352	C	C3'-C2'	5.23	1.58	1.52
1	AA	442	G	N3-C4	5.23	1.39	1.35
1	AA	932	C	C4'-O4'	-5.23	1.38	1.45
1	AA	949	A	C5-C4	-5.23	1.35	1.38
4	AD	71	G	N9-C8	5.23	1.41	1.37
25	BA	89	U	C3'-C2'	5.23	1.58	1.52
26	BB	13	A	N7-C5	-5.23	1.36	1.39
26	BB	217	A	N9-C4	5.23	1.41	1.37
26	BB	230	G	C5'-C4'	5.23	1.57	1.51
26	BB	706	A	C6-N6	-5.23	1.29	1.33
26	BB	2006	C	N1-C6	5.23	1.40	1.37
1	AA	677	U	N3-C4	5.23	1.43	1.38
1	AA	1005	A	N9-C4	5.23	1.41	1.37
26	BB	759	G	N9-C4	5.23	1.42	1.38
26	BB	2546	U	C3'-C2'	-5.23	1.47	1.52
26	BB	2609	U	C4'-O4'	-5.23	1.38	1.45
1	AA	6	G	N7-C5	5.23	1.42	1.39
1	AA	892	A	N7-C5	5.23	1.42	1.39
1	AA	1462	C	P-O5'	-5.23	1.54	1.59
26	BB	125	A	C5'-C4'	5.23	1.57	1.51
26	BB	206	U	C2'-C1'	5.23	1.59	1.53
26	BB	440	C	C4-C5	5.23	1.47	1.43
26	BB	904	G	N9-C8	5.23	1.41	1.37
26	BB	1385	A	C4'-C3'	5.23	1.58	1.53
26	BB	1491	G	P-O5'	-5.23	1.54	1.59
26	BB	2100	G	N3-C4	5.23	1.39	1.35
26	BB	2816	G	C3'-C2'	5.23	1.58	1.52
1	AA	1167	A	C5-C4	-5.23	1.35	1.38
1	AA	1315	U	N1-C2	-5.23	1.33	1.38
26	BB	563	A	N9-C8	-5.23	1.33	1.37
26	BB	628	G	N7-C5	-5.23	1.36	1.39
26	BB	1977	A	C2'-C1'	-5.23	1.47	1.53
26	BB	2487	G	C8-N7	5.23	1.34	1.30
1	AA	499	A	C8-N7	-5.22	1.27	1.31
2	AB	30	G	N9-C4	5.22	1.42	1.38
25	BA	83	G	C2-N2	-5.22	1.29	1.34
26	BB	365	U	N1-C2	5.22	1.43	1.38
26	BB	374	A	C3'-C2'	5.22	1.58	1.52

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	579	G	C5-C4	-5.22	1.34	1.38
26	BB	1292	G	C2-N3	5.22	1.36	1.32
26	BB	1552	A	C6-N1	-5.22	1.31	1.35
26	BB	1615	C	N3-C4	-5.22	1.30	1.33
26	BB	1959	G	C5-C4	5.22	1.42	1.38
26	BB	2024	G	C4'-C3'	5.22	1.58	1.53
26	BB	2723	C	C4-N4	5.22	1.38	1.33
1	AA	19	A	C6-N1	5.22	1.39	1.35
1	AA	180	U	N1-C6	5.22	1.42	1.38
1	AA	1364	U	O3'-P	5.22	1.67	1.61
1	AA	1495	U	C4-O4	5.22	1.27	1.23
2	AB	42	G	C6-O6	-5.22	1.19	1.24
25	BA	63	C	N3-C4	5.22	1.37	1.33
26	BB	133	U	C3'-C2'	5.22	1.58	1.52
26	BB	196	A	N3-C4	5.22	1.38	1.34
26	BB	234	U	C3'-C2'	5.22	1.58	1.52
26	BB	291	G	O3'-P	-5.22	1.54	1.61
26	BB	689	A	C3'-C2'	-5.22	1.47	1.52
26	BB	777	G	C6-O6	-5.22	1.19	1.24
26	BB	1495	A	C6-N6	5.22	1.38	1.33
26	BB	1842	G	C2-N2	5.22	1.39	1.34
26	BB	2258	C	N3-C4	5.22	1.37	1.33
26	BB	2730	C	P-O5'	-5.22	1.54	1.59
1	AA	590	U	C2-N3	5.22	1.41	1.37
1	AA	596	A	N7-C5	5.22	1.42	1.39
1	AA	951	G	P-O5'	5.22	1.65	1.59
3	AC	39	U	C2-N3	5.22	1.41	1.37
26	BB	1328	A	C4'-C3'	-5.22	1.47	1.52
26	BB	1489	C	O4'-C1'	-5.22	1.34	1.41
26	BB	2597	G	C6-N1	5.22	1.43	1.39
31	BG	125	GLY	N-CA	5.22	1.53	1.46
1	AA	158	G	N9-C8	5.22	1.41	1.37
1	AA	172	A	C2'-C1'	-5.22	1.47	1.53
1	AA	246	A	C2-N3	5.22	1.38	1.33
1	AA	467	U	O3'-P	5.22	1.67	1.61
1	AA	1015	G	C5'-C4'	5.22	1.57	1.51
3	AC	56	G	N9-C8	-5.22	1.34	1.37
4	AD	19	G	C3'-O3'	-5.22	1.34	1.42
25	BA	93	C	P-O5'	-5.22	1.54	1.59
26	BB	382	A	C6-N1	5.22	1.39	1.35
26	BB	390	U	C4-C5	5.22	1.48	1.43
26	BB	530	G	N3-C4	5.22	1.39	1.35

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1093	G	P-OP1	5.22	1.57	1.49
26	BB	1149	G	C3'-O3'	5.22	1.49	1.42
26	BB	1299	G	C4'-C3'	5.22	1.58	1.53
1	AA	530	G	C5'-C4'	5.22	1.57	1.51
26	BB	2559	C	C3'-O3'	5.22	1.49	1.42
1	AA	538	G	N7-C5	-5.22	1.36	1.39
1	AA	1028	C	O3'-P	5.22	1.67	1.61
1	AA	1105	A	N3-C4	5.22	1.38	1.34
26	BB	28	A	C6-N6	5.22	1.38	1.33
26	BB	89	A	P-O5'	5.22	1.65	1.59
26	BB	733	G	C2-N3	5.22	1.36	1.32
26	BB	1865	U	C2'-C1'	-5.22	1.47	1.53
26	BB	1945	G	O5'-C5'	-5.22	1.34	1.42
26	BB	2783	U	C5'-C4'	5.22	1.57	1.51
26	BB	2799	A	N9-C8	5.22	1.42	1.37
28	BD	51	ARG	NE-CZ	5.22	1.39	1.33
1	AA	931	C	C5'-C4'	5.21	1.57	1.51
2	AB	65	C	P-O5'	5.21	1.65	1.59
26	BB	704	G	C5-C4	-5.21	1.34	1.38
26	BB	766	U	C4'-C3'	5.21	1.58	1.53
26	BB	1508	A	O4'-C1'	5.21	1.48	1.41
26	BB	1535	A	O3'-P	5.21	1.67	1.61
26	BB	1630	A	C3'-C2'	-5.21	1.47	1.52
26	BB	1775	U	C5'-C4'	5.21	1.57	1.51
26	BB	1796	U	C5'-C4'	5.21	1.57	1.51
26	BB	1913	A	C2'-C1'	-5.21	1.47	1.53
26	BB	2414	G	O3'-P	-5.21	1.54	1.61
43	BS	23	TYR	CG-CD1	5.21	1.46	1.39
44	BT	53	PHE	CG-CD2	5.21	1.46	1.38
26	BB	1443	U	C2-O2	5.21	1.27	1.22
26	BB	1839	G	C3'-C2'	5.21	1.58	1.52
1	AA	750	C	C4'-C3'	-5.21	1.47	1.52
1	AA	937	A	O3'-P	-5.21	1.54	1.61
1	AA	1035	A	N9-C8	5.21	1.42	1.37
26	BB	2	G	C8-N7	-5.21	1.27	1.30
26	BB	262	A	C5-C4	-5.21	1.35	1.38
26	BB	930	G	N7-C5	5.21	1.42	1.39
26	BB	1017	G	C5-C6	-5.21	1.37	1.42
26	BB	1599	U	C2-N3	5.21	1.41	1.37
26	BB	1861	G	N7-C5	-5.21	1.36	1.39
26	BB	1909	C	C4'-O4'	-5.21	1.38	1.45
26	BB	2162	G	C4'-C3'	-5.21	1.47	1.52

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2487	G	C2-N3	5.21	1.36	1.32
26	BB	2530	A	N9-C8	-5.21	1.33	1.37
28	BD	18	VAL	CA-CB	5.21	1.65	1.54
31	BG	113	PHE	CG-CD2	5.21	1.46	1.38
38	BN	40	SER	CB-OG	-5.21	1.35	1.42
1	AA	435	A	C5-C4	-5.21	1.35	1.38
1	AA	993	G	N9-C8	-5.21	1.34	1.37
1	AA	1512	U	C5-C6	5.21	1.38	1.34
25	BA	15	A	P-O5'	5.21	1.65	1.59
26	BB	280	U	N3-C4	-5.21	1.33	1.38
26	BB	2329	U	C4-C5	5.21	1.48	1.43
26	BB	2367	G	P-O5'	5.21	1.65	1.59
1	AA	449	G	N9-C8	-5.21	1.34	1.37
1	AA	559	A	O3'-P	-5.21	1.54	1.61
1	AA	752	G	O3'-P	5.21	1.67	1.61
1	AA	971	G	C8-N7	-5.21	1.27	1.30
1	AA	1075	U	N1-C2	5.21	1.43	1.38
25	BA	66	A	N1-C2	-5.21	1.29	1.34
26	BB	767	U	N1-C2	5.21	1.43	1.38
26	BB	801	G	N3-C4	5.21	1.39	1.35
26	BB	1757	A	N3-C4	5.21	1.38	1.34
28	BD	40	GLY	N-CA	5.21	1.53	1.46
1	AA	128	G	O3'-P	5.21	1.67	1.61
1	AA	143	A	C6-N6	-5.21	1.29	1.33
1	AA	174	A	C4'-O4'	-5.21	1.38	1.45
1	AA	203	G	C5'-C4'	5.21	1.57	1.51
1	AA	944	G	P-O5'	5.21	1.65	1.59
1	AA	1062	U	N1-C2	5.21	1.43	1.38
1	AA	1112	C	P-O5'	5.21	1.65	1.59
1	AA	1118	U	O3'-P	-5.21	1.54	1.61
1	AA	1195	C	C2-N3	5.21	1.40	1.35
1	AA	1255	G	N9-C8	-5.21	1.34	1.37
17	AQ	64	ARG	CZ-NH1	5.21	1.39	1.33
26	BB	228	C	N1-C6	5.21	1.40	1.37
26	BB	236	C	C4-C5	5.21	1.47	1.43
26	BB	280	U	C2-O2	5.21	1.27	1.22
26	BB	1769	U	N3-C4	5.21	1.43	1.38
26	BB	2242	G	C3'-O3'	-5.21	1.34	1.42
26	BB	2771	C	C5'-C4'	5.21	1.57	1.51
31	BG	41	GLU	CD-OE2	5.21	1.31	1.25
1	AA	80	A	C3'-C2'	5.21	1.58	1.52
1	AA	1346	A	C6-N6	-5.21	1.29	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2255	G	C2-N3	5.21	1.36	1.32
1	AA	56	U	P-O5'	5.20	1.65	1.59
1	AA	166	U	C2-N3	5.20	1.41	1.37
1	AA	406	G	C6-N1	-5.20	1.35	1.39
1	AA	461	A	N3-C4	5.20	1.38	1.34
1	AA	752	G	N3-C4	5.20	1.39	1.35
1	AA	835	U	C2-N3	5.20	1.41	1.37
26	BB	618	G	C4'-O4'	-5.20	1.38	1.45
26	BB	1517	G	N9-C8	-5.20	1.34	1.37
26	BB	1682	G	C5'-C4'	5.20	1.57	1.51
26	BB	1754	A	N9-C4	5.20	1.41	1.37
26	BB	2034	U	C5'-C4'	5.20	1.57	1.51
26	BB	2094	A	C4'-O4'	-5.20	1.38	1.45
48	BX	15	GLY	N-CA	5.20	1.53	1.46
25	BA	13	G	C5-C4	-5.20	1.34	1.38
25	BA	100	G	N7-C5	-5.20	1.36	1.39
26	BB	416	U	N1-C6	5.20	1.42	1.38
26	BB	674	G	O3'-P	5.20	1.67	1.61
26	BB	782	A	C5-C4	-5.20	1.35	1.38
26	BB	2205	A	N9-C4	-5.20	1.34	1.37
26	BB	2849	U	C2'-C1'	-5.20	1.47	1.53
1	AA	910	C	P-O5'	5.20	1.65	1.59
26	BB	322	A	N9-C8	5.20	1.42	1.37
26	BB	603	A	C5-C4	-5.20	1.35	1.38
26	BB	934	U	C4'-O4'	-5.20	1.38	1.45
26	BB	2612	C	C4-C5	5.20	1.47	1.43
26	BB	2810	A	N7-C5	-5.20	1.36	1.39
1	AA	139	A	C4'-C3'	5.20	1.58	1.53
1	AA	1082	A	O4'-C1'	-5.20	1.34	1.41
1	AA	1141	C	C5'-C4'	5.20	1.57	1.51
1	AA	1165	U	C2-N3	5.20	1.41	1.37
26	BB	201	C	C4-C5	-5.20	1.38	1.43
26	BB	210	C	N3-C4	5.20	1.37	1.33
26	BB	970	U	C2-N3	5.20	1.41	1.37
26	BB	1760	C	C2-N3	5.20	1.40	1.35
26	BB	1921	G	C2-N3	5.20	1.36	1.32
26	BB	2534	A	N3-C4	5.20	1.38	1.34
1	AA	403	C	C5'-C4'	5.20	1.57	1.51
9	AI	75	GLU	CD-OE2	-5.20	1.20	1.25
26	BB	19	A	P-O5'	5.20	1.65	1.59
26	BB	178	G	C2-N2	-5.20	1.29	1.34
26	BB	854	C	C5'-C4'	5.20	1.57	1.51

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2202	U	P-O5'	5.20	1.65	1.59
26	BB	2545	G	C4'-O4'	-5.20	1.38	1.45
26	BB	2833	U	C3'-O3'	5.20	1.49	1.42
1	AA	49	U	N1-C2	5.20	1.43	1.38
1	AA	954	G	C2'-O2'	5.20	1.48	1.41
1	AA	964	A	C5-C6	-5.20	1.36	1.41
4	AD	43	G	C5-C4	5.20	1.42	1.38
4	AD	47	A	N9-C8	5.20	1.42	1.37
22	AV	2	ARG	CD-NE	5.20	1.55	1.46
26	BB	401	A	C8-N7	-5.20	1.27	1.31
26	BB	550	C	C5-C6	-5.20	1.30	1.34
26	BB	828	U	C1'-N1	5.20	1.56	1.48
26	BB	1216	G	N7-C5	5.20	1.42	1.39
26	BB	1241	A	N9-C4	5.20	1.41	1.37
26	BB	1430	G	N1-C2	5.20	1.42	1.37
26	BB	1712	U	N1-C2	5.20	1.43	1.38
1	AA	138	G	C4'-C3'	-5.19	1.47	1.52
1	AA	152	A	C8-N7	-5.19	1.27	1.31
1	AA	270	A	C3'-C2'	5.19	1.58	1.52
1	AA	1170	A	C2-N3	-5.19	1.28	1.33
26	BB	2748	A	C5'-C4'	5.19	1.57	1.51
1	AA	319	G	P-O5'	-5.19	1.54	1.59
1	AA	323	U	C4'-O4'	-5.19	1.38	1.45
1	AA	511	C	C4'-C3'	5.19	1.58	1.53
1	AA	821	G	C8-N7	-5.19	1.27	1.30
1	AA	860	A	C1'-N9	5.19	1.56	1.48
1	AA	868	C	C4'-O4'	-5.19	1.38	1.45
1	AA	1284	C	O4'-C1'	5.19	1.48	1.41
25	BA	9	G	C6-N1	5.19	1.43	1.39
25	BA	27	C	P-O5'	5.19	1.65	1.59
26	BB	27	G	N3-C4	5.19	1.39	1.35
26	BB	1469	A	N9-C4	5.19	1.41	1.37
26	BB	1651	G	N7-C5	-5.19	1.36	1.39
26	BB	2061	G	C4'-O4'	-5.19	1.38	1.45
26	BB	2363	G	C5'-C4'	5.19	1.57	1.51
26	BB	2518	A	C5-C6	-5.19	1.36	1.41
26	BB	2644	G	P-O5'	5.19	1.65	1.59
1	AA	99	C	O3'-P	5.19	1.67	1.61
1	AA	130	A	N9-C4	-5.19	1.34	1.37
1	AA	414	A	N3-C4	5.19	1.38	1.34
1	AA	417	G	C5-C6	-5.19	1.37	1.42
1	AA	517	G	C6-N1	5.19	1.43	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1064	G	C2'-O2'	-5.19	1.34	1.41
1	AA	1361	G	C6-O6	5.19	1.28	1.24
1	AA	1426	G	C8-N7	5.19	1.34	1.30
26	BB	300	A	C6-N6	-5.19	1.29	1.33
26	BB	529	A	N9-C8	-5.19	1.33	1.37
26	BB	570	G	C3'-O3'	5.19	1.49	1.42
26	BB	589	U	C2-N3	5.19	1.41	1.37
26	BB	956	G	C4'-O4'	-5.19	1.38	1.45
26	BB	1650	A	N7-C5	5.19	1.42	1.39
26	BB	1922	G	N3-C4	-5.19	1.31	1.35
26	BB	1947	C	C2-O2	-5.19	1.19	1.24
26	BB	2409	G	O3'-P	5.19	1.67	1.61
26	BB	2538	C	P-O5'	5.19	1.65	1.59
26	BB	2679	A	C3'-C2'	-5.19	1.47	1.52
26	BB	2805	C	C4-C5	5.19	1.47	1.43
28	BD	213	ARG	CZ-NH2	5.19	1.39	1.33
25	BA	39	A	C4'-C3'	5.19	1.58	1.53
1	AA	68	G	C2-N2	-5.19	1.29	1.34
1	AA	355	C	C5-C6	5.19	1.38	1.34
1	AA	1050	G	C6-O6	-5.19	1.19	1.24
25	BA	84	G	O3'-P	5.19	1.67	1.61
26	BB	269	C	O3'-P	5.19	1.67	1.61
26	BB	450	G	N7-C5	5.19	1.42	1.39
26	BB	647	G	P-O5'	5.19	1.65	1.59
26	BB	1517	G	C5'-C4'	5.19	1.57	1.51
26	BB	1991	U	N3-C4	5.19	1.43	1.38
26	BB	2639	A	P-O5'	5.19	1.65	1.59
26	BB	2656	U	C5'-C4'	5.19	1.57	1.51
26	BB	2896	C	O4'-C1'	5.19	1.48	1.41
1	AA	69	G	C8-N7	5.19	1.34	1.30
1	AA	1254	A	C4'-O4'	-5.19	1.38	1.45
26	BB	2903	U	C4'-O4'	-5.19	1.38	1.45
1	AA	354	G	N9-C8	5.18	1.41	1.37
1	AA	631	C	C5'-C4'	5.18	1.57	1.51
2	AB	21	A	C6-N6	-5.18	1.29	1.33
3	AC	56	G	C8-N7	-5.18	1.27	1.30
26	BB	30	G	O5'-C5'	-5.18	1.34	1.42
26	BB	300	A	P-O5'	-5.18	1.54	1.59
26	BB	882	G	O4'-C1'	5.18	1.48	1.41
26	BB	920	A	C4'-C3'	5.18	1.58	1.53
26	BB	941	A	C4'-O4'	-5.18	1.38	1.45
26	BB	1270	C	N1-C6	5.18	1.40	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1654	A	C5'-C4'	5.18	1.57	1.51
26	BB	1691	C	N1-C6	5.18	1.40	1.37
26	BB	1926	U	C5'-C4'	5.18	1.57	1.51
26	BB	1975	G	N3-C4	5.18	1.39	1.35
26	BB	1998	A	C3'-O3'	-5.18	1.34	1.42
26	BB	2597	G	N1-C2	5.18	1.41	1.37
26	BB	2841	C	C5-C6	5.18	1.38	1.34
1	AA	204	G	C6-O6	-5.18	1.19	1.24
1	AA	550	G	C8-N7	-5.18	1.27	1.30
1	AA	921	U	N1-C2	5.18	1.43	1.38
4	AD	40	C	C2'-C1'	5.18	1.59	1.53
26	BB	519	U	C2'-C1'	5.18	1.59	1.53
26	BB	866	A	C8-N7	5.18	1.35	1.31
26	BB	870	U	O3'-P	5.18	1.67	1.61
26	BB	881	G	O4'-C1'	5.18	1.48	1.41
26	BB	973	A	P-O5'	5.18	1.65	1.59
26	BB	983	A	C5'-C4'	5.18	1.57	1.51
26	BB	1688	U	C2-N3	5.18	1.41	1.37
26	BB	1863	G	O3'-P	5.18	1.67	1.61
26	BB	2275	C	N3-C4	5.18	1.37	1.33
26	BB	2533	U	C5'-C4'	5.18	1.57	1.51
1	AA	328	C	P-O5'	5.18	1.65	1.59
1	AA	376	G	C4'-O4'	-5.18	1.38	1.45
3	AC	55	A	N9-C4	-5.18	1.34	1.37
5	AE	138	ARG	NE-CZ	5.18	1.39	1.33
26	BB	1409	U	P-O5'	5.18	1.65	1.59
1	AA	599	C	N3-C4	-5.18	1.30	1.33
1	AA	863	U	C2'-C1'	5.18	1.59	1.53
1	AA	882	C	C2-O2	-5.18	1.19	1.24
3	AC	51	C	C2-N3	5.18	1.39	1.35
26	BB	66	C	P-O5'	5.18	1.65	1.59
26	BB	106	C	N3-C4	5.18	1.37	1.33
26	BB	641	U	N1-C2	5.18	1.43	1.38
26	BB	814	C	C2'-O2'	5.18	1.48	1.41
26	BB	1299	G	C8-N7	-5.18	1.27	1.30
26	BB	1676	A	P-O5'	-5.18	1.54	1.59
26	BB	2281	A	N7-C5	5.18	1.42	1.39
26	BB	2577	A	N9-C8	-5.18	1.33	1.37
1	AA	761	G	C2-N3	5.18	1.36	1.32
26	BB	698	C	O5'-C5'	-5.18	1.34	1.42
26	BB	1184	U	C5'-C4'	-5.18	1.45	1.51
26	BB	1914	C	C4'-O4'	-5.18	1.38	1.45

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2883	A	O4'-C1'	5.18	1.48	1.41
1	AA	150	U	C2-N3	5.18	1.41	1.37
1	AA	258	G	N9-C8	-5.18	1.34	1.37
1	AA	374	A	C4'-O4'	-5.18	1.38	1.45
1	AA	657	U	C4'-O4'	-5.18	1.38	1.45
1	AA	725	G	N7-C5	5.18	1.42	1.39
1	AA	1054	C	O3'-P	5.18	1.67	1.61
1	AA	1163	A	N9-C4	-5.18	1.34	1.37
2	AB	5	G	N1-C2	5.18	1.41	1.37
26	BB	141	G	C5-C6	5.18	1.47	1.42
26	BB	274	C	C2'-C1'	5.18	1.59	1.53
26	BB	356	G	C2'-O2'	5.18	1.48	1.41
26	BB	675	A	P-O5'	5.18	1.65	1.59
26	BB	744	U	O4'-C1'	5.18	1.48	1.41
26	BB	904	G	C5-C4	-5.18	1.34	1.38
26	BB	1115	G	N9-C4	5.18	1.42	1.38
26	BB	1173	U	C5'-C4'	5.18	1.57	1.51
26	BB	1696	G	C5-C4	-5.18	1.34	1.38
26	BB	2459	A	O5'-C5'	-5.18	1.34	1.42
26	BB	2860	A	O3'-P	5.18	1.67	1.61
1	AA	466	A	C6-N1	5.17	1.39	1.35
1	AA	510	A	C5'-C4'	5.17	1.57	1.51
1	AA	621	A	N7-C5	-5.17	1.36	1.39
1	AA	1226	C	C4'-O4'	-5.17	1.38	1.45
1	AA	1401	G	N1-C2	-5.17	1.33	1.37
1	AA	1490	U	P-O5'	5.17	1.65	1.59
26	BB	634	C	C2-N3	5.17	1.39	1.35
26	BB	670	A	C5-C4	-5.17	1.35	1.38
26	BB	956	G	P-O5'	5.17	1.65	1.59
26	BB	1485	U	C3'-O3'	5.17	1.49	1.42
26	BB	2844	G	C2-N2	-5.17	1.29	1.34
26	BB	1219	U	C2-N3	-5.17	1.34	1.37
26	BB	1600	C	C2'-C1'	-5.17	1.47	1.53
26	BB	2853	C	C5'-C4'	5.17	1.57	1.51
36	BL	107	GLY	N-CA	-5.17	1.38	1.46
1	AA	40	C	C4-C5	5.17	1.47	1.43
1	AA	867	G	C3'-O3'	-5.17	1.34	1.42
1	AA	931	C	C4-C5	5.17	1.47	1.43
1	AA	1487	G	N9-C4	5.17	1.42	1.38
1	AA	1500	A	P-O5'	5.17	1.65	1.59
4	AD	1	C	C4'-O4'	-5.17	1.38	1.45
26	BB	18	U	C4'-O4'	-5.17	1.38	1.45

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	910	A	C1'-N9	5.17	1.56	1.48
26	BB	989	G	C8-N7	-5.17	1.27	1.30
26	BB	1341	G	C2-N3	5.17	1.36	1.32
26	BB	1441	G	C4'-C3'	5.17	1.58	1.53
26	BB	1912	A	C4'-O4'	-5.17	1.38	1.45
26	BB	2513	A	C5'-C4'	5.17	1.57	1.51
26	BB	2620	C	C4-C5	5.17	1.47	1.43
1	AA	234	C	N3-C4	5.17	1.37	1.33
1	AA	406	G	P-O5'	5.17	1.65	1.59
1	AA	1107	C	O3'-P	5.17	1.67	1.61
3	AC	54	U	C2'-O2'	-5.17	1.34	1.41
26	BB	397	U	N1-C2	5.17	1.43	1.38
26	BB	647	G	C4'-O4'	-5.17	1.38	1.45
26	BB	2198	A	N9-C8	5.17	1.41	1.37
26	BB	2513	A	N3-C4	5.17	1.38	1.34
1	AA	226	G	C8-N7	-5.17	1.27	1.30
1	AA	1106	G	C4'-O4'	-5.17	1.38	1.45
26	BB	277	G	N3-C4	5.17	1.39	1.35
26	BB	436	C	C2-O2	-5.17	1.19	1.24
26	BB	933	A	C5'-C4'	5.17	1.57	1.51
26	BB	1043	C	O3'-P	5.17	1.67	1.61
26	BB	1083	U	C4'-O4'	-5.17	1.38	1.45
26	BB	1231	U	C4'-O4'	-5.17	1.38	1.45
26	BB	2018	G	C4'-C3'	5.17	1.58	1.53
26	BB	2156	G	N9-C8	5.17	1.41	1.37
26	BB	2194	U	C4'-O4'	-5.17	1.38	1.45
35	BK	61	TYR	CE1-CZ	5.17	1.45	1.38
37	BM	34	GLY	CA-C	5.17	1.60	1.51
1	AA	585	G	O3'-P	5.17	1.67	1.61
1	AA	1239	A	O3'-P	-5.17	1.54	1.61
1	AA	1278	G	C2-N3	5.17	1.36	1.32
1	AA	1388	C	C5-C6	5.17	1.38	1.34
1	AA	1484	C	C2-O2	-5.17	1.19	1.24
26	BB	242	G	N1-C2	-5.17	1.33	1.37
26	BB	284	U	O3'-P	-5.17	1.54	1.61
26	BB	338	G	C6-N1	5.17	1.43	1.39
26	BB	475	C	O4'-C1'	5.17	1.48	1.41
26	BB	701	G	C2-N3	5.17	1.36	1.32
26	BB	940	G	C8-N7	-5.17	1.27	1.30
26	BB	1097	U	C2-N3	5.17	1.41	1.37
26	BB	1281	G	C6-N1	5.17	1.43	1.39
26	BB	1774	C	C5'-C4'	5.17	1.57	1.51

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2000	C	C5-C6	5.17	1.38	1.34
26	BB	2101	A	C6-N1	5.17	1.39	1.35
26	BB	2158	A	C6-N6	5.17	1.38	1.33
26	BB	2436	G	N3-C4	5.17	1.39	1.35
26	BB	2506	U	C4'-O4'	-5.17	1.38	1.45
26	BB	2595	G	N7-C5	-5.17	1.36	1.39
26	BB	2686	G	C8-N7	5.17	1.34	1.30
26	BB	2723	C	C3'-C2'	-5.17	1.47	1.52
1	AA	715	A	C6-N6	5.17	1.38	1.33
1	AA	1032	G	N7-C5	-5.17	1.36	1.39
21	AU	69	TYR	CE2-CZ	5.17	1.45	1.38
26	BB	107	G	C6-N1	5.17	1.43	1.39
26	BB	147	C	C4-C5	5.17	1.47	1.43
26	BB	188	G	N3-C4	5.17	1.39	1.35
26	BB	623	C	C4-C5	-5.17	1.38	1.43
26	BB	2035	G	C4'-O4'	-5.17	1.38	1.45
1	AA	552	U	C4-O4	-5.16	1.19	1.23
1	AA	685	G	O3'-P	5.16	1.67	1.61
1	AA	850	U	C5-C6	5.16	1.38	1.34
1	AA	1061	G	N3-C4	5.16	1.39	1.35
1	AA	1117	A	C4'-C3'	5.16	1.58	1.53
1	AA	1191	A	N3-C4	5.16	1.38	1.34
26	BB	81	G	C5-C4	-5.16	1.34	1.38
26	BB	579	G	N1-C2	5.16	1.41	1.37
26	BB	1572	A	P-O5'	5.16	1.65	1.59
26	BB	2196	C	O4'-C1'	-5.16	1.34	1.41
26	BB	2420	C	C4-N4	5.16	1.38	1.33
2	AB	26	A	C8-N7	-5.16	1.27	1.31
3	AC	35	G	N3-C4	5.16	1.39	1.35
26	BB	314	C	C4'-C3'	5.16	1.58	1.53
26	BB	562	U	C4-O4	5.16	1.27	1.23
26	BB	1165	A	N7-C5	5.16	1.42	1.39
26	BB	1308	A	C4'-O4'	-5.16	1.38	1.45
26	BB	2432	A	N9-C4	5.16	1.41	1.37
26	BB	2736	A	C4'-C3'	5.16	1.58	1.53
1	AA	499	A	N1-C2	-5.16	1.29	1.34
1	AA	985	C	C4-C5	5.16	1.47	1.43
4	AD	34	U	C1'-N1	5.16	1.56	1.48
26	BB	229	C	C2'-C1'	-5.16	1.47	1.53
26	BB	231	A	N7-C5	5.16	1.42	1.39
26	BB	513	A	N1-C2	-5.16	1.29	1.34
26	BB	928	A	C6-N1	-5.16	1.31	1.35

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	952	G	O5'-C5'	-5.16	1.34	1.42
26	BB	1006	C	N1-C6	5.16	1.40	1.37
26	BB	1121	C	C4-C5	5.16	1.47	1.43
26	BB	1298	C	N3-C4	5.16	1.37	1.33
26	BB	1340	U	C2'-O2'	5.16	1.48	1.41
26	BB	1425	G	C2-N3	5.16	1.36	1.32
26	BB	2215	C	C5'-C4'	5.16	1.57	1.51
26	BB	2325	G	O3'-P	5.16	1.67	1.61
26	BB	2598	A	C5-C6	5.16	1.45	1.41
26	BB	2607	G	C4'-O4'	-5.16	1.38	1.45
1	AA	1244	G	N1-C2	5.16	1.41	1.37
1	AA	1253	G	N9-C4	-5.16	1.33	1.38
3	AC	49	U	N1-C2	5.16	1.43	1.38
25	BA	21	G	C8-N7	5.16	1.34	1.30
26	BB	233	A	C5-C4	-5.16	1.35	1.38
26	BB	379	G	O3'-P	5.16	1.67	1.61
26	BB	541	A	C4'-C3'	5.16	1.58	1.53
26	BB	934	U	N3-C4	5.16	1.43	1.38
26	BB	1407	G	P-O5'	5.16	1.65	1.59
26	BB	2036	C	C4-C5	-5.16	1.38	1.43
1	AA	893	C	C5-C6	5.16	1.38	1.34
1	AA	1090	U	O3'-P	5.16	1.67	1.61
1	AA	1133	G	C8-N7	5.16	1.34	1.30
1	AA	1144	G	C4'-C3'	5.16	1.58	1.53
1	AA	1153	G	C8-N7	5.16	1.34	1.30
26	BB	657	U	C4'-O4'	-5.16	1.38	1.45
26	BB	895	U	C4-C5	5.16	1.48	1.43
26	BB	1190	G	C2-N2	-5.16	1.29	1.34
26	BB	2818	U	C4'-C3'	-5.16	1.47	1.52
1	AA	2	A	C8-N7	-5.16	1.27	1.31
1	AA	64	G	C3'-C2'	5.16	1.58	1.52
1	AA	144	G	N1-C2	5.16	1.41	1.37
1	AA	198	G	C8-N7	5.16	1.34	1.30
1	AA	433	G	C5-C6	5.16	1.47	1.42
1	AA	902	G	N9-C8	-5.16	1.34	1.37
1	AA	974	A	N1-C2	5.16	1.39	1.34
25	BA	19	C	N1-C2	5.16	1.45	1.40
25	BA	85	G	C8-N7	-5.16	1.27	1.30
26	BB	33	C	N1-C2	5.16	1.45	1.40
26	BB	67	U	C4-C5	5.16	1.48	1.43
26	BB	846	U	N1-C6	-5.16	1.33	1.38
26	BB	1822	C	N1-C6	5.16	1.40	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2311	A	N3-C4	5.16	1.38	1.34
26	BB	2632	A	O3'-P	5.16	1.67	1.61
1	AA	249	U	C5-C6	5.15	1.38	1.34
1	AA	900	A	C2-N3	-5.15	1.28	1.33
1	AA	961	U	C5-C6	5.15	1.38	1.34
1	AA	1273	C	C3'-C2'	5.15	1.58	1.52
26	BB	35	G	C2-N2	-5.15	1.29	1.34
26	BB	728	G	C4'-C3'	5.15	1.58	1.53
26	BB	753	A	C5-C6	5.15	1.45	1.41
26	BB	1268	A	C5'-C4'	5.15	1.57	1.51
26	BB	1853	A	P-O5'	5.15	1.65	1.59
26	BB	2239	G	C4'-C3'	5.15	1.58	1.53
26	BB	2725	A	O5'-C5'	-5.15	1.34	1.42
1	AA	219	U	C5-C6	5.15	1.38	1.34
1	AA	526	C	C5-C6	5.15	1.38	1.34
1	AA	654	G	C3'-C2'	-5.15	1.47	1.52
1	AA	750	C	N3-C4	-5.15	1.30	1.33
1	AA	876	C	C3'-O3'	-5.15	1.34	1.42
1	AA	888	G	C4'-O4'	-5.15	1.38	1.45
1	AA	991	U	C3'-C2'	-5.15	1.47	1.52
1	AA	1076	U	C2'-C1'	5.15	1.59	1.53
1	AA	1345	U	C2-O2	5.15	1.26	1.22
25	BA	18	G	C3'-C2'	5.15	1.58	1.52
26	BB	129	C	N3-C4	5.15	1.37	1.33
26	BB	279	A	N3-C4	5.15	1.38	1.34
26	BB	764	A	N1-C2	-5.15	1.29	1.34
26	BB	963	U	C2-N3	5.15	1.41	1.37
26	BB	2073	C	O3'-P	-5.15	1.54	1.61
54	B3	16	ARG	CZ-NH1	5.15	1.39	1.33
1	AA	291	U	C2'-C1'	5.15	1.59	1.53
1	AA	468	A	N7-C5	-5.15	1.36	1.39
1	AA	921	U	C2-N3	5.15	1.41	1.37
1	AA	1166	G	C6-O6	-5.15	1.19	1.24
9	AI	67	PRO	N-CD	-5.15	1.40	1.47
26	BB	277	G	C5-C6	5.15	1.47	1.42
26	BB	671	C	P-O5'	5.15	1.65	1.59
26	BB	831	G	C8-N7	-5.15	1.27	1.30
26	BB	1393	A	C6-N1	5.15	1.39	1.35
26	BB	1552	A	N1-C2	5.15	1.39	1.34
26	BB	2034	U	C3'-O3'	-5.15	1.34	1.42
26	BB	2511	U	C2-O2	5.15	1.26	1.22
26	BB	623	C	P-O5'	5.15	1.64	1.59

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	631	A	C2'-C1'	5.15	1.59	1.53
26	BB	1078	U	C4'-O4'	-5.15	1.38	1.45
26	BB	1340	U	C5-C6	5.15	1.38	1.34
26	BB	2888	C	C2'-O2'	5.15	1.48	1.41
1	AA	86	G	C5-C4	5.15	1.42	1.38
1	AA	91	U	C5-C6	5.15	1.38	1.34
1	AA	407	U	N1-C2	5.15	1.43	1.38
1	AA	1325	C	N1-C6	5.15	1.40	1.37
2	AB	44	G	C2-N3	5.15	1.36	1.32
26	BB	209	C	O4'-C1'	5.15	1.48	1.41
26	BB	1110	G	C2-N3	5.15	1.36	1.32
26	BB	1308	A	C8-N7	-5.15	1.27	1.31
26	BB	1537	G	C5'-C4'	5.15	1.57	1.51
26	BB	1800	C	P-O5'	-5.15	1.54	1.59
26	BB	2193	G	N3-C4	5.15	1.39	1.35
26	BB	2420	C	C4-C5	5.15	1.47	1.43
26	BB	2444	G	N7-C5	5.15	1.42	1.39
26	BB	2826	A	C5-C6	5.15	1.45	1.41
1	AA	153	C	N3-C4	5.15	1.37	1.33
26	BB	1229	C	C5-C6	5.15	1.38	1.34
26	BB	2320	U	C4'-O4'	-5.15	1.38	1.45
26	BB	2818	U	C2'-C1'	5.15	1.59	1.53
26	BB	2837	A	C6-N1	-5.15	1.31	1.35
1	AA	92	U	C4-C5	5.14	1.48	1.43
1	AA	684	U	N1-C6	-5.14	1.33	1.38
1	AA	1112	C	C3'-C2'	5.14	1.58	1.52
1	AA	1328	C	N1-C6	5.14	1.40	1.37
1	AA	1500	A	N7-C5	5.14	1.42	1.39
26	BB	168	G	C2-N3	5.14	1.36	1.32
26	BB	215	G	N9-C4	5.14	1.42	1.38
26	BB	699	A	P-O5'	-5.14	1.54	1.59
26	BB	1350	C	C2-N3	5.14	1.39	1.35
26	BB	1392	A	C4'-O4'	-5.14	1.38	1.45
26	BB	1536	C	N3-C4	5.14	1.37	1.33
26	BB	1553	A	C2-N3	5.14	1.38	1.33
26	BB	1877	A	C3'-C2'	5.14	1.58	1.52
26	BB	2141	G	C8-N7	5.14	1.34	1.30
26	BB	2190	G	C2-N3	5.14	1.36	1.32
26	BB	2274	A	N7-C5	5.14	1.42	1.39
26	BB	2854	G	C3'-C2'	5.14	1.58	1.52
1	AA	97	G	C1'-N9	5.14	1.56	1.48
1	AA	225	C	O4'-C1'	5.14	1.48	1.41

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	AD	46	G	N9-C4	5.14	1.42	1.38
26	BB	180	G	C4'-C3'	5.14	1.58	1.53
26	BB	584	C	C3'-O3'	-5.14	1.34	1.42
26	BB	2480	C	O3'-P	5.14	1.67	1.61
26	BB	2602	A	P-O5'	5.14	1.64	1.59
26	BB	2668	G	C8-N7	5.14	1.34	1.30
26	BB	2700	A	C5'-C4'	5.14	1.57	1.51
26	BB	2760	C	C4'-C3'	5.14	1.58	1.53
8	AH	49	TYR	CE2-CZ	5.14	1.45	1.38
26	BB	43	G	C4'-O4'	-5.14	1.38	1.45
26	BB	704	G	C2'-O2'	5.14	1.48	1.41
26	BB	2502	G	C4'-C3'	5.14	1.58	1.53
26	BB	2578	G	C2'-O2'	5.14	1.48	1.41
1	AA	555	U	O3'-P	5.14	1.67	1.61
1	AA	841	C	C2'-C1'	5.14	1.59	1.53
26	BB	82	U	N1-C6	5.14	1.42	1.38
26	BB	405	U	N1-C2	5.14	1.43	1.38
26	BB	609	A	C6-N1	5.14	1.39	1.35
26	BB	830	G	O4'-C1'	5.14	1.48	1.41
26	BB	1335	C	C4'-O4'	-5.14	1.38	1.45
26	BB	2066	C	C4'-C3'	5.14	1.58	1.53
26	BB	2494	G	C6-O6	5.14	1.28	1.24
26	BB	2678	C	C4-N4	5.14	1.38	1.33
26	BB	2841	C	P-O5'	-5.14	1.54	1.59
53	B2	56	ARG	N-CA	5.14	1.56	1.46
1	AA	238	A	C5'-C4'	5.14	1.57	1.51
25	BA	93	C	O3'-P	5.14	1.67	1.61
26	BB	231	A	C5-C6	5.14	1.45	1.41
26	BB	1604	C	N1-C2	-5.14	1.35	1.40
26	BB	2308	G	N3-C4	5.14	1.39	1.35
26	BB	2455	G	C5-C6	-5.14	1.37	1.42
1	AA	4	U	C5-C6	5.14	1.38	1.34
4	AD	24	C	C1'-N1	5.14	1.56	1.48
12	AL	126	PHE	CE1-CZ	5.14	1.47	1.37
26	BB	601	C	C2'-O2'	-5.14	1.34	1.41
26	BB	1317	G	O3'-P	5.14	1.67	1.61
26	BB	1388	G	C3'-C2'	-5.14	1.47	1.52
26	BB	1760	C	C3'-C2'	-5.14	1.47	1.52
26	BB	2137	U	C4-O4	-5.14	1.19	1.23
26	BB	2425	A	N9-C4	5.14	1.41	1.37
1	AA	63	C	P-O5'	5.13	1.64	1.59
1	AA	853	C	C5'-C4'	5.13	1.57	1.51

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1066	C	C5-C6	5.13	1.38	1.34
25	BA	50	A	O3'-P	5.13	1.67	1.61
25	BA	84	G	C2-N3	5.13	1.36	1.32
26	BB	1162	G	N9-C4	-5.13	1.33	1.38
26	BB	1201	U	C4-O4	-5.13	1.19	1.23
26	BB	1321	A	C4'-O4'	-5.13	1.38	1.45
26	BB	1390	U	N3-C4	5.13	1.43	1.38
26	BB	1613	G	C4'-O4'	-5.13	1.38	1.45
26	BB	1937	A	N3-C4	5.13	1.38	1.34
26	BB	2344	U	O4'-C1'	5.13	1.48	1.41
26	BB	2716	C	O5'-C5'	-5.13	1.34	1.42
1	AA	902	G	O4'-C1'	5.13	1.48	1.41
1	AA	1331	G	C2'-C1'	5.13	1.58	1.53
26	BB	1086	A	N9-C8	5.13	1.41	1.37
26	BB	1151	A	C5-C4	-5.13	1.35	1.38
26	BB	2198	A	C8-N7	-5.13	1.27	1.31
1	AA	27	G	N9-C8	-5.13	1.34	1.37
1	AA	1033	G	N9-C8	5.13	1.41	1.37
1	AA	1171	A	C4'-C3'	-5.13	1.47	1.52
1	AA	1172	C	N3-C4	-5.13	1.30	1.33
3	AC	47	C	C2-O2	5.13	1.29	1.24
26	BB	121	G	O4'-C1'	5.13	1.48	1.41
26	BB	1128	G	N3-C4	5.13	1.39	1.35
26	BB	1139	G	N7-C5	-5.13	1.36	1.39
26	BB	1176	U	N1-C2	5.13	1.43	1.38
26	BB	1823	G	N9-C8	-5.13	1.34	1.37
26	BB	2026	U	C5-C6	5.13	1.38	1.34
26	BB	2256	G	N1-C2	5.13	1.41	1.37
26	BB	2275	C	C2-O2	-5.13	1.19	1.24
26	BB	2280	G	C6-N1	5.13	1.43	1.39
1	AA	448	A	C2'-O2'	-5.13	1.34	1.41
26	BB	954	G	P-O5'	5.13	1.64	1.59
1	AA	1	A	C3'-C2'	5.13	1.58	1.52
1	AA	486	U	C4'-O4'	-5.13	1.38	1.45
1	AA	647	C	C2'-C1'	5.13	1.58	1.53
1	AA	986	U	C3'-C2'	-5.13	1.47	1.52
1	AA	1042	A	C5-C4	-5.13	1.35	1.38
25	BA	107	G	P-O5'	5.13	1.64	1.59
26	BB	124	G	P-O5'	5.13	1.64	1.59
26	BB	1307	A	C6-N6	5.13	1.38	1.33
26	BB	1554	U	N1-C2	5.13	1.43	1.38
26	BB	1641	A	P-O5'	-5.13	1.54	1.59

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1896	G	C5'-C4'	5.13	1.57	1.51
26	BB	2186	G	C5'-C4'	5.13	1.57	1.51
26	BB	2316	G	P-O5'	5.13	1.64	1.59
1	AA	73	C	N1-C2	5.13	1.45	1.40
1	AA	412	A	N9-C4	5.13	1.41	1.37
1	AA	1037	C	C2-O2	-5.13	1.19	1.24
1	AA	1060	U	O4'-C1'	-5.13	1.34	1.41
1	AA	1273	C	C5'-C4'	5.13	1.57	1.51
1	AA	1386	G	C8-N7	5.13	1.34	1.30
3	AC	33	A	C2'-O2'	5.13	1.48	1.41
26	BB	293	U	N1-C2	5.13	1.43	1.38
26	BB	301	G	C2-N3	5.13	1.36	1.32
26	BB	905	A	C4'-O4'	-5.13	1.38	1.45
26	BB	1401	G	P-O5'	5.13	1.64	1.59
26	BB	1655	A	C8-N7	-5.13	1.27	1.31
26	BB	1870	C	O3'-P	5.13	1.67	1.61
26	BB	2365	G	C3'-C2'	-5.13	1.47	1.52
1	AA	293	G	C2-N3	5.12	1.36	1.32
1	AA	1488	G	C5'-C4'	5.12	1.57	1.51
25	BA	56	G	C8-N7	5.12	1.34	1.30
26	BB	117	G	C8-N7	-5.12	1.27	1.30
26	BB	268	C	C2-O2	-5.12	1.19	1.24
26	BB	1030	C	C2-N3	5.12	1.39	1.35
26	BB	2201	G	N7-C5	5.12	1.42	1.39
1	AA	705	G	C6-O6	-5.12	1.19	1.24
1	AA	1367	C	N1-C6	5.12	1.40	1.37
4	AD	15	G	P-O5'	5.12	1.64	1.59
11	AK	85	TYR	CD2-CE2	5.12	1.47	1.39
26	BB	594	U	C4'-O4'	-5.12	1.38	1.45
26	BB	1240	U	C3'-O3'	-5.12	1.34	1.42
26	BB	1466	U	C4'-O4'	-5.12	1.38	1.45
26	BB	1533	C	C1'-N1	5.12	1.56	1.48
26	BB	1735	A	N1-C2	5.12	1.39	1.34
26	BB	2162	G	C4'-O4'	-5.12	1.38	1.45
26	BB	2282	G	P-O5'	5.12	1.64	1.59
26	BB	2300	C	N1-C6	5.12	1.40	1.37
32	BH	123	GLU	CG-CD	5.12	1.59	1.51
1	AA	72	A	C5-C6	5.12	1.45	1.41
1	AA	787	A	N9-C4	5.12	1.41	1.37
1	AA	999	C	C4'-C3'	-5.12	1.47	1.52
1	AA	1220	G	N1-C2	-5.12	1.33	1.37
11	AK	64	TYR	CE1-CZ	5.12	1.45	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BA	24	G	C4'-O4'	-5.12	1.38	1.45
26	BB	1	G	N9-C4	5.12	1.42	1.38
26	BB	822	G	O3'-P	5.12	1.67	1.61
26	BB	2074	U	O4'-C1'	-5.12	1.34	1.41
26	BB	2351	G	C3'-C2'	5.12	1.58	1.52
1	AA	809	G	C1'-N9	5.12	1.56	1.48
1	AA	1324	A	N7-C5	-5.12	1.36	1.39
4	AD	68	C	N3-C4	5.12	1.37	1.33
26	BB	972	A	N7-C5	5.12	1.42	1.39
26	BB	1731	G	N1-C2	5.12	1.41	1.37
26	BB	1815	A	C3'-O3'	5.12	1.49	1.42
26	BB	2298	A	N9-C8	5.12	1.41	1.37
1	AA	36	C	C4-C5	5.12	1.47	1.43
1	AA	497	G	P-O5'	-5.12	1.54	1.59
1	AA	1082	A	N9-C4	5.12	1.41	1.37
1	AA	1117	A	P-O5'	-5.12	1.54	1.59
1	AA	1290	G	N1-C2	5.12	1.41	1.37
1	AA	1452	C	C4-N4	5.12	1.38	1.33
26	BB	658	U	N1-C6	5.12	1.42	1.38
26	BB	1126	A	C6-N1	-5.12	1.31	1.35
26	BB	1934	C	N1-C2	5.12	1.45	1.40
26	BB	2370	G	C8-N7	-5.12	1.27	1.30
1	AA	151	A	C2'-C1'	-5.12	1.47	1.53
1	AA	310	G	C5-C4	-5.12	1.34	1.38
1	AA	990	C	C4'-C3'	5.12	1.58	1.53
1	AA	1325	C	P-O5'	5.12	1.64	1.59
26	BB	35	G	N7-C5	-5.12	1.36	1.39
26	BB	284	U	C2-O2	5.12	1.26	1.22
26	BB	641	U	C2-O2	5.12	1.26	1.22
26	BB	1402	U	N1-C2	5.12	1.43	1.38
26	BB	2695	U	P-OP1	-5.12	1.40	1.49
1	AA	183	C	P-O5'	5.12	1.64	1.59
26	BB	28	A	N9-C8	5.12	1.41	1.37
26	BB	155	A	P-O5'	-5.12	1.54	1.59
26	BB	227	A	N3-C4	-5.12	1.31	1.34
26	BB	353	C	C4-C5	5.12	1.47	1.43
26	BB	744	U	C5'-C4'	5.12	1.57	1.51
26	BB	925	A	C4'-O4'	-5.12	1.38	1.45
26	BB	1227	G	O3'-P	5.12	1.67	1.61
26	BB	1335	C	C2'-C1'	5.12	1.58	1.53
26	BB	1669	A	N3-C4	5.12	1.38	1.34
26	BB	1749	A	N7-C5	-5.12	1.36	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1890	A	P-O5'	5.12	1.64	1.59
26	BB	2190	G	N9-C8	-5.12	1.34	1.37
26	BB	2444	G	N3-C4	5.12	1.39	1.35
26	BB	2562	U	C3'-C2'	5.12	1.58	1.52
26	BB	2817	U	C5'-C4'	5.12	1.57	1.51
26	BB	2887	A	C2'-C1'	5.12	1.58	1.53
1	AA	1304	G	C3'-O3'	5.11	1.49	1.42
26	BB	482	A	O3'-P	5.11	1.67	1.61
26	BB	513	A	N9-C4	-5.11	1.34	1.37
26	BB	1441	G	N9-C4	5.11	1.42	1.38
26	BB	2368	C	C2'-C1'	-5.11	1.47	1.53
28	BD	34	GLU	CB-CG	5.11	1.61	1.52
1	AA	98	A	C3'-C2'	5.11	1.58	1.52
1	AA	1211	U	C4-C5	5.11	1.48	1.43
1	AA	1319	A	C2'-O2'	5.11	1.48	1.41
26	BB	258	G	C2'-O2'	5.11	1.48	1.41
26	BB	1555	G	N1-C2	5.11	1.41	1.37
40	BP	94	TYR	CB-CG	5.11	1.59	1.51
1	AA	705	G	C5-C6	5.11	1.47	1.42
1	AA	998	C	C5'-C4'	5.11	1.57	1.51
1	AA	1092	A	N3-C4	5.11	1.38	1.34
1	AA	1497	G	C3'-C2'	5.11	1.58	1.52
3	AC	24	A	N9-C8	5.11	1.41	1.37
26	BB	425	G	P-O5'	5.11	1.64	1.59
26	BB	601	C	C2-N3	5.11	1.39	1.35
26	BB	825	A	C5-C6	-5.11	1.36	1.41
26	BB	919	U	O4'-C1'	5.11	1.48	1.41
26	BB	1096	A	C5-C6	5.11	1.45	1.41
26	BB	1114	C	N1-C6	5.11	1.40	1.37
26	BB	1205	A	N1-C2	5.11	1.39	1.34
26	BB	2633	G	P-O5'	5.11	1.64	1.59
26	BB	856	G	P-O5'	5.11	1.64	1.59
26	BB	903	C	C5'-C4'	5.11	1.57	1.51
26	BB	1671	U	O3'-P	5.11	1.67	1.61
1	AA	70	U	P-O5'	5.11	1.64	1.59
1	AA	255	G	N9-C4	5.11	1.42	1.38
1	AA	456	A	C5-C4	5.11	1.42	1.38
1	AA	1530	G	N9-C8	-5.11	1.34	1.37
25	BA	48	U	N1-C2	5.11	1.43	1.38
26	BB	265	A	C4'-C3'	5.11	1.58	1.53
26	BB	305	C	C5'-C4'	5.11	1.57	1.51
26	BB	512	G	C5-C6	5.11	1.47	1.42

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1478	G	C6-N1	-5.11	1.35	1.39
26	BB	1546	G	C2-N3	-5.11	1.28	1.32
26	BB	1880	U	N1-C2	5.11	1.43	1.38
26	BB	2196	C	N1-C6	5.11	1.40	1.37
26	BB	2290	G	N1-C2	-5.11	1.33	1.37
28	BD	220	ARG	CZ-NH1	5.11	1.39	1.33
1	AA	1016	A	C5-C4	5.11	1.42	1.38
1	AA	1364	U	C4'-C3'	5.11	1.58	1.53
11	AK	99	GLY	CA-C	5.11	1.60	1.51
26	BB	324	A	C6-N1	-5.11	1.31	1.35
26	BB	619	G	C3'-C2'	5.11	1.58	1.52
26	BB	1606	C	O3'-P	5.11	1.67	1.61
26	BB	2019	A	P-O5'	5.11	1.64	1.59
1	AA	910	C	C2-O2	-5.10	1.19	1.24
26	BB	199	A	N7-C5	5.10	1.42	1.39
26	BB	279	A	C2'-O2'	5.10	1.48	1.41
26	BB	494	G	N9-C8	5.10	1.41	1.37
26	BB	1809	A	C4'-O4'	-5.10	1.39	1.45
26	BB	1817	G	C5-C4	5.10	1.42	1.38
26	BB	2579	C	C2'-C1'	5.10	1.58	1.53
1	AA	42	G	N7-C5	-5.10	1.36	1.39
1	AA	102	G	N7-C5	-5.10	1.36	1.39
1	AA	247	G	N3-C4	5.10	1.39	1.35
1	AA	544	G	C6-O6	-5.10	1.19	1.24
1	AA	850	U	C4-O4	-5.10	1.19	1.23
1	AA	904	U	C2-O2	-5.10	1.17	1.22
1	AA	1227	A	P-O5'	5.10	1.64	1.59
1	AA	1391	U	C4'-C3'	5.10	1.58	1.53
1	AA	1497	G	C6-O6	-5.10	1.19	1.24
2	AB	60	U	C4'-C3'	5.10	1.58	1.53
26	BB	73	A	C5'-C4'	5.10	1.57	1.51
26	BB	178	G	C3'-O3'	5.10	1.49	1.42
26	BB	402	A	N1-C2	-5.10	1.29	1.34
26	BB	406	G	C4'-C3'	-5.10	1.47	1.52
26	BB	876	C	C5-C6	5.10	1.38	1.34
26	BB	1302	A	C4'-C3'	5.10	1.58	1.53
26	BB	1348	C	N3-C4	5.10	1.37	1.33
33	BI	48	GLU	CD-OE1	5.10	1.31	1.25
1	AA	224	U	C4'-O4'	-5.10	1.39	1.45
1	AA	1220	G	C2-N3	5.10	1.36	1.32
26	BB	354	A	C4'-O4'	-5.10	1.39	1.45
26	BB	585	G	C4'-C3'	5.10	1.58	1.53

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1093	G	N7-C5	5.10	1.42	1.39
26	BB	1193	G	C2-N3	5.10	1.36	1.32
26	BB	1229	C	N1-C6	5.10	1.40	1.37
26	BB	1436	G	C2-N3	5.10	1.36	1.32
26	BB	2423	U	N1-C2	5.10	1.43	1.38
1	AA	548	G	C4'-O4'	-5.10	1.39	1.45
1	AA	934	C	C4-C5	5.10	1.47	1.43
4	AD	51	U	O3'-P	5.10	1.67	1.61
26	BB	264	C	C3'-O3'	5.10	1.49	1.42
26	BB	294	A	O3'-P	5.10	1.67	1.61
26	BB	763	G	P-O5'	5.10	1.64	1.59
26	BB	769	U	O3'-P	-5.10	1.55	1.61
26	BB	793	A	C5-C6	5.10	1.45	1.41
26	BB	1134	A	N3-C4	5.10	1.38	1.34
26	BB	1135	C	P-O5'	5.10	1.64	1.59
26	BB	1217	U	C4-O4	-5.10	1.19	1.23
26	BB	1227	G	N3-C4	-5.10	1.31	1.35
26	BB	1473	G	C2'-C1'	-5.10	1.47	1.53
26	BB	1822	C	P-O5'	5.10	1.64	1.59
26	BB	2054	A	C6-N1	5.10	1.39	1.35
33	BI	132	PHE	CG-CD2	5.10	1.46	1.38
42	BR	1	SER	CA-CB	5.10	1.60	1.52
1	AA	709	U	C2-O2	5.10	1.26	1.22
1	AA	887	G	C5-C6	5.10	1.47	1.42
25	BA	76	G	C2-N3	5.10	1.36	1.32
26	BB	48	G	N3-C4	5.10	1.39	1.35
26	BB	340	A	C8-N7	-5.10	1.27	1.31
26	BB	361	G	C4'-O4'	-5.10	1.39	1.45
26	BB	509	C	N3-C4	5.10	1.37	1.33
26	BB	1059	G	N9-C4	5.10	1.42	1.38
26	BB	1092	C	P-O5'	5.10	1.64	1.59
26	BB	1651	G	C6-N1	5.10	1.43	1.39
26	BB	1711	A	N9-C4	5.10	1.41	1.37
26	BB	1791	A	C4'-O4'	-5.10	1.39	1.45
26	BB	1910	G	C6-N1	5.10	1.43	1.39
26	BB	1996	C	C2-N3	5.10	1.39	1.35
26	BB	2042	A	P-O5'	5.10	1.64	1.59
1	AA	694	A	C4'-O4'	-5.10	1.39	1.45
26	BB	231	A	C6-N1	-5.10	1.31	1.35
26	BB	1635	A	C4'-O4'	-5.10	1.39	1.45
26	BB	1837	C	C2-N3	5.10	1.39	1.35
26	BB	2242	G	C2-N3	5.10	1.36	1.32

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2289	G	N9-C8	5.10	1.41	1.37
1	AA	27	G	P-O5'	5.09	1.64	1.59
1	AA	1024	G	C2'-O2'	5.09	1.48	1.41
1	AA	1538	C	C2-O2	-5.09	1.19	1.24
4	AD	27	G	N9-C8	-5.09	1.34	1.37
25	BA	59	A	P-O5'	5.09	1.64	1.59
26	BB	114	U	N3-C4	5.09	1.43	1.38
26	BB	322	A	C4'-O4'	-5.09	1.39	1.45
26	BB	952	G	C2-N2	5.09	1.39	1.34
26	BB	1285	A	N9-C8	-5.09	1.33	1.37
1	AA	274	A	C3'-C2'	5.09	1.58	1.52
1	AA	760	G	C6-N1	5.09	1.43	1.39
26	BB	379	G	C8-N7	-5.09	1.27	1.30
26	BB	1998	A	C5-C4	-5.09	1.35	1.38
26	BB	2128	G	C5-C6	5.09	1.47	1.42
1	AA	68	G	C5'-C4'	5.09	1.57	1.51
1	AA	206	C	C5'-C4'	5.09	1.57	1.51
1	AA	986	U	C4-C5	5.09	1.48	1.43
1	AA	1296	C	C2'-C1'	5.09	1.58	1.53
26	BB	571	U	N3-C4	5.09	1.43	1.38
26	BB	943	A	N7-C5	5.09	1.42	1.39
26	BB	1366	A	P-O5'	5.09	1.64	1.59
26	BB	1378	A	N9-C4	5.09	1.41	1.37
26	BB	2478	A	C4'-O4'	-5.09	1.39	1.45
1	AA	307	C	N1-C6	5.09	1.40	1.37
1	AA	752	G	C8-N7	-5.09	1.27	1.30
1	AA	1137	C	C4'-O4'	-5.09	1.39	1.45
1	AA	1432	G	C4'-C3'	5.09	1.58	1.53
26	BB	602	A	C6-N1	5.09	1.39	1.35
26	BB	667	U	C4'-C3'	-5.09	1.47	1.52
26	BB	946	C	N3-C4	5.09	1.37	1.33
26	BB	954	G	N3-C4	5.09	1.39	1.35
26	BB	1539	U	C2'-C1'	-5.09	1.47	1.53
26	BB	1811	G	N3-C4	5.09	1.39	1.35
26	BB	1862	G	C3'-C2'	-5.09	1.47	1.52
26	BB	1908	C	O4'-C1'	-5.09	1.35	1.41
26	BB	2126	A	C3'-C2'	5.09	1.58	1.52
26	BB	2666	C	C1'-N1	5.09	1.56	1.48
26	BB	2690	U	C1'-N1	5.09	1.56	1.48
1	AA	275	G	C6-N1	5.09	1.43	1.39
1	AA	473	U	O4'-C1'	-5.09	1.35	1.41
1	AA	832	G	C6-N1	5.09	1.43	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1008	A	C2-N3	-5.09	1.28	1.33
26	BB	1177	G	C5-C6	5.09	1.47	1.42
26	BB	2142	A	C5-C4	-5.09	1.35	1.38
1	AA	612	C	C2-N3	5.09	1.39	1.35
26	BB	34	U	N3-C4	5.09	1.43	1.38
26	BB	324	A	C4'-C3'	-5.09	1.47	1.52
26	BB	711	G	C3'-C2'	5.09	1.58	1.52
26	BB	1473	G	C2-N3	5.09	1.36	1.32
26	BB	1634	A	O3'-P	5.09	1.67	1.61
26	BB	2109	U	O3'-P	5.09	1.67	1.61
26	BB	2447	G	C8-N7	-5.09	1.27	1.30
1	AA	369	G	C5-C4	-5.08	1.34	1.38
1	AA	755	G	C6-N1	5.08	1.43	1.39
1	AA	969	A	C6-N6	5.08	1.38	1.33
1	AA	1042	A	N7-C5	5.08	1.42	1.39
1	AA	1125	U	O3'-P	5.08	1.67	1.61
26	BB	116	C	C4-N4	5.08	1.38	1.33
26	BB	348	A	N9-C8	-5.08	1.33	1.37
26	BB	738	G	C2-N3	5.08	1.36	1.32
26	BB	1948	G	C2-N3	5.08	1.36	1.32
26	BB	2513	A	O4'-C1'	5.08	1.48	1.41
26	BB	2851	A	C5-C4	-5.08	1.35	1.38
1	AA	496	A	N3-C4	5.08	1.38	1.34
1	AA	861	G	N1-C2	-5.08	1.33	1.37
1	AA	1321	U	C5-C6	5.08	1.38	1.34
1	AA	1334	G	N7-C5	-5.08	1.36	1.39
1	AA	1379	G	C8-N7	-5.08	1.27	1.30
4	AD	34	U	N1-C2	5.08	1.43	1.38
25	BA	52	A	C6-N6	-5.08	1.29	1.33
25	BA	117	G	N1-C2	5.08	1.41	1.37
26	BB	246	C	N3-C4	5.08	1.37	1.33
26	BB	737	C	C4'-O4'	-5.08	1.39	1.45
26	BB	1284	A	N1-C2	-5.08	1.29	1.34
26	BB	1793	C	C3'-C2'	-5.08	1.47	1.52
26	BB	2765	A	C4'-O4'	-5.08	1.39	1.45
1	AA	127	G	N9-C4	-5.08	1.33	1.38
1	AA	701	U	C2-N3	5.08	1.41	1.37
1	AA	704	A	O3'-P	-5.08	1.55	1.61
26	BB	126	A	C3'-O3'	5.08	1.49	1.42
26	BB	351	C	C4-N4	5.08	1.38	1.33
26	BB	728	G	C6-O6	5.08	1.28	1.24
26	BB	1502	A	C2'-O2'	5.08	1.48	1.41

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2875	C	C5'-C4'	5.08	1.57	1.51
1	AA	790	A	O3'-P	5.08	1.67	1.61
1	AA	1003	G	N1-C2	5.08	1.41	1.37
1	AA	1017	U	O4'-C1'	-5.08	1.35	1.41
1	AA	1339	A	N9-C4	-5.08	1.34	1.37
18	AR	14	PHE	CG-CD2	5.08	1.46	1.38
26	BB	262	A	C5-C6	-5.08	1.36	1.41
26	BB	471	A	C3'-C2'	5.08	1.58	1.52
26	BB	870	U	N1-C2	5.08	1.43	1.38
1	AA	328	C	C4-C5	5.08	1.47	1.43
1	AA	705	G	C5'-C4'	5.08	1.57	1.51
1	AA	768	A	C4'-O4'	-5.08	1.39	1.45
1	AA	847	G	C2'-O2'	-5.08	1.35	1.41
1	AA	1366	C	C2'-C1'	5.08	1.58	1.53
1	AA	1376	U	C2-O2	5.08	1.26	1.22
15	AO	67	GLY	N-CA	-5.08	1.38	1.46
25	BA	33	G	N3-C4	5.08	1.39	1.35
26	BB	1005	C	O3'-P	5.08	1.67	1.61
26	BB	1900	A	C3'-C2'	5.08	1.58	1.52
26	BB	1920	C	C5'-C4'	5.08	1.57	1.51
26	BB	2476	A	O4'-C1'	5.08	1.48	1.41
26	BB	2755	C	C2'-O2'	5.08	1.48	1.41
26	BB	2809	A	N9-C4	-5.08	1.34	1.37
1	AA	354	G	C5-C4	5.08	1.42	1.38
1	AA	432	A	C2'-O2'	5.08	1.48	1.41
2	AB	5	G	C3'-O3'	5.08	1.49	1.42
25	BA	98	G	C2'-C1'	-5.08	1.47	1.53
26	BB	590	A	C4'-O4'	-5.08	1.39	1.45
26	BB	681	G	C5-C6	-5.08	1.37	1.42
26	BB	1227	G	C3'-C2'	5.08	1.58	1.52
26	BB	1441	G	C5-C6	5.08	1.47	1.42
26	BB	2118	U	C2-O2	5.08	1.26	1.22
26	BB	2152	G	C2'-C1'	5.08	1.58	1.53
26	BB	2505	G	C2'-C1'	-5.08	1.47	1.53
26	BB	2630	G	O4'-C1'	5.08	1.48	1.41
44	BT	35	PHE	CG-CD2	5.08	1.46	1.38
1	AA	565	U	C5'-C4'	5.08	1.57	1.51
1	AA	816	A	N7-C5	5.08	1.42	1.39
1	AA	1541	U	C4'-C3'	-5.08	1.47	1.52
26	BB	27	G	C5-C6	5.08	1.47	1.42
26	BB	312	G	C4'-O4'	-5.08	1.39	1.45
26	BB	656	G	C5'-C4'	5.08	1.57	1.51

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1695	G	O3'-P	5.08	1.67	1.61
26	BB	2660	A	N9-C8	-5.08	1.33	1.37
26	BB	2752	C	C4-C5	5.08	1.47	1.43
1	AA	328	C	N3-C4	5.07	1.37	1.33
1	AA	499	A	C4'-C3'	5.07	1.58	1.53
1	AA	500	G	C2'-C1'	-5.07	1.47	1.53
1	AA	558	G	N9-C8	-5.07	1.34	1.37
1	AA	735	C	O3'-P	-5.07	1.55	1.61
1	AA	934	C	O3'-P	5.07	1.67	1.61
1	AA	1048	G	N9-C4	-5.07	1.33	1.38
25	BA	18	G	N1-C2	5.07	1.41	1.37
26	BB	11	C	C3'-C2'	-5.07	1.47	1.52
26	BB	505	A	P-O5'	5.07	1.64	1.59
26	BB	749	A	N9-C4	5.07	1.40	1.37
26	BB	887	U	P-O5'	5.07	1.64	1.59
26	BB	2066	C	C3'-C2'	-5.07	1.47	1.52
26	BB	2157	G	P-O5'	5.07	1.64	1.59
26	BB	2534	A	P-O5'	5.07	1.64	1.59
26	BB	2709	G	C8-N7	5.07	1.33	1.30
26	BB	2878	U	C2'-O2'	5.07	1.48	1.41
1	AA	582	C	C2'-O2'	5.07	1.48	1.41
1	AA	637	C	N1-C6	5.07	1.40	1.37
1	AA	1340	A	N7-C5	5.07	1.42	1.39
1	AA	1517	G	N3-C4	5.07	1.39	1.35
2	AB	71	C	C5-C6	5.07	1.38	1.34
26	BB	553	G	C6-N1	5.07	1.43	1.39
26	BB	1288	G	N7-C5	-5.07	1.36	1.39
26	BB	1466	U	C4-O4	-5.07	1.19	1.23
26	BB	1834	U	C4-C5	5.07	1.48	1.43
26	BB	2133	G	N7-C5	5.07	1.42	1.39
26	BB	2311	A	C6-N1	-5.07	1.31	1.35
26	BB	2560	A	C2-N3	5.07	1.38	1.33
39	BO	81	ARG	CZ-NH1	5.07	1.39	1.33
1	AA	391	G	N1-C2	5.07	1.41	1.37
1	AA	594	U	C4-C5	5.07	1.48	1.43
1	AA	812	G	C4'-O4'	-5.07	1.39	1.45
26	BB	151	C	C4'-O4'	-5.07	1.39	1.45
26	BB	170	U	C4-C5	5.07	1.48	1.43
26	BB	906	U	O3'-P	-5.07	1.55	1.61
26	BB	1502	A	N9-C8	-5.07	1.33	1.37
26	BB	2022	U	O3'-P	5.07	1.67	1.61
26	BB	2060	A	C4'-C3'	5.07	1.58	1.53

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2151	U	C2-N3	5.07	1.41	1.37
26	BB	2747	G	O3'-P	-5.07	1.55	1.61
1	AA	1412	C	O5'-C5'	-5.07	1.34	1.42
21	AU	68	PRO	N-CD	-5.07	1.40	1.47
26	BB	985	C	C5-C6	5.07	1.38	1.34
26	BB	1378	A	O4'-C1'	5.07	1.48	1.41
26	BB	1831	G	C3'-C2'	5.07	1.58	1.52
26	BB	2673	G	C8-N7	-5.07	1.27	1.30
1	AA	322	C	N1-C6	5.07	1.40	1.37
1	AA	434	U	C5'-C4'	5.07	1.57	1.51
1	AA	1230	C	P-O5'	5.07	1.64	1.59
1	AA	1295	U	C5-C6	5.07	1.38	1.34
2	AB	6	C	C5-C6	5.07	1.38	1.34
26	BB	214	G	N3-C4	5.07	1.39	1.35
26	BB	554	U	N1-C6	-5.07	1.33	1.38
26	BB	1884	G	C2-N3	5.07	1.36	1.32
1	AA	143	A	C4'-C3'	5.07	1.58	1.53
1	AA	598	U	O3'-P	-5.07	1.55	1.61
2	AB	12	U	C5'-C4'	5.07	1.57	1.51
25	BA	22	U	C3'-C2'	5.07	1.58	1.52
26	BB	1015	U	N1-C2	5.07	1.43	1.38
26	BB	1321	A	C2'-C1'	-5.07	1.47	1.53
26	BB	1884	G	P-O5'	5.07	1.64	1.59
26	BB	2165	C	C3'-C2'	5.07	1.58	1.52
26	BB	2683	C	C4-C5	5.07	1.47	1.43
26	BB	2721	A	N1-C2	-5.07	1.29	1.34
26	BB	2770	G	N1-C2	5.07	1.41	1.37
1	AA	238	A	O3'-P	5.06	1.67	1.61
1	AA	878	A	N9-C8	5.06	1.41	1.37
1	AA	1197	A	C4'-O4'	-5.06	1.39	1.45
26	BB	376	G	N3-C4	5.06	1.39	1.35
26	BB	1028	A	O3'-P	-5.06	1.55	1.61
26	BB	1683	U	C5'-C4'	5.06	1.57	1.51
26	BB	2234	G	C2-N2	5.06	1.39	1.34
1	AA	546	A	C2'-C1'	-5.06	1.47	1.53
1	AA	648	A	C6-N1	-5.06	1.32	1.35
1	AA	654	G	C6-N1	5.06	1.43	1.39
1	AA	675	A	C2-N3	-5.06	1.28	1.33
1	AA	749	A	C5-C4	5.06	1.42	1.38
1	AA	1181	G	N9-C8	5.06	1.41	1.37
3	AC	25	U	N1-C2	5.06	1.43	1.38
12	AL	84	ARG	CZ-NH1	5.06	1.39	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	682	G	C4'-O4'	-5.06	1.39	1.45
26	BB	897	C	C2-O2	-5.06	1.19	1.24
26	BB	1192	G	P-O5'	5.06	1.64	1.59
26	BB	1509	A	C6-N6	5.06	1.38	1.33
26	BB	1930	G	C2-N3	5.06	1.36	1.32
26	BB	2222	C	C4-C5	5.06	1.47	1.43
26	BB	2225	A	N3-C4	5.06	1.37	1.34
26	BB	2302	U	P-O5'	-5.06	1.54	1.59
26	BB	2459	A	N9-C4	5.06	1.40	1.37
1	AA	40	C	C2-N3	5.06	1.39	1.35
1	AA	644	U	N1-C2	5.06	1.43	1.38
1	AA	995	C	N3-C4	5.06	1.37	1.33
1	AA	1388	C	P-O5'	5.06	1.64	1.59
26	BB	2766	A	C5-C6	-5.06	1.36	1.41
1	AA	611	C	N1-C6	5.06	1.40	1.37
1	AA	658	C	C2'-C1'	5.06	1.58	1.53
1	AA	703	G	C8-N7	5.06	1.33	1.30
1	AA	738	C	C3'-O3'	5.06	1.49	1.42
1	AA	1411	C	O3'-P	5.06	1.67	1.61
1	AA	1502	A	N9-C4	5.06	1.40	1.37
7	AG	103	ARG	CZ-NH2	5.06	1.39	1.33
26	BB	582	A	N3-C4	5.06	1.37	1.34
26	BB	709	U	N1-C2	5.06	1.43	1.38
26	BB	996	A	N3-C4	5.06	1.37	1.34
26	BB	1054	A	C8-N7	-5.06	1.28	1.31
26	BB	1518	C	O5'-C5'	-5.06	1.34	1.42
26	BB	1537	G	C2'-C1'	-5.06	1.47	1.53
26	BB	1716	U	C2-O2	5.06	1.26	1.22
26	BB	1839	G	N7-C5	-5.06	1.36	1.39
26	BB	2157	G	O3'-P	5.06	1.67	1.61
26	BB	2335	A	C6-N1	-5.06	1.32	1.35
26	BB	2562	U	C1'-N1	5.06	1.56	1.48
26	BB	2877	G	C4'-C3'	-5.06	1.47	1.52
26	BB	2904	U	N3-C4	5.06	1.43	1.38
1	AA	29	U	C4-C5	5.06	1.48	1.43
1	AA	225	C	N1-C2	5.06	1.45	1.40
1	AA	871	U	N1-C2	5.06	1.43	1.38
1	AA	1381	U	C4-O4	5.06	1.27	1.23
1	AA	1400	C	C5'-C4'	5.06	1.57	1.51
26	BB	487	C	N1-C6	5.06	1.40	1.37
26	BB	532	A	C8-N7	5.06	1.35	1.31
26	BB	630	G	C8-N7	-5.06	1.27	1.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	633	A	C8-N7	-5.06	1.28	1.31
26	BB	688	U	P-O5'	5.06	1.64	1.59
26	BB	862	G	C5-C4	-5.06	1.34	1.38
26	BB	1186	G	C6-O6	-5.06	1.19	1.24
26	BB	1264	A	N7-C5	-5.06	1.36	1.39
26	BB	1273	U	C4'-C3'	5.06	1.58	1.53
26	BB	1623	G	N9-C4	5.06	1.42	1.38
26	BB	1812	U	C4'-O4'	-5.06	1.39	1.45
26	BB	2308	G	N1-C2	5.06	1.41	1.37
26	BB	2410	G	C2-N3	-5.06	1.28	1.32
1	AA	169	C	C4-C5	5.06	1.47	1.43
1	AA	670	G	N7-C5	-5.06	1.36	1.39
1	AA	894	G	C5-C4	5.06	1.41	1.38
1	AA	1149	C	C2-N3	-5.06	1.31	1.35
4	AD	6	G	C2'-C1'	5.06	1.58	1.53
11	AK	57	GLU	CG-CD	5.06	1.59	1.51
26	BB	213	A	C2'-C1'	5.06	1.58	1.53
26	BB	1984	G	O3'-P	5.06	1.67	1.61
26	BB	2160	C	N3-C4	5.06	1.37	1.33
26	BB	2802	G	N9-C8	5.06	1.41	1.37
1	AA	177	G	C4'-O4'	-5.05	1.39	1.45
1	AA	783	C	C2-N3	5.05	1.39	1.35
1	AA	1379	G	N9-C8	-5.05	1.34	1.37
1	AA	1411	C	C5'-C4'	5.05	1.57	1.51
2	AB	18	G	N7-C5	-5.05	1.36	1.39
26	BB	12	U	N3-C4	-5.05	1.33	1.38
26	BB	83	A	P-O5'	5.05	1.64	1.59
26	BB	246	C	P-O5'	5.05	1.64	1.59
26	BB	1627	G	P-O5'	5.05	1.64	1.59
26	BB	1638	C	C5-C6	5.05	1.38	1.34
26	BB	2647	U	C3'-C2'	-5.05	1.47	1.52
26	BB	2675	A	O4'-C1'	5.05	1.48	1.41
26	BB	2679	A	O3'-P	-5.05	1.55	1.61
1	AA	425	G	C5-C6	5.05	1.47	1.42
1	AA	599	C	P-O5'	-5.05	1.54	1.59
1	AA	803	G	P-O5'	5.05	1.64	1.59
1	AA	909	A	N9-C4	-5.05	1.34	1.37
1	AA	963	G	N9-C4	-5.05	1.33	1.38
2	AB	64	U	C1'-N1	5.05	1.56	1.48
26	BB	310	A	N3-C4	5.05	1.37	1.34
26	BB	324	A	O5'-C5'	-5.05	1.34	1.42
26	BB	686	U	C5-C6	5.05	1.38	1.34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	689	A	C4'-C3'	5.05	1.58	1.53
26	BB	851	C	C4'-O4'	-5.05	1.39	1.45
26	BB	1073	A	N9-C4	5.05	1.40	1.37
26	BB	1232	G	C2'-C1'	5.05	1.58	1.53
26	BB	2263	C	P-O5'	-5.05	1.54	1.59
26	BB	2531	A	C4'-C3'	5.05	1.58	1.53
26	BB	2592	G	C4'-C3'	-5.05	1.47	1.52
26	BB	2698	U	C5'-C4'	5.05	1.57	1.51
36	BL	96	ARG	NE-CZ	5.05	1.39	1.33
1	AA	260	G	N9-C8	-5.05	1.34	1.37
1	AA	1108	G	N9-C4	5.05	1.42	1.38
26	BB	268	C	N3-C4	5.05	1.37	1.33
26	BB	332	A	C4'-O4'	-5.05	1.39	1.45
26	BB	1115	G	C8-N7	-5.05	1.27	1.30
26	BB	1307	A	C4'-O4'	-5.05	1.39	1.45
26	BB	1794	A	N7-C5	5.05	1.42	1.39
26	BB	2318	G	C3'-C2'	5.05	1.58	1.52
1	AA	376	G	N9-C8	-5.05	1.34	1.37
1	AA	381	C	C3'-O3'	5.05	1.49	1.42
1	AA	642	A	N1-C2	-5.05	1.29	1.34
1	AA	1120	C	C2-O2	-5.05	1.20	1.24
1	AA	1371	G	C2-N3	5.05	1.36	1.32
26	BB	632	A	C3'-C2'	5.05	1.58	1.52
26	BB	1544	A	C3'-O3'	-5.05	1.35	1.42
26	BB	2357	G	C3'-C2'	5.05	1.58	1.52
1	AA	811	C	N1-C2	5.05	1.45	1.40
1	AA	839	C	N3-C4	5.05	1.37	1.33
1	AA	848	C	O3'-P	5.05	1.67	1.61
1	AA	1248	A	P-O5'	5.05	1.64	1.59
1	AA	565	U	O5'-C5'	-5.05	1.34	1.42
1	AA	898	G	N7-C5	5.05	1.42	1.39
1	AA	1011	C	C4'-O4'	-5.05	1.39	1.45
1	AA	1294	G	N1-C2	-5.05	1.33	1.37
2	AB	34	C	C2-N3	5.05	1.39	1.35
25	BA	43	C	C4'-O4'	-5.05	1.39	1.45
26	BB	144	A	C8-N7	5.05	1.35	1.31
26	BB	256	A	N1-C2	5.05	1.38	1.34
26	BB	469	G	O3'-P	5.05	1.67	1.61
26	BB	803	U	O3'-P	-5.05	1.55	1.61
26	BB	958	U	C2-O2	5.05	1.26	1.22
26	BB	1141	U	C4-O4	5.05	1.27	1.23
26	BB	2096	C	C2-O2	-5.05	1.20	1.24

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2611	C	O4'-C1'	5.05	1.48	1.41
1	AA	28	A	N9-C4	5.04	1.40	1.37
1	AA	299	G	O3'-P	5.04	1.67	1.61
1	AA	930	C	C4'-O4'	-5.04	1.39	1.45
26	BB	38	A	C8-N7	-5.04	1.28	1.31
26	BB	105	C	C4'-C3'	-5.04	1.47	1.52
26	BB	117	G	C3'-C2'	5.04	1.58	1.52
26	BB	1455	G	N7-C5	-5.04	1.36	1.39
26	BB	2182	U	C4-C5	5.04	1.48	1.43
26	BB	2188	U	C2'-C1'	-5.04	1.47	1.53
1	AA	70	U	C4'-O4'	-5.04	1.39	1.45
1	AA	388	G	C4'-C3'	-5.04	1.47	1.52
1	AA	559	A	P-O5'	5.04	1.64	1.59
1	AA	701	U	C5-C6	5.04	1.38	1.34
1	AA	1373	G	O4'-C1'	5.04	1.48	1.41
1	AA	1385	G	N3-C4	5.04	1.39	1.35
2	AB	68	C	C5-C6	-5.04	1.30	1.34
26	BB	855	G	C5'-C4'	5.04	1.57	1.51
26	BB	896	A	C8-N7	5.04	1.35	1.31
26	BB	939	G	C4'-O4'	-5.04	1.39	1.45
26	BB	1212	G	C2-N2	-5.04	1.29	1.34
26	BB	1228	G	P-O5'	-5.04	1.54	1.59
26	BB	1301	A	N3-C4	5.04	1.37	1.34
26	BB	1344	U	C4-O4	5.04	1.27	1.23
26	BB	1418	G	O3'-P	-5.04	1.55	1.61
26	BB	1445	G	C5-C4	5.04	1.41	1.38
26	BB	1498	C	C4'-O4'	-5.04	1.39	1.45
26	BB	2082	A	C8-N7	-5.04	1.28	1.31
26	BB	2163	A	C4'-O4'	-5.04	1.39	1.45
26	BB	2408	U	O4'-C1'	5.04	1.48	1.41
26	BB	2422	C	C3'-O3'	5.04	1.49	1.42
26	BB	2530	A	N7-C5	5.04	1.42	1.39
1	AA	391	G	N3-C4	5.04	1.39	1.35
1	AA	1386	G	P-O5'	5.04	1.64	1.59
26	BB	157	C	N1-C6	5.04	1.40	1.37
26	BB	677	A	C3'-C2'	-5.04	1.47	1.52
26	BB	986	C	C3'-O3'	5.04	1.49	1.42
26	BB	1308	A	O3'-P	5.04	1.67	1.61
26	BB	1375	U	P-O5'	5.04	1.64	1.59
26	BB	1501	G	C6-N1	5.04	1.43	1.39
26	BB	2641	G	C6-N1	5.04	1.43	1.39
44	BT	10	LYS	N-CA	-5.04	1.36	1.46

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	612	C	P-O5'	5.04	1.64	1.59
1	AA	1143	G	C4'-O4'	-5.04	1.39	1.45
1	AA	1437	A	N9-C8	-5.04	1.33	1.37
26	BB	594	U	C2-N3	5.04	1.41	1.37
26	BB	1445	G	C2-N3	5.04	1.36	1.32
26	BB	1712	U	C2'-C1'	5.04	1.58	1.53
26	BB	2820	A	C5-C4	-5.04	1.35	1.38
1	AA	48	C	C2-N3	5.04	1.39	1.35
1	AA	116	A	C6-N6	5.04	1.38	1.33
1	AA	371	A	C5-C4	5.04	1.42	1.38
1	AA	543	U	N1-C6	5.04	1.42	1.38
1	AA	1026	G	N7-C5	-5.04	1.36	1.39
1	AA	1202	U	C2-N3	-5.04	1.34	1.37
1	AA	1381	U	C2'-C1'	5.04	1.58	1.53
1	AA	1388	C	C2'-C1'	-5.04	1.47	1.53
24	AX	61	ARG	CZ-NH2	5.04	1.39	1.33
26	BB	182	A	N3-C4	5.04	1.37	1.34
26	BB	245	G	N7-C5	-5.04	1.36	1.39
26	BB	510	C	C3'-C2'	5.04	1.58	1.52
26	BB	1083	U	C5-C6	5.04	1.38	1.34
26	BB	1689	A	C8-N7	-5.04	1.28	1.31
26	BB	1949	G	O4'-C1'	5.04	1.48	1.41
26	BB	2429	G	C8-N7	-5.04	1.27	1.30
26	BB	2775	G	C5-C6	5.04	1.47	1.42
1	AA	199	A	C8-N7	-5.04	1.28	1.31
1	AA	1372	U	C3'-C2'	5.04	1.58	1.52
26	BB	1001	A	C3'-C2'	5.04	1.58	1.52
26	BB	1653	G	O4'-C1'	5.04	1.48	1.41
26	BB	2303	G	N3-C4	5.04	1.39	1.35
26	BB	2653	U	C5'-C4'	5.04	1.57	1.51
26	BB	2661	G	C4'-C3'	5.04	1.58	1.53
26	BB	2814	A	C2'-C1'	5.04	1.58	1.53
1	AA	749	A	P-O5'	5.04	1.64	1.59
1	AA	800	G	N7-C5	5.04	1.42	1.39
1	AA	831	A	N9-C4	5.04	1.40	1.37
1	AA	1182	G	C8-N7	-5.04	1.27	1.30
1	AA	1198	G	C8-N7	-5.04	1.27	1.30
1	AA	1439	G	N3-C4	-5.04	1.31	1.35
26	BB	147	C	N3-C4	5.04	1.37	1.33
26	BB	453	A	C3'-C2'	5.04	1.58	1.52
26	BB	903	C	P-O5'	5.04	1.64	1.59
26	BB	1180	U	C2'-C1'	5.04	1.58	1.53

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1450	G	C2'-O2'	5.04	1.48	1.41
26	BB	1541	C	N3-C4	5.04	1.37	1.33
26	BB	1764	C	C4'-O4'	-5.04	1.39	1.45
26	BB	1857	G	C8-N7	-5.04	1.27	1.30
26	BB	2221	G	O3'-P	5.04	1.67	1.61
26	BB	2380	C	O3'-P	5.04	1.67	1.61
1	AA	78	A	N3-C4	5.03	1.37	1.34
1	AA	286	C	C4'-O4'	-5.03	1.39	1.45
1	AA	640	A	N9-C8	5.03	1.41	1.37
3	AC	25	U	N3-C4	-5.03	1.33	1.38
26	BB	235	U	C2-N3	5.03	1.41	1.37
26	BB	1441	G	C4'-O4'	-5.03	1.39	1.45
26	BB	2442	C	P-O5'	-5.03	1.54	1.59
26	BB	2674	G	C2-N3	5.03	1.36	1.32
26	BB	2886	A	C5'-C4'	5.03	1.57	1.51
26	BB	238	C	C4-N4	-5.03	1.29	1.33
26	BB	700	G	C2-N2	-5.03	1.29	1.34
26	BB	766	U	C5'-C4'	5.03	1.57	1.51
26	BB	1086	A	C4'-C3'	-5.03	1.47	1.52
26	BB	1615	C	C5-C6	5.03	1.38	1.34
26	BB	2363	G	N9-C8	5.03	1.41	1.37
26	BB	2469	A	C3'-C2'	5.03	1.58	1.52
43	BS	5	ARG	CZ-NH1	5.03	1.39	1.33
1	AA	370	C	C4'-C3'	5.03	1.58	1.53
1	AA	419	C	C4'-O4'	-5.03	1.39	1.45
1	AA	669	G	N9-C4	-5.03	1.33	1.38
1	AA	1542	A	C6-N6	5.03	1.38	1.33
25	BA	102	G	N9-C8	5.03	1.41	1.37
26	BB	232	G	C2'-O2'	5.03	1.48	1.41
26	BB	444	C	P-O5'	5.03	1.64	1.59
26	BB	603	A	N1-C2	-5.03	1.29	1.34
26	BB	1783	A	C2'-O2'	-5.03	1.35	1.41
26	BB	2225	A	C5-C4	-5.03	1.35	1.38
1	AA	50	A	N9-C4	5.03	1.40	1.37
1	AA	583	A	N1-C2	5.03	1.38	1.34
1	AA	1474	U	P-O5'	-5.03	1.54	1.59
1	AA	1529	G	C2-N2	5.03	1.39	1.34
26	BB	729	G	P-O5'	-5.03	1.54	1.59
26	BB	1191	G	C5'-C4'	5.03	1.57	1.51
26	BB	1551	A	P-O5'	5.03	1.64	1.59
26	BB	1832	C	C1'-N1	5.03	1.56	1.48
26	BB	2827	C	C1'-N1	5.03	1.56	1.48

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	449	G	C6-O6	-5.03	1.19	1.24
1	AA	782	A	C5-C4	-5.03	1.35	1.38
1	AA	899	C	N3-C4	5.03	1.37	1.33
4	AD	74	A	C5'-C4'	5.03	1.57	1.51
25	BA	107	G	C2'-C1'	5.03	1.58	1.53
26	BB	377	G	C4'-C3'	-5.03	1.47	1.52
26	BB	845	A	C2-N3	-5.03	1.29	1.33
26	BB	930	G	C3'-C2'	-5.03	1.47	1.52
26	BB	1004	U	C2'-O2'	-5.03	1.35	1.41
26	BB	1370	C	O3'-P	5.03	1.67	1.61
26	BB	1582	C	N1-C2	-5.03	1.35	1.40
26	BB	1600	C	N1-C6	-5.03	1.34	1.37
26	BB	1809	A	O3'-P	5.03	1.67	1.61
26	BB	1829	A	N1-C2	-5.03	1.29	1.34
26	BB	1952	A	C2'-C1'	-5.03	1.47	1.53
26	BB	2169	A	C4'-C3'	5.03	1.58	1.53
26	BB	2397	G	C2-N3	5.03	1.36	1.32
26	BB	2661	G	N9-C4	-5.03	1.33	1.38
26	BB	2702	G	C4'-C3'	5.03	1.58	1.53
1	AA	313	A	N9-C8	-5.03	1.33	1.37
1	AA	438	U	C4'-C3'	5.03	1.58	1.53
1	AA	1150	A	C5-C6	5.03	1.45	1.41
1	AA	1238	A	C5-C4	-5.03	1.35	1.38
3	AC	20	G	C4'-O4'	-5.03	1.39	1.45
26	BB	443	A	C8-N7	-5.03	1.28	1.31
26	BB	1068	G	C3'-C2'	5.03	1.58	1.52
26	BB	1594	U	N3-C4	5.03	1.43	1.38
1	AA	647	C	N3-C4	5.02	1.37	1.33
1	AA	1155	A	N1-C2	-5.02	1.29	1.34
26	BB	851	C	C3'-O3'	-5.02	1.35	1.42
26	BB	1453	A	C2-N3	5.02	1.38	1.33
26	BB	1608	A	C5'-C4'	5.02	1.57	1.51
26	BB	2886	A	C1'-N9	5.02	1.56	1.48
38	BN	21	ARG	CD-NE	5.02	1.54	1.46
49	BY	29	SER	CB-OG	5.02	1.48	1.42
1	AA	13	U	C4'-C3'	5.02	1.58	1.53
1	AA	568	G	C6-N1	-5.02	1.36	1.39
1	AA	801	U	C2'-C1'	5.02	1.58	1.53
1	AA	1079	G	C8-N7	-5.02	1.27	1.30
1	AA	1240	U	P-O5'	5.02	1.64	1.59
1	AA	1268	G	C4'-O4'	-5.02	1.39	1.45
1	AA	1279	G	N9-C4	5.02	1.42	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	AC	15	G	N9-C4	5.02	1.42	1.38
4	AD	66	C	C4'-O4'	-5.02	1.39	1.45
26	BB	48	G	P-O5'	5.02	1.64	1.59
26	BB	1038	G	C2'-C1'	-5.02	1.47	1.53
26	BB	1182	G	C2-N3	5.02	1.36	1.32
26	BB	1279	G	N1-C2	5.02	1.41	1.37
26	BB	1541	C	C5'-C4'	5.02	1.57	1.51
26	BB	1753	G	O3'-P	5.02	1.67	1.61
26	BB	2086	U	C2'-O2'	5.02	1.48	1.41
26	BB	2346	A	O3'-P	5.02	1.67	1.61
26	BB	2417	C	O3'-P	5.02	1.67	1.61
26	BB	2659	G	C6-N1	-5.02	1.36	1.39
26	BB	194	G	N9-C4	-5.02	1.33	1.38
26	BB	289	G	C6-O6	-5.02	1.19	1.24
26	BB	811	U	P-O5'	5.02	1.64	1.59
26	BB	845	A	C2'-O2'	5.02	1.48	1.41
26	BB	1104	C	C2-O2	-5.02	1.20	1.24
1	AA	387	U	C5-C6	5.02	1.38	1.34
1	AA	801	U	N1-C6	5.02	1.42	1.38
1	AA	1321	U	C1'-N1	5.02	1.56	1.48
2	AB	47	U	C5'-C4'	-5.02	1.45	1.51
25	BA	67	G	P-O5'	5.02	1.64	1.59
26	BB	1668	A	C5-C4	-5.02	1.35	1.38
26	BB	2472	G	O3'-P	5.02	1.67	1.61
26	BB	2484	G	C3'-C2'	-5.02	1.47	1.52
26	BB	2528	U	P-O5'	5.02	1.64	1.59
1	AA	164	G	N1-C2	5.02	1.41	1.37
1	AA	622	A	O3'-P	5.02	1.67	1.61
1	AA	1006	G	N9-C8	5.02	1.41	1.37
1	AA	1172	C	C4-C5	5.02	1.47	1.43
1	AA	1215	G	C3'-C2'	5.02	1.58	1.52
26	BB	306	U	C4-C5	5.02	1.48	1.43
26	BB	348	A	N3-C4	5.02	1.37	1.34
26	BB	691	C	N1-C6	5.02	1.40	1.37
26	BB	800	A	P-O5'	5.02	1.64	1.59
26	BB	928	A	C3'-C2'	5.02	1.58	1.52
26	BB	1308	A	N9-C8	-5.02	1.33	1.37
26	BB	2691	C	C4-N4	5.02	1.38	1.33
49	BY	24	ARG	CZ-NH2	5.02	1.39	1.33
1	AA	898	G	C4'-C3'	5.02	1.58	1.53
1	AA	1271	A	P-O5'	5.02	1.64	1.59
1	AA	1442	G	N9-C4	-5.02	1.33	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	AD	27	G	C2'-O2'	5.02	1.48	1.41
25	BA	56	G	C2'-C1'	5.02	1.58	1.53
26	BB	465	G	N3-C4	-5.02	1.31	1.35
26	BB	697	G	N9-C8	5.02	1.41	1.37
26	BB	1424	G	C4'-O4'	-5.02	1.39	1.45
26	BB	1522	A	C8-N7	-5.02	1.28	1.31
26	BB	1616	A	C6-N1	-5.02	1.32	1.35
26	BB	2296	U	C2'-C1'	-5.02	1.47	1.53
54	B3	48	TYR	CE1-CZ	5.02	1.45	1.38
1	AA	433	G	C5'-C4'	5.01	1.57	1.51
1	AA	500	G	C3'-C2'	-5.01	1.47	1.52
26	BB	334	C	C4'-O4'	-5.01	1.39	1.45
26	BB	435	C	C3'-C2'	5.01	1.58	1.52
26	BB	521	U	C2'-C1'	5.01	1.58	1.53
26	BB	882	G	O5'-C5'	-5.01	1.34	1.42
26	BB	1573	G	O4'-C1'	5.01	1.48	1.41
26	BB	1779	U	C4-O4	-5.01	1.19	1.23
26	BB	1973	G	C2-N3	5.01	1.36	1.32
26	BB	1988	G	C8-N7	-5.01	1.27	1.30
26	BB	2220	U	C5-C6	5.01	1.38	1.34
26	BB	2638	G	C6-N1	5.01	1.43	1.39
26	BB	2721	A	N9-C8	-5.01	1.33	1.37
26	BB	327	G	C6-N1	5.01	1.43	1.39
26	BB	1177	G	C6-N1	5.01	1.43	1.39
26	BB	1959	G	N1-C2	5.01	1.41	1.37
26	BB	2704	C	O3'-P	5.01	1.67	1.61
49	BY	16	GLU	CG-CD	5.01	1.59	1.51
1	AA	26	A	C3'-C2'	5.01	1.58	1.52
1	AA	77	A	C5-C4	-5.01	1.35	1.38
1	AA	113	G	O3'-P	5.01	1.67	1.61
1	AA	149	A	C5'-C4'	5.01	1.57	1.51
1	AA	316	C	O3'-P	5.01	1.67	1.61
1	AA	804	U	O3'-P	5.01	1.67	1.61
1	AA	873	A	N7-C5	5.01	1.42	1.39
26	BB	520	G	N1-C2	5.01	1.41	1.37
26	BB	663	G	N3-C4	5.01	1.39	1.35
26	BB	687	C	C2'-C1'	5.01	1.58	1.53
26	BB	1159	U	C4-C5	5.01	1.48	1.43
26	BB	1306	C	N3-C4	5.01	1.37	1.33
26	BB	1311	G	N9-C4	-5.01	1.33	1.38
26	BB	2123	G	C3'-C2'	-5.01	1.47	1.52
26	BB	2162	G	C5'-C4'	5.01	1.57	1.51

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2257	U	C4'-O4'	-5.01	1.39	1.45
26	BB	2428	G	C4'-C3'	5.01	1.58	1.53
1	AA	713	G	C5'-C4'	5.01	1.57	1.51
1	AA	734	G	C8-N7	-5.01	1.27	1.30
1	AA	833	G	C5'-C4'	5.01	1.57	1.51
1	AA	1448	C	C5-C6	5.01	1.38	1.34
26	BB	270	A	N1-C2	5.01	1.38	1.34
26	BB	330	A	C5-C6	-5.01	1.36	1.41
26	BB	1185	G	C4'-C3'	5.01	1.58	1.53
26	BB	1737	G	C4'-O4'	-5.01	1.39	1.45
26	BB	2382	G	C1'-N9	5.01	1.56	1.48
26	BB	2592	G	N3-C4	5.01	1.39	1.35
1	AA	576	C	P-O5'	5.01	1.64	1.59
1	AA	621	A	C4'-O4'	-5.01	1.39	1.45
1	AA	1257	A	C8-N7	5.01	1.35	1.31
25	BA	93	C	C2-O2	-5.01	1.20	1.24
26	BB	404	A	N1-C2	-5.01	1.29	1.34
26	BB	1753	G	C4'-O4'	-5.01	1.39	1.45
26	BB	2020	A	C2'-O2'	-5.01	1.35	1.41
35	BK	4	VAL	CA-CB	5.01	1.65	1.54
1	AA	51	A	C8-N7	5.01	1.35	1.31
1	AA	603	U	C4'-C3'	5.01	1.58	1.53
1	AA	1034	G	C8-N7	-5.01	1.27	1.30
1	AA	1531	A	C2'-C1'	5.01	1.58	1.53
26	BB	1637	A	C5-C4	-5.01	1.35	1.38
26	BB	1747	U	C5'-C4'	5.01	1.57	1.51
26	BB	1881	C	O4'-C1'	5.01	1.48	1.41
26	BB	1970	A	C3'-O3'	5.01	1.49	1.42
26	BB	1970	A	C6-N6	5.01	1.38	1.33
26	BB	2168	G	C5'-C4'	5.01	1.57	1.51
26	BB	2784	U	N1-C6	5.01	1.42	1.38
33	BI	47	PHE	CG-CD2	5.01	1.46	1.38
1	AA	336	A	C2'-C1'	5.00	1.58	1.53
1	AA	1369	C	C2-N3	5.00	1.39	1.35
3	AC	13	A	N9-C8	5.00	1.41	1.37
26	BB	487	C	C5'-C4'	5.00	1.57	1.51
26	BB	985	C	P-O5'	5.00	1.64	1.59
26	BB	1050	A	C6-N1	-5.00	1.32	1.35
26	BB	1150	C	C5-C6	5.00	1.38	1.34
26	BB	1789	A	O5'-C5'	-5.00	1.34	1.42
26	BB	2823	A	P-O5'	5.00	1.64	1.59
1	AA	1	A	N3-C4	5.00	1.37	1.34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	473	U	C5'-C4'	5.00	1.57	1.51
1	AA	559	A	N1-C2	5.00	1.38	1.34
1	AA	882	C	C4'-C3'	5.00	1.58	1.53
1	AA	1500	A	C2'-C1'	5.00	1.58	1.53
4	AD	32	G	N9-C8	-5.00	1.34	1.37
26	BB	224	U	N1-C6	5.00	1.42	1.38
26	BB	226	A	C5'-C4'	5.00	1.57	1.51
26	BB	337	C	C5-C6	5.00	1.38	1.34
26	BB	879	G	C2-N3	5.00	1.36	1.32
26	BB	895	U	N3-C4	5.00	1.43	1.38
26	BB	1008	A	N1-C2	5.00	1.38	1.34
26	BB	1431	A	P-O5'	5.00	1.64	1.59
26	BB	1515	A	C4'-O4'	-5.00	1.39	1.45
26	BB	1549	A	C3'-C2'	5.00	1.58	1.52
26	BB	1929	G	C3'-O3'	5.00	1.49	1.42
26	BB	2542	A	C2-N3	-5.00	1.29	1.33
26	BB	2609	U	N1-C2	5.00	1.43	1.38
26	BB	2716	C	C3'-O3'	-5.00	1.35	1.42
30	BF	162	ARG	CZ-NH1	5.00	1.39	1.33
35	BK	7	TYR	CE2-CZ	5.00	1.45	1.38
1	AA	420	U	C2'-O2'	5.00	1.48	1.41
1	AA	429	U	C2'-C1'	5.00	1.58	1.53
1	AA	1089	G	C8-N7	-5.00	1.27	1.30
1	AA	1287	A	C4'-O4'	-5.00	1.39	1.45
4	AD	2	G	C5-C4	-5.00	1.34	1.38
10	AJ	114	SER	CA-CB	-5.00	1.45	1.52
24	AX	41	THR	CB-OG1	-5.00	1.33	1.43
26	BB	128	C	C2-O2	-5.00	1.20	1.24
26	BB	550	C	N3-C4	5.00	1.37	1.33
26	BB	664	G	C6-O6	-5.00	1.19	1.24
26	BB	1013	C	C2'-O2'	-5.00	1.35	1.41
26	BB	1161	C	C2'-C1'	5.00	1.58	1.53
26	BB	1177	G	C6-O6	-5.00	1.19	1.24
26	BB	1355	G	N1-C2	5.00	1.41	1.37
26	BB	2057	G	C5'-C4'	5.00	1.57	1.51
26	BB	2159	G	C6-N1	5.00	1.43	1.39
26	BB	2655	G	C2-N3	5.00	1.36	1.32

All (27220) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
51	B0	48	ARG	NE-CZ-NH1	24.22	132.41	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2494	G	N3-C4-C5	-22.56	117.32	128.60
51	B0	48	ARG	NE-CZ-NH2	-21.50	109.55	120.30
26	BB	93	G	C2-N3-C4	20.63	122.22	111.90
26	BB	1478	G	N1-C6-O6	-20.46	107.62	119.90
26	BB	2402	U	O4'-C1'-N1	20.19	124.35	108.20
26	BB	1843	C	N3-C4-C5	-20.15	113.84	121.90
1	AA	622	A	C8-N9-C4	-20.01	97.80	105.80
1	AA	1220	G	C8-N9-C4	-19.84	98.46	106.40
26	BB	2428	G	C8-N9-C4	-19.76	98.50	106.40
1	AA	1334	G	C8-N9-C4	-19.57	98.57	106.40
17	AQ	89	ARG	NE-CZ-NH1	19.49	130.04	120.30
1	AA	1427	C	C6-N1-C2	-19.37	112.55	120.30
26	BB	2494	G	N9-C4-C5	19.29	113.11	105.40
26	BB	1037	G	C8-N9-C4	-19.07	98.77	106.40
26	BB	958	U	N3-C2-O2	-19.06	108.86	122.20
26	BB	2806	C	O4'-C1'-N1	19.02	123.42	108.20
1	AA	293	G	N9-C4-C5	18.98	112.99	105.40
28	BD	132	ARG	NE-CZ-NH2	-18.94	110.83	120.30
26	BB	157	C	O4'-C1'-N1	18.89	123.31	108.20
1	AA	1400	C	O4'-C1'-N1	18.88	123.30	108.20
9	AI	79	ARG	NE-CZ-NH2	-18.63	110.99	120.30
26	BB	2640	G	N9-C4-C5	18.61	112.84	105.40
3	AC	14	G	C8-N9-C4	-18.60	98.96	106.40
26	BB	468	G	C8-N9-C4	-18.58	98.97	106.40
1	AA	596	A	C2-N3-C4	18.52	119.86	110.60
1	AA	1504	G	N9-C4-C5	18.48	112.79	105.40
26	BB	1763	G	C8-N9-C4	-18.46	99.02	106.40
37	BM	108	ARG	NE-CZ-NH2	-18.38	111.11	120.30
1	AA	596	A	N1-C2-N3	-18.34	120.13	129.30
1	AA	604	G	C8-N9-C4	-18.33	99.07	106.40
26	BB	2341	G	C8-N9-C4	-18.31	99.08	106.40
26	BB	257	C	N3-C4-C5	-18.28	114.59	121.90
26	BB	2690	U	C5-C6-N1	-18.26	113.57	122.70
19	AS	31	ARG	NE-CZ-NH2	-18.25	111.17	120.30
26	BB	1948	G	N9-C4-C5	18.20	112.68	105.40
52	B1	15	ARG	NE-CZ-NH1	18.14	129.37	120.30
26	BB	1571	A	C8-N9-C4	-18.10	98.56	105.80
26	BB	2846	G	N9-C4-C5	18.05	112.62	105.40
1	AA	1504	G	C4-C5-N7	-18.05	103.58	110.80
1	AA	622	A	N9-C4-C5	18.03	113.01	105.80
26	BB	2178	C	O4'-C1'-N1	17.93	122.54	108.20
26	BB	2374	C	O4'-C1'-N1	17.91	122.53	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2151	U	O4'-C1'-N1	17.90	122.52	108.20
26	BB	550	C	N3-C4-C5	-17.86	114.75	121.90
26	BB	200	U	O4'-C1'-N1	17.82	122.46	108.20
26	BB	443	A	C8-N9-C4	-17.80	98.68	105.80
1	AA	952	U	C5-C4-O4	-17.70	115.28	125.90
26	BB	2807	U	O4'-C1'-N1	17.68	122.34	108.20
26	BB	2324	U	O4'-C1'-N1	17.63	122.30	108.20
3	AC	28	U	O4'-C1'-N1	17.59	122.27	108.20
26	BB	201	C	C6-N1-C2	-17.55	113.28	120.30
26	BB	1297	C	N3-C4-C5	-17.54	114.88	121.90
26	BB	2377	A	O4'-C1'-N9	17.54	122.23	108.20
52	B1	15	ARG	NE-CZ-NH2	-17.52	111.54	120.30
26	BB	1700	A	C8-N9-C4	-17.51	98.80	105.80
1	AA	290	C	N3-C4-C5	-17.49	114.90	121.90
26	BB	1839	G	C8-N9-C4	-17.48	99.41	106.40
1	AA	1142	G	C5-C6-O6	-17.48	118.11	128.60
26	BB	1074	G	C8-N9-C4	-17.47	99.41	106.40
26	BB	1694	C	N3-C4-C5	-17.43	114.93	121.90
26	BB	1250	G	O4'-C1'-N9	17.30	122.04	108.20
1	AA	1431	A	C8-N9-C4	-17.30	98.88	105.80
26	BB	2285	C	C2-N3-C4	17.28	128.54	119.90
26	BB	1137	G	C8-N9-C4	-17.23	99.51	106.40
1	AA	2	A	C4-C5-C6	17.22	125.61	117.00
26	BB	861	A	C4-C5-C6	-17.20	108.40	117.00
18	AR	53	ARG	NE-CZ-NH1	17.19	128.90	120.30
26	BB	2845	U	O4'-C1'-N1	17.14	121.91	108.20
2	AB	18	G	N7-C8-N9	17.08	121.64	113.10
1	AA	903	G	C8-N9-C4	-17.07	99.57	106.40
26	BB	806	C	O4'-C1'-N1	17.03	121.82	108.20
9	AI	79	ARG	NE-CZ-NH1	16.99	128.79	120.30
26	BB	1575	C	N3-C4-N4	16.98	129.88	118.00
58	B7	4	ARG	NE-CZ-NH2	-16.97	111.81	120.30
26	BB	406	G	C8-N9-C4	-16.97	99.61	106.40
26	BB	1686	C	N3-C4-C5	-16.96	115.11	121.90
1	AA	267	C	O4'-C1'-N1	16.93	121.75	108.20
1	AA	693	G	C8-N9-C4	-16.92	99.63	106.40
26	BB	1884	G	C8-N9-C4	-16.81	99.68	106.40
26	BB	2235	G	C8-N9-C4	-16.80	99.68	106.40
26	BB	1222	U	C5-C6-N1	-16.80	114.30	122.70
1	AA	89	U	O4'-C1'-N1	16.74	121.59	108.20
25	BA	118	C	O4'-C1'-N1	16.74	121.59	108.20
26	BB	1194	A	N9-C4-C5	16.70	112.48	105.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	AD	71	G	N3-C4-C5	-16.64	120.28	128.60
26	BB	899	A	N9-C4-C5	16.61	112.44	105.80
26	BB	719	C	O4'-C1'-N1	16.60	121.48	108.20
26	BB	555	G	N3-C4-N9	16.57	135.94	126.00
26	BB	2761	A	C2-N3-C4	16.54	118.87	110.60
26	BB	1604	C	N1-C2-O2	16.52	128.81	118.90
2	AB	18	G	C8-N9-C4	-16.50	99.80	106.40
26	BB	790	U	O4'-C1'-N1	16.49	121.39	108.20
26	BB	189	G	N3-C4-C5	-16.49	120.36	128.60
41	BQ	9	ARG	NE-CZ-NH1	16.49	128.54	120.30
3	AC	15	G	O4'-C1'-N9	16.48	121.39	108.20
1	AA	336	A	N1-C2-N3	-16.45	121.08	129.30
26	BB	1678	A	C8-N9-C4	-16.44	99.23	105.80
10	AJ	9	ARG	NE-CZ-NH2	-16.36	112.12	120.30
26	BB	2494	G	C8-N9-C4	-16.34	99.86	106.40
26	BB	1087	G	N3-C4-C5	-16.32	120.44	128.60
26	BB	2285	C	N3-C4-C5	-16.30	115.38	121.90
26	BB	731	C	O4'-C1'-N1	16.24	121.19	108.20
26	BB	2380	C	N3-C4-C5	16.23	128.39	121.90
26	BB	1992	G	C8-N9-C4	-16.23	99.91	106.40
26	BB	2357	G	C2-N3-C4	16.20	120.00	111.90
40	BP	30	ARG	NE-CZ-NH1	16.20	128.40	120.30
1	AA	32	A	O4'-C1'-N9	16.20	121.16	108.20
1	AA	1147	C	N3-C4-C5	-16.18	115.43	121.90
26	BB	492	A	O4'-C1'-N9	16.18	121.15	108.20
1	AA	956	U	O4'-C1'-N1	16.18	121.14	108.20
4	AD	71	G	C8-N9-C4	-16.17	99.93	106.40
26	BB	268	C	C6-N1-C2	-16.16	113.83	120.30
1	AA	765	G	O4'-C1'-N9	16.14	121.11	108.20
26	BB	2716	C	C6-N1-C2	-16.12	113.85	120.30
26	BB	2773	C	O4'-C1'-N1	16.12	121.10	108.20
26	BB	741	U	C4-C5-C6	16.12	129.37	119.70
26	BB	2835	A	C8-N9-C4	-16.12	99.35	105.80
1	AA	154	U	O4'-C1'-N1	16.09	121.08	108.20
1	AA	835	U	O4'-C1'-N1	16.07	121.06	108.20
26	BB	997	G	O4'-C1'-N9	16.07	121.06	108.20
1	AA	948	C	O4'-C1'-N1	16.06	121.05	108.20
26	BB	2723	C	C6-N1-C2	-16.05	113.88	120.30
1	AA	993	G	N9-C4-C5	-16.04	98.98	105.40
1	AA	530	G	C4-C5-N7	-16.04	104.39	110.80
2	AB	75	C	N3-C4-C5	-16.02	115.49	121.90
26	BB	1386	C	O4'-C1'-N1	16.02	121.01	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1422	G	N3-C4-C5	-16.02	120.59	128.60
26	BB	1157	G	N7-C8-N9	16.01	121.10	113.10
1	AA	1389	C	N3-C4-C5	-16.00	115.50	121.90
26	BB	2116	G	C8-N9-C4	-15.99	100.00	106.40
1	AA	31	G	C8-N9-C4	-15.99	100.00	106.40
26	BB	1248	G	N9-C4-C5	15.98	111.79	105.40
26	BB	237	C	N3-C4-C5	-15.97	115.51	121.90
26	BB	2481	G	C8-N9-C4	-15.97	100.01	106.40
1	AA	389	A	C8-N9-C4	-15.95	99.42	105.80
26	BB	648	G	N7-C8-N9	15.94	121.07	113.10
26	BB	2360	G	C4-C5-N7	-15.92	104.43	110.80
19	AS	35	ARG	NE-CZ-NH1	15.91	128.26	120.30
1	AA	1086	U	O4'-C1'-N1	15.90	120.92	108.20
26	BB	2018	G	C8-N9-C4	-15.90	100.04	106.40
4	AD	12	G	C8-N9-C4	-15.88	100.05	106.40
26	BB	810	U	O4'-C1'-N1	15.87	120.90	108.20
1	AA	780	A	N9-C4-C5	15.87	112.15	105.80
26	BB	1268	A	N1-C6-N6	-15.80	109.12	118.60
26	BB	2232	C	O4'-C1'-N1	15.80	120.84	108.20
40	BP	30	ARG	NE-CZ-NH2	-15.77	112.41	120.30
1	AA	476	U	O4'-C1'-N1	15.77	120.82	108.20
19	AS	35	ARG	NE-CZ-NH2	-15.76	112.42	120.30
1	AA	773	G	C8-N9-C4	-15.76	100.10	106.40
26	BB	1531	C	O4'-C1'-N1	15.75	120.80	108.20
26	BB	2608	G	N9-C4-C5	15.75	111.70	105.40
1	AA	489	C	C5-C6-N1	15.72	128.86	121.00
6	AF	10	ARG	NE-CZ-NH2	-15.71	112.44	120.30
1	AA	1367	C	O4'-C1'-N1	15.70	120.76	108.20
26	BB	2494	G	C4-C5-C6	15.69	128.21	118.80
26	BB	507	A	C8-N9-C4	-15.68	99.53	105.80
3	AC	22	G	N7-C8-N9	15.67	120.93	113.10
26	BB	2012	G	C8-N9-C4	-15.66	100.14	106.40
26	BB	2379	G	C4-C5-N7	-15.66	104.54	110.80
1	AA	1417	G	C8-N9-C4	-15.65	100.14	106.40
25	BA	10	G	O4'-C1'-N9	15.65	120.72	108.20
26	BB	2718	G	O4'-C1'-N9	15.63	120.70	108.20
26	BB	2884	U	C5-C6-N1	-15.63	114.89	122.70
1	AA	470	C	N3-C4-C5	-15.62	115.65	121.90
26	BB	373	U	O4'-C1'-N1	15.62	120.69	108.20
3	AC	45	G	O4'-C1'-N9	15.60	120.68	108.20
26	BB	2330	G	C5-C6-O6	-15.60	119.24	128.60
26	BB	1459	G	N7-C8-N9	15.59	120.89	113.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	83	C	O4'-C1'-N1	15.58	120.67	108.20
26	BB	783	A	N1-C6-N6	-15.57	109.26	118.60
26	BB	72	U	O4'-C1'-N1	15.57	120.65	108.20
26	BB	1202	G	N7-C8-N9	15.57	120.88	113.10
26	BB	1248	G	C8-N9-C4	-15.57	100.17	106.40
26	BB	1635	A	C8-N9-C4	-15.54	99.58	105.80
1	AA	436	C	O4'-C1'-N1	15.52	120.62	108.20
26	BB	2029	G	N3-C4-C5	-15.52	120.84	128.60
26	BB	1217	U	O4'-C1'-N1	15.52	120.61	108.20
3	AC	22	G	C8-N9-C4	-15.51	100.20	106.40
26	BB	387	U	C5-C6-N1	-15.51	114.94	122.70
26	BB	648	G	C8-N9-C4	-15.51	100.20	106.40
1	AA	944	G	C4-C5-N7	15.50	117.00	110.80
1	AA	1193	G	C2-N3-C4	15.47	119.64	111.90
26	BB	376	G	N3-C4-C5	-15.47	120.86	128.60
1	AA	190	A	C8-N9-C4	-15.45	99.62	105.80
2	AB	22	G	C2-N3-C4	15.44	119.62	111.90
26	BB	1815	A	C4-C5-C6	-15.44	109.28	117.00
1	AA	36	C	O4'-C1'-N1	15.42	120.53	108.20
1	AA	1051	C	C3'-C2'-C1'	15.41	113.83	101.50
26	BB	2201	G	C8-N9-C4	-15.41	100.24	106.40
26	BB	1715	G	N3-C2-N2	15.40	130.68	119.90
26	BB	814	C	O4'-C1'-N1	15.39	120.51	108.20
26	BB	717	C	O4'-C1'-N1	15.38	120.51	108.20
26	BB	763	G	N3-C4-C5	-15.37	120.92	128.60
1	AA	1471	U	O4'-C1'-N1	15.35	120.48	108.20
1	AA	465	A	C8-N9-C4	-15.35	99.66	105.80
1	AA	1535	C	O4'-C1'-N1	15.33	120.47	108.20
26	BB	342	A	C8-N9-C4	-15.33	99.67	105.80
26	BB	1393	A	C8-N9-C4	-15.32	99.67	105.80
3	AC	48	C	O4'-C1'-N1	15.31	120.45	108.20
25	BA	75	G	C2-N3-C4	15.30	119.55	111.90
26	BB	1456	G	N3-C4-C5	-15.30	120.95	128.60
26	BB	555	G	N3-C4-C5	-15.29	120.96	128.60
26	BB	722	A	C8-N9-C4	-15.27	99.69	105.80
1	AA	671	G	C8-N9-C4	-15.25	100.30	106.40
1	AA	1503	A	O4'-C1'-N9	15.23	120.39	108.20
26	BB	634	C	C6-N1-C2	-15.23	114.21	120.30
26	BB	2009	A	O4'-C1'-N9	15.22	120.38	108.20
1	AA	188	C	N1-C2-O2	15.20	128.02	118.90
26	BB	662	G	O4'-C1'-N9	15.19	120.35	108.20
26	BB	151	C	N3-C4-C5	-15.18	115.83	121.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	113	G	N1-C2-N3	-15.17	114.80	123.90
1	AA	293	G	C2-N3-C4	15.16	119.48	111.90
26	BB	862	G	C2-N3-C4	15.16	119.48	111.90
1	AA	424	G	N3-C4-C5	-15.16	121.02	128.60
26	BB	2106	U	C5-C6-N1	-15.16	115.12	122.70
1	AA	1217	C	C5-C6-N1	15.14	128.57	121.00
26	BB	486	C	O4'-C1'-N1	15.12	120.30	108.20
26	BB	2756	U	C5-C4-O4	-15.12	116.83	125.90
1	AA	990	C	O4'-C1'-N1	15.10	120.28	108.20
26	BB	1315	C	O4'-C1'-N1	15.10	120.28	108.20
26	BB	481	G	C2-N3-C4	15.08	119.44	111.90
26	BB	1707	G	O4'-C1'-N9	15.08	120.27	108.20
26	BB	424	G	C4-C5-N7	-15.08	104.77	110.80
26	BB	125	A	C8-N9-C4	-15.08	99.77	105.80
26	BB	2612	C	C5-C4-N4	-15.07	109.65	120.20
1	AA	958	A	C8-N9-C4	-15.07	99.77	105.80
26	BB	34	U	O4'-C1'-N1	15.05	120.24	108.20
2	AB	53	G	C4-C5-N7	-15.04	104.78	110.80
26	BB	805	G	C1'-O4'-C4'	-15.04	97.87	109.90
26	BB	1927	A	C8-N9-C4	-15.03	99.79	105.80
26	BB	1202	G	C8-N9-C4	-15.03	100.39	106.40
1	AA	671	G	N9-C4-C5	15.02	111.41	105.40
3	AC	48	C	N1-C2-O2	15.01	127.91	118.90
26	BB	597	G	C4-C5-N7	-15.00	104.80	110.80
1	AA	924	C	O4'-C1'-N1	15.00	120.20	108.20
1	AA	1517	G	C5-C6-O6	-14.98	119.61	128.60
1	AA	1074	G	C5-C6-O6	-14.96	119.63	128.60
26	BB	154	U	O4'-C1'-N1	14.96	120.16	108.20
1	AA	293	G	N3-C4-C5	-14.94	121.13	128.60
26	BB	1374	G	C5-C6-O6	-14.93	119.64	128.60
2	AB	19	G	N3-C4-C5	-14.93	121.14	128.60
1	AA	206	C	N3-C4-N4	14.91	128.44	118.00
26	BB	1591	A	N1-C2-N3	-14.90	121.85	129.30
26	BB	432	A	N9-C4-C5	14.89	111.76	105.80
26	BB	2443	C	N3-C4-C5	-14.89	115.94	121.90
1	AA	903	G	N7-C8-N9	14.89	120.54	113.10
26	BB	944	C	N3-C4-C5	-14.89	115.94	121.90
1	AA	1325	C	N3-C4-C5	14.87	127.85	121.90
26	BB	893	C	N1-C2-O2	14.87	127.82	118.90
6	AF	228	ARG	NE-CZ-NH2	-14.87	112.87	120.30
26	BB	1731	G	C2-N3-C4	14.86	119.33	111.90
26	BB	515	A	N7-C8-N9	-14.85	106.37	113.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	43	G	C6-N1-C2	-14.85	116.19	125.10
1	AA	241	G	N3-C4-C5	-14.83	121.18	128.60
1	AA	1260	G	N7-C8-N9	14.83	120.51	113.10
26	BB	2860	A	C8-N9-C4	-14.83	99.87	105.80
26	BB	1560	G	C4-C5-N7	14.80	116.72	110.80
1	AA	711	G	N3-C4-C5	-14.79	121.20	128.60
26	BB	1730	C	O4'-C1'-N1	14.80	120.04	108.20
37	BM	70	ARG	NE-CZ-NH2	-14.79	112.90	120.30
26	BB	553	G	C4-C5-N7	-14.79	104.88	110.80
26	BB	2718	G	N3-C4-C5	-14.79	121.20	128.60
12	AL	118	ARG	NE-CZ-NH1	14.79	127.69	120.30
1	AA	1164	G	N3-C4-C5	-14.78	121.21	128.60
26	BB	564	C	N1-C2-O2	14.77	127.76	118.90
26	BB	583	G	C6-N1-C2	-14.77	116.23	125.10
1	AA	1128	C	N3-C4-C5	-14.77	115.99	121.90
26	BB	785	G	N3-C4-C5	-14.77	121.22	128.60
1	AA	770	C	O4'-C1'-N1	14.76	120.01	108.20
26	BB	2379	G	N9-C4-C5	14.76	111.30	105.40
26	BB	295	G	C8-N9-C4	-14.75	100.50	106.40
26	BB	1465	G	C8-N9-C4	-14.75	100.50	106.40
26	BB	2113	U	O4'-C1'-N1	14.74	119.99	108.20
26	BB	1479	G	C2-N3-C4	14.73	119.27	111.90
26	BB	1272	A	O4'-C1'-N9	14.71	119.97	108.20
26	BB	2428	G	N7-C8-N9	14.71	120.46	113.10
26	BB	1098	A	C4-C5-C6	-14.70	109.65	117.00
1	AA	675	A	O4'-C1'-N9	14.70	119.96	108.20
26	BB	979	A	C8-N9-C4	-14.69	99.92	105.80
26	BB	1371	G	C8-N9-C4	-14.69	100.52	106.40
26	BB	481	G	N3-C4-C5	-14.68	121.26	128.60
1	AA	693	G	N3-C4-C5	-14.66	121.27	128.60
26	BB	553	G	N9-C4-C5	14.66	111.26	105.40
26	BB	1575	C	N3-C4-C5	-14.66	116.04	121.90
4	AD	53	G	N3-C4-C5	-14.65	121.27	128.60
26	BB	1166	G	O4'-C1'-N9	14.65	119.92	108.20
26	BB	2145	C	O4'-C1'-N1	14.65	119.92	108.20
1	AA	1463	U	O4'-C1'-N1	14.64	119.91	108.20
1	AA	1399	C	O4'-C1'-N1	14.64	119.91	108.20
15	AO	53	ARG	NE-CZ-NH2	-14.64	112.98	120.30
1	AA	758	C	O4'-C1'-N1	14.63	119.90	108.20
26	BB	66	C	O4'-C1'-N1	14.63	119.90	108.20
26	BB	262	A	N9-C4-C5	14.63	111.65	105.80
2	AB	60	U	O4'-C1'-N1	14.62	119.90	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1510	C	O4'-C1'-N1	14.61	119.89	108.20
1	AA	1220	G	N9-C4-C5	14.59	111.24	105.40
26	BB	1185	G	C2-N3-C4	14.59	119.19	111.90
26	BB	1039	A	C8-N9-C4	-14.58	99.97	105.80
26	BB	520	G	O4'-C1'-N9	14.57	119.86	108.20
26	BB	445	C	C6-N1-C2	14.56	126.12	120.30
26	BB	257	C	C4-C5-C6	14.55	124.68	117.40
26	BB	2708	G	C2-N3-C4	14.55	119.17	111.90
1	AA	1370	G	C4-C5-N7	14.55	116.62	110.80
26	BB	2633	G	C4-C5-N7	-14.55	104.98	110.80
1	AA	232	G	C4-C5-N7	-14.55	104.98	110.80
1	AA	469	C	C5-C6-N1	14.55	128.27	121.00
1	AA	278	G	C5-N7-C8	14.54	111.57	104.30
1	AA	1450	U	O4'-C1'-N1	14.54	119.83	108.20
1	AA	735	C	C6-N1-C2	-14.53	114.49	120.30
26	BB	1292	G	C8-N9-C4	-14.53	100.59	106.40
1	AA	899	C	N1-C2-O2	14.52	127.61	118.90
41	BQ	25	ARG	NE-CZ-NH2	-14.51	113.04	120.30
1	AA	746	A	C8-N9-C4	-14.51	100.00	105.80
26	BB	1224	U	O4'-C1'-N1	14.51	119.80	108.20
26	BB	1321	A	N1-C2-N3	-14.49	122.06	129.30
26	BB	1172	C	C5-C6-N1	-14.48	113.76	121.00
26	BB	1914	C	C6-N1-C2	-14.48	114.51	120.30
26	BB	2461	A	C8-N9-C4	-14.48	100.01	105.80
26	BB	2718	G	N9-C4-C5	14.47	111.19	105.40
4	AD	62	C	N3-C4-C5	-14.47	116.11	121.90
13	AM	62	ARG	NE-CZ-NH1	14.46	127.53	120.30
26	BB	346	A	O4'-C1'-N9	14.46	119.77	108.20
26	BB	778	G	C5-C6-N1	14.45	118.73	111.50
1	AA	748	G	C5-C6-O6	-14.45	119.93	128.60
26	BB	2061	G	N9-C4-C5	14.45	111.18	105.40
26	BB	2031	A	N1-C6-N6	14.45	127.27	118.60
1	AA	779	C	O4'-C1'-N1	14.44	119.75	108.20
26	BB	380	G	C8-N9-C4	-14.42	100.63	106.40
26	BB	1349	C	N3-C4-C5	-14.41	116.14	121.90
26	BB	1256	G	N3-C4-C5	-14.40	121.40	128.60
1	AA	351	G	C5-C6-N1	14.39	118.69	111.50
25	BA	11	C	O4'-C1'-N1	14.38	119.71	108.20
1	AA	255	G	C8-N9-C4	-14.38	100.65	106.40
26	BB	87	U	O4'-C1'-N1	14.36	119.69	108.20
1	AA	1061	G	N3-C4-C5	-14.36	121.42	128.60
1	AA	1292	G	N3-C4-C5	-14.36	121.42	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1319	A	N7-C8-N9	14.35	120.98	113.80
26	BB	1459	G	C8-N9-C4	-14.33	100.67	106.40
1	AA	191	G	C4-C5-N7	14.33	116.53	110.80
26	BB	331	C	C6-N1-C2	-14.33	114.57	120.30
1	AA	1064	G	C4-C5-N7	-14.32	105.07	110.80
26	BB	652	U	O4'-C1'-N1	14.32	119.66	108.20
37	BM	105	ARG	NE-CZ-NH1	14.30	127.45	120.30
26	BB	492	A	N1-C2-N3	-14.30	122.15	129.30
26	BB	2341	G	N9-C4-C5	14.28	111.11	105.40
26	BB	2846	G	C4-C5-N7	-14.28	105.09	110.80
26	BB	1667	G	C6-C5-N7	-14.27	121.84	130.40
26	BB	217	A	C8-N9-C4	-14.26	100.10	105.80
26	BB	768	G	N9-C4-C5	14.26	111.10	105.40
1	AA	847	G	N3-C4-C5	-14.23	121.49	128.60
4	AD	53	G	N9-C4-C5	14.22	111.09	105.40
26	BB	1216	G	N7-C8-N9	14.21	120.21	113.10
26	BB	350	G	O4'-C1'-N9	14.21	119.57	108.20
26	BB	1843	C	N3-C4-N4	14.21	127.94	118.00
1	AA	122	G	C8-N9-C4	-14.20	100.72	106.40
1	AA	801	U	O4'-C1'-N1	14.20	119.56	108.20
26	BB	732	C	O4'-C1'-N1	14.20	119.56	108.20
26	BB	1364	G	N1-C2-N3	-14.19	115.39	123.90
26	BB	801	G	C4-C5-N7	-14.18	105.13	110.80
26	BB	1627	G	C8-N9-C4	-14.16	100.74	106.40
26	BB	116	C	O4'-C1'-N1	14.15	119.52	108.20
6	AF	135	ARG	NE-CZ-NH2	-14.14	113.23	120.30
26	BB	2848	G	C5-C6-N1	-14.13	104.43	111.50
26	BB	2852	G	C5-C6-O6	-14.13	120.12	128.60
3	AC	45	G	C5-N7-C8	-14.13	97.23	104.30
26	BB	2821	A	C8-N9-C4	-14.13	100.15	105.80
1	AA	1053	G	C8-N9-C4	-14.12	100.75	106.40
1	AA	1488	G	N3-C2-N2	-14.09	110.04	119.90
29	BE	128	ARG	NE-CZ-NH1	-14.08	113.26	120.30
26	BB	2212	A	O4'-C1'-N9	14.08	119.46	108.20
26	BB	1825	U	C2-N3-C4	-14.07	118.56	127.00
26	BB	2311	A	C8-N9-C4	14.07	111.43	105.80
1	AA	1085	U	C5-C4-O4	-14.07	117.46	125.90
28	BD	62	ARG	NE-CZ-NH2	-14.06	113.27	120.30
1	AA	568	G	N9-C4-C5	-14.04	99.78	105.40
26	BB	2890	G	C8-N9-C4	-14.04	100.78	106.40
26	BB	1172	C	C4-C5-C6	14.02	124.41	117.40
26	BB	2221	G	C4-C5-N7	-14.02	105.19	110.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	849	G	C4-C5-N7	-14.02	105.19	110.80
1	AA	1437	A	N1-C6-N6	14.00	127.00	118.60
26	BB	551	G	C2-N3-C4	14.00	118.90	111.90
3	AC	24	A	N1-C6-N6	-13.99	110.20	118.60
26	BB	375	G	N1-C2-N3	-13.99	115.51	123.90
1	AA	795	C	N3-C2-O2	-13.98	112.11	121.90
1	AA	45	G	N3-C4-C5	-13.98	121.61	128.60
26	BB	1776	G	C4-C5-N7	13.98	116.39	110.80
26	BB	225	C	N3-C4-N4	13.97	127.78	118.00
26	BB	1839	G	N9-C4-C5	13.97	110.99	105.40
1	AA	86	G	O4'-C1'-N9	13.97	119.37	108.20
26	BB	1384	A	C8-N9-C4	-13.96	100.22	105.80
1	AA	9	G	O4'-C1'-N9	13.96	119.36	108.20
26	BB	692	C	C2-N3-C4	13.95	126.88	119.90
1	AA	980	C	O4'-C1'-N1	13.95	119.36	108.20
1	AA	1495	U	N3-C2-O2	-13.94	112.44	122.20
29	BE	184	ARG	NE-CZ-NH2	13.94	127.27	120.30
1	AA	1124	G	N1-C6-O6	-13.94	111.54	119.90
1	AA	1305	G	C8-N9-C4	-13.92	100.83	106.40
1	AA	442	G	C8-N9-C4	-13.91	100.83	106.40
1	AA	1215	G	C8-N9-C4	-13.91	100.84	106.40
1	AA	521	G	N3-C2-N2	-13.91	110.17	119.90
25	BA	120	U	O4'-C1'-N1	13.90	119.32	108.20
26	BB	2133	G	N3-C4-C5	-13.90	121.65	128.60
1	AA	1312	G	C2-N3-C4	13.89	118.85	111.90
18	AR	53	ARG	NE-CZ-NH2	-13.89	113.36	120.30
26	BB	2813	A	C4-C5-C6	-13.88	110.06	117.00
26	BB	411	G	N3-C4-C5	-13.88	121.66	128.60
26	BB	1662	U	N3-C4-C5	-13.87	106.28	114.60
26	BB	2126	A	C4-C5-N7	-13.86	103.77	110.70
36	BL	120	ARG	NE-CZ-NH2	13.86	127.23	120.30
6	AF	126	ARG	NE-CZ-NH2	13.86	127.23	120.30
1	AA	413	G	N7-C8-N9	13.85	120.03	113.10
26	BB	1216	G	N3-C4-C5	-13.85	121.67	128.60
1	AA	352	C	C6-N1-C2	13.85	125.84	120.30
1	AA	310	G	N9-C4-C5	13.84	110.94	105.40
25	BA	108	A	N1-C6-N6	-13.84	110.29	118.60
3	AC	56	G	C4-C5-N7	-13.84	105.27	110.80
26	BB	1020	A	O4'-C1'-N9	13.83	119.26	108.20
1	AA	401	C	C2-N3-C4	13.83	126.81	119.90
1	AA	1131	G	C8-N9-C4	-13.83	100.87	106.40
26	BB	2837	A	C5-C6-N1	13.83	124.61	117.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2794	C	O4'-C1'-N1	13.82	119.25	108.20
26	BB	297	G	C8-N9-C4	-13.81	100.88	106.40
1	AA	364	A	C5-N7-C8	-13.81	97.00	103.90
1	AA	306	A	C5-C6-N1	13.81	124.60	117.70
1	AA	396	C	N1-C2-O2	13.80	127.18	118.90
1	AA	1391	U	O4'-C1'-N1	13.80	119.24	108.20
26	BB	1866	A	O4'-C1'-N9	13.79	119.23	108.20
1	AA	310	G	C4-C5-N7	-13.79	105.28	110.80
1	AA	991	U	O4'-C1'-N1	13.79	119.23	108.20
26	BB	1037	G	N7-C8-N9	13.78	119.99	113.10
26	BB	1228	G	C8-N9-C4	-13.79	100.89	106.40
26	BB	1992	G	N9-C4-C5	13.78	110.91	105.40
26	BB	495	G	C8-N9-C4	-13.77	100.89	106.40
1	AA	106	C	N1-C2-O2	13.77	127.16	118.90
4	AD	49	C	O4'-C1'-N1	13.77	119.22	108.20
1	AA	1094	G	C2-N3-C4	13.77	118.78	111.90
1	AA	830	G	C8-N9-C4	-13.76	100.90	106.40
26	BB	1822	C	C5-C6-N1	-13.76	114.12	121.00
26	BB	1948	G	C8-N9-C4	-13.75	100.90	106.40
26	BB	2087	G	N3-C4-C5	-13.74	121.73	128.60
26	BB	212	G	O4'-C1'-N9	13.73	119.19	108.20
26	BB	1090	A	N7-C8-N9	13.73	120.66	113.80
1	AA	690	G	N3-C4-C5	-13.73	121.74	128.60
26	BB	443	A	N7-C8-N9	13.72	120.66	113.80
26	BB	2247	A	O4'-C1'-N9	13.69	119.15	108.20
26	BB	958	U	N1-C2-O2	13.68	132.38	122.80
1	AA	1375	A	C8-N9-C4	-13.68	100.33	105.80
26	BB	473	G	N3-C4-C5	-13.67	121.76	128.60
1	AA	694	A	C4'-C3'-C2'	-13.67	88.93	102.60
1	AA	969	A	C4-C5-N7	-13.67	103.87	110.70
1	AA	1118	U	O4'-C1'-N1	13.66	119.13	108.20
26	BB	387	U	C4-C5-C6	13.66	127.90	119.70
57	B6	39	ARG	NE-CZ-NH2	13.66	127.13	120.30
26	BB	276	U	O4'-C1'-N1	13.66	119.13	108.20
4	AD	53	G	C4-C5-N7	-13.66	105.34	110.80
24	AX	68	ARG	NE-CZ-NH2	-13.65	113.47	120.30
1	AA	336	A	C8-N9-C4	-13.65	100.34	105.80
1	AA	713	G	N3-C4-C5	-13.65	121.77	128.60
2	AB	27	C	N1-C2-O2	13.64	127.09	118.90
26	BB	1524	G	N9-C4-C5	-13.64	99.94	105.40
1	AA	344	A	C4-C5-C6	13.63	123.82	117.00
1	AA	1431	A	N9-C4-C5	13.63	111.25	105.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1927	A	N9-C4-C5	13.63	111.25	105.80
1	AA	705	G	C8-N9-C4	-13.63	100.95	106.40
26	BB	698	C	N3-C4-C5	13.63	127.35	121.90
1	AA	435	A	C5-C6-N1	13.62	124.51	117.70
24	AX	65	ARG	NE-CZ-NH2	-13.63	113.49	120.30
26	BB	1092	C	O4'-C1'-N1	13.62	119.10	108.20
1	AA	728	A	C8-N9-C4	-13.62	100.35	105.80
1	AA	202	G	C8-N9-C4	-13.62	100.95	106.40
26	BB	2782	G	C2-N3-C4	13.60	118.70	111.90
26	BB	2516	A	N1-C2-N3	-13.60	122.50	129.30
1	AA	342	C	O4'-C1'-N1	13.59	119.07	108.20
1	AA	1088	G	C5-C6-N1	13.59	118.29	111.50
2	AB	71	C	O4'-C1'-N1	13.59	119.07	108.20
26	BB	1278	C	C6-N1-C2	13.58	125.73	120.30
40	BP	8	ARG	NE-CZ-NH1	13.57	127.09	120.30
15	AO	49	ARG	NE-CZ-NH2	-13.57	113.52	120.30
26	BB	2903	U	O4'-C1'-N1	13.57	119.05	108.20
26	BB	2852	G	N1-C6-O6	13.57	128.04	119.90
26	BB	79	C	C5-C6-N1	13.56	127.78	121.00
1	AA	627	G	C8-N9-C4	-13.55	100.98	106.40
1	AA	262	A	C5-C6-N1	13.55	124.47	117.70
50	BZ	2	ARG	NE-CZ-NH2	13.55	127.08	120.30
1	AA	1325	C	C2-N3-C4	-13.55	113.13	119.90
24	AX	65	ARG	NE-CZ-NH1	13.55	127.07	120.30
26	BB	2061	G	C4-C5-N7	-13.55	105.38	110.80
26	BB	42	A	N7-C8-N9	13.54	120.57	113.80
26	BB	845	A	C2-N3-C4	13.53	117.37	110.60
26	BB	2020	A	C8-N9-C4	13.53	111.21	105.80
1	AA	728	A	N9-C4-C5	13.53	111.21	105.80
26	BB	331	C	C5-C6-N1	13.53	127.76	121.00
26	BB	2592	G	C8-N9-C4	-13.52	100.99	106.40
26	BB	2660	A	O4'-C1'-N9	13.52	119.02	108.20
26	BB	2718	G	C8-N9-C4	-13.52	100.99	106.40
26	BB	1932	A	O4'-C1'-N9	13.51	119.01	108.20
1	AA	1369	C	O4'-C1'-N1	13.50	119.00	108.20
26	BB	2306	C	N1-C2-O2	13.50	127.00	118.90
25	BA	30	C	O4'-C1'-N1	13.49	119.00	108.20
26	BB	2405	G	C8-N9-C4	-13.48	101.01	106.40
1	AA	106	C	N3-C4-C5	13.48	127.29	121.90
1	AA	1334	G	N9-C4-C5	13.47	110.79	105.40
1	AA	242	G	C8-N9-C4	-13.46	101.02	106.40
1	AA	1039	G	N3-C4-C5	-13.46	121.87	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1039	G	C2-N3-C4	13.45	118.63	111.90
26	BB	1016	G	C8-N9-C4	-13.45	101.02	106.40
26	BB	45	G	C6-N1-C2	-13.45	117.03	125.10
2	AB	1	A	C8-N9-C4	-13.45	100.42	105.80
26	BB	2652	C	C6-N1-C2	-13.45	114.92	120.30
1	AA	422	C	C2-N3-C4	13.44	126.62	119.90
1	AA	1013	G	N9-C4-C5	13.43	110.77	105.40
1	AA	623	C	N3-C4-C5	-13.43	116.53	121.90
1	AA	1398	A	N9-C4-C5	13.43	111.17	105.80
24	AX	34	ARG	NE-CZ-NH1	13.42	127.01	120.30
1	AA	364	A	N7-C8-N9	13.41	120.51	113.80
26	BB	1054	A	N9-C4-C5	13.41	111.17	105.80
26	BB	1864	U	C1'-O4'-C4'	13.41	120.63	109.90
1	AA	1419	G	O4'-C1'-N9	13.41	118.93	108.20
26	BB	376	G	C8-N9-C4	-13.41	101.04	106.40
45	BU	8	ARG	NE-CZ-NH1	13.40	127.00	120.30
26	BB	2	G	C2-N3-C4	13.40	118.60	111.90
1	AA	1451	U	O4'-C1'-N1	13.39	118.92	108.20
1	AA	1094	G	C8-N9-C4	-13.39	101.04	106.40
26	BB	995	C	O4'-C1'-N1	13.39	118.91	108.20
26	BB	1099	G	C4-C5-N7	13.39	116.16	110.80
1	AA	893	C	N1-C2-O2	13.39	126.93	118.90
26	BB	1644	C	O4'-C1'-N1	13.39	118.91	108.20
26	BB	1567	G	C8-N9-C4	-13.38	101.05	106.40
26	BB	1710	G	C2-N3-C4	13.38	118.59	111.90
26	BB	57	C	N1-C2-O2	13.37	126.92	118.90
1	AA	554	A	N9-C4-C5	13.36	111.14	105.80
1	AA	1109	C	C2-N3-C4	13.36	126.58	119.90
26	BB	2086	U	C5-C4-O4	-13.36	117.88	125.90
26	BB	54	G	C2-N3-C4	13.36	118.58	111.90
26	BB	2612	C	N3-C4-N4	13.36	127.35	118.00
26	BB	406	G	N9-C4-C5	13.35	110.74	105.40
26	BB	2638	G	C6-N1-C2	-13.35	117.09	125.10
1	AA	58	C	O4'-C1'-N1	13.35	118.88	108.20
1	AA	588	G	C8-N9-C4	-13.34	101.06	106.40
1	AA	705	G	N9-C4-C5	13.34	110.73	105.40
26	BB	2427	C	O4'-C1'-N1	13.34	118.87	108.20
1	AA	469	C	C6-N1-C2	-13.33	114.97	120.30
1	AA	550	G	C8-N9-C4	-13.33	101.07	106.40
26	BB	1511	G	N9-C4-C5	13.33	110.73	105.40
26	BB	2260	C	N1-C2-O2	13.33	126.90	118.90
26	BB	985	C	O4'-C1'-N1	13.33	118.86	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1833	C	O4'-C1'-N1	13.32	118.86	108.20
1	AA	475	C	O4'-C1'-N1	13.32	118.85	108.20
21	AU	3	TYR	CB-CG-CD2	-13.32	113.01	121.00
26	BB	775	G	C2-N3-C4	13.32	118.56	111.90
26	BB	1380	G	C5-C6-O6	13.31	136.59	128.60
26	BB	2821	A	N9-C4-C5	13.31	111.12	105.80
26	BB	2649	C	N3-C4-C5	13.30	127.22	121.90
1	AA	438	U	C5-C6-N1	-13.30	116.05	122.70
8	AH	111	ARG	NE-CZ-NH1	13.30	126.95	120.30
26	BB	240	C	N3-C4-C5	-13.29	116.58	121.90
6	AF	10	ARG	NE-CZ-NH1	13.28	126.94	120.30
26	BB	1586	A	N1-C6-N6	13.28	126.57	118.60
26	BB	1343	G	N3-C4-C5	-13.28	121.96	128.60
1	AA	654	G	C2-N3-C4	13.27	118.54	111.90
26	BB	204	A	O4'-C1'-N9	13.27	118.82	108.20
26	BB	2635	A	C2-N3-C4	13.27	117.24	110.60
6	AF	41	TYR	CB-CG-CD2	-13.27	113.04	121.00
26	BB	321	U	N3-C2-O2	-13.26	112.92	122.20
26	BB	809	G	O4'-C1'-N9	13.24	118.80	108.20
26	BB	800	A	C6-N1-C2	13.24	126.54	118.60
1	AA	1034	G	C8-N9-C4	-13.23	101.11	106.40
26	BB	1888	G	C3'-C2'-C1'	-13.23	90.92	101.50
26	BB	6	A	N7-C8-N9	13.21	120.41	113.80
1	AA	753	A	N9-C4-C5	13.21	111.08	105.80
25	BA	53	A	C3'-C2'-C1'	13.21	112.06	101.50
1	AA	493	A	C5-C6-N1	13.21	124.30	117.70
26	BB	1098	A	C5-C6-N6	-13.21	113.14	123.70
1	AA	1403	C	N3-C2-O2	-13.20	112.66	121.90
1	AA	1370	G	N9-C4-C5	-13.20	100.12	105.40
26	BB	1243	C	C2-N3-C4	13.20	126.50	119.90
26	BB	2192	U	N3-C4-O4	13.19	128.63	119.40
1	AA	1190	G	N3-C4-C5	-13.19	122.00	128.60
26	BB	2723	C	O4'-C1'-N1	13.19	118.75	108.20
26	BB	2686	G	C4-C5-N7	-13.18	105.53	110.80
1	AA	232	G	N9-C4-C5	13.18	110.67	105.40
1	AA	399	G	C2-N3-C4	-13.18	105.31	111.90
1	AA	1258	G	N3-C4-C5	-13.18	122.01	128.60
26	BB	1280	G	C5-C6-N1	13.18	118.09	111.50
26	BB	1881	C	C6-N1-C2	-13.18	115.03	120.30
26	BB	2075	U	C4'-C3'-C2'	-13.17	89.43	102.60
26	BB	1942	C	C6-N1-C2	13.17	125.57	120.30
26	BB	555	G	C2-N3-C4	13.17	118.48	111.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	149	A	C5-N7-C8	-13.16	97.32	103.90
3	AC	55	A	C3'-C2'-C1'	13.16	112.03	101.50
26	BB	376	G	N9-C4-C5	13.16	110.67	105.40
26	BB	553	G	N3-C4-C5	-13.16	122.02	128.60
1	AA	330	C	N1-C2-O2	13.16	126.79	118.90
1	AA	736	C	C6-N1-C2	-13.15	115.04	120.30
26	BB	2330	G	C5-C6-N1	13.15	118.08	111.50
26	BB	2716	C	C5-C6-N1	13.15	127.58	121.00
26	BB	1303	G	C5-C6-N1	13.15	118.08	111.50
25	BA	88	C	N1-C2-O2	13.14	126.78	118.90
26	BB	758	C	C6-N1-C2	13.14	125.56	120.30
26	BB	93	G	N3-C4-C5	-13.13	122.03	128.60
26	BB	828	U	C5-C6-N1	-13.13	116.13	122.70
1	AA	259	G	O4'-C1'-N9	13.13	118.70	108.20
26	BB	2894	G	C4-C5-N7	13.13	116.05	110.80
1	AA	749	A	C4-C5-C6	-13.12	110.44	117.00
26	BB	1529	G	C5-C6-O6	-13.12	120.73	128.60
26	BB	2174	C	C6-N1-C2	-13.11	115.06	120.30
1	AA	336	A	C2-N3-C4	13.11	117.16	110.60
1	AA	416	G	N7-C8-N9	13.11	119.66	113.10
15	AO	93	ARG	NE-CZ-NH2	-13.11	113.75	120.30
26	BB	1837	C	C5-C4-N4	-13.11	111.03	120.20
26	BB	1511	G	C2-N3-C4	13.10	118.45	111.90
26	BB	1653	G	N9-C4-C5	13.10	110.64	105.40
26	BB	1388	G	N7-C8-N9	-13.09	106.55	113.10
1	AA	1401	G	C8-N9-C4	-13.08	101.17	106.40
26	BB	359	G	C8-N9-C4	-13.08	101.17	106.40
1	AA	2	A	N3-C4-C5	-13.08	117.65	126.80
1	AA	332	G	N3-C2-N2	-13.07	110.75	119.90
1	AA	1190	G	N9-C4-C5	13.07	110.63	105.40
25	BA	24	G	C4-C5-N7	-13.07	105.57	110.80
13	AM	5	ARG	NE-CZ-NH2	-13.06	113.77	120.30
26	BB	2157	G	O4'-C1'-N9	13.06	118.65	108.20
1	AA	1515	G	N9-C4-C5	13.06	110.62	105.40
26	BB	1607	C	C5'-C4'-O4'	13.06	124.77	109.10
26	BB	1037	G	N9-C4-C5	13.05	110.62	105.40
26	BB	2201	G	N9-C4-C5	13.05	110.62	105.40
26	BB	198	C	O4'-C1'-N1	13.05	118.64	108.20
26	BB	1808	A	C8-N9-C4	-13.04	100.58	105.80
26	BB	1340	U	C5-C4-O4	-13.04	118.08	125.90
26	BB	225	C	C5-C4-N4	-13.04	111.08	120.20
1	AA	1479	C	C5-C6-N1	13.03	127.52	121.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	AB	41	C	C6-N1-C2	-13.03	115.09	120.30
25	BA	102	G	C5-C6-N1	13.03	118.01	111.50
26	BB	228	C	O4'-C1'-N1	13.03	118.62	108.20
26	BB	930	G	C4-C5-N7	-13.03	105.59	110.80
26	BB	1592	C	N1-C2-O2	13.02	126.71	118.90
26	BB	1170	C	O4'-C1'-N1	13.02	118.61	108.20
26	BB	1545	A	O4'-C1'-N9	13.02	118.61	108.20
26	BB	2391	G	N1-C6-O6	-13.02	112.09	119.90
26	BB	1043	C	O4'-C1'-N1	13.02	118.61	108.20
26	BB	2426	A	O4'-C1'-N9	13.01	118.61	108.20
41	BQ	9	ARG	NE-CZ-NH2	-13.01	113.79	120.30
26	BB	192	C	N1-C2-O2	13.01	126.70	118.90
1	AA	762	U	O4'-C1'-N1	13.01	118.61	108.20
1	AA	1322	C	N1-C2-O2	13.01	126.70	118.90
26	BB	1580	A	N1-C2-N3	-13.01	122.80	129.30
26	BB	2838	G	N3-C4-C5	-13.00	122.10	128.60
26	BB	423	A	C8-N9-C4	-13.00	100.60	105.80
1	AA	109	A	O4'-C1'-N9	13.00	118.60	108.20
1	AA	191	G	N9-C4-C5	-12.99	100.20	105.40
1	AA	559	A	O4'-C1'-N9	12.99	118.59	108.20
26	BB	2156	G	C5-N7-C8	-12.99	97.81	104.30
26	BB	189	G	C6-C5-N7	-12.98	122.61	130.40
1	AA	987	G	O4'-C1'-N9	12.98	118.58	108.20
4	AD	63	C	C2-N3-C4	12.98	126.39	119.90
1	AA	40	C	N3-C2-O2	-12.97	112.82	121.90
26	BB	1506	U	N3-C4-O4	12.97	128.48	119.40
1	AA	1520	C	C3'-C2'-C1'	12.96	111.87	101.50
26	BB	2814	A	O4'-C1'-N9	12.96	118.56	108.20
1	AA	1217	C	C4-C5-C6	-12.96	110.92	117.40
15	AO	120	ARG	NE-CZ-NH2	-12.95	113.83	120.30
26	BB	2408	U	N3-C2-O2	-12.95	113.13	122.20
26	BB	413	C	N1-C2-O2	12.95	126.67	118.90
26	BB	1637	A	C4-C5-C6	12.95	123.47	117.00
26	BB	1460	U	C3'-C2'-C1'	12.94	111.85	101.50
26	BB	1289	C	N1-C2-O2	12.93	126.66	118.90
26	BB	784	G	O4'-C1'-N9	12.93	118.55	108.20
1	AA	1031	C	O4'-C1'-N1	12.93	118.54	108.20
26	BB	1014	A	C8-N9-C4	-12.92	100.63	105.80
1	AA	757	U	O4'-C1'-N1	12.92	118.53	108.20
4	AD	24	C	C6-N1-C2	12.92	125.47	120.30
26	BB	611	C	O4'-C1'-N1	12.92	118.53	108.20
26	BB	1087	G	C2-N3-C4	12.92	118.36	111.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1029	A	C8-N9-C4	-12.91	100.63	105.80
1	AA	149	A	N7-C8-N9	12.91	120.26	113.80
25	BA	71	C	C2-N3-C4	12.91	126.36	119.90
26	BB	1179	G	C8-N9-C4	-12.91	101.23	106.40
40	BP	64	ARG	NE-CZ-NH1	12.91	126.75	120.30
1	AA	255	G	N7-C8-N9	12.91	119.55	113.10
1	AA	1152	A	O4'-C1'-N9	12.91	118.53	108.20
26	BB	1158	C	N1-C2-O2	12.91	126.64	118.90
26	BB	530	G	C8-N9-C4	-12.91	101.24	106.40
26	BB	2289	G	C8-N9-C4	-12.90	101.24	106.40
26	BB	2426	A	C8-N9-C4	-12.90	100.64	105.80
26	BB	788	A	C5-N7-C8	-12.90	97.45	103.90
1	AA	1039	G	O4'-C1'-N9	12.89	118.52	108.20
26	BB	439	A	C8-N9-C4	-12.89	100.64	105.80
1	AA	183	C	C1'-O4'-C4'	-12.89	99.59	109.90
26	BB	323	C	O4'-C1'-N1	12.89	118.51	108.20
26	BB	2736	A	C2-N3-C4	12.89	117.05	110.60
26	BB	783	A	C5-C6-N1	12.89	124.14	117.70
1	AA	1011	C	N3-C4-C5	12.88	127.05	121.90
26	BB	1935	G	C8-N9-C4	12.88	111.55	106.40
1	AA	1387	G	N7-C8-N9	12.88	119.54	113.10
1	AA	204	G	N3-C4-C5	-12.88	122.16	128.60
26	BB	2592	G	N9-C4-C5	12.88	110.55	105.40
26	BB	1509	A	C8-N9-C4	-12.86	100.66	105.80
26	BB	1567	G	C4-C5-N7	-12.85	105.66	110.80
26	BB	2688	G	N3-C4-C5	-12.85	122.18	128.60
26	BB	944	C	N1-C2-O2	12.84	126.61	118.90
1	AA	580	C	N1-C2-O2	12.84	126.60	118.90
26	BB	1157	G	C5-N7-C8	-12.84	97.88	104.30
26	BB	2153	C	O4'-C1'-N1	12.84	118.47	108.20
26	BB	2659	G	N3-C4-C5	-12.84	122.18	128.60
26	BB	1712	U	O4'-C1'-N1	12.83	118.47	108.20
26	BB	2608	G	C8-N9-C4	-12.83	101.27	106.40
1	AA	1328	C	C4-C5-C6	-12.82	110.99	117.40
1	AA	158	G	C8-N9-C4	-12.82	101.27	106.40
1	AA	476	U	C5-C4-O4	-12.82	118.21	125.90
3	AC	58	C	N3-C4-C5	-12.81	116.77	121.90
26	BB	1577	C	N1-C2-O2	12.81	126.59	118.90
1	AA	764	C	O4'-C1'-N1	12.81	118.45	108.20
26	BB	846	U	O4'-C1'-N1	12.81	118.45	108.20
26	BB	1408	G	C2-N3-C4	12.81	118.31	111.90
26	BB	1726	C	O4'-C1'-N1	12.81	118.45	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	329	A	C5-N7-C8	12.80	110.30	103.90
26	BB	2282	G	C2-N3-C4	12.80	118.30	111.90
1	AA	1061	G	C2-N3-C4	12.80	118.30	111.90
1	AA	357	G	C4-C5-N7	-12.79	105.68	110.80
1	AA	512	U	O4'-C1'-N1	12.79	118.43	108.20
26	BB	1471	G	N3-C4-C5	-12.79	122.21	128.60
26	BB	2124	G	N1-C6-O6	-12.79	112.23	119.90
55	B4	48	TYR	CB-CG-CD2	-12.78	113.33	121.00
1	AA	1403	C	N1-C2-O2	12.78	126.57	118.90
39	BO	16	ARG	NE-CZ-NH2	-12.78	113.91	120.30
26	BB	393	C	N1-C2-O2	12.78	126.57	118.90
26	BB	597	G	N9-C4-C5	12.78	110.51	105.40
26	BB	2392	A	C8-N9-C4	-12.78	100.69	105.80
26	BB	1267	U	O4'-C1'-N1	12.77	118.42	108.20
25	BA	108	A	C5-C6-N1	12.77	124.08	117.70
25	BA	102	G	C5-C6-O6	-12.77	120.94	128.60
26	BB	835	C	O4'-C1'-N1	12.77	118.41	108.20
26	BB	1518	C	O4'-C1'-N1	12.77	118.41	108.20
26	BB	2509	G	N3-C4-C5	-12.76	122.22	128.60
26	BB	1854	A	C4-C5-C6	-12.76	110.62	117.00
26	BB	786	C	C5-C4-N4	-12.75	111.28	120.20
26	BB	2608	G	C4-C5-N7	-12.75	105.70	110.80
1	AA	191	G	C5-N7-C8	-12.74	97.93	104.30
1	AA	899	C	C5-C4-N4	12.74	129.12	120.20
1	AA	912	C	O4'-C1'-N1	12.74	118.39	108.20
1	AA	477	C	N1-C2-O2	12.74	126.54	118.90
15	AO	35	ARG	NE-CZ-NH1	12.73	126.67	120.30
1	AA	1133	G	N7-C8-N9	-12.73	106.74	113.10
26	BB	1982	U	O4'-C1'-N1	12.73	118.38	108.20
26	BB	208	C	N1-C2-O2	12.72	126.53	118.90
1	AA	36	C	N3-C4-C5	-12.72	116.81	121.90
25	BA	112	G	C8-N9-C4	-12.72	101.31	106.40
26	BB	1950	G	N3-C4-C5	-12.72	122.24	128.60
4	AD	71	G	C2-N3-C4	12.72	118.26	111.90
26	BB	263	G	N9-C4-C5	12.71	110.48	105.40
26	BB	2804	U	O4'-C1'-N1	12.71	118.37	108.20
26	BB	1818	U	O4'-C1'-N1	12.71	118.36	108.20
4	AD	71	G	N9-C4-C5	12.70	110.48	105.40
26	BB	899	A	C8-N9-C4	-12.70	100.72	105.80
1	AA	693	G	N9-C4-C5	12.70	110.48	105.40
55	B4	27	ARG	NE-CZ-NH2	12.70	126.65	120.30
1	AA	21	G	C4-C5-N7	-12.70	105.72	110.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1334	G	C8-N9-C4	-12.70	101.32	106.40
26	BB	2895	G	N7-C8-N9	12.69	119.45	113.10
1	AA	1388	C	O4'-C1'-N1	12.69	118.35	108.20
26	BB	2215	C	N3-C4-C5	-12.69	116.82	121.90
26	BB	2867	G	N9-C4-C5	12.69	110.48	105.40
1	AA	761	G	N9-C4-C5	12.69	110.48	105.40
26	BB	1365	A	N7-C8-N9	12.69	120.14	113.80
26	BB	2640	G	N3-C4-C5	-12.69	122.26	128.60
1	AA	11	G	N3-C4-C5	-12.69	122.26	128.60
1	AA	722	G	N3-C4-C5	-12.69	122.26	128.60
48	BX	18	ARG	NE-CZ-NH2	12.69	126.64	120.30
17	AQ	52	ARG	NE-CZ-NH2	-12.68	113.96	120.30
26	BB	1807	G	C8-N9-C4	-12.68	101.33	106.40
26	BB	1847	A	N1-C6-N6	-12.68	110.99	118.60
26	BB	800	A	C5-C6-N1	-12.68	111.36	117.70
12	AL	37	TYR	CB-CG-CD1	-12.67	113.40	121.00
26	BB	986	C	C6-N1-C2	12.67	125.37	120.30
1	AA	405	U	O4'-C1'-N1	12.67	118.33	108.20
26	BB	1899	A	C8-N9-C4	-12.67	100.73	105.80
53	B2	43	PHE	CB-CG-CD1	-12.65	111.94	120.80
1	AA	930	C	O4'-C1'-N1	12.65	118.32	108.20
26	BB	1108	U	O4'-C1'-N1	12.65	118.32	108.20
26	BB	1491	G	C8-N9-C4	-12.65	101.34	106.40
1	AA	1439	G	C2-N3-C4	12.65	118.22	111.90
1	AA	248	C	N1-C2-O2	12.64	126.48	118.90
26	BB	81	G	O4'-C1'-N9	12.64	118.31	108.20
26	BB	118	A	O4'-C1'-N9	12.64	118.31	108.20
26	BB	860	U	N3-C2-O2	-12.64	113.35	122.20
10	AJ	154	ARG	NE-CZ-NH2	-12.63	113.98	120.30
25	BA	64	G	C8-N9-C4	-12.63	101.35	106.40
26	BB	28	A	N1-C6-N6	12.63	126.18	118.60
26	BB	1228	G	N9-C4-C5	12.64	110.45	105.40
26	BB	1511	G	C8-N9-C4	-12.63	101.35	106.40
26	BB	2102	G	N7-C8-N9	12.63	119.42	113.10
26	BB	1804	C	C6-N1-C2	-12.63	115.25	120.30
26	BB	399	U	O4'-C1'-N1	12.62	118.30	108.20
26	BB	1025	G	O4'-C1'-N9	12.62	118.30	108.20
26	BB	1386	C	C2-N3-C4	12.62	126.21	119.90
1	AA	222	C	C6-N1-C2	-12.62	115.25	120.30
26	BB	498	G	O4'-C1'-N9	12.62	118.29	108.20
26	BB	2447	G	C8-N9-C4	-12.62	101.35	106.40
26	BB	916	G	N3-C4-C5	-12.61	122.30	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1137	G	N9-C4-C5	12.61	110.44	105.40
26	BB	2874	C	C6-N1-C2	12.61	125.34	120.30
1	AA	1530	G	C4-C5-C6	12.60	126.36	118.80
26	BB	1251	C	N3-C4-C5	-12.60	116.86	121.90
26	BB	2777	G	C8-N9-C4	-12.60	101.36	106.40
1	AA	991	U	N3-C2-O2	-12.60	113.38	122.20
26	BB	248	G	C4-C5-N7	-12.60	105.76	110.80
26	BB	837	C	N1-C2-O2	12.60	126.46	118.90
26	BB	2688	G	C6-C5-N7	-12.60	122.84	130.40
8	AH	53	ARG	NE-CZ-NH2	-12.60	114.00	120.30
26	BB	2214	C	O4'-C1'-N1	12.60	118.28	108.20
1	AA	1143	G	C8-N9-C4	-12.59	101.36	106.40
1	AA	1426	G	N9-C4-C5	-12.59	100.36	105.40
4	AD	35	C	C4-C5-C6	-12.59	111.10	117.40
26	BB	181	A	N7-C8-N9	-12.59	107.50	113.80
26	BB	2671	G	O4'-C1'-N9	12.59	118.27	108.20
26	BB	2271	G	N3-C4-C5	-12.59	122.31	128.60
1	AA	134	G	C4-C5-N7	-12.58	105.77	110.80
1	AA	1143	G	N9-C4-C5	12.58	110.43	105.40
26	BB	1271	G	C8-N9-C4	-12.58	101.37	106.40
26	BB	2	G	N3-C4-C5	-12.58	122.31	128.60
26	BB	2234	G	N7-C8-N9	12.58	119.39	113.10
26	BB	295	G	O4'-C1'-N9	12.57	118.26	108.20
1	AA	1368	A	C4-C5-C6	-12.57	110.72	117.00
26	BB	2495	G	C8-N9-C4	-12.57	101.37	106.40
26	BB	1858	A	N9-C4-C5	-12.57	100.77	105.80
1	AA	1515	G	N3-C4-C5	-12.56	122.32	128.60
26	BB	2288	A	C5-N7-C8	12.56	110.18	103.90
26	BB	237	C	C4-C5-C6	12.56	123.68	117.40
26	BB	1141	U	O4'-C1'-N1	12.56	118.25	108.20
26	BB	1814	G	N9-C4-C5	12.56	110.42	105.40
26	BB	1973	G	N3-C4-C5	-12.56	122.32	128.60
26	BB	2192	U	O4'-C1'-N1	12.56	118.25	108.20
1	AA	277	C	O4'-C1'-N1	12.56	118.25	108.20
1	AA	293	G	C4-C5-N7	-12.55	105.78	110.80
26	BB	2751	G	C8-N9-C4	-12.55	101.38	106.40
1	AA	919	A	O4'-C1'-N9	12.54	118.23	108.20
26	BB	2258	C	O4'-C1'-N1	12.54	118.23	108.20
26	BB	2876	G	C4-C5-N7	-12.54	105.78	110.80
1	AA	567	G	N9-C4-C5	12.54	110.41	105.40
26	BB	332	A	O4'-C1'-C2'	-12.53	93.27	105.80
1	AA	540	G	N3-C2-N2	-12.53	111.13	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2751	G	O4'-C1'-N9	12.53	118.22	108.20
1	AA	501	C	N3-C4-C5	-12.53	116.89	121.90
26	BB	2435	A	O4'-C1'-N9	12.53	118.22	108.20
26	BB	2021	C	O4'-C1'-N1	12.52	118.22	108.20
26	BB	2886	A	N7-C8-N9	12.52	120.06	113.80
19	AS	31	ARG	NE-CZ-NH1	12.52	126.56	120.30
25	BA	106	G	N3-C4-C5	-12.52	122.34	128.60
26	BB	1980	G	N3-C4-C5	-12.52	122.34	128.60
26	BB	275	C	N3-C4-C5	-12.52	116.89	121.90
25	BA	74	U	N3-C2-O2	-12.51	113.44	122.20
26	BB	692	C	C5-C6-N1	12.51	127.25	121.00
26	BB	2184	A	N1-C2-N3	-12.50	123.05	129.30
26	BB	2601	C	N1-C2-O2	12.50	126.40	118.90
26	BB	2375	G	O4'-C1'-N9	12.50	118.20	108.20
26	BB	2425	A	N1-C6-N6	-12.50	111.10	118.60
29	BE	184	ARG	NE-CZ-NH1	-12.50	114.05	120.30
26	BB	1700	A	N7-C8-N9	12.50	120.05	113.80
25	BA	90	C	N3-C2-O2	-12.50	113.15	121.90
26	BB	140	C	O4'-C1'-N1	12.50	118.20	108.20
1	AA	807	A	C2-N3-C4	12.49	116.84	110.60
1	AA	726	C	O4'-C1'-N1	12.49	118.19	108.20
1	AA	762	U	N3-C2-O2	-12.49	113.46	122.20
26	BB	1278	C	N1-C2-O2	12.49	126.39	118.90
26	BB	1846	G	N3-C4-C5	-12.49	122.36	128.60
26	BB	2049	G	O4'-C1'-N9	12.48	118.19	108.20
1	AA	958	A	N7-C8-N9	12.48	120.04	113.80
26	BB	539	G	O4'-C1'-N9	12.48	118.19	108.20
26	BB	2095	A	C2-N3-C4	12.48	116.84	110.60
1	AA	353	A	O4'-C1'-N9	12.47	118.18	108.20
26	BB	1238	G	O4'-C1'-N9	12.47	118.18	108.20
1	AA	1370	G	O4'-C1'-N9	12.47	118.18	108.20
26	BB	1321	A	C2-N3-C4	12.47	116.83	110.60
26	BB	1702	G	O4'-C1'-N9	12.46	118.17	108.20
26	BB	2428	G	N9-C4-C5	12.46	110.39	105.40
26	BB	1673	G	N3-C4-C5	-12.46	122.37	128.60
1	AA	746	A	N9-C4-C5	12.45	110.78	105.80
1	AA	1213	A	C8-N9-C4	-12.45	100.82	105.80
1	AA	1137	C	C2-N3-C4	12.45	126.12	119.90
26	BB	831	G	C5-C6-N1	12.45	117.72	111.50
26	BB	2561	U	O4'-C1'-N1	12.45	118.16	108.20
26	BB	2768	U	C5-C4-O4	12.44	133.37	125.90
26	BB	1303	G	C6-N1-C2	-12.44	117.64	125.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2235	G	N7-C8-N9	12.44	119.32	113.10
13	AM	68	ARG	NE-CZ-NH2	12.43	126.52	120.30
18	AR	57	ARG	NE-CZ-NH1	12.43	126.52	120.30
26	BB	316	C	N1-C2-O2	12.43	126.36	118.90
25	BA	30	C	N1-C2-O2	12.43	126.36	118.90
26	BB	595	C	C4'-C3'-C2'	-12.43	90.17	102.60
26	BB	1134	A	O4'-C4'-C3'	12.43	116.43	104.00
26	BB	1867	G	N3-C4-C5	-12.43	122.39	128.60
26	BB	1465	G	O4'-C1'-N9	12.43	118.14	108.20
26	BB	2837	A	C4-C5-C6	-12.43	110.79	117.00
1	AA	1233	G	N9-C4-C5	12.43	110.37	105.40
26	BB	1420	A	C8-N9-C4	-12.43	100.83	105.80
26	BB	1250	G	C8-N9-C4	-12.43	101.43	106.40
1	AA	435	A	N1-C2-N3	-12.42	123.09	129.30
26	BB	2723	C	C5-C6-N1	12.42	127.21	121.00
26	BB	1713	A	C4-C5-C6	-12.42	110.79	117.00
26	BB	2368	C	C6-N1-C2	12.41	125.27	120.30
1	AA	137	U	O4'-C1'-N1	12.41	118.13	108.20
1	AA	878	A	N1-C6-N6	12.41	126.05	118.60
26	BB	1044	C	O4'-C1'-N1	12.41	118.13	108.20
1	AA	393	A	N1-C2-N3	-12.41	123.09	129.30
26	BB	803	U	C5-C6-N1	-12.41	116.50	122.70
27	BC	162	ARG	NE-CZ-NH2	12.40	126.50	120.30
1	AA	1362	A	O4'-C1'-N9	12.40	118.12	108.20
27	BC	60	ARG	NE-CZ-NH2	-12.39	114.10	120.30
26	BB	2087	G	C6-C5-N7	-12.39	122.97	130.40
1	AA	134	G	N3-C4-C5	-12.39	122.41	128.60
13	AM	37	ARG	NE-CZ-NH2	12.38	126.49	120.30
26	BB	2443	C	O4'-C1'-N1	12.38	118.11	108.20
26	BB	711	G	C8-N9-C4	-12.38	101.45	106.40
26	BB	2012	G	N9-C4-C5	12.38	110.35	105.40
4	AD	66	C	O4'-C1'-N1	12.38	118.10	108.20
26	BB	2636	C	O4'-C1'-N1	12.38	118.10	108.20
1	AA	862	C	N3-C4-C5	12.37	126.85	121.90
26	BB	1036	G	C2-N3-C4	12.36	118.08	111.90
26	BB	1581	G	C8-N9-C4	-12.36	101.46	106.40
1	AA	115	G	C8-N9-C4	-12.35	101.46	106.40
26	BB	559	G	O4'-C1'-N9	12.35	118.08	108.20
26	BB	772	C	C2-N3-C4	-12.35	113.73	119.90
26	BB	1468	U	N3-C4-O4	12.35	128.04	119.40
26	BB	2219	U	O4'-C1'-N1	12.35	118.08	108.20
1	AA	671	G	N3-C4-N9	-12.34	118.59	126.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
27	BC	164	ARG	NE-CZ-NH2	-12.34	114.13	120.30
26	BB	32	C	N3-C4-N4	12.34	126.63	118.00
1	AA	142	G	O4'-C1'-N9	12.33	118.07	108.20
1	AA	1244	G	C5-C6-O6	-12.33	121.20	128.60
26	BB	2152	G	C4-C5-N7	12.33	115.73	110.80
26	BB	1483	G	N3-C4-C5	-12.33	122.44	128.60
26	BB	1823	G	N7-C8-N9	12.33	119.26	113.10
41	BQ	25	ARG	NE-CZ-NH1	12.33	126.46	120.30
3	AC	58	C	C3'-C2'-C1'	12.31	111.35	101.50
26	BB	822	G	N1-C2-N3	-12.31	116.51	123.90
26	BB	1503	A	O4'-C1'-N9	12.31	118.05	108.20
26	BB	1087	G	N3-C4-N9	12.31	133.39	126.00
2	AB	19	G	C2-N3-C4	12.31	118.06	111.90
1	AA	117	G	C4-C5-N7	-12.31	105.88	110.80
26	BB	2326	C	C2-N3-C4	12.30	126.05	119.90
1	AA	267	C	N1-C2-O2	12.29	126.28	118.90
26	BB	2755	C	C6-N1-C2	-12.29	115.38	120.30
26	BB	2453	A	C5-C6-N1	12.29	123.85	117.70
1	AA	651	C	C2-N3-C4	12.29	126.04	119.90
6	AF	167	TYR	CB-CG-CD2	-12.29	113.63	121.00
26	BB	2376	A	C2-N3-C4	12.28	116.74	110.60
1	AA	1503	A	C5-N7-C8	-12.28	97.76	103.90
26	BB	877	A	C2-N3-C4	12.28	116.74	110.60
1	AA	462	G	C4-C5-N7	-12.28	105.89	110.80
26	BB	786	C	O4'-C1'-N1	12.28	118.02	108.20
26	BB	1890	A	C2-N3-C4	12.27	116.74	110.60
26	BB	2520	C	O4'-C1'-N1	12.27	118.02	108.20
26	BB	2870	C	C6-N1-C2	-12.27	115.39	120.30
26	BB	1046	A	O4'-C1'-N9	12.27	118.01	108.20
26	BB	2405	G	C2-N3-C4	12.27	118.03	111.90
1	AA	630	A	O4'-C1'-N9	12.26	118.01	108.20
25	BA	91	C	O4'-C1'-N1	12.26	118.01	108.20
26	BB	686	U	O4'-C1'-N1	12.26	118.00	108.20
26	BB	1710	G	O4'-C1'-N9	12.26	118.00	108.20
26	BB	647	G	C8-N9-C4	-12.25	101.50	106.40
26	BB	1186	G	C5-C6-N1	12.25	117.62	111.50
1	AA	706	A	N9-C4-C5	12.24	110.70	105.80
26	BB	683	U	C5-C6-N1	-12.24	116.58	122.70
26	BB	1135	C	C2-N3-C4	-12.24	113.78	119.90
1	AA	570	G	N7-C8-N9	12.24	119.22	113.10
1	AA	856	C	C5-C6-N1	12.24	127.12	121.00
26	BB	2392	A	N1-C2-N3	-12.24	123.18	129.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	911	U	O4'-C1'-N1	12.24	117.99	108.20
1	AA	1190	G	C4-C5-N7	-12.24	105.90	110.80
26	BB	2413	G	C6-C5-N7	-12.24	123.06	130.40
26	BB	2883	A	C5-C6-N1	-12.24	111.58	117.70
26	BB	679	C	N3-C4-C5	-12.24	117.01	121.90
40	BP	63	ARG	NE-CZ-NH1	12.23	126.42	120.30
26	BB	2485	G	O4'-C1'-N9	12.23	117.99	108.20
26	BB	693	A	C8-N9-C4	-12.23	100.91	105.80
1	AA	1316	G	N1-C6-O6	12.22	127.23	119.90
1	AA	199	A	N1-C6-N6	12.21	125.93	118.60
26	BB	1313	U	N3-C2-O2	-12.22	113.65	122.20
26	BB	2502	G	C3'-C2'-C1'	12.21	111.27	101.50
26	BB	1216	G	C8-N9-C4	-12.21	101.52	106.40
26	BB	1604	C	C3'-C2'-C1'	12.21	111.27	101.50
4	AD	7	G	C8-N9-C4	-12.20	101.52	106.40
26	BB	309	A	C4-C5-N7	-12.20	104.60	110.70
1	AA	28	A	O4'-C1'-N9	12.20	117.96	108.20
1	AA	394	G	C4-C5-N7	-12.20	105.92	110.80
26	BB	1496	A	C8-N9-C4	-12.20	100.92	105.80
26	BB	1191	G	C5-C6-N1	12.19	117.60	111.50
45	BU	84	ARG	NE-CZ-NH1	-12.19	114.20	120.30
1	AA	416	G	C5-N7-C8	-12.19	98.21	104.30
26	BB	625	G	C4-C5-N7	-12.19	105.93	110.80
26	BB	2433	A	C8-N9-C4	-12.18	100.93	105.80
26	BB	2493	U	C5-C4-O4	-12.17	118.59	125.90
26	BB	1074	G	N9-C4-C5	12.17	110.27	105.40
26	BB	1439	A	C8-N9-C4	-12.17	100.93	105.80
26	BB	406	G	C4-C5-N7	-12.17	105.93	110.80
26	BB	1078	U	O4'-C1'-N1	12.16	117.93	108.20
26	BB	1149	G	O4'-C1'-N9	12.16	117.93	108.20
26	BB	2138	G	C6-C5-N7	-12.16	123.10	130.40
26	BB	741	U	N3-C4-O4	12.16	127.91	119.40
26	BB	1631	G	N3-C4-C5	-12.16	122.52	128.60
26	BB	142	A	N1-C2-N3	-12.16	123.22	129.30
1	AA	222	C	N3-C2-O2	-12.15	113.39	121.90
1	AA	485	U	O4'-C1'-N1	12.15	117.92	108.20
26	BB	340	A	C5-N7-C8	12.15	109.98	103.90
1	AA	1534	A	N9-C4-C5	12.15	110.66	105.80
26	BB	100	U	O4'-C1'-N1	12.15	117.92	108.20
1	AA	1252	A	N1-C2-N3	-12.15	123.23	129.30
18	AR	79	ARG	NE-CZ-NH1	12.15	126.37	120.30
26	BB	913	U	O4'-C1'-N1	12.15	117.92	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	682	G	C8-N9-C4	-12.14	101.54	106.40
1	AA	232	G	C8-N9-C4	-12.14	101.54	106.40
1	AA	1154	G	C5-C6-N1	12.14	117.57	111.50
26	BB	2587	A	C5-N7-C8	-12.14	97.83	103.90
4	AD	28	U	N3-C2-O2	-12.14	113.70	122.20
26	BB	2065	C	C5-C4-N4	-12.14	111.70	120.20
26	BB	2200	C	C4-C5-C6	-12.14	111.33	117.40
26	BB	2097	A	C5-N7-C8	-12.13	97.83	103.90
1	AA	580	C	C6-N1-C2	12.13	125.15	120.30
26	BB	899	A	O4'-C1'-N9	12.13	117.91	108.20
26	BB	137	U	O4'-C1'-N1	12.13	117.90	108.20
26	BB	2117	A	C5-C6-N1	12.12	123.76	117.70
26	BB	58	G	C5-N7-C8	-12.12	98.24	104.30
26	BB	2274	A	N9-C4-C5	12.12	110.65	105.80
1	AA	1298	U	C2-N3-C4	-12.12	119.73	127.00
1	AA	471	U	O4'-C1'-N1	12.12	117.89	108.20
25	BA	3	C	O4'-C1'-N1	12.11	117.89	108.20
26	BB	711	G	N9-C4-C5	12.11	110.25	105.40
1	AA	1142	G	N7-C8-N9	12.11	119.15	113.10
2	AB	75	C	C2-N3-C4	12.11	125.95	119.90
26	BB	2859	G	N3-C2-N2	12.11	128.38	119.90
1	AA	1036	A	N1-C2-N3	-12.11	123.25	129.30
26	BB	454	A	C5-C6-N1	12.10	123.75	117.70
26	BB	2790	U	C5-C6-N1	-12.10	116.65	122.70
26	BB	2735	G	N3-C2-N2	-12.10	111.43	119.90
1	AA	423	G	O4'-C1'-N9	12.10	117.88	108.20
1	AA	818	G	C4-C5-N7	-12.10	105.96	110.80
26	BB	2858	C	N3-C4-C5	-12.10	117.06	121.90
1	AA	550	G	C2-N3-C4	12.09	117.95	111.90
3	AC	33	A	C2-N3-C4	12.09	116.65	110.60
1	AA	951	G	C8-N9-C4	-12.09	101.56	106.40
1	AA	809	G	C2-N3-C4	12.09	117.94	111.90
26	BB	54	G	C8-N9-C4	-12.09	101.57	106.40
26	BB	57	C	N3-C2-O2	-12.09	113.44	121.90
26	BB	1059	G	O4'-C1'-N9	12.09	117.87	108.20
26	BB	1449	G	O4'-C1'-N9	12.09	117.87	108.20
1	AA	278	G	C4-C5-N7	-12.08	105.97	110.80
1	AA	630	A	N9-C4-C5	12.08	110.63	105.80
1	AA	1266	G	N1-C6-O6	-12.08	112.65	119.90
2	AB	65	C	O4'-C1'-N1	12.08	117.86	108.20
26	BB	2274	A	C8-N9-C4	-12.08	100.97	105.80
1	AA	1164	G	C2-N3-C4	12.07	117.94	111.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
40	BP	64	ARG	NE-CZ-NH2	-12.07	114.27	120.30
26	BB	216	A	O4'-C1'-N9	12.06	117.85	108.20
26	BB	2867	G	C8-N9-C4	-12.06	101.57	106.40
1	AA	1495	U	N1-C2-O2	12.06	131.24	122.80
26	BB	788	A	C4-C5-N7	12.06	116.73	110.70
26	BB	2536	G	C8-N9-C4	-12.06	101.58	106.40
26	BB	986	C	N1-C2-O2	12.06	126.13	118.90
26	BB	644	A	C5-C6-N1	12.05	123.73	117.70
26	BB	712	G	C5-C6-O6	-12.05	121.37	128.60
26	BB	873	C	N1-C2-O2	12.05	126.13	118.90
26	BB	2472	G	C2-N3-C4	12.05	117.93	111.90
1	AA	381	C	C3'-C2'-C1'	12.05	111.14	101.50
26	BB	1732	C	O4'-C1'-N1	12.04	117.83	108.20
1	AA	627	G	C4-C5-N7	-12.04	105.98	110.80
26	BB	364	C	C5-C4-N4	-12.04	111.77	120.20
26	BB	817	C	C2-N3-C4	12.04	125.92	119.90
26	BB	1028	A	N7-C8-N9	-12.04	107.78	113.80
26	BB	205	G	N1-C6-O6	-12.04	112.68	119.90
26	BB	1318	U	C4-C5-C6	12.03	126.92	119.70
26	BB	2221	G	C6-C5-N7	12.04	137.62	130.40
4	AD	62	C	O4'-C1'-N1	12.03	117.83	108.20
32	BH	68	ARG	NE-CZ-NH2	-12.03	114.28	120.30
26	BB	2020	A	O4'-C1'-N9	12.03	117.82	108.20
1	AA	7	A	N9-C4-C5	12.03	110.61	105.80
1	AA	267	C	N3-C4-C5	-12.03	117.09	121.90
1	AA	641	U	O4'-C1'-N1	12.03	117.82	108.20
26	BB	2185	U	N1-C2-O2	12.03	131.22	122.80
26	BB	2902	C	O4'-C1'-N1	12.03	117.82	108.20
1	AA	278	G	N7-C8-N9	-12.03	107.09	113.10
1	AA	1195	C	C5-C4-N4	-12.03	111.78	120.20
26	BB	192	C	N3-C2-O2	-12.02	113.48	121.90
26	BB	1680	U	O4'-C1'-N1	12.02	117.82	108.20
26	BB	930	G	N9-C4-C5	12.02	110.21	105.40
1	AA	950	U	O4'-C1'-N1	12.02	117.81	108.20
1	AA	1031	C	N1-C2-O2	12.01	126.11	118.90
26	BB	411	G	N9-C4-C5	12.01	110.20	105.40
1	AA	795	C	C6-N1-C2	-12.01	115.50	120.30
26	BB	1234	U	C2-N3-C4	-12.01	119.80	127.00
26	BB	2431	U	N1-C2-N3	-12.01	107.70	114.90
1	AA	106	C	N3-C2-O2	-12.00	113.50	121.90
1	AA	1491	G	C6-N1-C2	-12.00	117.90	125.10
26	BB	1845	G	C2-N3-C4	12.00	117.90	111.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	393	A	C2-N3-C4	11.99	116.60	110.60
1	AA	284	C	N3-C4-C5	-11.99	117.10	121.90
4	AD	30	G	C8-N9-C4	-11.99	101.60	106.40
26	BB	2200	C	N3-C4-C5	11.99	126.70	121.90
1	AA	1185	G	C4-C5-N7	11.99	115.59	110.80
26	BB	536	G	N9-C4-C5	11.99	110.19	105.40
26	BB	2264	C	N3-C2-O2	-11.99	113.51	121.90
26	BB	1964	G	C5-C6-N1	11.99	117.49	111.50
26	BB	1098	A	C5-C6-N1	11.98	123.69	117.70
26	BB	488	G	N9-C4-C5	11.98	110.19	105.40
1	AA	1262	C	O4'-C1'-N1	11.98	117.78	108.20
26	BB	1608	A	N9-C4-C5	-11.98	101.01	105.80
26	BB	2674	G	O4'-C1'-N9	11.98	117.78	108.20
1	AA	160	A	C8-N9-C4	-11.97	101.01	105.80
1	AA	482	A	N9-C4-C5	11.97	110.59	105.80
1	AA	1197	A	O4'-C1'-N9	11.97	117.78	108.20
1	AA	1389	C	O4'-C1'-N1	11.97	117.77	108.20
1	AA	1506	U	C5-C6-N1	-11.96	116.72	122.70
26	BB	424	G	O4'-C1'-N9	11.96	117.77	108.20
26	BB	2326	C	N3-C4-C5	-11.96	117.11	121.90
26	BB	763	G	C6-N1-C2	-11.96	117.92	125.10
26	BB	2129	C	O4'-C1'-N1	11.96	117.77	108.20
26	BB	2276	G	C6-N1-C2	-11.95	117.93	125.10
1	AA	915	A	C2-N3-C4	11.95	116.58	110.60
1	AA	954	G	N3-C4-C5	-11.95	122.62	128.60
26	BB	422	A	C8-N9-C4	-11.95	101.02	105.80
26	BB	1604	C	N3-C2-O2	-11.95	113.54	121.90
26	BB	1664	A	C8-N9-C4	-11.95	101.02	105.80
1	AA	1383	C	C5-C6-N1	11.95	126.97	121.00
26	BB	1718	G	N3-C4-C5	-11.95	122.63	128.60
26	BB	2403	C	C5-C6-N1	11.95	126.97	121.00
1	AA	1080	A	C8-N9-C4	-11.94	101.02	105.80
26	BB	666	A	C8-N9-C4	11.94	110.58	105.80
1	AA	800	G	C4-C5-N7	-11.94	106.03	110.80
1	AA	1219	A	C8-N9-C4	-11.94	101.03	105.80
26	BB	906	U	C5-C6-N1	-11.94	116.73	122.70
26	BB	976	G	N3-C2-N2	-11.94	111.54	119.90
26	BB	1369	G	C5-C6-N1	-11.93	105.53	111.50
26	BB	1818	U	N3-C2-O2	-11.93	113.85	122.20
1	AA	346	G	O4'-C1'-N9	11.93	117.74	108.20
45	BU	88	ARG	NE-CZ-NH2	11.93	126.27	120.30
1	AA	722	G	C8-N9-C4	-11.93	101.63	106.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	550	C	N3-C4-N4	11.93	126.35	118.00
40	BP	12	ARG	NE-CZ-NH1	11.93	126.26	120.30
26	BB	259	G	C8-N9-C4	-11.92	101.63	106.40
26	BB	326	G	N1-C6-O6	11.92	127.05	119.90
26	BB	1442	U	O4'-C1'-N1	11.92	117.74	108.20
26	BB	2632	A	C3'-C2'-C1'	-11.92	91.96	101.50
26	BB	125	A	N7-C8-N9	11.92	119.76	113.80
2	AB	29	G	N3-C4-C5	-11.91	122.64	128.60
26	BB	1888	G	C8-N9-C4	-11.91	101.63	106.40
26	BB	2132	U	C5-C4-O4	-11.91	118.75	125.90
26	BB	2846	G	N3-C4-C5	-11.90	122.65	128.60
26	BB	2138	G	C8-N9-C4	-11.90	101.64	106.40
1	AA	1224	U	O4'-C1'-N1	11.90	117.72	108.20
25	BA	13	G	C5-C6-O6	11.90	135.74	128.60
26	BB	931	U	O4'-C1'-N1	11.89	117.72	108.20
26	BB	677	A	C4-C5-C6	-11.89	111.05	117.00
26	BB	1185	G	N3-C4-C5	-11.89	122.66	128.60
26	BB	2234	G	C4-C5-N7	11.89	115.56	110.80
26	BB	569	U	N1-C2-N3	11.89	122.03	114.90
26	BB	2193	G	N3-C4-C5	-11.89	122.66	128.60
25	BA	2	G	N3-C4-C5	-11.88	122.66	128.60
26	BB	2264	C	N1-C2-O2	11.88	126.03	118.90
25	BA	73	A	N1-C6-N6	11.88	125.73	118.60
26	BB	250	G	C5-C6-O6	-11.88	121.47	128.60
1	AA	406	G	N1-C6-O6	11.88	127.03	119.90
1	AA	628	G	O4'-C1'-N9	11.88	117.70	108.20
26	BB	1650	A	O4'-C1'-N9	11.88	117.70	108.20
1	AA	1449	C	N1-C2-O2	11.87	126.02	118.90
26	BB	1318	U	C5-C6-N1	-11.87	116.77	122.70
26	BB	1665	A	N1-C6-N6	-11.87	111.48	118.60
1	AA	974	A	C8-N9-C4	-11.87	101.05	105.80
26	BB	150	U	O4'-C1'-N1	11.86	117.69	108.20
1	AA	220	G	C2-N3-C4	11.86	117.83	111.90
26	BB	2510	C	N1-C2-O2	11.86	126.02	118.90
2	AB	11	U	O4'-C1'-N1	11.85	117.68	108.20
26	BB	2494	G	C4-C5-N7	-11.85	106.06	110.80
25	BA	29	A	N1-C2-N3	-11.85	123.38	129.30
26	BB	1840	G	C4-C5-C6	11.85	125.91	118.80
26	BB	402	A	O4'-C1'-N9	11.84	117.67	108.20
26	BB	1959	G	C4-C5-N7	-11.84	106.06	110.80
26	BB	2065	C	N3-C4-N4	11.84	126.29	118.00
1	AA	1141	C	O4'-C1'-N1	11.84	117.67	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1355	G	C8-N9-C4	-11.84	101.66	106.40
26	BB	69	C	O4'-C1'-N1	11.84	117.67	108.20
26	BB	1762	A	O4'-C1'-N9	11.83	117.67	108.20
26	BB	2178	C	C2-N3-C4	11.83	125.82	119.90
6	AF	130	ARG	NE-CZ-NH1	11.83	126.21	120.30
26	BB	2516	A	C2-N3-C4	11.83	116.51	110.60
1	AA	176	C	C2-N3-C4	-11.82	113.99	119.90
1	AA	750	C	O4'-C1'-N1	11.82	117.66	108.20
26	BB	2181	U	C4-C5-C6	11.82	126.80	119.70
4	AD	62	C	C6-N1-C2	-11.82	115.57	120.30
26	BB	1384	A	N9-C4-C5	11.82	110.53	105.80
1	AA	41	G	N3-C2-N2	-11.82	111.63	119.90
1	AA	224	U	O4'-C1'-N1	11.82	117.65	108.20
1	AA	287	U	O4'-C1'-N1	11.82	117.65	108.20
52	B1	29	ARG	NE-CZ-NH2	-11.82	114.39	120.30
25	BA	70	C	N3-C2-O2	-11.82	113.63	121.90
26	BB	1516	G	C2-N3-C4	11.82	117.81	111.90
30	BF	35	TYR	CB-CG-CD2	-11.82	113.91	121.00
49	BY	54	ARG	NE-CZ-NH2	11.82	126.21	120.30
3	AC	55	A	N1-C2-N3	-11.81	123.39	129.30
26	BB	2386	A	C8-N9-C4	-11.81	101.07	105.80
1	AA	455	G	N1-C2-N2	11.81	126.83	116.20
1	AA	1194	U	O4'-C1'-N1	11.81	117.65	108.20
26	BB	2480	C	O4'-C1'-N1	11.81	117.65	108.20
26	BB	2409	G	N3-C4-C5	-11.81	122.70	128.60
26	BB	1478	G	C4-C5-N7	11.80	115.52	110.80
1	AA	1235	U	O4'-C1'-N1	11.80	117.64	108.20
6	AF	131	ARG	NE-CZ-NH2	-11.79	114.40	120.30
25	BA	77	U	O4'-C1'-N1	11.79	117.63	108.20
26	BB	513	A	N7-C8-N9	11.79	119.70	113.80
26	BB	1246	A	C5-C6-N1	11.79	123.60	117.70
26	BB	2712	C	N3-C4-N4	11.79	126.25	118.00
1	AA	1294	G	N9-C4-C5	11.79	110.12	105.40
26	BB	2456	C	C2-N3-C4	11.79	125.79	119.90
1	AA	796	C	N3-C4-C5	-11.78	117.19	121.90
1	AA	1277	C	N1-C2-O2	11.78	125.97	118.90
26	BB	1816	C	O4'-C1'-N1	11.78	117.62	108.20
26	BB	263	G	C4-C5-N7	-11.78	106.09	110.80
26	BB	1053	C	N3-C4-N4	11.78	126.25	118.00
26	BB	18	U	O4'-C1'-N1	11.78	117.62	108.20
26	BB	794	A	C2-N3-C4	11.77	116.49	110.60
26	BB	2675	A	C5-C6-N1	11.77	123.59	117.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1258	G	C8-N9-C4	-11.77	101.69	106.40
1	AA	145	G	C5-C6-N1	11.77	117.38	111.50
1	AA	1156	G	N3-C2-N2	11.77	128.14	119.90
26	BB	1865	U	C2-N3-C4	-11.77	119.94	127.00
26	BB	1076	C	C6-N1-C2	-11.76	115.59	120.30
26	BB	2126	A	N9-C4-C5	11.76	110.51	105.80
10	AJ	95	ARG	NE-CZ-NH1	11.76	126.18	120.30
26	BB	1528	A	N9-C4-C5	11.76	110.50	105.80
25	BA	63	C	O4'-C1'-N1	11.76	117.61	108.20
1	AA	1540	U	C5-C4-O4	11.76	132.95	125.90
26	BB	2308	G	C8-N9-C4	-11.76	101.70	106.40
1	AA	182	A	O4'-C1'-N9	11.75	117.60	108.20
7	AG	103	ARG	NE-CZ-NH2	-11.75	114.42	120.30
26	BB	283	G	N7-C8-N9	11.75	118.98	113.10
26	BB	674	G	C8-N9-C4	-11.75	101.70	106.40
1	AA	76	G	C4-C5-N7	11.75	115.50	110.80
1	AA	736	C	C5-C6-N1	11.75	126.88	121.00
1	AA	222	C	C2-N3-C4	-11.75	114.03	119.90
1	AA	518	C	C6-N1-C2	11.75	125.00	120.30
26	BB	1879	C	C6-N1-C2	-11.75	115.60	120.30
1	AA	1319	A	C5-N7-C8	-11.74	98.03	103.90
26	BB	568	U	N3-C2-O2	-11.74	113.98	122.20
26	BB	391	A	C2-N3-C4	11.74	116.47	110.60
1	AA	1200	C	N3-C4-N4	11.73	126.21	118.00
1	AA	1393	U	O4'-C1'-N1	11.73	117.59	108.20
26	BB	2179	C	C6-N1-C2	-11.73	115.61	120.30
26	BB	2481	G	N9-C4-C5	11.73	110.09	105.40
1	AA	220	G	N3-C4-N9	11.73	133.04	126.00
1	AA	1137	C	C6-N1-C2	-11.73	115.61	120.30
26	BB	2459	A	C6-N1-C2	11.73	125.64	118.60
2	AB	45	U	O4'-C1'-N1	11.73	117.58	108.20
26	BB	109	C	C1'-O4'-C4'	-11.73	100.52	109.90
1	AA	861	G	C6-C5-N7	-11.73	123.36	130.40
1	AA	1050	G	C3'-C2'-C1'	11.73	110.88	101.50
26	BB	2754	U	O4'-C1'-N1	11.72	117.58	108.20
1	AA	311	C	N1-C2-O2	11.72	125.93	118.90
1	AA	1323	G	C4-C5-N7	-11.72	106.11	110.80
26	BB	1364	G	C2-N3-C4	11.72	117.76	111.90
26	BB	1695	G	O4'-C1'-N9	11.72	117.57	108.20
26	BB	2064	C	N3-C4-C5	-11.72	117.21	121.90
26	BB	1690	A	C4-C5-N7	11.71	116.56	110.70
26	BB	2249	U	N3-C2-O2	-11.71	114.00	122.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	AC	38	G	C2-N3-C4	11.71	117.75	111.90
26	BB	1703	G	C4-C5-N7	-11.71	106.11	110.80
26	BB	1987	A	C5-N7-C8	-11.71	98.04	103.90
26	BB	2507	C	N3-C4-C5	-11.71	117.22	121.90
26	BB	2589	A	N7-C8-N9	11.71	119.66	113.80
25	BA	78	A	N1-C6-N6	11.71	125.62	118.60
19	AS	70	ARG	NE-CZ-NH1	11.70	126.15	120.30
26	BB	558	U	N3-C4-O4	11.70	127.59	119.40
1	AA	534	U	O4'-C1'-N1	11.70	117.56	108.20
26	BB	1333	G	N3-C2-N2	-11.70	111.71	119.90
26	BB	2200	C	C5-C6-N1	11.70	126.85	121.00
1	AA	1041	G	N3-C4-C5	-11.70	122.75	128.60
1	AA	1215	G	O4'-C1'-N9	11.70	117.56	108.20
2	AB	1	A	N9-C4-C5	11.69	110.48	105.80
26	BB	1011	G	C4-C5-N7	-11.69	106.12	110.80
26	BB	825	A	N1-C2-N3	-11.69	123.46	129.30
26	BB	355	U	O4'-C1'-N1	11.69	117.55	108.20
26	BB	2152	G	C5-C6-O6	-11.68	121.59	128.60
26	BB	349	U	N3-C2-O2	-11.68	114.02	122.20
26	BB	2545	G	N3-C2-N2	11.68	128.08	119.90
1	AA	174	A	O4'-C1'-N9	11.68	117.54	108.20
1	AA	325	A	C5-N7-C8	-11.68	98.06	103.90
1	AA	489	C	C6-N1-C2	-11.68	115.63	120.30
26	BB	288	U	O4'-C1'-N1	11.68	117.54	108.20
36	BL	27	ARG	NE-CZ-NH2	-11.68	114.46	120.30
26	BB	1830	C	C5-C4-N4	-11.68	112.03	120.20
26	BB	240	C	O4'-C1'-N1	11.68	117.54	108.20
26	BB	1883	U	O4'-C1'-N1	11.67	117.54	108.20
25	BA	1	U	N1-C2-N3	11.67	121.90	114.90
1	AA	351	G	C8-N9-C4	-11.67	101.73	106.40
1	AA	307	C	N3-C4-C5	-11.66	117.23	121.90
1	AA	596	A	O4'-C4'-C3'	11.66	115.66	104.00
26	BB	979	A	N7-C8-N9	11.66	119.63	113.80
26	BB	1428	C	N3-C4-C5	-11.66	117.24	121.90
26	BB	1846	G	N9-C4-C5	11.66	110.06	105.40
26	BB	1928	A	C4-C5-C6	-11.66	111.17	117.00
26	BB	2092	U	O4'-C1'-N1	11.65	117.52	108.20
26	BB	1608	A	O4'-C1'-N9	11.65	117.52	108.20
26	BB	1770	G	C2-N3-C4	11.65	117.73	111.90
1	AA	985	C	O4'-C1'-N1	11.65	117.52	108.20
1	AA	1220	G	N7-C8-N9	11.65	118.92	113.10
24	AX	66	ARG	NE-CZ-NH2	11.64	126.12	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	723	C	N1-C2-O2	11.64	125.89	118.90
1	AA	825	A	C8-N9-C4	-11.64	101.14	105.80
26	BB	2152	G	N3-C4-N9	11.64	132.98	126.00
1	AA	1004	A	N1-C2-N3	-11.64	123.48	129.30
1	AA	1275	A	O4'-C1'-N9	11.64	117.51	108.20
26	BB	1305	C	C4-C5-C6	-11.64	111.58	117.40
26	BB	2099	U	N3-C4-O4	-11.64	111.25	119.40
1	AA	100	G	C2-N3-C4	11.63	117.72	111.90
1	AA	1294	G	C8-N9-C4	-11.63	101.75	106.40
1	AA	362	G	N7-C8-N9	11.63	118.91	113.10
1	AA	665	A	C8-N9-C4	-11.62	101.15	105.80
1	AA	1361	G	N7-C8-N9	11.62	118.91	113.10
2	AB	24	G	C4-C5-N7	-11.62	106.15	110.80
26	BB	2434	A	N1-C6-N6	-11.62	111.63	118.60
26	BB	1323	C	C1'-O4'-C4'	-11.62	100.60	109.90
1	AA	443	C	N3-C4-N4	11.62	126.13	118.00
26	BB	663	G	C2-N3-C4	11.62	117.71	111.90
26	BB	2688	G	N3-C4-N9	11.62	132.97	126.00
26	BB	1393	A	N7-C8-N9	11.62	119.61	113.80
1	AA	580	C	O4'-C1'-N1	11.61	117.49	108.20
26	BB	394	C	C6-N1-C2	-11.61	115.65	120.30
26	BB	609	A	N7-C8-N9	-11.61	107.99	113.80
26	BB	642	U	C5-C4-O4	11.62	132.87	125.90
1	AA	1332	A	C8-N9-C4	-11.61	101.16	105.80
26	BB	1960	A	C8-N9-C4	-11.61	101.16	105.80
26	BB	1196	C	C6-N1-C2	-11.61	115.66	120.30
26	BB	2731	G	C5-N7-C8	11.61	110.11	104.30
1	AA	428	G	C5-N7-C8	11.61	110.10	104.30
1	AA	1418	A	N7-C8-N9	-11.61	108.00	113.80
25	BA	75	G	N3-C4-C5	-11.60	122.80	128.60
26	BB	171	U	C3'-C2'-C1'	11.60	110.78	101.50
23	AW	24	ARG	NE-CZ-NH1	11.60	126.10	120.30
26	BB	856	G	O4'-C1'-N9	11.60	117.48	108.20
1	AA	683	G	C4-C5-N7	-11.60	106.16	110.80
1	AA	211	G	N1-C6-O6	11.60	126.86	119.90
26	BB	1238	G	C2-N3-C4	11.59	117.70	111.90
1	AA	56	U	N3-C2-O2	-11.59	114.09	122.20
1	AA	565	U	O4'-C1'-N1	11.59	117.47	108.20
25	BA	88	C	O4'-C1'-N1	11.59	117.47	108.20
26	BB	1738	G	N9-C4-C5	11.59	110.03	105.40
26	BB	2290	G	C4-C5-N7	-11.59	106.17	110.80
26	BB	2486	C	O4'-C1'-N1	11.59	117.47	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1026	G	C8-N9-C4	-11.58	101.77	106.40
1	AA	482	A	C2-N3-C4	11.58	116.39	110.60
1	AA	799	G	N3-C4-C5	-11.58	122.81	128.60
26	BB	2539	C	O4'-C1'-N1	11.58	117.46	108.20
1	AA	138	G	N3-C4-C5	-11.58	122.81	128.60
26	BB	1258	U	C5-C6-N1	-11.57	116.91	122.70
26	BB	2129	C	N1-C2-O2	11.57	125.84	118.90
26	BB	1918	A	C6-N1-C2	11.57	125.54	118.60
1	AA	1171	A	O4'-C1'-N9	11.57	117.46	108.20
26	BB	6	A	C2-N3-C4	11.57	116.38	110.60
26	BB	2799	A	C8-N9-C4	-11.57	101.17	105.80
26	BB	2824	C	C5-C6-N1	11.56	126.78	121.00
26	BB	1371	G	N7-C8-N9	11.56	118.88	113.10
26	BB	2527	C	N3-C4-C5	11.55	126.52	121.90
26	BB	1382	G	C4'-C3'-C2'	-11.55	91.05	102.60
1	AA	1316	G	C5-C6-N1	-11.55	105.73	111.50
1	AA	1210	C	O4'-C1'-N1	11.54	117.44	108.20
26	BB	79	C	C6-N1-C2	-11.54	115.68	120.30
26	BB	663	G	O4'-C1'-N9	11.55	117.44	108.20
1	AA	445	G	C2-N3-C4	11.54	117.67	111.90
13	AM	89	ARG	NE-CZ-NH2	-11.54	114.53	120.30
26	BB	45	G	C5-C6-N1	11.54	117.27	111.50
26	BB	113	U	C5-C4-O4	11.54	132.82	125.90
26	BB	1422	G	N9-C4-C5	11.54	110.01	105.40
1	AA	753	A	C4-C5-N7	-11.53	104.93	110.70
26	BB	1694	C	C2-N3-C4	11.54	125.67	119.90
26	BB	1852	U	C3'-C2'-C1'	11.53	110.73	101.50
26	BB	1903	G	C5-C6-O6	-11.53	121.68	128.60
1	AA	162	A	O4'-C1'-N9	11.53	117.42	108.20
1	AA	1452	C	O4'-C1'-N1	11.53	117.43	108.20
26	BB	100	U	N3-C2-O2	-11.53	114.13	122.20
1	AA	542	G	C5-N7-C8	-11.53	98.53	104.30
26	BB	189	G	N3-C4-N9	11.53	132.92	126.00
26	BB	595	C	C3'-C2'-C1'	11.53	110.72	101.50
26	BB	1638	C	C6-N1-C2	-11.53	115.69	120.30
26	BB	2330	G	C2-N3-C4	11.53	117.66	111.90
26	BB	882	G	C8-N9-C4	-11.53	101.79	106.40
26	BB	1495	A	C2-N3-C4	11.53	116.36	110.60
1	AA	853	C	N1-C2-O2	11.52	125.81	118.90
3	AC	22	G	N9-C4-C5	11.52	110.01	105.40
26	BB	553	G	C5-N7-C8	11.52	110.06	104.30
26	BB	984	A	N1-C6-N6	11.52	125.51	118.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1289	C	N3-C4-N4	11.52	126.06	118.00
26	BB	757	G	O4'-C1'-N9	11.52	117.41	108.20
26	BB	1153	C	N3-C4-C5	-11.52	117.29	121.90
26	BB	2080	A	C8-N9-C4	-11.52	101.19	105.80
1	AA	132	C	N1-C2-O2	11.52	125.81	118.90
1	AA	972	C	O4'-C1'-N1	11.52	117.41	108.20
26	BB	1879	C	N3-C4-C5	-11.52	117.29	121.90
26	BB	108	G	N3-C4-C5	-11.51	122.84	128.60
26	BB	784	G	N7-C8-N9	11.51	118.86	113.10
1	AA	1254	A	N7-C8-N9	11.51	119.56	113.80
26	BB	2309	A	C8-N9-C4	-11.51	101.19	105.80
26	BB	2458	G	C8-N9-C4	-11.51	101.80	106.40
1	AA	812	G	N3-C4-N9	11.51	132.91	126.00
1	AA	1215	G	N7-C8-N9	11.51	118.86	113.10
15	AO	113	ARG	NE-CZ-NH1	11.51	126.06	120.30
26	BB	1766	G	C4-C5-N7	-11.51	106.20	110.80
26	BB	1878	G	N3-C4-C5	-11.51	122.85	128.60
26	BB	1981	A	C8-N9-C4	-11.51	101.20	105.80
1	AA	865	A	N1-C2-N3	-11.51	123.55	129.30
39	BO	55	ARG	NE-CZ-NH1	11.51	126.05	120.30
1	AA	53	A	C5'-C4'-O4'	11.51	122.91	109.10
26	BB	127	A	C8-N9-C4	-11.51	101.20	105.80
26	BB	2625	G	C8-N9-C4	-11.51	101.80	106.40
1	AA	401	C	O4'-C1'-N1	11.50	117.40	108.20
26	BB	1456	G	C4-C5-N7	-11.50	106.20	110.80
26	BB	1887	C	O4'-C1'-N1	11.50	117.40	108.20
1	AA	724	G	C5'-C4'-O4'	11.50	122.90	109.10
1	AA	1265	C	C5-C6-N1	-11.50	115.25	121.00
26	BB	2095	A	C8-N9-C4	-11.50	101.20	105.80
26	BB	2518	A	C5-N7-C8	11.50	109.65	103.90
26	BB	2807	U	N3-C4-O4	11.50	127.45	119.40
1	AA	501	C	C2-N3-C4	11.50	125.65	119.90
9	AI	2	ARG	NE-CZ-NH1	11.50	126.05	120.30
26	BB	634	C	C5-C6-N1	11.50	126.75	121.00
26	BB	1564	C	N1-C2-O2	11.50	125.80	118.90
26	BB	2148	G	C5-C6-O6	-11.50	121.70	128.60
1	AA	436	C	C2-N3-C4	-11.50	114.15	119.90
26	BB	2863	C	N1-C2-O2	11.50	125.80	118.90
1	AA	144	G	C8-N9-C4	-11.49	101.80	106.40
26	BB	2787	C	C4-C5-C6	-11.49	111.65	117.40
26	BB	2121	G	N3-C4-C5	-11.49	122.86	128.60
26	BB	93	G	N1-C2-N3	-11.48	117.01	123.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	242	G	N9-C4-C5	11.48	109.99	105.40
1	AA	1193	G	N1-C2-N3	-11.48	117.01	123.90
1	AA	892	A	C2-N3-C4	11.48	116.34	110.60
26	BB	2165	C	N1-C2-O2	11.48	125.79	118.90
50	BZ	56	ARG	NE-CZ-NH2	-11.48	114.56	120.30
26	BB	2765	A	C2-N3-C4	11.48	116.34	110.60
26	BB	858	G	C6-N1-C2	-11.47	118.22	125.10
26	BB	1877	A	C8-N9-C4	-11.47	101.21	105.80
26	BB	2315	G	N3-C2-N2	-11.47	111.87	119.90
1	AA	1412	C	N3-C4-N4	11.47	126.03	118.00
26	BB	760	G	C2-N3-C4	11.47	117.64	111.90
25	BA	55	U	N3-C4-C5	-11.47	107.72	114.60
26	BB	2822	G	N1-C6-O6	-11.47	113.02	119.90
1	AA	1154	G	N3-C4-C5	-11.46	122.87	128.60
26	BB	624	C	N3-C4-C5	-11.46	117.31	121.90
26	BB	716	A	O4'-C1'-N9	11.46	117.37	108.20
25	BA	105	G	O4'-C1'-N9	11.46	117.37	108.20
26	BB	423	A	O4'-C1'-N9	11.46	117.37	108.20
26	BB	2587	A	N7-C8-N9	11.46	119.53	113.80
32	BH	68	ARG	NE-CZ-NH1	11.46	126.03	120.30
1	AA	295	C	O4'-C1'-N1	11.46	117.37	108.20
26	BB	695	G	C6-C5-N7	-11.46	123.52	130.40
1	AA	994	A	N1-C2-N3	-11.46	123.57	129.30
1	AA	1268	G	O4'-C1'-N9	11.46	117.36	108.20
26	BB	204	A	C6-N1-C2	-11.46	111.73	118.60
1	AA	404	G	C2-N3-C4	11.46	117.63	111.90
3	AC	52	U	O4'-C1'-N1	11.46	117.36	108.20
1	AA	2	A	N9-C4-C5	11.45	110.38	105.80
1	AA	1170	A	C2-N3-C4	11.45	116.33	110.60
26	BB	297	G	N9-C4-C5	11.45	109.98	105.40
1	AA	1491	G	N3-C2-N2	-11.45	111.88	119.90
26	BB	376	G	C4-C5-C6	11.45	125.67	118.80
26	BB	1767	G	C2-N3-C4	11.45	117.63	111.90
26	BB	1775	U	O4'-C1'-N1	11.45	117.36	108.20
3	AC	57	C	N3-C4-C5	-11.45	117.32	121.90
26	BB	213	A	N7-C8-N9	11.45	119.53	113.80
26	BB	1591	A	C2-N3-C4	11.45	116.33	110.60
26	BB	2315	G	N3-C4-C5	-11.45	122.88	128.60
56	B5	28	ARG	NE-CZ-NH2	-11.45	114.58	120.30
1	AA	197	A	C5-N7-C8	-11.45	98.18	103.90
26	BB	1090	A	C8-N9-C4	-11.45	101.22	105.80
26	BB	2342	C	O4'-C1'-N1	11.44	117.36	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	429	U	C3'-C2'-C1'	-11.44	92.35	101.50
1	AA	1238	A	N9-C4-C5	11.44	110.38	105.80
1	AA	1352	C	N3-C4-C5	-11.44	117.32	121.90
17	AQ	89	ARG	NE-CZ-NH2	-11.44	114.58	120.30
26	BB	381	G	O4'-C1'-N9	11.44	117.35	108.20
26	BB	108	G	O4'-C1'-N9	11.44	117.35	108.20
26	BB	777	G	C8-N9-C4	-11.44	101.83	106.40
26	BB	2003	A	N7-C8-N9	11.44	119.52	113.80
1	AA	789	U	O4'-C1'-N1	11.43	117.34	108.20
26	BB	298	G	C8-N9-C4	-11.43	101.83	106.40
26	BB	814	C	C5-C4-N4	-11.43	112.20	120.20
26	BB	789	A	C2-N3-C4	11.43	116.31	110.60
26	BB	1192	G	N7-C8-N9	11.43	118.81	113.10
26	BB	1627	G	N7-C8-N9	11.43	118.81	113.10
26	BB	2797	U	C1'-O4'-C4'	-11.43	100.76	109.90
26	BB	2904	U	O4'-C1'-N1	11.43	117.34	108.20
1	AA	711	G	C2-N3-C4	11.43	117.61	111.90
1	AA	97	G	N3-C4-C5	-11.43	122.89	128.60
1	AA	1057	G	C8-N9-C4	-11.43	101.83	106.40
26	BB	1759	A	N9-C4-C5	11.43	110.37	105.80
26	BB	2252	G	N3-C2-N2	11.43	127.90	119.90
1	AA	688	G	C4-C5-N7	-11.42	106.23	110.80
26	BB	1024	G	C2-N3-C4	11.42	117.61	111.90
26	BB	2296	U	N3-C2-O2	-11.42	114.20	122.20
26	BB	2365	G	N9-C4-C5	11.42	109.97	105.40
26	BB	2692	G	C8-N9-C4	-11.42	101.83	106.40
26	BB	716	A	N7-C8-N9	11.42	119.51	113.80
26	BB	733	G	N1-C6-O6	-11.42	113.05	119.90
26	BB	1448	G	C4-C5-N7	-11.42	106.23	110.80
26	BB	2067	G	C8-N9-C4	-11.42	101.83	106.40
12	AL	48	ARG	NE-CZ-NH2	-11.41	114.59	120.30
1	AA	735	C	C5-C6-N1	11.41	126.71	121.00
26	BB	2053	G	C8-N9-C4	-11.41	101.84	106.40
26	BB	142	A	C5-C6-N1	11.41	123.41	117.70
26	BB	2584	U	O4'-C1'-N1	11.41	117.33	108.20
7	AG	55	ARG	NE-CZ-NH1	11.41	126.00	120.30
26	BB	2724	U	P-O3'-C3'	11.41	133.39	119.70
26	BB	1400	U	O4'-C1'-N1	11.41	117.33	108.20
26	BB	2903	U	O4'-C1'-C2'	-11.41	94.39	105.80
57	B6	29	ARG	NE-CZ-NH1	-11.41	114.60	120.30
26	BB	1197	G	C5-C6-O6	-11.40	121.76	128.60
1	AA	878	A	C6-N1-C2	11.40	125.44	118.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1180	A	N7-C8-N9	-11.40	108.10	113.80
26	BB	647	G	N7-C8-N9	11.40	118.80	113.10
53	B2	63	ARG	NE-CZ-NH2	11.40	126.00	120.30
1	AA	1484	C	O4'-C1'-N1	11.40	117.32	108.20
26	BB	2079	U	C2-N3-C4	-11.40	120.16	127.00
26	BB	2223	G	C8-N9-C4	-11.40	101.84	106.40
26	BB	1	G	N1-C6-O6	-11.39	113.06	119.90
26	BB	33	C	C5-C4-N4	-11.39	112.23	120.20
26	BB	205	G	C5-C6-O6	11.39	135.43	128.60
26	BB	1024	G	C5-C6-O6	-11.39	121.77	128.60
26	BB	2465	C	O4'-C1'-N1	11.39	117.31	108.20
1	AA	355	C	O4'-C1'-N1	11.39	117.31	108.20
1	AA	332	G	C4-C5-N7	-11.38	106.25	110.80
2	AB	75	C	O4'-C1'-N1	11.38	117.31	108.20
1	AA	1288	A	C5-N7-C8	-11.38	98.21	103.90
25	BA	61	G	C5-C6-O6	-11.38	121.77	128.60
26	BB	1365	A	C8-N9-C4	-11.38	101.25	105.80
26	BB	1269	A	N1-C2-N3	-11.37	123.61	129.30
1	AA	1272	G	C2-N3-C4	11.37	117.59	111.90
26	BB	167	A	C8-N9-C4	-11.37	101.25	105.80
26	BB	307	G	C5-C6-O6	11.37	135.42	128.60
26	BB	551	G	N3-C4-C5	-11.37	122.91	128.60
26	BB	1735	A	C6-N1-C2	-11.37	111.78	118.60
1	AA	836	G	C4-C5-N7	-11.37	106.25	110.80
26	BB	1210	G	C4-C5-N7	-11.37	106.25	110.80
26	BB	2640	G	C8-N9-C4	-11.37	101.85	106.40
2	AB	35	C	C5-C4-N4	-11.37	112.24	120.20
25	BA	50	A	N1-C2-N3	11.37	134.98	129.30
26	BB	1355	G	C6-N1-C2	-11.36	118.28	125.10
26	BB	1446	C	O4'-C1'-N1	11.37	117.29	108.20
26	BB	591	U	N3-C2-O2	-11.36	114.25	122.20
26	BB	1906	G	C8-N9-C4	11.36	110.94	106.40
1	AA	1054	C	C1'-O4'-C4'	-11.36	100.81	109.90
26	BB	92	U	O4'-C1'-N1	11.36	117.29	108.20
1	AA	580	C	C5-C6-N1	-11.36	115.32	121.00
1	AA	660	C	C5-C6-N1	11.36	126.68	121.00
26	BB	307	G	C4-C5-N7	-11.35	106.26	110.80
26	BB	2184	A	N9-C4-C5	-11.35	101.26	105.80
1	AA	622	A	N1-C6-N6	-11.35	111.79	118.60
26	BB	1246	A	C4-C5-C6	-11.35	111.33	117.00
26	BB	2846	G	C8-N9-C4	-11.35	101.86	106.40
1	AA	87	C	N3-C4-C5	-11.35	117.36	121.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	381	C	O4'-C1'-N1	11.35	117.28	108.20
1	AA	249	U	O4'-C1'-N1	11.35	117.28	108.20
1	AA	1085	U	C3'-C2'-C1'	-11.35	92.42	101.50
16	AP	22	TYR	CB-CG-CD2	-11.35	114.19	121.00
26	BB	358	U	C5-C4-O4	-11.35	119.09	125.90
26	BB	1380	G	O4'-C1'-N9	11.35	117.28	108.20
1	AA	495	A	C3'-C2'-C1'	-11.34	92.42	101.50
26	BB	899	A	C4-C5-N7	-11.34	105.03	110.70
26	BB	1776	G	C5-N7-C8	-11.34	98.63	104.30
1	AA	517	G	C2-N3-C4	11.34	117.57	111.90
26	BB	678	C	N1-C2-O2	11.34	125.70	118.90
26	BB	1920	C	C4-C5-C6	-11.34	111.73	117.40
1	AA	1258	G	N7-C8-N9	11.34	118.77	113.10
1	AA	1504	G	N3-C4-C5	-11.33	122.93	128.60
26	BB	1149	G	N3-C4-C5	-11.33	122.93	128.60
26	BB	1304	A	N9-C4-C5	-11.33	101.27	105.80
26	BB	1337	G	N3-C4-C5	-11.33	122.93	128.60
26	BB	2260	C	O4'-C1'-N1	11.33	117.27	108.20
1	AA	206	C	C5-C4-N4	-11.33	112.27	120.20
25	BA	60	C	O4'-C1'-N1	11.33	117.26	108.20
26	BB	1295	C	O4'-C1'-N1	11.33	117.26	108.20
2	AB	74	C	C1'-O4'-C4'	-11.32	100.84	109.90
26	BB	1614	A	N7-C8-N9	11.32	119.46	113.80
1	AA	780	A	C8-N9-C4	-11.32	101.27	105.80
1	AA	1238	A	C8-N9-C4	-11.32	101.27	105.80
26	BB	924	G	C5-C6-O6	-11.32	121.81	128.60
1	AA	311	C	N3-C2-O2	-11.32	113.98	121.90
26	BB	1329	U	N3-C4-O4	11.32	127.32	119.40
1	AA	789	U	C5-C4-O4	-11.32	119.11	125.90
26	BB	768	G	C4-C5-N7	-11.32	106.27	110.80
26	BB	1406	U	C2-N3-C4	-11.32	120.21	127.00
26	BB	1157	G	C8-N9-C4	-11.31	101.87	106.40
26	BB	2156	G	N7-C8-N9	11.31	118.76	113.10
26	BB	1068	G	C5-C6-O6	-11.31	121.81	128.60
1	AA	199	A	O4'-C1'-N9	11.31	117.25	108.20
1	AA	1439	G	N3-C4-C5	-11.31	122.94	128.60
10	AJ	142	ARG	NE-CZ-NH2	11.31	125.96	120.30
26	BB	1041	G	N3-C4-C5	-11.31	122.95	128.60
26	BB	2019	A	C8-N9-C4	-11.31	101.28	105.80
26	BB	2425	A	C5-C6-N1	11.31	123.35	117.70
26	BB	2129	C	C2-N3-C4	11.31	125.55	119.90
27	BC	9	ARG	NE-CZ-NH2	-11.30	114.65	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2309	A	C5-C6-N6	-11.30	114.66	123.70
1	AA	205	A	N7-C8-N9	11.30	119.45	113.80
1	AA	876	C	N3-C4-C5	-11.30	117.38	121.90
26	BB	765	C	C5-C6-N1	11.30	126.65	121.00
1	AA	205	A	C8-N9-C4	-11.30	101.28	105.80
26	BB	1345	C	C5-C4-N4	-11.30	112.29	120.20
26	BB	1879	C	C5-C6-N1	11.30	126.65	121.00
26	BB	1014	A	N7-C8-N9	11.30	119.45	113.80
25	BA	23	G	C5-C6-N1	11.29	117.15	111.50
26	BB	1613	G	O4'-C1'-N9	11.30	117.24	108.20
32	BH	54	ARG	NE-CZ-NH2	11.29	125.95	120.30
1	AA	337	G	O4'-C1'-N9	11.29	117.23	108.20
1	AA	404	G	N3-C4-C5	-11.29	122.96	128.60
26	BB	1696	G	O4'-C1'-N9	11.29	117.23	108.20
26	BB	1	G	N9-C4-C5	-11.28	100.89	105.40
26	BB	233	A	C8-N9-C4	-11.28	101.29	105.80
26	BB	343	C	O4'-C1'-N1	11.28	117.23	108.20
26	BB	662	G	N9-C1'-C2'	-11.28	99.33	114.00
26	BB	550	C	C2-N3-C4	11.28	125.54	119.90
26	BB	10	A	C6-N1-C2	11.28	125.37	118.60
26	BB	484	C	N3-C2-O2	-11.28	114.00	121.90
26	BB	2541	A	N1-C2-N3	-11.28	123.66	129.30
1	AA	212	G	N3-C4-C5	-11.28	122.96	128.60
1	AA	691	G	C4-C5-N7	-11.28	106.29	110.80
26	BB	998	C	C5-C4-N4	-11.28	112.31	120.20
26	BB	523	C	C5-C4-N4	-11.27	112.31	120.20
1	AA	331	G	N9-C4-C5	11.27	109.91	105.40
25	BA	74	U	C5-C6-N1	-11.27	117.06	122.70
26	BB	568	U	N1-C2-O2	11.27	130.69	122.80
35	BK	64	ARG	NE-CZ-NH1	11.27	125.94	120.30
26	BB	651	G	C5-C6-N1	11.27	117.14	111.50
26	BB	1261	C	N1-C2-O2	11.27	125.66	118.90
26	BB	473	G	C4-C5-C6	11.27	125.56	118.80
26	BB	1183	U	C1'-O4'-C4'	-11.27	100.89	109.90
26	BB	1875	G	C8-N9-C4	-11.27	101.89	106.40
26	BB	2361	G	N1-C2-N3	-11.27	117.14	123.90
26	BB	739	A	C5-C6-N1	11.26	123.33	117.70
26	BB	897	C	O4'-C1'-N1	11.26	117.21	108.20
26	BB	2210	U	O4'-C1'-N1	11.26	117.21	108.20
26	BB	2424	C	C2-N3-C4	11.26	125.53	119.90
1	AA	1491	G	N1-C2-N3	11.26	130.66	123.90
26	BB	1376	C	N3-C4-C5	-11.26	117.40	121.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1542	U	O4'-C1'-N1	11.26	117.21	108.20
26	BB	1038	G	C8-N9-C4	-11.26	101.90	106.40
26	BB	1471	G	C2-N3-C4	11.26	117.53	111.90
26	BB	2589	A	C8-N9-C4	-11.26	101.30	105.80
1	AA	295	C	C2-N3-C4	11.25	125.53	119.90
1	AA	625	U	C5-C4-O4	11.25	132.65	125.90
26	BB	1450	G	N1-C6-O6	11.25	126.65	119.90
26	BB	122	G	C5-C6-O6	-11.25	121.85	128.60
26	BB	1274	A	O4'-C1'-N9	11.25	117.20	108.20
26	BB	2870	C	C5-C6-N1	11.25	126.62	121.00
26	BB	1110	G	C4-C5-N7	-11.24	106.30	110.80
1	AA	559	A	N1-C6-N6	-11.24	111.85	118.60
3	AC	38	G	N1-C2-N3	-11.24	117.16	123.90
26	BB	345	A	N1-C2-N3	-11.24	123.68	129.30
26	BB	1146	C	C6-N1-C2	-11.24	115.80	120.30
26	BB	2020	A	N7-C8-N9	-11.24	108.18	113.80
26	BB	349	U	O4'-C1'-N1	11.24	117.19	108.20
26	BB	2425	A	N7-C8-N9	11.24	119.42	113.80
26	BB	468	G	C5-C6-N1	11.24	117.12	111.50
1	AA	1408	A	C2-N3-C4	11.23	116.22	110.60
26	BB	1933	G	C4-C5-N7	11.23	115.29	110.80
26	BB	1743	G	N7-C8-N9	11.23	118.72	113.10
26	BB	1867	G	N1-C6-O6	11.23	126.64	119.90
26	BB	765	C	C6-N1-C2	-11.23	115.81	120.30
26	BB	2312	U	C5-C4-O4	11.23	132.64	125.90
26	BB	1822	C	C6-N1-C2	11.22	124.79	120.30
26	BB	28	A	C5-C6-N6	-11.22	114.72	123.70
26	BB	1571	A	N9-C4-C5	11.22	110.29	105.80
26	BB	2080	A	N9-C4-C5	11.22	110.29	105.80
26	BB	552	U	C5-C4-O4	11.22	132.63	125.90
1	AA	722	G	N9-C4-C5	11.22	109.89	105.40
1	AA	1253	G	O4'-C1'-N9	11.21	117.17	108.20
26	BB	43	G	N3-C4-C5	-11.22	122.99	128.60
1	AA	1484	C	C6-N1-C2	-11.21	115.81	120.30
1	AA	260	G	C4-C5-N7	-11.21	106.31	110.80
26	BB	2156	G	C6-C5-N7	-11.21	123.67	130.40
26	BB	920	A	C8-N9-C4	-11.21	101.32	105.80
26	BB	1482	G	C1'-O4'-C4'	-11.21	100.93	109.90
1	AA	1147	C	N1-C2-O2	11.21	125.62	118.90
10	AJ	9	ARG	NE-CZ-NH1	11.21	125.90	120.30
26	BB	1836	C	C6-N1-C2	-11.20	115.82	120.30
4	AD	22	A	N9-C4-C5	11.20	110.28	105.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	451	U	O4'-C1'-N1	11.20	117.16	108.20
26	BB	877	A	N1-C6-N6	-11.20	111.88	118.60
26	BB	2268	A	N1-C2-N3	-11.20	123.70	129.30
26	BB	1177	G	C8-N9-C4	-11.20	101.92	106.40
26	BB	793	A	C8-N9-C4	-11.19	101.32	105.80
52	B1	29	ARG	NE-CZ-NH1	11.19	125.90	120.30
26	BB	537	G	C6-C5-N7	-11.19	123.68	130.40
1	AA	1325	C	N3-C2-O2	-11.19	114.07	121.90
26	BB	1358	G	C8-N9-C4	-11.19	101.92	106.40
26	BB	1650	A	C5-N7-C8	-11.19	98.30	103.90
26	BB	2620	C	O4'-C1'-N1	11.19	117.16	108.20
2	AB	56	C	N1-C2-O2	11.19	125.61	118.90
20	AT	26	ARG	NE-CZ-NH1	11.19	125.89	120.30
26	BB	76	C	N1-C2-O2	11.19	125.61	118.90
26	BB	775	G	N3-C4-C5	-11.19	123.01	128.60
26	BB	841	G	O4'-C1'-N9	11.19	117.15	108.20
26	BB	1216	G	C2-N3-C4	11.19	117.49	111.90
1	AA	1053	G	C5-N7-C8	-11.18	98.71	104.30
26	BB	757	G	N3-C2-N2	-11.18	112.07	119.90
26	BB	2887	A	N9-C4-C5	11.18	110.27	105.80
1	AA	497	G	C8-N9-C4	-11.18	101.93	106.40
1	AA	1057	G	C6-C5-N7	-11.18	123.69	130.40
1	AA	455	G	N3-C2-N2	-11.17	112.08	119.90
1	AA	1088	G	C6-N1-C2	-11.17	118.40	125.10
24	AX	68	ARG	NE-CZ-NH1	11.17	125.89	120.30
26	BB	356	G	N1-C2-N3	-11.17	117.20	123.90
26	BB	524	G	C2-N3-C4	11.17	117.49	111.90
26	BB	1635	A	N7-C8-N9	11.17	119.39	113.80
1	AA	9	G	C5-C6-N1	11.17	117.08	111.50
1	AA	542	G	N7-C8-N9	11.17	118.68	113.10
1	AA	567	G	C8-N9-C4	-11.17	101.93	106.40
26	BB	537	G	N3-C4-C5	-11.17	123.02	128.60
26	BB	1364	G	C4-C5-N7	11.16	115.27	110.80
1	AA	561	U	C5-C4-O4	11.16	132.60	125.90
26	BB	236	C	O4'-C1'-N1	11.16	117.13	108.20
26	BB	2029	G	C2-N3-C4	11.16	117.48	111.90
1	AA	1487	G	N1-C6-O6	-11.16	113.21	119.90
1	AA	52	C	C2-N3-C4	-11.15	114.32	119.90
1	AA	456	A	C2-N3-C4	11.15	116.18	110.60
2	AB	49	G	C8-N9-C4	11.15	110.86	106.40
26	BB	3	U	O4'-C1'-N1	11.15	117.12	108.20
26	BB	2451	A	O4'-C1'-N9	11.15	117.12	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	239	U	N3-C2-O2	-11.15	114.40	122.20
26	BB	929	U	N1-C2-O2	11.15	130.60	122.80
1	AA	496	A	C3'-C2'-C1'	11.15	110.42	101.50
1	AA	906	A	N1-C2-N3	-11.15	123.73	129.30
1	AA	414	A	N1-C2-N3	-11.14	123.73	129.30
1	AA	1334	G	C5-C6-N1	11.14	117.07	111.50
26	BB	877	A	N1-C2-N3	-11.14	123.73	129.30
26	BB	1050	A	N1-C6-N6	-11.14	111.91	118.60
26	BB	2102	G	C5-N7-C8	-11.14	98.73	104.30
26	BB	2382	G	C5-C6-O6	-11.14	121.91	128.60
1	AA	132	C	N3-C2-O2	-11.14	114.10	121.90
26	BB	1248	G	C4-C5-N7	-11.14	106.34	110.80
1	AA	1260	G	C5-N7-C8	-11.14	98.73	104.30
26	BB	1039	A	N7-C8-N9	11.14	119.37	113.80
26	BB	1827	U	O4'-C1'-N1	11.14	117.11	108.20
26	BB	2379	G	N3-C4-C5	-11.14	123.03	128.60
26	BB	923	G	O4'-C1'-N9	11.14	117.11	108.20
26	BB	201	C	N3-C4-C5	-11.13	117.45	121.90
26	BB	741	U	C5-C6-N1	-11.13	117.13	122.70
26	BB	1702	G	C6-N1-C2	-11.13	118.42	125.10
26	BB	2439	A	C8-N9-C4	-11.13	101.35	105.80
26	BB	39	G	N1-C6-O6	11.13	126.58	119.90
26	BB	1232	G	N1-C2-N3	11.13	130.58	123.90
26	BB	2286	G	C4-C5-N7	-11.13	106.35	110.80
26	BB	2663	G	O4'-C1'-N9	11.13	117.10	108.20
40	BP	90	ARG	NE-CZ-NH1	11.13	125.86	120.30
1	AA	731	G	C8-N9-C4	-11.13	101.95	106.40
26	BB	865	C	C2-N3-C4	11.13	125.47	119.90
26	BB	2653	U	N3-C4-O4	11.13	127.19	119.40
26	BB	669	G	N9-C4-C5	11.13	109.85	105.40
1	AA	1081	A	C6-N1-C2	-11.12	111.93	118.60
13	AM	31	ARG	NE-CZ-NH2	-11.12	114.74	120.30
26	BB	348	A	N9-C4-C5	11.12	110.25	105.80
26	BB	628	G	C4-C5-N7	-11.12	106.35	110.80
26	BB	1902	C	N3-C2-O2	-11.12	114.11	121.90
1	AA	530	G	N9-C4-C5	11.12	109.85	105.40
3	AC	47	C	C6-N1-C2	-11.12	115.85	120.30
26	BB	1482	G	N3-C4-C5	-11.12	123.04	128.60
1	AA	1053	G	N7-C8-N9	11.12	118.66	113.10
1	AA	1370	G	N9-C1'-C2'	-11.12	99.55	114.00
26	BB	481	G	O4'-C1'-N9	11.12	117.09	108.20
26	BB	2286	G	N3-C4-C5	-11.12	123.04	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2108	A	C5-C6-N1	11.12	123.26	117.70
26	BB	1178	C	O4'-C1'-N1	11.11	117.09	108.20
26	BB	2036	C	C6-N1-C2	-11.11	115.86	120.30
1	AA	27	G	N3-C2-N2	11.11	127.68	119.90
1	AA	309	A	N1-C6-N6	11.11	125.27	118.60
1	AA	363	A	C8-N9-C4	-11.11	101.36	105.80
26	BB	628	G	N3-C4-C5	-11.11	123.05	128.60
1	AA	1202	U	C1'-O4'-C4'	-11.11	101.01	109.90
26	BB	2860	A	N9-C4-C5	11.11	110.24	105.80
1	AA	436	C	C6-N1-C2	-11.11	115.86	120.30
26	BB	833	A	N1-C6-N6	-11.11	111.94	118.60
26	BB	1115	G	N9-C4-C5	-11.11	100.96	105.40
26	BB	424	G	N9-C4-C5	11.11	109.84	105.40
26	BB	925	A	N1-C2-N3	11.11	134.85	129.30
26	BB	2838	G	C8-N9-C4	-11.11	101.96	106.40
1	AA	442	G	C5-N7-C8	-11.10	98.75	104.30
26	BB	563	A	C4-C5-N7	-11.10	105.15	110.70
1	AA	122	G	N9-C4-C5	11.10	109.84	105.40
1	AA	1417	G	N1-C6-O6	11.10	126.56	119.90
26	BB	400	G	C8-N9-C4	-11.10	101.96	106.40
26	BB	1928	A	C5-C6-N1	11.10	123.25	117.70
26	BB	446	G	C8-N9-C4	-11.10	101.96	106.40
26	BB	1104	C	N3-C4-C5	-11.10	117.46	121.90
1	AA	50	A	C3'-C2'-C1'	11.10	110.38	101.50
1	AA	765	G	O4'-C1'-C2'	-11.10	94.70	105.80
1	AA	869	G	N9-C4-C5	11.10	109.84	105.40
15	AO	49	ARG	NE-CZ-NH1	11.10	125.85	120.30
26	BB	80	G	C6-N1-C2	-11.10	118.44	125.10
26	BB	1981	A	N9-C4-C5	11.09	110.24	105.80
26	BB	2448	A	O4'-C1'-N9	11.09	117.07	108.20
1	AA	848	C	C1'-O4'-C4'	-11.09	101.03	109.90
1	AA	1034	G	N9-C4-C5	11.09	109.84	105.40
26	BB	881	G	N7-C8-N9	11.09	118.64	113.10
26	BB	1334	G	N9-C4-C5	11.09	109.84	105.40
26	BB	1847	A	O4'-C1'-N9	11.09	117.07	108.20
1	AA	1333	A	C4-C5-C6	-11.09	111.46	117.00
26	BB	2108	A	N1-C2-N3	-11.09	123.76	129.30
26	BB	607	U	C5-C6-N1	-11.08	117.16	122.70
26	BB	2694	G	N3-C2-N2	-11.08	112.14	119.90
1	AA	1435	G	C3'-C2'-C1'	11.08	110.36	101.50
26	BB	1744	A	O4'-C1'-N9	11.08	117.06	108.20
1	AA	1064	G	C6-C5-N7	11.08	137.05	130.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1496	C	N3-C4-C5	-11.08	117.47	121.90
2	AB	34	C	N3-C4-N4	11.08	125.75	118.00
1	AA	540	G	N1-C2-N2	11.08	126.17	116.20
1	AA	882	C	C6-N1-C2	-11.08	115.87	120.30
26	BB	2144	G	C5-C6-O6	-11.08	121.95	128.60
1	AA	1128	C	C2-N3-C4	11.07	125.44	119.90
1	AA	745	G	N3-C4-C5	-11.07	123.06	128.60
26	BB	367	G	C2-N3-C4	11.07	117.44	111.90
1	AA	1020	G	N9-C4-C5	11.07	109.83	105.40
6	AF	163	ARG	NE-CZ-NH1	11.07	125.83	120.30
1	AA	1171	A	C2-N3-C4	11.06	116.13	110.60
26	BB	1770	G	C8-N9-C4	-11.06	101.97	106.40
26	BB	1800	C	N3-C2-O2	-11.06	114.16	121.90
26	BB	263	G	C8-N9-C4	-11.06	101.98	106.40
1	AA	1272	G	N3-C4-C5	-11.05	123.07	128.60
26	BB	638	G	C8-N9-C4	-11.06	101.98	106.40
1	AA	570	G	C8-N9-C4	-11.05	101.98	106.40
1	AA	1440	U	N3-C2-O2	-11.05	114.46	122.20
17	AQ	40	ARG	NE-CZ-NH2	-11.05	114.77	120.30
26	BB	1176	U	C5-C4-O4	-11.05	119.27	125.90
26	BB	1664	A	C4-C5-N7	11.05	116.22	110.70
1	AA	424	G	C2-N3-C4	11.05	117.42	111.90
26	BB	2405	G	N9-C4-C5	11.05	109.82	105.40
26	BB	2117	A	N1-C6-N6	-11.04	111.97	118.60
26	BB	1914	C	N3-C2-O2	-11.04	114.17	121.90
26	BB	2018	G	N3-C4-C5	-11.04	123.08	128.60
26	BB	2521	C	C2-N3-C4	11.04	125.42	119.90
1	AA	577	G	C4-C5-N7	11.04	115.21	110.80
1	AA	1366	C	N3-C4-C5	-11.04	117.49	121.90
26	BB	151	C	C6-N1-C2	-11.03	115.89	120.30
26	BB	391	A	C3'-C2'-C1'	-11.04	92.67	101.50
1	AA	1154	G	C2-N3-C4	11.03	117.42	111.90
1	AA	1499	A	C5-N7-C8	11.03	109.42	103.90
26	BB	10	A	O4'-C1'-N9	11.03	117.03	108.20
1	AA	1419	G	N3-C2-N2	11.03	127.62	119.90
1	AA	440	C	O4'-C1'-N1	11.03	117.02	108.20
1	AA	969	A	N9-C4-C5	11.03	110.21	105.80
26	BB	603	A	O4'-C1'-N9	11.03	117.02	108.20
26	BB	1450	G	C5-C6-O6	-11.03	121.98	128.60
26	BB	1238	G	N9-C4-C5	11.03	109.81	105.40
1	AA	444	G	O4'-C1'-N9	11.03	117.02	108.20
26	BB	142	A	C2-N3-C4	11.03	116.11	110.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	916	G	N7-C8-N9	11.03	118.61	113.10
26	BB	2015	A	N9-C4-C5	11.02	110.21	105.80
27	BC	134	ARG	NE-CZ-NH1	11.02	125.81	120.30
1	AA	1186	G	N3-C4-C5	-11.02	123.09	128.60
26	BB	245	G	N3-C4-C5	11.02	134.11	128.60
26	BB	1761	C	N1-C2-O2	11.02	125.51	118.90
26	BB	2035	G	N9-C4-C5	11.02	109.81	105.40
26	BB	1288	G	O4'-C1'-N9	11.02	117.01	108.20
26	BB	2122	U	C2-N3-C4	-11.02	120.39	127.00
1	AA	311	C	C6-N1-C2	-11.01	115.90	120.30
4	AD	12	G	C5-C6-N1	11.01	117.00	111.50
26	BB	1740	G	O4'-C1'-N9	11.01	117.01	108.20
26	BB	2411	A	N1-C2-N3	11.01	134.81	129.30
26	BB	28	A	N9-C1'-C2'	-11.01	99.69	114.00
26	BB	2053	G	N3-C4-C5	-11.01	123.10	128.60
1	AA	37	U	C5-C4-O4	-11.00	119.30	125.90
1	AA	719	C	C6-N1-C2	-11.00	115.90	120.30
25	BA	5	U	C5'-C4'-O4'	11.00	122.30	109.10
26	BB	677	A	C5-C6-N1	11.00	123.20	117.70
26	BB	940	G	O4'-C1'-N9	11.00	117.00	108.20
24	AX	20	ARG	NE-CZ-NH2	-11.00	114.80	120.30
26	BB	2009	A	C2-N3-C4	11.00	116.10	110.60
26	BB	1163	G	N1-C6-O6	11.00	126.50	119.90
26	BB	2607	G	C8-N9-C4	-11.00	102.00	106.40
26	BB	311	A	O4'-C1'-N9	10.99	117.00	108.20
1	AA	716	A	C8-N9-C4	-10.99	101.40	105.80
2	AB	35	C	C4-C5-C6	-10.99	111.90	117.40
26	BB	1654	A	C5-C6-N1	10.99	123.20	117.70
1	AA	442	G	C4-C5-N7	10.99	115.20	110.80
26	BB	2360	G	N3-C4-C5	-10.99	123.10	128.60
1	AA	173	U	O4'-C1'-N1	10.99	116.99	108.20
26	BB	1355	G	C6-C5-N7	-10.99	123.81	130.40
26	BB	32	C	C2-N3-C4	10.98	125.39	119.90
1	AA	773	G	N9-C4-C5	10.98	109.79	105.40
26	BB	360	U	C5-C4-O4	-10.98	119.31	125.90
26	BB	2201	G	N7-C8-N9	10.98	118.59	113.10
26	BB	1471	G	C8-N9-C4	-10.98	102.01	106.40
26	BB	2106	U	C4-C5-C6	10.98	126.29	119.70
26	BB	2839	G	C2-N3-C4	10.98	117.39	111.90
1	AA	202	G	N9-C4-C5	10.98	109.79	105.40
26	BB	834	G	C5-C6-N1	10.98	116.99	111.50
26	BB	2536	G	N3-C4-C5	-10.98	123.11	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	138	G	N1-C6-O6	10.97	126.48	119.90
1	AA	756	C	O4'-C1'-N1	10.97	116.98	108.20
1	AA	1015	G	O4'-C1'-N9	10.97	116.98	108.20
3	AC	22	G	N3-C4-C5	-10.97	123.11	128.60
26	BB	1271	G	C2-N3-C4	10.97	117.39	111.90
26	BB	2014	A	N9-C4-C5	10.97	110.19	105.80
26	BB	2505	G	C2-N3-C4	10.97	117.39	111.90
1	AA	637	C	N3-C2-O2	-10.97	114.22	121.90
1	AA	475	C	C3'-C2'-C1'	10.97	110.27	101.50
1	AA	503	C	C5-C4-N4	-10.97	112.52	120.20
26	BB	2865	U	C1'-O4'-C4'	-10.97	101.12	109.90
1	AA	1268	G	C8-N9-C4	-10.96	102.02	106.40
1	AA	462	G	C5-C6-O6	-10.96	122.02	128.60
26	BB	315	G	C6-N1-C2	-10.96	118.53	125.10
26	BB	1175	A	C5-N7-C8	-10.96	98.42	103.90
26	BB	1451	C	C4-C5-C6	-10.96	111.92	117.40
1	AA	94	G	C4-C5-N7	-10.95	106.42	110.80
1	AA	1045	C	N3-C4-C5	-10.96	117.52	121.90
26	BB	1684	G	C8-N9-C4	-10.95	102.02	106.40
26	BB	1846	G	C4-C5-N7	-10.95	106.42	110.80
26	BB	2690	U	C4-C5-C6	10.96	126.27	119.70
26	BB	428	A	C2-N3-C4	10.95	116.08	110.60
26	BB	797	G	C6-C5-N7	-10.95	123.83	130.40
26	BB	945	A	N1-C2-N3	-10.95	123.83	129.30
26	BB	1349	C	C2-N3-C4	10.95	125.38	119.90
26	BB	2433	A	N9-C4-C5	10.95	110.18	105.80
1	AA	809	G	C3'-C2'-C1'	10.95	110.26	101.50
26	BB	1479	G	O4'-C1'-N9	10.95	116.96	108.20
26	BB	2118	U	C1'-O4'-C4'	-10.95	101.14	109.90
26	BB	2585	U	O4'-C1'-N1	10.95	116.96	108.20
1	AA	343	U	N1-C2-O2	10.95	130.46	122.80
26	BB	2152	G	C5-C6-N1	10.95	116.97	111.50
1	AA	785	G	C8-N9-C4	-10.95	102.02	106.40
1	AA	1126	U	C5-C4-O4	-10.95	119.33	125.90
26	BB	2138	G	C4-C5-N7	10.94	115.18	110.80
1	AA	627	G	N9-C4-C5	10.94	109.78	105.40
1	AA	894	G	C4-C5-N7	-10.94	106.42	110.80
26	BB	583	G	C5-C6-N1	10.94	116.97	111.50
1	AA	1259	C	N3-C4-N4	10.94	125.66	118.00
1	AA	686	U	N1-C2-N3	10.94	121.46	114.90
2	AB	13	C	C2-N3-C4	10.94	125.37	119.90
1	AA	1289	A	O4'-C1'-N9	10.93	116.95	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	AC	34	U	N3-C2-O2	-10.93	114.55	122.20
1	AA	241	G	N3-C4-N9	10.93	132.56	126.00
26	BB	1350	C	N1-C2-O2	10.93	125.46	118.90
1	AA	1045	C	N3-C4-N4	10.93	125.65	118.00
53	B2	59	ARG	NE-CZ-NH2	-10.93	114.83	120.30
26	BB	2134	A	N9-C4-C5	-10.93	101.43	105.80
4	AD	77	A	C8-N9-C4	-10.93	101.43	105.80
1	AA	344	A	N9-C4-C5	10.92	110.17	105.80
26	BB	171	U	N1-C2-N3	10.92	121.45	114.90
1	AA	522	C	C5-C6-N1	10.92	126.46	121.00
1	AA	532	A	C2-N3-C4	10.92	116.06	110.60
26	BB	350	G	C8-N9-C4	-10.92	102.03	106.40
26	BB	364	C	O4'-C1'-N1	10.92	116.93	108.20
26	BB	920	A	N7-C8-N9	10.92	119.26	113.80
26	BB	2315	G	C2-N3-C4	10.92	117.36	111.90
26	BB	11	C	N3-C4-N4	10.91	125.64	118.00
26	BB	898	C	C5-C4-N4	-10.91	112.56	120.20
1	AA	959	A	C2-N3-C4	10.91	116.06	110.60
1	AA	134	G	N9-C4-C5	10.91	109.76	105.40
1	AA	1185	G	N9-C4-C5	-10.91	101.04	105.40
1	AA	523	A	C2-N3-C4	10.91	116.06	110.60
1	AA	881	G	N1-C6-O6	10.91	126.45	119.90
26	BB	838	C	N3-C4-C5	-10.91	117.54	121.90
26	BB	1192	G	C2-N3-C4	10.91	117.36	111.90
26	BB	1766	G	C4-C5-C6	10.91	125.35	118.80
1	AA	424	G	N3-C4-N9	10.91	132.54	126.00
1	AA	1245	C	N3-C4-C5	-10.91	117.54	121.90
26	BB	922	C	C5-C6-N1	10.91	126.45	121.00
1	AA	1117	A	N7-C8-N9	10.90	119.25	113.80
26	BB	2889	C	C5-C6-N1	10.90	126.45	121.00
26	BB	55	G	C8-N9-C4	-10.90	102.04	106.40
1	AA	994	A	C2-N3-C4	10.90	116.05	110.60
26	BB	1333	G	C6-N1-C2	-10.90	118.56	125.10
24	AX	54	ARG	NE-CZ-NH2	10.90	125.75	120.30
26	BB	2870	C	O4'-C1'-N1	10.90	116.92	108.20
26	BB	1498	C	C5-C6-N1	10.90	126.45	121.00
26	BB	1826	G	C1'-O4'-C4'	-10.90	101.18	109.90
26	BB	2087	G	C5-N7-C8	-10.90	98.85	104.30
26	BB	72	U	C5-C6-N1	-10.89	117.25	122.70
1	AA	1039	G	N9-C4-C5	10.89	109.76	105.40
26	BB	763	G	C4-C5-N7	-10.89	106.44	110.80
26	BB	2810	A	C2-N3-C4	10.89	116.05	110.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	253	A	C4-C5-N7	-10.89	105.26	110.70
1	AA	1169	A	C2-N3-C4	10.89	116.04	110.60
26	BB	1650	A	N7-C8-N9	10.89	119.24	113.80
1	AA	1272	G	N3-C4-N9	10.89	132.53	126.00
26	BB	113	U	C3'-C2'-C1'	-10.89	92.79	101.50
26	BB	134	G	N7-C8-N9	10.89	118.54	113.10
26	BB	669	G	C8-N9-C4	-10.89	102.05	106.40
26	BB	1011	G	N3-C4-C5	-10.89	123.16	128.60
26	BB	279	A	C8-N9-C4	-10.89	101.45	105.80
26	BB	885	C	N3-C2-O2	-10.88	114.28	121.90
26	BB	2687	U	O4'-C1'-N1	10.89	116.91	108.20
4	AD	19	G	C4-C5-N7	-10.88	106.45	110.80
26	BB	2885	G	C8-N9-C4	-10.88	102.05	106.40
1	AA	1018	G	N3-C4-C5	-10.88	123.16	128.60
1	AA	1150	A	O4'-C4'-C3'	10.88	114.88	104.00
26	BB	507	A	N7-C8-N9	10.88	119.24	113.80
26	BB	730	A	C8-N9-C4	-10.88	101.45	105.80
1	AA	1084	G	C2-N3-C4	10.88	117.34	111.90
1	AA	1173	U	C5-C4-O4	10.87	132.42	125.90
26	BB	2146	C	O4'-C1'-N1	10.88	116.90	108.20
26	BB	2844	G	C8-N9-C1'	10.87	141.14	127.00
1	AA	52	C	N3-C4-C5	10.87	126.25	121.90
1	AA	456	A	C8-N9-C4	-10.87	101.45	105.80
26	BB	1478	G	C5-C6-N1	10.87	116.94	111.50
1	AA	1476	A	C5-C6-N1	10.87	123.14	117.70
3	AC	57	C	C2-N3-C4	10.87	125.33	119.90
26	BB	989	G	O4'-C1'-N9	10.87	116.89	108.20
1	AA	1383	C	C2-N3-C4	10.87	125.33	119.90
26	BB	297	G	N3-C4-C5	-10.86	123.17	128.60
1	AA	1466	C	O4'-C1'-N1	10.86	116.89	108.20
26	BB	583	G	N9-C4-C5	10.86	109.74	105.40
26	BB	1271	G	N3-C4-C5	-10.86	123.17	128.60
26	BB	189	G	C2-N3-C4	10.85	117.33	111.90
26	BB	869	G	C1'-O4'-C4'	-10.85	101.22	109.90
26	BB	962	G	C4-C5-N7	-10.85	106.46	110.80
26	BB	1901	A	C4-C5-C6	10.85	122.43	117.00
26	BB	2366	A	O4'-C1'-N9	10.85	116.88	108.20
26	BB	1181	U	C5-C6-N1	10.85	128.12	122.70
26	BB	1790	C	N3-C2-O2	-10.85	114.31	121.90
26	BB	2606	C	N3-C4-C5	-10.85	117.56	121.90
35	BK	126	ARG	NE-CZ-NH1	10.85	125.72	120.30
1	AA	1225	A	C8-N9-C4	-10.85	101.46	105.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1014	A	C5-C6-N1	10.85	123.12	117.70
26	BB	2405	G	N3-C4-C5	-10.85	123.18	128.60
26	BB	1378	A	C8-N9-C4	-10.85	101.46	105.80
26	BB	1271	G	N9-C4-C5	10.84	109.74	105.40
26	BB	1406	U	N3-C2-O2	-10.84	114.61	122.20
26	BB	1778	U	C5-C6-N1	-10.84	117.28	122.70
1	AA	1190	G	C2-N3-C4	10.84	117.32	111.90
1	AA	212	G	N3-C4-N9	10.84	132.50	126.00
1	AA	807	A	N1-C2-N3	-10.84	123.88	129.30
25	BA	70	C	N1-C2-O2	10.84	125.40	118.90
26	BB	297	G	C4-C5-N7	-10.84	106.47	110.80
26	BB	693	A	N9-C4-C5	10.84	110.14	105.80
26	BB	2365	G	C8-N9-C4	-10.84	102.06	106.40
26	BB	2287	A	N7-C8-N9	10.84	119.22	113.80
26	BB	2654	A	C3'-C2'-C1'	-10.84	92.83	101.50
26	BB	708	G	O4'-C1'-N9	10.83	116.86	108.20
26	BB	1158	C	C5-C6-N1	10.83	126.42	121.00
26	BB	1174	U	C1'-O4'-C4'	-10.83	101.23	109.90
26	BB	2397	G	N3-C4-C5	-10.83	123.18	128.60
26	BB	2751	G	N9-C4-C5	10.83	109.73	105.40
1	AA	1279	G	N7-C8-N9	10.83	118.52	113.10
26	BB	1238	G	C8-N9-C4	-10.83	102.07	106.40
1	AA	889	A	N1-C6-N6	-10.83	112.10	118.60
26	BB	789	A	N1-C2-N3	-10.83	123.89	129.30
26	BB	1735	A	N7-C8-N9	-10.82	108.39	113.80
1	AA	823	C	O4'-C1'-N1	10.82	116.86	108.20
26	BB	2807	U	N1-C2-O2	-10.82	115.22	122.80
26	BB	646	U	N1-C2-N3	10.82	121.39	114.90
26	BB	1288	G	N1-C6-O6	-10.82	113.41	119.90
26	BB	867	C	C6-N1-C2	10.82	124.63	120.30
26	BB	2798	U	C4-C5-C6	10.82	126.19	119.70
3	AC	51	C	O4'-C1'-N1	10.81	116.85	108.20
26	BB	411	G	C5-C6-O6	10.81	135.09	128.60
26	BB	1292	G	N3-C4-C5	-10.81	123.19	128.60
26	BB	1315	C	N1-C2-O2	10.81	125.39	118.90
26	BB	2379	G	C8-N9-C4	-10.81	102.07	106.40
25	BA	34	A	O4'-C1'-N9	10.81	116.85	108.20
26	BB	1659	G	N3-C4-C5	-10.81	123.20	128.60
26	BB	1901	A	C2-N3-C4	10.81	116.00	110.60
26	BB	1901	A	O4'-C1'-N9	10.81	116.85	108.20
26	BB	2521	C	N3-C4-C5	-10.81	117.58	121.90
26	BB	2107	G	C6-N1-C2	-10.81	118.62	125.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	317	U	C5-C4-O4	10.80	132.38	125.90
3	AC	56	G	N9-C4-C5	10.80	109.72	105.40
26	BB	191	A	C8-N9-C4	-10.80	101.48	105.80
26	BB	616	A	C4-C5-N7	-10.80	105.30	110.70
1	AA	1137	C	N3-C4-C5	-10.80	117.58	121.90
26	BB	1000	A	O4'-C1'-N9	10.80	116.84	108.20
26	BB	1888	G	O4'-C1'-N9	10.80	116.84	108.20
26	BB	2325	G	N3-C4-C5	-10.80	123.20	128.60
1	AA	1032	G	C2-N3-C4	-10.79	106.50	111.90
26	BB	1593	A	O4'-C1'-N9	10.80	116.84	108.20
26	BB	1970	A	C6-C5-N7	10.79	139.85	132.30
1	AA	473	U	O4'-C1'-N1	10.79	116.83	108.20
26	BB	1343	G	N3-C2-N2	-10.79	112.35	119.90
26	BB	2600	A	O4'-C1'-N9	10.79	116.83	108.20
26	BB	2830	C	N3-C4-C5	-10.79	117.58	121.90
26	BB	2173	A	N1-C2-N3	-10.79	123.91	129.30
1	AA	184	G	C8-N9-C4	-10.78	102.09	106.40
1	AA	1410	A	C8-N9-C4	-10.78	101.49	105.80
2	AB	75	C	C6-N1-C2	-10.78	115.99	120.30
26	BB	256	A	C4-C5-N7	-10.78	105.31	110.70
26	BB	870	U	O4'-C1'-N1	10.78	116.82	108.20
26	BB	1374	G	N1-C6-O6	10.78	126.37	119.90
1	AA	191	G	C6-C5-N7	-10.78	123.93	130.40
26	BB	432	A	C4-C5-N7	-10.78	105.31	110.70
26	BB	492	A	C6-N1-C2	10.78	125.07	118.60
26	BB	956	G	N3-C4-N9	10.78	132.47	126.00
26	BB	1814	G	C8-N9-C4	-10.78	102.09	106.40
26	BB	1152	C	C6-N1-C2	-10.78	115.99	120.30
26	BB	2655	G	N9-C4-C5	10.78	109.71	105.40
26	BB	2637	U	N3-C4-C5	-10.78	108.14	114.60
1	AA	122	G	N7-C8-N9	10.77	118.49	113.10
26	BB	117	G	N1-C2-N3	-10.77	117.44	123.90
26	BB	348	A	C4-C5-N7	-10.77	105.31	110.70
26	BB	513	A	C8-N9-C4	-10.77	101.49	105.80
26	BB	1560	G	C5-N7-C8	-10.77	98.91	104.30
26	BB	2121	G	N1-C6-O6	-10.77	113.44	119.90
26	BB	2193	G	N3-C4-N9	10.77	132.46	126.00
26	BB	2901	C	C6-N1-C2	-10.77	115.99	120.30
1	AA	497	G	P-O3'-C3'	10.77	132.62	119.70
25	BA	18	G	C2-N3-C4	10.77	117.28	111.90
1	AA	946	A	C8-N9-C4	-10.77	101.49	105.80
1	AA	49	U	O4'-C4'-C3'	10.77	114.77	104.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	639	G	C5-C6-O6	-10.77	122.14	128.60
1	AA	1091	U	O4'-C1'-N1	10.77	116.81	108.20
26	BB	497	A	N1-C6-N6	-10.77	112.14	118.60
26	BB	2392	A	C2-N3-C4	10.77	115.98	110.60
26	BB	2808	G	N9-C4-C5	10.77	109.71	105.40
26	BB	2824	C	N3-C4-N4	10.77	125.54	118.00
30	BF	85	PHE	CB-CG-CD2	-10.76	113.27	120.80
26	BB	2087	G	C8-N9-C4	-10.76	102.09	106.40
26	BB	1255	U	C3'-C2'-C1'	10.76	110.11	101.50
26	BB	1749	A	O4'-C1'-N9	10.76	116.81	108.20
26	BB	2408	U	O4'-C1'-N1	10.76	116.81	108.20
1	AA	755	G	C2-N3-C4	10.76	117.28	111.90
1	AA	239	U	C2-N3-C4	-10.76	120.55	127.00
25	BA	44	G	C6-N1-C2	-10.76	118.65	125.10
26	BB	821	A	C5-C6-N6	-10.76	115.09	123.70
26	BB	1555	G	C4-C5-N7	-10.75	106.50	110.80
26	BB	1094	U	C5-C6-N1	-10.75	117.32	122.70
26	BB	2322	A	C4'-C3'-C2'	-10.75	91.85	102.60
26	BB	2088	A	C8-N9-C4	-10.75	101.50	105.80
26	BB	1867	G	C5-C6-O6	-10.75	122.15	128.60
1	AA	13	U	N3-C4-C5	-10.74	108.15	114.60
1	AA	388	G	C2-N3-C4	10.74	117.27	111.90
26	BB	1840	G	N3-C4-C5	-10.74	123.23	128.60
26	BB	2751	G	C4-C5-N7	-10.74	106.50	110.80
26	BB	2752	C	O4'-C1'-N1	10.74	116.79	108.20
26	BB	2759	G	C8-N9-C4	-10.74	102.10	106.40
1	AA	711	G	C4-C5-C6	10.74	125.24	118.80
26	BB	2309	A	N1-C6-N6	10.74	125.04	118.60
1	AA	255	G	O4'-C1'-N9	10.73	116.79	108.20
1	AA	1440	U	N1-C2-N3	10.73	121.34	114.90
26	BB	2026	U	N1-C2-N3	10.73	121.34	114.90
26	BB	90	U	C5-C6-N1	-10.73	117.33	122.70
26	BB	1289	C	N3-C2-O2	-10.73	114.39	121.90
26	BB	1375	U	C5-C6-N1	10.73	128.07	122.70
1	AA	1126	U	N3-C4-O4	10.73	126.91	119.40
26	BB	1773	A	C8-N9-C4	-10.73	101.51	105.80
26	BB	1128	G	N3-C4-C5	-10.73	123.24	128.60
1	AA	578	C	C2-N3-C4	10.72	125.26	119.90
26	BB	1238	G	N1-C2-N3	-10.72	117.47	123.90
26	BB	2042	A	C2-N3-C4	10.72	115.96	110.60
1	AA	1059	C	C4-C5-C6	10.72	122.76	117.40
25	BA	119	A	O4'-C1'-N9	10.72	116.78	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	249	C	O4'-C1'-N1	10.72	116.78	108.20
26	BB	402	A	C8-N9-C4	-10.72	101.51	105.80
26	BB	1352	U	C5-C4-O4	10.72	132.34	125.90
26	BB	1292	G	N9-C4-C5	10.72	109.69	105.40
1	AA	397	A	C5-N7-C8	10.72	109.26	103.90
1	AA	1397	C	N1-C2-O2	10.72	125.33	118.90
26	BB	885	C	C6-N1-C2	-10.72	116.01	120.30
26	BB	1383	A	O4'-C1'-N9	10.72	116.77	108.20
26	BB	2748	A	C8-N9-C4	10.72	110.09	105.80
1	AA	157	U	O4'-C1'-N1	10.71	116.77	108.20
1	AA	429	U	N3-C2-O2	-10.71	114.70	122.20
1	AA	1438	G	N1-C6-O6	10.72	126.33	119.90
26	BB	2052	A	C8-N9-C4	-10.72	101.51	105.80
1	AA	711	G	C4-C5-N7	-10.71	106.52	110.80
1	AA	809	G	N3-C2-N2	10.71	127.40	119.90
1	AA	1020	G	N3-C4-C5	-10.71	123.25	128.60
3	AC	39	U	O4'-C1'-N1	10.71	116.77	108.20
26	BB	92	U	C5-C4-O4	-10.71	119.47	125.90
26	BB	515	A	C5-N7-C8	10.71	109.25	103.90
26	BB	1398	C	N1-C2-O2	10.71	125.32	118.90
1	AA	272	C	O4'-C1'-N1	10.71	116.77	108.20
1	AA	903	G	N3-C4-C5	-10.70	123.25	128.60
1	AA	1164	G	C8-N9-C4	-10.70	102.12	106.40
1	AA	1424	U	O4'-C1'-N1	10.70	116.76	108.20
1	AA	1492	A	C5'-C4'-O4'	10.70	121.94	109.10
6	AF	192	TYR	CB-CG-CD1	-10.70	114.58	121.00
26	BB	326	G	C6-C5-N7	-10.70	123.98	130.40
26	BB	1309	G	C5-C6-N1	10.70	116.85	111.50
25	BA	75	G	N1-C2-N3	-10.70	117.48	123.90
26	BB	1245	G	C2-N3-C4	10.70	117.25	111.90
26	BB	738	G	C8-N9-C4	-10.70	102.12	106.40
26	BB	1745	A	C3'-C2'-C1'	10.70	110.06	101.50
26	BB	1884	G	C4-C5-C6	10.70	125.22	118.80
26	BB	2038	G	N3-C2-N2	-10.70	112.41	119.90
26	BB	1822	C	N3-C4-N4	10.69	125.49	118.00
26	BB	1854	A	C4-C5-N7	10.69	116.05	110.70
1	AA	526	C	C2-N3-C4	-10.69	114.55	119.90
26	BB	954	G	N1-C2-N3	-10.69	117.48	123.90
26	BB	756	A	C8-N9-C4	-10.69	101.52	105.80
26	BB	1552	A	N1-C2-N3	-10.69	123.96	129.30
26	BB	2481	G	N7-C8-N9	10.69	118.44	113.10
26	BB	369	U	C1'-O4'-C4'	-10.69	101.35	109.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	77	A	O4'-C1'-N9	10.68	116.75	108.20
26	BB	1164	C	C6-N1-C2	10.68	124.57	120.30
26	BB	2018	G	N9-C4-C5	10.68	109.67	105.40
5	AE	20	ARG	NE-CZ-NH2	-10.68	114.96	120.30
25	BA	107	G	N3-C2-N2	10.68	127.38	119.90
26	BB	2405	G	C4-C5-N7	-10.68	106.53	110.80
26	BB	2649	C	C5-C4-N4	-10.68	112.72	120.20
1	AA	393	A	O4'-C1'-N9	10.68	116.74	108.20
26	BB	72	U	C4-C5-C6	10.68	126.11	119.70
1	AA	1080	A	N9-C4-C5	10.68	110.07	105.80
26	BB	1537	G	N7-C8-N9	10.67	118.44	113.10
26	BB	1799	G	O4'-C1'-N9	10.67	116.74	108.20
26	BB	1874	C	O4'-C1'-N1	10.67	116.74	108.20
26	BB	2708	G	O4'-C1'-N9	10.67	116.74	108.20
58	B7	4	ARG	NE-CZ-NH1	10.67	125.64	120.30
26	BB	820	A	N9-C4-C5	10.67	110.07	105.80
26	BB	2739	U	O4'-C1'-N1	10.67	116.74	108.20
26	BB	1299	G	N1-C6-O6	-10.67	113.50	119.90
26	BB	1587	G	N3-C4-N9	-10.67	119.60	126.00
26	BB	1896	G	C5-C6-N1	10.67	116.83	111.50
26	BB	2633	G	O4'-C1'-N9	10.67	116.73	108.20
1	AA	183	C	O4'-C1'-N1	10.66	116.73	108.20
26	BB	334	C	O4'-C1'-N1	10.66	116.73	108.20
26	BB	424	G	N3-C4-C5	-10.66	123.27	128.60
1	AA	1468	A	C3'-C2'-C1'	-10.66	92.97	101.50
25	BA	55	U	C4-C5-C6	10.66	126.10	119.70
26	BB	1134	A	C1'-O4'-C4'	-10.66	101.37	109.90
26	BB	1275	A	O4'-C1'-N9	10.66	116.73	108.20
26	BB	2282	G	N3-C4-C5	-10.66	123.27	128.60
26	BB	2895	G	C8-N9-C4	-10.66	102.14	106.40
1	AA	1151	A	C5-C6-N1	10.66	123.03	117.70
26	BB	2541	A	C1'-O4'-C4'	10.66	118.43	109.90
45	BU	25	ARG	NE-CZ-NH2	-10.66	114.97	120.30
25	BA	96	G	C8-N9-C4	-10.65	102.14	106.40
26	BB	2112	G	N3-C4-C5	-10.65	123.27	128.60
26	BB	2800	A	C2-N3-C4	10.65	115.93	110.60
1	AA	1112	C	N3-C4-C5	-10.65	117.64	121.90
5	AE	73	ARG	NE-CZ-NH2	-10.65	114.97	120.30
26	BB	1704	C	N1-C2-O2	10.65	125.29	118.90
26	BB	1758	U	N3-C2-O2	-10.65	114.74	122.20
26	BB	2004	G	C5-C6-N1	10.65	116.82	111.50
26	BB	224	U	O4'-C1'-N1	10.65	116.72	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1043	G	C2-N3-C4	10.64	117.22	111.90
26	BB	181	A	C8-N9-C4	10.64	110.06	105.80
26	BB	1200	C	N1-C2-O2	10.64	125.29	118.90
26	BB	2107	G	O4'-C1'-N9	10.64	116.72	108.20
1	AA	1253	G	N3-C4-C5	-10.64	123.28	128.60
2	AB	71	C	C2-N3-C4	10.64	125.22	119.90
26	BB	458	G	C8-N9-C4	-10.64	102.14	106.40
1	AA	713	G	C2-N3-C4	10.64	117.22	111.90
1	AA	952	U	N3-C4-O4	10.64	126.85	119.40
26	BB	2079	U	C5-C4-O4	-10.64	119.52	125.90
26	BB	1040	A	N1-C6-N6	-10.63	112.22	118.60
26	BB	1338	G	C5-C6-O6	-10.63	122.22	128.60
26	BB	2234	G	C8-N9-C4	-10.63	102.15	106.40
26	BB	2870	C	C2-N3-C4	10.63	125.22	119.90
1	AA	1533	C	O4'-C1'-N1	10.63	116.71	108.20
26	BB	1237	A	N9-C4-C5	10.63	110.05	105.80
18	AR	88	ARG	NE-CZ-NH2	-10.63	114.98	120.30
1	AA	477	C	N3-C2-O2	-10.63	114.46	121.90
26	BB	1053	C	C5-C4-N4	-10.62	112.76	120.20
26	BB	1472	C	C4'-C3'-C2'	-10.62	91.98	102.60
26	BB	1918	A	N1-C2-N3	-10.62	123.99	129.30
1	AA	534	U	C4-C5-C6	10.62	126.07	119.70
1	AA	600	A	N7-C8-N9	10.62	119.11	113.80
26	BB	2655	G	C4-C5-N7	-10.62	106.55	110.80
26	BB	1058	U	N3-C2-O2	-10.62	114.77	122.20
26	BB	1295	C	C2-N3-C4	-10.62	114.59	119.90
26	BB	2756	U	N3-C4-O4	10.62	126.83	119.40
36	BL	95	ARG	NE-CZ-NH1	10.62	125.61	120.30
1	AA	163	C	N3-C4-N4	10.62	125.43	118.00
2	AB	67	G	C4-C5-N7	-10.61	106.56	110.80
3	AC	30	U	O4'-C1'-N1	10.62	116.69	108.20
26	BB	380	G	C4-C5-N7	-10.61	106.55	110.80
26	BB	1099	G	C6-C5-N7	-10.61	124.03	130.40
26	BB	2277	G	C4-C5-N7	-10.62	106.55	110.80
1	AA	942	G	O4'-C1'-N9	10.61	116.69	108.20
26	BB	1888	G	C5-C6-O6	-10.61	122.23	128.60
26	BB	2715	C	C6-N1-C2	-10.61	116.06	120.30
1	AA	899	C	N3-C2-O2	-10.61	114.47	121.90
25	BA	17	C	N3-C4-C5	-10.61	117.66	121.90
26	BB	123	G	C4-C5-N7	-10.61	106.56	110.80
34	BJ	124	ARG	NE-CZ-NH1	10.61	125.60	120.30
25	BA	1	U	C2-N3-C4	-10.61	120.64	127.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2633	G	N9-C4-C5	10.61	109.64	105.40
26	BB	820	A	C8-N9-C4	-10.61	101.56	105.80
1	AA	364	A	O4'-C1'-N9	10.60	116.68	108.20
4	AD	22	A	O4'-C1'-N9	10.60	116.68	108.20
26	BB	2711	A	C5-C6-N6	-10.60	115.22	123.70
26	BB	385	C	N3-C4-N4	10.60	125.42	118.00
1	AA	420	U	C5-C6-N1	-10.59	117.40	122.70
26	BB	533	G	N3-C4-C5	-10.59	123.31	128.60
26	BB	1136	G	C8-N9-C4	-10.59	102.17	106.40
26	BB	1694	C	N1-C2-O2	10.59	125.25	118.90
26	BB	1041	G	N9-C4-C5	10.59	109.63	105.40
26	BB	2214	C	C2-N3-C4	10.59	125.19	119.90
26	BB	622	G	P-O3'-C3'	10.58	132.40	119.70
1	AA	743	A	O4'-C1'-N9	10.58	116.66	108.20
1	AA	846	G	C4-C5-N7	-10.58	106.57	110.80
1	AA	1165	U	C5-C6-N1	-10.58	117.41	122.70
25	BA	11	C	C3'-C2'-C1'	10.58	109.96	101.50
26	BB	1674	G	N9-C4-C5	-10.58	101.17	105.40
26	BB	1884	G	N9-C4-C5	10.58	109.63	105.40
26	BB	2311	A	N9-C4-C5	-10.58	101.57	105.80
26	BB	2635	A	N1-C2-N3	-10.58	124.01	129.30
26	BB	2763	G	C5-N7-C8	-10.58	99.01	104.30
26	BB	276	U	C5-C4-O4	10.58	132.25	125.90
1	AA	682	G	N7-C8-N9	10.57	118.39	113.10
26	BB	1194	A	C8-N9-C4	-10.57	101.57	105.80
26	BB	1582	C	O4'-C1'-N1	10.57	116.66	108.20
26	BB	1739	A	O4'-C1'-N9	10.57	116.66	108.20
1	AA	1328	C	C5-C6-N1	10.57	126.29	121.00
26	BB	1790	C	N1-C2-O2	10.57	125.24	118.90
1	AA	281	G	C3'-C2'-C1'	10.57	109.96	101.50
26	BB	484	C	N1-C2-O2	10.57	125.24	118.90
26	BB	508	A	C8-N9-C4	-10.57	101.57	105.80
39	BO	16	ARG	NE-CZ-NH1	10.57	125.58	120.30
26	BB	91	A	O4'-C1'-N9	10.57	116.66	108.20
26	BB	2785	C	C5-C4-N4	-10.57	112.80	120.20
26	BB	2340	A	N1-C6-N6	-10.57	112.26	118.60
1	AA	626	G	C4-C5-N7	10.56	115.03	110.80
26	BB	1029	A	C5'-C4'-O4'	10.56	121.78	109.10
26	BB	1933	G	C4'-C3'-C2'	-10.56	92.04	102.60
25	BA	19	C	O4'-C1'-N1	10.56	116.65	108.20
26	BB	309	A	C5-N7-C8	10.56	109.18	103.90
26	BB	1525	A	C8-N9-C4	-10.56	101.58	105.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	AB	7	G	C2-N3-C4	10.56	117.18	111.90
1	AA	1111	A	C4-C5-C6	-10.56	111.72	117.00
1	AA	1186	G	C2-N3-C4	10.56	117.18	111.90
1	AA	161	A	O4'-C1'-N9	10.56	116.64	108.20
26	BB	2370	G	O4'-C1'-N9	10.55	116.64	108.20
42	BR	87	ARG	NE-CZ-NH2	-10.55	115.02	120.30
1	AA	630	A	C8-N9-C4	-10.55	101.58	105.80
26	BB	340	A	C2-N3-C4	10.55	115.88	110.60
26	BB	2215	C	N3-C4-N4	10.55	125.39	118.00
1	AA	716	A	N9-C4-C5	10.55	110.02	105.80
26	BB	1262	A	C5'-C4'-O4'	10.55	121.76	109.10
26	BB	687	C	N3-C4-C5	-10.54	117.68	121.90
35	BK	95	ASP	CB-CG-OD1	-10.55	108.81	118.30
26	BB	2460	U	O4'-C1'-N1	10.54	116.63	108.20
1	AA	384	G	O4'-C1'-N9	10.54	116.63	108.20
26	BB	115	C	C5-C6-N1	10.54	126.27	121.00
26	BB	262	A	O4'-C1'-N9	10.54	116.64	108.20
26	BB	1040	A	C8-N9-C4	-10.54	101.58	105.80
56	B5	41	ARG	NE-CZ-NH2	10.54	125.57	120.30
1	AA	660	C	C6-N1-C2	-10.54	116.08	120.30
26	BB	533	G	O4'-C1'-N9	10.54	116.63	108.20
26	BB	1948	G	C5-C6-O6	10.54	134.92	128.60
6	AF	163	ARG	NE-CZ-NH2	-10.54	115.03	120.30
26	BB	1	G	N3-C4-N9	10.53	132.32	126.00
26	BB	1030	C	O4'-C1'-N1	10.54	116.63	108.20
26	BB	1208	C	O4'-C1'-N1	10.53	116.63	108.20
26	BB	2661	G	C5-C6-O6	-10.54	122.28	128.60
1	AA	271	C	C2-N3-C4	10.53	125.17	119.90
8	AH	111	ARG	NE-CZ-NH2	-10.53	115.03	120.30
26	BB	1571	A	N7-C8-N9	10.53	119.07	113.80
26	BB	1885	A	C2-N3-C4	10.53	115.87	110.60
26	BB	663	G	N3-C4-C5	-10.53	123.33	128.60
26	BB	1201	U	N3-C4-O4	10.53	126.77	119.40
26	BB	1303	G	N3-C4-C5	-10.53	123.33	128.60
26	BB	2142	A	N7-C8-N9	-10.53	108.53	113.80
26	BB	2844	G	C8-N9-C4	-10.53	102.19	106.40
26	BB	479	A	O4'-C1'-C2'	-10.53	95.27	105.80
26	BB	355	U	N3-C2-O2	-10.53	114.83	122.20
1	AA	604	G	N7-C8-N9	10.52	118.36	113.10
1	AA	1024	G	C4-C5-N7	-10.52	106.59	110.80
49	BY	40	ARG	NE-CZ-NH2	10.52	125.56	120.30
26	BB	1846	G	C4-C5-C6	10.52	125.11	118.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1652	A	N9-C4-C5	10.52	110.01	105.80
26	BB	1806	C	C6-N1-C2	-10.52	116.09	120.30
1	AA	831	A	C5-C6-N1	10.52	122.96	117.70
1	AA	883	C	N3-C2-O2	-10.52	114.54	121.90
25	BA	55	U	C5-C6-N1	-10.51	117.44	122.70
26	BB	1146	C	O4'-C1'-N1	10.51	116.61	108.20
26	BB	2041	U	N1-C2-O2	10.51	130.16	122.80
1	AA	1541	U	N1-C2-N3	10.51	121.21	114.90
26	BB	998	C	N3-C4-N4	10.51	125.36	118.00
26	BB	1166	G	C6-C5-N7	10.51	136.71	130.40
26	BB	1277	G	C4-C5-N7	10.51	115.00	110.80
26	BB	1871	A	C8-N9-C4	-10.51	101.60	105.80
1	AA	411	A	O4'-C1'-N9	10.51	116.61	108.20
1	AA	797	C	C2-N3-C4	10.51	125.15	119.90
1	AA	975	A	C8-N9-C4	-10.51	101.60	105.80
26	BB	748	G	O4'-C1'-N9	10.51	116.61	108.20
26	BB	874	G	N9-C4-C5	10.51	109.60	105.40
26	BB	420	C	C6-N1-C2	-10.50	116.10	120.30
26	BB	1935	G	N9-C4-C5	-10.50	101.20	105.40
26	BB	605	G	C4-C5-N7	-10.50	106.60	110.80
26	BB	1025	G	N9-C4-C5	10.50	109.60	105.40
26	BB	1710	G	N1-C2-N3	-10.50	117.60	123.90
1	AA	1172	C	N3-C4-N4	10.50	125.35	118.00
1	AA	1331	G	C6-N1-C2	10.50	131.40	125.10
26	BB	174	U	O4'-C1'-N1	10.50	116.60	108.20
25	BA	50	A	C8-N9-C4	-10.50	101.60	105.80
26	BB	550	C	C6-N1-C2	-10.50	116.10	120.30
1	AA	1035	A	O4'-C4'-C3'	10.50	114.50	104.00
1	AA	1140	C	O4'-C1'-N1	10.50	116.60	108.20
23	AW	59	ARG	NE-CZ-NH1	10.49	125.55	120.30
1	AA	560	A	O4'-C1'-N9	10.49	116.59	108.20
25	BA	77	U	C6-N1-C2	-10.49	114.70	121.00
1	AA	883	C	C6-N1-C2	-10.49	116.10	120.30
26	BB	575	A	C1'-O4'-C4'	-10.49	101.51	109.90
1	AA	260	G	N1-C6-O6	-10.49	113.61	119.90
1	AA	1521	C	N1-C2-O2	10.49	125.19	118.90
26	BB	554	U	O4'-C1'-N1	10.49	116.59	108.20
26	BB	2187	U	O4'-C1'-N1	10.48	116.58	108.20
26	BB	2550	G	N9-C4-C5	10.48	109.59	105.40
26	BB	1512	C	O4'-C1'-N1	10.48	116.58	108.20
1	AA	113	G	C2-N3-C4	10.48	117.14	111.90
1	AA	1089	G	N7-C8-N9	10.48	118.34	113.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	273	G	C8-N9-C4	-10.48	102.21	106.40
1	AA	1256	A	C2-N3-C4	10.47	115.84	110.60
26	BB	2621	G	N7-C8-N9	10.47	118.34	113.10
49	BY	54	ARG	NE-CZ-NH1	-10.47	115.06	120.30
26	BB	2677	G	O4'-C1'-N9	10.47	116.58	108.20
1	AA	381	C	C6-N1-C2	-10.47	116.11	120.30
4	AD	4	G	N3-C4-C5	-10.47	123.36	128.60
26	BB	426	C	N1-C2-O2	10.47	125.18	118.90
26	BB	1163	G	C5-C6-N1	-10.47	106.27	111.50
1	AA	749	A	C5-C6-N1	10.47	122.94	117.70
1	AA	1486	G	C5-C6-N1	10.47	116.73	111.50
26	BB	575	A	C8-N9-C4	-10.47	101.61	105.80
1	AA	121	U	O4'-C1'-N1	10.47	116.57	108.20
1	AA	1232	U	O4'-C1'-N1	10.47	116.57	108.20
25	BA	30	C	N3-C2-O2	-10.46	114.58	121.90
26	BB	1731	G	N1-C2-N2	10.46	125.62	116.20
26	BB	2360	G	N9-C4-C5	10.46	109.58	105.40
1	AA	1418	A	C5-N7-C8	10.46	109.13	103.90
26	BB	1387	A	C8-N9-C4	-10.46	101.62	105.80
26	BB	2505	G	N3-C4-C5	-10.46	123.37	128.60
1	AA	7	A	C4-C5-N7	-10.46	105.47	110.70
26	BB	1109	C	O4'-C1'-N1	10.46	116.57	108.20
26	BB	1201	U	O4'-C1'-N1	10.46	116.57	108.20
1	AA	691	G	N3-C4-C5	-10.46	123.37	128.60
1	AA	828	U	N1-C2-O2	10.46	130.12	122.80
26	BB	512	G	C8-N9-C4	-10.45	102.22	106.40
26	BB	923	G	C2-N3-C4	10.46	117.13	111.90
26	BB	2546	U	C6-N1-C2	-10.45	114.73	121.00
26	BB	652	U	C6-N1-C2	-10.45	114.73	121.00
26	BB	737	C	O4'-C1'-N1	10.45	116.56	108.20
26	BB	1878	G	C6-C5-N7	-10.45	124.13	130.40
26	BB	2134	A	C5-C6-N1	10.45	122.93	117.70
26	BB	2511	U	O4'-C1'-N1	10.45	116.56	108.20
1	AA	138	G	C4-C5-C6	10.45	125.07	118.80
26	BB	129	C	C5'-C4'-O4'	10.45	121.64	109.10
1	AA	258	G	O4'-C1'-N9	10.45	116.56	108.20
1	AA	821	G	N1-C6-O6	10.45	126.17	119.90
26	BB	1036	G	C5-C6-N1	10.45	116.72	111.50
26	BB	1694	C	C6-N1-C2	-10.45	116.12	120.30
26	BB	1903	G	N3-C4-C5	-10.45	123.38	128.60
1	AA	225	C	N1-C2-O2	10.45	125.17	118.90
1	AA	1142	G	C5-C6-N1	10.45	116.72	111.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1404	C	O4'-C1'-N1	10.45	116.56	108.20
2	AB	25	C	C5-C4-N4	10.45	127.51	120.20
26	BB	1023	U	C5-C4-O4	-10.45	119.63	125.90
26	BB	2108	A	C5-C6-N6	-10.45	115.34	123.70
26	BB	2196	C	C4-C5-C6	-10.44	112.18	117.40
26	BB	2402	U	O4'-C1'-C2'	-10.45	95.36	105.80
1	AA	364	A	C8-N9-C4	-10.44	101.62	105.80
26	BB	1239	G	C5'-C4'-O4'	10.44	121.63	109.10
26	BB	1450	G	N3-C4-C5	-10.44	123.38	128.60
26	BB	561	G	C8-N9-C4	-10.44	102.22	106.40
1	AA	783	C	N3-C4-C5	-10.44	117.72	121.90
26	BB	565	C	C4-C5-C6	-10.44	112.18	117.40
26	BB	1201	U	N1-C2-O2	10.44	130.11	122.80
1	AA	392	C	C5'-C4'-O4'	10.44	121.62	109.10
1	AA	784	A	N7-C8-N9	10.44	119.02	113.80
26	BB	2807	U	C5-C4-O4	-10.44	119.64	125.90
1	AA	1265	C	C6-N1-C2	10.44	124.47	120.30
1	AA	1366	C	C2-N3-C4	10.44	125.12	119.90
26	BB	730	A	N7-C8-N9	10.44	119.02	113.80
26	BB	2813	A	C5-C6-N1	10.44	122.92	117.70
1	AA	100	G	N3-C4-C5	-10.43	123.38	128.60
14	AN	121	ARG	NE-CZ-NH1	10.43	125.52	120.30
26	BB	1115	G	C2-N3-C4	10.43	117.12	111.90
26	BB	1627	G	N1-C6-O6	10.43	126.16	119.90
26	BB	2736	A	C5-C6-N1	10.43	122.92	117.70
1	AA	1254	A	C8-N9-C4	-10.43	101.63	105.80
26	BB	2281	A	O4'-C1'-N9	10.43	116.54	108.20
1	AA	844	G	N3-C4-C5	-10.43	123.39	128.60
1	AA	857	C	C5-C4-N4	-10.43	112.90	120.20
1	AA	1108	G	C4-C5-N7	-10.43	106.63	110.80
26	BB	938	G	N9-C1'-C2'	-10.43	100.45	114.00
1	AA	332	G	C5-N7-C8	10.42	109.51	104.30
26	BB	1262	A	O4'-C1'-N9	10.42	116.54	108.20
26	BB	2512	C	O4'-C1'-N1	10.42	116.54	108.20
26	BB	2848	G	C6-C5-N7	-10.42	124.15	130.40
26	BB	412	A	O4'-C1'-N9	10.42	116.54	108.20
26	BB	703	U	O4'-C1'-N1	10.42	116.54	108.20
26	BB	2834	G	C6-C5-N7	-10.42	124.15	130.40
25	BA	17	C	C2-N3-C4	10.42	125.11	119.90
26	BB	1341	G	O4'-C1'-N9	10.42	116.53	108.20
26	BB	2250	G	C5-C6-N1	10.42	116.71	111.50
25	BA	99	A	N9-C4-C5	10.42	109.97	105.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1482	G	C2-N3-C4	10.42	117.11	111.90
25	BA	51	G	C2-N3-C4	10.42	117.11	111.90
26	BB	1549	A	O4'-C1'-N9	10.42	116.53	108.20
26	BB	2012	G	N7-C8-N9	10.42	118.31	113.10
1	AA	1396	A	N1-C2-N3	-10.41	124.09	129.30
26	BB	2847	U	N3-C4-C5	-10.41	108.35	114.60
1	AA	562	U	C5-C4-O4	-10.41	119.65	125.90
1	AA	882	C	C4'-C3'-C2'	-10.41	92.19	102.60
26	BB	889	C	C2-N3-C4	10.41	125.11	119.90
1	AA	103	U	C5-C4-O4	10.41	132.15	125.90
1	AA	1426	G	C4-C5-N7	10.41	114.96	110.80
26	BB	702	U	C5-C6-N1	-10.41	117.50	122.70
2	AB	59	G	C4-C5-C6	10.41	125.05	118.80
26	BB	2521	C	N1-C2-O2	10.41	125.14	118.90
26	BB	2157	G	C5'-C4'-O4'	10.40	121.59	109.10
1	AA	750	C	C2-N3-C4	10.40	125.10	119.90
2	AB	76	A	C8-N9-C4	-10.40	101.64	105.80
26	BB	952	G	C5-N7-C8	10.40	109.50	104.30
26	BB	1026	G	C8-N9-C4	-10.40	102.24	106.40
26	BB	1662	U	C4-C5-C6	10.40	125.94	119.70
26	BB	2035	G	C4-C5-N7	-10.40	106.64	110.80
26	BB	2583	G	C2-N3-C4	10.40	117.10	111.90
26	BB	2032	G	C6-C5-N7	-10.40	124.16	130.40
26	BB	2109	U	C6-N1-C2	-10.40	114.76	121.00
26	BB	2770	G	C4-C5-N7	-10.40	106.64	110.80
1	AA	351	G	N1-C6-O6	-10.40	113.66	119.90
2	AB	56	C	C5-C4-N4	-10.40	112.92	120.20
26	BB	1503	A	C8-N9-C4	-10.40	101.64	105.80
26	BB	2041	U	N3-C2-O2	-10.40	114.92	122.20
26	BB	1459	G	O4'-C1'-N9	10.40	116.52	108.20
26	BB	1626	A	O4'-C1'-N9	10.40	116.52	108.20
26	BB	2184	A	C4-C5-N7	10.40	115.90	110.70
1	AA	412	A	C4-C5-N7	10.39	115.90	110.70
4	AD	75	C	O4'-C1'-N1	10.39	116.52	108.20
26	BB	2099	U	O4'-C1'-N1	10.39	116.52	108.20
26	BB	2304	G	C6-N1-C2	-10.39	118.86	125.10
26	BB	787	C	C4-C5-C6	10.39	122.59	117.40
26	BB	1685	C	N3-C4-N4	10.39	125.27	118.00
1	AA	993	G	C8-N9-C4	10.39	110.56	106.40
26	BB	724	U	O4'-C1'-N1	10.39	116.51	108.20
26	BB	993	G	N7-C8-N9	10.39	118.30	113.10
26	BB	2723	C	N3-C4-N4	10.39	125.27	118.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	282	A	N7-C8-N9	10.38	118.99	113.80
26	BB	268	C	N3-C4-C5	-10.39	117.75	121.90
26	BB	1322	A	C5-C6-N1	10.38	122.89	117.70
26	BB	1370	C	C6-N1-C2	-10.38	116.15	120.30
1	AA	170	U	C5-C4-O4	-10.38	119.67	125.90
1	AA	202	G	N7-C8-N9	10.38	118.29	113.10
1	AA	876	C	N1-C2-O2	10.38	125.13	118.90
1	AA	1139	G	O4'-C1'-N9	10.38	116.51	108.20
26	BB	2536	G	N9-C4-C5	10.38	109.55	105.40
1	AA	725	G	N9-C4-C5	10.38	109.55	105.40
26	BB	205	G	N3-C4-C5	-10.38	123.41	128.60
26	BB	272	A	C8-N9-C4	-10.38	101.65	105.80
26	BB	1776	G	N9-C4-C5	-10.38	101.25	105.40
26	BB	453	A	C4-C5-N7	-10.38	105.51	110.70
26	BB	2242	G	N3-C4-C5	-10.38	123.41	128.60
1	AA	1361	G	C8-N9-C4	-10.38	102.25	106.40
26	BB	2669	G	C4-C5-N7	-10.38	106.65	110.80
1	AA	1467	C	C6-N1-C2	-10.37	116.15	120.30
26	BB	1570	A	C2-N3-C4	10.38	115.79	110.60
26	BB	2753	A	C8-N9-C4	-10.38	101.65	105.80
1	AA	404	G	N3-C4-N9	10.37	132.22	126.00
26	BB	869	G	C5-C6-O6	-10.37	122.38	128.60
5	AE	138	ARG	NE-CZ-NH1	10.37	125.49	120.30
1	AA	737	C	N3-C4-C5	-10.37	117.75	121.90
2	AB	13	C	O4'-C1'-N1	10.37	116.50	108.20
25	BA	89	U	O4'-C1'-N1	10.37	116.50	108.20
38	BN	59	ARG	NE-CZ-NH2	10.37	125.48	120.30
1	AA	832	G	C4-C5-N7	-10.37	106.65	110.80
1	AA	309	A	C1'-O4'-C4'	-10.37	101.61	109.90
26	BB	393	C	N3-C4-C5	-10.36	117.75	121.90
26	BB	2885	G	N9-C4-C5	10.37	109.55	105.40
26	BB	491	G	N3-C4-C5	-10.36	123.42	128.60
26	BB	1002	G	C4-C5-N7	-10.36	106.66	110.80
26	BB	1614	A	C5-N7-C8	-10.36	98.72	103.90
1	AA	1304	G	C5-N7-C8	-10.36	99.12	104.30
26	BB	128	C	C5-C4-N4	-10.36	112.95	120.20
26	BB	1093	G	C5-C6-N1	10.36	116.68	111.50
26	BB	2837	A	C5-C6-N6	-10.36	115.41	123.70
1	AA	72	A	N9-C4-C5	10.36	109.94	105.80
1	AA	812	G	N3-C4-C5	-10.36	123.42	128.60
26	BB	2141	G	C4-C5-N7	-10.36	106.66	110.80
26	BB	2777	G	N3-C4-C5	-10.36	123.42	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2793	C	C5-C4-N4	-10.36	112.95	120.20
26	BB	347	A	C2-N3-C4	10.36	115.78	110.60
1	AA	1412	C	C5-C4-N4	-10.35	112.95	120.20
26	BB	1687	G	N3-C4-C5	-10.35	123.42	128.60
1	AA	125	U	N3-C4-C5	-10.35	108.39	114.60
1	AA	1523	G	C2-N3-C4	10.35	117.08	111.90
2	AB	7	G	N3-C2-N2	10.35	127.15	119.90
1	AA	1054	C	O4'-C1'-N1	10.35	116.48	108.20
26	BB	277	G	O4'-C1'-N9	10.35	116.48	108.20
26	BB	1625	C	O4'-C1'-N1	10.35	116.48	108.20
26	BB	1852	U	C4-C5-C6	10.35	125.91	119.70
1	AA	1059	C	O4'-C1'-N1	10.35	116.48	108.20
26	BB	1865	U	N1-C2-N3	10.34	121.11	114.90
26	BB	309	A	C4-C5-C6	10.34	122.17	117.00
26	BB	2234	G	C5-N7-C8	-10.34	99.13	104.30
26	BB	2822	G	C5-C6-N1	10.34	116.67	111.50
1	AA	222	C	N3-C4-C5	10.34	126.03	121.90
1	AA	596	A	N3-C4-C5	-10.34	119.56	126.80
26	BB	547	A	O4'-C1'-N9	10.34	116.47	108.20
26	BB	1053	C	C6-N1-C2	-10.34	116.17	120.30
26	BB	1131	G	N9-C4-C5	10.34	109.53	105.40
1	AA	184	G	C1'-O4'-C4'	-10.34	101.63	109.90
1	AA	1230	C	N1-C2-O2	10.34	125.10	118.90
26	BB	1768	C	C3'-C2'-C1'	10.33	109.77	101.50
26	BB	2689	U	C5-C6-N1	-10.33	117.53	122.70
13	AM	62	ARG	NE-CZ-NH2	-10.33	115.13	120.30
26	BB	227	A	C4-C5-C6	10.33	122.17	117.00
1	AA	299	G	O4'-C1'-N9	10.33	116.47	108.20
1	AA	669	G	O4'-C1'-N9	10.33	116.46	108.20
1	AA	795	C	N1-C2-O2	10.33	125.10	118.90
26	BB	1166	G	C4-C5-N7	-10.33	106.67	110.80
26	BB	1528	A	C2-N3-C4	10.33	115.77	110.60
1	AA	503	C	N3-C2-O2	-10.33	114.67	121.90
1	AA	587	G	C5-C6-N1	10.33	116.66	111.50
1	AA	1190	G	C5-C6-N1	10.33	116.66	111.50
26	BB	281	C	C5-C6-N1	10.33	126.16	121.00
26	BB	555	G	C6-C5-N7	-10.33	124.20	130.40
1	AA	240	G	N1-C2-N3	10.32	130.09	123.90
26	BB	1832	C	N3-C4-N4	10.32	125.23	118.00
1	AA	169	C	N3-C4-C5	-10.32	117.77	121.90
26	BB	421	C	N3-C4-C5	-10.32	117.77	121.90
26	BB	1524	G	C4-C5-N7	10.32	114.93	110.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
30	BF	40	ARG	NE-CZ-NH1	10.32	125.46	120.30
26	BB	1603	A	N9-C4-C5	-10.32	101.67	105.80
1	AA	993	G	C4-C5-N7	10.32	114.93	110.80
26	BB	1521	G	C8-N9-C4	-10.32	102.27	106.40
26	BB	2502	G	C4-C5-N7	10.32	114.93	110.80
26	BB	1362	C	C2-N3-C4	10.32	125.06	119.90
26	BB	2476	A	N7-C8-N9	10.32	118.96	113.80
26	BB	2630	G	C6-N1-C2	-10.32	118.91	125.10
25	BA	17	C	C6-N1-C2	-10.32	116.17	120.30
26	BB	697	G	C8-N9-C4	-10.32	102.27	106.40
26	BB	1521	G	N7-C8-N9	10.32	118.26	113.10
26	BB	2453	A	C6-C5-N7	10.32	139.52	132.30
26	BB	2535	G	O4'-C1'-N9	10.32	116.45	108.20
1	AA	470	C	O4'-C4'-C3'	10.31	114.35	106.10
1	AA	651	C	N3-C4-C5	-10.31	117.78	121.90
1	AA	896	C	C5-C6-N1	-10.31	115.84	121.00
1	AA	1259	C	N3-C4-C5	-10.31	117.78	121.90
26	BB	744	U	O4'-C1'-N1	10.31	116.45	108.20
26	BB	2765	A	N7-C8-N9	10.31	118.96	113.80
1	AA	245	U	N1-C2-N3	10.31	121.09	114.90
1	AA	524	G	C8-N9-C4	-10.31	102.28	106.40
1	AA	1492	A	C8-N9-C4	-10.31	101.67	105.80
1	AA	396	C	N3-C2-O2	-10.31	114.68	121.90
4	AD	74	A	C5-N7-C8	-10.31	98.75	103.90
26	BB	235	U	N3-C2-O2	-10.31	114.98	122.20
2	AB	47	U	N3-C2-O2	-10.31	114.98	122.20
26	BB	2440	C	P-O3'-C3'	10.31	132.07	119.70
26	BB	286	U	O4'-C1'-N1	10.30	116.44	108.20
26	BB	1363	C	N3-C4-N4	10.30	125.21	118.00
26	BB	2131	U	C2-N3-C4	-10.30	120.82	127.00
26	BB	2162	G	C5-N7-C8	-10.30	99.15	104.30
1	AA	420	U	C4'-C3'-C2'	-10.30	92.30	102.60
26	BB	1817	G	N3-C4-N9	10.30	132.18	126.00
2	AB	35	C	C6-N1-C2	10.29	124.42	120.30
25	BA	61	G	N1-C6-O6	10.29	126.08	119.90
26	BB	856	G	C2-N3-C4	10.29	117.05	111.90
26	BB	1336	A	C2-N3-C4	10.29	115.75	110.60
26	BB	1649	G	N3-C4-N9	-10.29	119.82	126.00
26	BB	2041	U	O4'-C1'-N1	10.29	116.44	108.20
26	BB	1281	G	N3-C4-C5	-10.29	123.45	128.60
26	BB	1376	C	C5-C6-N1	-10.29	115.86	121.00
26	BB	1673	G	N9-C4-C5	10.29	109.52	105.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	773	G	O4'-C1'-N9	10.29	116.43	108.20
26	BB	2302	U	C4-C5-C6	10.29	125.87	119.70
38	BN	69	ARG	NE-CZ-NH2	-10.29	115.16	120.30
26	BB	218	A	O4'-C1'-N9	10.29	116.43	108.20
26	BB	2670	A	N1-C6-N6	-10.29	112.43	118.60
26	BB	2429	G	C4-C5-N7	-10.29	106.69	110.80
1	AA	16	A	O4'-C1'-N9	10.28	116.43	108.20
1	AA	1387	G	C6-N1-C2	-10.29	118.93	125.10
26	BB	838	C	N1-C2-O2	10.28	125.07	118.90
1	AA	31	G	N9-C4-C5	10.28	109.51	105.40
1	AA	839	C	C5-C4-N4	10.28	127.40	120.20
26	BB	117	G	C5-C6-N1	-10.28	106.36	111.50
26	BB	785	G	O4'-C1'-N9	10.28	116.42	108.20
1	AA	176	C	O4'-C1'-N1	10.28	116.42	108.20
26	BB	200	U	C2-N3-C4	-10.28	120.83	127.00
26	BB	308	G	C8-N9-C4	-10.28	102.29	106.40
26	BB	891	G	C4-C5-N7	-10.28	106.69	110.80
26	BB	931	U	N3-C2-O2	-10.28	115.00	122.20
26	BB	1664	A	C6-C5-N7	-10.28	125.10	132.30
1	AA	215	C	C6-N1-C2	-10.28	116.19	120.30
10	AJ	4	ARG	NE-CZ-NH1	10.28	125.44	120.30
26	BB	1529	G	N1-C6-O6	10.28	126.07	119.90
26	BB	1666	G	C8-N9-C4	-10.28	102.29	106.40
1	AA	1430	A	C8-N9-C4	-10.28	101.69	105.80
1	AA	352	C	N1-C2-O2	10.28	125.06	118.90
1	AA	1027	C	C5-C4-N4	-10.28	113.01	120.20
26	BB	1395	A	N1-C2-N3	-10.28	124.16	129.30
26	BB	2357	G	N3-C4-C5	-10.28	123.46	128.60
1	AA	550	G	O4'-C1'-N9	10.27	116.42	108.20
1	AA	1379	G	C8-N9-C4	-10.27	102.29	106.40
2	AB	63	C	O4'-C1'-N1	10.27	116.42	108.20
25	BA	71	C	N3-C4-C5	-10.27	117.79	121.90
26	BB	1973	G	C2-N3-C4	10.27	117.04	111.90
37	BM	64	ARG	NE-CZ-NH2	10.27	125.44	120.30
26	BB	2579	C	C1'-O4'-C4'	-10.27	101.68	109.90
4	AD	72	C	C4-C5-C6	-10.27	112.27	117.40
26	BB	211	C	C6-N1-C2	-10.27	116.19	120.30
26	BB	2541	A	C5'-C4'-O4'	10.27	121.42	109.10
26	BB	2862	G	C6-C5-N7	-10.27	124.24	130.40
1	AA	772	U	O4'-C1'-N1	10.27	116.41	108.20
26	BB	156	A	O4'-C1'-N9	10.27	116.41	108.20
26	BB	2057	G	C6-C5-N7	-10.27	124.24	130.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1655	A	O4'-C1'-N9	10.27	116.41	108.20
1	AA	774	G	C5-C6-O6	-10.26	122.44	128.60
1	AA	1242	G	N9-C4-C5	-10.26	101.29	105.40
26	BB	2061	G	N3-C4-N9	-10.26	119.84	126.00
37	BM	49	ARG	NE-CZ-NH2	10.26	125.43	120.30
1	AA	210	C	C5-C4-N4	-10.26	113.02	120.20
1	AA	336	A	N9-C4-C5	10.26	109.90	105.80
2	AB	53	G	C5-N7-C8	10.26	109.43	104.30
1	AA	649	A	C4-C5-C6	-10.26	111.87	117.00
1	AA	803	G	C4-C5-N7	-10.26	106.70	110.80
26	BB	2481	G	O4'-C1'-N9	10.26	116.41	108.20
26	BB	2492	U	O4'-C1'-N1	10.26	116.41	108.20
26	BB	205	G	O4'-C1'-N9	10.26	116.41	108.20
26	BB	1411	U	O4'-C1'-N1	10.26	116.41	108.20
26	BB	2275	C	N1-C2-O2	10.26	125.05	118.90
26	BB	2668	G	C5-N7-C8	-10.26	99.17	104.30
26	BB	2192	U	C4-C5-C6	10.25	125.85	119.70
1	AA	622	A	N3-C4-N9	-10.25	119.20	127.40
1	AA	1298	U	C5-C6-N1	-10.25	117.57	122.70
25	BA	32	U	O4'-C1'-N1	10.25	116.40	108.20
26	BB	2448	A	N7-C8-N9	10.25	118.93	113.80
1	AA	604	G	N9-C4-C5	10.25	109.50	105.40
1	AA	933	G	N3-C4-N9	10.25	132.15	126.00
25	BA	27	C	N3-C4-C5	-10.25	117.80	121.90
1	AA	699	C	N1-C2-O2	10.25	125.05	118.90
1	AA	828	U	O4'-C1'-N1	10.25	116.40	108.20
1	AA	1173	U	N3-C4-C5	-10.24	108.45	114.60
2	AB	22	G	N3-C4-C5	-10.24	123.48	128.60
4	AD	53	G	C8-N9-C4	-10.24	102.30	106.40
26	BB	2536	G	C4-C5-C6	10.24	124.95	118.80
1	AA	204	G	C4-C5-N7	-10.24	106.70	110.80
1	AA	960	U	O4'-C1'-N1	10.24	116.39	108.20
1	AA	557	G	O4'-C1'-N9	10.24	116.39	108.20
26	BB	68	G	O4'-C1'-N9	10.24	116.39	108.20
26	BB	2277	G	N9-C4-C5	10.24	109.50	105.40
26	BB	375	G	C2-N3-C4	10.24	117.02	111.90
26	BB	1678	A	N7-C8-N9	10.24	118.92	113.80
26	BB	1995	U	N3-C2-O2	-10.24	115.03	122.20
26	BB	2858	C	O4'-C1'-N1	10.24	116.39	108.20
26	BB	712	G	C5-C6-N1	10.23	116.62	111.50
26	BB	1116	G	N3-C4-C5	-10.23	123.48	128.60
26	BB	2232	C	N3-C4-C5	10.23	125.99	121.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	106	C	O4'-C1'-N1	10.23	116.38	108.20
26	BB	2554	U	C4'-C3'-C2'	-10.23	92.37	102.60
1	AA	1537	U	C5-C4-O4	-10.23	119.76	125.90
2	AB	65	C	C5-C6-N1	10.23	126.11	121.00
26	BB	411	G	C8-N9-C4	-10.23	102.31	106.40
26	BB	1790	C	N3-C4-N4	10.23	125.16	118.00
26	BB	1888	G	C5-C6-N1	10.23	116.61	111.50
26	BB	391	A	O4'-C1'-N9	10.23	116.38	108.20
26	BB	2018	G	N7-C8-N9	10.23	118.21	113.10
26	BB	2139	U	C5'-C4'-C3'	-10.23	99.64	116.00
26	BB	2163	A	C1'-O4'-C4'	-10.23	101.72	109.90
1	AA	1200	C	N3-C4-C5	-10.22	117.81	121.90
26	BB	156	A	N9-C4-C5	10.22	109.89	105.80
26	BB	279	A	N1-C2-N3	-10.22	124.19	129.30
26	BB	451	U	C5-C6-N1	-10.22	117.59	122.70
26	BB	1986	C	N3-C4-C5	-10.22	117.81	121.90
26	BB	2563	U	N3-C2-O2	-10.22	115.04	122.20
26	BB	683	U	O4'-C1'-N1	10.22	116.38	108.20
1	AA	475	C	N1-C2-O2	10.22	125.03	118.90
1	AA	1483	A	C3'-C2'-C1'	-10.22	93.33	101.50
26	BB	36	G	C2-N3-C4	10.22	117.01	111.90
26	BB	1186	G	N1-C6-O6	-10.21	113.77	119.90
1	AA	41	G	C5-N7-C8	10.21	109.41	104.30
1	AA	1398	A	C8-N9-C4	-10.21	101.72	105.80
26	BB	2474	U	C5-C6-N1	-10.21	117.59	122.70
4	AD	70	C	O4'-C1'-N1	10.21	116.37	108.20
26	BB	205	G	C2-N3-C4	10.21	117.01	111.90
26	BB	495	G	N9-C4-C5	10.21	109.48	105.40
26	BB	722	A	C1'-O4'-C4'	10.21	118.07	109.90
26	BB	2112	G	C2-N3-C4	10.21	117.00	111.90
26	BB	2824	C	C5-C4-N4	-10.21	113.05	120.20
1	AA	1501	C	C2-N3-C4	10.21	125.00	119.90
24	AX	20	ARG	NE-CZ-NH1	10.21	125.40	120.30
25	BA	97	C	N3-C2-O2	-10.21	114.75	121.90
26	BB	167	A	N7-C8-N9	10.21	118.91	113.80
26	BB	1557	C	C5-C4-N4	-10.21	113.05	120.20
26	BB	89	A	N1-C2-N3	-10.21	124.20	129.30
26	BB	1787	A	C4-C5-N7	-10.21	105.60	110.70
1	AA	395	C	C6-N1-C2	-10.20	116.22	120.30
1	AA	1396	A	O4'-C1'-N9	10.20	116.36	108.20
26	BB	159	G	C8-N9-C4	-10.21	102.32	106.40
26	BB	2076	U	C5-C6-N1	-10.21	117.60	122.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	766	A	C5-N7-C8	-10.20	98.80	103.90
26	BB	1440	U	N3-C2-O2	-10.20	115.06	122.20
1	AA	521	G	C5-C6-N1	10.20	116.60	111.50
26	BB	715	A	N1-C6-N6	-10.20	112.48	118.60
42	BR	108	ARG	NE-CZ-NH1	-10.20	115.20	120.30
1	AA	1356	G	O4'-C1'-N9	10.20	116.36	108.20
26	BB	2008	C	N3-C4-C5	-10.20	117.82	121.90
26	BB	500	G	C5-N7-C8	-10.20	99.20	104.30
26	BB	2867	G	N3-C4-C5	-10.20	123.50	128.60
1	AA	818	G	C2-N3-C4	10.20	117.00	111.90
26	BB	2694	G	O4'-C1'-N9	10.20	116.36	108.20
26	BB	2850	A	C5-N7-C8	10.19	109.00	103.90
26	BB	1259	G	C1'-O4'-C4'	-10.19	101.75	109.90
26	BB	1614	A	C5-C6-N1	10.19	122.80	117.70
26	BB	2688	G	C4-C5-C6	10.19	124.91	118.80
1	AA	696	A	C2-N3-C4	10.19	115.69	110.60
1	AA	838	G	N3-C4-N9	-10.19	119.89	126.00
1	AA	1240	U	C4-C5-C6	-10.19	113.59	119.70
4	AD	48	U	N3-C4-C5	-10.19	108.49	114.60
1	AA	220	G	N3-C4-C5	-10.19	123.51	128.60
26	BB	1796	U	C4'-C3'-C2'	-10.19	92.41	102.60
1	AA	1365	G	N3-C4-N9	-10.18	119.89	126.00
26	BB	193	U	O4'-C1'-N1	10.18	116.34	108.20
26	BB	444	C	N1-C1'-C2'	-10.18	100.76	114.00
26	BB	717	C	N3-C4-C5	10.18	125.97	121.90
26	BB	1116	G	O4'-C1'-N9	10.18	116.34	108.20
26	BB	120	U	N1-C2-N3	10.18	121.01	114.90
26	BB	1368	G	N3-C4-C5	-10.18	123.51	128.60
26	BB	1815	A	O4'-C1'-N9	10.18	116.34	108.20
1	AA	352	C	N3-C4-C5	10.18	125.97	121.90
1	AA	482	A	O4'-C1'-N9	10.18	116.34	108.20
26	BB	558	U	C5-C4-O4	-10.18	119.80	125.90
1	AA	107	G	N3-C4-C5	-10.17	123.51	128.60
26	BB	1081	U	O4'-C1'-N1	10.17	116.34	108.20
26	BB	1888	G	C6-N1-C2	-10.17	119.00	125.10
26	BB	2051	A	C2-N3-C4	10.17	115.69	110.60
1	AA	29	U	C5-C6-N1	-10.17	117.61	122.70
1	AA	733	G	C8-N9-C4	-10.17	102.33	106.40
1	AA	1000	A	O4'-C1'-N9	10.17	116.34	108.20
26	BB	1234	U	O4'-C1'-N1	10.17	116.34	108.20
1	AA	1193	G	N1-C2-N2	10.17	125.35	116.20
1	AA	639	G	N9-C4-C5	10.17	109.47	105.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1148	U	O4'-C1'-N1	10.17	116.33	108.20
4	AD	42	C	C2-N3-C4	10.17	124.98	119.90
26	BB	1869	G	N7-C8-N9	10.17	118.18	113.10
1	AA	793	U	C5-C4-O4	-10.16	119.80	125.90
26	BB	2099	U	C5-C4-O4	10.16	132.00	125.90
26	BB	2293	G	C4-C5-N7	-10.16	106.73	110.80
1	AA	351	G	N7-C8-N9	10.16	118.18	113.10
1	AA	1477	U	C5-C6-N1	-10.16	117.62	122.70
2	AB	35	C	N3-C4-C5	10.16	125.96	121.90
26	BB	1268	A	N9-C4-C5	-10.16	101.73	105.80
26	BB	1869	G	C8-N9-C4	-10.16	102.34	106.40
26	BB	2342	C	N3-C2-O2	-10.16	114.79	121.90
26	BB	2725	A	C3'-C2'-C1'	10.16	109.62	101.50
26	BB	1873	G	C5-C6-O6	-10.15	122.51	128.60
1	AA	73	C	O4'-C1'-N1	10.15	116.32	108.20
18	AR	63	ARG	NE-CZ-NH2	10.15	125.38	120.30
26	BB	1171	G	C8-N9-C4	-10.15	102.34	106.40
1	AA	198	G	N3-C4-C5	-10.15	123.53	128.60
1	AA	422	C	O4'-C1'-N1	10.15	116.32	108.20
1	AA	669	G	C5-C6-N1	10.15	116.57	111.50
26	BB	1470	A	N9-C4-C5	-10.15	101.74	105.80
26	BB	1299	G	C5-C6-O6	10.15	134.69	128.60
26	BB	1537	G	O4'-C1'-N9	10.15	116.32	108.20
26	BB	2523	G	C6-C5-N7	-10.15	124.31	130.40
1	AA	392	C	O4'-C1'-N1	10.14	116.32	108.20
1	AA	267	C	C3'-C2'-C1'	10.14	109.61	101.50
1	AA	919	A	C2-N3-C4	-10.14	105.53	110.60
25	BA	78	A	C5-C6-N6	-10.14	115.59	123.70
26	BB	727	A	C4-C5-N7	-10.14	105.63	110.70
26	BB	1142	A	N1-C6-N6	10.14	124.68	118.60
26	BB	1252	G	C8-N9-C4	-10.14	102.34	106.40
26	BB	1623	G	N9-C4-C5	10.14	109.46	105.40
26	BB	1850	G	N3-C4-N9	10.14	132.09	126.00
26	BB	2417	C	O4'-C1'-N1	10.14	116.31	108.20
30	BF	102	ARG	NE-CZ-NH2	-10.14	115.23	120.30
1	AA	135	C	C1'-O4'-C4'	-10.13	101.79	109.90
1	AA	855	U	O4'-C1'-N1	10.14	116.31	108.20
1	AA	1298	U	C4-C5-C6	10.14	125.78	119.70
1	AA	1410	A	N9-C4-C5	10.13	109.85	105.80
26	BB	2603	G	C5'-C4'-O4'	10.13	121.26	109.10
26	BB	473	G	N7-C8-N9	10.13	118.17	113.10
26	BB	2774	C	O4'-C1'-N1	10.13	116.31	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
34	BJ	137	ARG	NE-CZ-NH1	10.13	125.37	120.30
1	AA	127	G	O4'-C1'-N9	10.13	116.30	108.20
1	AA	1160	G	C2-N3-C4	10.13	116.97	111.90
26	BB	2656	U	N3-C4-O4	10.13	126.49	119.40
3	AC	49	U	C5-C6-N1	-10.13	117.64	122.70
26	BB	2326	C	C5-C6-N1	10.13	126.06	121.00
1	AA	1160	G	C5-C6-N1	10.13	116.56	111.50
26	BB	90	U	O4'-C1'-N1	10.13	116.30	108.20
26	BB	524	G	N3-C4-C5	-10.13	123.54	128.60
26	BB	1110	G	N9-C4-C5	10.13	109.45	105.40
26	BB	1569	A	N7-C8-N9	-10.13	108.74	113.80
1	AA	803	G	N3-C4-C5	-10.12	123.54	128.60
1	AA	1236	A	N9-C4-C5	-10.13	101.75	105.80
26	BB	1216	G	C5-N7-C8	-10.12	99.24	104.30
26	BB	1591	A	C6-N1-C2	10.12	124.67	118.60
26	BB	490	C	O4'-C1'-N1	10.12	116.30	108.20
26	BB	820	A	O4'-C1'-N9	10.12	116.30	108.20
26	BB	1731	G	N3-C4-C5	-10.12	123.54	128.60
26	BB	2313	C	N3-C2-O2	-10.12	114.81	121.90
26	BB	3	U	C4'-C3'-C2'	-10.12	92.48	102.60
4	AD	48	U	N3-C2-O2	-10.12	115.12	122.20
4	AD	70	C	C2-N3-C4	10.12	124.96	119.90
26	BB	350	G	C6-C5-N7	-10.12	124.33	130.40
26	BB	648	G	C5-N7-C8	-10.12	99.24	104.30
26	BB	111	A	O4'-C1'-N9	10.12	116.29	108.20
26	BB	922	C	N3-C4-C5	-10.12	117.85	121.90
26	BB	1018	U	C5-C4-O4	10.12	131.97	125.90
26	BB	1872	A	N9-C4-C5	10.12	109.85	105.80
26	BB	2307	G	N7-C8-N9	10.12	118.16	113.10
26	BB	2669	G	C5-N7-C8	10.12	109.36	104.30
26	BB	1398	C	N3-C4-C5	-10.11	117.85	121.90
1	AA	319	G	N3-C4-C5	-10.11	123.54	128.60
26	BB	1874	C	N3-C4-N4	10.11	125.08	118.00
1	AA	344	A	C3'-C2'-C1'	10.11	109.59	101.50
26	BB	813	U	O4'-C1'-N1	10.11	116.29	108.20
1	AA	382	A	C6-C5-N7	10.11	139.37	132.30
1	AA	609	A	N7-C8-N9	10.11	118.85	113.80
1	AA	1342	C	N3-C2-O2	-10.11	114.83	121.90
26	BB	2386	A	N7-C8-N9	10.11	118.85	113.80
26	BB	16	C	N3-C4-C5	-10.10	117.86	121.90
26	BB	1158	C	N3-C2-O2	-10.10	114.83	121.90
26	BB	2413	G	C8-N9-C4	-10.10	102.36	106.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1666	G	N9-C4-C5	10.10	109.44	105.40
1	AA	1330	U	O4'-C1'-N1	10.10	116.28	108.20
26	BB	507	A	C5-N7-C8	-10.10	98.85	103.90
26	BB	614	A	N1-C2-N3	-10.10	124.25	129.30
26	BB	1375	U	O4'-C1'-N1	10.10	116.28	108.20
26	BB	1511	G	N1-C2-N3	-10.10	117.84	123.90
1	AA	45	G	C2-N3-C4	10.10	116.95	111.90
26	BB	82	U	N3-C4-O4	10.10	126.47	119.40
26	BB	204	A	N1-C2-N3	10.10	134.35	129.30
26	BB	1383	A	C8-N9-C4	-10.10	101.76	105.80
26	BB	2624	G	C4-C5-N7	10.10	114.84	110.80
23	AW	24	ARG	NE-CZ-NH2	-10.09	115.25	120.30
26	BB	214	G	N3-C4-C5	-10.09	123.55	128.60
26	BB	1051	G	O4'-C1'-N9	10.09	116.27	108.20
26	BB	2242	G	N3-C4-N9	10.09	132.06	126.00
26	BB	2817	U	C5-C6-N1	-10.09	117.65	122.70
26	BB	2890	G	O4'-C4'-C3'	10.09	114.17	106.10
1	AA	1050	G	C5-N7-C8	-10.09	99.26	104.30
20	AT	5	ARG	NE-CZ-NH1	10.09	125.34	120.30
1	AA	977	A	N9-C4-C5	10.09	109.83	105.80
2	AB	72	U	N3-C4-O4	-10.09	112.34	119.40
26	BB	2034	U	N1-C2-N3	10.09	120.95	114.90
3	AC	46	C	O4'-C1'-N1	10.08	116.27	108.20
1	AA	374	A	C4-C5-C6	10.08	122.04	117.00
1	AA	1323	G	O4'-C1'-N9	10.08	116.26	108.20
26	BB	412	A	C8-N9-C4	-10.08	101.77	105.80
26	BB	2488	G	C8-N9-C4	-10.08	102.37	106.40
26	BB	2543	G	N3-C4-C5	-10.08	123.56	128.60
26	BB	723	C	N3-C2-O2	-10.08	114.84	121.90
26	BB	1980	G	C8-N9-C4	-10.08	102.37	106.40
1	AA	307	C	C2-N3-C4	10.08	124.94	119.90
1	AA	893	C	C2-N3-C4	10.08	124.94	119.90
1	AA	1000	A	C5-C6-N1	10.08	122.74	117.70
2	AB	66	C	N3-C4-C5	-10.08	117.87	121.90
26	BB	189	G	C4-C5-C6	10.08	124.85	118.80
26	BB	842	U	N3-C2-O2	-10.08	115.15	122.20
26	BB	1280	G	C6-N1-C2	-10.08	119.05	125.10
41	BQ	10	ARG	NE-CZ-NH1	-10.07	115.26	120.30
1	AA	1078	U	C1'-O4'-C4'	-10.07	101.84	109.90
26	BB	117	G	C6-N1-C2	10.07	131.14	125.10
26	BB	1719	G	C8-N9-C4	10.07	110.43	106.40
25	BA	66	A	N1-C6-N6	-10.07	112.56	118.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	421	C	C2-N3-C4	10.07	124.94	119.90
26	BB	570	G	N9-C4-C5	10.07	109.43	105.40
33	BI	25	TYR	CB-CG-CD1	-10.07	114.96	121.00
1	AA	456	A	N9-C4-C5	10.07	109.83	105.80
1	AA	760	G	O4'-C1'-N9	10.07	116.26	108.20
1	AA	1069	C	N3-C4-C5	-10.07	117.87	121.90
26	BB	2003	A	C5-N7-C8	-10.07	98.86	103.90
1	AA	944	G	N9-C4-C5	-10.07	101.37	105.40
26	BB	1211	C	O4'-C1'-N1	10.07	116.25	108.20
25	BA	90	C	N1-C2-O2	10.07	124.94	118.90
25	BA	98	G	N3-C4-C5	-10.07	123.57	128.60
26	BB	985	C	C4-C5-C6	-10.07	112.37	117.40
1	AA	881	G	N3-C4-C5	-10.06	123.57	128.60
26	BB	1854	A	N9-C4-C5	-10.06	101.77	105.80
26	BB	1995	U	N1-C2-O2	10.06	129.84	122.80
1	AA	789	U	N1-C2-O2	-10.06	115.76	122.80
26	BB	21	A	C4-C5-C6	-10.06	111.97	117.00
26	BB	143	C	N3-C2-O2	-10.06	114.86	121.90
26	BB	1308	A	N1-C2-N3	10.06	134.33	129.30
26	BB	677	A	C6-C5-N7	10.06	139.34	132.30
26	BB	1773	A	N9-C4-C5	10.06	109.83	105.80
26	BB	274	C	O4'-C1'-N1	10.06	116.25	108.20
26	BB	616	A	C5-N7-C8	10.06	108.93	103.90
1	AA	893	C	O4'-C1'-N1	10.06	116.25	108.20
1	AA	1022	A	C1'-O4'-C4'	-10.06	101.86	109.90
1	AA	1232	U	C6-N1-C2	-10.06	114.97	121.00
26	BB	2561	U	C5-C6-N1	-10.06	117.67	122.70
22	AV	54	ARG	NE-CZ-NH2	-10.06	115.27	120.30
26	BB	214	G	O4'-C1'-N9	10.05	116.24	108.20
26	BB	1176	U	N3-C4-O4	10.06	126.44	119.40
26	BB	427	U	N1-C2-N3	10.05	120.93	114.90
26	BB	1282	U	N3-C2-O2	-10.05	115.16	122.20
26	BB	1779	U	C3'-C2'-C1'	10.05	109.54	101.50
1	AA	140	U	N3-C2-O2	-10.05	115.17	122.20
1	AA	1059	C	C2-N3-C4	-10.05	114.88	119.90
26	BB	527	C	O4'-C1'-N1	10.05	116.24	108.20
26	BB	829	A	C8-N9-C4	-10.05	101.78	105.80
26	BB	1127	A	O4'-C1'-N9	-10.05	100.16	108.20
26	BB	1322	A	N1-C2-N3	-10.05	124.28	129.30
1	AA	243	A	P-O3'-C3'	10.05	131.76	119.70
26	BB	2621	G	C6-C5-N7	-10.05	124.37	130.40
26	BB	796	C	C4-C5-C6	-10.04	112.38	117.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2144	G	C4-C5-N7	-10.04	106.78	110.80
26	BB	2407	A	N1-C6-N6	-10.04	112.57	118.60
1	AA	792	A	C6-N1-C2	10.04	124.62	118.60
1	AA	1461	G	C5-N7-C8	-10.04	99.28	104.30
26	BB	324	A	N1-C6-N6	-10.04	112.58	118.60
26	BB	891	G	N3-C2-N2	-10.04	112.87	119.90
26	BB	2119	A	C8-N9-C4	-10.04	101.78	105.80
26	BB	1716	U	N3-C4-O4	10.04	126.43	119.40
1	AA	803	G	C8-N9-C4	-10.04	102.39	106.40
1	AA	1131	G	C2-N3-C4	10.04	116.92	111.90
26	BB	620	G	C5'-C4'-O4'	10.04	121.14	109.10
26	BB	1821	A	C8-N9-C4	-10.04	101.79	105.80
26	BB	2228	G	N3-C4-N9	10.04	132.02	126.00
26	BB	2432	A	P-O3'-C3'	10.04	131.74	119.70
1	AA	495	A	N1-C2-N3	10.03	134.32	129.30
26	BB	406	G	C6-N1-C2	-10.03	119.08	125.10
1	AA	1005	A	C4'-C3'-C2'	-10.03	92.57	102.60
26	BB	2046	G	N9-C4-C5	10.03	109.41	105.40
1	AA	1486	G	C6-N1-C2	-10.03	119.08	125.10
26	BB	2630	G	C5-C6-N1	10.03	116.51	111.50
26	BB	263	G	O4'-C1'-N9	10.03	116.22	108.20
26	BB	360	U	C2-N3-C4	-10.03	120.98	127.00
42	BR	112	ARG	NE-CZ-NH1	-10.03	115.29	120.30
1	AA	1164	G	N9-C4-C5	10.02	109.41	105.40
1	AA	1530	G	N3-C4-C5	-10.02	123.59	128.60
3	AC	37	G	C8-N9-C4	-10.02	102.39	106.40
26	BB	785	G	C8-N9-C4	-10.02	102.39	106.40
26	BB	1832	C	O4'-C1'-N1	10.02	116.22	108.20
1	AA	530	G	C8-N9-C4	-10.02	102.39	106.40
1	AA	1216	A	O4'-C1'-N9	10.02	116.22	108.20
1	AA	1288	A	C4-C5-N7	10.02	115.71	110.70
26	BB	594	U	N1-C2-N3	10.02	120.91	114.90
26	BB	2793	C	N3-C4-N4	10.02	125.02	118.00
1	AA	150	U	C6-N1-C2	-10.02	114.99	121.00
26	BB	80	G	C5-C6-O6	-10.02	122.59	128.60
26	BB	888	C	C3'-C2'-C1'	10.02	109.52	101.50
26	BB	1242	U	C5-C4-O4	-10.02	119.89	125.90
26	BB	1993	U	O4'-C1'-N1	10.02	116.22	108.20
26	BB	2061	G	C8-N9-C4	-10.02	102.39	106.40
1	AA	416	G	C8-N9-C4	-10.02	102.39	106.40
2	AB	68	C	C2-N3-C4	-10.02	114.89	119.90
26	BB	1292	G	C2-N3-C4	10.02	116.91	111.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1557	C	N3-C4-N4	10.02	125.01	118.00
26	BB	1641	A	N1-C6-N6	-10.02	112.59	118.60
26	BB	2368	C	N1-C2-O2	10.02	124.91	118.90
26	BB	2748	A	N7-C8-N9	-10.02	108.79	113.80
26	BB	2845	U	C4'-C3'-C2'	-10.02	92.58	102.60
26	BB	2894	G	N3-C2-N2	-10.02	112.89	119.90
26	BB	1646	C	N1-C2-O2	10.01	124.91	118.90
4	AD	19	G	O4'-C1'-N9	10.01	116.21	108.20
26	BB	974	G	O4'-C1'-N9	10.01	116.21	108.20
26	BB	581	C	C2-N3-C4	10.01	124.91	119.90
26	BB	2008	C	C2-N3-C4	10.01	124.91	119.90
26	BB	1397	U	C4-C5-C6	10.01	125.70	119.70
26	BB	1069	A	C1'-O4'-C4'	-10.01	101.90	109.90
26	BB	1265	A	N9-C4-C5	-10.01	101.80	105.80
26	BB	1706	C	O4'-C1'-N1	10.01	116.20	108.20
1	AA	1506	U	N3-C2-O2	-10.00	115.20	122.20
26	BB	2140	G	O4'-C1'-N9	10.00	116.20	108.20
26	BB	2531	A	C8-N9-C4	-10.00	101.80	105.80
1	AA	149	A	N9-C4-C5	-10.00	101.80	105.80
1	AA	623	C	C6-N1-C2	-10.00	116.30	120.30
26	BB	1007	C	N1-C2-O2	10.00	124.90	118.90
26	BB	1181	U	O4'-C1'-N1	10.00	116.20	108.20
26	BB	1304	A	C4-C5-N7	10.00	115.70	110.70
26	BB	2354	C	N3-C4-N4	10.00	125.00	118.00
1	AA	915	A	C4-C5-N7	-10.00	105.70	110.70
1	AA	310	G	N3-C4-C5	-10.00	123.60	128.60
26	BB	1503	A	N1-C6-N6	-10.00	112.60	118.60
26	BB	392	U	C5'-C4'-O4'	9.99	121.09	109.10
26	BB	2144	G	N9-C4-C5	9.99	109.40	105.40
26	BB	2838	G	C6-N1-C2	-9.99	119.10	125.10
1	AA	649	A	C5-C6-N6	-9.99	115.71	123.70
1	AA	832	G	N9-C4-C5	9.99	109.40	105.40
1	AA	899	C	O4'-C1'-N1	9.99	116.19	108.20
2	AB	72	U	C5-C4-O4	9.99	131.89	125.90
26	BB	1056	G	N3-C2-N2	-9.99	112.91	119.90
26	BB	1616	A	N9-C4-C5	-9.99	101.80	105.80
26	BB	2871	U	N3-C4-C5	9.99	120.59	114.60
4	AD	69	C	O4'-C1'-N1	9.99	116.19	108.20
26	BB	467	G	N3-C4-C5	-9.99	123.61	128.60
26	BB	2349	G	O4'-C1'-N9	9.99	116.19	108.20
1	AA	466	A	C8-N9-C4	-9.99	101.81	105.80
1	AA	1187	G	O4'-C1'-N9	9.99	116.19	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1766	G	N3-C4-C5	-9.99	123.61	128.60
1	AA	227	G	O4'-C1'-N9	9.98	116.19	108.20
1	AA	1240	U	O4'-C1'-N1	9.98	116.19	108.20
26	BB	1793	C	C6-N1-C2	-9.98	116.31	120.30
26	BB	2216	G	N7-C8-N9	9.98	118.09	113.10
4	AD	3	C	C5-C6-N1	9.98	125.99	121.00
26	BB	2324	U	N3-C2-O2	-9.98	115.21	122.20
26	BB	2748	A	C5-N7-C8	9.98	108.89	103.90
4	AD	6	G	N7-C8-N9	9.98	118.09	113.10
26	BB	599	A	C3'-C2'-C1'	9.98	109.48	101.50
26	BB	1363	C	N3-C4-C5	-9.98	117.91	121.90
26	BB	1429	G	C8-N9-C4	-9.98	102.41	106.40
26	BB	1623	G	C5-C6-N1	9.98	116.49	111.50
26	BB	2549	G	N7-C8-N9	9.98	118.09	113.10
26	BB	778	G	C6-N1-C2	-9.98	119.11	125.10
26	BB	924	G	N1-C6-O6	9.97	125.88	119.90
26	BB	1830	C	N3-C4-N4	9.97	124.98	118.00
1	AA	1538	C	O4'-C1'-N1	-9.97	100.22	108.20
2	AB	53	G	O4'-C1'-N9	9.97	116.18	108.20
26	BB	163	C	N3-C4-N4	9.97	124.98	118.00
26	BB	622	G	C4-C5-N7	-9.97	106.81	110.80
26	BB	1124	G	N1-C6-O6	9.97	125.88	119.90
26	BB	2277	G	N3-C4-C5	-9.97	123.61	128.60
1	AA	244	U	C5-C6-N1	-9.97	117.72	122.70
3	AC	39	U	C2-N3-C4	-9.97	121.02	127.00
26	BB	1016	G	N9-C4-C5	9.97	109.39	105.40
1	AA	1103	C	N3-C4-C5	-9.96	117.91	121.90
1	AA	1313	U	O4'-C1'-N1	9.96	116.17	108.20
1	AA	263	A	N1-C2-N3	-9.96	124.32	129.30
1	AA	1383	C	N3-C4-C5	-9.96	117.92	121.90
26	BB	933	A	O4'-C1'-N9	9.96	116.17	108.20
1	AA	977	A	O4'-C1'-N9	9.96	116.17	108.20
1	AA	306	A	C6-N1-C2	-9.96	112.63	118.60
1	AA	774	G	N3-C4-C5	-9.96	123.62	128.60
1	AA	1438	G	C5-C6-O6	-9.96	122.62	128.60
26	BB	272	A	C5'-C4'-O4'	9.96	121.05	109.10
26	BB	657	U	O4'-C1'-N1	9.96	116.17	108.20
26	BB	564	C	N3-C2-O2	-9.96	114.93	121.90
26	BB	2097	A	N7-C8-N9	9.96	118.78	113.80
26	BB	2507	C	C2-N3-C4	9.96	124.88	119.90
1	AA	562	U	C2-N3-C4	-9.95	121.03	127.00
26	BB	1074	G	N7-C8-N9	9.95	118.08	113.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2021	C	C4-C5-C6	-9.95	112.42	117.40
26	BB	162	U	O4'-C1'-N1	9.95	116.16	108.20
26	BB	2274	A	N7-C8-N9	9.95	118.78	113.80
24	AX	33	ARG	NE-CZ-NH1	9.95	125.27	120.30
26	BB	728	G	C5-C6-N1	9.95	116.47	111.50
26	BB	1433	A	N1-C2-N3	-9.95	124.33	129.30
26	BB	2066	C	O4'-C1'-N1	9.95	116.16	108.20
26	BB	2207	C	N1-C2-O2	9.95	124.87	118.90
1	AA	1299	A	C5-N7-C8	9.95	108.87	103.90
25	BA	15	A	O4'-C1'-N9	9.95	116.16	108.20
26	BB	155	A	N1-C2-N3	9.95	134.27	129.30
26	BB	1862	G	N3-C4-C5	-9.94	123.63	128.60
26	BB	2825	G	C2-N3-C4	9.94	116.87	111.90
1	AA	293	G	C8-N9-C4	-9.94	102.42	106.40
26	BB	98	G	N3-C4-C5	-9.94	123.63	128.60
1	AA	761	G	N3-C4-N9	-9.94	120.03	126.00
26	BB	2597	G	C3'-C2'-C1'	9.94	109.45	101.50
26	BB	2784	U	O4'-C1'-N1	9.94	116.15	108.20
27	BC	21	TYR	CB-CG-CD2	-9.94	115.03	121.00
1	AA	530	G	C6-C5-N7	9.94	136.36	130.40
26	BB	681	G	C4-C5-N7	-9.94	106.83	110.80
26	BB	1738	G	C8-N9-C4	-9.94	102.42	106.40
1	AA	1124	G	C5-C6-N1	9.94	116.47	111.50
1	AA	1486	G	C4-C5-N7	9.94	114.78	110.80
26	BB	336	C	C6-N1-C2	-9.94	116.33	120.30
26	BB	786	C	N3-C4-C5	9.94	125.87	121.90
26	BB	1586	A	C6-N1-C2	9.94	124.56	118.60
1	AA	1469	C	N1-C2-O2	9.93	124.86	118.90
26	BB	1223	G	C2-N3-C4	9.93	116.87	111.90
26	BB	1461	C	C6-N1-C2	-9.93	116.33	120.30
26	BB	1942	C	N3-C4-N4	-9.93	111.05	118.00
1	AA	391	G	C5-C6-N1	9.93	116.47	111.50
1	AA	500	G	C8-N9-C4	-9.93	102.43	106.40
4	AD	4	G	N7-C8-N9	9.93	118.06	113.10
26	BB	2440	C	C5-C6-N1	9.93	125.97	121.00
26	BB	626	A	C4-C5-C6	-9.93	112.04	117.00
26	BB	2713	U	C3'-C2'-C1'	9.93	109.44	101.50
3	AC	20	G	N7-C8-N9	9.93	118.06	113.10
26	BB	1355	G	N3-C4-C5	-9.93	123.64	128.60
26	BB	1416	G	O4'-C1'-N9	9.93	116.14	108.20
26	BB	1482	G	N7-C8-N9	9.93	118.06	113.10
26	BB	1980	G	C6-N1-C2	-9.93	119.14	125.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	643	C	C6-N1-C2	9.92	124.27	120.30
1	AA	819	A	C1'-O4'-C4'	-9.92	101.96	109.90
1	AA	1444	U	O4'-C1'-N1	9.92	116.14	108.20
26	BB	140	C	C6-N1-C2	-9.92	116.33	120.30
26	BB	641	U	C5-C6-N1	-9.92	117.74	122.70
26	BB	1256	G	C6-N1-C2	-9.92	119.14	125.10
26	BB	2437	G	N3-C4-C5	-9.92	123.64	128.60
26	BB	1933	G	C8-N9-C4	-9.92	102.43	106.40
1	AA	308	C	O4'-C1'-N1	9.92	116.14	108.20
1	AA	662	U	C5-C6-N1	-9.92	117.74	122.70
1	AA	1168	U	N1-C2-N3	9.92	120.85	114.90
1	AA	615	G	C1'-O4'-C4'	-9.92	101.97	109.90
26	BB	21	A	N9-C4-C5	-9.92	101.83	105.80
26	BB	1374	G	O4'-C1'-N9	9.92	116.14	108.20
26	BB	1476	U	N3-C2-O2	-9.92	115.25	122.20
26	BB	2228	G	C6-C5-N7	-9.92	124.45	130.40
1	AA	393	A	C3'-C2'-C1'	9.92	109.43	101.50
4	AD	65	G	C2-N3-C4	-9.92	106.94	111.90
26	BB	396	G	C5-C6-N1	-9.92	106.54	111.50
26	BB	646	U	C6-N1-C2	-9.92	115.05	121.00
1	AA	961	U	O4'-C1'-N1	9.91	116.13	108.20
1	AA	1141	C	N1-C2-O2	9.91	124.85	118.90
2	AB	29	G	N3-C4-N9	9.91	131.95	126.00
4	AD	6	G	C4-C5-N7	9.91	114.77	110.80
26	BB	1799	G	C5-N7-C8	9.91	109.26	104.30
26	BB	2893	A	N9-C4-C5	9.91	109.77	105.80
1	AA	522	C	C6-N1-C2	-9.91	116.34	120.30
1	AA	1195	C	N3-C4-N4	9.91	124.94	118.00
26	BB	269	C	C5-C4-N4	-9.91	113.26	120.20
26	BB	1413	A	O4'-C1'-N9	9.91	116.13	108.20
1	AA	279	A	C5-N7-C8	-9.91	98.95	103.90
1	AA	923	A	N9-C4-C5	-9.91	101.84	105.80
1	AA	1182	G	O4'-C1'-N9	9.91	116.12	108.20
26	BB	1686	C	C6-N1-C2	-9.91	116.34	120.30
26	BB	1476	U	C2-N3-C4	-9.91	121.06	127.00
26	BB	2180	U	O4'-C1'-N1	9.91	116.12	108.20
26	BB	2759	G	N9-C4-C5	9.91	109.36	105.40
26	BB	1333	G	N3-C4-C5	-9.90	123.65	128.60
26	BB	1439	A	N9-C4-C5	9.90	109.76	105.80
26	BB	178	G	O4'-C1'-N9	9.90	116.12	108.20
1	AA	878	A	N1-C2-N3	-9.90	124.35	129.30
25	BA	42	C	C6-N1-C2	9.90	124.26	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	902	C	C4-C5-C6	-9.90	112.45	117.40
26	BB	1063	G	N1-C6-O6	-9.90	113.96	119.90
26	BB	1161	C	C6-N1-C2	-9.90	116.34	120.30
26	BB	1235	G	C3'-C2'-C1'	9.90	109.42	101.50
26	BB	196	A	O4'-C1'-N9	9.90	116.12	108.20
26	BB	1355	G	O4'-C1'-N9	9.90	116.12	108.20
1	AA	1526	G	N3-C4-C5	-9.90	123.65	128.60
8	AH	156	ARG	NE-CZ-NH2	-9.90	115.35	120.30
26	BB	565	C	N1-C2-O2	9.90	124.84	118.90
26	BB	1422	G	C4-C5-N7	-9.90	106.84	110.80
1	AA	482	A	C4-C5-N7	-9.89	105.75	110.70
26	BB	974	G	C8-N9-C4	-9.89	102.44	106.40
26	BB	2444	G	N1-C6-O6	9.89	125.84	119.90
39	BO	50	ARG	NE-CZ-NH1	-9.89	115.35	120.30
26	BB	413	C	O4'-C1'-N1	9.89	116.11	108.20
26	BB	1152	C	O4'-C1'-N1	9.89	116.11	108.20
26	BB	947	A	C3'-C2'-C1'	9.89	109.41	101.50
26	BB	1490	A	C8-N9-C4	-9.89	101.84	105.80
26	BB	1672	A	N1-C2-N3	9.89	134.25	129.30
26	BB	1733	G	N1-C6-O6	-9.89	113.97	119.90
26	BB	2628	C	C3'-C2'-C1'	9.89	109.41	101.50
26	BB	512	G	N9-C4-C5	9.89	109.36	105.40
26	BB	1593	A	C5-N7-C8	9.89	108.84	103.90
1	AA	482	A	N1-C2-N3	-9.88	124.36	129.30
26	BB	1174	U	N3-C2-O2	-9.88	115.28	122.20
26	BB	2104	C	O4'-C1'-N1	9.88	116.11	108.20
1	AA	303	A	C8-N9-C4	-9.88	101.85	105.80
26	BB	658	U	C5-C6-N1	-9.88	117.76	122.70
26	BB	1653	G	C4-C5-N7	-9.88	106.85	110.80
26	BB	2052	A	N9-C4-C5	9.88	109.75	105.80
26	BB	2176	A	C8-N9-C4	-9.88	101.85	105.80
1	AA	422	C	C5-C6-N1	9.88	125.94	121.00
1	AA	724	G	C1'-O4'-C4'	9.88	117.81	109.90
1	AA	986	U	C3'-C2'-C1'	9.88	109.40	101.50
26	BB	1192	G	C8-N9-C4	-9.88	102.45	106.40
26	BB	2023	C	C4'-C3'-C2'	-9.88	92.72	102.60
26	BB	961	C	C2-N3-C4	9.88	124.84	119.90
26	BB	1303	G	N1-C6-O6	-9.88	113.97	119.90
1	AA	501	C	N3-C4-N4	9.88	124.91	118.00
26	BB	578	G	N3-C4-C5	-9.88	123.66	128.60
26	BB	2228	G	C6-N1-C2	-9.88	119.17	125.10
26	BB	1452	G	N3-C4-N9	9.87	131.93	126.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2614	A	O4'-C1'-N9	9.88	116.10	108.20
26	BB	2893	A	C4-C5-N7	-9.88	105.76	110.70
1	AA	883	C	O4'-C1'-N1	9.87	116.10	108.20
1	AA	921	U	O4'-C1'-N1	9.87	116.10	108.20
1	AA	1446	A	O4'-C1'-N9	9.87	116.10	108.20
26	BB	80	G	C2-N3-C4	9.87	116.84	111.90
26	BB	1759	A	N1-C2-N3	-9.87	124.36	129.30
26	BB	992	C	O4'-C1'-N1	9.87	116.10	108.20
26	BB	2462	C	C5-C6-N1	9.87	125.94	121.00
26	BB	2826	A	C2-N3-C4	9.87	115.54	110.60
1	AA	573	A	N1-C2-N3	-9.87	124.36	129.30
26	BB	2014	A	N1-C2-N3	-9.87	124.36	129.30
1	AA	903	G	C5-N7-C8	-9.87	99.37	104.30
1	AA	977	A	C8-N9-C4	-9.87	101.85	105.80
26	BB	822	G	O4'-C1'-N9	9.87	116.09	108.20
26	BB	1776	G	N1-C2-N3	9.87	129.82	123.90
26	BB	2761	A	C3'-C2'-C1'	-9.87	93.61	101.50
26	BB	882	G	N7-C8-N9	9.87	118.03	113.10
26	BB	962	G	C5-N7-C8	9.87	109.23	104.30
26	BB	2373	G	C8-N9-C4	-9.87	102.45	106.40
26	BB	508	A	C5'-C4'-O4'	9.87	120.94	109.10
26	BB	1393	A	O4'-C1'-N9	9.87	116.09	108.20
26	BB	599	A	C4'-C3'-C2'	-9.86	92.74	102.60
26	BB	2883	A	C4-C5-C6	9.87	121.93	117.00
1	AA	285	C	N1-C2-O2	9.86	124.82	118.90
1	AA	647	C	C5-C6-N1	9.86	125.93	121.00
7	AG	69	ARG	NE-CZ-NH2	-9.86	115.37	120.30
26	BB	2690	U	C2-N3-C4	-9.86	121.08	127.00
1	AA	474	G	C5-C6-O6	-9.86	122.68	128.60
26	BB	244	A	C5-C6-N1	9.86	122.63	117.70
1	AA	225	C	N3-C2-O2	-9.86	115.00	121.90
1	AA	435	A	O4'-C1'-N9	9.86	116.09	108.20
26	BB	435	C	O4'-C1'-N1	9.86	116.09	108.20
26	BB	1247	A	N1-C6-N6	-9.86	112.69	118.60
26	BB	2809	A	N9-C4-C5	9.86	109.74	105.80
26	BB	1450	G	O4'-C1'-N9	9.86	116.09	108.20
26	BB	787	C	N3-C4-C5	-9.86	117.96	121.90
26	BB	2331	G	N9-C4-C5	-9.86	101.46	105.40
26	BB	2341	G	C4-C5-N7	-9.86	106.86	110.80
26	BB	2468	A	C3'-C2'-C1'	9.86	109.38	101.50
1	AA	414	A	N1-C6-N6	-9.85	112.69	118.60
26	BB	1237	A	N1-C6-N6	-9.85	112.69	118.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1192	C	C2-N3-C4	9.85	124.83	119.90
26	BB	241	A	C6-C5-N7	9.85	139.20	132.30
26	BB	453	A	C6-C5-N7	9.85	139.20	132.30
26	BB	663	G	C4-C5-N7	-9.85	106.86	110.80
26	BB	2792	A	O4'-C1'-N9	9.85	116.08	108.20
1	AA	184	G	C2-N3-C4	9.85	116.83	111.90
26	BB	2473	U	O4'-C1'-N1	9.85	116.08	108.20
26	BB	2837	A	C2-N3-C4	-9.85	105.67	110.60
1	AA	774	G	N1-C6-O6	9.85	125.81	119.90
26	BB	304	U	O4'-C1'-N1	9.85	116.08	108.20
26	BB	989	G	N3-C4-C5	-9.85	123.68	128.60
1	AA	1180	A	C5-C6-N6	-9.84	115.83	123.70
4	AD	63	C	N1-C2-N3	-9.84	112.31	119.20
26	BB	1232	G	C6-N1-C2	-9.84	119.19	125.10
26	BB	1362	C	C4'-C3'-C2'	-9.84	92.76	102.60
26	BB	2662	A	C5-N7-C8	-9.84	98.98	103.90
1	AA	743	A	C4-C5-C6	9.84	121.92	117.00
26	BB	665	U	O4'-C1'-N1	9.84	116.08	108.20
26	BB	456	C	N1-C2-O2	9.84	124.80	118.90
26	BB	1515	A	C8-N9-C4	-9.84	101.86	105.80
26	BB	1052	C	O4'-C1'-N1	9.84	116.07	108.20
26	BB	381	G	N3-C2-N2	9.84	126.79	119.90
26	BB	1803	A	N1-C6-N6	-9.84	112.70	118.60
26	BB	1822	C	C4-C5-C6	9.84	122.32	117.40
1	AA	870	U	O4'-C1'-N1	9.84	116.07	108.20
26	BB	24	G	C6-C5-N7	-9.84	124.50	130.40
1	AA	1379	G	N7-C8-N9	9.84	118.02	113.10
1	AA	1387	G	C8-N9-C4	-9.84	102.47	106.40
26	BB	789	A	C3'-C2'-C1'	9.84	109.37	101.50
26	BB	2286	G	C2-N3-C4	9.84	116.82	111.90
1	AA	747	A	N1-C6-N6	-9.83	112.70	118.60
1	AA	1399	C	O4'-C1'-C2'	-9.83	95.97	105.80
26	BB	1215	G	C5'-C4'-O4'	9.83	120.90	109.10
26	BB	1624	U	C5-C4-O4	-9.83	120.00	125.90
26	BB	2296	U	C5'-C4'-O4'	9.83	120.89	109.10
26	BB	2379	G	C2-N3-C4	9.83	116.81	111.90
1	AA	392	C	C5-C4-N4	-9.83	113.32	120.20
1	AA	590	U	C5-C6-N1	-9.83	117.79	122.70
26	BB	1345	C	N3-C4-N4	9.83	124.88	118.00
1	AA	991	U	P-O3'-C3'	9.82	131.49	119.70
26	BB	96	C	O4'-C1'-N1	9.82	116.06	108.20
26	BB	2555	U	C4-C5-C6	9.82	125.59	119.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	445	C	N3-C4-C5	9.82	125.83	121.90
26	BB	874	G	C4-C5-N7	-9.82	106.87	110.80
26	BB	2116	G	N9-C4-C5	9.82	109.33	105.40
26	BB	2302	U	C1'-O4'-C4'	9.82	117.76	109.90
26	BB	2509	G	C8-N9-C4	-9.82	102.47	106.40
1	AA	1366	C	C5-C6-N1	9.82	125.91	121.00
1	AA	401	C	N3-C4-C5	-9.82	117.97	121.90
3	AC	15	G	C6-N1-C2	-9.82	119.21	125.10
26	BB	223	A	C5-N7-C8	-9.82	98.99	103.90
26	BB	1524	G	C5-N7-C8	-9.82	99.39	104.30
26	BB	2077	A	N1-C6-N6	-9.82	112.71	118.60
1	AA	831	A	N9-C4-C5	9.81	109.73	105.80
1	AA	1515	G	C4-C5-N7	-9.81	106.87	110.80
26	BB	141	G	O4'-C1'-N9	9.81	116.05	108.20
26	BB	223	A	O4'-C1'-N9	9.81	116.05	108.20
26	BB	463	G	C5-C6-O6	-9.81	122.71	128.60
26	BB	771	G	C8-N9-C4	-9.81	102.47	106.40
26	BB	1666	G	C4-C5-C6	9.81	124.69	118.80
1	AA	588	G	N7-C8-N9	9.81	118.01	113.10
26	BB	2618	G	C2-N3-C4	9.81	116.81	111.90
1	AA	84	U	C5-C6-N1	-9.81	117.80	122.70
1	AA	1011	C	C4-C5-C6	-9.81	112.50	117.40
26	BB	1222	U	C4-C5-C6	9.81	125.59	119.70
26	BB	1683	U	O4'-C1'-N1	9.81	116.05	108.20
2	AB	76	A	N9-C4-C5	9.81	109.72	105.80
1	AA	840	C	C5'-C4'-O4'	9.81	120.87	109.10
1	AA	1479	C	C4-C5-C6	-9.81	112.50	117.40
26	BB	2518	A	C4-C5-N7	-9.81	105.80	110.70
1	AA	301	G	N3-C4-C5	-9.81	123.70	128.60
1	AA	382	A	C5-C6-N1	9.80	122.60	117.70
26	BB	1201	U	C5-C6-N1	-9.81	117.80	122.70
26	BB	1824	G	C4'-C3'-C2'	-9.81	92.79	102.60
26	BB	2136	G	C2-N3-C4	9.81	116.80	111.90
1	AA	384	G	C8-N9-C4	-9.80	102.48	106.40
26	BB	2712	C	C2-N3-C4	9.80	124.80	119.90
1	AA	1496	C	C2-N3-C4	9.80	124.80	119.90
26	BB	1293	C	N3-C4-C5	9.80	125.82	121.90
26	BB	1297	C	C2-N3-C4	9.80	124.80	119.90
1	AA	378	G	C4-C5-N7	-9.80	106.88	110.80
26	BB	1631	G	C4-C5-N7	-9.80	106.88	110.80
1	AA	645	G	C6-N1-C2	-9.80	119.22	125.10
1	AA	845	A	N1-C6-N6	-9.80	112.72	118.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1339	G	O4'-C1'-N9	9.80	116.04	108.20
1	AA	210	C	O4'-C1'-N1	9.80	116.04	108.20
1	AA	572	A	C5-C6-N1	9.80	122.60	117.70
11	AK	116	ARG	NE-CZ-NH1	9.79	125.20	120.30
26	BB	1435	G	C4-C5-N7	-9.79	106.88	110.80
46	BV	12	ARG	NE-CZ-NH1	9.79	125.20	120.30
1	AA	89	U	N3-C2-O2	-9.79	115.34	122.20
1	AA	129	A	O4'-C4'-C3'	9.79	113.93	106.10
26	BB	1908	C	N3-C2-O2	-9.79	115.05	121.90
2	AB	31	U	C5-C6-N1	-9.79	117.80	122.70
26	BB	1872	A	C8-N9-C4	-9.79	101.88	105.80
26	BB	1887	C	N3-C2-O2	-9.79	115.05	121.90
26	BB	2107	G	C5-C6-N1	9.79	116.39	111.50
26	BB	2112	G	C5-C6-N1	9.79	116.40	111.50
1	AA	1368	A	N9-C4-C5	-9.79	101.88	105.80
26	BB	367	G	N3-C4-C5	-9.79	123.70	128.60
26	BB	624	C	N1-C2-O2	9.79	124.77	118.90
1	AA	101	A	P-O3'-C3'	9.79	131.44	119.70
26	BB	1509	A	N9-C4-C5	9.78	109.71	105.80
1	AA	553	A	O4'-C1'-N9	9.78	116.02	108.20
26	BB	625	G	N9-C4-C5	9.78	109.31	105.40
26	BB	1210	G	O4'-C1'-N9	9.78	116.03	108.20
26	BB	1518	C	N3-C2-O2	-9.78	115.05	121.90
1	AA	337	G	C8-N9-C4	-9.78	102.49	106.40
1	AA	792	A	N9-C4-C5	-9.78	101.89	105.80
4	AD	28	U	N1-C2-O2	9.78	129.65	122.80
26	BB	2806	C	C5-C6-N1	-9.78	116.11	121.00
1	AA	163	C	O4'-C1'-N1	9.78	116.02	108.20
26	BB	417	C	C3'-C2'-C1'	9.78	109.32	101.50
26	BB	1424	G	O4'-C1'-N9	9.78	116.02	108.20
26	BB	1502	A	O4'-C1'-N9	9.78	116.02	108.20
26	BB	1970	A	C4-C5-C6	-9.78	112.11	117.00
31	BG	113	PHE	CB-CG-CD2	-9.78	113.96	120.80
1	AA	332	G	C6-C5-N7	9.78	136.27	130.40
26	BB	43	G	N1-C2-N3	9.78	129.77	123.90
26	BB	1463	C	C6-N1-C2	-9.78	116.39	120.30
1	AA	640	A	N9-C4-C5	9.78	109.71	105.80
1	AA	1034	G	N3-C4-C5	-9.78	123.71	128.60
1	AA	1365	G	C8-N9-C4	-9.78	102.49	106.40
26	BB	2877	G	N9-C4-C5	9.78	109.31	105.40
26	BB	638	G	C5'-C4'-O4'	9.78	120.83	109.10
26	BB	1100	C	C6-N1-C2	-9.78	116.39	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1646	C	O4'-C1'-N1	9.78	116.02	108.20
14	AN	92	ARG	NE-CZ-NH2	-9.77	115.41	120.30
26	BB	2085	U	C2-N3-C4	-9.77	121.14	127.00
26	BB	1684	G	N3-C4-C5	-9.77	123.71	128.60
44	BT	80	ARG	NE-CZ-NH2	-9.77	115.41	120.30
1	AA	316	C	O4'-C1'-N1	9.77	116.02	108.20
1	AA	1094	G	N1-C2-N3	-9.77	118.04	123.90
3	AC	51	C	C6-N1-C2	-9.77	116.39	120.30
26	BB	655	A	C3'-C2'-C1'	9.77	109.32	101.50
26	BB	1050	A	C8-N9-C4	-9.77	101.89	105.80
26	BB	997	G	C5-N7-C8	-9.77	99.42	104.30
26	BB	2168	G	C5-N7-C8	-9.77	99.42	104.30
1	AA	876	C	C2-N3-C4	9.77	124.78	119.90
1	AA	545	C	N3-C4-N4	9.77	124.84	118.00
26	BB	511	U	O4'-C1'-N1	9.77	116.01	108.20
26	BB	1309	G	C8-N9-C4	-9.77	102.49	106.40
26	BB	1955	U	C3'-C2'-C1'	-9.77	93.69	101.50
26	BB	2456	C	N3-C4-C5	-9.77	117.99	121.90
26	BB	2708	G	C5-C6-N1	9.77	116.38	111.50
1	AA	920	U	C1'-O4'-C4'	9.76	117.71	109.90
1	AA	1154	G	C6-N1-C2	-9.76	119.24	125.10
1	AA	1190	G	C5-C6-O6	-9.76	122.74	128.60
26	BB	1584	U	N3-C4-C5	-9.76	108.74	114.60
7	AG	106	PHE	CB-CG-CD2	-9.76	113.97	120.80
26	BB	1487	U	N3-C4-O4	9.76	126.23	119.40
26	BB	1742	U	C5-C6-N1	-9.76	117.82	122.70
26	BB	2152	G	N9-C4-C5	-9.76	101.50	105.40
26	BB	2265	U	N3-C2-O2	-9.76	115.37	122.20
1	AA	420	U	C3'-C2'-C1'	9.76	109.31	101.50
25	BA	106	G	O4'-C1'-N9	9.76	116.01	108.20
26	BB	1256	G	N9-C4-C5	9.76	109.30	105.40
26	BB	2126	A	C6-C5-N7	9.76	139.13	132.30
26	BB	2454	G	C5-C6-O6	-9.76	122.75	128.60
1	AA	582	C	N3-C4-C5	-9.76	118.00	121.90
26	BB	1054	A	C4-C5-N7	-9.76	105.82	110.70
26	BB	2256	G	C5-C6-O6	-9.76	122.75	128.60
1	AA	1069	C	N3-C4-N4	9.75	124.83	118.00
4	AD	59	A	N1-C2-N3	-9.75	124.42	129.30
26	BB	1694	C	O4'-C1'-N1	9.75	116.00	108.20
26	BB	2399	G	N3-C4-C5	-9.75	123.72	128.60
26	BB	2455	G	N3-C4-C5	-9.75	123.72	128.60
1	AA	185	U	C6-N1-C2	-9.75	115.15	121.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	206	C	C6-N1-C2	-9.75	116.40	120.30
1	AA	706	A	C8-N9-C4	-9.75	101.90	105.80
1	AA	1176	A	C2-N3-C4	9.75	115.47	110.60
1	AA	1225	A	N9-C4-C5	9.75	109.70	105.80
25	BA	84	G	C8-N9-C4	-9.75	102.50	106.40
26	BB	1397	U	C3'-C2'-C1'	9.75	109.30	101.50
1	AA	428	G	C4-C5-N7	-9.75	106.90	110.80
26	BB	389	G	N3-C4-C5	-9.75	123.73	128.60
26	BB	456	C	N3-C2-O2	-9.75	115.08	121.90
1	AA	257	G	O4'-C1'-N9	9.74	115.99	108.20
2	AB	31	U	O4'-C1'-N1	9.74	116.00	108.20
26	BB	1493	C	N3-C4-C5	-9.74	118.00	121.90
26	BB	2192	U	N3-C4-C5	-9.74	108.75	114.60
26	BB	2547	A	C1'-O4'-C4'	-9.74	102.11	109.90
1	AA	253	A	C5-N7-C8	9.74	108.77	103.90
1	AA	715	A	N9-C4-C5	-9.74	101.90	105.80
1	AA	809	G	C4'-C3'-C2'	-9.74	92.86	102.60
4	AD	4	G	C6-C5-N7	-9.74	124.56	130.40
25	BA	20	G	C5-C6-N1	9.74	116.37	111.50
26	BB	2547	A	C8-N9-C4	-9.74	101.90	105.80
25	BA	108	A	O4'-C1'-C2'	9.74	116.36	107.60
26	BB	1478	G	C5-C6-O6	9.74	134.44	128.60
1	AA	387	U	C6-N1-C2	-9.74	115.16	121.00
1	AA	1077	G	N1-C6-O6	-9.74	114.06	119.90
1	AA	1389	C	C2-N3-C4	9.74	124.77	119.90
3	AC	22	G	C2-N3-C4	9.74	116.77	111.90
26	BB	792	A	C5-N7-C8	9.74	108.77	103.90
26	BB	1650	A	C2-N3-C4	9.74	115.47	110.60
1	AA	15	G	N9-C4-C5	9.73	109.29	105.40
1	AA	413	G	C8-N9-C4	-9.73	102.51	106.40
1	AA	962	C	N3-C2-O2	-9.73	115.09	121.90
25	BA	66	A	N1-C2-N3	-9.73	124.43	129.30
26	BB	488	G	C8-N9-C4	-9.73	102.51	106.40
26	BB	1157	G	C6-N1-C2	-9.73	119.26	125.10
1	AA	220	G	C4-C5-N7	9.73	114.69	110.80
1	AA	291	U	O4'-C4'-C3'	9.73	113.89	106.10
2	AB	34	C	C2-N3-C4	9.73	124.77	119.90
26	BB	217	A	N7-C8-N9	9.73	118.67	113.80
26	BB	969	G	N7-C8-N9	9.73	117.97	113.10
26	BB	1140	C	N3-C4-N4	9.73	124.81	118.00
26	BB	1480	C	C2-N3-C4	9.73	124.77	119.90
1	AA	295	C	N3-C4-C5	-9.73	118.01	121.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	473	G	C8-N9-C4	-9.73	102.51	106.40
26	BB	2355	G	N7-C8-N9	9.73	117.96	113.10
1	AA	331	G	C4-C5-N7	-9.72	106.91	110.80
26	BB	1631	G	N1-C6-O6	-9.72	114.06	119.90
1	AA	113	G	O4'-C1'-N9	9.72	115.98	108.20
26	BB	922	C	N3-C4-N4	9.72	124.81	118.00
49	BY	59	PHE	CB-CG-CD2	-9.72	113.99	120.80
26	BB	234	U	O4'-C1'-N1	9.72	115.98	108.20
26	BB	583	G	C5-C6-O6	-9.72	122.77	128.60
26	BB	1954	G	C3'-C2'-C1'	9.72	109.28	101.50
26	BB	2133	G	P-O3'-C3'	9.72	131.37	119.70
26	BB	2260	C	N3-C2-O2	-9.72	115.09	121.90
1	AA	256	U	C2-N3-C4	-9.72	121.17	127.00
26	BB	717	C	N3-C4-N4	-9.72	111.20	118.00
26	BB	166	U	C1'-O4'-C4'	-9.72	102.13	109.90
26	BB	2763	G	N7-C8-N9	9.72	117.96	113.10
1	AA	1379	G	O4'-C1'-N9	9.71	115.97	108.20
41	BQ	108	ASP	CB-CG-OD1	-9.71	109.56	118.30
1	AA	142	G	C4-C5-N7	-9.71	106.92	110.80
1	AA	1470	U	O4'-C1'-N1	9.71	115.97	108.20
26	BB	587	C	N3-C4-N4	9.71	124.80	118.00
26	BB	1309	G	C2-N3-C4	9.71	116.76	111.90
26	BB	1975	G	C3'-C2'-C1'	-9.71	93.73	101.50
26	BB	2838	G	N9-C4-C5	9.71	109.28	105.40
1	AA	568	G	N3-C4-N9	9.71	131.83	126.00
26	BB	124	G	C8-N9-C4	-9.71	102.52	106.40
26	BB	126	A	C5-C6-N1	-9.71	112.84	117.70
26	BB	946	C	N3-C2-O2	-9.71	115.10	121.90
1	AA	795	C	C1'-O4'-C4'	9.71	117.67	109.90
1	AA	891	U	C5-C4-O4	9.71	131.73	125.90
5	AE	20	ARG	NE-CZ-NH1	9.71	125.16	120.30
26	BB	488	G	C2-N3-C4	9.71	116.75	111.90
26	BB	629	G	N3-C4-C5	-9.71	123.75	128.60
26	BB	862	G	N3-C4-C5	-9.71	123.75	128.60
26	BB	1062	G	O4'-C1'-N9	9.71	115.97	108.20
26	BB	2718	G	C4-C5-N7	-9.71	106.92	110.80
26	BB	1690	A	C5-N7-C8	-9.70	99.05	103.90
26	BB	2481	G	C2-N3-C4	9.70	116.75	111.90
26	BB	1200	C	N3-C4-N4	9.70	124.79	118.00
26	BB	2398	U	C5'-C4'-O4'	9.70	120.74	109.10
1	AA	639	G	N1-C6-O6	9.70	125.72	119.90
26	BB	2621	G	N3-C4-C5	-9.70	123.75	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	597	G	N9-C4-C5	9.70	109.28	105.40
25	BA	69	G	C5-C6-O6	-9.70	122.78	128.60
26	BB	398	C	N1-C2-O2	9.70	124.72	118.90
26	BB	2015	A	C8-N9-C4	-9.69	101.92	105.80
26	BB	2792	A	C2-N3-C4	9.69	115.45	110.60
1	AA	310	G	C8-N9-C4	-9.69	102.52	106.40
13	AM	5	ARG	NE-CZ-NH1	9.69	125.14	120.30
26	BB	561	G	N9-C4-C5	9.69	109.28	105.40
26	BB	1202	G	C5-N7-C8	-9.69	99.45	104.30
26	BB	2315	G	N1-C2-N2	9.69	124.92	116.20
26	BB	2689	U	C4-C5-C6	9.69	125.52	119.70
1	AA	1240	U	C5-C6-N1	9.69	127.55	122.70
26	BB	1571	A	C1'-O4'-C4'	9.69	117.65	109.90
26	BB	1942	C	N1-C2-O2	9.69	124.71	118.90
1	AA	654	G	C8-N9-C4	-9.69	102.53	106.40
26	BB	2437	G	N3-C4-N9	9.69	131.81	126.00
1	AA	1281	C	N3-C2-O2	-9.69	115.12	121.90
3	AC	41	A	C5-C6-N6	-9.68	115.95	123.70
26	BB	164	C	C5-C6-N1	9.68	125.84	121.00
26	BB	1443	U	C6-N1-C2	-9.68	115.19	121.00
26	BB	1619	G	C2-N3-C4	9.68	116.74	111.90
26	BB	2592	G	N3-C4-C5	-9.68	123.76	128.60
1	AA	649	A	C8-N9-C4	-9.68	101.93	105.80
1	AA	1346	A	C6-N1-C2	9.68	124.41	118.60
26	BB	443	A	N1-C2-N3	-9.68	124.46	129.30
1	AA	1409	C	N3-C4-C5	-9.68	118.03	121.90
26	BB	295	G	N3-C2-N2	9.68	126.67	119.90
1	AA	284	C	N1-C2-O2	9.68	124.70	118.90
1	AA	1111	A	C5-C6-N1	9.68	122.54	117.70
1	AA	1258	G	N9-C4-C5	9.68	109.27	105.40
26	BB	127	A	N7-C8-N9	9.68	118.64	113.80
1	AA	881	G	C5-C6-O6	-9.67	122.80	128.60
1	AA	960	U	P-O3'-C3'	9.67	131.31	119.70
26	BB	1121	C	C5-C6-N1	9.67	125.84	121.00
26	BB	1163	G	C4-C5-C6	9.67	124.60	118.80
26	BB	1792	G	O4'-C1'-N9	-9.67	100.46	108.20
26	BB	1873	G	N3-C4-C5	-9.67	123.76	128.60
1	AA	828	U	N3-C2-O2	-9.67	115.43	122.20
36	BL	37	ARG	NE-CZ-NH1	-9.67	115.46	120.30
1	AA	242	G	N3-C2-N2	-9.67	113.13	119.90
26	BB	2770	G	N1-C6-O6	9.67	125.70	119.90
26	BB	146	A	C1'-O4'-C4'	-9.67	102.17	109.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	227	A	N3-C4-C5	-9.67	120.03	126.80
26	BB	957	C	N3-C2-O2	-9.67	115.13	121.90
26	BB	1728	C	C1'-O4'-C4'	9.67	117.63	109.90
1	AA	38	G	C5-C6-O6	9.66	134.40	128.60
1	AA	1134	G	C2-N3-C4	9.66	116.73	111.90
1	AA	1233	G	C4-C5-N7	-9.66	106.93	110.80
26	BB	2509	G	N9-C4-C5	9.66	109.27	105.40
17	AQ	58	ARG	NE-CZ-NH2	-9.66	115.47	120.30
26	BB	122	G	N1-C6-O6	9.66	125.70	119.90
26	BB	1776	G	C6-N1-C2	-9.66	119.30	125.10
1	AA	788	U	O4'-C1'-N1	9.66	115.93	108.20
26	BB	1971	U	N3-C2-O2	-9.66	115.44	122.20
26	BB	2880	C	N3-C4-N4	9.66	124.76	118.00
1	AA	208	U	O4'-C1'-N1	9.66	115.92	108.20
10	AJ	159	ARG	NE-CZ-NH2	9.66	125.13	120.30
26	BB	1002	G	C6-C5-N7	9.66	136.19	130.40
1	AA	431	A	C8-N9-C4	-9.65	101.94	105.80
26	BB	1651	G	C2-N3-C4	9.65	116.73	111.90
1	AA	770	C	N3-C4-N4	9.65	124.76	118.00
1	AA	1354	U	C5-C6-N1	-9.65	117.88	122.70
26	BB	2026	U	C2-N3-C4	-9.65	121.21	127.00
1	AA	1139	G	C2-N3-C4	9.65	116.72	111.90
1	AA	1156	G	C8-N9-C4	-9.65	102.54	106.40
26	BB	115	C	C6-N1-C2	-9.65	116.44	120.30
1	AA	521	G	C6-N1-C2	-9.65	119.31	125.10
26	BB	14	A	N1-C2-N3	-9.65	124.48	129.30
26	BB	315	G	C8-N9-C4	-9.65	102.54	106.40
26	BB	1441	G	C5'-C4'-O4'	9.65	120.67	109.10
26	BB	2078	C	C5'-C4'-O4'	9.65	120.68	109.10
26	BB	2084	C	N3-C4-N4	9.65	124.75	118.00
26	BB	2590	A	C2-N3-C4	9.65	115.42	110.60
1	AA	285	C	C6-N1-C2	-9.64	116.44	120.30
1	AA	654	G	N9-C4-C5	9.64	109.26	105.40
26	BB	708	G	C6-C5-N7	-9.64	124.61	130.40
1	AA	262	A	C6-N1-C2	-9.64	112.81	118.60
1	AA	1431	A	N1-C2-N3	-9.64	124.48	129.30
2	AB	22	G	N3-C4-N9	9.64	131.79	126.00
26	BB	2621	G	O4'-C1'-C2'	9.64	116.28	107.60
1	AA	1101	A	N9-C4-C5	9.64	109.66	105.80
1	AA	1118	U	C3'-C2'-C1'	9.64	109.21	101.50
1	AA	1280	A	O4'-C1'-N9	9.64	115.91	108.20
1	AA	1319	A	C5'-C4'-O4'	9.64	120.67	109.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	251	A	O4'-C1'-N9	9.64	115.91	108.20
26	BB	762	U	O4'-C1'-N1	9.64	115.91	108.20
26	BB	1955	U	C5-C4-O4	-9.64	120.12	125.90
2	AB	33	U	N1-C2-O2	9.64	129.55	122.80
1	AA	185	U	N3-C4-C5	-9.64	108.82	114.60
1	AA	1048	G	O4'-C1'-N9	9.64	115.91	108.20
26	BB	1227	G	C6-N1-C2	-9.64	119.32	125.10
1	AA	932	C	O4'-C1'-N1	9.64	115.91	108.20
1	AA	1300	G	C5-C6-N1	9.63	116.32	111.50
2	AB	62	U	O4'-C1'-N1	9.63	115.91	108.20
4	AD	29	C	N3-C2-O2	-9.64	115.16	121.90
26	BB	837	C	C6-N1-C2	9.64	124.16	120.30
26	BB	1091	G	C3'-C2'-C1'	-9.64	93.79	101.50
26	BB	1465	G	C2-N3-C4	9.63	116.72	111.90
26	BB	2693	G	C6-N1-C2	-9.64	119.32	125.10
1	AA	25	C	C5'-C4'-O4'	9.63	120.66	109.10
1	AA	1113	C	O4'-C1'-N1	9.63	115.91	108.20
1	AA	1501	C	N3-C4-C5	-9.63	118.05	121.90
4	AD	35	C	N1-C2-O2	9.63	124.68	118.90
26	BB	408	G	C2-N3-C4	-9.63	107.08	111.90
26	BB	569	U	C2-N3-C4	-9.63	121.22	127.00
26	BB	864	G	C4-C5-C6	9.63	124.58	118.80
26	BB	1100	C	N3-C4-C5	-9.63	118.05	121.90
26	BB	2610	C	C4-C5-C6	-9.63	112.58	117.40
26	BB	2711	A	O4'-C4'-C3'	9.63	113.81	106.10
1	AA	253	A	C6-C5-N7	9.63	139.04	132.30
30	BF	114	ARG	NE-CZ-NH1	9.63	125.11	120.30
1	AA	389	A	C5'-C4'-O4'	9.63	120.65	109.10
26	BB	1587	G	N9-C4-C5	9.63	109.25	105.40
26	BB	380	G	N9-C4-C5	9.63	109.25	105.40
26	BB	1465	G	N7-C8-N9	9.63	117.91	113.10
26	BB	2349	G	N3-C2-N2	9.63	126.64	119.90
1	AA	190	A	C3'-C2'-C1'	-9.62	93.80	101.50
1	AA	348	G	O4'-C1'-N9	9.63	115.90	108.20
1	AA	1164	G	C5-N7-C8	9.63	109.11	104.30
26	BB	1647	U	C6-N1-C2	-9.62	115.22	121.00
26	BB	2191	A	C5-C6-N1	9.62	122.51	117.70
1	AA	533	A	C8-N9-C4	-9.62	101.95	105.80
1	AA	1260	G	C8-N9-C4	-9.62	102.55	106.40
1	AA	1357	A	C8-N9-C4	-9.62	101.95	105.80
26	BB	1511	G	C4-C5-N7	-9.62	106.95	110.80
26	BB	1731	G	C5-C6-O6	-9.62	122.83	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	672	U	N3-C4-C5	-9.62	108.83	114.60
1	AA	757	U	O4'-C4'-C3'	9.62	113.80	106.10
1	AA	1222	G	C5-C6-O6	-9.62	122.83	128.60
25	BA	73	A	C4-C5-C6	9.62	121.81	117.00
26	BB	522	A	C5'-C4'-O4'	9.62	120.64	109.10
26	BB	440	C	O4'-C1'-N1	9.62	115.89	108.20
26	BB	1934	C	N3-C4-C5	-9.62	118.05	121.90
26	BB	572	A	C2-N3-C4	-9.62	105.79	110.60
26	BB	2245	U	C6-N1-C2	-9.62	115.23	121.00
1	AA	190	A	N9-C4-C5	9.62	109.65	105.80
1	AA	675	A	C2-N3-C4	9.62	115.41	110.60
26	BB	212	G	N3-C2-N2	9.62	126.63	119.90
26	BB	2340	A	O4'-C1'-N9	9.62	115.89	108.20
1	AA	1333	A	C5-C6-N1	9.61	122.51	117.70
26	BB	307	G	O4'-C1'-N9	9.62	115.89	108.20
26	BB	916	G	C8-N9-C4	-9.62	102.55	106.40
26	BB	1815	A	C4-C5-N7	9.61	115.51	110.70
1	AA	115	G	C5-C6-N1	9.61	116.31	111.50
26	BB	321	U	C4-C5-C6	9.61	125.47	119.70
26	BB	1662	U	O4'-C1'-N1	9.61	115.89	108.20
26	BB	1927	A	N7-C8-N9	9.61	118.61	113.80
26	BB	1758	U	N1-C2-O2	9.61	129.53	122.80
26	BB	1766	G	N9-C4-C5	9.61	109.24	105.40
1	AA	1063	C	N1-C2-O2	9.61	124.67	118.90
1	AA	1131	G	N9-C4-C5	9.61	109.24	105.40
2	AB	38	A	C5'-C4'-O4'	9.61	120.63	109.10
26	BB	1687	G	O4'-C1'-N9	9.61	115.89	108.20
1	AA	1137	C	O4'-C1'-N1	9.61	115.89	108.20
26	BB	2131	U	N3-C2-O2	-9.61	115.47	122.20
26	BB	2777	G	N9-C4-C5	9.61	109.24	105.40
26	BB	489	G	C4-C5-N7	-9.61	106.96	110.80
26	BB	1172	C	O4'-C1'-N1	9.61	115.89	108.20
26	BB	1577	C	C2-N3-C4	9.61	124.70	119.90
21	AU	9	PHE	CB-CG-CD2	-9.60	114.08	120.80
1	AA	748	G	N1-C6-O6	9.60	125.66	119.90
1	AA	1288	A	N9-C4-C5	-9.60	101.96	105.80
15	AO	85	ARG	NE-CZ-NH1	9.60	125.10	120.30
26	BB	788	A	N1-C6-N6	-9.60	112.84	118.60
26	BB	2220	U	O4'-C1'-N1	9.60	115.88	108.20
26	BB	801	G	N9-C4-C5	9.60	109.24	105.40
26	BB	1652	A	C8-N9-C4	-9.60	101.96	105.80
26	BB	2461	A	N7-C8-N9	9.60	118.60	113.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2852	G	N3-C4-N9	9.60	131.76	126.00
1	AA	17	U	C4'-C3'-C2'	-9.60	93.00	102.60
26	BB	592	A	C2-N3-C4	-9.60	105.80	110.60
1	AA	379	C	C5-C4-N4	-9.60	113.48	120.20
1	AA	1109	C	N3-C4-C5	-9.60	118.06	121.90
26	BB	413	C	N3-C2-O2	-9.60	115.18	121.90
26	BB	505	A	N1-C6-N6	9.60	124.36	118.60
1	AA	419	C	C6-N1-C2	-9.60	116.46	120.30
26	BB	262	A	C4-C5-N7	-9.60	105.90	110.70
26	BB	2670	A	N9-C1'-C2'	-9.60	101.45	112.00
1	AA	198	G	N3-C2-N2	-9.59	113.19	119.90
1	AA	510	A	C8-N9-C4	-9.59	101.96	105.80
1	AA	867	G	C2-N3-C4	9.59	116.70	111.90
26	BB	1051	G	N3-C4-C5	-9.59	123.80	128.60
26	BB	2234	G	C5'-C4'-O4'	9.59	120.61	109.10
26	BB	14	A	C2-N3-C4	9.59	115.39	110.60
26	BB	81	G	N9-C4-C5	9.59	109.24	105.40
26	BB	203	A	N7-C8-N9	9.59	118.59	113.80
26	BB	1004	U	N3-C4-C5	-9.59	108.85	114.60
26	BB	1040	A	C5-C6-N1	9.59	122.50	117.70
1	AA	510	A	N9-C4-C5	9.59	109.64	105.80
26	BB	2046	G	C4-C5-N7	-9.59	106.97	110.80
1	AA	1026	G	N7-C8-N9	9.59	117.89	113.10
26	BB	494	G	O4'-C1'-N9	9.59	115.87	108.20
26	BB	1477	A	C5-C6-N1	9.59	122.49	117.70
26	BB	2624	G	C8-N9-C4	9.59	110.23	106.40
26	BB	1528	A	C8-N9-C4	-9.58	101.97	105.80
26	BB	1418	G	C8-N9-C4	-9.58	102.57	106.40
26	BB	2185	U	N3-C2-O2	-9.58	115.49	122.20
26	BB	2732	G	C2-N3-C4	9.58	116.69	111.90
1	AA	441	A	C5'-C4'-O4'	9.58	120.60	109.10
26	BB	445	C	N1-C2-N3	-9.58	112.50	119.20
1	AA	1134	G	C8-N9-C4	-9.58	102.57	106.40
26	BB	940	G	N7-C8-N9	9.58	117.89	113.10
1	AA	1479	C	C6-N1-C2	-9.58	116.47	120.30
2	AB	3	G	O4'-C1'-N9	9.58	115.86	108.20
4	AD	48	U	C4-C5-C6	9.58	125.45	119.70
1	AA	783	C	O4'-C1'-N1	9.57	115.86	108.20
1	AA	387	U	N1-C2-N3	9.57	120.64	114.90
26	BB	1299	G	N9-C1'-C2'	-9.57	101.47	112.00
4	AD	62	C	C2-N3-C4	9.57	124.69	119.90
25	BA	76	G	C8-N9-C4	-9.57	102.57	106.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BA	114	C	C3'-C2'-C1'	-9.57	93.84	101.50
1	AA	1230	C	O4'-C1'-N1	9.57	115.86	108.20
26	BB	935	C	O4'-C1'-N1	9.57	115.86	108.20
26	BB	1137	G	N1-C2-N3	-9.57	118.16	123.90
26	BB	2519	U	C4-C5-C6	9.57	125.44	119.70
1	AA	1442	G	C5-N7-C8	-9.57	99.52	104.30
4	AD	76	C	O4'-C1'-N1	9.57	115.85	108.20
26	BB	1735	A	N1-C2-N3	9.57	134.08	129.30
26	BB	2391	G	C5-C6-O6	9.57	134.34	128.60
1	AA	786	G	O4'-C1'-N9	9.56	115.85	108.20
1	AA	898	G	N1-C6-O6	-9.56	114.16	119.90
1	AA	987	G	N9-C1'-C2'	-9.56	101.48	112.00
3	AC	19	A	O4'-C1'-N9	9.56	115.85	108.20
26	BB	678	C	N3-C2-O2	-9.56	115.20	121.90
26	BB	80	G	C5-C6-N1	9.56	116.28	111.50
26	BB	449	A	N1-C2-N3	9.56	134.08	129.30
26	BB	1873	G	C2-N3-C4	9.56	116.68	111.90
26	BB	2316	G	O4'-C1'-N9	9.56	115.85	108.20
1	AA	1511	G	C4-C5-N7	9.56	114.62	110.80
2	AB	57	G	N3-C4-C5	-9.56	123.82	128.60
26	BB	108	G	C4-C5-C6	9.56	124.54	118.80
26	BB	645	C	O4'-C1'-N1	9.56	115.85	108.20
1	AA	449	G	C4-C5-N7	-9.56	106.98	110.80
26	BB	2606	C	O4'-C1'-N1	9.56	115.85	108.20
1	AA	1070	U	C1'-O4'-C4'	-9.56	102.25	109.90
26	BB	1130	U	N3-C4-O4	9.56	126.09	119.40
26	BB	1270	C	C3'-C2'-C1'	9.56	109.15	101.50
26	BB	2570	G	N9-C4-C5	-9.56	101.58	105.40
1	AA	523	A	O4'-C1'-N9	9.55	115.84	108.20
26	BB	523	C	N3-C4-N4	9.55	124.69	118.00
26	BB	2674	G	N9-C1'-C2'	-9.55	101.49	112.00
25	BA	24	G	N9-C4-C5	9.55	109.22	105.40
26	BB	605	G	O4'-C1'-N9	9.55	115.84	108.20
26	BB	898	C	N3-C4-C5	9.55	125.72	121.90
26	BB	988	A	C3'-C2'-C1'	-9.55	93.86	101.50
26	BB	1538	G	C5-N7-C8	-9.55	99.52	104.30
26	BB	2253	G	O4'-C1'-N9	9.55	115.84	108.20
26	BB	2228	G	C5-C6-O6	-9.55	122.87	128.60
26	BB	2351	G	O4'-C1'-N9	9.55	115.84	108.20
26	BB	1999	C	O4'-C1'-N1	9.55	115.84	108.20
1	AA	1055	A	C4'-C3'-C2'	-9.55	93.05	102.60
26	BB	1289	C	N3-C4-C5	-9.55	118.08	121.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1476	U	C5-C6-N1	-9.55	117.93	122.70
26	BB	2688	G	C2-N3-C4	9.55	116.67	111.90
26	BB	2848	G	C5-C6-O6	9.55	134.33	128.60
1	AA	64	G	C6-C5-N7	9.54	136.13	130.40
26	BB	1560	G	N7-C8-N9	9.55	117.87	113.10
26	BB	2307	G	C5-N7-C8	-9.55	99.53	104.30
1	AA	563	A	C1'-O4'-C4'	-9.54	102.27	109.90
26	BB	66	C	N1-C2-O2	9.54	124.63	118.90
1	AA	1069	C	C6-N1-C2	-9.54	116.48	120.30
1	AA	1161	C	C4-C5-C6	9.54	122.17	117.40
26	BB	636	G	C2-N3-C4	9.54	116.67	111.90
26	BB	1942	C	C5-C4-N4	9.54	126.88	120.20
43	BS	91	ARG	NE-CZ-NH1	9.54	125.07	120.30
3	AC	56	G	C6-N1-C2	-9.54	119.38	125.10
25	BA	53	A	N7-C8-N9	-9.54	109.03	113.80
1	AA	397	A	C4-C5-N7	-9.54	105.93	110.70
1	AA	1539	C	N3-C4-C5	-9.54	118.08	121.90
26	BB	208	C	C6-N1-C2	9.54	124.12	120.30
26	BB	794	A	N1-C6-N6	-9.54	112.88	118.60
26	BB	1509	A	C5'-C4'-O4'	9.54	120.55	109.10
1	AA	661	G	C3'-C2'-C1'	9.54	109.13	101.50
1	AA	830	G	N7-C8-N9	9.54	117.87	113.10
1	AA	1486	G	N1-C2-N3	9.54	129.62	123.90
26	BB	495	G	C5-C6-N1	9.54	116.27	111.50
26	BB	2144	G	N1-C6-O6	9.54	125.62	119.90
26	BB	696	G	N1-C6-O6	9.53	125.62	119.90
26	BB	873	C	N3-C2-O2	-9.53	115.23	121.90
26	BB	1855	U	O4'-C1'-N1	9.54	115.83	108.20
1	AA	847	G	C6-N1-C2	-9.53	119.38	125.10
1	AA	1013	G	C8-N9-C4	-9.53	102.59	106.40
1	AA	1150	A	C4'-C3'-C2'	-9.53	93.07	102.60
1	AA	1149	C	N1-C1'-C2'	-9.53	101.52	112.00
3	AC	17	U	O4'-C1'-N1	9.53	115.83	108.20
26	BB	2721	A	C1'-O4'-C4'	-9.53	102.28	109.90
25	BA	79	G	C6-C5-N7	9.53	136.12	130.40
43	BS	49	ARG	NE-CZ-NH2	9.53	125.06	120.30
1	AA	260	G	C8-N9-C4	-9.53	102.59	106.40
1	AA	812	G	C4'-C3'-C2'	-9.53	93.07	102.60
4	AD	25	U	N3-C2-O2	-9.53	115.53	122.20
25	BA	24	G	O4'-C1'-N9	-9.53	100.58	108.20
26	BB	1973	G	N9-C4-C5	9.53	109.21	105.40
1	AA	522	C	O4'-C1'-N1	9.53	115.82	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	743	A	N3-C4-C5	-9.53	120.13	126.80
1	AA	1051	C	C4'-C3'-C2'	-9.53	93.07	102.60
1	AA	1133	G	C8-N9-C4	9.53	110.21	106.40
4	AD	35	C	C5'-C4'-O4'	9.53	120.53	109.10
26	BB	751	A	C6-N1-C2	9.53	124.32	118.60
26	BB	1431	A	C4-C5-C6	-9.52	112.24	117.00
26	BB	1843	C	O4'-C1'-N1	9.52	115.82	108.20
26	BB	2621	G	C8-N9-C4	-9.52	102.59	106.40
26	BB	1042	G	O4'-C1'-N9	9.52	115.82	108.20
26	BB	1130	U	C5-C4-O4	-9.52	120.19	125.90
1	AA	292	G	N3-C4-C5	-9.52	123.84	128.60
1	AA	891	U	C4-C5-C6	9.52	125.41	119.70
25	BA	50	A	C2-N3-C4	-9.52	105.84	110.60
26	BB	189	G	N7-C8-N9	9.52	117.86	113.10
26	BB	1252	G	N7-C8-N9	9.52	117.86	113.10
26	BB	217	A	N9-C4-C5	9.52	109.61	105.80
26	BB	314	C	N3-C4-C5	9.52	125.71	121.90
26	BB	156	A	C4-C5-C6	9.52	121.76	117.00
26	BB	530	G	C4'-C3'-C2'	-9.52	93.08	102.60
1	AA	8	A	C8-N9-C4	9.51	109.61	105.80
26	BB	438	G	O4'-C1'-N9	9.51	115.81	108.20
26	BB	1518	C	N3-C4-C5	9.51	125.71	121.90
16	AP	78	ARG	NE-CZ-NH1	9.51	125.06	120.30
26	BB	464	U	N1-C2-O2	9.51	129.46	122.80
26	BB	1762	A	C8-N9-C4	-9.51	102.00	105.80
1	AA	1324	A	C5-C6-N1	-9.51	112.95	117.70
26	BB	42	A	C5-N7-C8	-9.51	99.15	103.90
26	BB	438	G	N3-C4-C5	-9.51	123.85	128.60
26	BB	1608	A	C4-C5-N7	9.51	115.45	110.70
30	BF	49	ARG	NE-CZ-NH2	9.51	125.05	120.30
25	BA	98	G	C8-N9-C4	-9.51	102.60	106.40
26	BB	864	G	N3-C4-C5	-9.51	123.85	128.60
26	BB	1850	G	C5-C6-O6	-9.51	122.90	128.60
26	BB	2624	G	N9-C4-C5	-9.51	101.60	105.40
26	BB	1978	A	O4'-C1'-N9	9.50	115.80	108.20
26	BB	2103	C	C6-N1-C2	-9.50	116.50	120.30
26	BB	2481	G	N3-C4-C5	-9.50	123.85	128.60
1	AA	226	G	O4'-C1'-N9	9.50	115.80	108.20
1	AA	175	C	O4'-C1'-N1	9.50	115.80	108.20
1	AA	1044	A	O4'-C1'-N9	9.50	115.80	108.20
4	AD	76	C	C2-N3-C4	-9.50	115.15	119.90
26	BB	741	U	N3-C4-C5	-9.50	108.90	114.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1228	G	C4-C5-N7	-9.50	107.00	110.80
26	BB	2644	G	C2-N3-C4	9.50	116.65	111.90
26	BB	2730	C	O4'-C1'-N1	9.50	115.80	108.20
26	BB	2886	A	C4'-C3'-C2'	-9.50	93.10	102.60
1	AA	21	G	N3-C4-C5	-9.50	123.85	128.60
1	AA	569	C	C6-N1-C2	-9.50	116.50	120.30
1	AA	1521	C	C5-C4-N4	-9.50	113.55	120.20
4	AD	40	C	C6-N1-C2	-9.50	116.50	120.30
26	BB	1045	C	C2-N3-C4	9.50	124.65	119.90
26	BB	1307	A	N1-C2-N3	-9.50	124.55	129.30
26	BB	2546	U	O4'-C1'-N1	9.50	115.80	108.20
1	AA	1437	A	C5-C6-N6	-9.49	116.10	123.70
1	AA	705	G	N7-C8-N9	9.49	117.85	113.10
26	BB	1265	A	C8-N9-C4	9.49	109.60	105.80
1	AA	1322	C	C5-C4-N4	-9.49	113.56	120.20
25	BA	96	G	N9-C4-C5	9.49	109.20	105.40
26	BB	2050	C	N3-C2-O2	-9.49	115.25	121.90
26	BB	2603	G	C6-N1-C2	-9.49	119.40	125.10
26	BB	2612	C	N3-C2-O2	-9.49	115.25	121.90
26	BB	2635	A	O4'-C1'-N9	9.49	115.79	108.20
1	AA	856	C	C4-C5-C6	-9.49	112.66	117.40
1	AA	934	C	N1-C2-O2	9.49	124.59	118.90
1	AA	1423	G	C8-N9-C4	-9.49	102.60	106.40
26	BB	275	C	C2-N3-C4	9.49	124.64	119.90
26	BB	485	C	O4'-C1'-N1	9.49	115.79	108.20
26	BB	1584	U	O4'-C1'-N1	9.49	115.79	108.20
1	AA	639	G	C2-N3-C4	9.49	116.64	111.90
1	AA	663	A	N7-C8-N9	-9.49	109.06	113.80
1	AA	967	5MC	P-O3'-C3'	9.49	131.09	119.70
1	AA	599	C	O4'-C1'-N1	9.49	115.79	108.20
25	BA	59	A	O4'-C1'-N9	9.49	115.79	108.20
26	BB	651	G	C6-C5-N7	9.49	136.09	130.40
26	BB	2103	C	N1-C1'-C2'	-9.49	101.56	112.00
26	BB	2293	G	C4'-C3'-C2'	-9.49	93.11	102.60
25	BA	100	G	C6-C5-N7	-9.48	124.71	130.40
1	AA	61	G	C2-N3-C4	9.48	116.64	111.90
1	AA	413	G	C5-C6-O6	9.48	134.29	128.60
1	AA	1517	G	C8-N9-C4	-9.48	102.61	106.40
2	AB	74	C	O4'-C1'-N1	9.48	115.79	108.20
26	BB	681	G	N9-C4-C5	9.48	109.19	105.40
26	BB	1186	G	N3-C4-N9	9.48	131.69	126.00
26	BB	1237	A	N1-C2-N3	-9.48	124.56	129.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2281	A	C8-N9-C4	-9.48	102.01	105.80
1	AA	761	G	C8-N9-C4	-9.48	102.61	106.40
1	AA	791	G	C1'-O4'-C4'	-9.48	102.31	109.90
26	BB	1309	G	N7-C8-N9	9.48	117.84	113.10
26	BB	1800	C	N1-C2-O2	9.48	124.59	118.90
1	AA	926	G	C4-C5-N7	9.48	114.59	110.80
1	AA	1300	G	C6-N1-C2	-9.48	119.41	125.10
1	AA	74	A	C1'-O4'-C4'	-9.48	102.32	109.90
1	AA	166	U	N1-C1'-C2'	-9.48	101.58	112.00
1	AA	659	U	O4'-C1'-N1	9.48	115.78	108.20
1	AA	959	A	N9-C4-C5	9.48	109.59	105.80
26	BB	473	G	C6-C5-N7	-9.48	124.71	130.40
26	BB	2212	A	C8-N9-C4	9.48	109.59	105.80
26	BB	530	G	N1-C2-N2	-9.48	107.67	116.20
26	BB	2188	U	C4-C5-C6	9.48	125.39	119.70
26	BB	606	U	C5-C6-N1	-9.47	117.96	122.70
26	BB	2874	C	N1-C2-O2	9.47	124.58	118.90
26	BB	1205	A	O4'-C1'-N9	9.47	115.78	108.20
1	AA	803	G	N9-C4-C5	9.47	109.19	105.40
26	BB	57	C	C5'-C4'-O4'	9.47	120.47	109.10
1	AA	188	C	N3-C2-O2	-9.47	115.27	121.90
1	AA	1234	C	C3'-C2'-C1'	9.47	109.08	101.50
1	AA	1332	A	N7-C8-N9	9.47	118.53	113.80
26	BB	2295	C	O4'-C1'-N1	9.47	115.78	108.20
1	AA	866	C	C6-N1-C2	-9.47	116.51	120.30
26	BB	1004	U	O4'-C1'-N1	9.47	115.78	108.20
1	AA	496	A	C5-C6-N1	9.47	122.43	117.70
26	BB	1137	G	N7-C8-N9	9.47	117.83	113.10
26	BB	1506	U	C5-C4-O4	-9.47	120.22	125.90
26	BB	1547	C	O4'-C1'-N1	9.47	115.77	108.20
26	BB	2839	G	N3-C4-N9	9.47	131.68	126.00
1	AA	1523	G	N3-C4-C5	-9.46	123.87	128.60
26	BB	834	G	C6-N1-C2	-9.47	119.42	125.10
26	BB	1114	C	N1-C2-O2	9.47	124.58	118.90
26	BB	1326	U	O4'-C1'-N1	9.47	115.77	108.20
26	BB	1715	G	N1-C2-N2	-9.47	107.68	116.20
1	AA	1542	A	N9-C4-C5	9.46	109.59	105.80
1	AA	1237	C	N3-C2-O2	-9.46	115.28	121.90
1	AA	663	A	C5-N7-C8	9.46	108.63	103.90
16	AP	92	ARG	NE-CZ-NH1	9.46	125.03	120.30
26	BB	493	G	C2-N3-C4	9.46	116.63	111.90
26	BB	1614	A	C4-C5-C6	-9.46	112.27	117.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2548	U	C5-C6-N1	-9.46	117.97	122.70
26	BB	1518	C	N1-C2-O2	9.46	124.58	118.90
26	BB	1677	A	N7-C8-N9	-9.46	109.07	113.80
26	BB	2398	U	C6-N1-C2	-9.46	115.32	121.00
26	BB	2785	C	O4'-C1'-N1	9.46	115.77	108.20
1	AA	735	C	O4'-C1'-N1	9.46	115.77	108.20
1	AA	448	A	C4-C5-N7	-9.46	105.97	110.70
1	AA	974	A	N3-C4-N9	-9.46	119.83	127.40
4	AD	63	C	O4'-C1'-N1	9.46	115.77	108.20
26	BB	569	U	O4'-C1'-N1	9.46	115.77	108.20
1	AA	1293	C	O4'-C1'-N1	9.46	115.77	108.20
26	BB	251	A	C5-N7-C8	-9.46	99.17	103.90
26	BB	2493	U	C2-N3-C4	-9.46	121.33	127.00
1	AA	1493	A	C2-N3-C4	9.45	115.33	110.60
26	BB	2095	A	N1-C2-N3	-9.45	124.57	129.30
26	BB	2876	G	O4'-C1'-N9	9.45	115.76	108.20
1	AA	149	A	C4-C5-N7	9.45	115.43	110.70
1	AA	749	A	C5'-C4'-O4'	9.45	120.44	109.10
1	AA	1299	A	N7-C8-N9	-9.45	109.07	113.80
26	BB	439	A	N7-C8-N9	9.45	118.53	113.80
26	BB	791	C	C3'-C2'-C1'	-9.45	93.94	101.50
26	BB	2352	A	C4-C5-N7	-9.45	105.97	110.70
26	BB	733	G	C6-N1-C2	-9.45	119.43	125.10
26	BB	1386	C	C5-C6-N1	9.45	125.72	121.00
26	BB	2412	A	C6-N1-C2	-9.45	112.93	118.60
26	BB	213	A	C8-N9-C4	-9.45	102.02	105.80
26	BB	406	G	N3-C4-C5	-9.45	123.88	128.60
26	BB	780	G	N9-C4-C5	-9.45	101.62	105.40
26	BB	2201	G	O4'-C1'-N9	9.44	115.75	108.20
1	AA	145	G	C6-N1-C2	-9.44	119.44	125.10
1	AA	805	C	C1'-O4'-C4'	-9.44	102.35	109.90
26	BB	12	U	N3-C2-O2	-9.44	115.59	122.20
26	BB	266	G	C4-C5-N7	9.44	114.58	110.80
26	BB	712	G	O4'-C1'-N9	9.44	115.75	108.20
1	AA	79	G	C8-N9-C4	-9.44	102.62	106.40
25	BA	75	G	N3-C4-N9	9.44	131.66	126.00
26	BB	942	G	C6-N1-C2	-9.44	119.44	125.10
26	BB	1082	U	O4'-C1'-N1	9.44	115.75	108.20
26	BB	2655	G	C3'-C2'-C1'	-9.44	93.95	101.50
26	BB	2083	G	C3'-C2'-C1'	9.44	109.05	101.50
26	BB	593	U	O4'-C1'-N1	9.44	115.75	108.20
26	BB	2671	G	C4-C5-N7	9.44	114.58	110.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2684	U	O4'-C1'-N1	9.44	115.75	108.20
26	BB	2047	C	C5-C6-N1	-9.44	116.28	121.00
26	BB	2679	A	N9-C4-C5	9.44	109.57	105.80
26	BB	240	C	N3-C4-N4	9.43	124.60	118.00
26	BB	917	A	O4'-C1'-N9	9.43	115.75	108.20
26	BB	1378	A	N1-C6-N6	-9.43	112.94	118.60
26	BB	1588	G	N3-C4-C5	-9.43	123.88	128.60
26	BB	2655	G	C8-N9-C4	-9.43	102.63	106.40
26	BB	784	G	C4'-C3'-C2'	-9.43	93.17	102.60
26	BB	1057	A	C2-N3-C4	9.43	115.31	110.60
1	AA	172	A	O4'-C1'-N9	9.43	115.74	108.20
1	AA	212	G	O4'-C1'-N9	9.43	115.74	108.20
1	AA	960	U	N3-C4-O4	-9.43	112.80	119.40
1	AA	1165	U	N3-C2-O2	-9.43	115.60	122.20
1	AA	1305	G	N1-C6-O6	9.43	125.56	119.90
3	AC	13	A	C2-N3-C4	9.43	115.31	110.60
4	AD	10	G	N1-C2-N3	9.43	129.56	123.90
26	BB	390	U	C4-C5-C6	9.43	125.36	119.70
26	BB	938	G	C4-C5-N7	-9.43	107.03	110.80
26	BB	1223	G	C6-N1-C2	-9.43	119.44	125.10
26	BB	1490	A	N9-C4-C5	9.43	109.57	105.80
26	BB	1563	U	N1-C2-O2	9.43	129.40	122.80
26	BB	2546	U	N3-C2-O2	-9.43	115.60	122.20
1	AA	1524	C	C2-N3-C4	9.42	124.61	119.90
26	BB	2054	A	N1-C6-N6	-9.42	112.95	118.60
26	BB	2228	G	N9-C4-C5	-9.42	101.63	105.40
1	AA	78	A	C8-N9-C4	-9.42	102.03	105.80
3	AC	40	G	O4'-C1'-N9	9.42	115.74	108.20
12	AL	118	ARG	NE-CZ-NH2	-9.42	115.59	120.30
26	BB	1703	G	N9-C4-C5	9.42	109.17	105.40
26	BB	1752	C	O4'-C1'-N1	9.42	115.74	108.20
26	BB	1980	G	N9-C4-C5	9.42	109.17	105.40
26	BB	2666	C	N3-C4-C5	9.42	125.67	121.90
1	AA	591	U	C5-C4-O4	-9.42	120.25	125.90
26	BB	100	U	C2-N3-C4	-9.42	121.35	127.00
26	BB	920	A	N9-C4-C5	9.42	109.57	105.80
26	BB	1893	C	N3-C4-C5	-9.42	118.13	121.90
26	BB	1969	A	C8-N9-C4	-9.42	102.03	105.80
1	AA	84	U	C4-C5-C6	9.41	125.35	119.70
1	AA	242	G	N7-C8-N9	9.41	117.81	113.10
26	BB	1094	U	O4'-C1'-N1	9.41	115.73	108.20
26	BB	1685	C	O4'-C1'-N1	9.41	115.73	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2002	G	C8-N9-C4	9.41	110.17	106.40
26	BB	2822	G	C6-N1-C2	-9.41	119.45	125.10
1	AA	627	G	O4'-C1'-N9	9.41	115.73	108.20
1	AA	1473	G	C5-C6-O6	-9.41	122.95	128.60
1	AA	1490	U	O4'-C1'-N1	9.41	115.73	108.20
7	AG	2	ARG	NE-CZ-NH1	9.41	125.01	120.30
26	BB	1965	C	C5-C4-N4	-9.41	113.61	120.20
26	BB	2667	C	O4'-C1'-N1	9.41	115.73	108.20
1	AA	4	U	C5-C6-N1	9.41	127.41	122.70
1	AA	327	A	N1-C2-N3	-9.41	124.59	129.30
1	AA	749	A	N9-C4-C5	-9.41	102.04	105.80
1	AA	916	U	O4'-C1'-N1	9.41	115.73	108.20
26	BB	1134	A	C5-N7-C8	9.41	108.61	103.90
26	BB	2297	A	O4'-C1'-N9	9.41	115.73	108.20
26	BB	2765	A	C8-N9-C4	-9.41	102.03	105.80
25	BA	84	G	N9-C4-C5	9.41	109.16	105.40
26	BB	190	A	N1-C6-N6	-9.41	112.95	118.60
26	BB	1002	G	C5-C6-N1	9.41	116.20	111.50
26	BB	1492	G	C2-N3-C4	9.41	116.60	111.90
26	BB	722	A	N7-C8-N9	9.41	118.50	113.80
26	BB	1845	G	O4'-C1'-N9	9.41	115.73	108.20
1	AA	32	A	C4-C5-N7	9.41	115.40	110.70
1	AA	1149	C	C6-N1-C2	-9.41	116.54	120.30
1	AA	1217	C	C6-N1-C2	-9.41	116.54	120.30
2	AB	36	A	O4'-C4'-C3'	9.41	113.63	106.10
26	BB	956	G	N1-C6-O6	-9.41	114.26	119.90
26	BB	1218	G	N3-C4-C5	-9.41	123.90	128.60
26	BB	2536	G	C4-C5-N7	-9.41	107.04	110.80
26	BB	2711	A	C8-N9-C4	-9.41	102.04	105.80
1	AA	508	U	C6-N1-C2	-9.40	115.36	121.00
26	BB	623	C	O4'-C1'-N1	9.40	115.72	108.20
1	AA	902	G	O4'-C1'-N9	9.40	115.72	108.20
1	AA	1174	G	C5-N7-C8	9.40	109.00	104.30
26	BB	234	U	N1-C2-O2	-9.40	116.22	122.80
26	BB	2056	G	C2-N3-C4	9.40	116.60	111.90
26	BB	2284	A	N1-C2-N3	-9.40	124.60	129.30
26	BB	6	A	N1-C2-N3	-9.40	124.60	129.30
26	BB	1042	G	N3-C4-C5	-9.40	123.90	128.60
26	BB	1115	G	N3-C4-N9	9.40	131.64	126.00
26	BB	2327	A	C5-C6-N1	9.40	122.40	117.70
3	AC	32	U	O4'-C1'-N1	9.40	115.72	108.20
26	BB	1575	C	C2-N3-C4	9.40	124.60	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1217	C	N1-C2-O2	9.40	124.54	118.90
1	AA	1504	G	C3'-C2'-C1'	-9.40	93.98	101.50
3	AC	36	U	O4'-C1'-N1	9.40	115.72	108.20
26	BB	426	C	C2-N3-C4	9.40	124.60	119.90
26	BB	705	A	C8-N9-C4	-9.40	102.04	105.80
26	BB	1763	G	N9-C4-C5	9.40	109.16	105.40
26	BB	2794	C	N3-C4-C5	9.40	125.66	121.90
4	AD	34	U	C4-C5-C6	9.39	125.34	119.70
1	AA	104	G	C4-C5-N7	-9.39	107.04	110.80
1	AA	307	C	N1-C2-O2	9.39	124.53	118.90
1	AA	1488	G	C5-N7-C8	9.39	109.00	104.30
2	AB	26	A	C5'-C4'-O4'	9.39	120.37	109.10
26	BB	110	G	C8-N9-C4	-9.39	102.64	106.40
26	BB	890	C	O4'-C1'-N1	9.39	115.71	108.20
26	BB	1567	G	O4'-C1'-C2'	-9.39	96.41	105.80
26	BB	406	G	C5-N7-C8	9.39	109.00	104.30
26	BB	126	A	C6-N1-C2	9.39	124.23	118.60
26	BB	836	G	O4'-C1'-N9	9.39	115.71	108.20
24	AX	33	ARG	NE-CZ-NH2	-9.39	115.61	120.30
26	BB	312	G	N1-C6-O6	9.39	125.53	119.90
9	AI	78	PHE	CB-CG-CD2	-9.38	114.23	120.80
1	AA	186	C	O4'-C1'-N1	9.38	115.71	108.20
26	BB	2798	U	C5-C6-N1	-9.38	118.01	122.70
1	AA	730	G	N7-C8-N9	9.38	117.79	113.10
26	BB	1756	G	C8-N9-C4	-9.38	102.65	106.40
26	BB	1812	U	N3-C4-O4	9.38	125.97	119.40
26	BB	2367	G	N3-C4-C5	-9.38	123.91	128.60
26	BB	2628	C	N1-C2-O2	9.38	124.53	118.90
26	BB	2852	G	N9-C4-C5	-9.38	101.65	105.40
1	AA	812	G	O4'-C4'-C3'	9.38	113.60	106.10
1	AA	1223	C	C6-N1-C2	-9.38	116.55	120.30
2	AB	57	G	C2-N3-C4	9.38	116.59	111.90
2	AB	71	C	C4-C5-C6	-9.38	112.71	117.40
26	BB	2816	G	C2-N3-C4	9.38	116.59	111.90
26	BB	321	U	C5-C6-N1	-9.38	118.01	122.70
1	AA	1024	G	C1'-O4'-C4'	-9.38	102.40	109.90
1	AA	1304	G	N7-C8-N9	9.37	117.79	113.10
1	AA	1449	C	N3-C2-O2	-9.38	115.34	121.90
25	BA	1	U	N1-C2-O2	-9.38	116.24	122.80
1	AA	1364	U	O4'-C1'-N1	9.37	115.70	108.20
1	AA	533	A	C5-C6-N1	9.37	122.39	117.70
1	AA	772	U	C5-C4-O4	-9.37	120.28	125.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	952	U	O4'-C1'-N1	9.37	115.69	108.20
26	BB	483	A	C2-N3-C4	9.37	115.28	110.60
26	BB	2152	G	C5-N7-C8	-9.37	99.61	104.30
26	BB	2749	A	C6-N1-C2	-9.37	112.98	118.60
1	AA	695	A	N1-C2-N3	-9.37	124.62	129.30
1	AA	1157	A	C8-N9-C4	-9.37	102.05	105.80
1	AA	1375	A	N3-C4-C5	-9.37	120.24	126.80
4	AD	34	U	N3-C2-O2	-9.37	115.64	122.20
26	BB	55	G	N9-C4-C5	9.37	109.15	105.40
26	BB	1348	C	C6-N1-C2	-9.37	116.55	120.30
1	AA	481	G	C8-N9-C4	-9.36	102.66	106.40
1	AA	524	G	N3-C4-C5	-9.36	123.92	128.60
1	AA	836	G	C3'-C2'-C1'	9.36	108.99	101.50
1	AA	846	G	N9-C4-C5	9.36	109.14	105.40
1	AA	892	A	N1-C2-N3	-9.36	124.62	129.30
1	AA	1401	G	C5-C6-N1	9.36	116.18	111.50
1	AA	1403	C	N3-C4-C5	-9.36	118.16	121.90
26	BB	682	G	N7-C8-N9	-9.36	108.42	113.10
26	BB	1007	C	O4'-C1'-N1	9.36	115.69	108.20
26	BB	1243	C	N3-C4-C5	-9.36	118.16	121.90
26	BB	1982	U	C2-N3-C4	-9.36	121.38	127.00
34	BJ	45	ARG	NE-CZ-NH1	9.36	124.98	120.30
1	AA	1369	C	N3-C4-C5	-9.36	118.16	121.90
26	BB	108	G	C5-C6-O6	9.36	134.22	128.60
26	BB	952	G	N7-C8-N9	-9.36	108.42	113.10
26	BB	2287	A	C5-N7-C8	-9.36	99.22	103.90
26	BB	1191	G	N1-C6-O6	-9.36	114.28	119.90
1	AA	402	G	C5'-C4'-O4'	9.36	120.33	109.10
1	AA	525	C	C5-C4-N4	-9.36	113.65	120.20
1	AA	1290	G	C1'-O4'-C4'	9.36	117.39	109.90
1	AA	1356	G	N1-C6-O6	9.36	125.51	119.90
26	BB	1796	U	C5-C6-N1	-9.36	118.02	122.70
26	BB	2901	C	C5-C6-N1	9.36	125.68	121.00
25	BA	21	G	O4'-C1'-N9	9.35	115.68	108.20
26	BB	1795	C	O4'-C1'-N1	9.35	115.68	108.20
37	BM	30	ARG	NE-CZ-NH1	-9.35	115.62	120.30
40	BP	96	ARG	NE-CZ-NH1	-9.35	115.62	120.30
1	AA	39	G	C4'-C3'-C2'	-9.35	93.25	102.60
1	AA	111	G	C4-C5-N7	-9.35	107.06	110.80
1	AA	450	G	C6-C5-N7	-9.35	124.79	130.40
25	BA	73	A	C4-C5-N7	-9.35	106.03	110.70
26	BB	479	A	N9-C4-C5	9.35	109.54	105.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	829	A	N7-C8-N9	9.35	118.48	113.80
26	BB	2130	U	P-O3'-C3'	9.35	130.92	119.70
26	BB	2472	G	N3-C4-C5	-9.35	123.92	128.60
3	AC	23	C	C2-N3-C4	9.35	124.58	119.90
25	BA	97	C	C1'-O4'-C4'	9.35	117.38	109.90
26	BB	53	A	C4-C5-C6	-9.35	112.33	117.00
26	BB	1309	G	C5-N7-C8	-9.35	99.63	104.30
26	BB	2160	C	N1-C2-O2	9.35	124.51	118.90
26	BB	2179	C	C4'-C3'-C2'	-9.35	93.25	102.60
1	AA	784	A	C8-N9-C4	-9.35	102.06	105.80
1	AA	1335	U	C1'-O4'-C4'	-9.35	102.42	109.90
3	AC	50	U	O4'-C1'-N1	9.35	115.68	108.20
26	BB	1210	G	C8-N9-C4	-9.35	102.66	106.40
1	AA	970	C	N1-C2-O2	9.35	124.51	118.90
1	AA	1008	U	C5-C6-N1	-9.35	118.03	122.70
26	BB	427	U	C2-N3-C4	-9.35	121.39	127.00
26	BB	555	G	C4-C5-N7	9.35	114.54	110.80
26	BB	1589	U	N3-C4-O4	9.35	125.94	119.40
26	BB	1668	A	C8-N9-C4	-9.35	102.06	105.80
26	BB	2549	G	C8-N9-C4	-9.35	102.66	106.40
26	BB	2560	A	C5-N7-C8	9.35	108.57	103.90
1	AA	1319	A	C8-N9-C4	-9.34	102.06	105.80
25	BA	97	C	N1-C2-O2	9.34	124.50	118.90
26	BB	2867	G	C4-C5-N7	-9.34	107.06	110.80
1	AA	842	U	C2-N3-C4	-9.34	121.40	127.00
26	BB	1654	A	N1-C6-N6	-9.34	113.00	118.60
40	BP	22	ARG	NE-CZ-NH1	9.34	124.97	120.30
26	BB	1552	A	N1-C6-N6	-9.34	113.00	118.60
1	AA	711	G	N9-C4-C5	9.34	109.14	105.40
1	AA	1182	G	C8-N9-C4	-9.34	102.67	106.40
1	AA	1337	G	C3'-C2'-C1'	-9.34	94.03	101.50
2	AB	67	G	C5-N7-C8	9.34	108.97	104.30
25	BA	106	G	N3-C4-N9	9.34	131.60	126.00
33	BI	68	ARG	NE-CZ-NH2	-9.34	115.63	120.30
26	BB	1175	A	C6-C5-N7	-9.34	125.77	132.30
26	BB	1708	C	O4'-C1'-N1	9.34	115.67	108.20
4	AD	49	C	C6-N1-C2	-9.33	116.57	120.30
26	BB	161	A	N1-C6-N6	-9.33	113.00	118.60
26	BB	852	U	C4-C5-C6	9.33	125.30	119.70
26	BB	2167	U	C4-C5-C6	9.33	125.30	119.70
26	BB	2269	G	O4'-C1'-N9	9.33	115.67	108.20
26	BB	2330	G	C6-N1-C2	-9.33	119.50	125.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	240	G	C6-N1-C2	-9.33	119.50	125.10
1	AA	317	U	C4-C5-C6	9.33	125.30	119.70
1	AA	1011	C	O4'-C1'-N1	9.33	115.66	108.20
1	AA	1247	U	O4'-C1'-N1	9.33	115.67	108.20
26	BB	1443	U	N3-C4-C5	-9.33	109.00	114.60
26	BB	2469	A	N7-C8-N9	-9.33	109.13	113.80
26	BB	252	G	C5-C6-O6	-9.33	123.00	128.60
26	BB	744	U	C5-C4-O4	-9.33	120.30	125.90
26	BB	1547	C	C4'-C3'-C2'	-9.33	93.27	102.60
26	BB	1068	G	N1-C6-O6	9.33	125.50	119.90
26	BB	1459	G	C5-N7-C8	-9.33	99.64	104.30
26	BB	1776	G	C2-N3-C4	-9.33	107.24	111.90
26	BB	2698	U	N3-C2-O2	-9.33	115.67	122.20
28	BD	270	ARG	NE-CZ-NH2	-9.33	115.64	120.30
1	AA	880	C	C6-N1-C2	-9.32	116.57	120.30
26	BB	887	U	O4'-C1'-N1	9.32	115.66	108.20
1	AA	1487	G	C6-N1-C2	-9.32	119.51	125.10
26	BB	1429	G	N1-C2-N3	-9.32	118.31	123.90
26	BB	2114	A	C2-N3-C4	9.32	115.26	110.60
26	BB	2720	U	C5'-C4'-O4'	9.32	120.29	109.10
1	AA	1341	U	C5-C6-N1	-9.32	118.04	122.70
1	AA	318	G	O4'-C1'-N9	9.32	115.66	108.20
1	AA	535	A	N1-C6-N6	-9.32	113.01	118.60
26	BB	628	G	N3-C2-N2	9.32	126.42	119.90
26	BB	768	G	O4'-C1'-N9	9.32	115.66	108.20
26	BB	464	U	N3-C2-O2	-9.32	115.68	122.20
26	BB	1599	U	N3-C4-O4	9.32	125.92	119.40
26	BB	1631	G	C2-N3-C4	9.32	116.56	111.90
26	BB	2632	A	C5-C6-N1	9.32	122.36	117.70
1	AA	1237	C	C6-N1-C2	-9.32	116.57	120.30
1	AA	186	C	N3-C4-C5	-9.31	118.17	121.90
1	AA	696	A	C8-N9-C4	-9.31	102.07	105.80
26	BB	256	A	C5-N7-C8	9.31	108.56	103.90
26	BB	452	G	C2-N3-C4	9.31	116.56	111.90
26	BB	1323	C	N3-C4-C5	-9.31	118.17	121.90
26	BB	1392	A	C2-N3-C4	9.31	115.26	110.60
26	BB	1948	G	N3-C4-C5	-9.31	123.94	128.60
26	BB	2806	C	C4'-C3'-C2'	-9.31	93.29	102.60
1	AA	1217	C	O4'-C1'-N1	9.31	115.65	108.20
3	AC	23	C	N3-C4-C5	-9.31	118.18	121.90
26	BB	615	U	P-O3'-C3'	9.31	130.88	119.70
26	BB	2816	G	O4'-C1'-C2'	9.31	115.98	107.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	412	A	C5-N7-C8	-9.31	99.25	103.90
1	AA	691	G	N9-C4-C5	9.31	109.12	105.40
1	AA	743	A	C4-C5-N7	-9.31	106.05	110.70
1	AA	843	U	C5-C6-N1	-9.31	118.05	122.70
26	BB	1106	G	C5-C6-O6	-9.31	123.02	128.60
26	BB	1393	A	N9-C4-C5	9.31	109.52	105.80
26	BB	2088	A	N9-C4-C5	9.31	109.52	105.80
1	AA	671	G	N3-C2-N2	-9.31	113.39	119.90
7	AG	96	ARG	NE-CZ-NH1	-9.31	115.65	120.30
26	BB	156	A	C8-N9-C4	-9.30	102.08	105.80
26	BB	548	G	C4-C5-N7	-9.30	107.08	110.80
26	BB	1423	G	C1'-O4'-C4'	-9.30	102.46	109.90
26	BB	763	G	C8-N9-C4	-9.30	102.68	106.40
26	BB	1750	G	P-O3'-C3'	9.30	130.86	119.70
26	BB	1857	G	O4'-C1'-N9	9.30	115.64	108.20
1	AA	888	G	N1-C2-N3	9.30	129.48	123.90
4	AD	71	G	C4-C5-C6	9.30	124.38	118.80
26	BB	592	A	N1-C2-N3	9.30	133.95	129.30
26	BB	834	G	N3-C4-C5	-9.30	123.95	128.60
26	BB	1803	A	C4-C5-N7	-9.30	106.05	110.70
26	BB	1033	U	N1-C2-N3	9.30	120.48	114.90
26	BB	1733	G	C4-C5-N7	-9.30	107.08	110.80
26	BB	2123	G	N7-C8-N9	9.30	117.75	113.10
1	AA	346	G	C8-N9-C4	-9.30	102.68	106.40
1	AA	442	G	N7-C8-N9	9.29	117.75	113.10
26	BB	402	A	N7-C8-N9	9.30	118.45	113.80
1	AA	1506	U	O4'-C1'-N1	9.29	115.64	108.20
26	BB	1168	G	N7-C8-N9	9.29	117.75	113.10
26	BB	1245	G	N3-C4-C5	-9.29	123.95	128.60
26	BB	1305	C	C5-C6-N1	9.29	125.65	121.00
1	AA	690	G	N3-C2-N2	9.29	126.40	119.90
1	AA	1057	G	C4-C5-C6	9.29	124.38	118.80
1	AA	1508	A	C8-N9-C4	-9.29	102.08	105.80
4	AD	10	G	C6-N1-C2	-9.29	119.53	125.10
26	BB	411	G	C4-C5-N7	-9.29	107.08	110.80
26	BB	1949	G	C2-N3-C4	9.29	116.55	111.90
26	BB	1335	C	C2-N3-C4	-9.29	115.25	119.90
26	BB	1528	A	N3-C4-C5	-9.29	120.30	126.80
1	AA	544	G	C1'-O4'-C4'	-9.29	102.47	109.90
1	AA	1169	A	N3-C4-N9	9.29	134.83	127.40
26	BB	861	A	N1-C2-N3	-9.29	124.66	129.30
26	BB	1045	C	O4'-C1'-N1	9.29	115.63	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1525	G	N3-C4-C5	-9.29	123.96	128.60
26	BB	763	G	N9-C4-C5	9.29	109.11	105.40
26	BB	1771	C	C2-N3-C4	-9.29	115.26	119.90
26	BB	2869	G	N7-C8-N9	9.29	117.74	113.10
1	AA	1334	G	C6-N1-C2	-9.28	119.53	125.10
26	BB	420	C	N3-C2-O2	-9.29	115.40	121.90
26	BB	2022	U	O4'-C1'-C2'	-9.29	96.52	105.80
26	BB	2376	A	N1-C2-N3	-9.29	124.66	129.30
1	AA	953	G	N3-C2-N2	-9.28	113.40	119.90
26	BB	565	C	C5-C6-N1	9.28	125.64	121.00
26	BB	852	U	C5-C6-N1	-9.28	118.06	122.70
26	BB	1410	G	C5-C6-O6	-9.28	123.03	128.60
26	BB	1581	G	N9-C4-C5	9.28	109.11	105.40
1	AA	1	A	C5-C6-N1	-9.28	113.06	117.70
1	AA	690	G	N1-C2-N2	-9.28	107.85	116.20
26	BB	2663	G	N3-C4-C5	-9.28	123.96	128.60
1	AA	1469	C	O4'-C1'-N1	9.28	115.62	108.20
1	AA	575	G	O4'-C1'-N9	9.28	115.62	108.20
26	BB	785	G	C2-N3-C4	9.28	116.54	111.90
26	BB	1495	A	C3'-C2'-C1'	-9.28	94.08	101.50
26	BB	835	C	C5-C6-N1	-9.28	116.36	121.00
26	BB	1743	G	C8-N9-C4	-9.28	102.69	106.40
26	BB	2550	G	C4-C5-N7	-9.27	107.09	110.80
1	AA	872	A	O4'-C1'-N9	9.27	115.62	108.20
1	AA	1142	G	C4-C5-C6	-9.27	113.24	118.80
2	AB	2	G	O4'-C1'-N9	9.27	115.62	108.20
26	BB	1361	G	C2-N3-C4	9.27	116.53	111.90
26	BB	2880	C	C5-C4-N4	-9.27	113.71	120.20
1	AA	655	A	C8-N9-C4	-9.27	102.09	105.80
1	AA	1044	A	C5-C6-N1	9.27	122.33	117.70
1	AA	1181	G	O4'-C1'-N9	9.27	115.61	108.20
26	BB	487	C	O4'-C1'-N1	9.27	115.61	108.20
26	BB	1816	C	N3-C2-O2	-9.27	115.41	121.90
1	AA	222	C	N1-C2-N3	9.27	125.69	119.20
1	AA	306	A	C4-C5-C6	-9.27	112.37	117.00
1	AA	1329	A	C8-N9-C4	-9.27	102.09	105.80
26	BB	185	G	C5-C6-O6	-9.27	123.04	128.60
26	BB	1002	G	C2-N3-C4	9.27	116.53	111.90
26	BB	1203	U	O4'-C1'-N1	9.27	115.61	108.20
26	BB	1778	U	C6-N1-C2	9.27	126.56	121.00
1	AA	445	G	C5-C6-O6	-9.26	123.04	128.60
1	AA	1154	G	C5-C6-O6	-9.26	123.04	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1156	G	O4'-C1'-N9	9.26	115.61	108.20
26	BB	976	G	C2-N3-C4	-9.26	107.27	111.90
1	AA	1399	C	C4-C5-C6	9.26	122.03	117.40
8	AH	127	TYR	CB-CG-CD1	-9.26	115.44	121.00
26	BB	453	A	N9-C4-C5	9.26	109.50	105.80
26	BB	1519	G	N1-C2-N3	9.26	129.46	123.90
26	BB	1623	G	C8-N9-C4	-9.26	102.69	106.40
1	AA	739	C	O4'-C1'-N1	9.26	115.61	108.20
25	BA	2	G	N9-C4-C5	9.26	109.10	105.40
26	BB	685	A	N9-C4-C5	9.26	109.50	105.80
26	BB	1527	G	C8-N9-C4	-9.26	102.70	106.40
26	BB	1025	G	C4-C5-N7	-9.26	107.10	110.80
26	BB	2121	G	C5-C6-O6	9.26	134.16	128.60
26	BB	2454	G	C5'-C4'-O4'	9.26	120.21	109.10
1	AA	737	C	N1-C2-O2	9.26	124.45	118.90
1	AA	910	C	N3-C4-C5	-9.26	118.20	121.90
25	BA	37	C	C5-C4-N4	9.26	126.68	120.20
26	BB	777	G	O4'-C1'-N9	9.26	115.61	108.20
26	BB	2693	G	C5-C6-N1	9.26	116.13	111.50
26	BB	987	C	C4-C5-C6	-9.26	112.77	117.40
1	AA	602	A	C5-C6-N1	9.25	122.33	117.70
26	BB	840	C	C6-N1-C2	-9.25	116.60	120.30
26	BB	2132	U	N3-C4-O4	9.25	125.88	119.40
1	AA	1184	G	O4'-C1'-N9	9.25	115.60	108.20
25	BA	42	C	N1-C2-N3	-9.25	112.72	119.20
26	BB	80	G	O4'-C1'-N9	9.25	115.60	108.20
1	AA	530	G	N3-C4-C5	-9.25	123.97	128.60
1	AA	1013	G	C4-C5-N7	-9.25	107.10	110.80
1	AA	1248	A	C2-N3-C4	9.25	115.22	110.60
1	AA	1371	G	C8-N9-C4	-9.25	102.70	106.40
26	BB	404	A	C6-C5-N7	-9.25	125.83	132.30
26	BB	445	C	N1-C1'-C2'	-9.25	101.83	112.00
26	BB	775	G	C5-C6-N1	9.25	116.13	111.50
26	BB	1074	G	N3-C4-N9	-9.25	120.45	126.00
26	BB	1093	G	N1-C6-O6	-9.25	114.35	119.90
1	AA	797	C	N3-C4-C5	-9.25	118.20	121.90
26	BB	1459	G	C2-N3-C4	9.25	116.52	111.90
26	BB	862	G	C8-N9-C4	-9.25	102.70	106.40
26	BB	1251	C	C4-C5-C6	9.25	122.02	117.40
1	AA	627	G	C6-C5-N7	9.24	135.95	130.40
26	BB	1269	A	C2-N3-C4	9.24	115.22	110.60
1	AA	860	A	N9-C4-C5	9.24	109.50	105.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1232	U	N1-C1'-C2'	-9.24	101.83	112.00
25	BA	79	G	C5-C6-N1	9.24	116.12	111.50
26	BB	2276	G	C4-C5-N7	-9.24	107.10	110.80
26	BB	158	U	O4'-C1'-N1	9.24	115.59	108.20
26	BB	1308	A	C5-C6-N1	9.24	122.32	117.70
26	BB	2000	C	O4'-C1'-N1	9.24	115.59	108.20
26	BB	2134	A	C8-N9-C4	9.24	109.50	105.80
31	BG	147	ARG	NE-CZ-NH1	9.24	124.92	120.30
34	BJ	124	ARG	NE-CZ-NH2	-9.24	115.68	120.30
1	AA	13	U	C4-C5-C6	9.24	125.24	119.70
1	AA	401	C	N1-C2-N3	-9.24	112.73	119.20
26	BB	1389	G	C5-C6-O6	9.24	134.14	128.60
26	BB	1519	G	C6-N1-C2	-9.24	119.56	125.10
26	BB	1710	G	N3-C4-C5	-9.24	123.98	128.60
1	AA	1	A	C4'-C3'-C2'	-9.24	93.36	102.60
1	AA	1042	A	N1-C2-N3	-9.24	124.68	129.30
13	AM	89	ARG	NE-CZ-NH1	9.24	124.92	120.30
26	BB	260	G	C1'-O4'-C4'	-9.24	102.51	109.90
26	BB	1468	U	N3-C4-C5	-9.24	109.06	114.60
26	BB	2409	G	C2-N3-C4	9.24	116.52	111.90
26	BB	1028	A	C5-N7-C8	9.24	108.52	103.90
26	BB	76	C	N3-C2-O2	-9.23	115.44	121.90
26	BB	2440	C	C4-C5-C6	-9.23	112.78	117.40
1	AA	503	C	C6-N1-C2	-9.23	116.61	120.30
26	BB	1358	G	N9-C4-C5	9.23	109.09	105.40
26	BB	2143	C	P-O3'-C3'	9.23	130.78	119.70
26	BB	2500	U	O4'-C1'-N1	9.23	115.59	108.20
26	BB	33	C	N3-C4-C5	9.23	125.59	121.90
1	AA	915	A	O4'-C1'-N9	9.23	115.58	108.20
3	AC	50	U	C3'-C2'-C1'	9.23	108.88	101.50
26	BB	481	G	N9-C4-C5	9.23	109.09	105.40
26	BB	1521	G	N3-C4-C5	-9.23	123.98	128.60
43	BS	46	TYR	CB-CG-CD2	9.23	126.54	121.00
17	AQ	8	ARG	NE-CZ-NH1	-9.23	115.69	120.30
26	BB	778	G	C8-N9-C4	-9.23	102.71	106.40
26	BB	1230	A	C8-N9-C4	-9.23	102.11	105.80
26	BB	2227	A	N7-C8-N9	-9.23	109.19	113.80
26	BB	1386	C	N3-C4-C5	-9.23	118.21	121.90
26	BB	1850	G	N3-C4-C5	-9.22	123.99	128.60
25	BA	19	C	C5-C4-N4	-9.22	113.74	120.20
26	BB	1806	C	O4'-C1'-N1	9.22	115.58	108.20
26	BB	1885	A	C4-C5-C6	-9.22	112.39	117.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	486	U	O4'-C1'-N1	9.22	115.58	108.20
1	AA	714	G	C4'-C3'-C2'	-9.22	93.38	102.60
1	AA	1305	G	N3-C2-N2	9.22	126.36	119.90
1	AA	1369	C	C6-N1-C2	-9.22	116.61	120.30
1	AA	1530	G	C5-C6-O6	9.22	134.13	128.60
6	AF	22	PHE	CB-CG-CD1	9.22	127.25	120.80
26	BB	614	A	C4'-C3'-C2'	-9.22	93.38	102.60
26	BB	1388	G	C8-N9-C4	9.22	110.09	106.40
26	BB	907	G	C4-C5-C6	9.22	124.33	118.80
26	BB	920	A	N1-C6-N6	-9.22	113.07	118.60
26	BB	1385	A	O4'-C1'-N9	9.22	115.58	108.20
1	AA	1205	U	C2-N3-C4	-9.22	121.47	127.00
26	BB	1507	C	C6-N1-C2	-9.22	116.61	120.30
26	BB	2079	U	C5'-C4'-O4'	9.22	120.16	109.10
1	AA	133	U	O4'-C1'-N1	9.22	115.57	108.20
1	AA	790	A	N7-C8-N9	9.21	118.41	113.80
26	BB	763	G	C2-N3-C4	9.21	116.51	111.90
26	BB	825	A	C2-N3-C4	9.21	115.21	110.60
26	BB	2126	A	C5-N7-C8	9.21	108.51	103.90
1	AA	952	U	N1-C1'-C2'	-9.21	101.87	112.00
4	AD	4	G	C8-N9-C4	-9.21	102.72	106.40
1	AA	1198	G	C5-C6-N1	9.21	116.11	111.50
1	AA	1238	A	O4'-C4'-C3'	9.21	113.47	106.10
26	BB	1928	A	N1-C6-N6	-9.21	113.07	118.60
26	BB	1933	G	C5-N7-C8	-9.21	99.69	104.30
1	AA	1412	C	C5-C6-N1	-9.21	116.39	121.00
26	BB	327	G	N9-C1'-C2'	-9.21	101.87	112.00
26	BB	1283	G	C8-N9-C4	-9.21	102.72	106.40
26	BB	2598	A	C2-N3-C4	9.21	115.21	110.60
26	BB	2109	U	N1-C2-N3	9.21	120.42	114.90
26	BB	2286	G	N3-C2-N2	-9.21	113.45	119.90
26	BB	2578	G	N9-C1'-C2'	-9.21	101.87	112.00
1	AA	325	A	C4-C5-N7	9.21	115.30	110.70
1	AA	951	G	N3-C4-C5	-9.21	124.00	128.60
1	AA	1201	A	N1-C2-N3	9.21	133.90	129.30
26	BB	123	G	C6-C5-N7	9.21	135.92	130.40
26	BB	321	U	N1-C2-N3	9.21	120.42	114.90
26	BB	1384	A	C4-C5-C6	9.21	121.60	117.00
26	BB	1617	C	C2-N3-C4	9.21	124.50	119.90
1	AA	520	A	O4'-C1'-N9	9.20	115.56	108.20
1	AA	1370	G	C5-N7-C8	-9.20	99.70	104.30
26	BB	2824	C	C4-C5-C6	-9.20	112.80	117.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1192	G	C5-N7-C8	-9.20	99.70	104.30
26	BB	1649	G	N3-C4-C5	9.20	133.20	128.60
26	BB	2357	G	N1-C2-N3	-9.20	118.38	123.90
1	AA	1000	A	C8-N9-C4	-9.20	102.12	105.80
26	BB	694	U	N3-C2-O2	-9.20	115.76	122.20
26	BB	756	A	C6-N1-C2	-9.20	113.08	118.60
26	BB	1466	U	C4-C5-C6	9.20	125.22	119.70
26	BB	2701	U	N3-C2-O2	-9.20	115.76	122.20
1	AA	607	A	C4-C5-N7	9.20	115.30	110.70
3	AC	34	U	N1-C2-O2	9.20	129.24	122.80
1	AA	570	G	C5-N7-C8	-9.20	99.70	104.30
26	BB	371	A	O4'-C1'-N9	-9.20	100.84	108.20
26	BB	1332	G	C8-N9-C4	-9.20	102.72	106.40
26	BB	1722	A	N1-C6-N6	9.20	124.12	118.60
26	BB	2220	U	C5-C6-N1	-9.20	118.10	122.70
26	BB	1527	G	C6-C5-N7	-9.19	124.88	130.40
26	BB	1728	C	N3-C2-O2	-9.19	115.46	121.90
1	AA	145	G	O4'-C1'-N9	9.19	115.55	108.20
1	AA	282	A	C8-N9-C4	-9.19	102.12	105.80
26	BB	1428	C	N1-C2-O2	9.19	124.42	118.90
26	BB	2755	C	O4'-C1'-N1	9.19	115.55	108.20
1	AA	184	G	C5-C6-N1	9.19	116.09	111.50
1	AA	188	C	N3-C4-N4	9.19	124.43	118.00
1	AA	1147	C	O4'-C1'-N1	9.19	115.55	108.20
1	AA	1296	C	N3-C4-C5	-9.19	118.22	121.90
26	BB	986	C	N1-C2-N3	-9.19	112.77	119.20
1	AA	528	C	C5'-C4'-O4'	9.19	120.12	109.10
1	AA	947	G	O4'-C1'-N9	9.19	115.55	108.20
1	AA	994	A	C8-N9-C4	9.19	109.47	105.80
26	BB	1359	A	C1'-O4'-C4'	-9.19	102.55	109.90
25	BA	88	C	C4-C5-C6	-9.19	112.81	117.40
26	BB	131	A	N1-C6-N6	9.19	124.11	118.60
26	BB	2317	A	C4-C5-N7	-9.19	106.11	110.70
26	BB	2425	A	O4'-C1'-N9	9.19	115.55	108.20
26	BB	2841	C	N3-C4-C5	-9.19	118.23	121.90
26	BB	797	G	N3-C4-N9	9.18	131.51	126.00
26	BB	961	C	N3-C4-N4	9.18	124.43	118.00
26	BB	2112	G	C5-C6-O6	-9.18	123.09	128.60
26	BB	2087	G	C4-C5-C6	9.18	124.31	118.80
1	AA	20	U	N1-C2-N3	9.18	120.41	114.90
1	AA	451	A	C4-C5-C6	-9.18	112.41	117.00
2	AB	29	G	C6-C5-N7	-9.18	124.89	130.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	45	G	C8-N9-C4	-9.18	102.73	106.40
1	AA	1062	U	C4-C5-C6	9.18	125.21	119.70
3	AC	15	G	C8-N9-C4	-9.18	102.73	106.40
26	BB	22	C	C5-C4-N4	-9.18	113.77	120.20
1	AA	415	A	N7-C8-N9	-9.18	109.21	113.80
26	BB	16	C	C5-C4-N4	9.18	126.62	120.20
26	BB	116	C	N3-C4-N4	-9.18	111.58	118.00
26	BB	2284	A	N1-C6-N6	9.18	124.11	118.60
26	BB	438	G	C2-N3-C4	9.18	116.49	111.90
26	BB	597	G	O4'-C1'-N9	9.18	115.54	108.20
1	AA	538	G	O4'-C1'-N9	9.18	115.54	108.20
1	AA	1302	C	N3-C4-N4	9.18	124.42	118.00
26	BB	606	U	C2-N3-C4	-9.18	121.50	127.00
26	BB	1643	G	C5-C6-O6	-9.18	123.09	128.60
26	BB	1765	U	O4'-C1'-N1	9.18	115.54	108.20
26	BB	2422	C	C3'-C2'-C1'	9.18	108.84	101.50
1	AA	545	C	O4'-C1'-N1	9.17	115.54	108.20
26	BB	124	G	N1-C2-N3	9.17	129.41	123.90
1	AA	433	G	C5-C6-O6	-9.17	123.10	128.60
26	BB	327	G	O4'-C1'-N9	9.17	115.54	108.20
26	BB	533	G	N7-C8-N9	-9.17	108.51	113.10
26	BB	2320	U	C4-C5-C6	9.17	125.20	119.70
26	BB	2668	G	C4-C5-N7	9.17	114.47	110.80
1	AA	317	U	O4'-C1'-N1	9.17	115.54	108.20
1	AA	288	A	C5'-C4'-O4'	9.17	120.10	109.10
3	AC	55	A	O4'-C1'-N9	9.17	115.53	108.20
5	AE	107	ARG	NE-CZ-NH1	9.17	124.88	120.30
26	BB	1001	A	C5-N7-C8	-9.17	99.32	103.90
26	BB	1005	C	N1-C2-O2	9.17	124.40	118.90
26	BB	2526	G	C6-C5-N7	-9.17	124.90	130.40
1	AA	50	A	C2-N3-C4	9.17	115.18	110.60
26	BB	1239	G	C8-N9-C4	-9.17	102.73	106.40
26	BB	2368	C	O4'-C1'-N1	9.17	115.53	108.20
26	BB	1595	C	C6-N1-C2	-9.17	116.63	120.30
26	BB	1923	U	N1-C2-O2	9.17	129.22	122.80
26	BB	2328	A	N1-C2-N3	9.17	133.88	129.30
26	BB	2685	G	C5-N7-C8	-9.17	99.72	104.30
1	AA	793	U	N3-C4-O4	9.16	125.81	119.40
26	BB	2711	A	N1-C6-N6	9.16	124.10	118.60
26	BB	515	A	N1-C6-N6	9.16	124.10	118.60
26	BB	670	A	O4'-C4'-C3'	9.16	113.43	106.10
26	BB	1359	A	O4'-C1'-N9	9.16	115.53	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	889	C	C6-N1-C2	-9.16	116.64	120.30
26	BB	1080	A	C4-C5-C6	-9.16	112.42	117.00
26	BB	2267	A	N1-C2-N3	-9.16	124.72	129.30
26	BB	2804	U	C4'-C3'-C2'	-9.16	93.44	102.60
1	AA	607	A	C5-N7-C8	-9.16	99.32	103.90
1	AA	1258	G	C2-N3-C4	9.16	116.48	111.90
26	BB	454	A	C5-N7-C8	9.16	108.48	103.90
26	BB	1324	G	O4'-C1'-N9	9.16	115.53	108.20
1	AA	601	G	C8-N9-C4	9.16	110.06	106.40
26	BB	172	A	C5-N7-C8	-9.16	99.32	103.90
26	BB	2401	U	C5'-C4'-O4'	9.16	120.09	109.10
26	BB	2657	A	N9-C4-C5	-9.16	102.14	105.80
1	AA	164	G	C5-C6-O6	-9.16	123.11	128.60
1	AA	457	G	N3-C4-N9	9.16	131.49	126.00
26	BB	1799	G	N1-C6-O6	-9.16	114.41	119.90
26	BB	1891	G	C3'-C2'-C1'	-9.16	94.17	101.50
26	BB	244	A	C4-C5-C6	-9.16	112.42	117.00
26	BB	466	A	N9-C4-C5	9.16	109.46	105.80
26	BB	1837	C	N3-C4-C5	9.16	125.56	121.90
26	BB	2047	C	C4-C5-C6	9.16	121.98	117.40
26	BB	2144	G	N3-C4-C5	-9.16	124.02	128.60
26	BB	2311	A	N7-C8-N9	-9.16	109.22	113.80
26	BB	182	A	C2-N3-C4	9.15	115.18	110.60
26	BB	701	G	C8-N9-C4	-9.15	102.74	106.40
26	BB	1898	U	O4'-C1'-N1	9.15	115.52	108.20
1	AA	1032	G	N1-C2-N2	-9.15	107.96	116.20
26	BB	232	G	N1-C6-O6	-9.15	114.41	119.90
26	BB	1194	A	C4-C5-N7	-9.15	106.12	110.70
26	BB	1268	A	N1-C2-N3	-9.15	124.72	129.30
30	BF	85	PHE	CB-CG-CD1	9.15	127.21	120.80
26	BB	2523	G	N9-C1'-C2'	-9.15	101.93	112.00
1	AA	579	A	O4'-C1'-N9	9.15	115.52	108.20
26	BB	493	G	N3-C4-C5	-9.15	124.02	128.60
26	BB	877	A	C5-C6-N1	9.15	122.28	117.70
26	BB	1166	G	N3-C2-N2	9.15	126.31	119.90
26	BB	2006	C	C4-C5-C6	-9.15	112.82	117.40
26	BB	2756	U	P-O3'-C3'	9.15	130.68	119.70
1	AA	472	U	O4'-C1'-N1	9.15	115.52	108.20
26	BB	944	C	N3-C2-O2	-9.15	115.50	121.90
1	AA	745	G	N3-C4-N9	9.15	131.49	126.00
1	AA	1142	G	C5-N7-C8	-9.15	99.73	104.30
1	AA	1339	A	P-O3'-C3'	9.15	130.68	119.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1424	U	N1-C2-O2	-9.15	116.40	122.80
26	BB	137	U	C5-C4-O4	-9.15	120.41	125.90
26	BB	680	C	N1-C2-O2	9.15	124.39	118.90
1	AA	410	G	N1-C6-O6	-9.14	114.41	119.90
26	BB	1228	G	N3-C4-C5	-9.14	124.03	128.60
1	AA	318	G	N3-C4-C5	-9.14	124.03	128.60
26	BB	1269	A	C8-N9-C4	-9.14	102.14	105.80
1	AA	421	U	C6-N1-C2	-9.14	115.52	121.00
1	AA	1372	U	C2-N3-C4	-9.14	121.52	127.00
4	AD	19	G	C3'-C2'-C1'	9.14	108.81	101.50
4	AD	53	G	C2-N3-C4	9.14	116.47	111.90
25	BA	12	C	N3-C4-N4	-9.14	111.60	118.00
26	BB	2751	G	N3-C4-N9	-9.14	120.52	126.00
31	BG	147	ARG	NE-CZ-NH2	-9.14	115.73	120.30
1	AA	980	C	C5-C6-N1	9.14	125.57	121.00
1	AA	1274	A	C8-N9-C4	-9.14	102.14	105.80
26	BB	1589	U	C5-C4-O4	-9.14	120.42	125.90
26	BB	1761	C	C5-C4-N4	-9.14	113.80	120.20
26	BB	2235	G	N9-C4-C5	9.14	109.06	105.40
26	BB	2527	C	C2-N3-C4	-9.14	115.33	119.90
1	AA	860	A	C2-N3-C4	-9.13	106.03	110.60
26	BB	1145	C	N1-C2-O2	9.13	124.38	118.90
26	BB	1980	G	C4-C5-N7	-9.14	107.15	110.80
45	BU	84	ARG	NE-CZ-NH2	9.13	124.87	120.30
26	BB	842	U	N3-C4-O4	9.13	125.79	119.40
26	BB	1328	A	O4'-C1'-N9	9.13	115.51	108.20
1	AA	1405	G	C5-C6-N1	9.13	116.06	111.50
26	BB	1283	G	N1-C6-O6	9.13	125.38	119.90
26	BB	2029	G	N3-C4-N9	9.13	131.48	126.00
26	BB	358	U	O4'-C1'-N1	9.13	115.50	108.20
26	BB	1158	C	C4-C5-C6	-9.13	112.83	117.40
26	BB	1188	U	N3-C4-C5	-9.13	109.12	114.60
1	AA	212	G	N1-C6-O6	-9.13	114.42	119.90
26	BB	887	U	C1'-O4'-C4'	9.13	117.20	109.90
26	BB	1213	A	N1-C6-N6	-9.13	113.12	118.60
26	BB	2053	G	N9-C4-C5	9.13	109.05	105.40
26	BB	2621	G	C5-N7-C8	-9.13	99.74	104.30
26	BB	344	A	C6-C5-N7	-9.13	125.91	132.30
1	AA	167	A	N1-C2-N3	-9.12	124.74	129.30
1	AA	807	A	C6-N1-C2	9.12	124.08	118.60
1	AA	1130	A	O4'-C1'-N9	9.12	115.50	108.20
26	BB	849	A	O4'-C1'-N9	9.12	115.50	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1509	A	C2-N3-C4	9.12	115.16	110.60
26	BB	8	C	C6-N1-C2	-9.12	116.65	120.30
26	BB	2427	C	C6-N1-C2	-9.12	116.65	120.30
26	BB	585	G	C5-C6-O6	9.12	134.07	128.60
26	BB	1815	A	C5-C6-N1	9.12	122.26	117.70
1	AA	5	U	C5-C6-N1	-9.12	118.14	122.70
1	AA	1232	U	N1-C2-N3	9.12	120.37	114.90
1	AA	1527	U	N3-C4-O4	-9.12	113.02	119.40
26	BB	569	U	C4-C5-C6	9.12	125.17	119.70
26	BB	610	C	N1-C2-O2	9.12	124.37	118.90
26	BB	997	G	C6-C5-N7	-9.12	124.93	130.40
1	AA	825	A	N9-C4-C5	9.12	109.45	105.80
1	AA	1020	G	C4'-C3'-C2'	-9.12	93.48	102.60
26	BB	1530	G	C2-N3-C4	9.12	116.46	111.90
1	AA	1138	G	C8-N9-C4	-9.11	102.75	106.40
1	AA	1483	A	C5-C6-N1	9.11	122.26	117.70
26	BB	1853	A	C5-N7-C8	9.11	108.46	103.90
1	AA	809	G	C5-C6-N1	9.11	116.06	111.50
26	BB	535	G	C8-N9-C4	-9.11	102.75	106.40
26	BB	1472	C	C3'-C2'-C1'	9.11	108.79	101.50
26	BB	2527	C	O4'-C1'-N1	9.11	115.49	108.20
26	BB	2546	U	N1-C2-N3	9.11	120.37	114.90
26	BB	1186	G	C2-N3-C4	9.11	116.45	111.90
26	BB	2844	G	N7-C8-N9	9.11	117.66	113.10
1	AA	202	G	C6-N1-C2	-9.11	119.63	125.10
1	AA	1047	G	C5-N7-C8	-9.11	99.75	104.30
1	AA	816	A	C4'-C3'-C2'	-9.11	93.49	102.60
1	AA	1088	G	N3-C2-N2	-9.11	113.52	119.90
1	AA	1340	A	O4'-C1'-N9	9.11	115.49	108.20
26	BB	469	G	P-O3'-C3'	9.11	130.63	119.70
26	BB	785	G	N3-C4-N9	9.11	131.47	126.00
26	BB	1864	U	C3'-C2'-C1'	9.11	108.79	101.50
26	BB	2669	G	N9-C4-C5	9.11	109.04	105.40
26	BB	524	G	C6-N1-C2	-9.11	119.64	125.10
1	AA	1057	G	N3-C4-C5	-9.11	124.05	128.60
25	BA	9	G	C2-N3-C4	9.11	116.45	111.90
1	AA	645	G	O4'-C1'-N9	9.11	115.48	108.20
26	BB	2668	G	C6-C5-N7	-9.11	124.94	130.40
1	AA	910	C	C6-N1-C2	-9.10	116.66	120.30
1	AA	1351	U	N1-C2-O2	-9.10	116.43	122.80
4	AD	35	C	C5-C6-N1	9.10	125.55	121.00
26	BB	1608	A	C3'-C2'-C1'	9.10	108.78	101.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1943	U	O4'-C1'-N1	9.10	115.48	108.20
1	AA	49	U	N3-C2-O2	-9.10	115.83	122.20
1	AA	435	A	C4-C5-C6	-9.10	112.45	117.00
1	AA	558	G	C5-N7-C8	9.10	108.85	104.30
26	BB	2364	C	C6-N1-C2	-9.10	116.66	120.30
26	BB	411	G	C4-C5-C6	9.10	124.26	118.80
25	BA	74	U	C4-C5-C6	9.10	125.16	119.70
1	AA	859	G	C2-N3-C4	9.10	116.45	111.90
25	BA	110	C	O4'-C1'-N1	9.10	115.48	108.20
26	BB	979	A	C5-N7-C8	-9.10	99.35	103.90
26	BB	1454	C	C2-N3-C4	9.10	124.45	119.90
26	BB	1743	G	N3-C2-N2	9.10	126.27	119.90
1	AA	344	A	C4-C5-N7	-9.10	106.15	110.70
1	AA	737	C	C2-N3-C4	9.10	124.45	119.90
2	AB	73	G	N3-C4-C5	-9.10	124.05	128.60
25	BA	44	G	N7-C8-N9	-9.10	108.55	113.10
26	BB	681	G	C8-N9-C4	-9.10	102.76	106.40
26	BB	1220	G	N3-C2-N2	9.10	126.27	119.90
26	BB	1575	C	C5-C4-N4	-9.10	113.83	120.20
26	BB	2083	G	C8-N9-C4	-9.10	102.76	106.40
26	BB	2158	A	C4'-C3'-C2'	9.10	111.70	102.60
26	BB	2791	G	C5'-C4'-O4'	9.10	120.02	109.10
2	AB	2	G	C6-N1-C2	-9.09	119.64	125.10
26	BB	269	C	N3-C4-N4	9.09	124.36	118.00
26	BB	406	G	C2-N3-C4	9.09	116.45	111.90
26	BB	829	A	C5'-C4'-O4'	9.09	120.01	109.10
38	BN	126	ARG	NE-CZ-NH2	-9.09	115.75	120.30
26	BB	1464	G	N3-C2-N2	-9.09	113.53	119.90
1	AA	1089	G	C5-N7-C8	-9.09	99.75	104.30
26	BB	1382	G	O4'-C1'-N9	9.09	115.47	108.20
26	BB	2010	G	C4-C5-N7	9.09	114.44	110.80
26	BB	2718	G	C2-N3-C4	9.09	116.45	111.90
31	BG	109	ARG	NE-CZ-NH1	9.09	124.85	120.30
1	AA	799	G	C4-C5-N7	-9.09	107.17	110.80
26	BB	709	U	N3-C2-O2	-9.09	115.84	122.20
26	BB	1001	A	C4'-C3'-C2'	-9.09	93.51	102.60
26	BB	2614	A	C8-N9-C4	9.09	109.44	105.80
26	BB	2823	A	C4-C5-C6	9.09	121.54	117.00
1	AA	1448	C	O4'-C4'-C3'	9.09	113.37	106.10
26	BB	1918	A	C5-C6-N1	-9.09	113.16	117.70
26	BB	1474	U	O4'-C1'-N1	9.08	115.47	108.20
1	AA	257	G	C5'-C4'-O4'	9.08	120.00	109.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	330	A	N1-C6-N6	-9.08	113.15	118.60
26	BB	911	A	C5-C6-N1	9.08	122.24	117.70
26	BB	929	U	N3-C2-O2	-9.08	115.84	122.20
1	AA	60	A	P-O3'-C3'	9.08	130.60	119.70
1	AA	952	U	C5'-C4'-O4'	9.08	120.00	109.10
1	AA	1082	A	N7-C8-N9	9.08	118.34	113.80
1	AA	1278	G	O4'-C1'-N9	9.08	115.47	108.20
26	BB	1466	U	C5-C6-N1	-9.08	118.16	122.70
26	BB	2227	A	N1-C2-N3	-9.08	124.76	129.30
5	AE	136	ARG	NE-CZ-NH1	9.08	124.84	120.30
26	BB	4	U	N3-C2-O2	-9.08	115.84	122.20
26	BB	386	G	O4'-C1'-N9	9.08	115.46	108.20
1	AA	211	G	C4-C5-N7	-9.08	107.17	110.80
26	BB	2051	A	N1-C2-N3	-9.08	124.76	129.30
1	AA	993	G	O4'-C1'-N9	9.08	115.46	108.20
1	AA	1038	C	C2-N3-C4	9.08	124.44	119.90
1	AA	1439	G	C8-N9-C4	-9.08	102.77	106.40
1	AA	1450	U	N3-C2-O2	-9.08	115.85	122.20
26	BB	899	A	C4-C5-C6	9.08	121.54	117.00
26	BB	944	C	C2-N3-C4	9.08	124.44	119.90
26	BB	1913	A	C4-C5-N7	-9.08	106.16	110.70
26	BB	2321	U	O4'-C1'-N1	9.08	115.46	108.20
1	AA	626	G	C8-N9-C4	-9.07	102.77	106.40
1	AA	942	G	C8-N9-C4	-9.07	102.77	106.40
26	BB	1408	G	O4'-C1'-N9	9.07	115.46	108.20
1	AA	1487	G	C5-C6-N1	9.07	116.04	111.50
25	BA	36	C	O4'-C1'-N1	9.07	115.46	108.20
26	BB	433	C	C2-N3-C4	-9.07	115.36	119.90
26	BB	675	A	C8-N9-C4	-9.07	102.17	105.80
26	BB	1443	U	N1-C2-N3	9.07	120.34	114.90
26	BB	2448	A	C8-N9-C4	-9.07	102.17	105.80
26	BB	283	G	C4-C5-N7	-9.07	107.17	110.80
26	BB	1117	C	N3-C2-O2	-9.07	115.55	121.90
1	AA	270	A	N9-C4-C5	9.07	109.43	105.80
1	AA	781	A	C5'-C4'-O4'	9.07	119.98	109.10
1	AA	1237	C	O4'-C1'-N1	9.07	115.45	108.20
26	BB	418	C	N1-C2-O2	9.07	124.34	118.90
26	BB	1089	A	C6-N1-C2	-9.07	113.16	118.60
26	BB	2186	G	C4-C5-N7	-9.07	107.17	110.80
1	AA	531	U	N3-C2-O2	-9.07	115.85	122.20
1	AA	1356	G	C4-C5-C6	9.07	124.24	118.80
1	AA	717	U	C4-C5-C6	9.06	125.14	119.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BA	95	U	C4-C5-C6	9.06	125.14	119.70
1	AA	1316	G	C4-C5-C6	9.06	124.24	118.80
2	AB	56	C	C6-N1-C2	9.06	123.92	120.30
25	BA	94	A	C5-N7-C8	-9.06	99.37	103.90
26	BB	1148	U	O4'-C1'-N1	9.06	115.45	108.20
26	BB	1829	A	N1-C6-N6	-9.06	113.16	118.60
26	BB	2602	A	C1'-O4'-C4'	-9.06	102.65	109.90
2	AB	25	C	N3-C4-N4	-9.06	111.66	118.00
26	BB	71	A	C5'-C4'-O4'	-9.06	98.23	109.10
26	BB	2010	G	N9-C4-C5	-9.06	101.78	105.40
26	BB	2010	G	O4'-C1'-N9	9.06	115.45	108.20
26	BB	228	C	N3-C4-C5	9.06	125.52	121.90
1	AA	415	A	N1-C2-N3	-9.06	124.77	129.30
1	AA	1205	U	C5-C6-N1	-9.06	118.17	122.70
4	AD	49	C	C1'-O4'-C4'	9.06	117.15	109.90
1	AA	1331	G	C5-C6-N1	-9.05	106.97	111.50
2	AB	24	G	N9-C4-C5	9.05	109.02	105.40
26	BB	692	C	C6-N1-C2	-9.06	116.68	120.30
1	AA	362	G	C5-N7-C8	-9.05	99.77	104.30
1	AA	436	C	N1-C2-N3	9.05	125.54	119.20
1	AA	1182	G	C2-N3-C4	9.05	116.43	111.90
26	BB	510	C	C5'-C4'-O4'	9.05	119.96	109.10
26	BB	2100	G	C5-C6-N1	9.05	116.03	111.50
26	BB	2286	G	N1-C2-N2	9.06	124.35	116.20
26	BB	2854	G	C8-N9-C4	-9.05	102.78	106.40
31	BG	96	TRP	CD1-CG-CD2	-9.05	99.06	106.30
1	AA	606	G	C6-C5-N7	-9.05	124.97	130.40
1	AA	1005	A	C8-N9-C4	-9.05	102.18	105.80
26	BB	1873	G	N1-C6-O6	9.05	125.33	119.90
1	AA	1476	A	O4'-C1'-N9	9.05	115.44	108.20
4	AD	17	C	C6-N1-C2	-9.05	116.68	120.30
4	AD	30	G	O4'-C1'-N9	9.05	115.44	108.20
26	BB	1153	C	O4'-C1'-N1	9.05	115.44	108.20
26	BB	869	G	C5'-C4'-O4'	-9.05	98.24	109.10
1	AA	1538	C	N3-C2-O2	-9.05	115.57	121.90
1	AA	456	A	N7-C8-N9	9.05	118.32	113.80
1	AA	809	G	N1-C6-O6	-9.05	114.47	119.90
1	AA	1141	C	N3-C4-N4	-9.05	111.67	118.00
26	BB	943	A	C6-N1-C2	9.05	124.03	118.60
26	BB	2050	C	C1'-O4'-C4'	9.05	117.14	109.90
26	BB	1341	G	N9-C1'-C2'	-9.05	102.05	112.00
26	BB	575	A	C2-N3-C4	9.05	115.12	110.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	812	C	O4'-C1'-N1	9.05	115.44	108.20
26	BB	1378	A	C2-N3-C4	9.05	115.12	110.60
1	AA	546	A	C4-C5-N7	-9.04	106.18	110.70
26	BB	1288	G	N3-C4-C5	-9.04	124.08	128.60
26	BB	1546	G	O4'-C1'-N9	9.04	115.44	108.20
26	BB	1597	A	C2-N3-C4	9.05	115.12	110.60
26	BB	2268	A	C4-C5-N7	-9.05	106.18	110.70
1	AA	302	G	C5'-C4'-O4'	9.04	119.95	109.10
1	AA	1266	G	C5-C6-O6	9.04	134.03	128.60
26	BB	843	G	C8-N9-C4	-9.04	102.78	106.40
26	BB	2828	G	C2-N3-C4	9.04	116.42	111.90
26	BB	1410	G	C2-N3-C4	9.04	116.42	111.90
1	AA	1530	G	C4-C5-N7	-9.04	107.18	110.80
25	BA	107	G	C8-N9-C4	-9.04	102.78	106.40
26	BB	1134	A	C4-C5-N7	-9.04	106.18	110.70
26	BB	2487	G	C6-N1-C2	9.04	130.52	125.10
26	BB	2660	A	N9-C4-C5	-9.04	102.18	105.80
26	BB	2881	U	C4-C5-C6	9.04	125.12	119.70
1	AA	699	C	O4'-C1'-N1	9.04	115.43	108.20
26	BB	255	A	N1-C6-N6	9.04	124.02	118.60
26	BB	2454	G	N9-C4-C5	-9.04	101.78	105.40
53	B2	25	ARG	NE-CZ-NH1	9.04	124.82	120.30
1	AA	214	C	C4-C5-C6	-9.04	112.88	117.40
1	AA	1401	G	C5'-C4'-C3'	-9.04	101.54	116.00
1	AA	994	A	O4'-C1'-N9	9.03	115.43	108.20
1	AA	1430	A	N7-C8-N9	9.04	118.32	113.80
26	BB	212	G	C4'-C3'-C2'	-9.04	93.56	102.60
26	BB	418	C	C3'-C2'-C1'	-9.04	94.27	101.50
26	BB	677	A	N1-C6-N6	-9.04	113.18	118.60
26	BB	1248	G	C5-C6-O6	-9.03	123.18	128.60
26	BB	704	G	C4-C5-N7	9.03	114.41	110.80
26	BB	1171	G	N7-C8-N9	9.03	117.62	113.10
26	BB	2474	U	O4'-C1'-N1	9.03	115.43	108.20
1	AA	833	G	N3-C4-N9	9.03	131.42	126.00
26	BB	2758	A	O4'-C1'-N9	9.03	115.42	108.20
1	AA	149	A	C6-C5-N7	-9.03	125.98	132.30
1	AA	1476	A	N9-C4-C5	-9.03	102.19	105.80
26	BB	229	C	N3-C4-C5	-9.03	118.29	121.90
26	BB	1158	C	C6-N1-C2	-9.03	116.69	120.30
26	BB	2384	U	C4-C5-C6	9.03	125.12	119.70
1	AA	591	U	N3-C2-O2	-9.03	115.88	122.20
1	AA	1175	G	C6-C5-N7	-9.03	124.98	130.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
16	AP	56	ARG	NE-CZ-NH2	-9.03	115.79	120.30
26	BB	1661	G	C5'-C4'-O4'	9.03	119.93	109.10
26	BB	1667	G	C8-N9-C4	-9.03	102.79	106.40
26	BB	267	C	C2-N3-C4	9.03	124.41	119.90
1	AA	1087	G	N1-C6-O6	-9.02	114.49	119.90
26	BB	389	G	C4-C5-N7	-9.02	107.19	110.80
26	BB	2265	U	O4'-C1'-N1	9.02	115.42	108.20
26	BB	1277	G	C5-N7-C8	-9.02	99.79	104.30
26	BB	1399	C	N3-C2-O2	-9.02	115.58	121.90
26	BB	2146	C	C2-N3-C4	9.02	124.41	119.90
26	BB	2371	G	C2-N3-C4	9.02	116.41	111.90
26	BB	2622	U	N3-C2-O2	-9.02	115.89	122.20
1	AA	116	A	C4-C5-N7	-9.02	106.19	110.70
1	AA	397	A	C6-C5-N7	9.02	138.61	132.30
1	AA	1463	U	N1-C1'-C2'	-9.02	102.08	112.00
26	BB	110	G	O4'-C1'-N9	9.02	115.42	108.20
26	BB	273	G	C6-N1-C2	-9.02	119.69	125.10
26	BB	530	G	N9-C4-C5	9.02	109.01	105.40
26	BB	1140	C	N3-C4-C5	-9.02	118.29	121.90
26	BB	1847	A	C3'-C2'-C1'	9.02	108.72	101.50
26	BB	2275	C	O4'-C1'-N1	9.02	115.42	108.20
26	BB	2771	C	N1-C2-O2	9.02	124.31	118.90
37	BM	30	ARG	NE-CZ-NH2	9.02	124.81	120.30
1	AA	623	C	N3-C4-N4	9.02	124.31	118.00
1	AA	1030	U	N3-C2-O2	-9.02	115.89	122.20
25	BA	42	C	N1-C2-O2	9.02	124.31	118.90
26	BB	1653	G	C4-C5-C6	9.02	124.21	118.80
1	AA	138	G	C5-C6-O6	-9.02	123.19	128.60
26	BB	616	A	N7-C8-N9	-9.02	109.29	113.80
26	BB	791	C	C6-N1-C2	9.02	123.91	120.30
26	BB	1301	A	O4'-C1'-N9	9.02	115.41	108.20
26	BB	1916	A	C2-N3-C4	9.02	115.11	110.60
26	BB	1986	C	O4'-C1'-N1	9.02	115.41	108.20
1	AA	466	A	N9-C4-C5	9.01	109.41	105.80
1	AA	1039	G	C8-N9-C4	-9.01	102.80	106.40
26	BB	464	U	C3'-C2'-C1'	9.01	108.71	101.50
26	BB	837	C	N3-C2-O2	-9.01	115.59	121.90
26	BB	308	G	N1-C6-O6	-9.01	114.49	119.90
26	BB	2038	G	C8-N9-C4	-9.01	102.80	106.40
26	BB	2121	G	C2-N3-C4	9.01	116.40	111.90
1	AA	388	G	N3-C4-C5	-9.01	124.10	128.60
1	AA	712	A	C4-C5-N7	-9.01	106.20	110.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	899	C	N3-C4-N4	-9.01	111.69	118.00
2	AB	31	U	C5'-C4'-O4'	9.01	119.91	109.10
4	AD	17	C	N1-C2-O2	9.01	124.31	118.90
26	BB	45	G	O4'-C1'-N9	9.01	115.41	108.20
26	BB	1482	G	C4'-C3'-C2'	-9.01	93.59	102.60
26	BB	437	U	N3-C4-O4	9.01	125.70	119.40
26	BB	897	C	N3-C4-C5	-9.01	118.30	121.90
26	BB	1380	G	N3-C4-C5	-9.01	124.10	128.60
34	BJ	112	PHE	CB-CG-CD2	-9.01	114.50	120.80
1	AA	478	A	C2-N3-C4	9.00	115.10	110.60
1	AA	524	G	C6-C5-N7	-9.00	125.00	130.40
1	AA	673	A	N9-C4-C5	9.00	109.40	105.80
1	AA	969	A	C5-N7-C8	9.00	108.40	103.90
1	AA	1140	C	C3'-C2'-C1'	9.00	108.70	101.50
1	AA	1286	U	O4'-C1'-N1	9.00	115.40	108.20
26	BB	98	G	C2-N3-C4	9.00	116.40	111.90
26	BB	767	U	C5-C4-O4	-9.00	120.50	125.90
26	BB	964	C	C6-N1-C2	9.00	123.90	120.30
26	BB	1329	U	C5-C4-O4	-9.00	120.50	125.90
26	BB	1377	G	N1-C2-N3	9.00	129.30	123.90
26	BB	1932	A	N1-C2-N3	9.00	133.80	129.30
26	BB	672	C	O4'-C1'-N1	9.00	115.40	108.20
26	BB	2696	U	C5-C4-O4	-9.00	120.50	125.90
1	AA	261	U	O4'-C1'-N1	9.00	115.40	108.20
26	BB	255	A	N1-C2-N3	-9.00	124.80	129.30
26	BB	1694	C	N3-C2-O2	-9.00	115.60	121.90
26	BB	1994	C	N3-C4-C5	-9.00	118.30	121.90
26	BB	2096	C	O4'-C1'-N1	9.00	115.40	108.20
1	AA	602	A	C6-N1-C2	-9.00	113.20	118.60
25	BA	47	C	O4'-C1'-N1	9.00	115.40	108.20
26	BB	394	C	N3-C4-N4	9.00	124.30	118.00
26	BB	558	U	P-O3'-C3'	9.00	130.50	119.70
26	BB	1060	U	C6-N1-C2	-9.00	115.60	121.00
1	AA	147	G	O4'-C1'-N9	8.99	115.40	108.20
1	AA	495	A	C1'-O4'-C4'	-8.99	102.70	109.90
26	BB	1333	G	C4'-C3'-C2'	-8.99	93.61	102.60
26	BB	1368	G	N3-C4-N9	8.99	131.40	126.00
26	BB	105	C	C2-N3-C4	8.99	124.40	119.90
26	BB	1652	A	C2-N3-C4	8.99	115.10	110.60
26	BB	1989	G	N3-C4-C5	-8.99	124.10	128.60
26	BB	1099	G	C5-N7-C8	-8.99	99.80	104.30
26	BB	1368	G	N3-C2-N2	-8.99	113.61	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2303	G	C5-C6-O6	-8.99	123.20	128.60
26	BB	414	C	N1-C2-O2	8.99	124.30	118.90
1	AA	1144	G	C5-C6-O6	-8.99	123.21	128.60
26	BB	1873	G	N7-C8-N9	8.99	117.59	113.10
26	BB	2787	C	N1-C2-O2	8.99	124.30	118.90
26	BB	2020	A	C5-N7-C8	8.99	108.39	103.90
1	AA	135	C	O4'-C1'-N1	8.99	115.39	108.20
1	AA	174	A	C8-N9-C4	-8.99	102.21	105.80
1	AA	571	U	O4'-C1'-N1	8.99	115.39	108.20
1	AA	936	C	N3-C4-C5	-8.99	118.31	121.90
7	AG	153	ARG	NE-CZ-NH2	8.99	124.79	120.30
26	BB	302	C	N1-C2-O2	8.99	124.29	118.90
26	BB	442	G	N3-C4-C5	-8.99	124.11	128.60
26	BB	1271	G	C6-N1-C2	-8.99	119.71	125.10
26	BB	2861	U	C2-N3-C4	-8.99	121.61	127.00
1	AA	591	U	O4'-C1'-N1	8.98	115.39	108.20
1	AA	728	A	C4-C5-N7	-8.98	106.21	110.70
1	AA	1540	U	N3-C4-O4	-8.98	113.11	119.40
26	BB	304	U	N1-C2-N3	8.98	120.29	114.90
26	BB	553	G	C4-C5-C6	8.98	124.19	118.80
26	BB	1852	U	C5-C4-O4	8.98	131.29	125.90
1	AA	656	G	C8-N9-C4	-8.98	102.81	106.40
1	AA	1189	U	C2-N3-C4	-8.98	121.61	127.00
1	AA	1385	G	N3-C2-N2	-8.98	113.61	119.90
1	AA	1455	G	C4-C5-N7	-8.98	107.21	110.80
26	BB	2035	G	C8-N9-C4	-8.98	102.81	106.40
26	BB	2380	C	P-O3'-C3'	8.98	130.47	119.70
26	BB	27	G	O4'-C1'-N9	8.98	115.38	108.20
26	BB	549	G	C6-N1-C2	-8.98	119.71	125.10
1	AA	20	U	C6-N1-C2	-8.98	115.61	121.00
1	AA	693	G	N7-C8-N9	8.98	117.59	113.10
1	AA	772	U	C2-N3-C4	-8.98	121.61	127.00
1	AA	1008	U	N3-C2-O2	-8.98	115.92	122.20
1	AA	1513	A	O4'-C1'-N9	8.98	115.38	108.20
1	AA	1172	C	C5-C4-N4	-8.98	113.92	120.20
3	AC	47	C	N3-C4-C5	8.97	125.49	121.90
26	BB	1992	G	N3-C2-N2	-8.97	113.62	119.90
1	AA	88	U	C5-C6-N1	-8.97	118.21	122.70
2	AB	25	C	C4'-C3'-C2'	-8.97	93.63	102.60
26	BB	713	G	C5-C6-O6	-8.97	123.22	128.60
26	BB	805	G	N9-C4-C5	8.97	108.99	105.40
26	BB	1942	C	N1-C2-N3	-8.97	112.92	119.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2004	G	C3'-C2'-C1'	8.97	108.68	101.50
26	BB	2022	U	O4'-C1'-N1	8.97	115.38	108.20
26	BB	2267	A	C5-C6-N1	8.97	122.19	117.70
1	AA	684	U	C2-N3-C4	-8.97	121.62	127.00
1	AA	202	G	C5-N7-C8	-8.97	99.81	104.30
1	AA	372	C	C5-C6-N1	8.97	125.48	121.00
1	AA	627	G	N7-C8-N9	8.97	117.58	113.10
1	AA	1012	A	C5-C6-N6	-8.97	116.52	123.70
2	AB	66	C	C2-N3-C4	8.97	124.39	119.90
4	AD	3	C	C6-N1-C2	-8.97	116.71	120.30
26	BB	312	G	C8-N9-C4	8.97	109.99	106.40
26	BB	1650	A	C8-N9-C4	-8.97	102.21	105.80
1	AA	669	G	C5-C6-O6	-8.97	123.22	128.60
1	AA	1302	C	C2-N3-C4	8.97	124.39	119.90
1	AA	1331	G	N3-C4-C5	-8.97	124.11	128.60
1	AA	965	U	O4'-C1'-N1	8.97	115.38	108.20
24	AX	61	ARG	NE-CZ-NH2	8.97	124.78	120.30
26	BB	1959	G	C1'-O4'-C4'	-8.97	102.73	109.90
26	BB	2461	A	N9-C4-C5	8.97	109.39	105.80
1	AA	685	G	N3-C4-C5	-8.97	124.12	128.60
1	AA	811	C	C5-C6-N1	8.96	125.48	121.00
25	BA	37	C	C2-N3-C4	8.96	124.38	119.90
26	BB	1450	G	C4-C5-N7	-8.96	107.21	110.80
26	BB	2238	G	C8-N9-C4	-8.96	102.81	106.40
26	BB	2325	G	C8-N9-C4	-8.96	102.81	106.40
26	BB	1828	G	O4'-C1'-N9	8.96	115.37	108.20
1	AA	974	A	C4-C5-N7	-8.96	106.22	110.70
1	AA	1051	C	O4'-C1'-N1	8.96	115.37	108.20
2	AB	30	G	N1-C2-N3	8.96	129.28	123.90
2	AB	45	U	C2-N3-C4	-8.96	121.62	127.00
26	BB	1182	G	N3-C4-C5	-8.96	124.12	128.60
31	BG	121	PHE	CB-CG-CD2	-8.96	114.53	120.80
1	AA	1176	A	C8-N9-C4	8.96	109.38	105.80
26	BB	1948	G	C4-C5-N7	-8.96	107.22	110.80
1	AA	27	G	C5-C6-O6	-8.96	123.22	128.60
1	AA	649	A	C5-C6-N1	8.96	122.18	117.70
1	AA	925	G	O5'-P-OP2	-8.96	97.64	105.70
26	BB	1023	U	C2-N3-C4	-8.96	121.63	127.00
26	BB	1922	G	C8-N9-C4	-8.96	102.82	106.40
1	AA	316	C	N3-C4-N4	8.96	124.27	118.00
26	BB	270	A	O4'-C1'-N9	8.96	115.36	108.20
1	AA	40	C	N1-C2-O2	8.95	124.27	118.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	401	A	N1-C6-N6	8.96	123.97	118.60
26	BB	1807	G	P-O3'-C3'	8.95	130.44	119.70
26	BB	1829	A	N9-C4-C5	8.96	109.38	105.80
1	AA	38	G	N1-C6-O6	-8.95	114.53	119.90
1	AA	70	U	N3-C2-O2	-8.95	115.93	122.20
1	AA	639	G	C4-C5-N7	-8.95	107.22	110.80
25	BA	4	C	C1'-O4'-C4'	-8.95	102.74	109.90
1	AA	533	A	O4'-C1'-N9	-8.95	101.04	108.20
1	AA	778	G	N7-C8-N9	8.95	117.58	113.10
1	AA	1360	A	N7-C8-N9	8.95	118.28	113.80
3	AC	14	G	N7-C8-N9	8.95	117.57	113.10
26	BB	802	A	C5-N7-C8	-8.95	99.42	103.90
26	BB	2340	A	C5-C6-N6	8.95	130.86	123.70
1	AA	319	G	N3-C4-N9	8.95	131.37	126.00
6	AF	33	ASP	CB-CG-OD1	-8.95	110.25	118.30
12	AL	126	PHE	CB-CG-CD1	-8.95	114.54	120.80
26	BB	1274	A	C2-N3-C4	-8.95	106.13	110.60
26	BB	1817	G	O4'-C1'-N9	8.95	115.36	108.20
26	BB	1992	G	N3-C4-C5	-8.95	124.13	128.60
1	AA	33	A	C5-C6-N6	-8.94	116.54	123.70
1	AA	1501	C	C5'-C4'-O4'	8.94	119.83	109.10
25	BA	56	G	N3-C4-C5	-8.94	124.13	128.60
26	BB	1322	A	C2-N3-C4	8.95	115.07	110.60
26	BB	2308	G	N9-C4-C5	8.95	108.98	105.40
26	BB	2576	G	N3-C4-C5	-8.95	124.13	128.60
1	AA	161	A	N1-C6-N6	-8.94	113.23	118.60
1	AA	775	G	C8-N9-C4	-8.94	102.82	106.40
26	BB	926	G	C4-C5-N7	8.94	114.38	110.80
1	AA	362	G	C8-N9-C4	-8.94	102.82	106.40
1	AA	817	C	C5-C6-N1	8.94	125.47	121.00
26	BB	1401	G	O4'-C1'-N9	8.94	115.35	108.20
26	BB	1409	U	C2-N3-C4	-8.94	121.63	127.00
1	AA	1515	G	C2-N3-C4	8.94	116.37	111.90
1	AA	970	C	N3-C2-O2	-8.94	115.64	121.90
26	BB	322	A	C3'-C2'-C1'	8.94	108.65	101.50
26	BB	1478	G	C5-N7-C8	-8.94	99.83	104.30
28	BD	83	ASP	CB-CG-OD1	-8.94	110.26	118.30
1	AA	1371	G	N1-C6-O6	8.94	125.26	119.90
25	BA	19	C	C2-N3-C4	-8.94	115.43	119.90
26	BB	116	C	N3-C4-C5	8.94	125.47	121.90
26	BB	460	A	N1-C2-N3	-8.94	124.83	129.30
26	BB	553	G	C4'-C3'-C2'	-8.94	93.66	102.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1656	C	N3-C4-C5	8.94	125.47	121.90
26	BB	2342	C	N1-C2-O2	8.94	124.26	118.90
1	AA	82	G	C8-N9-C4	-8.93	102.83	106.40
26	BB	101	A	C4'-C3'-C2'	-8.93	93.67	102.60
26	BB	925	A	C6-N1-C2	-8.93	113.24	118.60
26	BB	1986	C	N3-C4-N4	8.93	124.25	118.00
26	BB	2659	G	C4-C5-N7	-8.93	107.23	110.80
1	AA	1193	G	N3-C4-C5	-8.93	124.13	128.60
1	AA	1315	U	N3-C2-O2	-8.93	115.95	122.20
15	AO	94	TYR	CB-CG-CD1	-8.93	115.64	121.00
26	BB	805	G	C8-N9-C4	-8.93	102.83	106.40
26	BB	1339	G	C4-C5-N7	-8.93	107.23	110.80
26	BB	1511	G	C5-C6-N1	8.93	115.97	111.50
26	BB	2148	G	C8-N9-C4	-8.93	102.83	106.40
26	BB	2887	A	C8-N9-C4	-8.93	102.23	105.80
1	AA	325	A	C8-N9-C4	-8.93	102.23	105.80
26	BB	612	G	C4-C5-C6	8.93	124.16	118.80
26	BB	750	A	C5-N7-C8	-8.93	99.43	103.90
26	BB	2019	A	N9-C1'-C2'	-8.93	102.18	112.00
1	AA	158	G	N9-C4-C5	8.93	108.97	105.40
1	AA	301	G	O4'-C1'-N9	8.93	115.34	108.20
1	AA	476	U	C2-N3-C4	-8.93	121.64	127.00
1	AA	673	A	C2-N3-C4	8.93	115.06	110.60
1	AA	776	G	C8-N9-C4	-8.93	102.83	106.40
26	BB	1314	C	N3-C4-C5	-8.93	118.33	121.90
26	BB	2413	G	N3-C4-C5	-8.93	124.14	128.60
26	BB	1007	C	C5-C4-N4	8.93	126.45	120.20
26	BB	2821	A	O4'-C1'-N9	8.93	115.34	108.20
1	AA	834	U	O4'-C1'-N1	8.93	115.34	108.20
26	BB	1154	G	O4'-C1'-N9	8.93	115.34	108.20
26	BB	1862	G	N3-C2-N2	8.93	126.15	119.90
26	BB	2558	C	O4'-C1'-N1	8.93	115.34	108.20
26	BB	633	A	C4-C5-N7	-8.92	106.24	110.70
2	AB	27	C	C2-N3-C4	8.92	124.36	119.90
3	AC	53	G	N3-C4-N9	-8.92	120.65	126.00
4	AD	61	U	O4'-C1'-C2'	8.92	115.63	107.60
26	BB	1511	G	N3-C4-C5	-8.92	124.14	128.60
25	BA	90	C	C4'-C3'-C2'	-8.92	93.68	102.60
26	BB	1053	C	C5'-C4'-O4'	8.92	119.81	109.10
26	BB	1728	C	N3-C4-C5	-8.92	118.33	121.90
1	AA	1375	A	N7-C8-N9	8.92	118.26	113.80
25	BA	52	A	C5-C6-N1	8.92	122.16	117.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BA	110	C	N1-C2-O2	8.92	124.25	118.90
26	BB	273	G	N3-C4-C5	-8.92	124.14	128.60
26	BB	1232	G	C2-N3-C4	-8.92	107.44	111.90
1	AA	413	G	N9-C4-C5	8.92	108.97	105.40
1	AA	699	C	C6-N1-C2	8.92	123.87	120.30
4	AD	14	A	N9-C4-C5	-8.92	102.23	105.80
26	BB	438	G	C5-C6-O6	8.92	133.95	128.60
26	BB	1020	A	N1-C6-N6	-8.92	113.25	118.60
26	BB	966	G	C2-N3-C4	8.92	116.36	111.90
26	BB	1491	G	C6-N1-C2	-8.92	119.75	125.10
26	BB	2444	G	N7-C8-N9	8.92	117.56	113.10
1	AA	21	G	C8-N9-C4	-8.91	102.83	106.40
1	AA	360	G	O4'-C1'-N9	8.91	115.33	108.20
26	BB	609	A	C1'-O4'-C4'	8.91	117.03	109.90
26	BB	1722	A	C5-C6-N1	-8.91	113.24	117.70
1	AA	378	G	N9-C4-C5	8.91	108.97	105.40
1	AA	969	A	C4-C5-C6	8.91	121.46	117.00
2	AB	2	G	C5-C6-O6	-8.91	123.25	128.60
26	BB	320	A	C5-N7-C8	-8.91	99.44	103.90
26	BB	474	G	C6-N1-C2	-8.91	119.75	125.10
26	BB	2155	U	O4'-C1'-N1	8.91	115.33	108.20
26	BB	2634	A	O4'-C1'-N9	8.91	115.33	108.20
26	BB	2679	A	C8-N9-C4	-8.91	102.23	105.80
44	BT	95	ASP	CB-CG-OD1	-8.91	110.28	118.30
1	AA	254	G	C5-C6-O6	-8.91	123.25	128.60
1	AA	1171	A	N1-C2-N3	-8.91	124.84	129.30
1	AA	1346	A	C1'-O4'-C4'	-8.91	102.77	109.90
1	AA	413	G	C5-N7-C8	-8.91	99.84	104.30
26	BB	1213	A	C2-N3-C4	8.91	115.06	110.60
26	BB	2365	G	C4-C5-N7	-8.91	107.23	110.80
26	BB	2459	A	N1-C2-N3	-8.91	124.84	129.30
26	BB	1789	A	N1-C2-N3	8.91	133.75	129.30
26	BB	2476	A	N9-C4-C5	8.91	109.36	105.80
1	AA	34	C	C5-C6-N1	8.91	125.45	121.00
1	AA	442	G	C5-C6-O6	-8.91	123.26	128.60
1	AA	479	U	C6-N1-C2	8.91	126.34	121.00
1	AA	665	A	C2-N3-C4	8.91	115.05	110.60
1	AA	778	G	C2-N3-C4	8.91	116.35	111.90
1	AA	1063	C	N3-C2-O2	-8.91	115.67	121.90
26	BB	584	C	N3-C2-O2	-8.91	115.67	121.90
26	BB	977	G	N7-C8-N9	-8.91	108.65	113.10
26	BB	1408	G	N3-C4-C5	-8.91	124.15	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2238	G	C1'-O4'-C4'	-8.91	102.78	109.90
26	BB	2397	G	C2-N3-C4	8.90	116.35	111.90
1	AA	1038	C	N3-C4-C5	-8.90	118.34	121.90
1	AA	1184	G	C4-C5-N7	8.90	114.36	110.80
5	AE	138	ARG	NE-CZ-NH2	-8.90	115.85	120.30
26	BB	20	C	O4'-C1'-N1	8.90	115.32	108.20
26	BB	491	G	C2-N3-C4	8.90	116.35	111.90
26	BB	964	C	C5-C6-N1	-8.90	116.55	121.00
26	BB	1631	G	C5-C6-N1	8.90	115.95	111.50
1	AA	1062	U	N3-C4-C5	-8.90	109.26	114.60
26	BB	455	C	C2-N3-C4	8.90	124.35	119.90
2	AB	59	G	C1'-O4'-C4'	-8.90	102.78	109.90
26	BB	328	U	O4'-C1'-N1	8.90	115.32	108.20
26	BB	2184	A	C5-N7-C8	-8.90	99.45	103.90
26	BB	1930	G	C5-C6-N1	8.90	115.95	111.50
26	BB	2175	C	O4'-C1'-N1	8.90	115.32	108.20
26	BB	2415	G	C2-N3-C4	8.90	116.35	111.90
1	AA	86	G	N7-C8-N9	8.90	117.55	113.10
26	BB	2866	U	C1'-O4'-C4'	-8.90	102.78	109.90
1	AA	1009	U	O4'-C1'-N1	8.90	115.32	108.20
1	AA	1192	C	N3-C4-C5	-8.90	118.34	121.90
1	AA	1234	C	C4'-C3'-C2'	-8.90	93.70	102.60
26	BB	261	G	C8-N9-C4	-8.90	102.84	106.40
26	BB	321	U	O4'-C1'-N1	8.90	115.32	108.20
26	BB	1237	A	C8-N9-C4	-8.90	102.24	105.80
26	BB	1799	G	N3-C2-N2	-8.90	113.67	119.90
1	AA	8	A	N1-C6-N6	-8.89	113.26	118.60
1	AA	629	A	N1-C6-N6	8.89	123.94	118.60
26	BB	611	C	C6-N1-C2	8.89	123.86	120.30
26	BB	1041	G	C4-C5-N7	-8.89	107.24	110.80
26	BB	1431	A	C4-C5-N7	8.89	115.15	110.70
3	AC	35	G	N7-C8-N9	8.89	117.55	113.10
26	BB	1430	G	N7-C8-N9	-8.89	108.65	113.10
26	BB	1865	U	P-O3'-C3'	8.89	130.37	119.70
26	BB	2061	G	O4'-C1'-N9	8.89	115.31	108.20
26	BB	2196	C	N3-C4-C5	8.89	125.46	121.90
26	BB	2816	G	C1'-O4'-C4'	-8.89	102.78	109.90
1	AA	279	A	C4-C5-C6	-8.89	112.55	117.00
26	BB	433	C	O4'-C1'-N1	8.89	115.31	108.20
26	BB	1633	G	C6-C5-N7	8.89	135.74	130.40
26	BB	1667	G	C5-C6-N1	-8.89	107.05	111.50
26	BB	2382	G	O4'-C4'-C3'	8.89	113.21	106.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2803	G	C5-N7-C8	-8.89	99.85	104.30
4	AD	7	G	C3'-C2'-C1'	8.89	108.61	101.50
26	BB	212	G	N1-C2-N3	-8.89	118.57	123.90
26	BB	1640	A	N7-C8-N9	8.89	118.24	113.80
1	AA	450	G	N1-C6-O6	8.89	125.23	119.90
26	BB	2843	G	C6-N1-C2	-8.89	119.77	125.10
1	AA	388	G	N3-C4-N9	8.88	131.33	126.00
3	AC	56	G	N3-C4-C5	-8.88	124.16	128.60
26	BB	1099	G	N7-C8-N9	8.89	117.54	113.10
26	BB	1347	A	C5-N7-C8	-8.88	99.46	103.90
26	BB	1862	G	C4-C5-C6	8.89	124.13	118.80
26	BB	2217	G	N9-C4-C5	8.88	108.95	105.40
26	BB	2538	C	N3-C4-C5	-8.88	118.35	121.90
1	AA	56	U	N1-C2-O2	8.88	129.02	122.80
1	AA	165	G	O4'-C1'-N9	8.88	115.31	108.20
1	AA	392	C	N3-C4-N4	8.88	124.22	118.00
1	AA	522	C	C2-N3-C4	8.88	124.34	119.90
4	AD	20	G	C6-C5-N7	-8.88	125.07	130.40
26	BB	15	G	N3-C4-C5	-8.88	124.16	128.60
26	BB	82	U	O4'-C1'-N1	8.88	115.30	108.20
1	AA	158	G	C5-C6-N1	8.88	115.94	111.50
1	AA	971	G	N3-C4-C5	-8.88	124.16	128.60
26	BB	97	C	N3-C4-C5	8.88	125.45	121.90
26	BB	1096	A	N7-C8-N9	8.88	118.24	113.80
26	BB	1266	G	N3-C4-C5	-8.88	124.16	128.60
26	BB	2360	G	O4'-C1'-N9	8.88	115.30	108.20
26	BB	818	G	N3-C4-C5	-8.88	124.16	128.60
26	BB	1473	G	C8-N9-C4	-8.88	102.85	106.40
26	BB	2447	G	N9-C4-C5	8.88	108.95	105.40
26	BB	2791	G	O4'-C1'-N9	8.88	115.30	108.20
26	BB	2859	G	N1-C2-N2	-8.88	108.21	116.20
1	AA	1296	C	C5-C6-N1	8.88	125.44	121.00
26	BB	1370	C	N3-C4-N4	8.88	124.21	118.00
43	BS	52	ARG	NE-CZ-NH1	8.88	124.74	120.30
26	BB	287	G	C4-C5-N7	-8.87	107.25	110.80
26	BB	2720	U	C5'-C4'-C3'	-8.87	101.80	116.00
26	BB	2732	G	N3-C4-C5	-8.88	124.16	128.60
1	AA	76	G	C6-C5-N7	-8.87	125.08	130.40
1	AA	831	A	C5-C6-N6	-8.87	116.60	123.70
1	AA	978	A	P-O3'-C3'	8.87	130.35	119.70
26	BB	103	A	C4-C5-N7	-8.87	106.26	110.70
26	BB	772	C	N3-C2-O2	-8.87	115.69	121.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1175	A	C4-C5-N7	8.87	115.14	110.70
26	BB	1588	G	C8-N9-C4	-8.87	102.85	106.40
26	BB	1983	G	P-O3'-C3'	8.87	130.35	119.70
26	BB	2068	U	N1-C2-N3	8.87	120.22	114.90
26	BB	2802	G	N3-C4-C5	-8.87	124.16	128.60
1	AA	202	G	O4'-C1'-N9	8.87	115.30	108.20
1	AA	364	A	C4-C5-N7	8.87	115.14	110.70
26	BB	28	A	N9-C4-C5	8.87	109.35	105.80
26	BB	2241	A	O4'-C1'-N9	8.87	115.30	108.20
26	BB	2282	G	P-O3'-C3'	8.87	130.34	119.70
1	AA	750	C	N1-C2-O2	8.87	124.22	118.90
1	AA	436	C	N3-C2-O2	-8.87	115.69	121.90
1	AA	697	U	N1-C2-N3	8.86	120.22	114.90
26	BB	105	C	C3'-C2'-C1'	8.86	108.59	101.50
26	BB	538	A	C4'-C3'-C2'	-8.87	93.73	102.60
1	AA	1374	A	N9-C1'-C2'	-8.86	102.25	112.00
1	AA	1436	U	C2-N3-C4	-8.86	121.68	127.00
26	BB	1203	U	C6-N1-C2	-8.86	115.68	121.00
26	BB	2058	A	O4'-C1'-N9	8.86	115.29	108.20
26	BB	2135	A	C3'-C2'-C1'	8.86	108.59	101.50
26	BB	2384	U	N3-C4-C5	-8.86	109.28	114.60
3	AC	58	C	C2-N3-C4	8.86	124.33	119.90
26	BB	258	G	C4-C5-N7	8.86	114.34	110.80
26	BB	1764	C	O4'-C1'-N1	8.86	115.29	108.20
1	AA	469	C	O4'-C1'-N1	8.86	115.28	108.20
1	AA	867	G	N3-C4-C5	-8.86	124.17	128.60
2	AB	58	A	C5'-C4'-O4'	8.86	119.73	109.10
26	BB	39	G	C5-C6-O6	-8.86	123.29	128.60
26	BB	143	C	C6-N1-C2	-8.86	116.76	120.30
1	AA	1010	U	O4'-C1'-N1	8.86	115.28	108.20
1	AA	1179	A	C3'-C2'-C1'	-8.86	94.42	101.50
26	BB	326	G	N3-C2-N2	-8.86	113.70	119.90
26	BB	2131	U	C5-C4-O4	-8.86	120.59	125.90
26	BB	2333	A	C2-N3-C4	8.86	115.03	110.60
26	BB	2645	G	N3-C4-C5	-8.86	124.17	128.60
26	BB	2684	U	C2-N3-C4	-8.86	121.69	127.00
26	BB	466	A	C2-N3-C4	8.85	115.03	110.60
26	BB	646	U	O4'-C1'-N1	8.85	115.28	108.20
26	BB	1182	G	C2-N3-C4	8.85	116.33	111.90
1	AA	691	G	C2-N3-C4	8.85	116.33	111.90
1	AA	1214	C	N3-C4-C5	8.85	125.44	121.90
26	BB	151	C	C4-C5-C6	8.85	121.83	117.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	321	U	C2-N3-C4	-8.85	121.69	127.00
26	BB	517	C	O4'-C1'-N1	8.85	115.28	108.20
26	BB	2124	G	C8-N9-C4	-8.85	102.86	106.40
1	AA	1312	G	O4'-C1'-N9	8.85	115.28	108.20
1	AA	775	G	O4'-C1'-N9	8.85	115.28	108.20
1	AA	806	C	N3-C4-N4	-8.85	111.81	118.00
1	AA	1005	A	C3'-C2'-C1'	8.85	108.58	101.50
26	BB	1339	G	N3-C4-C5	-8.85	124.18	128.60
26	BB	2261	C	C5'-C4'-O4'	8.85	119.72	109.10
1	AA	446	G	C5-C6-N1	8.85	115.92	111.50
1	AA	1078	U	C5-C4-O4	8.85	131.21	125.90
1	AA	1370	G	C5-C6-N1	8.85	115.92	111.50
26	BB	328	U	N3-C4-O4	8.85	125.59	119.40
26	BB	2765	A	N1-C2-N3	-8.85	124.88	129.30
26	BB	2848	G	C4-C5-C6	8.85	124.11	118.80
26	BB	1596	A	O4'-C1'-N9	8.85	115.28	108.20
1	AA	566	G	N7-C8-N9	8.84	117.52	113.10
26	BB	1887	C	N1-C2-N3	8.84	125.39	119.20
26	BB	2327	A	C5-N7-C8	-8.84	99.48	103.90
1	AA	97	G	C2-N3-C4	8.84	116.32	111.90
26	BB	2800	A	C5-N7-C8	-8.84	99.48	103.90
26	BB	1470	A	C4-C5-N7	8.84	115.12	110.70
26	BB	1834	U	O4'-C1'-N1	8.84	115.27	108.20
26	BB	2287	A	O4'-C1'-N9	8.84	115.27	108.20
1	AA	149	A	N1-C6-N6	8.84	123.90	118.60
1	AA	474	G	C8-N9-C4	-8.84	102.86	106.40
26	BB	17	G	C5-C6-N1	-8.84	107.08	111.50
26	BB	2588	G	C8-N9-C4	-8.84	102.86	106.40
1	AA	164	G	C5-C6-N1	8.84	115.92	111.50
1	AA	759	A	N1-C6-N6	8.84	123.90	118.60
1	AA	1251	A	N7-C8-N9	8.84	118.22	113.80
1	AA	1441	A	N1-C6-N6	8.84	123.90	118.60
26	BB	1512	C	N3-C4-C5	-8.84	118.37	121.90
26	BB	2428	G	O4'-C1'-N9	8.83	115.27	108.20
1	AA	1144	G	N3-C4-C5	-8.83	124.18	128.60
26	BB	220	G	C4'-C3'-C2'	-8.83	93.77	102.60
26	BB	756	A	O4'-C1'-N9	8.83	115.27	108.20
26	BB	830	G	O4'-C1'-N9	8.83	115.27	108.20
26	BB	1550	C	N3-C4-C5	-8.83	118.37	121.90
26	BB	2797	U	C2-N3-C4	-8.83	121.70	127.00
1	AA	391	G	C6-N1-C2	-8.83	119.80	125.10
5	AE	221	ARG	NE-CZ-NH2	-8.83	115.89	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	126	A	N1-C6-N6	8.83	123.90	118.60
26	BB	1157	G	C4-C5-N7	8.83	114.33	110.80
26	BB	1846	G	O4'-C1'-N9	8.83	115.26	108.20
26	BB	1967	C	O4'-C1'-N1	8.83	115.26	108.20
26	BB	2182	U	O4'-C1'-N1	8.83	115.26	108.20
26	BB	2346	A	C5'-C4'-O4'	8.83	119.70	109.10
26	BB	2894	G	C5-C6-N1	8.83	115.92	111.50
1	AA	69	G	C5-N7-C8	-8.83	99.89	104.30
1	AA	504	C	O4'-C1'-N1	8.83	115.26	108.20
26	BB	666	A	N7-C8-N9	-8.83	109.39	113.80
1	AA	1133	G	C4-C5-N7	8.83	114.33	110.80
25	BA	7	G	N3-C4-C5	-8.83	124.19	128.60
26	BB	2415	G	N3-C4-C5	-8.83	124.19	128.60
43	BS	57	ARG	NE-CZ-NH1	8.83	124.71	120.30
26	BB	1982	U	N3-C4-C5	8.83	119.90	114.60
1	AA	705	G	C4-C5-N7	-8.82	107.27	110.80
1	AA	1094	G	N9-C4-C5	8.82	108.93	105.40
1	AA	1025	U	N3-C2-O2	-8.82	116.02	122.20
1	AA	1364	U	N1-C2-O2	-8.82	116.62	122.80
26	BB	961	C	N1-C2-O2	8.82	124.19	118.90
26	BB	775	G	C6-N1-C2	-8.82	119.81	125.10
26	BB	808	G	N3-C2-N2	8.82	126.08	119.90
26	BB	954	G	C4-C5-N7	8.82	114.33	110.80
26	BB	1944	U	C3'-C2'-C1'	8.82	108.56	101.50
26	BB	2891	U	C6-N1-C2	-8.82	115.71	121.00
1	AA	50	A	O4'-C1'-N9	8.82	115.25	108.20
1	AA	584	G	C2-N3-C4	8.82	116.31	111.90
25	BA	8	C	C4'-C3'-C2'	-8.82	93.78	102.60
26	BB	1466	U	C2-N3-C4	-8.82	121.71	127.00
1	AA	170	U	O4'-C1'-N1	8.82	115.25	108.20
26	BB	246	C	C5-C6-N1	8.82	125.41	121.00
26	BB	625	G	N3-C4-C5	-8.82	124.19	128.60
26	BB	1277	G	C4'-C3'-C2'	-8.82	93.78	102.60
26	BB	1940	U	C1'-O4'-C4'	-8.82	102.85	109.90
26	BB	2687	U	C5'-C4'-O4'	8.82	119.68	109.10
1	AA	662	U	N1-C2-N3	8.82	120.19	114.90
9	AI	110	ARG	NE-CZ-NH1	8.82	124.71	120.30
26	BB	891	G	C6-C5-N7	8.82	135.69	130.40
26	BB	1656	C	N3-C2-O2	-8.82	115.73	121.90
26	BB	2327	A	C5-C6-N6	-8.82	116.65	123.70
26	BB	2224	G	N9-C4-C5	8.81	108.93	105.40
1	AA	274	A	C5-C6-N1	-8.81	113.29	117.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	573	A	C2-N3-C4	8.81	115.01	110.60
1	AA	1042	A	C2-N3-C4	8.81	115.01	110.60
25	BA	55	U	C5'-C4'-O4'	8.81	119.68	109.10
26	BB	68	G	C4-C5-N7	-8.81	107.27	110.80
26	BB	356	G	C5-C6-N1	8.81	115.91	111.50
26	BB	1728	C	O4'-C1'-N1	8.81	115.25	108.20
26	BB	2594	C	O4'-C1'-N1	8.81	115.25	108.20
26	BB	1132	U	O4'-C1'-N1	8.81	115.25	108.20
26	BB	1343	G	C2-N3-C4	8.81	116.31	111.90
1	AA	1414	U	C4-C5-C6	-8.81	114.41	119.70
26	BB	1535	A	O4'-C1'-N9	8.81	115.25	108.20
26	BB	1667	G	C4-C5-C6	8.81	124.09	118.80
26	BB	2744	G	C2-N3-C4	8.81	116.31	111.90
26	BB	1771	C	C6-N1-C2	-8.81	116.78	120.30
26	BB	1776	G	C5-C6-N1	8.81	115.91	111.50
26	BB	2669	G	O4'-C1'-N9	-8.81	101.15	108.20
3	AC	45	G	C2-N3-C4	8.81	116.31	111.90
26	BB	36	G	O4'-C1'-N9	8.81	115.25	108.20
26	BB	1055	G	C3'-C2'-C1'	-8.81	94.45	101.50
26	BB	1553	A	N9-C4-C5	8.81	109.32	105.80
26	BB	2037	A	O4'-C1'-N9	-8.81	101.15	108.20
26	BB	2032	G	N3-C2-N2	-8.81	113.73	119.90
26	BB	2134	A	C2-N3-C4	8.81	115.00	110.60
1	AA	782	A	C5-C6-N1	8.81	122.10	117.70
25	BA	101	A	N1-C6-N6	-8.81	113.32	118.60
26	BB	715	A	C5-C6-N1	8.81	122.10	117.70
26	BB	2863	C	C2-N3-C4	8.80	124.30	119.90
1	AA	471	U	N3-C2-O2	-8.80	116.04	122.20
1	AA	797	C	N1-C2-N3	-8.80	113.04	119.20
4	AD	4	G	N3-C4-N9	8.80	131.28	126.00
26	BB	1355	G	N3-C4-N9	8.80	131.28	126.00
26	BB	2249	U	O4'-C1'-N1	8.80	115.24	108.20
26	BB	2604	U	C5'-C4'-O4'	8.80	119.67	109.10
1	AA	1366	C	C6-N1-C2	-8.80	116.78	120.30
26	BB	2046	G	C8-N9-C4	-8.80	102.88	106.40
1	AA	743	A	N9-C4-C5	8.80	109.32	105.80
26	BB	2660	A	C3'-C2'-C1'	8.80	108.54	101.50
1	AA	690	G	C2-N3-C4	8.80	116.30	111.90
1	AA	847	G	C5-C6-O6	-8.80	123.32	128.60
1	AA	1071	C	N3-C2-O2	-8.80	115.74	121.90
26	BB	35	G	C3'-C2'-C1'	-8.80	94.46	101.50
26	BB	93	G	N9-C4-C5	8.80	108.92	105.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2810	A	N3-C4-C5	-8.80	120.64	126.80
1	AA	1230	C	N1-C1'-C2'	-8.80	102.32	112.00
26	BB	1096	A	C3'-C2'-C1'	8.80	108.54	101.50
26	BB	1998	A	C5'-C4'-O4'	8.80	119.66	109.10
26	BB	2354	C	C5-C4-N4	-8.80	114.04	120.20
1	AA	1503	A	C4-C5-N7	8.80	115.10	110.70
26	BB	361	G	N3-C4-C5	-8.80	124.20	128.60
26	BB	401	A	C8-N9-C4	-8.80	102.28	105.80
26	BB	1340	U	N3-C4-O4	8.80	125.56	119.40
26	BB	2644	G	N9-C4-C5	8.80	108.92	105.40
26	BB	2876	G	N3-C4-C5	-8.80	124.20	128.60
1	AA	792	A	C2-N3-C4	-8.79	106.20	110.60
4	AD	6	G	C5-N7-C8	-8.79	99.90	104.30
26	BB	1944	U	N3-C2-O2	-8.79	116.04	122.20
26	BB	2138	G	N7-C8-N9	8.79	117.50	113.10
26	BB	2876	G	C5-N7-C8	8.79	108.70	104.30
1	AA	1117	A	C8-N9-C4	-8.79	102.28	105.80
26	BB	537	G	N7-C8-N9	8.79	117.50	113.10
26	BB	2532	G	O4'-C1'-N9	8.79	115.23	108.20
26	BB	2789	C	C5-C4-N4	-8.79	114.05	120.20
1	AA	191	G	C8-N9-C4	8.79	109.92	106.40
26	BB	2832	U	O4'-C1'-N1	8.79	115.23	108.20
1	AA	1405	G	C5-C6-O6	-8.79	123.33	128.60
25	BA	17	C	C5-C6-N1	8.79	125.39	121.00
26	BB	1815	A	N1-C6-N6	-8.79	113.33	118.60
26	BB	190	A	O4'-C1'-N9	8.79	115.23	108.20
26	BB	1559	U	C5-C4-O4	-8.79	120.63	125.90
1	AA	260	G	N9-C4-C5	8.79	108.91	105.40
1	AA	270	A	C4-C5-N7	-8.79	106.31	110.70
1	AA	1022	A	C4'-C3'-C2'	-8.79	93.81	102.60
26	BB	163	C	O4'-C1'-N1	8.79	115.23	108.20
26	BB	1735	A	N1-C6-N6	-8.79	113.33	118.60
26	BB	549	G	N1-C6-O6	-8.78	114.63	119.90
26	BB	2861	U	N1-C2-N3	8.79	120.17	114.90
27	BC	21	TYR	CB-CG-CD1	8.78	126.27	121.00
39	BO	6	ARG	NE-CZ-NH1	8.78	124.69	120.30
26	BB	635	C	C2-N3-C4	8.78	124.29	119.90
26	BB	2002	G	N3-C2-N2	-8.78	113.75	119.90
26	BB	2303	G	C1'-O4'-C4'	8.78	116.93	109.90
1	AA	1365	G	N9-C4-C5	8.78	108.91	105.40
25	BA	45	A	N1-C2-N3	-8.78	124.91	129.30
26	BB	425	G	C5-C6-N1	8.78	115.89	111.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	721	A	N7-C8-N9	8.78	118.19	113.80
26	BB	1115	G	C4'-C3'-C2'	-8.78	93.82	102.60
1	AA	465	A	N9-C4-C5	8.78	109.31	105.80
1	AA	1160	G	N1-C2-N3	-8.78	118.64	123.90
3	AC	51	C	N3-C4-C5	-8.78	118.39	121.90
26	BB	783	A	C5-N7-C8	8.78	108.29	103.90
26	BB	831	G	C6-N1-C2	-8.78	119.83	125.10
26	BB	993	G	C5-N7-C8	-8.78	99.91	104.30
1	AA	1283	U	N3-C2-O2	-8.77	116.06	122.20
1	AA	744	C	N1-C1'-C2'	-8.77	102.35	112.00
1	AA	759	A	C8-N9-C4	-8.77	102.29	105.80
25	BA	69	G	N1-C6-O6	8.77	125.16	119.90
1	AA	1156	G	N7-C8-N9	8.77	117.49	113.10
1	AA	1506	U	N1-C2-O2	8.77	128.94	122.80
26	BB	391	A	N1-C2-N3	-8.77	124.91	129.30
26	BB	982	C	O4'-C1'-N1	8.77	115.22	108.20
26	BB	1646	C	C3'-C2'-C1'	8.77	108.52	101.50
26	BB	2827	C	N3-C4-C5	-8.77	118.39	121.90
26	BB	1478	G	N7-C8-N9	8.77	117.48	113.10
1	AA	51	A	P-O3'-C3'	8.77	130.22	119.70
1	AA	584	G	N3-C4-C5	-8.77	124.22	128.60
1	AA	836	G	C5-N7-C8	8.77	108.69	104.30
26	BB	432	A	C6-C5-N7	8.77	138.44	132.30
26	BB	1521	G	C2-N3-C4	8.77	116.28	111.90
26	BB	2557	G	C5-C6-O6	-8.77	123.34	128.60
1	AA	896	C	C6-N1-C2	8.77	123.81	120.30
1	AA	1129	C	C5-C4-N4	8.77	126.34	120.20
4	AD	53	G	C5-C6-O6	-8.77	123.34	128.60
26	BB	834	G	C8-N9-C4	-8.77	102.89	106.40
26	BB	2310	C	C2-N3-C4	8.77	124.28	119.90
1	AA	1095	U	C5-C6-N1	-8.77	118.32	122.70
1	AA	1515	G	C5-C6-O6	-8.77	123.34	128.60
3	AC	33	A	N1-C6-N6	8.77	123.86	118.60
7	AG	102	TYR	CB-CG-CD1	-8.77	115.74	121.00
26	BB	78	U	N3-C4-O4	8.77	125.54	119.40
26	BB	1831	G	C8-N9-C4	-8.77	102.89	106.40
26	BB	2396	G	O4'-C1'-N9	8.77	115.21	108.20
29	BE	77	ARG	NE-CZ-NH1	-8.77	115.92	120.30
1	AA	562	U	O4'-C1'-N1	8.76	115.21	108.20
1	AA	1356	G	C8-N9-C4	-8.76	102.89	106.40
25	BA	119	A	N9-C4-C5	-8.76	102.30	105.80
26	BB	2338	C	N1-C2-O2	8.76	124.16	118.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1046	A	C2-N3-C4	8.76	114.98	110.60
26	BB	698	C	C4-C5-C6	-8.76	113.02	117.40
26	BB	2509	G	C4-C5-C6	8.76	124.06	118.80
1	AA	483	C	C5-C4-N4	-8.76	114.07	120.20
1	AA	1150	A	O4'-C1'-N9	8.76	115.21	108.20
26	BB	1950	G	C4-C5-N7	-8.76	107.30	110.80
1	AA	991	U	N1-C2-O2	8.76	128.93	122.80
26	BB	233	A	N9-C4-C5	8.76	109.30	105.80
26	BB	517	C	N3-C4-C5	-8.76	118.40	121.90
26	BB	587	C	C5-C4-N4	-8.76	114.07	120.20
26	BB	654	A	C2-N3-C4	8.76	114.98	110.60
26	BB	2035	G	O4'-C1'-N9	8.76	115.20	108.20
26	BB	2178	C	N1-C1'-C2'	-8.76	102.37	112.00
26	BB	2494	G	C2-N3-C4	8.76	116.28	111.90
1	AA	861	G	C5-N7-C8	-8.75	99.92	104.30
1	AA	995	C	N1-C2-N3	8.75	125.33	119.20
1	AA	1286	U	C5-C4-O4	-8.75	120.65	125.90
1	AA	997	U	C1'-O4'-C4'	-8.75	102.90	109.90
1	AA	1073	U	C4-C5-C6	8.75	124.95	119.70
26	BB	1518	C	C4-C5-C6	-8.75	113.02	117.40
26	BB	2015	A	C5-C6-N6	8.75	130.70	123.70
26	BB	2353	G	C4-C5-N7	-8.75	107.30	110.80
1	AA	1417	G	C5-C6-O6	-8.75	123.35	128.60
3	AC	57	C	N3-C4-N4	8.75	124.13	118.00
1	AA	1401	G	C5'-C4'-O4'	8.75	119.60	109.10
2	AB	70	C	C4-C5-C6	-8.75	113.03	117.40
26	BB	534	U	N3-C4-C5	-8.75	109.35	114.60
26	BB	620	G	N3-C2-N2	-8.75	113.78	119.90
26	BB	1030	C	N3-C4-C5	-8.75	118.40	121.90
26	BB	2824	C	C2-N3-C4	8.75	124.28	119.90
1	AA	814	A	O4'-C1'-N9	8.75	115.20	108.20
1	AA	1036	A	C6-N1-C2	8.75	123.85	118.60
1	AA	1080	A	N1-C6-N6	-8.75	113.35	118.60
26	BB	397	U	C5-C6-N1	-8.75	118.33	122.70
26	BB	402	A	N1-C2-N3	-8.75	124.93	129.30
26	BB	791	C	O4'-C1'-N1	8.75	115.20	108.20
26	BB	925	A	O4'-C1'-N9	8.75	115.20	108.20
26	BB	1884	G	C4-C5-N7	-8.75	107.30	110.80
26	BB	2529	G	N3-C2-N2	-8.75	113.78	119.90
56	B5	34	ARG	NE-CZ-NH2	-8.75	115.93	120.30
1	AA	310	G	C4-C5-C6	8.74	124.05	118.80
26	BB	1498	C	C4-C5-C6	-8.74	113.03	117.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1614	A	N1-C6-N6	-8.74	113.35	118.60
1	AA	1047	G	N7-C8-N9	8.74	117.47	113.10
1	AA	1525	G	O4'-C1'-N9	8.74	115.19	108.20
3	AC	28	U	C5-C4-O4	-8.74	120.65	125.90
26	BB	315	G	O4'-C1'-N9	8.74	115.19	108.20
26	BB	552	U	C6-N1-C2	-8.74	115.75	121.00
26	BB	1667	G	N3-C4-C5	-8.74	124.23	128.60
26	BB	2505	G	N3-C2-N2	8.74	126.02	119.90
1	AA	189	A	C5-C6-N1	8.74	122.07	117.70
1	AA	1133	G	N9-C4-C5	-8.74	101.90	105.40
1	AA	1355	G	O4'-C1'-N9	8.74	115.19	108.20
1	AA	1406	U	C5-C4-O4	-8.74	120.66	125.90
26	BB	771	G	N7-C8-N9	8.74	117.47	113.10
26	BB	1114	C	N3-C4-C5	-8.74	118.40	121.90
26	BB	1177	G	N3-C4-C5	-8.74	124.23	128.60
26	BB	1538	G	N7-C8-N9	8.74	117.47	113.10
26	BB	2157	G	N1-C6-O6	-8.74	114.66	119.90
26	BB	2192	U	N1-C2-N3	8.74	120.14	114.90
26	BB	2807	U	N3-C2-O2	8.74	128.32	122.20
1	AA	86	G	N1-C2-N3	8.74	129.14	123.90
1	AA	262	A	C4-C5-C6	-8.74	112.63	117.00
26	BB	805	G	C4-C5-N7	-8.74	107.31	110.80
26	BB	1369	G	N3-C2-N2	-8.74	113.78	119.90
1	AA	1074	G	N1-C6-O6	8.74	125.14	119.90
26	BB	1833	C	N1-C2-O2	8.74	124.14	118.90
1	AA	438	U	C4-C5-C6	8.73	124.94	119.70
6	AF	106	ARG	NE-CZ-NH1	8.73	124.67	120.30
26	BB	434	U	C5-C4-O4	-8.73	120.66	125.90
26	BB	1452	G	N9-C4-C5	-8.73	101.91	105.40
26	BB	2234	G	N9-C4-C5	-8.73	101.91	105.40
1	AA	692	U	C5'-C4'-O4'	8.73	119.58	109.10
26	BB	469	G	N3-C2-N2	8.73	126.01	119.90
26	BB	516	C	N3-C2-O2	-8.73	115.79	121.90
26	BB	741	U	N1-C2-O2	-8.73	116.69	122.80
26	BB	805	G	N3-C4-C5	-8.73	124.23	128.60
26	BB	1037	G	N3-C4-N9	-8.73	120.76	126.00
26	BB	1082	U	C3'-C2'-C1'	8.73	108.48	101.50
34	BJ	50	TYR	CB-CG-CD1	-8.73	115.76	121.00
1	AA	733	G	P-O3'-C3'	8.73	130.17	119.70
26	BB	1703	G	C2-N3-C4	8.73	116.26	111.90
26	BB	2043	C	N3-C2-O2	-8.73	115.79	121.90
1	AA	428	G	N7-C8-N9	-8.72	108.74	113.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1361	G	O4'-C4'-C3'	8.72	113.08	106.10
25	BA	92	C	C1'-O4'-C4'	8.72	116.88	109.90
26	BB	748	G	C4-C5-N7	-8.72	107.31	110.80
1	AA	665	A	N9-C4-C5	8.72	109.29	105.80
1	AA	908	A	C6-C5-N7	8.72	138.41	132.30
25	BA	55	U	C5'-C4'-C3'	-8.72	102.04	116.00
26	BB	648	G	C6-C5-N7	-8.72	125.17	130.40
26	BB	1232	G	N9-C4-C5	-8.72	101.91	105.40
26	BB	1312	U	N3-C4-O4	-8.72	113.30	119.40
26	BB	1453	A	C8-N9-C4	-8.72	102.31	105.80
1	AA	1321	U	C4-C5-C6	8.72	124.93	119.70
27	BC	208	TYR	CB-CG-CD2	-8.72	115.77	121.00
1	AA	422	C	O4'-C1'-C2'	-8.72	97.08	105.80
2	AB	59	G	N3-C4-C5	-8.72	124.24	128.60
26	BB	856	G	N3-C4-C5	-8.72	124.24	128.60
26	BB	1085	A	C8-N9-C4	-8.72	102.31	105.80
26	BB	2839	G	N1-C2-N3	-8.72	118.67	123.90
26	BB	180	G	O4'-C1'-N9	8.72	115.17	108.20
26	BB	845	A	N3-C4-N9	8.72	134.37	127.40
26	BB	947	A	C8-N9-C4	-8.72	102.31	105.80
26	BB	1166	G	N9-C4-C5	8.72	108.89	105.40
26	BB	1221	C	N3-C4-C5	-8.72	118.41	121.90
26	BB	2847	U	C3'-C2'-C1'	8.72	108.47	101.50
28	BD	166	ARG	NE-CZ-NH1	8.72	124.66	120.30
1	AA	642	A	N1-C6-N6	-8.72	113.37	118.60
1	AA	765	G	N3-C2-N2	-8.71	113.80	119.90
1	AA	893	C	C5'-C4'-O4'	8.72	119.56	109.10
1	AA	1315	U	N1-C2-O2	8.72	128.90	122.80
1	AA	1387	G	C5-N7-C8	-8.71	99.94	104.30
26	BB	451	U	C2-N3-C4	-8.71	121.77	127.00
26	BB	869	G	N1-C6-O6	8.72	125.13	119.90
26	BB	2133	G	N3-C4-N9	8.72	131.23	126.00
26	BB	2154	A	C6-N1-C2	8.71	123.83	118.60
1	AA	1428	A	C2-N3-C4	8.71	114.96	110.60
2	AB	47	U	O4'-C1'-C2'	-8.71	97.09	105.80
26	BB	1083	U	O4'-C1'-N1	8.71	115.17	108.20
26	BB	272	A	C5-C6-N1	8.71	122.06	117.70
26	BB	1593	A	N1-C6-N6	-8.71	113.37	118.60
26	BB	1825	U	N1-C2-N3	8.71	120.13	114.90
26	BB	2454	G	C3'-C2'-C1'	8.71	108.47	101.50
1	AA	387	U	C5-C4-O4	-8.71	120.67	125.90
1	AA	622	A	O4'-C1'-N9	-8.71	101.23	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1019	A	N1-C2-N3	-8.71	124.95	129.30
3	AC	39	U	P-O3'-C3'	8.71	130.15	119.70
25	BA	6	G	C2-N3-C4	8.71	116.25	111.90
26	BB	488	G	C4-C5-N7	-8.71	107.32	110.80
26	BB	1177	G	N9-C4-C5	8.71	108.88	105.40
26	BB	2144	G	C2-N3-C4	8.71	116.25	111.90
1	AA	457	G	N9-C4-C5	-8.71	101.92	105.40
1	AA	555	U	O4'-C1'-N1	8.70	115.16	108.20
1	AA	587	G	C6-N1-C2	-8.71	119.88	125.10
26	BB	93	G	C4-C5-N7	-8.70	107.32	110.80
26	BB	919	U	O4'-C1'-N1	8.71	115.16	108.20
26	BB	1946	U	O4'-C1'-N1	8.70	115.16	108.20
26	BB	2341	G	C8-N9-C1'	8.71	138.32	127.00
1	AA	2	A	C4-C5-N7	-8.70	106.35	110.70
1	AA	394	G	N9-C4-C5	8.70	108.88	105.40
1	AA	1297	G	N3-C4-C5	-8.70	124.25	128.60
1	AA	1410	A	C4-C5-N7	-8.70	106.35	110.70
3	AC	47	C	C4-C5-C6	-8.70	113.05	117.40
26	BB	893	C	C6-N1-C2	8.70	123.78	120.30
25	BA	18	G	N3-C4-C5	-8.70	124.25	128.60
1	AA	59	A	N1-C6-N6	-8.70	113.38	118.60
1	AA	367	U	O4'-C1'-N1	8.70	115.16	108.20
1	AA	1114	C	C4-C5-C6	8.70	121.75	117.40
1	AA	1337	G	N9-C4-C5	8.70	108.88	105.40
26	BB	350	G	C4-C5-C6	8.70	124.02	118.80
26	BB	352	A	C2-N3-C4	8.70	114.95	110.60
26	BB	472	A	C5'-C4'-O4'	8.70	119.54	109.10
26	BB	2594	C	N3-C4-C5	-8.70	118.42	121.90
1	AA	575	G	C2-N3-C4	8.70	116.25	111.90
1	AA	988	G	C3'-C2'-C1'	-8.70	94.54	101.50
1	AA	1284	C	C3'-C2'-C1'	8.70	108.46	101.50
26	BB	1187	G	N9-C4-C5	8.70	108.88	105.40
1	AA	1426	G	N3-C4-N9	8.70	131.22	126.00
26	BB	245	G	O4'-C1'-N9	8.70	115.16	108.20
26	BB	1465	G	N1-C6-O6	-8.70	114.68	119.90
26	BB	1840	G	C2-N3-C4	8.70	116.25	111.90
26	BB	2396	G	N9-C1'-C2'	-8.70	102.44	112.00
26	BB	2567	G	C5'-C4'-O4'	8.70	119.54	109.10
15	AO	85	ARG	NE-CZ-NH2	-8.69	115.95	120.30
1	AA	997	U	C2-N3-C4	-8.69	121.78	127.00
1	AA	240	G	C2-N3-C4	-8.69	107.56	111.90
1	AA	610	U	C5-C4-O4	-8.69	120.69	125.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
31	BG	121	PHE	CB-CG-CD1	8.69	126.88	120.80
1	AA	946	A	C4-C5-C6	8.69	121.34	117.00
26	BB	80	G	N3-C4-C5	-8.69	124.25	128.60
26	BB	1929	G	N7-C8-N9	8.69	117.44	113.10
26	BB	2358	A	C1'-O4'-C4'	-8.69	102.95	109.90
26	BB	382	A	C1'-O4'-C4'	8.69	116.85	109.90
26	BB	2011	U	O5'-P-OP2	-8.69	97.88	105.70
26	BB	2399	G	C2-N3-C4	8.69	116.25	111.90
1	AA	862	C	C2-N3-C4	-8.69	115.56	119.90
1	AA	1279	G	C8-N9-C4	-8.69	102.92	106.40
25	BA	12	C	C5-C4-N4	8.69	126.28	120.20
26	BB	806	C	O4'-C4'-C3'	8.69	113.05	106.10
26	BB	727	A	C2-N3-C4	8.69	114.94	110.60
26	BB	973	A	O4'-C4'-C3'	8.69	113.05	106.10
26	BB	1878	G	C5'-C4'-O4'	8.69	119.52	109.10
1	AA	1064	G	N3-C2-N2	-8.68	113.82	119.90
26	BB	1766	G	O4'-C1'-N9	8.68	115.15	108.20
26	BB	2414	G	C5-C6-O6	-8.68	123.39	128.60
26	BB	2303	G	C8-N9-C4	-8.68	102.93	106.40
1	AA	56	U	C5-C4-O4	-8.68	120.69	125.90
1	AA	806	C	C6-N1-C2	8.68	123.77	120.30
1	AA	1503	A	C6-C5-N7	-8.68	126.22	132.30
4	AD	72	C	C6-N1-C2	8.68	123.77	120.30
26	BB	1353	A	C5'-C4'-O4'	8.68	119.52	109.10
26	BB	1796	U	C4-C5-C6	8.68	124.91	119.70
26	BB	245	G	C2-N3-C4	-8.68	107.56	111.90
26	BB	1830	C	O4'-C1'-N1	8.68	115.14	108.20
26	BB	2288	A	C4-C5-N7	-8.68	106.36	110.70
26	BB	2582	G	N3-C4-C5	-8.68	124.26	128.60
1	AA	1239	A	P-O3'-C3'	8.68	130.11	119.70
2	AB	53	G	N3-C4-C5	-8.68	124.26	128.60
26	BB	859	G	N1-C2-N2	-8.68	108.39	116.20
26	BB	1011	G	C2-N3-C4	8.68	116.24	111.90
26	BB	2559	C	C5-C4-N4	-8.68	114.13	120.20
26	BB	1925	C	C3'-C2'-C1'	8.68	108.44	101.50
26	BB	2097	A	C5-C6-N1	-8.68	113.36	117.70
26	BB	2178	C	N3-C4-C5	-8.68	118.43	121.90
26	BB	2349	G	C2-N3-C4	8.68	116.24	111.90
26	BB	1236	G	N9-C4-C5	8.67	108.87	105.40
26	BB	1423	G	C4-C5-N7	8.67	114.27	110.80
26	BB	1805	A	C2-N3-C4	-8.67	106.26	110.60
26	BB	1910	G	C6-N1-C2	-8.67	119.90	125.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2811	G	C4-C5-N7	-8.67	107.33	110.80
1	AA	547	A	C2-N3-C4	8.67	114.94	110.60
26	BB	1052	C	C4-C5-C6	8.67	121.73	117.40
26	BB	1467	U	N3-C4-O4	8.67	125.47	119.40
26	BB	2417	C	N3-C4-C5	-8.67	118.43	121.90
26	BB	1659	G	C6-N1-C2	-8.67	119.90	125.10
26	BB	1853	A	N7-C8-N9	-8.67	109.47	113.80
1	AA	949	A	N1-C6-N6	8.67	123.80	118.60
26	BB	394	C	N3-C2-O2	-8.67	115.83	121.90
26	BB	213	A	C2-N3-C4	-8.67	106.27	110.60
26	BB	783	A	N7-C8-N9	-8.67	109.47	113.80
26	BB	111	A	C3'-C2'-C1'	8.66	108.43	101.50
26	BB	338	G	C4-C5-N7	-8.66	107.33	110.80
26	BB	1446	C	P-O3'-C3'	8.66	130.10	119.70
26	BB	1593	A	C4-C5-N7	-8.66	106.37	110.70
26	BB	1597	A	C8-N9-C4	-8.66	102.33	105.80
26	BB	1871	A	N7-C8-N9	8.66	118.13	113.80
26	BB	2205	A	C2-N3-C4	8.66	114.93	110.60
26	BB	2799	A	N1-C6-N6	-8.66	113.40	118.60
26	BB	2325	G	C5-N7-C8	-8.66	99.97	104.30
1	AA	838	G	C3'-C2'-C1'	-8.66	94.57	101.50
1	AA	1277	C	N3-C2-O2	-8.66	115.84	121.90
1	AA	1298	U	N1-C2-N3	8.66	120.10	114.90
2	AB	56	C	C3'-C2'-C1'	8.66	108.43	101.50
26	BB	1572	A	N9-C1'-C2'	-8.66	102.47	112.00
1	AA	748	G	C8-N9-C4	-8.66	102.94	106.40
1	AA	800	G	N9-C4-C5	8.66	108.86	105.40
1	AA	1252	A	N1-C6-N6	8.66	123.79	118.60
26	BB	1593	A	C2-N3-C4	-8.66	106.27	110.60
1	AA	51	A	N1-C2-N3	-8.65	124.97	129.30
1	AA	351	G	C2-N3-C4	8.65	116.23	111.90
26	BB	782	A	N1-C6-N6	8.65	123.79	118.60
26	BB	791	C	C5-C6-N1	-8.65	116.67	121.00
26	BB	1786	A	N1-C2-N3	-8.65	124.97	129.30
26	BB	2454	G	C4-C5-N7	8.65	114.26	110.80
1	AA	384	G	C6-N1-C2	-8.65	119.91	125.10
1	AA	959	A	C5-C6-N1	8.65	122.03	117.70
1	AA	1141	C	C6-N1-C2	8.65	123.76	120.30
26	BB	123	G	N9-C4-C5	8.65	108.86	105.40
26	BB	424	G	C2-N3-C4	8.65	116.23	111.90
26	BB	893	C	N3-C4-C5	8.65	125.36	121.90
26	BB	2357	G	C4-C5-N7	-8.65	107.34	110.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2640	G	C5-C6-O6	-8.65	123.41	128.60
1	AA	1161	C	C5-C6-N1	-8.65	116.67	121.00
6	AF	36	PHE	CB-CG-CD2	-8.65	114.75	120.80
26	BB	1416	G	C4'-C3'-C2'	-8.65	93.95	102.60
26	BB	1440	U	C2-N3-C4	-8.65	121.81	127.00
26	BB	2045	C	O4'-C1'-N1	8.65	115.12	108.20
26	BB	2612	C	C2-N3-C4	-8.65	115.58	119.90
34	BJ	93	ARG	NE-CZ-NH2	8.65	124.62	120.30
26	BB	703	U	C1'-O4'-C4'	8.65	116.82	109.90
26	BB	2237	G	N9-C4-C5	8.65	108.86	105.40
1	AA	127	G	N1-C6-O6	8.65	125.09	119.90
26	BB	1426	G	C4-C5-N7	-8.65	107.34	110.80
26	BB	2750	A	C1'-O4'-C4'	-8.65	102.98	109.90
28	BD	79	ARG	NE-CZ-NH2	8.65	124.62	120.30
26	BB	2330	G	N7-C8-N9	8.65	117.42	113.10
1	AA	202	G	C4'-C3'-C2'	-8.64	93.96	102.60
1	AA	712	A	C5'-C4'-O4'	8.64	119.47	109.10
26	BB	881	G	N1-C6-O6	-8.64	114.71	119.90
2	AB	23	A	C3'-C2'-C1'	8.64	108.42	101.50
26	BB	1505	A	C4-C5-C6	-8.64	112.68	117.00
28	BD	102	TYR	CB-CG-CD2	8.64	126.19	121.00
1	AA	38	G	C8-N9-C4	-8.64	102.94	106.40
1	AA	241	G	N7-C8-N9	8.64	117.42	113.10
1	AA	293	G	C4-C5-C6	8.64	123.98	118.80
12	AL	40	ARG	NE-CZ-NH2	-8.64	115.98	120.30
26	BB	1592	C	N3-C2-O2	-8.64	115.85	121.90
26	BB	2702	G	C5'-C4'-O4'	8.64	119.47	109.10
32	BH	82	PHE	CB-CG-CD2	-8.64	114.75	120.80
1	AA	276	G	C5-N7-C8	-8.64	99.98	104.30
1	AA	531	U	N1-C2-N3	8.64	120.08	114.90
1	AA	119	A	C5'-C4'-O4'	-8.64	98.74	109.10
1	AA	1104	G	C2-N3-C4	8.64	116.22	111.90
3	AC	56	G	C4-C5-C6	8.64	123.98	118.80
26	BB	121	G	N1-C2-N3	-8.64	118.72	123.90
1	AA	1272	G	N7-C8-N9	8.64	117.42	113.10
26	BB	1859	U	N3-C2-O2	-8.64	116.15	122.20
1	AA	1482	G	C5-C6-O6	-8.64	123.42	128.60
1	AA	1486	G	C2-N3-C4	-8.63	107.58	111.90
4	AD	19	G	N9-C4-C5	8.63	108.85	105.40
18	AR	76	ARG	NE-CZ-NH1	8.63	124.62	120.30
26	BB	16	C	C2-N3-C4	8.64	124.22	119.90
26	BB	986	C	P-O5'-C5'	8.64	134.72	120.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	503	A	C5-N7-C8	8.63	108.22	103.90
26	BB	696	G	C5-C6-O6	-8.63	123.42	128.60
26	BB	2179	C	C5-C6-N1	8.64	125.32	121.00
1	AA	1147	C	N3-C4-N4	8.63	124.04	118.00
2	AB	13	C	N3-C2-O2	8.63	127.94	121.90
4	AD	40	C	O4'-C1'-N1	8.63	115.11	108.20
26	BB	487	C	N1-C2-O2	8.63	124.08	118.90
26	BB	2450	A	C6-C5-N7	-8.63	126.26	132.30
1	AA	717	U	O4'-C1'-N1	8.63	115.10	108.20
26	BB	242	G	C5-C6-N1	8.63	115.82	111.50
26	BB	527	C	N3-C4-C5	-8.63	118.45	121.90
26	BB	950	G	C8-N9-C4	-8.63	102.95	106.40
26	BB	1002	G	C5-C6-O6	-8.63	123.42	128.60
26	BB	1983	G	N7-C8-N9	8.63	117.42	113.10
26	BB	2184	A	C5-C6-N1	8.63	122.02	117.70
26	BB	2491	U	C2-N1-C1'	8.63	128.06	117.70
26	BB	2774	C	N3-C2-O2	-8.63	115.86	121.90
1	AA	197	A	N7-C8-N9	8.63	118.11	113.80
26	BB	203	A	C5-N7-C8	-8.63	99.59	103.90
26	BB	1192	G	N1-C2-N3	-8.63	118.72	123.90
26	BB	1347	A	N1-C2-N3	8.63	133.61	129.30
1	AA	648	A	N1-C2-N3	8.62	133.61	129.30
26	BB	1508	A	C5-C6-N1	8.62	122.01	117.70
26	BB	2185	U	C4'-C3'-C2'	-8.62	93.97	102.60
1	AA	219	U	C5-C6-N1	-8.62	118.39	122.70
1	AA	681	A	N9-C4-C5	8.62	109.25	105.80
1	AA	1242	G	O4'-C1'-N9	8.62	115.10	108.20
25	BA	71	C	O4'-C1'-N1	8.62	115.10	108.20
1	AA	1218	C	N3-C4-C5	8.62	125.35	121.90
26	BB	323	C	C4-C5-C6	-8.62	113.09	117.40
26	BB	524	G	N3-C4-N9	8.62	131.17	126.00
1	AA	1245	C	O4'-C1'-N1	8.62	115.10	108.20
26	BB	2731	G	N7-C8-N9	-8.62	108.79	113.10
1	AA	366	A	C3'-C2'-C1'	-8.62	94.61	101.50
26	BB	248	G	N9-C4-C5	8.62	108.85	105.40
26	BB	574	A	C3'-C2'-C1'	8.62	108.39	101.50
26	BB	991	C	C1'-O4'-C4'	8.62	116.80	109.90
26	BB	1051	G	N3-C4-N9	8.62	131.17	126.00
26	BB	1893	C	C6-N1-C2	-8.62	116.85	120.30
26	BB	2304	G	C5-C6-O6	-8.62	123.43	128.60
26	BB	2441	U	C6-N1-C2	-8.62	115.83	121.00
1	AA	260	G	C6-C5-N7	8.61	135.57	130.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	538	G	N9-C4-C5	8.62	108.85	105.40
1	AA	940	C	O4'-C1'-N1	8.62	115.09	108.20
26	BB	1768	C	C4'-C3'-C2'	-8.62	93.98	102.60
26	BB	2425	A	C8-N9-C4	-8.62	102.35	105.80
26	BB	2470	G	C5'-C4'-O4'	8.62	119.44	109.10
1	AA	202	G	C5-C6-O6	-8.61	123.43	128.60
1	AA	239	U	N1-C2-N3	8.61	120.07	114.90
1	AA	318	G	C2-N3-C4	8.61	116.21	111.90
4	AD	22	A	P-O3'-C3'	8.61	130.03	119.70
26	BB	2828	G	O4'-C1'-N9	8.61	115.09	108.20
1	AA	908	A	C5-C6-N1	8.61	122.00	117.70
1	AA	1310	G	O4'-C1'-N9	8.61	115.09	108.20
26	BB	42	A	C8-N9-C4	-8.61	102.36	105.80
26	BB	295	G	N3-C4-C5	-8.61	124.29	128.60
26	BB	530	G	N3-C2-N2	8.61	125.93	119.90
26	BB	834	G	C5'-C4'-O4'	8.61	119.43	109.10
26	BB	843	G	C6-N1-C2	-8.61	119.93	125.10
26	BB	1202	G	N9-C4-C5	8.61	108.84	105.40
26	BB	1420	A	C4-C5-C6	8.61	121.31	117.00
1	AA	104	G	N1-C6-O6	8.61	125.06	119.90
1	AA	485	U	C2-N3-C4	-8.61	121.83	127.00
12	AL	48	ARG	NE-CZ-NH1	8.61	124.61	120.30
26	BB	2742	G	N1-C2-N3	8.61	129.07	123.90
2	AB	68	C	N3-C2-O2	-8.61	115.87	121.90
26	BB	1047	G	C5-C6-O6	-8.61	123.43	128.60
26	BB	2156	G	C4-C5-N7	8.61	114.24	110.80
26	BB	2376	A	C5-C6-N6	-8.61	116.81	123.70
1	AA	746	A	N7-C8-N9	8.61	118.10	113.80
1	AA	1343	G	O4'-C1'-N9	8.61	115.08	108.20
26	BB	427	U	N3-C2-O2	-8.61	116.17	122.20
26	BB	781	A	O4'-C1'-N9	8.61	115.08	108.20
26	BB	880	G	C8-N9-C4	-8.61	102.96	106.40
26	BB	2141	G	N3-C4-C5	-8.61	124.30	128.60
26	BB	1174	U	N1-C2-N3	8.60	120.06	114.90
26	BB	2403	C	C4-C5-C6	-8.60	113.10	117.40
43	BS	23	TYR	CB-CG-CD1	-8.60	115.84	121.00
26	BB	2712	C	N1-C2-N3	-8.60	113.18	119.20
1	AA	981	U	O5'-P-OP2	-8.60	97.96	105.70
26	BB	349	U	C5-C4-O4	8.60	131.06	125.90
26	BB	2347	C	O4'-C1'-N1	8.60	115.08	108.20
1	AA	993	G	C5-C6-O6	-8.60	123.44	128.60
1	AA	1184	G	C5-C6-O6	-8.60	123.44	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
45	BU	38	TYR	CB-CG-CD1	-8.60	115.84	121.00
1	AA	4	U	C4-C5-C6	-8.60	114.54	119.70
26	BB	32	C	C5-C4-N4	-8.60	114.18	120.20
26	BB	446	G	N7-C8-N9	8.60	117.40	113.10
26	BB	1278	C	O4'-C1'-N1	8.60	115.08	108.20
26	BB	1402	U	C5'-C4'-O4'	8.60	119.42	109.10
3	AC	57	C	C3'-C2'-C1'	8.60	108.38	101.50
26	BB	1323	C	O4'-C1'-N1	8.60	115.08	108.20
26	BB	1782	U	C4-C5-C6	8.60	124.86	119.70
26	BB	2742	G	C2-N3-C4	-8.60	107.60	111.90
1	AA	673	A	C8-N9-C4	-8.59	102.36	105.80
1	AA	1204	A	C4-C5-C6	-8.59	112.70	117.00
1	AA	1397	C	C3'-C2'-C1'	-8.59	94.62	101.50
26	BB	1579	A	O4'-C4'-C3'	8.59	112.97	106.10
26	BB	2087	G	C2-N3-C4	8.59	116.20	111.90
26	BB	2016	U	O4'-C1'-N1	8.59	115.07	108.20
1	AA	262	A	C6-C5-N7	8.59	138.31	132.30
1	AA	575	G	C8-N9-C4	-8.59	102.96	106.40
1	AA	577	G	N9-C4-C5	-8.59	101.96	105.40
26	BB	146	A	C8-N9-C4	-8.59	102.36	105.80
26	BB	463	G	C3'-C2'-C1'	-8.59	94.63	101.50
26	BB	598	U	C6-N1-C2	-8.59	115.84	121.00
26	BB	1236	G	C4-C5-N7	-8.59	107.36	110.80
26	BB	2014	A	C8-N9-C4	-8.59	102.36	105.80
1	AA	986	U	O4'-C1'-N1	8.59	115.07	108.20
1	AA	1363	A	C3'-C2'-C1'	-8.59	94.63	101.50
26	BB	1472	C	O4'-C1'-N1	8.59	115.07	108.20
26	BB	2877	G	C4-C5-N7	-8.59	107.36	110.80
26	BB	1477	A	C2-N3-C4	8.59	114.89	110.60
1	AA	3	A	C4-C5-C6	-8.59	112.71	117.00
26	BB	73	A	C8-N9-C4	-8.59	102.36	105.80
26	BB	580	U	C5-C6-N1	-8.59	118.41	122.70
26	BB	1813	G	C4-C5-N7	8.59	114.23	110.80
26	BB	430	A	P-O3'-C3'	8.59	130.00	119.70
26	BB	916	G	C5-N7-C8	-8.59	100.01	104.30
26	BB	1823	G	N3-C4-C5	-8.59	124.31	128.60
26	BB	1017	G	C5-C6-N1	8.59	115.79	111.50
26	BB	1216	G	N3-C4-N9	8.59	131.15	126.00
26	BB	1414	C	N1-C2-O2	8.59	124.05	118.90
26	BB	1991	U	C5-C6-N1	-8.59	118.41	122.70
26	BB	2618	G	N3-C4-C5	-8.59	124.31	128.60
1	AA	790	A	C8-N9-C4	-8.58	102.37	105.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1517	G	N3-C4-C5	-8.58	124.31	128.60
26	BB	1711	A	C5-C6-N6	-8.58	116.83	123.70
1	AA	217	C	N3-C2-O2	-8.58	115.89	121.90
26	BB	2567	G	C4-C5-N7	8.58	114.23	110.80
1	AA	1046	A	N9-C4-C5	8.58	109.23	105.80
1	AA	1323	G	N3-C4-C5	-8.58	124.31	128.60
26	BB	177	G	C4-C5-N7	-8.58	107.37	110.80
1	AA	254	G	C5-C6-N1	8.58	115.79	111.50
1	AA	642	A	C3'-C2'-C1'	-8.58	94.64	101.50
1	AA	759	A	N7-C8-N9	8.58	118.09	113.80
26	BB	725	G	N9-C4-C5	8.58	108.83	105.40
26	BB	312	G	C6-C5-N7	-8.58	125.25	130.40
26	BB	739	A	C2-N3-C4	8.58	114.89	110.60
26	BB	992	C	N3-C4-C5	-8.58	118.47	121.90
26	BB	1352	U	N3-C4-O4	-8.58	113.40	119.40
26	BB	1530	G	C5-N7-C8	8.58	108.59	104.30
26	BB	2560	A	N7-C8-N9	-8.58	109.51	113.80
1	AA	986	U	C5-C4-O4	8.57	131.04	125.90
1	AA	1071	C	O4'-C1'-N1	8.57	115.06	108.20
26	BB	2619	C	O4'-C1'-N1	8.57	115.06	108.20
26	BB	308	G	C5-C6-O6	8.57	133.74	128.60
26	BB	375	G	C6-N1-C2	8.57	130.24	125.10
26	BB	412	A	N9-C4-C5	8.57	109.23	105.80
26	BB	530	G	C6-N1-C2	-8.57	119.96	125.10
26	BB	684	G	C3'-C2'-C1'	-8.57	94.64	101.50
1	AA	475	C	N3-C2-O2	-8.57	115.90	121.90
1	AA	1538	C	P-O3'-C3'	8.57	129.99	119.70
1	AA	500	G	N9-C4-C5	8.57	108.83	105.40
1	AA	1106	G	C6-N1-C2	-8.57	119.96	125.10
4	AD	75	C	C1'-O4'-C4'	-8.57	103.04	109.90
26	BB	528	A	C5-C6-N1	8.57	121.98	117.70
26	BB	906	U	N1-C2-N3	8.57	120.04	114.90
26	BB	1197	G	C2-N3-C4	8.57	116.18	111.90
26	BB	1807	G	N9-C4-C5	8.57	108.83	105.40
26	BB	2131	U	N1-C2-N3	8.57	120.04	114.90
26	BB	2785	C	N1-C2-N3	-8.57	113.20	119.20
3	AC	57	C	O4'-C1'-N1	8.57	115.05	108.20
26	BB	153	U	N1-C2-N3	8.57	120.04	114.90
26	BB	342	A	C4-C5-C6	-8.57	112.72	117.00
26	BB	2440	C	C3'-C2'-C1'	-8.57	94.65	101.50
1	AA	1368	A	N1-C6-N6	-8.56	113.46	118.60
26	BB	342	A	C5'-C4'-O4'	8.56	119.38	109.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1211	C	O5'-P-OP1	-8.56	97.99	105.70
26	BB	2424	C	N1-C2-N3	-8.56	113.20	119.20
25	BA	24	G	N3-C4-C5	-8.56	124.32	128.60
26	BB	1011	G	N9-C4-C5	8.56	108.83	105.40
26	BB	1755	A	C5-C6-N1	8.56	121.98	117.70
26	BB	2672	U	N3-C2-O2	-8.56	116.20	122.20
3	AC	33	A	N1-C2-N3	-8.56	125.02	129.30
1	AA	1202	U	O4'-C4'-C3'	8.56	112.95	106.10
4	AD	10	G	C4-C5-N7	-8.56	107.38	110.80
21	AU	50	TYR	CB-CG-CD1	-8.56	115.86	121.00
26	BB	889	C	N3-C4-C5	-8.56	118.48	121.90
26	BB	1140	C	N1-C2-O2	8.56	124.04	118.90
26	BB	2100	G	N3-C4-C5	-8.56	124.32	128.60
1	AA	1411	C	C5-C6-N1	8.56	125.28	121.00
26	BB	162	U	O4'-C1'-C2'	-8.56	97.24	105.80
26	BB	492	A	C8-N9-C4	-8.56	102.38	105.80
26	BB	656	G	N1-C2-N3	-8.56	118.77	123.90
26	BB	993	G	C6-C5-N7	-8.56	125.27	130.40
56	B5	12	ARG	NE-CZ-NH1	8.56	124.58	120.30
1	AA	357	G	N9-C4-C5	8.56	108.82	105.40
1	AA	784	A	C5-N7-C8	-8.56	99.62	103.90
1	AA	1404	C	C2-N3-C4	8.55	124.18	119.90
26	BB	752	A	O4'-C1'-N9	8.56	115.05	108.20
26	BB	1144	A	O4'-C4'-C3'	8.56	112.94	106.10
2	AB	52	A	N9-C4-C5	-8.55	102.38	105.80
26	BB	827	U	N1-C2-O2	-8.55	116.81	122.80
26	BB	922	C	C2-N3-C4	8.55	124.18	119.90
26	BB	1148	U	C2-N3-C4	-8.55	121.87	127.00
26	BB	1486	U	C4-C5-C6	8.55	124.83	119.70
26	BB	2004	G	N3-C4-C5	-8.55	124.32	128.60
26	BB	2081	U	O4'-C1'-N1	8.56	115.05	108.20
1	AA	1297	G	C5'-C4'-O4'	8.55	119.36	109.10
1	AA	1331	G	N9-C4-C5	8.55	108.82	105.40
6	AF	130	ARG	NE-CZ-NH2	-8.55	116.03	120.30
11	AK	127	TYR	CB-CG-CD2	-8.55	115.87	121.00
26	BB	248	G	N3-C4-C5	-8.55	124.32	128.60
26	BB	372	G	C3'-C2'-C1'	-8.55	94.66	101.50
26	BB	1934	C	O4'-C1'-N1	8.55	115.04	108.20
26	BB	2703	C	N3-C4-C5	-8.55	118.48	121.90
1	AA	31	G	N7-C8-N9	8.55	117.37	113.10
1	AA	1322	C	P-O3'-C3'	8.55	129.96	119.70
26	BB	2243	U	O4'-C1'-N1	8.55	115.04	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1365	G	N3-C2-N2	8.55	125.88	119.90
1	AA	1491	G	N3-C4-N9	8.55	131.13	126.00
26	BB	1085	A	O4'-C1'-N9	8.55	115.04	108.20
37	BM	17	ARG	NE-CZ-NH2	-8.55	116.03	120.30
1	AA	14	U	C4-C5-C6	-8.55	114.57	119.70
1	AA	785	G	C6-C5-N7	-8.55	125.27	130.40
1	AA	930	C	C2-N3-C4	8.55	124.17	119.90
1	AA	1309	G	C2-N3-C4	8.54	116.17	111.90
1	AA	1465	A	C3'-C2'-C1'	-8.54	94.66	101.50
2	AB	48	U	C6-N1-C2	8.55	126.13	121.00
3	AC	16	A	O4'-C1'-N9	8.55	115.04	108.20
26	BB	629	G	N1-C6-O6	-8.55	114.77	119.90
26	BB	1114	C	C5'-C4'-C3'	-8.55	102.33	116.00
26	BB	1673	G	C4-C5-N7	-8.55	107.38	110.80
30	BF	88	ARG	NE-CZ-NH1	-8.54	116.03	120.30
1	AA	493	A	C6-N1-C2	-8.54	113.48	118.60
26	BB	511	U	C5-C6-N1	-8.54	118.43	122.70
26	BB	526	A	O4'-C1'-N9	-8.54	101.37	108.20
26	BB	891	G	N1-C2-N2	8.54	123.89	116.20
26	BB	2320	U	C2-N3-C4	-8.54	121.88	127.00
26	BB	2491	U	C4-C5-C6	8.54	124.83	119.70
1	AA	452	A	O4'-C1'-N9	8.54	115.03	108.20
1	AA	941	G	C4-C5-N7	-8.54	107.38	110.80
26	BB	124	G	C6-N1-C2	-8.54	119.98	125.10
26	BB	2385	C	C5'-C4'-O4'	8.54	119.35	109.10
26	BB	2570	G	C5-C6-O6	-8.54	123.48	128.60
26	BB	1977	A	O4'-C1'-N9	8.54	115.03	108.20
26	BB	2224	G	C4-C5-N7	-8.54	107.39	110.80
1	AA	12	U	C5-C6-N1	-8.54	118.43	122.70
1	AA	241	G	C2-N3-C4	8.54	116.17	111.90
1	AA	272	C	P-O3'-C3'	8.54	129.94	119.70
1	AA	688	G	C4'-C3'-C2'	-8.54	94.06	102.60
1	AA	1075	U	C5-C4-O4	-8.54	120.78	125.90
1	AA	1306	A	C8-N9-C4	-8.54	102.39	105.80
26	BB	1026	G	N9-C4-C5	8.54	108.81	105.40
26	BB	2250	G	N1-C6-O6	-8.54	114.78	119.90
1	AA	530	G	C5-C6-N1	8.53	115.77	111.50
1	AA	1309	G	N3-C4-C5	-8.53	124.33	128.60
26	BB	170	U	N1-C2-N3	8.54	120.02	114.90
26	BB	650	C	N3-C2-O2	-8.53	115.93	121.90
26	BB	926	G	C3'-C2'-C1'	-8.53	94.67	101.50
1	AA	540	G	C4-C5-N7	8.53	114.21	110.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	894	G	C5-C6-O6	8.53	133.72	128.60
4	AD	53	G	C4-C5-C6	8.53	123.92	118.80
26	BB	698	C	O5'-P-OP2	-8.53	98.02	105.70
26	BB	1400	U	N1-C2-O2	8.53	128.77	122.80
26	BB	278	A	C8-N9-C4	-8.53	102.39	105.80
26	BB	899	A	C5-C6-N1	-8.53	113.44	117.70
1	AA	112	G	N3-C2-N2	-8.53	113.93	119.90
1	AA	418	C	C6-N1-C2	-8.53	116.89	120.30
25	BA	64	G	N7-C8-N9	8.53	117.36	113.10
26	BB	549	G	C5-C6-N1	8.53	115.77	111.50
26	BB	878	A	C4-C5-N7	8.53	114.97	110.70
26	BB	1309	G	N3-C4-C5	-8.53	124.33	128.60
1	AA	1455	G	N9-C4-C5	8.53	108.81	105.40
2	AB	61	C	N1-C2-O2	-8.53	113.78	118.90
26	BB	423	A	N7-C8-N9	8.53	118.06	113.80
26	BB	1096	A	N1-C6-N6	8.53	123.72	118.60
26	BB	1823	G	C5-C6-O6	-8.53	123.48	128.60
26	BB	2524	G	C5-C6-O6	8.53	133.72	128.60
26	BB	2645	G	C4-C5-N7	-8.53	107.39	110.80
26	BB	776	G	N3-C4-C5	-8.53	124.34	128.60
26	BB	1867	G	C8-N9-C4	-8.53	102.99	106.40
1	AA	1050	G	C4-C5-N7	8.53	114.21	110.80
1	AA	1171	A	C5-C6-N1	8.53	121.96	117.70
26	BB	323	C	C5-C6-N1	8.53	125.26	121.00
26	BB	1721	G	C1'-O4'-C4'	-8.53	103.08	109.90
26	BB	1826	G	N1-C6-O6	-8.53	114.78	119.90
26	BB	1913	A	N1-C6-N6	8.53	123.72	118.60
26	BB	1979	U	O4'-C1'-N1	8.53	115.02	108.20
26	BB	2067	G	O4'-C1'-N9	8.53	115.02	108.20
26	BB	2117	A	C6-N1-C2	-8.53	113.48	118.60
26	BB	2140	G	C1'-O4'-C4'	-8.53	103.08	109.90
26	BB	2798	U	N3-C4-O4	8.53	125.37	119.40
1	AA	191	G	N3-C4-N9	8.52	131.11	126.00
1	AA	317	U	C5-C6-N1	-8.52	118.44	122.70
1	AA	622	A	N1-C2-N3	-8.52	125.04	129.30
1	AA	1202	U	N1-C2-N3	8.52	120.01	114.90
1	AA	1467	C	N3-C2-O2	-8.52	115.93	121.90
3	AC	59	A	C2-N3-C4	8.52	114.86	110.60
20	AT	61	ARG	NE-CZ-NH1	8.52	124.56	120.30
26	BB	944	C	O4'-C1'-N1	8.52	115.02	108.20
26	BB	1195	G	N3-C2-N2	8.52	125.87	119.90
26	BB	190	A	C5-C6-N1	8.52	121.96	117.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2331	G	C5-N7-C8	-8.52	100.04	104.30
26	BB	1402	U	O4'-C1'-N1	8.52	115.02	108.20
26	BB	1621	U	N3-C2-O2	-8.52	116.23	122.20
26	BB	1933	G	C3'-C2'-C1'	8.52	108.32	101.50
26	BB	2595	G	O4'-C1'-N9	8.52	115.02	108.20
1	AA	1299	A	C4-C5-N7	-8.52	106.44	110.70
1	AA	1441	A	O4'-C1'-N9	8.52	115.02	108.20
1	AA	1499	A	N9-C1'-C2'	-8.52	102.63	112.00
1	AA	1514	G	C6-C5-N7	-8.52	125.29	130.40
2	AB	48	U	C5-C4-O4	8.52	131.01	125.90
26	BB	247	G	C3'-C2'-C1'	8.52	108.31	101.50
26	BB	1364	G	C5-N7-C8	-8.52	100.04	104.30
26	BB	1569	A	C5-N7-C8	8.52	108.16	103.90
26	BB	2122	U	C5-C4-O4	-8.52	120.79	125.90
47	BW	94	PHE	CB-CG-CD1	-8.52	114.84	120.80
1	AA	248	C	N3-C2-O2	-8.52	115.94	121.90
1	AA	715	A	C6-N1-C2	8.52	123.71	118.60
26	BB	54	G	N7-C8-N9	8.52	117.36	113.10
26	BB	252	G	N1-C6-O6	8.52	125.01	119.90
31	BG	132	ARG	NE-CZ-NH1	-8.52	116.04	120.30
1	AA	1521	C	N3-C4-N4	8.51	123.96	118.00
26	BB	33	C	C6-N1-C2	8.51	123.71	120.30
26	BB	237	C	N3-C2-O2	-8.51	115.94	121.90
26	BB	340	A	N3-C4-N9	8.51	134.21	127.40
26	BB	1197	G	N3-C4-C5	-8.51	124.34	128.60
1	AA	180	U	N3-C4-O4	-8.51	113.44	119.40
26	BB	1523	U	C4-C5-C6	8.51	124.81	119.70
26	BB	1563	U	N3-C2-O2	-8.51	116.24	122.20
26	BB	1786	A	C2-N3-C4	8.51	114.86	110.60
26	BB	2049	G	C5-C6-N1	8.51	115.76	111.50
26	BB	2064	C	N3-C4-N4	8.51	123.96	118.00
41	BQ	30	ARG	NE-CZ-NH1	8.51	124.56	120.30
26	BB	797	G	N3-C4-C5	-8.51	124.34	128.60
26	BB	1777	U	C5-C6-N1	-8.51	118.44	122.70
1	AA	1422	G	C3'-C2'-C1'	-8.51	94.69	101.50
4	AD	16	C	O4'-C1'-N1	8.51	115.01	108.20
4	AD	57	C	O4'-C1'-N1	8.51	115.01	108.20
26	BB	1012	U	C2-N3-C4	-8.51	121.89	127.00
43	BS	10	ARG	NE-CZ-NH1	8.51	124.56	120.30
1	AA	630	A	N7-C8-N9	8.51	118.05	113.80
3	AC	40	G	C5-C6-O6	-8.51	123.50	128.60
1	AA	7	A	C6-C5-N7	8.51	138.25	132.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	873	A	N1-C6-N6	8.51	123.70	118.60
25	BA	10	G	N1-C6-O6	-8.51	114.80	119.90
1	AA	1439	G	N9-C4-C5	8.51	108.80	105.40
2	AB	65	C	C3'-C2'-C1'	8.51	108.30	101.50
26	BB	329	G	C5'-C4'-O4'	8.51	119.31	109.10
26	BB	420	C	O4'-C1'-N1	8.51	115.01	108.20
26	BB	1420	A	N9-C1'-C2'	-8.51	102.64	112.00
26	BB	1455	G	N3-C4-C5	-8.51	124.35	128.60
26	BB	1865	U	N3-C2-O2	-8.51	116.25	122.20
26	BB	2433	A	C2-N3-C4	8.51	114.85	110.60
26	BB	2713	U	O4'-C1'-N1	8.51	115.00	108.20
3	AC	18	A	O4'-C4'-C3'	8.50	112.90	106.10
26	BB	733	G	O4'-C1'-N9	8.50	115.00	108.20
1	AA	1409	C	N3-C4-N4	8.50	123.95	118.00
26	BB	83	A	C5-N7-C8	-8.50	99.65	103.90
26	BB	1565	C	O3'-P-O5'	-8.50	87.84	104.00
26	BB	105	C	N1-C2-N3	-8.50	113.25	119.20
26	BB	893	C	O4'-C1'-N1	8.50	115.00	108.20
26	BB	1273	U	C5-C4-O4	-8.50	120.80	125.90
26	BB	2525	G	O4'-C1'-N9	8.50	115.00	108.20
26	BB	2537	U	N3-C4-O4	8.50	125.35	119.40
25	BA	43	C	O4'-C1'-N1	8.50	115.00	108.20
26	BB	6	A	O4'-C1'-N9	-8.50	101.40	108.20
26	BB	112	U	N1-C1'-C2'	-8.50	102.65	112.00
26	BB	511	U	C3'-C2'-C1'	8.50	108.30	101.50
26	BB	647	G	C6-N1-C2	8.50	130.20	125.10
26	BB	1482	G	O4'-C4'-C3'	8.50	112.90	106.10
26	BB	2239	G	C3'-C2'-C1'	-8.50	94.70	101.50
26	BB	1197	G	C5-C6-N1	8.50	115.75	111.50
26	BB	2036	C	O4'-C1'-N1	8.50	115.00	108.20
26	BB	2406	A	O4'-C1'-N9	8.50	115.00	108.20
1	AA	521	G	N1-C2-N2	8.50	123.85	116.20
1	AA	805	C	C5-C6-N1	8.50	125.25	121.00
26	BB	190	A	N9-C4-C5	-8.50	102.40	105.80
1	AA	849	G	C4-C5-C6	8.50	123.90	118.80
1	AA	850	U	C2-N3-C4	-8.50	121.90	127.00
1	AA	994	A	C3'-C2'-C1'	8.50	108.30	101.50
1	AA	1321	U	P-O3'-C3'	8.50	129.90	119.70
26	BB	217	A	O4'-C1'-N9	8.50	115.00	108.20
26	BB	448	U	N1-C2-N3	8.50	120.00	114.90
13	AM	48	ARG	NE-CZ-NH2	8.49	124.55	120.30
26	BB	71	A	C1'-O4'-C4'	-8.49	103.11	109.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	531	C	N1-C2-O2	8.49	124.00	118.90
26	BB	1476	U	O4'-C1'-N1	8.49	115.00	108.20
26	BB	1881	C	N3-C2-O2	-8.49	115.95	121.90
26	BB	1901	A	N1-C2-N3	-8.49	125.05	129.30
1	AA	1118	U	C4-C5-C6	8.49	124.80	119.70
26	BB	326	G	C8-N9-C4	-8.49	103.00	106.40
26	BB	1521	G	N1-C2-N2	-8.49	108.56	116.20
26	BB	1808	A	C2-N3-C4	8.49	114.85	110.60
26	BB	2322	A	C3'-C2'-C1'	8.49	108.29	101.50
26	BB	2480	C	N1-C2-N3	-8.49	113.25	119.20
26	BB	2556	C	C4-C5-C6	-8.49	113.15	117.40
26	BB	2867	G	P-O3'-C3'	8.49	129.89	119.70
25	BA	63	C	N3-C2-O2	-8.49	115.96	121.90
25	BA	106	G	C4-C5-N7	-8.49	107.40	110.80
26	BB	295	G	N9-C4-C5	8.49	108.80	105.40
26	BB	855	G	N9-C4-C5	8.49	108.80	105.40
26	BB	1831	G	C5-C6-N1	8.49	115.75	111.50
26	BB	829	A	C5-N7-C8	-8.49	99.66	103.90
26	BB	2316	G	N7-C8-N9	8.49	117.34	113.10
1	AA	148	G	C8-N9-C4	-8.49	103.00	106.40
1	AA	677	U	N3-C2-O2	-8.49	116.26	122.20
26	BB	70	G	C5-C6-O6	-8.49	123.51	128.60
26	BB	287	G	N3-C4-C5	-8.49	124.36	128.60
26	BB	1964	G	N9-C4-C5	-8.49	102.01	105.40
26	BB	2148	G	N1-C6-O6	8.49	124.99	119.90
26	BB	2154	A	N1-C2-N3	-8.49	125.06	129.30
26	BB	2437	G	O4'-C1'-N9	8.49	114.99	108.20
1	AA	132	C	O4'-C1'-N1	8.48	114.99	108.20
1	AA	1517	G	N1-C6-O6	8.48	124.99	119.90
1	AA	1541	U	C2-N3-C4	-8.48	121.91	127.00
25	BA	20	G	C8-N9-C4	-8.48	103.01	106.40
26	BB	53	A	N1-C6-N6	-8.48	113.51	118.60
1	AA	564	C	C6-N1-C2	-8.48	116.91	120.30
4	AD	16	C	C5-C6-N1	8.48	125.24	121.00
25	BA	102	G	N3-C4-C5	-8.48	124.36	128.60
26	BB	252	G	O4'-C1'-N9	8.48	114.99	108.20
26	BB	316	C	N3-C2-O2	-8.48	115.96	121.90
26	BB	1122	G	C2-N3-C4	-8.48	107.66	111.90
26	BB	1895	C	P-O3'-C3'	8.48	129.88	119.70
26	BB	2886	A	C3'-C2'-C1'	8.48	108.29	101.50
1	AA	439	U	C4-C5-C6	8.48	124.79	119.70
26	BB	132	G	C4-C5-N7	-8.48	107.41	110.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1571	A	C5-C6-N6	-8.48	116.92	123.70
26	BB	2129	C	C4-C5-C6	-8.48	113.16	117.40
26	BB	2201	G	C6-N1-C2	-8.48	120.01	125.10
1	AA	1426	G	C8-N9-C4	8.48	109.79	106.40
6	AF	155	ARG	NE-CZ-NH2	-8.48	116.06	120.30
26	BB	334	C	P-O3'-C3'	8.48	129.87	119.70
26	BB	2725	A	N1-C6-N6	-8.48	113.51	118.60
50	BZ	2	ARG	NH1-CZ-NH2	-8.48	110.07	119.40
26	BB	866	A	O4'-C4'-C3'	8.47	112.88	106.10
26	BB	2235	G	N3-C4-C5	-8.47	124.36	128.60
1	AA	744	C	C5'-C4'-O4'	8.47	119.27	109.10
4	AD	9	G	N1-C6-O6	-8.47	114.82	119.90
25	BA	112	G	N7-C8-N9	8.47	117.34	113.10
26	BB	434	U	C5-C6-N1	8.47	126.94	122.70
26	BB	941	A	C3'-C2'-C1'	8.47	108.28	101.50
26	BB	1164	C	C1'-O4'-C4'	-8.47	103.12	109.90
26	BB	2060	A	C6-N1-C2	8.47	123.68	118.60
26	BB	2369	A	C8-N9-C4	-8.47	102.41	105.80
1	AA	382	A	N1-C6-N6	-8.47	113.52	118.60
14	AN	6	ARG	NE-CZ-NH2	-8.47	116.06	120.30
26	BB	1260	A	C2-N3-C4	8.47	114.84	110.60
26	BB	1440	U	C5-C4-O4	-8.47	120.82	125.90
26	BB	1901	A	N3-C4-C5	-8.47	120.87	126.80
26	BB	1935	G	N1-C6-O6	-8.47	114.82	119.90
26	BB	2567	G	C5-N7-C8	-8.47	100.06	104.30
26	BB	2831	G	C8-N9-C4	-8.47	103.01	106.40
1	AA	613	C	C6-N1-C2	-8.47	116.91	120.30
26	BB	1406	U	N1-C2-N3	8.47	119.98	114.90
1	AA	708	C	C5-C4-N4	-8.47	114.27	120.20
1	AA	823	C	P-O3'-C3'	8.47	129.86	119.70
1	AA	1079	G	O4'-C1'-N9	8.47	114.97	108.20
1	AA	1202	U	N3-C4-O4	8.47	125.33	119.40
1	AA	1333	A	C8-N9-C4	-8.47	102.41	105.80
26	BB	1466	U	N1-C2-N3	8.47	119.98	114.90
26	BB	1998	A	C6-N1-C2	-8.47	113.52	118.60
3	AC	49	U	C4-C5-C6	8.46	124.78	119.70
26	BB	146	A	N9-C4-C5	8.47	109.19	105.80
26	BB	368	A	C6-N1-C2	-8.46	113.52	118.60
26	BB	1172	C	N3-C4-N4	8.47	123.93	118.00
26	BB	2723	C	C5-C4-N4	-8.47	114.27	120.20
1	AA	1165	U	C3'-C2'-C1'	8.46	108.27	101.50
26	BB	1210	G	N1-C6-O6	8.46	124.98	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1445	G	C4-C5-N7	8.46	114.19	110.80
1	AA	554	A	C4-C5-N7	-8.46	106.47	110.70
26	BB	1313	U	N1-C2-O2	8.46	128.72	122.80
26	BB	2646	C	N1-C2-O2	8.46	123.98	118.90
1	AA	150	U	O4'-C1'-N1	8.46	114.97	108.20
1	AA	604	G	N3-C4-C5	-8.46	124.37	128.60
26	BB	222	A	O4'-C1'-N9	8.46	114.97	108.20
26	BB	269	C	O4'-C1'-N1	8.46	114.97	108.20
1	AA	256	U	C5-C6-N1	-8.46	118.47	122.70
1	AA	1181	G	N1-C6-O6	-8.46	114.83	119.90
1	AA	1268	G	N3-C4-C5	-8.46	124.37	128.60
1	AA	1513	A	C5-C6-N1	8.46	121.93	117.70
26	BB	916	G	C2-N3-C4	8.46	116.13	111.90
26	BB	1129	A	C2-N3-C4	8.46	114.83	110.60
26	BB	1483	G	C4-C5-C6	8.46	123.88	118.80
26	BB	1612	C	C5'-C4'-O4'	8.46	119.25	109.10
26	BB	1785	A	N3-C4-C5	-8.46	120.88	126.80
26	BB	1996	C	O4'-C1'-N1	8.46	114.97	108.20
26	BB	2157	G	C4-C5-N7	-8.46	107.42	110.80
1	AA	782	A	C4-C5-C6	-8.46	112.77	117.00
26	BB	981	A	C6-C5-N7	-8.46	126.38	132.30
26	BB	2711	A	C2-N3-C4	8.46	114.83	110.60
1	AA	408	A	N7-C8-N9	8.45	118.03	113.80
1	AA	495	A	C2-N3-C4	-8.45	106.37	110.60
1	AA	1072	G	N3-C2-N2	8.46	125.82	119.90
26	BB	2634	A	C3'-C2'-C1'	8.46	108.27	101.50
26	BB	63	A	N1-C6-N6	-8.45	113.53	118.60
26	BB	476	G	N3-C4-C5	-8.45	124.37	128.60
1	AA	1538	C	N3-C4-C5	-8.45	118.52	121.90
26	BB	37	C	C2-N3-C4	8.45	124.12	119.90
26	BB	1066	U	N3-C4-O4	8.45	125.32	119.40
26	BB	2690	U	C4'-C3'-C2'	-8.45	94.15	102.60
1	AA	1178	G	P-O3'-C3'	8.45	129.84	119.70
26	BB	363	G	C8-N9-C4	-8.45	103.02	106.40
26	BB	1787	A	C5-N7-C8	8.45	108.12	103.90
26	BB	1802	A	C8-N9-C4	-8.45	102.42	105.80
26	BB	1905	C	C3'-C2'-C1'	8.45	108.26	101.50
26	BB	1662	U	N3-C2-O2	-8.45	116.29	122.20
26	BB	2703	C	O4'-C1'-N1	8.45	114.96	108.20
26	BB	2872	A	C8-N9-C4	-8.45	102.42	105.80
1	AA	418	C	N3-C2-O2	-8.45	115.99	121.90
1	AA	1096	C	C4'-C3'-C2'	-8.45	94.15	102.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1196	C	C4-C5-C6	-8.45	113.18	117.40
26	BB	1852	U	N3-C4-C5	-8.45	109.53	114.60
1	AA	489	C	N3-C4-C5	-8.45	118.52	121.90
1	AA	539	A	O4'-C1'-N9	8.45	114.96	108.20
26	BB	331	C	C4-C5-C6	-8.44	113.18	117.40
26	BB	998	C	C6-N1-C2	-8.45	116.92	120.30
26	BB	1561	C	C5-C4-N4	8.45	126.11	120.20
26	BB	2645	G	C2-N3-C4	8.45	116.12	111.90
43	BS	52	ARG	NE-CZ-NH2	-8.45	116.08	120.30
1	AA	109	A	C6-C5-N7	-8.44	126.39	132.30
1	AA	1424	U	N1-C2-N3	8.44	119.97	114.90
26	BB	470	A	N9-C4-C5	8.44	109.18	105.80
26	BB	1160	G	C8-N9-C4	-8.44	103.02	106.40
26	BB	2280	G	C5-C6-N1	8.44	115.72	111.50
1	AA	289	G	N3-C2-N2	-8.44	113.99	119.90
26	BB	1245	G	N7-C8-N9	8.44	117.32	113.10
26	BB	1423	G	O4'-C4'-C3'	8.44	112.85	106.10
26	BB	2214	C	N3-C4-C5	-8.44	118.52	121.90
1	AA	1309	G	C4-C5-C6	8.44	123.86	118.80
1	AA	366	A	C4'-C3'-C2'	8.44	111.04	102.60
1	AA	772	U	C5'-C4'-O4'	8.44	119.23	109.10
1	AA	1331	G	C8-N9-C4	-8.44	103.02	106.40
26	BB	784	G	C8-N9-C4	-8.44	103.02	106.40
26	BB	1875	G	N3-C2-N2	-8.44	113.99	119.90
26	BB	2229	U	N3-C4-C5	-8.44	109.54	114.60
26	BB	2583	G	N3-C4-C5	-8.44	124.38	128.60
26	BB	2672	U	C1'-O4'-C4'	8.44	116.65	109.90
1	AA	487	A	C4-C5-C6	8.44	121.22	117.00
1	AA	595	A	C5-N7-C8	8.44	108.12	103.90
1	AA	1085	U	N3-C4-O4	8.44	125.31	119.40
1	AA	1137	C	C5-C4-N4	8.44	126.11	120.20
26	BB	43	G	N9-C4-C5	8.44	108.77	105.40
26	BB	983	A	O4'-C4'-C3'	8.44	112.85	106.10
26	BB	1380	G	C4-C5-C6	8.44	123.86	118.80
26	BB	1931	U	O4'-C1'-N1	8.44	114.95	108.20
26	BB	1894	C	N3-C2-O2	-8.44	116.00	121.90
26	BB	2321	U	C5-C6-N1	-8.44	118.48	122.70
26	BB	2780	G	C2-N3-C4	8.44	116.12	111.90
40	BP	8	ARG	NE-CZ-NH2	-8.44	116.08	120.30
1	AA	92	U	N3-C2-O2	-8.43	116.30	122.20
1	AA	126	G	C5-C6-O6	-8.43	123.54	128.60
1	AA	149	A	O4'-C1'-N9	8.43	114.95	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	267	C	N3-C2-O2	-8.43	116.00	121.90
1	AA	1355	G	C5-N7-C8	-8.43	100.08	104.30
1	AA	1532	U	N3-C2-O2	8.43	128.10	122.20
6	AF	41	TYR	CG-CD1-CE1	-8.43	114.55	121.30
26	BB	119	A	C5-N7-C8	8.43	108.12	103.90
26	BB	616	A	N9-C4-C5	8.43	109.17	105.80
26	BB	828	U	C6-N1-C2	8.43	126.06	121.00
26	BB	1555	G	C5-N7-C8	8.43	108.52	104.30
26	BB	1723	G	C3'-C2'-C1'	-8.43	94.75	101.50
26	BB	2410	G	N9-C4-C5	8.43	108.77	105.40
26	BB	2459	A	C5-C6-N1	-8.43	113.48	117.70
26	BB	2798	U	N1-C2-N3	8.43	119.96	114.90
1	AA	163	C	C5-C4-N4	-8.43	114.30	120.20
1	AA	307	C	O4'-C1'-N1	8.43	114.94	108.20
1	AA	532	A	N1-C6-N6	-8.43	113.54	118.60
1	AA	804	U	O4'-C1'-N1	8.43	114.94	108.20
1	AA	995	C	N3-C2-O2	-8.43	116.00	121.90
1	AA	1440	U	C6-N1-C2	-8.43	115.94	121.00
26	BB	997	G	N9-C4-C5	8.43	108.77	105.40
4	AD	38	A	C5'-C4'-O4'	8.43	119.21	109.10
26	BB	928	A	C8-N9-C4	-8.43	102.43	105.80
26	BB	1160	G	C4-C5-N7	-8.43	107.43	110.80
26	BB	2694	G	N3-C4-C5	-8.43	124.39	128.60
26	BB	2727	A	C8-N9-C4	-8.43	102.43	105.80
1	AA	224	U	C1'-O4'-C4'	8.43	116.64	109.90
1	AA	334	C	C4'-C3'-C2'	-8.43	94.17	102.60
1	AA	340	U	C5-C6-N1	-8.43	118.49	122.70
1	AA	1417	G	N7-C8-N9	8.43	117.31	113.10
26	BB	841	G	C2-N3-C4	8.43	116.11	111.90
26	BB	1131	G	N3-C4-C5	-8.43	124.39	128.60
26	BB	2627	G	C4-C5-N7	-8.43	107.43	110.80
1	AA	319	G	C1'-O4'-C4'	8.42	116.64	109.90
1	AA	514	C	N3-C4-C5	-8.42	118.53	121.90
1	AA	1302	C	N1-C2-O2	8.42	123.95	118.90
26	BB	1258	U	O4'-C1'-N1	8.42	114.94	108.20
1	AA	713	G	N3-C4-N9	8.42	131.05	126.00
26	BB	22	C	N3-C4-N4	8.42	123.90	118.00
26	BB	814	C	N3-C4-C5	8.42	125.27	121.90
26	BB	1778	U	C2-N3-C4	-8.42	121.95	127.00
26	BB	2351	G	C3'-C2'-C1'	8.42	108.24	101.50
1	AA	1228	C	C6-N1-C2	-8.42	116.93	120.30
2	AB	40	C	O4'-C1'-N1	8.42	114.94	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	AB	71	C	N1-C1'-C2'	-8.42	102.74	112.00
26	BB	235	U	N1-C2-O2	8.42	128.69	122.80
26	BB	655	A	N9-C4-C5	-8.42	102.43	105.80
26	BB	2521	C	C5-C6-N1	8.42	125.21	121.00
26	BB	2635	A	C8-N9-C4	-8.42	102.43	105.80
26	BB	842	U	O4'-C1'-N1	8.42	114.94	108.20
26	BB	991	C	N3-C4-C5	-8.42	118.53	121.90
26	BB	1347	A	O4'-C1'-N9	8.42	114.94	108.20
1	AA	256	U	N3-C2-O2	-8.42	116.31	122.20
1	AA	544	G	C4'-C3'-C2'	-8.42	94.18	102.60
1	AA	1352	C	N3-C2-O2	-8.42	116.01	121.90
1	AA	1491	G	N3-C4-C5	-8.42	124.39	128.60
26	BB	1025	G	N3-C4-C5	-8.42	124.39	128.60
26	BB	2245	U	N1-C2-N3	8.42	119.95	114.90
26	BB	1076	C	C5-C6-N1	8.42	125.21	121.00
26	BB	2866	U	O4'-C1'-C2'	8.42	115.17	107.60
26	BB	1295	C	C4-C5-C6	8.41	121.61	117.40
26	BB	1957	C	N3-C2-O2	-8.41	116.01	121.90
1	AA	474	G	C4'-C3'-C2'	-8.41	94.19	102.60
26	BB	1281	G	C2-N3-C4	8.41	116.11	111.90
26	BB	941	A	N1-C6-N6	8.41	123.65	118.60
26	BB	1521	G	N3-C2-N2	8.41	125.79	119.90
26	BB	1743	G	C5-N7-C8	-8.41	100.09	104.30
26	BB	2659	G	C5-C6-N1	8.41	115.71	111.50
1	AA	63	C	N3-C2-O2	-8.41	116.01	121.90
1	AA	128	G	O4'-C1'-N9	8.41	114.93	108.20
2	AB	44	G	N3-C4-N9	8.41	131.04	126.00
26	BB	14	A	N1-C6-N6	-8.41	113.56	118.60
26	BB	723	C	N3-C4-C5	8.41	125.26	121.90
1	AA	291	U	O4'-C1'-N1	8.41	114.93	108.20
1	AA	1480	A	N1-C2-N3	-8.41	125.10	129.30
26	BB	1989	G	C2-N3-C4	8.41	116.10	111.90
26	BB	2790	U	C6-N1-C2	8.41	126.05	121.00
1	AA	506	G	C4-C5-N7	-8.41	107.44	110.80
26	BB	2147	A	C2-N3-C4	8.41	114.80	110.60
26	BB	2198	A	O4'-C1'-N9	8.41	114.92	108.20
26	BB	2373	G	O4'-C1'-N9	8.41	114.93	108.20
26	BB	2640	G	C5'-C4'-O4'	8.41	119.19	109.10
1	AA	740	U	C4'-C3'-C2'	-8.40	94.20	102.60
26	BB	423	A	C3'-C2'-C1'	-8.40	94.78	101.50
26	BB	522	A	N7-C8-N9	-8.40	109.60	113.80
26	BB	2463	C	C5-C6-N1	8.40	125.20	121.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2621	G	C3'-C2'-C1'	-8.40	94.78	101.50
1	AA	470	C	C2-N3-C4	8.40	124.10	119.90
26	BB	403	U	N3-C4-O4	-8.40	113.52	119.40
1	AA	559	A	C5-C6-N6	8.40	130.42	123.70
26	BB	749	A	C8-N9-C4	-8.40	102.44	105.80
26	BB	920	A	C5-N7-C8	-8.40	99.70	103.90
26	BB	1420	A	N9-C4-C5	8.40	109.16	105.80
26	BB	2181	U	O4'-C1'-N1	8.40	114.92	108.20
1	AA	502	A	N1-C2-N3	-8.40	125.10	129.30
3	AC	23	C	C1'-O4'-C4'	8.40	116.62	109.90
4	AD	20	G	O4'-C1'-N9	8.40	114.92	108.20
4	AD	30	G	C5-C6-N1	8.40	115.70	111.50
26	BB	578	G	O4'-C1'-N9	8.40	114.92	108.20
26	BB	1096	A	C5-C6-N6	-8.40	116.98	123.70
26	BB	1424	G	C5-C6-N1	8.40	115.70	111.50
26	BB	1959	G	C6-C5-N7	8.40	135.44	130.40
26	BB	2325	G	N7-C8-N9	8.40	117.30	113.10
26	BB	211	C	O4'-C1'-N1	8.40	114.92	108.20
26	BB	2043	C	N1-C2-O2	8.40	123.94	118.90
26	BB	2545	G	C2-N3-C4	8.40	116.10	111.90
26	BB	2670	A	N7-C8-N9	8.40	118.00	113.80
1	AA	524	G	C3'-C2'-C1'	8.39	108.22	101.50
1	AA	631	C	C1'-O4'-C4'	-8.39	103.18	109.90
1	AA	1459	G	O4'-C1'-N9	8.39	114.92	108.20
26	BB	146	A	C4'-C3'-C2'	-8.39	94.20	102.60
1	AA	478	A	O4'-C1'-N9	8.39	114.92	108.20
1	AA	542	G	C2-N3-C4	8.39	116.10	111.90
1	AA	1499	A	C4-C5-N7	-8.39	106.50	110.70
26	BB	1821	A	O4'-C1'-N9	8.39	114.92	108.20
26	BB	2820	A	C2-N3-C4	8.39	114.80	110.60
26	BB	2899	A	N3-C4-C5	-8.39	120.92	126.80
26	BB	51	G	C5-C6-N1	8.39	115.70	111.50
1	AA	295	C	C1'-O4'-C4'	8.39	116.61	109.90
1	AA	633	G	C8-N9-C4	-8.39	103.04	106.40
1	AA	1515	G	N1-C6-O6	8.39	124.94	119.90
26	BB	487	C	C2-N3-C4	8.39	124.09	119.90
26	BB	1178	C	C4'-C3'-C2'	-8.39	94.21	102.60
43	BS	23	TYR	CB-CG-CD2	8.39	126.03	121.00
1	AA	9	G	N9-C4-C5	-8.39	102.04	105.40
1	AA	179	A	O4'-C1'-N9	8.39	114.91	108.20
1	AA	517	G	C8-N9-C4	-8.39	103.04	106.40
1	AA	569	C	O4'-C1'-N1	8.39	114.91	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1013	G	C3'-C2'-C1'	8.39	108.21	101.50
26	BB	2028	U	O4'-C1'-N1	8.39	114.91	108.20
4	AD	39	A	N1-C2-N3	-8.39	125.11	129.30
26	BB	107	G	C4-C5-N7	-8.39	107.44	110.80
26	BB	916	G	N3-C4-N9	8.39	131.03	126.00
26	BB	1321	A	O4'-C1'-N9	8.39	114.91	108.20
26	BB	2096	C	N3-C4-N4	8.39	123.87	118.00
2	AB	34	C	N1-C1'-C2'	8.38	124.90	114.00
26	BB	2700	A	C4'-C3'-C2'	-8.39	94.21	102.60
26	BB	2810	A	C5'-C4'-O4'	8.39	119.16	109.10
25	BA	113	C	O4'-C1'-N1	8.38	114.91	108.20
26	BB	404	A	C3'-C2'-C1'	8.38	108.21	101.50
26	BB	1112	G	O5'-P-OP2	-8.38	98.15	105.70
26	BB	1211	C	N3-C4-C5	-8.38	118.55	121.90
26	BB	1573	G	O4'-C1'-N9	8.38	114.91	108.20
26	BB	2169	A	C4-C5-C6	-8.38	112.81	117.00
1	AA	686	U	N3-C2-O2	-8.38	116.33	122.20
1	AA	770	C	C5-C4-N4	-8.38	114.33	120.20
1	AA	1035	A	C5-C6-N6	-8.38	116.99	123.70
1	AA	101	A	C2-N3-C4	8.38	114.79	110.60
1	AA	230	G	O4'-C1'-N9	8.38	114.90	108.20
1	AA	1079	G	N7-C8-N9	8.38	117.29	113.10
26	BB	1585	C	C5'-C4'-O4'	8.38	119.16	109.10
26	BB	1681	G	C3'-C2'-C1'	-8.38	94.80	101.50
26	BB	1861	G	C2-N3-C4	8.38	116.09	111.90
26	BB	2541	A	C8-N9-C4	-8.38	102.45	105.80
1	AA	32	A	O4'-C1'-C2'	-8.38	97.42	105.80
1	AA	1082	A	C8-N9-C4	-8.38	102.45	105.80
25	BA	92	C	C3'-C2'-C1'	8.38	108.20	101.50
26	BB	855	G	C4-C5-N7	-8.38	107.45	110.80
26	BB	1259	G	C4-C5-N7	-8.38	107.45	110.80
26	BB	1447	C	C2-N3-C4	8.38	124.09	119.90
26	BB	1865	U	O4'-C4'-C3'	8.38	112.80	106.10
26	BB	2574	G	N3-C4-C5	-8.38	124.41	128.60
1	AA	377	G	N3-C4-C5	-8.38	124.41	128.60
26	BB	1516	G	N1-C2-N3	-8.38	118.88	123.90
26	BB	2054	A	C5-C6-N1	8.38	121.89	117.70
26	BB	2086	U	C2-N3-C4	-8.38	121.97	127.00
26	BB	2638	G	C5-C6-N1	8.38	115.69	111.50
1	AA	479	U	N1-C2-N3	-8.37	109.88	114.90
26	BB	1477	A	C5'-C4'-O4'	8.37	119.15	109.10
26	BB	2276	G	C5-C6-N1	8.37	115.69	111.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2380	C	C5'-C4'-O4'	8.37	119.15	109.10
1	AA	441	A	C8-N9-C4	-8.37	102.45	105.80
1	AA	1078	U	N3-C4-O4	-8.37	113.54	119.40
1	AA	1467	C	N3-C4-C5	-8.37	118.55	121.90
26	BB	94	A	P-O3'-C3'	8.37	129.74	119.70
26	BB	1512	C	C5-C4-N4	8.37	126.06	120.20
26	BB	2316	G	C8-N9-C4	-8.37	103.05	106.40
26	BB	2355	G	C8-N9-C4	-8.37	103.05	106.40
29	BE	124	ARG	NE-CZ-NH2	8.37	124.48	120.30
1	AA	408	A	C8-N9-C4	-8.37	102.45	105.80
1	AA	1100	C	C3'-C2'-C1'	8.37	108.19	101.50
4	AD	27	G	C5-C6-O6	8.37	133.62	128.60
26	BB	2379	G	C5-N7-C8	8.37	108.48	104.30
1	AA	1446	A	C2-N3-C4	-8.36	106.42	110.60
26	BB	1627	G	C4-C5-C6	8.36	123.82	118.80
26	BB	2215	C	C2-N3-C4	8.37	124.08	119.90
26	BB	2667	C	C3'-C2'-C1'	8.36	108.19	101.50
26	BB	2892	G	O4'-C1'-C2'	8.36	115.13	107.60
1	AA	279	A	C4-C5-N7	8.36	114.88	110.70
1	AA	567	G	N1-C6-O6	-8.36	114.88	119.90
4	AD	41	C	C5-C6-N1	8.36	125.18	121.00
26	BB	951	C	C6-N1-C2	8.36	123.64	120.30
26	BB	256	A	C5-C6-N6	-8.36	117.01	123.70
26	BB	767	U	N3-C2-O2	-8.36	116.35	122.20
26	BB	1085	A	N1-C2-N3	-8.36	125.12	129.30
26	BB	1219	U	O4'-C1'-N1	8.36	114.89	108.20
26	BB	2106	U	O4'-C1'-N1	8.36	114.89	108.20
26	BB	2884	U	C4-C5-C6	8.36	124.72	119.70
26	BB	279	A	N7-C8-N9	8.36	117.98	113.80
26	BB	522	A	C6-N1-C2	-8.36	113.58	118.60
26	BB	1923	U	O4'-C1'-N1	8.36	114.89	108.20
26	BB	2070	A	C4-C5-C6	-8.36	112.82	117.00
26	BB	2317	A	C8-N9-C4	-8.36	102.46	105.80
26	BB	2710	C	N3-C4-C5	-8.36	118.56	121.90
1	AA	808	C	N3-C2-O2	-8.36	116.05	121.90
26	BB	1122	G	N7-C8-N9	8.36	117.28	113.10
26	BB	1544	A	C1'-O4'-C4'	-8.36	103.22	109.90
1	AA	59	A	C2-N3-C4	8.36	114.78	110.60
1	AA	1047	G	C5-C6-O6	-8.36	123.59	128.60
1	AA	1467	C	C5-C6-N1	8.36	125.18	121.00
26	BB	1599	U	O4'-C1'-N1	8.36	114.88	108.20
26	BB	1953	A	O4'-C1'-N9	8.36	114.89	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2603	G	C5-C6-N1	8.36	115.68	111.50
26	BB	2818	U	C6-N1-C2	-8.36	115.99	121.00
1	AA	1034	G	C4-C5-N7	-8.35	107.46	110.80
4	AD	43	G	C4-C5-N7	-8.35	107.46	110.80
26	BB	43	G	C4-C5-C6	8.35	123.81	118.80
26	BB	1125	G	C3'-C2'-C1'	-8.35	94.82	101.50
26	BB	1172	C	C5-C4-N4	-8.35	114.36	120.20
26	BB	1588	G	C4-C5-C6	8.35	123.81	118.80
26	BB	2708	G	N3-C4-C5	-8.35	124.42	128.60
1	AA	34	C	O4'-C4'-C3'	8.35	112.78	106.10
1	AA	474	G	N3-C4-C5	-8.35	124.42	128.60
1	AA	488	C	O4'-C1'-N1	8.35	114.88	108.20
26	BB	255	A	N9-C4-C5	-8.35	102.46	105.80
26	BB	533	G	C4-C5-C6	8.35	123.81	118.80
1	AA	1480	A	C6-N1-C2	8.35	123.61	118.60
50	BZ	49	ARG	NE-CZ-NH2	8.35	124.47	120.30
26	BB	1296	G	N3-C4-N9	8.35	131.01	126.00
1	AA	1109	C	N3-C2-O2	8.35	127.74	121.90
1	AA	1221	G	C6-C5-N7	8.35	135.41	130.40
26	BB	1967	C	P-O3'-C3'	8.35	129.72	119.70
26	BB	2021	C	N3-C4-C5	8.35	125.24	121.90
26	BB	2554	U	C6-N1-C2	-8.35	115.99	121.00
26	BB	2582	G	C1'-O4'-C4'	-8.35	103.22	109.90
26	BB	2841	C	O4'-C1'-N1	8.35	114.88	108.20
1	AA	51	A	O4'-C4'-C3'	8.34	112.78	106.10
26	BB	166	U	N3-C4-C5	-8.34	109.59	114.60
1	AA	442	G	O4'-C1'-N9	8.34	114.87	108.20
26	BB	468	G	C5-C6-O6	-8.34	123.59	128.60
26	BB	957	C	N3-C4-N4	8.34	123.84	118.00
26	BB	1029	A	N9-C4-C5	8.34	109.14	105.80
26	BB	1462	C	N3-C4-N4	8.34	123.84	118.00
26	BB	2676	C	C1'-O4'-C4'	-8.34	103.23	109.90
26	BB	2890	G	C4-C5-N7	8.34	114.14	110.80
1	AA	1413	A	C5-C6-N1	8.34	121.87	117.70
26	BB	326	G	C4-C5-C6	8.34	123.80	118.80
26	BB	797	G	C4'-C3'-C2'	-8.34	94.26	102.60
26	BB	823	C	C1'-O4'-C4'	-8.34	103.23	109.90
26	BB	903	C	C5-C6-N1	-8.34	116.83	121.00
26	BB	1453	A	N9-C4-C5	8.34	109.14	105.80
1	AA	392	C	O5'-P-OP1	-8.34	98.20	105.70
19	AS	69	ASP	CB-CG-OD1	8.34	125.80	118.30
25	BA	38	C	N1-C1'-C2'	-8.34	102.83	112.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1028	A	C8-N9-C4	8.34	109.14	105.80
1	AA	1201	A	C2'-C3'-O3'	8.34	127.84	109.50
26	BB	1646	C	N3-C2-O2	-8.34	116.06	121.90
26	BB	2135	A	C8-N9-C4	8.34	109.14	105.80
26	BB	24	G	C5-N7-C8	-8.34	100.13	104.30
26	BB	956	G	N9-C4-C5	-8.34	102.07	105.40
26	BB	1795	C	N3-C4-C5	-8.34	118.57	121.90
26	BB	1824	G	P-O3'-C3'	8.34	129.70	119.70
26	BB	2595	G	C8-N9-C4	-8.34	103.07	106.40
26	BB	2868	A	C5-C6-N6	8.34	130.37	123.70
1	AA	714	G	C6-C5-N7	-8.33	125.40	130.40
1	AA	798	U	O4'-C1'-N1	8.33	114.87	108.20
1	AA	1098	C	N1-C1'-C2'	-8.33	102.83	112.00
1	AA	1035	A	O4'-C1'-N9	8.33	114.87	108.20
1	AA	1256	A	C4-C5-N7	-8.33	106.53	110.70
1	AA	1537	U	C2-N3-C4	-8.33	122.00	127.00
3	AC	38	G	N3-C4-C5	-8.33	124.43	128.60
9	AI	109	ARG	NE-CZ-NH2	8.33	124.47	120.30
26	BB	11	C	N3-C4-C5	-8.33	118.57	121.90
26	BB	301	G	C5'-C4'-C3'	-8.33	102.67	116.00
26	BB	380	G	O4'-C1'-N9	8.33	114.87	108.20
26	BB	404	A	N9-C4-C5	-8.33	102.47	105.80
26	BB	536	G	O4'-C1'-N9	8.33	114.87	108.20
26	BB	1022	G	N9-C4-C5	8.33	108.73	105.40
26	BB	1370	C	O4'-C1'-N1	8.33	114.87	108.20
26	BB	1797	G	N7-C8-N9	8.33	117.27	113.10
26	BB	1950	G	N9-C4-C5	8.33	108.73	105.40
26	BB	2692	G	N7-C8-N9	8.33	117.27	113.10
26	BB	770	G	O4'-C1'-N9	8.33	114.86	108.20
1	AA	457	G	C4-C5-N7	8.33	114.13	110.80
26	BB	829	A	C3'-C2'-C1'	8.33	108.16	101.50
26	BB	1900	A	O3'-P-O5'	-8.33	88.17	104.00
1	AA	603	U	C4'-C3'-C2'	-8.33	94.27	102.60
1	AA	649	A	C5-N7-C8	8.33	108.06	103.90
2	AB	59	G	C6-C5-N7	-8.33	125.40	130.40
1	AA	1041	G	O4'-C1'-N9	8.33	114.86	108.20
10	AJ	137	ARG	NE-CZ-NH1	8.33	124.46	120.30
26	BB	785	G	N7-C8-N9	8.33	117.26	113.10
26	BB	1795	C	C2-N3-C4	8.33	124.06	119.90
26	BB	2349	G	C4-N9-C1'	-8.33	115.68	126.50
34	BJ	23	SER	N-CA-CB	8.33	122.99	110.50
1	AA	953	G	O4'-C1'-N9	8.32	114.86	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1048	G	C4-C5-N7	8.32	114.13	110.80
1	AA	1138	G	N9-C4-C5	8.32	108.73	105.40
1	AA	1474	U	N1-C2-N3	8.32	119.89	114.90
1	AA	1505	G	N3-C2-N2	-8.32	114.07	119.90
26	BB	1768	C	C1'-O4'-C4'	-8.32	103.24	109.90
26	BB	1389	G	N3-C4-C5	-8.32	124.44	128.60
1	AA	221	C	O4'-C1'-N1	8.32	114.86	108.20
1	AA	927	G	N7-C8-N9	8.32	117.26	113.10
26	BB	744	U	C2-N3-C4	-8.32	122.01	127.00
26	BB	768	G	C6-N1-C2	-8.32	120.11	125.10
26	BB	989	G	O4'-C4'-C3'	8.32	112.76	106.10
26	BB	1354	A	C3'-C2'-C1'	-8.32	94.84	101.50
26	BB	1715	G	O4'-C1'-N9	8.32	114.86	108.20
1	AA	1094	G	N3-C4-C5	-8.32	124.44	128.60
1	AA	1238	A	C1'-O4'-C4'	-8.32	103.25	109.90
26	BB	121	G	C2-N3-C4	8.32	116.06	111.90
26	BB	1068	G	N7-C8-N9	8.32	117.26	113.10
26	BB	1203	U	N1-C2-N3	8.32	119.89	114.90
26	BB	2115	G	C8-N9-C4	-8.32	103.07	106.40
27	BC	53	ARG	NE-CZ-NH2	-8.32	116.14	120.30
26	BB	257	C	C6-N1-C2	-8.32	116.97	120.30
26	BB	780	G	C5-C6-N1	8.32	115.66	111.50
26	BB	1545	A	C2-N3-C4	8.32	114.76	110.60
1	AA	391	G	C8-N9-C4	8.32	109.73	106.40
26	BB	1568	G	C5'-C4'-O4'	8.32	119.08	109.10
26	BB	1606	C	N3-C4-N4	-8.32	112.18	118.00
26	BB	2121	G	C4-C5-C6	8.32	123.79	118.80
26	BB	2873	A	N1-C2-N3	8.32	133.46	129.30
1	AA	563	A	C8-N9-C4	-8.31	102.47	105.80
26	BB	488	G	N3-C4-C5	-8.31	124.44	128.60
1	AA	1488	G	C4-C5-N7	-8.31	107.47	110.80
3	AC	28	U	N3-C4-O4	8.31	125.22	119.40
25	BA	66	A	C5-C6-N6	8.31	130.35	123.70
26	BB	283	G	O4'-C1'-N9	8.31	114.85	108.20
26	BB	453	A	O4'-C1'-C2'	8.31	115.08	107.60
26	BB	840	C	C5-C6-N1	8.31	125.16	121.00
26	BB	1602	U	O4'-C1'-N1	8.31	114.85	108.20
26	BB	1878	G	C8-N9-C4	-8.31	103.07	106.40
26	BB	2142	A	P-O3'-C3'	8.31	129.68	119.70
1	AA	10	A	O4'-C1'-N9	8.31	114.85	108.20
1	AA	98	A	C8-N9-C4	8.31	109.12	105.80
1	AA	395	C	N3-C2-O2	-8.31	116.08	121.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1412	C	C6-N1-C2	8.31	123.62	120.30
4	AD	52	C	O4'-C1'-N1	8.31	114.85	108.20
2	AB	21	A	C1'-O4'-C4'	8.31	116.55	109.90
25	BA	14	U	O4'-C4'-C3'	8.31	112.75	106.10
26	BB	674	G	N9-C1'-C2'	-8.31	102.86	112.00
26	BB	60	G	C2-N3-C4	8.31	116.06	111.90
26	BB	814	C	C5'-C4'-O4'	8.31	119.07	109.10
26	BB	1477	A	C6-N1-C2	-8.31	113.61	118.60
26	BB	1755	A	C4-C5-C6	-8.31	112.84	117.00
26	BB	1817	G	C5-N7-C8	-8.31	100.14	104.30
26	BB	1896	G	C6-N1-C2	-8.31	120.11	125.10
26	BB	2176	A	C5-N7-C8	-8.31	99.75	103.90
1	AA	420	U	N3-C2-O2	-8.31	116.38	122.20
1	AA	501	C	C4'-C3'-C2'	-8.31	94.29	102.60
1	AA	654	G	N3-C4-C5	-8.31	124.44	128.60
26	BB	841	G	C5-C6-N1	8.31	115.65	111.50
26	BB	2505	G	O4'-C1'-N9	8.31	114.85	108.20
56	B5	12	ARG	NE-CZ-NH2	-8.31	116.15	120.30
1	AA	595	A	N1-C2-N3	-8.31	125.15	129.30
26	BB	185	G	N3-C4-N9	8.31	130.98	126.00
26	BB	216	A	C2-N3-C4	8.31	114.75	110.60
26	BB	531	C	C4'-C3'-C2'	-8.31	94.29	102.60
26	BB	764	A	C5-C6-N1	8.31	121.85	117.70
26	BB	764	A	N1-C6-N6	-8.31	113.61	118.60
26	BB	1588	G	C6-N1-C2	-8.31	120.12	125.10
26	BB	2395	C	N1-C2-O2	8.31	123.89	118.90
26	BB	46	G	C1'-O4'-C4'	-8.31	103.25	109.90
26	BB	1364	G	C1'-O4'-C4'	8.30	116.54	109.90
26	BB	2216	G	C5-N7-C8	-8.30	100.15	104.30
26	BB	2512	C	C5-C6-N1	8.31	125.15	121.00
26	BB	791	C	N1-C2-O2	8.30	123.88	118.90
26	BB	1220	G	C2-N3-C4	8.30	116.05	111.90
26	BB	1472	C	C6-N1-C2	-8.30	116.98	120.30
26	BB	1776	G	C6-C5-N7	-8.30	125.42	130.40
26	BB	2223	G	N7-C8-N9	8.30	117.25	113.10
1	AA	35	G	N1-C6-O6	-8.30	114.92	119.90
1	AA	369	G	C3'-C2'-C1'	8.30	108.14	101.50
26	BB	103	A	C6-C5-N7	8.30	138.11	132.30
26	BB	1018	U	N3-C4-C5	-8.30	109.62	114.60
26	BB	1627	G	N9-C4-C5	8.30	108.72	105.40
26	BB	1463	C	N3-C2-O2	-8.30	116.09	121.90
26	BB	2476	A	C8-N9-C4	-8.30	102.48	105.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1048	G	C5-N7-C8	-8.30	100.15	104.30
1	AA	1453	G	O4'-C1'-N9	8.30	114.84	108.20
26	BB	743	A	C5-N7-C8	8.30	108.05	103.90
26	BB	1478	G	C8-N9-C4	-8.30	103.08	106.40
26	BB	2317	A	N9-C4-C5	8.30	109.12	105.80
1	AA	129	A	N1-C2-N3	-8.29	125.15	129.30
26	BB	337	C	C6-N1-C2	-8.30	116.98	120.30
26	BB	675	A	N7-C8-N9	8.30	117.95	113.80
1	AA	1480	A	O4'-C1'-N9	8.29	114.83	108.20
26	BB	638	G	N7-C8-N9	8.29	117.25	113.10
26	BB	1001	A	C6-C5-N7	-8.29	126.49	132.30
26	BB	1891	G	C8-N9-C4	-8.29	103.08	106.40
1	AA	502	A	N1-C6-N6	8.29	123.58	118.60
1	AA	745	G	O4'-C1'-N9	8.29	114.83	108.20
1	AA	989	U	C5-C4-O4	8.29	130.88	125.90
1	AA	1220	G	N3-C4-C5	-8.29	124.45	128.60
26	BB	2470	G	N1-C2-N2	8.29	123.66	116.20
1	AA	1328	C	C2-N3-C4	8.29	124.05	119.90
25	BA	46	A	N1-C2-N3	8.29	133.45	129.30
26	BB	161	A	C2-N3-C4	8.29	114.75	110.60
26	BB	430	A	N7-C8-N9	8.29	117.95	113.80
26	BB	796	C	C5-C6-N1	8.29	125.15	121.00
26	BB	957	C	C5-C4-N4	-8.29	114.40	120.20
1	AA	46	G	C6-N1-C2	-8.29	120.13	125.10
1	AA	597	G	C5-C6-O6	-8.29	123.63	128.60
26	BB	1068	G	C5-N7-C8	-8.29	100.16	104.30
26	BB	1229	C	C3'-C2'-C1'	-8.29	94.87	101.50
26	BB	2450	A	C8-N9-C4	-8.29	102.48	105.80
1	AA	814	A	N9-C1'-C2'	-8.29	102.89	112.00
1	AA	1321	U	C5-C6-N1	-8.29	118.56	122.70
26	BB	368	A	C3'-C2'-C1'	-8.29	94.87	101.50
26	BB	369	U	C5-C6-N1	-8.28	118.56	122.70
26	BB	633	A	N9-C4-C5	8.29	109.11	105.80
26	BB	1662	U	N1-C2-N3	8.29	119.87	114.90
26	BB	2685	G	N7-C8-N9	8.29	117.24	113.10
26	BB	1711	A	C5'-C4'-O4'	8.28	119.04	109.10
26	BB	2514	U	O4'-C1'-N1	8.28	114.83	108.20
1	AA	416	G	N3-C4-C5	-8.28	124.46	128.60
1	AA	1221	G	C4-C5-C6	-8.28	113.83	118.80
26	BB	141	G	N1-C6-O6	-8.28	114.93	119.90
26	BB	481	G	C4-C5-N7	-8.28	107.49	110.80
26	BB	606	U	C5'-C4'-O4'	8.28	119.04	109.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1486	U	N3-C2-O2	-8.28	116.40	122.20
26	BB	1901	A	N9-C4-C5	8.28	109.11	105.80
1	AA	292	G	C4-C5-C6	8.28	123.77	118.80
1	AA	313	A	C5-N7-C8	-8.28	99.76	103.90
1	AA	1111	A	C5-N7-C8	-8.28	99.76	103.90
1	AA	1312	G	N1-C2-N3	-8.28	118.93	123.90
26	BB	495	G	N3-C4-N9	-8.28	121.03	126.00
26	BB	893	C	C4-C5-C6	-8.28	113.26	117.40
26	BB	1431	A	N9-C4-C5	-8.28	102.49	105.80
26	BB	1604	C	C6-N1-C2	8.28	123.61	120.30
26	BB	1661	G	C3'-C2'-C1'	8.28	108.12	101.50
26	BB	2589	A	C5-N7-C8	-8.28	99.76	103.90
1	AA	359	G	O4'-C1'-N9	8.28	114.82	108.20
25	BA	24	G	C8-N9-C4	-8.28	103.09	106.40
26	BB	45	G	N3-C4-N9	8.28	130.97	126.00
26	BB	697	G	C5-C6-O6	-8.28	123.64	128.60
26	BB	855	G	N3-C4-C5	-8.28	124.46	128.60
26	BB	2191	A	N1-C6-N6	-8.28	113.63	118.60
1	AA	46	G	C5-C6-O6	-8.27	123.64	128.60
1	AA	289	G	N3-C4-C5	-8.27	124.46	128.60
1	AA	571	U	N3-C2-O2	-8.27	116.41	122.20
1	AA	1129	C	N3-C4-C5	-8.27	118.59	121.90
1	AA	1342	C	N1-C2-O2	8.27	123.86	118.90
26	BB	345	A	C6-N1-C2	8.27	123.56	118.60
26	BB	921	C	C4'-C3'-C2'	-8.27	94.33	102.60
1	AA	777	A	O4'-C1'-N9	8.27	114.82	108.20
1	AA	887	G	N1-C6-O6	-8.27	114.94	119.90
1	AA	944	G	C6-C5-N7	-8.27	125.44	130.40
26	BB	142	A	C8-N9-C4	-8.27	102.49	105.80
26	BB	1755	A	N1-C2-N3	-8.27	125.16	129.30
26	BB	628	G	C2-N3-C4	8.27	116.03	111.90
26	BB	836	G	N9-C4-C5	8.27	108.71	105.40
26	BB	992	C	C5'-C4'-O4'	8.27	119.03	109.10
1	AA	735	C	C3'-C2'-C1'	8.27	108.12	101.50
26	BB	499	U	C5'-C4'-C3'	-8.27	102.77	116.00
1	AA	551	U	N1-C1'-C2'	-8.27	102.91	112.00
1	AA	743	A	C3'-C2'-C1'	8.27	108.11	101.50
1	AA	1262	C	N1-C2-O2	8.27	123.86	118.90
1	AA	1403	C	C6-N1-C2	-8.27	116.99	120.30
26	BB	142	A	N7-C8-N9	8.27	117.93	113.80
26	BB	1154	G	C8-N9-C4	-8.27	103.09	106.40
26	BB	1436	G	C8-N9-C4	-8.27	103.09	106.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1651	G	N3-C4-C5	-8.27	124.47	128.60
26	BB	1791	A	N1-C2-N3	-8.27	125.17	129.30
1	AA	1275	A	C8-N9-C4	-8.27	102.49	105.80
3	AC	53	G	N9-C4-C5	8.27	108.71	105.40
26	BB	69	C	N1-C2-O2	8.27	123.86	118.90
26	BB	151	C	C1'-O4'-C4'	8.27	116.51	109.90
26	BB	1896	G	O4'-C1'-N9	8.27	114.81	108.20
1	AA	618	C	P-O3'-C3'	8.26	129.62	119.70
1	AA	876	C	C5-C4-N4	8.26	125.98	120.20
1	AA	1383	C	C5'-C4'-C3'	-8.26	102.78	116.00
6	AF	64	ARG	NE-CZ-NH1	-8.26	116.17	120.30
26	BB	473	G	N9-C4-C5	8.26	108.70	105.40
26	BB	764	A	O4'-C1'-C2'	-8.26	97.54	105.80
26	BB	853	C	N1-C2-O2	8.26	123.86	118.90
26	BB	1399	C	C6-N1-C2	-8.26	117.00	120.30
26	BB	1774	C	C4-C5-C6	-8.26	113.27	117.40
26	BB	2508	G	N7-C8-N9	8.26	117.23	113.10
26	BB	2695	U	O4'-C1'-N1	8.26	114.81	108.20
26	BB	2797	U	N3-C2-O2	-8.26	116.42	122.20
1	AA	761	G	N1-C6-O6	8.26	124.86	119.90
1	AA	797	C	C6-N1-C2	8.26	123.61	120.30
1	AA	1211	U	O4'-C1'-N1	8.26	114.81	108.20
1	AA	1279	G	C5-C6-O6	-8.26	123.64	128.60
2	AB	19	G	N3-C4-N9	8.26	130.96	126.00
26	BB	98	G	C8-N9-C4	-8.26	103.10	106.40
26	BB	703	U	C5-C4-O4	8.26	130.86	125.90
40	BP	96	ARG	NE-CZ-NH2	8.26	124.43	120.30
26	BB	2537	U	C4'-C3'-C2'	-8.26	94.34	102.60
26	BB	2759	G	C6-N1-C2	-8.26	120.14	125.10
44	BT	90	ARG	NE-CZ-NH1	8.26	124.43	120.30
1	AA	537	G	C5-C6-O6	-8.26	123.64	128.60
1	AA	709	U	O4'-C1'-N1	8.26	114.81	108.20
1	AA	744	C	N3-C4-N4	8.26	123.78	118.00
1	AA	101	A	C5-C6-N1	8.26	121.83	117.70
1	AA	296	U	C4-C5-C6	8.26	124.65	119.70
1	AA	1397	C	O4'-C1'-N1	8.26	114.81	108.20
4	AD	17	C	C5-C6-N1	8.26	125.13	121.00
25	BA	95	U	C5-C4-O4	8.26	130.85	125.90
26	BB	349	U	C5-C6-N1	-8.26	118.57	122.70
26	BB	938	G	N9-C4-C5	8.26	108.70	105.40
26	BB	2725	A	O4'-C4'-C3'	8.26	112.70	106.10
26	BB	2253	G	C4-C5-N7	-8.26	107.50	110.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2413	G	C4-C5-C6	8.26	123.75	118.80
1	AA	1358	U	P-O3'-C3'	8.25	129.60	119.70
1	AA	778	G	N3-C4-C5	-8.25	124.47	128.60
1	AA	782	A	N9-C1'-C2'	-8.25	102.92	112.00
25	BA	30	C	N3-C4-C5	-8.25	118.60	121.90
26	BB	174	U	C5-C4-O4	-8.25	120.95	125.90
26	BB	1092	C	N3-C4-C5	8.25	125.20	121.90
26	BB	2130	U	O4'-C1'-N1	8.25	114.80	108.20
26	BB	1125	G	C8-N9-C4	-8.25	103.10	106.40
26	BB	1996	C	N3-C4-N4	8.25	123.78	118.00
26	BB	2268	A	N9-C4-C5	8.25	109.10	105.80
26	BB	2871	U	C2-N3-C4	-8.25	122.05	127.00
1	AA	876	C	N3-C2-O2	-8.25	116.12	121.90
3	AC	45	G	N7-C8-N9	8.25	117.23	113.10
26	BB	972	A	O4'-C1'-N9	8.25	114.80	108.20
26	BB	1623	G	C6-C5-N7	8.25	135.35	130.40
26	BB	1875	G	N7-C8-N9	8.25	117.23	113.10
26	BB	2288	A	N1-C6-N6	8.25	123.55	118.60
26	BB	2631	G	O4'-C1'-N9	8.25	114.80	108.20
31	BG	174	PHE	CB-CG-CD2	-8.25	115.03	120.80
1	AA	1323	G	N9-C4-C5	8.25	108.70	105.40
2	AB	6	C	N1-C2-O2	8.25	123.85	118.90
26	BB	1398	C	C4-C5-C6	8.25	121.52	117.40
26	BB	1553	A	O4'-C1'-N9	8.25	114.80	108.20
26	BB	1606	C	C5-C4-N4	8.25	125.97	120.20
26	BB	1740	G	C2-N3-C4	-8.25	107.78	111.90
1	AA	692	U	N3-C2-O2	-8.24	116.43	122.20
1	AA	1414	U	C5-C4-O4	-8.24	120.95	125.90
26	BB	120	U	N1-C2-O2	-8.24	117.03	122.80
26	BB	569	U	N1-C2-O2	-8.24	117.03	122.80
26	BB	1245	G	C5-C6-O6	-8.24	123.65	128.60
26	BB	1315	C	N3-C2-O2	-8.24	116.13	121.90
26	BB	2011	U	C5-C6-N1	-8.24	118.58	122.70
26	BB	2632	A	C5'-C4'-O4'	8.24	118.99	109.10
1	AA	85	U	P-O3'-C3'	8.24	129.59	119.70
26	BB	103	A	O4'-C1'-N9	8.24	114.79	108.20
26	BB	155	A	O4'-C1'-N9	8.24	114.79	108.20
28	BD	51	ARG	NE-CZ-NH2	-8.24	116.18	120.30
1	AA	639	G	C5'-C4'-O4'	8.24	118.99	109.10
4	AD	54	G	O4'-C1'-N9	8.24	114.79	108.20
26	BB	2638	G	O4'-C1'-N9	8.24	114.79	108.20
1	AA	225	C	O4'-C4'-C3'	-8.24	95.76	104.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	541	G	C3'-C2'-C1'	8.24	108.09	101.50
1	AA	1126	U	C4-C5-C6	8.24	124.64	119.70
1	AA	1231	G	C4-C5-N7	-8.24	107.50	110.80
2	AB	53	G	O4'-C4'-C3'	8.24	112.69	106.10
26	BB	1638	C	N3-C2-O2	-8.24	116.13	121.90
26	BB	2156	G	O5'-P-OP2	-8.24	98.28	105.70
41	BQ	50	ALA	N-CA-CB	-8.24	98.56	110.10
1	AA	465	A	C6-N1-C2	-8.24	113.66	118.60
26	BB	561	G	C4-C5-C6	8.24	123.74	118.80
1	AA	606	G	C1'-O4'-C4'	8.24	116.49	109.90
26	BB	1768	C	N1-C2-O2	8.24	123.84	118.90
1	AA	383	A	C2-N3-C4	8.23	114.72	110.60
1	AA	144	G	N7-C8-N9	8.23	117.22	113.10
1	AA	730	G	C5-N7-C8	-8.23	100.18	104.30
26	BB	302	C	O4'-C1'-N1	8.23	114.79	108.20
26	BB	755	U	N3-C4-O4	8.23	125.16	119.40
26	BB	1350	C	O4'-C1'-N1	8.23	114.79	108.20
26	BB	1966	A	C1'-O4'-C4'	-8.23	103.31	109.90
43	BS	12	ARG	NE-CZ-NH1	-8.23	116.18	120.30
1	AA	106	C	O4'-C1'-N1	8.23	114.78	108.20
1	AA	944	G	N1-C6-O6	-8.23	114.96	119.90
26	BB	423	A	C4'-C3'-C2'	8.23	110.83	102.60
26	BB	189	G	C8-N9-C4	-8.23	103.11	106.40
26	BB	575	A	O4'-C1'-N9	8.23	114.78	108.20
26	BB	973	A	C8-N9-C4	-8.23	102.51	105.80
26	BB	1186	G	N3-C4-C5	-8.23	124.48	128.60
26	BB	1642	G	N3-C4-C5	-8.23	124.48	128.60
26	BB	2038	G	N9-C4-C5	8.23	108.69	105.40
26	BB	2060	A	O4'-C4'-C3'	8.23	112.69	106.10
26	BB	2234	G	C6-C5-N7	-8.23	125.46	130.40
26	BB	2374	C	C2-N3-C4	8.23	124.02	119.90
26	BB	2890	G	C5-C6-O6	-8.23	123.66	128.60
1	AA	646	G	C5-C6-O6	8.23	133.54	128.60
1	AA	764	C	C1'-O4'-C4'	-8.23	103.32	109.90
1	AA	862	C	N3-C4-N4	-8.23	112.24	118.00
1	AA	1128	C	O4'-C1'-N1	8.23	114.78	108.20
1	AA	1476	A	C4-C5-N7	8.23	114.81	110.70
1	AA	1527	U	C2-N3-C4	-8.23	122.06	127.00
3	AC	52	U	C5-C6-N1	-8.23	118.59	122.70
26	BB	1852	U	N1-C2-N3	8.23	119.84	114.90
26	BB	1871	A	N9-C4-C5	8.23	109.09	105.80
26	BB	1919	A	N1-C2-N3	-8.23	125.19	129.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	271	G	C8-N9-C4	-8.23	103.11	106.40
26	BB	557	C	N1-C2-O2	8.23	123.84	118.90
26	BB	1143	A	C5-N7-C8	-8.23	99.79	103.90
26	BB	1336	A	N1-C2-N3	-8.23	125.19	129.30
26	BB	1824	G	C3'-C2'-C1'	8.23	108.08	101.50
1	AA	613	C	N1-C2-O2	8.22	123.83	118.90
26	BB	2185	U	O4'-C1'-N1	8.22	114.78	108.20
26	BB	119	A	C1'-O4'-C4'	-8.22	103.32	109.90
26	BB	225	C	O4'-C1'-N1	8.22	114.78	108.20
26	BB	844	A	O4'-C1'-N9	8.22	114.78	108.20
1	AA	821	G	C5-C6-O6	-8.22	123.67	128.60
26	BB	1003	G	C6-C5-N7	-8.22	125.47	130.40
26	BB	974	G	C1'-O4'-C4'	-8.22	103.32	109.90
26	BB	1185	G	N9-C4-C5	8.22	108.69	105.40
26	BB	1598	A	C5'-C4'-O4'	8.22	118.96	109.10
26	BB	1862	G	N9-C4-C5	8.22	108.69	105.40
26	BB	2330	G	N3-C4-N9	8.22	130.93	126.00
26	BB	2506	U	N3-C2-O2	8.22	127.95	122.20
1	AA	324	G	C3'-C2'-C1'	8.22	108.07	101.50
1	AA	435	A	C2-N3-C4	8.22	114.71	110.60
1	AA	493	A	N9-C4-C5	8.22	109.09	105.80
1	AA	550	G	N7-C8-N9	8.22	117.21	113.10
1	AA	775	G	N3-C2-N2	-8.22	114.15	119.90
1	AA	1103	C	N3-C2-O2	-8.22	116.15	121.90
26	BB	455	C	C5-C4-N4	8.22	125.95	120.20
26	BB	20	C	N1-C1'-C2'	-8.22	102.96	112.00
26	BB	735	A	P-O3'-C3'	8.22	129.56	119.70
26	BB	2173	A	N7-C8-N9	8.22	117.91	113.80
1	AA	144	G	C6-N1-C2	-8.21	120.17	125.10
1	AA	275	G	O4'-C1'-N9	8.21	114.77	108.20
1	AA	284	C	C2-N3-C4	8.21	124.01	119.90
1	AA	653	U	N3-C2-O2	8.21	127.95	122.20
1	AA	1324	A	C4-C5-C6	8.21	121.11	117.00
3	AC	20	G	N3-C4-C5	-8.21	124.49	128.60
26	BB	167	A	C4'-C3'-C2'	-8.21	94.39	102.60
26	BB	395	U	N1-C2-O2	8.21	128.55	122.80
26	BB	836	G	C4-C5-N7	-8.21	107.51	110.80
26	BB	1848	A	C2-N3-C4	8.22	114.71	110.60
26	BB	2034	U	C2-N3-C4	-8.21	122.07	127.00
26	BB	2858	C	C5-C4-N4	8.22	125.95	120.20
1	AA	1317	C	O4'-C1'-N1	8.21	114.77	108.20
35	BK	66	PHE	CB-CG-CD2	-8.21	115.05	120.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	954	G	C4-C5-N7	-8.21	107.52	110.80
26	BB	142	A	C4-C5-C6	-8.21	112.89	117.00
26	BB	783	A	N3-C4-C5	-8.21	121.05	126.80
26	BB	2006	C	C6-N1-C2	-8.21	117.02	120.30
39	BO	114	ARG	NE-CZ-NH2	8.21	124.41	120.30
26	BB	2080	A	C4-C5-N7	-8.21	106.59	110.70
26	BB	2111	U	P-O3'-C3'	8.21	129.55	119.70
1	AA	1030	U	C3'-C2'-C1'	-8.21	94.93	101.50
26	BB	783	A	C6-N1-C2	-8.21	113.67	118.60
1	AA	332	G	C5'-C4'-O4'	8.21	118.95	109.10
1	AA	851	G	C2-N3-C4	8.21	116.00	111.90
1	AA	1074	G	C4-C5-N7	8.21	114.08	110.80
1	AA	1121	U	N3-C2-O2	-8.21	116.45	122.20
1	AA	1280	A	N1-C2-N3	8.21	133.41	129.30
26	BB	327	G	C8-N9-C4	8.21	109.68	106.40
26	BB	1992	G	C2-N3-C4	8.21	116.00	111.90
26	BB	2742	G	N3-C2-N2	-8.21	114.15	119.90
26	BB	3	U	O4'-C4'-C3'	8.21	112.67	106.10
26	BB	534	U	C5-C4-O4	8.21	130.82	125.90
1	AA	971	G	C5-C6-O6	-8.20	123.68	128.60
26	BB	403	U	N3-C4-C5	8.21	119.52	114.60
26	BB	631	A	N1-C2-N3	-8.21	125.20	129.30
26	BB	1740	G	C4-C5-N7	8.21	114.08	110.80
26	BB	856	G	N9-C1'-C2'	-8.20	102.98	112.00
26	BB	2054	A	C2-N3-C4	8.21	114.70	110.60
1	AA	948	C	C3'-C2'-C1'	8.20	108.06	101.50
1	AA	1349	A	N1-C6-N6	-8.20	113.68	118.60
26	BB	460	A	C2-N3-C4	8.20	114.70	110.60
26	BB	781	A	C4-C5-C6	-8.20	112.90	117.00
26	BB	937	C	O4'-C1'-N1	8.20	114.76	108.20
26	BB	1218	G	N3-C4-N9	8.20	130.92	126.00
26	BB	1930	G	C2-N3-C4	8.20	116.00	111.90
26	BB	2152	G	C2-N3-C4	8.20	116.00	111.90
1	AA	71	A	C2-N3-C4	8.20	114.70	110.60
1	AA	550	G	N1-C2-N3	-8.20	118.98	123.90
1	AA	1211	U	C2-N3-C4	-8.20	122.08	127.00
20	AT	64	ARG	NE-CZ-NH1	8.20	124.40	120.30
26	BB	238	C	C5-C6-N1	8.20	125.10	121.00
26	BB	311	A	N1-C6-N6	-8.20	113.68	118.60
26	BB	2434	A	C2-N3-C4	8.20	114.70	110.60
26	BB	1944	U	C6-N1-C2	-8.20	116.08	121.00
26	BB	2817	U	C4-C5-C6	8.20	124.62	119.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BA	46	A	C4-C5-C6	-8.20	112.90	117.00
26	BB	206	U	O4'-C1'-N1	8.20	114.76	108.20
26	BB	454	A	N7-C8-N9	-8.20	109.70	113.80
26	BB	1574	C	O5'-P-OP2	-8.20	98.32	105.70
26	BB	1599	U	C4-C5-C6	8.20	124.62	119.70
26	BB	1672	A	N9-C4-C5	8.20	109.08	105.80
26	BB	2118	U	N3-C2-O2	-8.20	116.46	122.20
26	BB	2178	C	N3-C2-O2	8.20	127.64	121.90
26	BB	2193	G	N3-C2-N2	-8.20	114.16	119.90
1	AA	1016	A	C4-C5-C6	-8.19	112.90	117.00
8	AH	49	TYR	CB-CG-CD1	8.19	125.92	121.00
26	BB	229	C	C2-N3-C4	8.19	124.00	119.90
26	BB	1250	G	C3'-C2'-C1'	8.19	108.06	101.50
26	BB	1661	G	C5'-C4'-C3'	-8.19	102.89	116.00
26	BB	2280	G	N3-C4-C5	-8.19	124.50	128.60
26	BB	2468	A	O4'-C4'-C3'	8.19	112.66	106.10
1	AA	717	U	C5-C6-N1	-8.19	118.60	122.70
1	AA	429	U	N3-C4-C5	-8.19	109.69	114.60
1	AA	1100	C	N3-C4-C5	-8.19	118.62	121.90
25	BA	28	C	C5-C6-N1	-8.19	116.90	121.00
26	BB	335	C	C2-N3-C4	8.19	124.00	119.90
26	BB	861	A	C5-C6-N1	8.19	121.80	117.70
26	BB	1139	G	N3-C2-N2	8.19	125.63	119.90
26	BB	1751	U	C5-C4-O4	-8.19	120.98	125.90
26	BB	2414	G	N1-C2-N3	-8.19	118.98	123.90
26	BB	2745	C	C5-C4-N4	8.19	125.93	120.20
1	AA	32	A	C4'-C3'-C2'	-8.19	94.41	102.60
1	AA	95	C	C5'-C4'-O4'	8.19	118.93	109.10
26	BB	1815	A	N9-C4-C5	-8.19	102.52	105.80
26	BB	2408	U	C3'-C2'-C1'	8.19	108.05	101.50
1	AA	412	A	O4'-C1'-N9	8.19	114.75	108.20
1	AA	588	G	O5'-C5'-C4'	-8.19	96.14	111.70
1	AA	897	C	N3-C4-C5	-8.19	118.62	121.90
1	AA	996	A	C4-C5-C6	8.19	121.09	117.00
1	AA	1413	A	C6-N1-C2	-8.19	113.69	118.60
1	AA	1416	G	N3-C4-C5	-8.19	124.50	128.60
25	BA	108	A	C4-C5-C6	-8.19	112.91	117.00
26	BB	204	A	C5-C6-N1	8.19	121.79	117.70
26	BB	385	C	O4'-C1'-N1	8.19	114.75	108.20
26	BB	443	A	C2-N3-C4	8.19	114.69	110.60
26	BB	1520	U	C5-C4-O4	8.19	130.81	125.90
26	BB	1594	U	O4'-C1'-N1	8.19	114.75	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1605	C	O4'-C1'-N1	8.19	114.75	108.20
1	AA	41	G	N1-C2-N2	8.19	123.57	116.20
26	BB	493	G	C1'-O4'-C4'	-8.19	103.35	109.90
26	BB	1787	A	N9-C4-C5	8.19	109.07	105.80
26	BB	2350	C	N3-C4-N4	-8.19	112.27	118.00
26	BB	325	G	N9-C4-C5	-8.18	102.13	105.40
26	BB	1094	U	C3'-C2'-C1'	8.18	108.05	101.50
26	BB	1280	G	N1-C6-O6	-8.18	114.99	119.90
26	BB	2087	G	O4'-C1'-N9	8.18	114.75	108.20
1	AA	168	G	N9-C4-C5	8.18	108.67	105.40
1	AA	1081	A	N1-C2-N3	8.18	133.39	129.30
26	BB	70	G	N3-C4-C5	-8.18	124.51	128.60
26	BB	81	G	N3-C4-C5	-8.18	124.51	128.60
26	BB	1272	A	N1-C2-N3	-8.18	125.21	129.30
26	BB	1483	G	N1-C2-N3	8.18	128.81	123.90
26	BB	2389	G	C8-N9-C4	-8.18	103.13	106.40
26	BB	1376	C	C5'-C4'-C3'	8.18	129.09	116.00
26	BB	1862	G	C4-C5-N7	-8.18	107.53	110.80
26	BB	2304	G	C5-C6-N1	8.18	115.59	111.50
26	BB	2309	A	C2-N3-C4	8.18	114.69	110.60
31	BG	70	ARG	NE-CZ-NH2	8.18	124.39	120.30
44	BT	21	ARG	NE-CZ-NH1	-8.18	116.21	120.30
1	AA	111	G	C4'-C3'-C2'	-8.18	94.42	102.60
1	AA	332	G	C6-N1-C2	-8.18	120.19	125.10
1	AA	1415	G	C2-N3-C4	8.18	115.99	111.90
25	BA	45	A	C2-N3-C4	8.18	114.69	110.60
26	BB	141	G	C5-C6-N1	8.18	115.59	111.50
26	BB	764	A	O4'-C1'-N9	8.18	114.75	108.20
26	BB	1401	G	C2-N3-C4	-8.18	107.81	111.90
26	BB	1808	A	N3-C4-C5	-8.18	121.07	126.80
26	BB	2625	G	C8-N9-C1'	8.18	137.64	127.00
1	AA	204	G	C4-C5-C6	8.18	123.71	118.80
1	AA	1515	G	C4-C5-C6	8.18	123.71	118.80
26	BB	951	C	C5-C6-N1	-8.18	116.91	121.00
26	BB	2560	A	C5-C6-N1	8.18	121.79	117.70
26	BB	2666	C	O4'-C1'-N1	8.18	114.74	108.20
1	AA	638	U	N3-C4-C5	-8.18	109.69	114.60
26	BB	1465	G	C6-N1-C2	-8.18	120.19	125.10
26	BB	1752	C	O4'-C4'-C3'	8.18	112.64	106.10
26	BB	2791	G	C2-N3-C4	8.18	115.99	111.90
1	AA	1418	A	O4'-C1'-N9	8.18	114.74	108.20
26	BB	886	A	C5-N7-C8	-8.18	99.81	103.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1604	C	C4'-C3'-C2'	-8.18	94.42	102.60
25	BA	78	A	N7-C8-N9	8.17	117.89	113.80
26	BB	1180	U	O4'-C1'-N1	8.17	114.74	108.20
26	BB	2242	G	C5-C6-O6	-8.17	123.70	128.60
26	BB	2593	U	C5'-C4'-O4'	8.17	118.91	109.10
1	AA	722	G	C4-C5-C6	8.17	123.70	118.80
26	BB	2866	U	C5-C4-O4	8.17	130.80	125.90
1	AA	235	C	O4'-C1'-N1	8.17	114.73	108.20
1	AA	354	G	C4-C5-N7	8.17	114.07	110.80
1	AA	477	C	N3-C4-C5	-8.17	118.63	121.90
1	AA	1202	U	C6-N1-C2	-8.17	116.10	121.00
26	BB	448	U	C6-N1-C2	-8.17	116.10	121.00
26	BB	1397	U	N3-C4-O4	8.17	125.12	119.40
1	AA	582	C	C6-N1-C2	-8.17	117.03	120.30
1	AA	800	G	C4'-C3'-C2'	-8.17	94.43	102.60
1	AA	898	G	P-O3'-C3'	8.17	129.50	119.70
1	AA	1054	C	N3-C4-C5	-8.17	118.63	121.90
1	AA	1522	U	C3'-C2'-C1'	8.17	108.03	101.50
26	BB	253	C	C5'-C4'-O4'	8.17	118.90	109.10
26	BB	1162	G	C5-C6-N1	8.17	115.58	111.50
26	BB	1878	G	N3-C4-N9	8.17	130.90	126.00
26	BB	1938	A	N1-C6-N6	-8.17	113.70	118.60
26	BB	2834	G	N3-C4-C5	-8.17	124.52	128.60
1	AA	409	U	C5-C4-O4	-8.16	121.00	125.90
1	AA	890	G	C5-N7-C8	-8.16	100.22	104.30
26	BB	267	C	N3-C4-C5	-8.16	118.63	121.90
26	BB	695	G	N9-C1'-C2'	-8.16	103.02	112.00
26	BB	806	C	N1-C2-O2	8.16	123.80	118.90
26	BB	1413	A	C4'-C3'-C2'	-8.16	94.44	102.60
26	BB	2187	U	C5-C6-N1	-8.16	118.62	122.70
1	AA	400	C	O4'-C1'-N1	8.16	114.73	108.20
1	AA	836	G	N9-C4-C5	8.16	108.67	105.40
1	AA	1533	C	C3'-C2'-C1'	8.16	108.03	101.50
26	BB	472	A	C3'-C2'-C1'	-8.16	94.97	101.50
26	BB	1719	G	C6-N1-C2	-8.16	120.20	125.10
26	BB	2250	G	N3-C4-C5	-8.16	124.52	128.60
28	BD	257	ARG	NE-CZ-NH1	8.16	124.38	120.30
1	AA	647	C	C6-N1-C2	-8.16	117.04	120.30
26	BB	358	U	C4'-C3'-C2'	-8.16	94.44	102.60
26	BB	921	C	N3-C4-C5	8.16	125.17	121.90
1	AA	690	G	N9-C4-C5	8.16	108.66	105.40
1	AA	1321	U	O4'-C1'-N1	8.16	114.73	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	942	G	N3-C4-C5	-8.16	124.52	128.60
26	BB	1135	C	O4'-C1'-N1	8.16	114.73	108.20
26	BB	1567	G	N9-C4-C5	8.16	108.66	105.40
26	BB	1254	A	C5-N7-C8	8.16	107.98	103.90
26	BB	1409	U	N1-C2-N3	8.16	119.80	114.90
26	BB	2783	U	N1-C2-O2	-8.16	117.09	122.80
1	AA	1537	U	N3-C2-O2	-8.16	116.49	122.20
1	AA	352	C	C5-C4-N4	-8.16	114.49	120.20
1	AA	503	C	C4-C5-C6	-8.16	113.32	117.40
1	AA	744	C	N3-C4-C5	-8.16	118.64	121.90
4	AD	7	G	C4-C5-N7	-8.16	107.54	110.80
26	BB	836	G	N1-C6-O6	-8.16	115.00	119.90
26	BB	1160	G	N9-C4-C5	8.16	108.66	105.40
26	BB	1268	A	C4-C5-N7	8.16	114.78	110.70
1	AA	704	A	C5-C6-N1	8.16	121.78	117.70
1	AA	1213	A	P-O3'-C3'	8.16	129.49	119.70
2	AB	35	C	C5'-C4'-O4'	8.16	118.89	109.10
26	BB	254	G	N3-C4-C5	-8.16	124.52	128.60
26	BB	442	G	N3-C2-N2	-8.16	114.19	119.90
26	BB	1820	U	C6-N1-C2	-8.16	116.11	121.00
26	BB	502	A	C1'-O4'-C4'	8.16	116.42	109.90
26	BB	2225	A	C4-C5-C6	8.16	121.08	117.00
26	BB	519	U	C5-C4-O4	-8.15	121.01	125.90
26	BB	592	A	C4-C5-C6	-8.15	112.92	117.00
26	BB	603	A	P-O3'-C3'	8.15	129.49	119.70
31	BG	137	PHE	CB-CG-CD1	-8.15	115.09	120.80
26	BB	610	C	C5'-C4'-O4'	8.15	118.88	109.10
26	BB	833	A	N7-C8-N9	8.15	117.88	113.80
26	BB	609	A	C8-N9-C4	8.15	109.06	105.80
26	BB	795	C	C4-C5-C6	-8.15	113.32	117.40
26	BB	2229	U	N3-C4-O4	8.15	125.11	119.40
26	BB	2847	U	C4-C5-C6	8.15	124.59	119.70
26	BB	2847	U	N3-C4-O4	8.15	125.11	119.40
1	AA	1184	G	N3-C4-N9	8.15	130.89	126.00
25	BA	76	G	C4-C5-N7	8.15	114.06	110.80
26	BB	367	G	N1-C2-N3	-8.15	119.01	123.90
26	BB	643	A	C4'-C3'-C2'	-8.15	94.45	102.60
26	BB	1903	G	O4'-C4'-C3'	8.15	112.62	106.10
26	BB	2782	G	N1-C2-N3	-8.15	119.01	123.90
26	BB	2859	G	N1-C6-O6	8.15	124.79	119.90
38	BN	107	PHE	CB-CG-CD2	-8.15	115.10	120.80
26	BB	1614	A	C8-N9-C4	-8.15	102.54	105.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1688	U	N3-C4-C5	-8.15	109.71	114.60
26	BB	2360	G	C4-C5-C6	8.15	123.69	118.80
26	BB	2550	G	C5-N7-C8	8.15	108.37	104.30
1	AA	204	G	C8-N9-C4	-8.14	103.14	106.40
1	AA	352	C	C5'-C4'-C3'	-8.14	102.97	116.00
1	AA	379	C	C2-N3-C4	-8.14	115.83	119.90
1	AA	1013	G	C4'-C3'-C2'	-8.14	94.45	102.60
26	BB	616	A	N1-C6-N6	8.14	123.49	118.60
26	BB	748	G	N3-C4-C5	-8.14	124.53	128.60
1	AA	971	G	O4'-C4'-C3'	8.14	112.61	106.10
26	BB	73	A	O4'-C1'-N9	8.14	114.72	108.20
26	BB	2153	C	C3'-C2'-C1'	8.14	108.01	101.50
26	BB	2428	G	C3'-C2'-C1'	8.14	108.01	101.50
1	AA	206	C	N3-C4-C5	-8.14	118.64	121.90
1	AA	1147	C	C4-C5-C6	8.14	121.47	117.40
1	AA	1165	U	C4'-C3'-C2'	-8.14	94.46	102.60
26	BB	421	C	P-O3'-C3'	8.14	129.47	119.70
26	BB	901	C	N3-C4-N4	8.14	123.70	118.00
26	BB	956	G	C8-N9-C4	8.14	109.66	106.40
26	BB	1593	A	C6-C5-N7	8.14	138.00	132.30
26	BB	1424	G	C6-N1-C2	-8.14	120.22	125.10
1	AA	1506	U	C4-C5-C6	8.14	124.58	119.70
15	AO	108	ASP	CB-CG-OD1	-8.14	110.97	118.30
26	BB	596	U	N1-C2-N3	8.14	119.78	114.90
26	BB	824	U	O4'-C1'-N1	8.14	114.71	108.20
26	BB	1214	A	C4'-C3'-C2'	-8.14	94.46	102.60
26	BB	1988	G	N3-C4-C5	-8.14	124.53	128.60
26	BB	2721	A	C4'-C3'-C2'	-8.14	94.46	102.60
26	BB	2892	G	O4'-C4'-C3'	8.14	112.61	106.10
24	AX	17	ARG	NE-CZ-NH1	8.14	124.37	120.30
26	BB	1595	C	N3-C4-C5	-8.14	118.64	121.90
26	BB	1933	G	O4'-C1'-N9	8.14	114.71	108.20
26	BB	2006	C	C5-C6-N1	8.14	125.07	121.00
1	AA	323	U	N3-C2-O2	-8.14	116.50	122.20
1	AA	361	G	C6-C5-N7	-8.13	125.52	130.40
1	AA	729	A	C4'-C3'-C2'	-8.13	94.47	102.60
1	AA	843	U	N3-C2-O2	-8.13	116.50	122.20
25	BA	72	G	C8-N9-C4	-8.14	103.14	106.40
26	BB	121	G	N1-C2-N2	8.13	123.52	116.20
26	BB	155	A	C5-C6-N1	8.13	121.77	117.70
26	BB	873	C	C5-C6-N1	-8.14	116.93	121.00
26	BB	1130	U	O4'-C1'-N1	8.14	114.71	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1853	A	C6-N1-C2	-8.14	113.72	118.60
26	BB	868	U	N1-C2-O2	8.13	128.49	122.80
26	BB	2301	C	C2-N3-C4	8.13	123.97	119.90
1	AA	184	G	N1-C6-O6	-8.13	115.02	119.90
26	BB	958	U	C4-C5-C6	8.13	124.58	119.70
1	AA	341	C	C4-C5-C6	-8.13	113.33	117.40
1	AA	622	A	C6-C5-N7	8.13	137.99	132.30
1	AA	963	G	C5-C6-O6	-8.13	123.72	128.60
1	AA	1127	G	C8-N9-C4	-8.13	103.15	106.40
26	BB	1115	G	N1-C2-N3	-8.13	119.02	123.90
26	BB	60	G	N3-C2-N2	8.13	125.59	119.90
26	BB	1697	G	C5-C6-O6	-8.13	123.72	128.60
1	AA	302	G	C5-N7-C8	-8.13	100.23	104.30
1	AA	809	G	N3-C4-N9	8.13	130.88	126.00
1	AA	1121	U	P-O3'-C3'	8.13	129.46	119.70
26	BB	841	G	N3-C4-C5	-8.13	124.53	128.60
1	AA	915	A	C8-N9-C4	-8.13	102.55	105.80
1	AA	1364	U	N1-C2-N3	8.13	119.78	114.90
1	AA	1452	C	C1'-O4'-C4'	8.13	116.40	109.90
1	AA	1514	G	N3-C4-C5	-8.13	124.54	128.60
26	BB	459	U	C4'-C3'-C2'	-8.13	94.47	102.60
26	BB	903	C	O4'-C1'-N1	8.13	114.70	108.20
26	BB	1528	A	C5-C6-N1	8.13	121.76	117.70
26	BB	1569	A	C4-C5-N7	-8.13	106.64	110.70
26	BB	2453	A	C4-C5-N7	-8.13	106.64	110.70
1	AA	700	G	C5'-C4'-O4'	8.13	118.85	109.10
1	AA	1022	A	N9-C4-C5	8.13	109.05	105.80
26	BB	662	G	N3-C4-C5	-8.13	124.54	128.60
26	BB	2286	G	O4'-C4'-C3'	8.13	112.60	106.10
1	AA	415	A	N1-C6-N6	8.12	123.47	118.60
26	BB	494	G	N1-C2-N3	8.12	128.78	123.90
26	BB	1084	A	N1-C2-N3	-8.12	125.24	129.30
26	BB	1246	A	C6-C5-N7	8.12	137.99	132.30
26	BB	2252	G	C8-N9-C4	-8.12	103.15	106.40
26	BB	2405	G	N7-C8-N9	8.12	117.16	113.10
26	BB	2541	A	N7-C8-N9	8.12	117.86	113.80
26	BB	2697	G	C5'-C4'-C3'	-8.12	103.00	116.00
29	BE	81	GLU	OE1-CD-OE2	8.12	133.05	123.30
1	AA	318	G	N9-C4-C5	8.12	108.65	105.40
26	BB	168	G	N1-C2-N3	-8.12	119.03	123.90
26	BB	302	C	C4-C5-C6	-8.12	113.34	117.40
26	BB	835	C	C5'-C4'-O4'	8.12	118.85	109.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2584	U	N1-C2-O2	8.12	128.49	122.80
1	AA	822	U	C5-C6-N1	-8.12	118.64	122.70
1	AA	961	U	C1'-O4'-C4'	8.12	116.40	109.90
26	BB	2390	U	C5-C6-N1	-8.12	118.64	122.70
1	AA	152	A	C3'-C2'-C1'	-8.12	95.00	101.50
1	AA	375	U	O4'-C1'-N1	8.12	114.70	108.20
1	AA	924	C	C5-C6-N1	8.12	125.06	121.00
26	BB	47	C	N1-C2-O2	8.12	123.77	118.90
26	BB	371	A	C6-N1-C2	8.12	123.47	118.60
1	AA	1356	G	N7-C8-N9	8.12	117.16	113.10
1	AA	1525	G	C4-C5-C6	8.12	123.67	118.80
2	AB	35	C	C1'-O4'-C4'	8.12	116.39	109.90
6	AF	167	TYR	CG-CD1-CE1	-8.12	114.81	121.30
25	BA	65	U	O4'-C1'-N1	8.12	114.69	108.20
26	BB	1	G	C5-C6-N1	8.12	115.56	111.50
26	BB	30	G	O4'-C1'-N9	8.12	114.69	108.20
26	BB	195	A	C2-N3-C4	-8.12	106.54	110.60
26	BB	282	A	O4'-C1'-N9	8.12	114.69	108.20
26	BB	301	G	N3-C4-N9	8.12	130.87	126.00
26	BB	479	A	C8-N9-C4	-8.12	102.55	105.80
26	BB	1220	G	C5-C6-N1	8.12	115.56	111.50
26	BB	2446	G	N7-C8-N9	8.12	117.16	113.10
26	BB	569	U	C1'-O4'-C4'	-8.12	103.41	109.90
26	BB	1580	A	C2-N3-C4	8.12	114.66	110.60
26	BB	2207	C	O4'-C1'-N1	8.12	114.69	108.20
26	BB	2242	G	C6-C5-N7	-8.12	125.53	130.40
1	AA	500	G	N3-C4-N9	-8.12	121.13	126.00
26	BB	2202	U	N3-C4-C5	-8.12	109.73	114.60
1	AA	571	U	N1-C2-O2	8.11	128.48	122.80
1	AA	1314	C	N1-C2-O2	8.11	123.77	118.90
1	AA	1427	C	C5-C6-N1	8.11	125.06	121.00
26	BB	924	G	N3-C4-C5	-8.11	124.54	128.60
26	BB	2078	C	N1-C2-O2	8.11	123.77	118.90
26	BB	2323	G	C5'-C4'-O4'	8.11	118.84	109.10
26	BB	2455	G	N3-C4-N9	8.12	130.87	126.00
26	BB	2837	A	C4'-C3'-C2'	-8.11	94.49	102.60
1	AA	429	U	C4-C5-C6	8.11	124.57	119.70
1	AA	628	G	C8-N9-C4	-8.11	103.16	106.40
1	AA	789	U	C2-N3-C4	-8.11	122.13	127.00
1	AA	822	U	C4'-C3'-C2'	-8.11	94.49	102.60
1	AA	1397	C	N3-C2-O2	-8.11	116.22	121.90
26	BB	415	A	N1-C2-N3	-8.11	125.24	129.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1034	G	C2-N3-C4	8.11	115.95	111.90
1	AA	1338	G	C8-N9-C4	-8.11	103.16	106.40
26	BB	26	G	C5'-C4'-O4'	8.11	118.83	109.10
26	BB	1414	C	C4-C5-C6	8.11	121.46	117.40
26	BB	131	A	O4'-C1'-N9	8.11	114.69	108.20
26	BB	2081	U	N3-C4-O4	-8.11	113.72	119.40
1	AA	331	G	C8-N9-C4	-8.11	103.16	106.40
1	AA	800	G	N3-C4-C5	-8.11	124.55	128.60
1	AA	1056	U	N3-C2-O2	-8.11	116.52	122.20
1	AA	1201	A	N1-C6-N6	-8.11	113.73	118.60
1	AA	1373	G	O4'-C1'-N9	8.11	114.69	108.20
26	BB	11	C	N1-C2-O2	8.11	123.77	118.90
26	BB	1437	C	C4-C5-C6	8.11	121.45	117.40
26	BB	2054	A	C5-N7-C8	8.11	107.95	103.90
26	BB	2060	A	C4-C5-C6	-8.11	112.94	117.00
26	BB	1727	C	C1'-O4'-C4'	-8.11	103.41	109.90
26	BB	2673	G	C4-C5-N7	8.11	114.04	110.80
26	BB	2793	C	C3'-C2'-C1'	8.11	107.99	101.50
1	AA	136	C	C5-C6-N1	8.11	125.05	121.00
1	AA	1061	G	C8-N9-C4	-8.11	103.16	106.40
1	AA	1107	C	O4'-C1'-N1	8.11	114.68	108.20
1	AA	1251	A	N1-C2-N3	-8.11	125.25	129.30
1	AA	1534	A	C4-C5-C6	8.11	121.05	117.00
4	AD	29	C	N1-C2-O2	8.11	123.76	118.90
26	BB	300	A	C3'-C2'-C1'	-8.11	95.02	101.50
26	BB	2886	A	C1'-O4'-C4'	-8.11	103.42	109.90
31	BG	101	ARG	NE-CZ-NH1	-8.11	116.25	120.30
1	AA	562	U	N1-C2-N3	8.10	119.76	114.90
1	AA	1103	C	O4'-C1'-N1	8.10	114.68	108.20
25	BA	92	C	N3-C4-N4	8.10	123.67	118.00
26	BB	772	C	C5-C4-N4	-8.10	114.53	120.20
26	BB	1068	G	C8-N9-C4	-8.10	103.16	106.40
26	BB	1865	U	O4'-C1'-N1	8.10	114.68	108.20
1	AA	227	G	C8-N9-C4	-8.10	103.16	106.40
2	AB	69	C	N1-C2-O2	8.10	123.76	118.90
26	BB	2795	C	O4'-C1'-N1	8.10	114.68	108.20
1	AA	148	G	O4'-C1'-N9	8.10	114.68	108.20
1	AA	1539	C	C5-C6-N1	8.10	125.05	121.00
32	BH	57	TYR	CB-CG-CD2	-8.10	116.14	121.00
1	AA	297	G	N3-C4-C5	-8.10	124.55	128.60
1	AA	671	G	C4'-C3'-C2'	-8.10	94.50	102.60
26	BB	2146	C	N3-C4-C5	-8.10	118.66	121.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	773	G	C4-C5-C6	8.10	123.66	118.80
26	BB	802	A	C2-N3-C4	8.10	114.65	110.60
26	BB	2444	G	O4'-C1'-N9	8.10	114.68	108.20
1	AA	474	G	C5-N7-C8	-8.10	100.25	104.30
1	AA	915	A	N9-C4-C5	8.10	109.04	105.80
1	AA	1268	G	N9-C4-C5	8.10	108.64	105.40
26	BB	153	U	N3-C2-O2	-8.10	116.53	122.20
26	BB	1659	G	N3-C4-N9	8.10	130.86	126.00
26	BB	1817	G	N9-C4-C5	-8.10	102.16	105.40
26	BB	2007	U	C5-C4-O4	8.10	130.76	125.90
26	BB	2203	U	C5-C4-O4	-8.10	121.04	125.90
26	BB	790	U	N3-C4-O4	8.10	125.07	119.40
26	BB	2896	C	C6-N1-C2	-8.10	117.06	120.30
1	AA	321	A	C8-N9-C4	-8.09	102.56	105.80
2	AB	19	G	N1-C2-N3	-8.09	119.04	123.90
3	AC	54	U	C3'-C2'-C1'	-8.09	95.03	101.50
26	BB	620	G	N7-C8-N9	8.09	117.15	113.10
26	BB	2227	A	C4-C5-C6	-8.09	112.95	117.00
26	BB	2474	U	C2-N3-C4	-8.09	122.14	127.00
4	AD	17	C	N3-C4-C5	-8.09	118.66	121.90
26	BB	1409	U	C5-C6-N1	8.09	126.75	122.70
26	BB	1979	U	C4'-C3'-C2'	-8.09	94.51	102.60
26	BB	2095	A	N9-C4-C5	8.09	109.04	105.80
26	BB	2126	A	C6-N1-C2	8.09	123.46	118.60
26	BB	2359	C	N3-C4-C5	-8.09	118.66	121.90
1	AA	505	G	C5'-C4'-O4'	8.09	118.81	109.10
1	AA	814	A	C5-N7-C8	-8.09	99.86	103.90
4	AD	60	A	C2-N3-C4	-8.09	106.56	110.60
26	BB	404	A	C4-C5-N7	8.09	114.75	110.70
26	BB	288	U	N3-C2-O2	-8.09	116.54	122.20
26	BB	906	U	C4-C5-C6	8.09	124.55	119.70
26	BB	1519	G	C4-C5-N7	-8.09	107.56	110.80
26	BB	1759	A	C2-N3-C4	8.09	114.64	110.60
26	BB	1821	A	C4'-C3'-C2'	-8.09	94.51	102.60
26	BB	2371	G	O4'-C1'-N9	8.09	114.67	108.20
1	AA	2	A	C5-C6-N1	-8.09	113.66	117.70
1	AA	117	G	N3-C4-C5	-8.09	124.56	128.60
1	AA	363	A	N7-C8-N9	8.09	117.84	113.80
1	AA	1134	G	N3-C4-C5	-8.09	124.56	128.60
26	BB	223	A	N7-C8-N9	8.09	117.84	113.80
26	BB	1908	C	N1-C2-O2	8.09	123.75	118.90
1	AA	1041	G	N3-C4-N9	8.09	130.85	126.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	344	A	C4-C5-N7	8.09	114.74	110.70
26	BB	1572	A	N7-C8-N9	-8.09	109.76	113.80
26	BB	1583	A	P-O3'-C3'	8.09	129.41	119.70
26	BB	877	A	C4-C5-C6	-8.09	112.96	117.00
26	BB	1699	G	O4'-C1'-N9	8.09	114.67	108.20
26	BB	1745	A	O4'-C1'-N9	8.09	114.67	108.20
26	BB	1755	A	C5'-C4'-O4'	8.09	118.80	109.10
26	BB	240	C	N3-C2-O2	-8.08	116.24	121.90
25	BA	54	G	C2'-C3'-O3'	8.08	127.28	109.50
25	BA	74	U	C2-N3-C4	-8.08	122.15	127.00
26	BB	157	C	C5-C4-N4	8.08	125.86	120.20
26	BB	843	G	N1-C2-N3	8.08	128.75	123.90
26	BB	1623	G	C6-N1-C2	-8.08	120.25	125.10
26	BB	1646	C	O4'-C4'-C3'	8.08	112.57	106.10
26	BB	1704	C	N3-C4-C5	-8.08	118.67	121.90
4	AD	2	G	N9-C1'-C2'	-8.08	103.11	112.00
1	AA	1032	G	N3-C2-N2	8.08	125.56	119.90
1	AA	1442	G	C5-C6-N1	8.08	115.54	111.50
1	AA	1479	C	O4'-C1'-N1	8.08	114.66	108.20
26	BB	2593	U	C5-C6-N1	-8.08	118.66	122.70
1	AA	1035	A	N7-C8-N9	8.08	117.84	113.80
1	AA	1333	A	C4-C5-N7	8.08	114.74	110.70
25	BA	3	C	N3-C4-C5	-8.08	118.67	121.90
25	BA	13	G	C5-C6-N1	-8.08	107.46	111.50
26	BB	758	C	N1-C2-O2	8.08	123.75	118.90
26	BB	861	A	N9-C4-C5	-8.08	102.57	105.80
26	BB	1781	U	O4'-C1'-N1	8.08	114.66	108.20
26	BB	1830	C	C6-N1-C2	8.08	123.53	120.30
26	BB	1948	G	C4-C5-C6	8.08	123.65	118.80
26	BB	2597	G	P-O3'-C3'	8.08	129.39	119.70
1	AA	1092	A	N9-C4-C5	8.07	109.03	105.80
1	AA	253	A	N9-C4-C5	8.07	109.03	105.80
1	AA	473	U	C5-C4-O4	-8.07	121.06	125.90
25	BA	99	A	N1-C6-N6	-8.07	113.75	118.60
26	BB	863	A	N1-C6-N6	8.07	123.44	118.60
26	BB	1833	C	N3-C2-O2	-8.07	116.25	121.90
1	AA	366	A	O4'-C1'-N9	8.07	114.66	108.20
1	AA	730	G	C4'-C3'-C2'	-8.07	94.53	102.60
1	AA	1465	A	C1'-O4'-C4'	-8.07	103.44	109.90
26	BB	279	A	N9-C4-C5	8.07	109.03	105.80
26	BB	717	C	C3'-C2'-C1'	8.07	107.96	101.50
26	BB	1180	U	C5-C4-O4	8.07	130.74	125.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1965	C	N3-C4-N4	8.07	123.65	118.00
26	BB	2021	C	P-O3'-C3'	8.07	129.39	119.70
26	BB	2638	G	N3-C4-C5	-8.07	124.56	128.60
26	BB	2641	G	O4'-C1'-N9	8.07	114.66	108.20
1	AA	459	A	C2-N3-C4	8.07	114.63	110.60
1	AA	903	G	N9-C4-C5	8.07	108.63	105.40
1	AA	962	C	C1'-O4'-C4'	-8.07	103.44	109.90
2	AB	24	G	C8-N9-C4	-8.07	103.17	106.40
26	BB	1666	G	C5-C6-O6	8.07	133.44	128.60
1	AA	1211	U	N1-C2-N3	8.07	119.74	114.90
26	BB	1116	G	C2-N3-C4	8.07	115.93	111.90
1	AA	34	C	C4-C5-C6	-8.07	113.37	117.40
26	BB	1753	G	C1'-O4'-C4'	-8.07	103.45	109.90
26	BB	1820	U	N1-C2-N3	8.07	119.74	114.90
26	BB	2180	U	N1-C2-N3	8.07	119.74	114.90
1	AA	577	G	C5-N7-C8	-8.06	100.27	104.30
4	AD	49	C	C5-C6-N1	8.06	125.03	121.00
26	BB	178	G	C5-C6-O6	-8.06	123.76	128.60
26	BB	1537	G	C5-C6-N1	8.06	115.53	111.50
1	AA	160	A	N7-C8-N9	8.06	117.83	113.80
4	AD	75	C	C3'-C2'-C1'	-8.06	95.05	101.50
26	BB	1136	G	N1-C2-N2	8.06	123.46	116.20
1	AA	86	G	N3-C4-C5	-8.06	124.57	128.60
1	AA	1089	G	C8-N9-C4	-8.06	103.17	106.40
26	BB	1029	A	N9-C1'-C2'	-8.06	103.13	112.00
26	BB	1428	C	C2-N3-C4	8.06	123.93	119.90
26	BB	1667	G	N3-C4-N9	8.06	130.84	126.00
26	BB	1871	A	N1-C2-N3	8.06	133.33	129.30
26	BB	2466	C	C2-N3-C4	-8.06	115.87	119.90
26	BB	2473	U	N3-C4-O4	8.06	125.04	119.40
26	BB	2644	G	N3-C4-C5	-8.06	124.57	128.60
1	AA	46	G	C4-C5-N7	-8.06	107.58	110.80
1	AA	51	A	C3'-C2'-C1'	8.06	107.95	101.50
1	AA	101	A	N1-C6-N6	-8.06	113.76	118.60
1	AA	937	A	C5-C6-N1	-8.06	113.67	117.70
1	AA	1193	G	C3'-C2'-C1'	-8.06	95.05	101.50
26	BB	841	G	C6-N1-C2	-8.06	120.26	125.10
1	AA	250	A	C8-N9-C4	-8.06	102.58	105.80
7	AG	25	ARG	NE-CZ-NH1	8.06	124.33	120.30
26	BB	340	A	N3-C4-C5	-8.06	121.16	126.80
26	BB	997	G	C4-C5-C6	8.06	123.63	118.80
26	BB	1304	A	C4-C5-C6	-8.06	112.97	117.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1761	C	N3-C4-C5	8.06	125.12	121.90
45	BU	110	ARG	NE-CZ-NH2	8.06	124.33	120.30
53	B2	25	ARG	NE-CZ-NH2	-8.06	116.27	120.30
1	AA	915	A	C5-N7-C8	8.06	107.93	103.90
1	AA	1265	C	O4'-C1'-N1	8.06	114.64	108.20
1	AA	1461	G	N7-C8-N9	8.06	117.13	113.10
3	AC	14	G	N9-C4-C5	8.05	108.62	105.40
26	BB	1726	C	C4-C5-C6	8.06	121.43	117.40
26	BB	2292	U	N1-C2-N3	8.06	119.73	114.90
26	BB	2709	G	N3-C4-C5	-8.06	124.57	128.60
1	AA	295	C	C6-N1-C2	-8.05	117.08	120.30
26	BB	1109	C	N3-C4-C5	8.05	125.12	121.90
57	B6	39	ARG	NE-CZ-NH1	-8.05	116.27	120.30
26	BB	2210	U	P-O5'-C5'	8.05	133.78	120.90
1	AA	11	G	C8-N9-C4	-8.05	103.18	106.40
1	AA	498	A	C8-N9-C4	-8.05	102.58	105.80
1	AA	809	G	N1-C2-N3	-8.05	119.07	123.90
26	BB	412	A	C2-N3-C4	8.05	114.63	110.60
26	BB	781	A	N9-C4-C5	-8.05	102.58	105.80
26	BB	773	U	N1-C2-O2	-8.05	117.17	122.80
26	BB	803	U	O4'-C1'-N1	8.05	114.64	108.20
26	BB	1961	C	O4'-C1'-N1	8.05	114.64	108.20
26	BB	2602	A	C4-C5-C6	8.05	121.03	117.00
1	AA	523	A	C8-N9-C4	-8.05	102.58	105.80
1	AA	889	A	C5-C6-N1	8.05	121.72	117.70
26	BB	2886	A	C5-N7-C8	-8.05	99.88	103.90
1	AA	906	A	C6-N1-C2	8.05	123.43	118.60
1	AA	921	U	O4'-C4'-C3'	8.05	112.54	106.10
1	AA	1168	U	O4'-C1'-N1	8.05	114.64	108.20
3	AC	27	A	C1'-O4'-C4'	8.05	116.34	109.90
26	BB	376	G	C2-N3-C4	8.05	115.92	111.90
26	BB	507	A	O3'-P-O5'	-8.05	88.71	104.00
26	BB	565	C	N3-C2-O2	-8.05	116.27	121.90
26	BB	2773	C	N1-C2-O2	8.05	123.73	118.90
26	BB	684	G	N3-C4-C5	-8.05	124.58	128.60
26	BB	1117	C	O4'-C1'-N1	8.05	114.64	108.20
26	BB	1631	G	N9-C4-C5	8.05	108.62	105.40
26	BB	2109	U	C4-C5-C6	8.05	124.53	119.70
26	BB	2295	C	N3-C4-N4	8.05	123.63	118.00
26	BB	2773	C	N1-C1'-C2'	-8.05	103.15	112.00
1	AA	167	A	C4-C5-C6	-8.04	112.98	117.00
1	AA	405	U	O4'-C4'-C3'	8.05	112.54	106.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	901	A	N7-C8-N9	-8.04	109.78	113.80
1	AA	942	G	N1-C2-N3	-8.05	119.07	123.90
2	AB	57	G	N3-C4-N9	8.04	130.83	126.00
25	BA	57	A	P-O3'-C3'	8.05	129.35	119.70
26	BB	1069	A	C4-C5-C6	8.05	121.02	117.00
26	BB	1790	C	N3-C4-C5	-8.05	118.68	121.90
26	BB	2667	C	C5'-C4'-C3'	-8.05	103.13	116.00
25	BA	2	G	C6-N1-C2	-8.04	120.27	125.10
26	BB	702	U	C4-C5-C6	8.04	124.53	119.70
26	BB	908	C	N1-C2-O2	8.04	123.73	118.90
26	BB	1895	C	O4'-C1'-N1	8.04	114.64	108.20
26	BB	1937	A	N9-C4-C5	-8.04	102.58	105.80
26	BB	2350	C	C5'-C4'-C3'	-8.04	103.13	116.00
1	AA	451	A	N1-C2-N3	-8.04	125.28	129.30
1	AA	1526	G	N9-C4-C5	8.04	108.62	105.40
26	BB	583	G	N3-C4-C5	-8.04	124.58	128.60
26	BB	2538	C	C6-N1-C2	-8.04	117.08	120.30
1	AA	469	C	C2-N3-C4	8.04	123.92	119.90
1	AA	849	G	O4'-C1'-N9	8.04	114.63	108.20
26	BB	24	G	C4-C5-N7	8.04	114.02	110.80
26	BB	262	A	C2-N3-C4	8.04	114.62	110.60
26	BB	732	C	N1-C2-O2	8.04	123.72	118.90
26	BB	1338	G	O4'-C1'-N9	8.04	114.63	108.20
26	BB	1713	A	N9-C4-C5	-8.04	102.58	105.80
26	BB	2123	G	C5-C6-O6	-8.04	123.78	128.60
26	BB	2446	G	C3'-C2'-C1'	-8.04	95.07	101.50
26	BB	2788	C	C5'-C4'-O4'	8.04	118.75	109.10
1	AA	578	C	N3-C4-N4	8.04	123.63	118.00
1	AA	758	C	O4'-C1'-C2'	-8.04	97.76	105.80
4	AD	12	G	N9-C4-C5	8.04	108.62	105.40
26	BB	2176	A	N7-C8-N9	8.04	117.82	113.80
46	BV	70	HIS	CA-CB-CG	8.04	127.27	113.60
1	AA	1059	C	C5-C6-N1	-8.04	116.98	121.00
25	BA	120	U	C2-N3-C4	-8.04	122.18	127.00
26	BB	2608	G	C2-N3-C4	8.04	115.92	111.90
26	BB	733	G	C1'-O4'-C4'	-8.04	103.47	109.90
26	BB	892	A	C5-C6-N1	8.04	121.72	117.70
26	BB	1989	G	C5-C6-O6	-8.04	123.78	128.60
26	BB	2763	G	C6-C5-N7	-8.04	125.58	130.40
26	BB	2879	A	C8-N9-C4	-8.04	102.58	105.80
1	AA	895	G	C6-C5-N7	-8.04	125.58	130.40
1	AA	1073	U	O4'-C1'-N1	8.04	114.63	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1457	G	C5'-C4'-O4'	8.04	118.74	109.10
2	AB	44	G	N3-C4-C5	-8.03	124.58	128.60
25	BA	117	G	C8-N9-C4	-8.03	103.19	106.40
26	BB	375	G	C5-N7-C8	-8.04	100.28	104.30
26	BB	458	G	N9-C4-C5	8.04	108.61	105.40
26	BB	780	G	C4-C5-N7	8.04	114.01	110.80
26	BB	2134	A	N1-C6-N6	-8.04	113.78	118.60
26	BB	2207	C	C2-N3-C4	8.04	123.92	119.90
26	BB	2429	G	N3-C2-N2	-8.04	114.28	119.90
26	BB	2451	A	C2-N3-C4	-8.04	106.58	110.60
1	AA	109	A	C4-C5-N7	8.03	114.72	110.70
1	AA	188	C	C2-N3-C4	8.03	123.92	119.90
1	AA	996	A	N3-C4-C5	-8.03	121.18	126.80
26	BB	1005	C	C2-N3-C4	8.03	123.92	119.90
1	AA	530	G	O4'-C1'-C2'	8.03	114.83	107.60
4	AD	7	G	C4'-C3'-O3'	8.03	129.06	113.00
25	BA	61	G	N7-C8-N9	8.03	117.12	113.10
26	BB	989	G	N3-C4-N9	8.03	130.82	126.00
26	BB	1988	G	C4-C5-N7	-8.03	107.59	110.80
26	BB	2686	G	N3-C4-C5	-8.03	124.58	128.60
1	AA	462	G	C5-N7-C8	8.03	108.31	104.30
1	AA	861	G	O4'-C1'-N9	8.03	114.62	108.20
1	AA	410	G	C2-N3-C4	-8.03	107.89	111.90
1	AA	1180	A	C8-N9-C4	8.03	109.01	105.80
1	AA	1359	C	C5-C6-N1	-8.03	116.98	121.00
26	BB	89	A	C1'-O4'-C4'	-8.03	103.48	109.90
26	BB	1087	G	C4-C5-N7	-8.03	107.59	110.80
26	BB	1106	G	C5-C6-N1	8.03	115.52	111.50
26	BB	1182	G	N1-C6-O6	-8.03	115.08	119.90
1	AA	808	C	N1-C2-O2	8.03	123.72	118.90
1	AA	1512	U	C4'-C3'-C2'	-8.03	94.57	102.60
15	AO	98	ARG	NE-CZ-NH2	8.03	124.31	120.30
1	AA	399	G	O4'-C1'-N9	8.03	114.62	108.20
1	AA	680	C	N1-C2-O2	8.03	123.72	118.90
25	BA	43	C	C4-C5-C6	-8.03	113.39	117.40
26	BB	1202	G	N3-C2-N2	-8.03	114.28	119.90
26	BB	1387	A	N9-C4-C5	8.03	109.01	105.80
26	BB	1983	G	C8-N9-C4	-8.03	103.19	106.40
26	BB	2325	G	C6-C5-N7	-8.03	125.58	130.40
4	AD	32	G	O4'-C1'-N9	8.02	114.62	108.20
26	BB	256	A	N1-C6-N6	8.02	123.42	118.60
26	BB	468	G	C8-N9-C1'	8.02	137.43	127.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1957	C	C6-N1-C2	-8.02	117.09	120.30
26	BB	2610	C	N1-C2-O2	8.02	123.71	118.90
1	AA	9	G	C2-N3-C4	8.02	115.91	111.90
1	AA	1508	A	C6-N1-C2	-8.02	113.79	118.60
25	BA	120	U	N3-C2-O2	-8.02	116.58	122.20
26	BB	444	C	O4'-C1'-N1	8.02	114.62	108.20
26	BB	506	G	C8-N9-C4	-8.02	103.19	106.40
26	BB	912	C	O4'-C1'-N1	8.02	114.62	108.20
26	BB	2013	A	C6-C5-N7	8.02	137.92	132.30
26	BB	1654	A	C4-C5-C6	-8.02	112.99	117.00
26	BB	2294	G	C2-N3-C4	8.02	115.91	111.90
1	AA	502	A	N9-C1'-C2'	-8.02	103.18	112.00
1	AA	611	C	N3-C4-C5	-8.02	118.69	121.90
26	BB	1771	C	N1-C2-N3	8.02	124.81	119.20
26	BB	2759	G	C5-C6-N1	8.02	115.51	111.50
1	AA	842	U	O4'-C1'-N1	8.02	114.61	108.20
1	AA	1147	C	C6-N1-C2	8.02	123.51	120.30
1	AA	1256	A	N3-C4-C5	-8.02	121.19	126.80
25	BA	33	G	O4'-C1'-N9	8.02	114.61	108.20
26	BB	537	G	C8-N9-C4	-8.02	103.19	106.40
26	BB	2004	G	N3-C2-N2	-8.02	114.29	119.90
26	BB	2387	U	N3-C2-O2	-8.02	116.59	122.20
26	BB	81	G	C8-N9-C4	-8.02	103.19	106.40
26	BB	338	G	O4'-C4'-C3'	8.02	112.51	106.10
1	AA	46	G	C5-C6-N1	8.02	115.51	111.50
1	AA	47	C	C5-C6-N1	8.02	125.01	121.00
1	AA	293	G	N1-C2-N3	-8.02	119.09	123.90
1	AA	1506	U	C5-C4-O4	-8.02	121.09	125.90
1	AA	1541	U	O4'-C1'-N1	8.02	114.61	108.20
14	AN	51	PHE	CB-CG-CD2	-8.02	115.19	120.80
26	BB	238	C	C2-N3-C4	8.02	123.91	119.90
26	BB	1405	U	O4'-C1'-N1	8.02	114.61	108.20
48	BX	9	ARG	NE-CZ-NH2	8.02	124.31	120.30
26	BB	1111	A	N1-C6-N6	-8.02	113.79	118.60
26	BB	1308	A	P-O3'-C3'	8.02	129.32	119.70
26	BB	2456	C	C5-C6-N1	8.02	125.01	121.00
26	BB	2472	G	N1-C2-N3	-8.02	119.09	123.90
26	BB	2738	A	O4'-C1'-N9	8.02	114.61	108.20
1	AA	21	G	N9-C4-C5	8.01	108.61	105.40
1	AA	706	A	C4-C5-N7	-8.01	106.69	110.70
1	AA	917	G	C4-C5-C6	-8.01	113.99	118.80
26	BB	1633	G	C4-C5-N7	-8.01	107.59	110.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	499	A	C5'-C4'-O4'	8.01	118.72	109.10
26	BB	48	G	N3-C4-N9	8.01	130.81	126.00
26	BB	92	U	N3-C4-C5	8.01	119.41	114.60
1	AA	828	U	C3'-C2'-C1'	8.01	107.91	101.50
10	AJ	4	ARG	NE-CZ-NH2	-8.01	116.29	120.30
26	BB	32	C	N1-C2-N3	-8.01	113.59	119.20
26	BB	21	A	C3'-C2'-C1'	-8.01	95.09	101.50
26	BB	1152	C	N3-C2-O2	-8.01	116.29	121.90
26	BB	1260	A	C5-C6-N6	-8.01	117.29	123.70
26	BB	1342	A	N9-C4-C5	-8.01	102.59	105.80
26	BB	2218	G	C5'-C4'-O4'	8.01	118.71	109.10
26	BB	2286	G	N9-C4-C5	8.01	108.60	105.40
26	BB	2468	A	P-O3'-C3'	8.01	129.31	119.70
1	AA	764	C	P-O3'-C3'	8.01	129.31	119.70
1	AA	847	G	N9-C4-C5	8.01	108.60	105.40
1	AA	1185	G	N1-C2-N3	-8.01	119.09	123.90
1	AA	847	G	C2-N3-C4	8.01	115.90	111.90
26	BB	611	C	C4'-C3'-C2'	-8.01	94.59	102.60
26	BB	2238	G	N7-C8-N9	8.01	117.10	113.10
26	BB	2628	C	N3-C4-C5	8.01	125.10	121.90
26	BB	1543	G	C6-C5-N7	-8.01	125.60	130.40
26	BB	2414	G	C2-N3-C4	8.01	115.90	111.90
26	BB	2428	G	N3-C4-C5	-8.01	124.60	128.60
26	BB	2668	G	N7-C8-N9	8.01	117.10	113.10
26	BB	2896	C	N3-C4-N4	8.01	123.60	118.00
1	AA	60	A	O4'-C1'-N9	8.00	114.60	108.20
1	AA	494	G	N3-C4-N9	8.00	130.80	126.00
1	AA	1354	U	C4-C5-C6	8.00	124.50	119.70
26	BB	1163	G	N9-C4-C5	8.00	108.60	105.40
26	BB	1220	G	C6-N1-C2	-8.00	120.30	125.10
26	BB	1445	G	C5-C6-N1	8.00	115.50	111.50
26	BB	1964	G	N1-C6-O6	-8.00	115.10	119.90
26	BB	2023	C	O4'-C4'-C3'	8.00	112.50	106.10
26	BB	2899	A	C4-C5-C6	8.00	121.00	117.00
26	BB	1169	A	N1-C6-N6	8.00	123.40	118.60
1	AA	749	A	N1-C2-N3	-8.00	125.30	129.30
26	BB	332	A	C8-N9-C4	-8.00	102.60	105.80
26	BB	394	C	O4'-C1'-N1	8.00	114.60	108.20
26	BB	790	U	C5-C4-O4	-8.00	121.10	125.90
26	BB	806	C	C4'-C3'-C2'	-8.00	94.60	102.60
26	BB	2727	A	N1-C2-N3	-8.00	125.30	129.30
26	BB	120	U	C6-N1-C2	-8.00	116.20	121.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	258	G	N1-C6-O6	-8.00	115.10	119.90
26	BB	846	U	N3-C2-O2	-8.00	116.60	122.20
1	AA	342	C	C5-C6-N1	8.00	125.00	121.00
1	AA	1116	U	C3'-C2'-C1'	8.00	107.90	101.50
1	AA	1384	C	C1'-O4'-C4'	-8.00	103.50	109.90
25	BA	43	C	P-O3'-C3'	8.00	129.30	119.70
26	BB	1767	G	N3-C4-N9	8.00	130.80	126.00
26	BB	2015	A	N7-C8-N9	8.00	117.80	113.80
26	BB	2303	G	C5-C6-N1	8.00	115.50	111.50
1	AA	105	G	N7-C8-N9	8.00	117.10	113.10
1	AA	740	U	C5'-C4'-O4'	8.00	118.69	109.10
4	AD	23	G	C8-N9-C4	-8.00	103.20	106.40
26	BB	814	C	C2-N3-C4	-8.00	115.90	119.90
26	BB	1929	G	C8-N9-C4	-8.00	103.20	106.40
1	AA	22	G	C5-C6-O6	7.99	133.40	128.60
1	AA	33	A	O4'-C1'-N9	7.99	114.59	108.20
1	AA	85	U	N1-C1'-C2'	-7.99	103.21	112.00
1	AA	472	U	O4'-C4'-C3'	7.99	112.50	106.10
1	AA	491	G	N3-C4-N9	-7.99	121.20	126.00
1	AA	1484	C	C5-C6-N1	7.99	125.00	121.00
26	BB	414	C	N3-C2-O2	-7.99	116.31	121.90
26	BB	1084	A	N1-C6-N6	-7.99	113.80	118.60
26	BB	1110	G	N3-C4-C5	-7.99	124.60	128.60
26	BB	1517	G	C4-C5-C6	7.99	123.60	118.80
26	BB	2300	C	O4'-C1'-N1	7.99	114.59	108.20
26	BB	2434	A	C5-C6-N1	7.99	121.70	117.70
1	AA	820	U	N3-C4-C5	-7.99	109.81	114.60
4	AD	7	G	N9-C4-C5	7.99	108.60	105.40
26	BB	1677	A	C5-N7-C8	7.99	107.90	103.90
1	AA	329	A	N7-C8-N9	-7.99	109.80	113.80
1	AA	944	G	C5-N7-C8	-7.99	100.31	104.30
26	BB	303	G	N1-C6-O6	7.99	124.69	119.90
1	AA	1396	A	C6-N1-C2	7.99	123.39	118.60
1	AA	1485	U	C5-C6-N1	7.99	126.69	122.70
26	BB	429	A	O4'-C1'-N9	7.99	114.59	108.20
26	BB	645	C	O4'-C1'-C2'	-7.99	97.81	105.80
26	BB	1580	A	N9-C4-C5	7.99	109.00	105.80
1	AA	222	C	O4'-C1'-N1	7.99	114.59	108.20
26	BB	182	A	N3-C4-C5	-7.99	121.21	126.80
26	BB	2408	U	N1-C2-N3	7.99	119.69	114.90
1	AA	1074	G	C2-N3-C4	-7.99	107.91	111.90
1	AA	1121	U	C4'-C3'-C2'	-7.99	94.61	102.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1147	C	C2-N3-C4	7.99	123.89	119.90
26	BB	349	U	C4-C5-C6	7.99	124.49	119.70
26	BB	861	A	C6-C5-N7	7.99	137.89	132.30
26	BB	879	G	C5-C6-O6	-7.99	123.81	128.60
26	BB	1988	G	C2-N3-C4	7.99	115.89	111.90
26	BB	2699	C	N1-C2-O2	7.99	123.69	118.90
25	BA	86	G	C6-C5-N7	-7.98	125.61	130.40
26	BB	949	G	C2-N3-C4	7.98	115.89	111.90
30	BF	35	TYR	CG-CD2-CE2	-7.98	114.91	121.30
1	AA	83	C	N1-C1'-C2'	-7.98	103.22	112.00
1	AA	445	G	N7-C8-N9	7.98	117.09	113.10
2	AB	51	G	C8-N9-C4	-7.98	103.21	106.40
26	BB	701	G	C5-C6-N1	7.98	115.49	111.50
26	BB	2410	G	C5'-C4'-O4'	7.98	118.68	109.10
26	BB	2684	U	C5'-C4'-O4'	7.98	118.68	109.10
1	AA	692	U	C5-C6-N1	-7.98	118.71	122.70
1	AA	1250	A	C8-N9-C4	-7.98	102.61	105.80
26	BB	569	U	C5-C6-N1	-7.98	118.71	122.70
26	BB	942	G	C5-C6-N1	7.98	115.49	111.50
26	BB	1337	G	N9-C4-C5	7.98	108.59	105.40
26	BB	2622	U	C5'-C4'-O4'	7.98	118.68	109.10
1	AA	1410	A	N1-C2-N3	7.98	133.29	129.30
25	BA	35	C	O4'-C1'-N1	7.98	114.58	108.20
26	BB	264	C	O4'-C1'-N1	7.98	114.58	108.20
26	BB	382	A	C3'-C2'-C1'	7.98	107.88	101.50
26	BB	473	G	C2-N3-C4	7.98	115.89	111.90
26	BB	1427	A	N9-C4-C5	-7.98	102.61	105.80
26	BB	2019	A	C4-C5-C6	7.98	120.99	117.00
26	BB	2100	G	C6-N1-C2	-7.98	120.31	125.10
26	BB	2629	U	C5-C4-O4	-7.98	121.11	125.90
1	AA	369	G	C6-N1-C2	-7.98	120.31	125.10
26	BB	136	G	C6-N1-C2	-7.98	120.31	125.10
26	BB	701	G	N9-C4-C5	7.98	108.59	105.40
26	BB	1101	U	N3-C2-O2	-7.98	116.62	122.20
1	AA	329	A	N1-C6-N6	-7.97	113.82	118.60
3	AC	13	A	N9-C4-C5	7.97	108.99	105.80
3	AC	22	G	P-O3'-C3'	7.97	129.27	119.70
4	AD	17	C	C2-N3-C4	7.97	123.89	119.90
26	BB	890	C	C6-N1-C2	7.97	123.49	120.30
26	BB	1858	A	C4-C5-N7	7.97	114.69	110.70
26	BB	2031	A	C5-C6-N1	-7.97	113.71	117.70
26	BB	2355	G	C5-N7-C8	-7.97	100.31	104.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2695	U	N3-C2-O2	-7.97	116.62	122.20
1	AA	251	G	N7-C8-N9	7.97	117.09	113.10
1	AA	747	A	O4'-C1'-N9	7.97	114.58	108.20
1	AA	1399	C	C5-C6-N1	-7.97	117.01	121.00
26	BB	491	G	C5-C6-O6	-7.97	123.82	128.60
26	BB	645	C	C2-N3-C4	7.97	123.89	119.90
26	BB	1597	A	O4'-C4'-C3'	7.97	112.48	106.10
1	AA	9	G	C4-C5-N7	7.97	113.99	110.80
26	BB	653	U	C5-C6-N1	-7.97	118.72	122.70
1	AA	488	C	C4'-C3'-C2'	-7.97	94.63	102.60
1	AA	874	G	O4'-C1'-N9	7.97	114.58	108.20
1	AA	1024	G	N9-C4-C5	7.97	108.59	105.40
1	AA	1542	A	C6-C5-N7	7.97	137.88	132.30
13	AM	68	ARG	NE-CZ-NH1	-7.97	116.31	120.30
26	BB	1524	G	N3-C4-N9	7.97	130.78	126.00
26	BB	1527	G	C4-C5-C6	7.97	123.58	118.80
26	BB	2158	A	C3'-C2'-C1'	-7.97	95.12	101.50
26	BB	2164	C	C6-N1-C2	-7.97	117.11	120.30
1	AA	713	G	C4-C5-N7	-7.97	107.61	110.80
26	BB	80	G	N9-C4-C5	7.97	108.59	105.40
26	BB	399	U	C5-C4-O4	-7.97	121.12	125.90
26	BB	805	G	N7-C8-N9	7.97	117.08	113.10
26	BB	1725	U	C3'-C2'-C1'	7.97	107.87	101.50
26	BB	2579	C	C4-C5-C6	-7.97	113.42	117.40
26	BB	2715	C	N3-C4-C5	-7.97	118.71	121.90
26	BB	2894	G	C8-N9-C4	-7.97	103.21	106.40
1	AA	566	G	C5'-C4'-C3'	-7.96	103.26	116.00
1	AA	582	C	N3-C2-O2	-7.96	116.33	121.90
1	AA	913	A	N9-C4-C5	-7.96	102.61	105.80
4	AD	66	C	N1-C2-O2	7.96	123.68	118.90
26	BB	923	G	N3-C4-N9	7.96	130.78	126.00
26	BB	1034	G	C4-C5-N7	-7.96	107.61	110.80
26	BB	1069	A	O4'-C1'-N9	7.96	114.57	108.20
26	BB	2186	G	C6-C5-N7	7.96	135.18	130.40
26	BB	2691	C	C4'-C3'-C2'	-7.96	94.64	102.60
1	AA	8	A	O4'-C1'-N9	7.96	114.57	108.20
1	AA	109	A	C5-N7-C8	-7.96	99.92	103.90
26	BB	1166	G	C8-N9-C4	-7.96	103.22	106.40
26	BB	1352	U	O4'-C1'-N1	7.96	114.57	108.20
26	BB	2751	G	N7-C8-N9	7.96	117.08	113.10
1	AA	1244	G	C5'-C4'-C3'	-7.96	103.26	116.00
1	AA	1494	G	N7-C8-N9	7.96	117.08	113.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	AD	71	G	N7-C8-N9	7.96	117.08	113.10
26	BB	695	G	C5-C6-N1	-7.96	107.52	111.50
26	BB	784	G	N3-C2-N2	-7.96	114.33	119.90
26	BB	1419	A	C2-N3-C4	7.96	114.58	110.60
1	AA	347	G	N3-C2-N2	-7.96	114.33	119.90
26	BB	13	A	O4'-C1'-C2'	-7.96	97.84	105.80
26	BB	322	A	O4'-C1'-N9	7.96	114.57	108.20
26	BB	618	G	C6-N1-C2	-7.96	120.32	125.10
26	BB	2060	A	C3'-C2'-C1'	7.96	107.87	101.50
1	AA	245	U	C6-N1-C2	-7.96	116.22	121.00
1	AA	1318	A	N9-C1'-C2'	-7.96	103.25	112.00
19	AS	53	ASP	CB-CG-OD2	-7.96	111.14	118.30
26	BB	1774	C	C5-C4-N4	-7.96	114.63	120.20
1	AA	6	G	C4-C5-C6	7.96	123.57	118.80
1	AA	520	A	C2-N3-C4	7.96	114.58	110.60
1	AA	1243	C	N3-C4-C5	-7.96	118.72	121.90
26	BB	2533	U	C5-C6-N1	-7.96	118.72	122.70
26	BB	2786	U	O4'-C1'-N1	7.96	114.56	108.20
1	AA	116	A	N9-C4-C5	7.96	108.98	105.80
1	AA	1281	C	N1-C2-O2	7.96	123.67	118.90
26	BB	1338	G	N1-C6-O6	7.96	124.67	119.90
1	AA	304	U	O4'-C4'-C3'	7.95	112.46	106.10
1	AA	1372	U	N3-C4-C5	7.95	119.37	114.60
25	BA	105	G	C6-N1-C2	-7.95	120.33	125.10
26	BB	729	G	N3-C2-N2	-7.95	114.33	119.90
26	BB	928	A	N9-C1'-C2'	-7.95	103.25	112.00
26	BB	1072	C	C4-C5-C6	-7.95	113.42	117.40
26	BB	1964	G	C6-N1-C2	-7.95	120.33	125.10
1	AA	542	G	C4-C5-N7	7.95	113.98	110.80
1	AA	1389	C	C4-C5-C6	7.95	121.38	117.40
1	AA	403	C	C2-N3-C4	7.95	123.88	119.90
1	AA	577	G	N7-C8-N9	7.95	117.08	113.10
2	AB	28	C	N1-C2-O2	7.95	123.67	118.90
3	AC	37	G	N9-C4-C5	7.95	108.58	105.40
26	BB	923	G	N3-C4-C5	-7.95	124.62	128.60
26	BB	1976	U	C3'-C2'-C1'	7.95	107.86	101.50
31	BG	76	PHE	CB-CG-CD1	-7.95	115.23	120.80
34	BJ	152	ARG	CD-NE-CZ	7.95	134.73	123.60
1	AA	841	C	N3-C4-C5	-7.95	118.72	121.90
1	AA	1130	A	C4-C5-N7	-7.95	106.73	110.70
2	AB	49	G	C4-C5-N7	-7.95	107.62	110.80
26	BB	2	G	N3-C4-N9	7.95	130.77	126.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	392	U	C4-C5-C6	7.95	124.47	119.70
26	BB	495	G	C5-C6-O6	-7.95	123.83	128.60
26	BB	788	A	C6-N1-C2	-7.95	113.83	118.60
1	AA	326	G	O4'-C1'-N9	7.95	114.56	108.20
26	BB	2095	A	N3-C4-C5	-7.95	121.24	126.80
1	AA	183	C	C4'-C3'-C2'	-7.95	94.65	102.60
1	AA	823	C	C4'-C3'-C2'	-7.95	94.66	102.60
26	BB	152	A	C4-C5-N7	7.95	114.67	110.70
26	BB	1003	G	N1-C6-O6	7.95	124.67	119.90
26	BB	1920	C	C2-N3-C4	7.95	123.87	119.90
26	BB	2047	C	N3-C2-O2	-7.95	116.34	121.90
26	BB	2202	U	C4-C5-C6	7.95	124.47	119.70
26	BB	2293	G	C3'-C2'-C1'	7.95	107.86	101.50
26	BB	340	A	N7-C8-N9	-7.94	109.83	113.80
26	BB	1005	C	O4'-C1'-N1	7.94	114.56	108.20
26	BB	1802	A	N9-C4-C5	7.94	108.98	105.80
26	BB	2294	G	O4'-C1'-N9	7.94	114.56	108.20
1	AA	958	A	C5-N7-C8	-7.94	99.93	103.90
26	BB	281	C	C6-N1-C2	-7.94	117.12	120.30
26	BB	1355	G	N3-C2-N2	-7.94	114.34	119.90
26	BB	1505	A	C4-C5-N7	7.94	114.67	110.70
26	BB	1935	G	C4-C5-N7	7.94	113.98	110.80
26	BB	2124	G	C5-C6-N1	7.94	115.47	111.50
1	AA	399	G	O5'-C5'-C4'	-7.94	96.61	111.70
1	AA	1035	A	C4'-C3'-C2'	-7.94	94.66	102.60
1	AA	1354	U	N3-C2-O2	-7.94	116.64	122.20
26	BB	189	G	C5-N7-C8	-7.94	100.33	104.30
26	BB	338	G	N3-C4-C5	-7.94	124.63	128.60
26	BB	439	A	N9-C4-C5	7.94	108.98	105.80
26	BB	579	G	C4-C5-N7	7.94	113.98	110.80
26	BB	1187	G	N3-C4-C5	-7.94	124.63	128.60
26	BB	1711	A	C8-N9-C4	7.94	108.98	105.80
26	BB	2282	G	N9-C4-C5	7.94	108.58	105.40
26	BB	2769	U	N3-C4-C5	-7.94	109.84	114.60
1	AA	82	G	N9-C1'-C2'	-7.94	103.27	112.00
26	BB	1862	G	O4'-C1'-N9	7.94	114.55	108.20
1	AA	82	G	N9-C4-C5	7.94	108.58	105.40
1	AA	925	G	N1-C2-N3	7.94	128.66	123.90
1	AA	948	C	C4'-C3'-C2'	-7.94	94.66	102.60
1	AA	1267	C	C1'-O4'-C4'	-7.94	103.55	109.90
25	BA	28	C	O4'-C1'-N1	7.94	114.55	108.20
26	BB	973	A	O4'-C1'-N9	7.94	114.55	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1183	U	C4'-C3'-C2'	-7.94	94.66	102.60
26	BB	1212	G	O4'-C1'-N9	7.94	114.55	108.20
1	AA	158	G	C6-N1-C2	-7.94	120.34	125.10
1	AA	343	U	N3-C2-O2	-7.94	116.64	122.20
1	AA	849	G	C5-N7-C8	7.94	108.27	104.30
3	AC	15	G	C5-C6-N1	7.94	115.47	111.50
26	BB	863	A	O4'-C1'-N9	7.94	114.55	108.20
26	BB	2203	U	O4'-C1'-N1	7.94	114.55	108.20
26	BB	2312	U	C1'-O4'-C4'	7.94	116.25	109.90
1	AA	242	G	C5-C6-O6	-7.93	123.84	128.60
26	BB	585	G	C5'-C4'-O4'	7.93	118.62	109.10
26	BB	1245	G	C8-N9-C4	-7.93	103.23	106.40
26	BB	1380	G	C4-C5-N7	-7.93	107.63	110.80
26	BB	2798	U	C5-C4-O4	-7.93	121.14	125.90
1	AA	443	C	C5-C4-N4	-7.93	114.65	120.20
26	BB	52	A	N1-C2-N3	-7.93	125.33	129.30
26	BB	391	A	N3-C4-C5	-7.93	121.25	126.80
26	BB	764	A	N7-C8-N9	7.93	117.77	113.80
26	BB	1138	G	C8-N9-C4	-7.93	103.23	106.40
26	BB	1769	U	O4'-C1'-N1	7.93	114.55	108.20
26	BB	716	A	C8-N9-C4	-7.93	102.63	105.80
26	BB	1227	G	C5'-C4'-O4'	7.93	118.62	109.10
26	BB	1595	C	N3-C4-N4	7.93	123.55	118.00
26	BB	297	G	C5-C6-O6	-7.93	123.84	128.60
26	BB	539	G	C4-C5-N7	-7.93	107.63	110.80
26	BB	1799	G	C5-C6-O6	7.93	133.36	128.60
26	BB	2505	G	N7-C8-N9	7.93	117.06	113.10
1	AA	1004	A	C6-N1-C2	7.93	123.36	118.60
1	AA	1455	G	N3-C4-C5	-7.93	124.64	128.60
26	BB	393	C	C2-N3-C4	7.93	123.86	119.90
26	BB	1139	G	C8-N9-C4	-7.93	103.23	106.40
26	BB	1703	G	N3-C4-C5	-7.93	124.64	128.60
26	BB	1899	A	C6-N1-C2	-7.93	113.84	118.60
27	BC	163	TYR	CB-CG-CD1	-7.93	116.25	121.00
1	AA	132	C	N3-C4-C5	7.92	125.07	121.90
1	AA	276	G	C6-C5-N7	-7.92	125.65	130.40
1	AA	470	C	C5-C4-N4	7.92	125.75	120.20
1	AA	507	C	C5-C4-N4	-7.92	114.65	120.20
1	AA	570	G	N3-C4-C5	-7.92	124.64	128.60
1	AA	1067	A	C2-N3-C4	7.92	114.56	110.60
1	AA	1159	U	O5'-P-OP1	-7.92	98.57	105.70
25	BA	67	G	C5-C6-O6	-7.92	123.84	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	396	G	O4'-C1'-N9	7.92	114.54	108.20
26	BB	890	C	N1-C2-O2	7.92	123.66	118.90
26	BB	2407	A	C5-C6-N6	7.92	130.04	123.70
4	AD	20	G	C8-N9-C4	-7.92	103.23	106.40
20	AT	26	ARG	NE-CZ-NH2	-7.92	116.34	120.30
26	BB	977	G	C3'-C2'-C1'	7.92	107.84	101.50
26	BB	1122	G	N9-C1'-C2'	-7.92	103.28	112.00
1	AA	171	A	C5'-C4'-O4'	7.92	118.61	109.10
1	AA	1131	G	N7-C8-N9	7.92	117.06	113.10
26	BB	107	G	C8-N9-C4	-7.92	103.23	106.40
26	BB	470	A	C8-N9-C4	-7.92	102.63	105.80
26	BB	792	A	C4-C5-N7	-7.92	106.74	110.70
26	BB	2431	U	C2-N3-C4	7.92	131.75	127.00
26	BB	2873	A	C5-C6-N1	-7.92	113.74	117.70
1	AA	927	G	C8-N9-C4	-7.92	103.23	106.40
1	AA	941	G	O4'-C1'-N9	7.92	114.54	108.20
1	AA	1537	U	O4'-C1'-N1	7.92	114.54	108.20
26	BB	31	C	O4'-C1'-N1	7.92	114.54	108.20
26	BB	664	G	O4'-C1'-C2'	7.92	114.73	107.60
26	BB	878	A	C6-N1-C2	7.92	123.35	118.60
26	BB	1173	U	C4'-C3'-C2'	-7.92	94.68	102.60
26	BB	1411	U	C5-C4-O4	7.92	130.65	125.90
1	AA	921	U	C4'-C3'-C2'	-7.92	94.68	102.60
1	AA	1212	U	N3-C4-C5	-7.92	109.85	114.60
1	AA	1220	G	C4-C5-N7	-7.92	107.63	110.80
1	AA	1277	C	C2-N1-C1'	-7.92	110.09	118.80
1	AA	1322	C	N3-C4-N4	7.92	123.54	118.00
26	BB	271	G	N9-C4-C5	7.92	108.57	105.40
26	BB	825	A	N9-C4-C5	7.92	108.97	105.80
26	BB	1574	C	N3-C2-O2	-7.92	116.36	121.90
26	BB	2597	G	O4'-C4'-C3'	7.92	112.43	106.10
26	BB	2764	A	C8-N9-C4	-7.92	102.63	105.80
28	BD	102	TYR	CB-CG-CD1	-7.92	116.25	121.00
1	AA	549	C	C5'-C4'-O4'	7.92	118.60	109.10
1	AA	1459	G	N1-C2-N3	7.92	128.65	123.90
26	BB	732	C	C5-C4-N4	-7.92	114.66	120.20
26	BB	2202	U	O4'-C1'-N1	7.92	114.53	108.20
26	BB	2249	U	C3'-C2'-C1'	7.92	107.83	101.50
1	AA	595	A	C4-C5-N7	-7.92	106.74	110.70
1	AA	818	G	N3-C4-C5	-7.92	124.64	128.60
1	AA	979	C	N3-C4-C5	-7.92	118.73	121.90
25	BA	66	A	C2-N3-C4	7.92	114.56	110.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2782	G	O4'-C1'-N9	7.92	114.53	108.20
1	AA	26	A	C4-C5-N7	-7.91	106.74	110.70
1	AA	220	G	C5-N7-C8	-7.91	100.34	104.30
1	AA	560	A	C5-N7-C8	7.91	107.86	103.90
1	AA	884	U	N1-C2-O2	7.91	128.34	122.80
26	BB	555	G	C5-N7-C8	-7.91	100.34	104.30
26	BB	2116	G	N7-C8-N9	7.91	117.06	113.10
26	BB	2216	G	C8-N9-C4	-7.91	103.23	106.40
26	BB	2295	C	N3-C4-C5	-7.91	118.73	121.90
1	AA	538	G	N3-C4-C5	-7.91	124.64	128.60
2	AB	67	G	O4'-C1'-N9	7.91	114.53	108.20
26	BB	1131	G	C5-C6-N1	-7.91	107.54	111.50
26	BB	1133	A	C4-C5-N7	-7.91	106.74	110.70
26	BB	2527	C	N3-C2-O2	-7.91	116.36	121.90
1	AA	395	C	C5'-C4'-O4'	7.91	118.59	109.10
1	AA	981	U	O4'-C1'-N1	7.91	114.53	108.20
1	AA	1374	A	N1-C6-N6	-7.91	113.85	118.60
25	BA	85	G	C4-C5-N7	-7.91	107.64	110.80
26	BB	590	A	O4'-C1'-N9	7.91	114.53	108.20
26	BB	666	A	C5'-C4'-O4'	7.91	118.59	109.10
26	BB	1029	A	O4'-C1'-N9	7.91	114.53	108.20
26	BB	1805	A	O4'-C4'-C3'	7.91	112.43	106.10
1	AA	87	C	C4-C5-C6	7.91	121.36	117.40
1	AA	493	A	C4-C5-C6	-7.91	113.05	117.00
1	AA	821	G	C4-C5-N7	-7.91	107.64	110.80
17	AQ	23	ARG	NE-CZ-NH1	7.91	124.25	120.30
26	BB	1267	U	C5'-C4'-O4'	7.91	118.59	109.10
26	BB	1530	G	C5-C6-O6	-7.91	123.86	128.60
26	BB	2495	G	N9-C4-C5	7.91	108.56	105.40
26	BB	2519	U	C4'-C3'-C2'	-7.91	94.69	102.60
26	BB	2835	A	N7-C8-N9	7.91	117.75	113.80
1	AA	1176	A	N7-C8-N9	-7.91	109.85	113.80
26	BB	665	U	C3'-C2'-C1'	7.91	107.83	101.50
26	BB	826	U	O4'-C1'-N1	7.91	114.53	108.20
26	BB	1162	G	C8-N9-C4	-7.91	103.24	106.40
26	BB	1426	G	O4'-C1'-N9	7.91	114.53	108.20
1	AA	675	A	C4'-C3'-C2'	-7.91	94.69	102.60
2	AB	65	C	C4-C5-C6	-7.91	113.45	117.40
25	BA	57	A	N1-C6-N6	7.91	123.34	118.60
26	BB	693	A	C5-N7-C8	-7.91	99.95	103.90
26	BB	1195	G	N1-C2-N3	-7.91	119.16	123.90
26	BB	2004	G	N1-C2-N2	7.91	123.31	116.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2463	C	N1-C1'-C2'	-7.91	103.30	112.00
26	BB	2570	G	C8-N9-C4	7.91	109.56	106.40
1	AA	852	G	N3-C2-N2	7.90	125.43	119.90
23	AW	59	ARG	NE-CZ-NH2	-7.90	116.35	120.30
26	BB	1413	A	N1-C6-N6	-7.90	113.86	118.60
26	BB	1742	U	N3-C4-O4	7.90	124.93	119.40
26	BB	2413	G	C5-C6-N1	-7.90	107.55	111.50
26	BB	2571	U	N1-C2-N3	7.90	119.64	114.90
26	BB	2759	G	N3-C4-N9	-7.90	121.26	126.00
26	BB	2800	A	N7-C8-N9	7.90	117.75	113.80
1	AA	77	A	C2-N3-C4	7.90	114.55	110.60
1	AA	209	U	C4-C5-C6	7.90	124.44	119.70
1	AA	843	U	O4'-C1'-N1	7.90	114.52	108.20
3	AC	13	A	N1-C2-N3	-7.90	125.35	129.30
25	BA	67	G	N1-C6-O6	7.90	124.64	119.90
26	BB	177	G	C5-C6-N1	-7.90	107.55	111.50
26	BB	381	G	C2-N3-C4	7.90	115.85	111.90
26	BB	1209	U	O4'-C1'-N1	7.90	114.52	108.20
26	BB	1222	U	C6-N1-C2	7.90	125.74	121.00
26	BB	1456	G	C2-N3-C4	7.90	115.85	111.90
26	BB	2507	C	C1'-O4'-C4'	7.90	116.22	109.90
1	AA	86	G	C6-N1-C2	-7.90	120.36	125.10
1	AA	744	C	O4'-C1'-N1	7.90	114.52	108.20
3	AC	53	G	C8-N9-C4	-7.90	103.24	106.40
26	BB	47	C	N3-C2-O2	-7.90	116.37	121.90
26	BB	109	C	O4'-C4'-C3'	7.90	112.42	106.10
26	BB	224	U	C5'-C4'-C3'	-7.90	103.36	116.00
26	BB	657	U	N3-C4-C5	-7.90	109.86	114.60
26	BB	798	G	C8-N9-C4	-7.90	103.24	106.40
26	BB	952	G	O4'-C1'-N9	7.90	114.52	108.20
26	BB	1639	C	O4'-C1'-N1	7.90	114.52	108.20
26	BB	2221	G	N9-C4-C5	7.90	108.56	105.40
26	BB	1293	C	O4'-C1'-N1	7.90	114.52	108.20
1	AA	1026	G	C5-N7-C8	-7.90	100.35	104.30
4	AD	50	G	N7-C8-N9	7.90	117.05	113.10
26	BB	133	U	N3-C2-O2	-7.90	116.67	122.20
26	BB	396	G	C4-C5-N7	-7.90	107.64	110.80
26	BB	755	U	C4-C5-C6	7.90	124.44	119.70
26	BB	831	G	N1-C6-O6	-7.90	115.16	119.90
26	BB	875	G	N3-C4-C5	-7.90	124.65	128.60
26	BB	1380	G	N1-C6-O6	-7.90	115.16	119.90
26	BB	1549	A	N9-C4-C5	-7.90	102.64	105.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1368	A	C5-C6-N1	7.90	121.65	117.70
29	BE	68	PHE	CB-CG-CD1	-7.90	115.27	120.80
1	AA	413	G	N3-C2-N2	-7.89	114.37	119.90
1	AA	705	G	N3-C4-C5	-7.89	124.65	128.60
26	BB	531	C	N3-C2-O2	-7.89	116.37	121.90
26	BB	2538	C	C5-C4-N4	7.89	125.73	120.20
1	AA	430	A	C5'-C4'-C3'	-7.89	103.37	116.00
26	BB	1047	G	N1-C6-O6	7.89	124.64	119.90
26	BB	1102	C	C5-C4-N4	-7.89	114.67	120.20
26	BB	1119	U	O4'-C1'-N1	7.89	114.51	108.20
26	BB	2787	C	C5-C6-N1	7.89	124.95	121.00
26	BB	262	A	N1-C2-N3	-7.89	125.36	129.30
26	BB	1272	A	P-O3'-C3'	7.89	129.17	119.70
1	AA	1082	A	O4'-C1'-N9	7.89	114.51	108.20
3	AC	40	G	P-O3'-C3'	7.89	129.17	119.70
26	BB	762	U	C5-C6-N1	7.89	126.64	122.70
26	BB	798	G	C3'-C2'-C1'	-7.89	95.19	101.50
26	BB	1024	G	C5-C6-N1	7.89	115.44	111.50
26	BB	1628	G	C6-N1-C2	-7.89	120.37	125.10
26	BB	2117	A	C1'-O4'-C4'	-7.89	103.59	109.90
26	BB	2121	G	N1-C2-N3	-7.89	119.17	123.90
26	BB	2147	A	C3'-C2'-C1'	-7.89	95.19	101.50
26	BB	2712	C	N3-C4-C5	-7.89	118.74	121.90
25	BA	63	C	N3-C4-N4	7.89	123.52	118.00
26	BB	897	C	C2-N3-C4	7.89	123.84	119.90
26	BB	1965	C	O4'-C1'-N1	7.89	114.51	108.20
1	AA	346	G	N7-C8-N9	7.89	117.04	113.10
1	AA	448	A	N9-C4-C5	7.89	108.95	105.80
1	AA	827	U	N1-C2-O2	7.89	128.32	122.80
26	BB	629	G	N3-C4-N9	7.89	130.73	126.00
26	BB	1884	G	N7-C8-N9	7.89	117.04	113.10
26	BB	2283	C	N1-C2-O2	7.89	123.63	118.90
26	BB	2633	G	N3-C4-C5	-7.89	124.66	128.60
1	AA	46	G	O4'-C1'-N9	7.88	114.51	108.20
1	AA	212	G	C2-N3-C4	7.88	115.84	111.90
1	AA	214	C	N3-C4-C5	7.88	125.05	121.90
1	AA	797	C	N3-C2-O2	7.88	127.42	121.90
1	AA	893	C	N3-C4-C5	-7.88	118.75	121.90
1	AA	1157	A	O4'-C4'-C3'	7.88	112.41	106.10
1	AA	1362	A	C3'-C2'-C1'	7.88	107.81	101.50
1	AA	1541	U	C5-C6-N1	-7.88	118.76	122.70
4	AD	74	A	N7-C8-N9	7.88	117.74	113.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
22	AV	36	ARG	NE-CZ-NH2	-7.88	116.36	120.30
26	BB	1503	A	N9-C4-C5	7.88	108.95	105.80
26	BB	1676	A	O4'-C1'-N9	7.88	114.51	108.20
1	AA	5	U	C6-N1-C2	7.88	125.73	121.00
1	AA	614	C	O4'-C1'-N1	7.88	114.51	108.20
1	AA	1086	U	C5-C4-O4	-7.88	121.17	125.90
25	BA	3	C	N3-C4-N4	7.88	123.52	118.00
25	BA	83	G	O4'-C1'-N9	7.88	114.51	108.20
26	BB	383	C	N3-C4-C5	7.88	125.05	121.90
26	BB	1249	U	O4'-C1'-N1	7.88	114.51	108.20
26	BB	1379	U	C5-C4-O4	-7.88	121.17	125.90
26	BB	2255	G	C6-C5-N7	-7.88	125.67	130.40
1	AA	156	C	N1-C2-O2	7.88	123.63	118.90
1	AA	161	A	C8-N9-C4	-7.88	102.65	105.80
1	AA	316	C	N3-C4-C5	-7.88	118.75	121.90
1	AA	773	G	N3-C4-C5	-7.88	124.66	128.60
1	AA	1421	G	N7-C8-N9	7.88	117.04	113.10
2	AB	39	A	C5-N7-C8	7.88	107.84	103.90
26	BB	1012	U	N1-C2-N3	7.88	119.63	114.90
37	BM	18	ARG	NE-CZ-NH1	7.88	124.24	120.30
1	AA	138	G	C6-C5-N7	-7.88	125.67	130.40
1	AA	891	U	N3-C4-C5	-7.88	109.87	114.60
2	AB	10	G	O4'-C1'-N9	7.88	114.50	108.20
26	BB	15	G	C2-N3-C4	7.88	115.84	111.90
26	BB	1453	A	C4-C5-N7	-7.88	106.76	110.70
26	BB	2446	G	C5-N7-C8	-7.88	100.36	104.30
1	AA	749	A	C4-C5-N7	7.88	114.64	110.70
1	AA	965	U	C6-N1-C2	-7.88	116.27	121.00
4	AD	41	C	C6-N1-C2	-7.88	117.15	120.30
26	BB	537	G	C4-C5-C6	7.88	123.53	118.80
26	BB	1058	U	C6-N1-C2	-7.88	116.27	121.00
1	AA	1486	G	C5-C6-O6	-7.88	123.87	128.60
26	BB	855	G	C2-N3-C4	7.88	115.84	111.90
26	BB	899	A	N1-C2-N3	7.88	133.24	129.30
26	BB	2193	G	C4-C5-C6	7.88	123.53	118.80
1	AA	453	G	C5-N7-C8	-7.88	100.36	104.30
1	AA	1500	A	O4'-C1'-N9	7.88	114.50	108.20
26	BB	1629	U	O4'-C1'-N1	7.88	114.50	108.20
26	BB	1880	U	O4'-C1'-N1	7.88	114.50	108.20
40	BP	71	ARG	NE-CZ-NH2	-7.88	116.36	120.30
1	AA	300	A	C4-C5-N7	-7.87	106.76	110.70
1	AA	1252	A	C5-C6-N6	-7.87	117.40	123.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1459	G	C2-N3-C4	-7.87	107.96	111.90
26	BB	1001	A	C4-C5-N7	7.87	114.64	110.70
26	BB	1361	G	N3-C2-N2	7.87	125.41	119.90
26	BB	1864	U	C6-N1-C2	-7.87	116.28	121.00
1	AA	473	U	N3-C4-O4	7.87	124.91	119.40
1	AA	479	U	O4'-C1'-N1	7.87	114.50	108.20
1	AA	1196	A	N1-C6-N6	7.87	123.32	118.60
1	AA	1214	C	C3'-C2'-C1'	7.87	107.80	101.50
26	BB	621	A	C4-C5-C6	-7.87	113.06	117.00
26	BB	788	A	N9-C4-C5	-7.87	102.65	105.80
26	BB	841	G	N7-C8-N9	7.87	117.04	113.10
26	BB	1587	G	C8-N9-C4	-7.87	103.25	106.40
26	BB	2321	U	C3'-C2'-C1'	7.87	107.80	101.50
26	BB	2363	G	C6-C5-N7	-7.87	125.68	130.40
26	BB	2499	C	O4'-C1'-N1	7.87	114.50	108.20
32	BH	113	ASP	CB-CG-OD1	-7.87	111.22	118.30
26	BB	886	A	C6-N1-C2	-7.87	113.88	118.60
26	BB	1775	U	C3'-C2'-C1'	-7.87	95.20	101.50
26	BB	2702	G	N9-C4-C5	-7.87	102.25	105.40
1	AA	1041	G	C4-C5-N7	-7.87	107.65	110.80
1	AA	1453	G	C5'-C4'-O4'	7.87	118.54	109.10
26	BB	622	G	O4'-C1'-N9	7.87	114.50	108.20
1	AA	993	G	N1-C6-O6	7.87	124.62	119.90
1	AA	1356	G	C6-C5-N7	-7.87	125.68	130.40
26	BB	587	C	O4'-C1'-N1	7.87	114.49	108.20
26	BB	1912	A	O4'-C4'-C3'	7.87	112.39	106.10
26	BB	2268	A	C5-N7-C8	7.87	107.83	103.90
1	AA	80	A	N1-C2-N3	7.87	133.23	129.30
1	AA	588	G	C2-N3-C4	7.87	115.83	111.90
1	AA	688	G	C5-C6-O6	-7.87	123.88	128.60
1	AA	930	C	P-O3'-C3'	7.87	129.14	119.70
3	AC	43	U	O4'-C1'-N1	7.87	114.49	108.20
4	AD	31	G	C5-N7-C8	-7.87	100.37	104.30
26	BB	2789	C	N3-C4-C5	7.87	125.05	121.90
1	AA	35	G	C8-N9-C4	-7.86	103.25	106.40
1	AA	909	A	N9-C4-C5	7.86	108.95	105.80
3	AC	48	C	N3-C2-O2	-7.86	116.39	121.90
26	BB	797	G	O4'-C4'-C3'	7.86	112.39	106.10
26	BB	993	G	C4-C5-N7	7.86	113.95	110.80
26	BB	1138	G	C6-N1-C2	-7.86	120.38	125.10
26	BB	1607	C	C2-N3-C4	7.86	123.83	119.90
26	BB	1973	G	C5-C6-O6	-7.86	123.88	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2072	C	C2-N3-C4	-7.86	115.97	119.90
26	BB	2217	G	C8-N9-C4	-7.86	103.25	106.40
1	AA	319	G	O4'-C4'-C3'	-7.86	96.14	104.00
4	AD	3	C	O4'-C1'-N1	-7.86	101.91	108.20
1	AA	468	A	N1-C6-N6	7.86	123.32	118.60
1	AA	688	G	C1'-O4'-C4'	-7.86	103.61	109.90
1	AA	1017	U	C4'-C3'-C2'	-7.86	94.74	102.60
1	AA	1265	C	C2-N3-C4	-7.86	115.97	119.90
3	AC	58	C	C4'-C3'-C2'	-7.86	94.74	102.60
26	BB	258	G	C5-N7-C8	-7.86	100.37	104.30
26	BB	1223	G	N9-C4-C5	7.86	108.54	105.40
26	BB	1429	G	C2-N3-C4	7.86	115.83	111.90
10	AJ	118	ARG	NE-CZ-NH1	7.86	124.23	120.30
1	AA	314	C	N3-C4-N4	7.86	123.50	118.00
1	AA	607	A	N7-C8-N9	7.86	117.73	113.80
1	AA	664	G	C3'-C2'-C1'	-7.86	95.21	101.50
1	AA	1459	G	C4-C5-C6	7.86	123.52	118.80
26	BB	1093	G	C6-N1-C2	-7.86	120.39	125.10
26	BB	1332	G	C5'-C4'-O4'	7.86	118.53	109.10
26	BB	2431	U	N3-C2-O2	7.86	127.70	122.20
26	BB	2765	A	C6-C5-N7	7.86	137.80	132.30
33	BI	25	TYR	CG-CD1-CE1	-7.86	115.01	121.30
1	AA	9	G	N9-C1'-C2'	-7.86	103.36	112.00
26	BB	673	C	N3-C4-N4	7.86	123.50	118.00
1	AA	130	A	C8-N9-C4	-7.85	102.66	105.80
21	AU	22	TYR	CB-CG-CD1	-7.85	116.29	121.00
26	BB	1311	G	N7-C8-N9	7.85	117.03	113.10
26	BB	2146	C	P-O3'-C3'	7.85	129.12	119.70
1	AA	1542	A	C2-N3-C4	7.85	114.53	110.60
26	BB	22	C	C5'-C4'-O4'	7.85	118.52	109.10
26	BB	402	A	N1-C6-N6	7.85	123.31	118.60
26	BB	513	A	C5'-C4'-O4'	7.85	118.52	109.10
26	BB	2391	G	N3-C2-N2	-7.85	114.40	119.90
26	BB	2893	A	C8-N9-C4	-7.85	102.66	105.80
26	BB	460	A	N7-C8-N9	7.85	117.72	113.80
1	AA	125	U	N3-C4-O4	7.85	124.89	119.40
1	AA	1098	C	C6-N1-C2	7.85	123.44	120.30
4	AD	59	A	C6-N1-C2	7.85	123.31	118.60
26	BB	1	G	C4-C5-N7	7.85	113.94	110.80
26	BB	561	G	P-O3'-C3'	7.85	129.12	119.70
26	BB	1816	C	C5'-C4'-O4'	7.85	118.52	109.10
26	BB	2278	A	N9-C1'-C2'	-7.85	103.36	112.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	145	G	C5-C6-O6	-7.85	123.89	128.60
1	AA	147	G	N3-C4-N9	7.85	130.71	126.00
1	AA	397	A	N7-C8-N9	-7.85	109.88	113.80
1	AA	578	C	C5'-C4'-O4'	7.85	118.52	109.10
26	BB	233	A	N3-C4-N9	-7.85	121.12	127.40
26	BB	1296	G	N3-C4-C5	-7.85	124.68	128.60
1	AA	316	C	O5'-P-OP2	-7.85	98.64	105.70
1	AA	446	G	O4'-C1'-N9	7.85	114.48	108.20
1	AA	548	G	O4'-C1'-N9	7.85	114.48	108.20
26	BB	2873	A	C5-N7-C8	7.85	107.82	103.90
29	BE	59	ARG	NE-CZ-NH1	-7.85	116.38	120.30
1	AA	22	G	N1-C6-O6	-7.84	115.19	119.90
1	AA	589	U	C4'-C3'-C2'	-7.84	94.76	102.60
1	AA	796	C	N1-C2-O2	7.84	123.61	118.90
1	AA	907	A	C1'-O4'-C4'	-7.84	103.62	109.90
1	AA	1309	G	N9-C4-C5	7.84	108.54	105.40
26	BB	764	A	C4-C5-C6	-7.84	113.08	117.00
26	BB	981	A	C8-N9-C4	-7.84	102.66	105.80
26	BB	1027	A	P-O3'-C3'	7.84	129.11	119.70
26	BB	1284	A	O4'-C1'-N9	7.84	114.47	108.20
26	BB	2848	G	C6-N1-C2	7.84	129.81	125.10
1	AA	235	C	N3-C2-O2	-7.84	116.41	121.90
26	BB	1910	G	C4'-C3'-C2'	-7.84	94.76	102.60
26	BB	2201	G	C5-C6-O6	-7.84	123.89	128.60
3	AC	13	A	C4-C5-N7	-7.84	106.78	110.70
26	BB	338	G	C2-N3-C4	7.84	115.82	111.90
26	BB	527	C	N1-C2-O2	7.84	123.61	118.90
26	BB	1348	C	P-O3'-C3'	7.84	129.11	119.70
26	BB	1899	A	N1-C2-N3	7.84	133.22	129.30
26	BB	2437	G	N1-C6-O6	-7.84	115.19	119.90
26	BB	2506	U	N1-C2-O2	-7.84	117.31	122.80
48	BX	26	PHE	CB-CG-CD2	-7.84	115.31	120.80
1	AA	1368	A	C5'-C4'-O4'	7.84	118.51	109.10
1	AA	1473	G	C8-N9-C4	-7.84	103.26	106.40
25	BA	98	G	O4'-C1'-N9	7.84	114.47	108.20
26	BB	262	A	C8-N9-C4	-7.84	102.66	105.80
26	BB	684	G	C4-C5-N7	7.84	113.94	110.80
26	BB	2018	G	C2-N3-C4	7.84	115.82	111.90
25	BA	92	C	O4'-C1'-N1	7.84	114.47	108.20
26	BB	1079	C	C6-N1-C2	-7.84	117.17	120.30
1	AA	63	C	C1'-O4'-C4'	7.84	116.17	109.90
1	AA	195	A	C4-C5-C6	-7.84	113.08	117.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	AO	61	GLU	OE1-CD-OE2	7.84	132.70	123.30
25	BA	36	C	C1'-O4'-C4'	7.84	116.17	109.90
26	BB	307	G	N1-C6-O6	-7.84	115.20	119.90
26	BB	1054	A	O4'-C1'-N9	7.84	114.47	108.20
26	BB	2106	U	C2'-C3'-O3'	7.84	126.74	109.50
26	BB	2861	U	N1-C2-O2	-7.84	117.31	122.80
26	BB	507	A	N3-C4-N9	-7.83	121.13	127.40
26	BB	1028	A	C1'-O4'-C4'	-7.83	103.63	109.90
1	AA	317	U	N3-C4-O4	-7.83	113.92	119.40
1	AA	382	A	C4-C5-N7	-7.83	106.78	110.70
1	AA	1124	G	C1'-O4'-C4'	-7.83	103.63	109.90
4	AD	63	C	N1-C2-O2	7.83	123.60	118.90
25	BA	2	G	C4-C5-C6	7.83	123.50	118.80
26	BB	241	A	C4-C5-N7	-7.83	106.78	110.70
26	BB	1067	A	C5-C6-N1	-7.83	113.78	117.70
26	BB	2236	U	P-O3'-C3'	7.83	129.10	119.70
1	AA	441	A	N1-C2-N3	-7.83	125.39	129.30
4	AD	19	G	C6-C5-N7	7.83	135.10	130.40
26	BB	91	A	P-O3'-C3'	7.83	129.10	119.70
26	BB	101	A	C5'-C4'-O4'	7.83	118.50	109.10
26	BB	172	A	C5-C6-N6	-7.83	117.44	123.70
26	BB	2429	G	N1-C2-N3	7.83	128.60	123.90
28	BD	132	ARG	NE-CZ-NH1	7.83	124.22	120.30
1	AA	474	G	N1-C6-O6	7.83	124.60	119.90
25	BA	51	G	N3-C4-C5	-7.83	124.69	128.60
26	BB	2424	C	N1-C2-O2	7.83	123.60	118.90
44	BT	90	ARG	NE-CZ-NH2	-7.83	116.39	120.30
1	AA	888	G	C2-N3-C4	-7.83	107.99	111.90
26	BB	195	A	N3-C4-C5	7.83	132.28	126.80
26	BB	1664	A	C5-N7-C8	-7.83	99.99	103.90
1	AA	1538	C	N3-C4-N4	7.83	123.48	118.00
26	BB	2875	C	O4'-C1'-N1	7.83	114.46	108.20
1	AA	1115	U	C2-N3-C4	-7.83	122.31	127.00
26	BB	567	U	O4'-C1'-N1	7.83	114.46	108.20
26	BB	1355	G	C5-N7-C8	-7.83	100.39	104.30
26	BB	1724	G	C4-C5-N7	-7.83	107.67	110.80
1	AA	662	U	N3-C2-O2	-7.82	116.72	122.20
1	AA	887	G	C5-C6-O6	7.82	133.29	128.60
1	AA	1118	U	C1'-O4'-C4'	7.82	116.16	109.90
2	AB	50	G	C2-N3-C4	7.82	115.81	111.90
24	AX	11	PHE	CB-CG-CD2	-7.82	115.32	120.80
25	BA	31	C	N3-C4-N4	-7.82	112.52	118.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	598	U	N1-C2-N3	7.82	119.59	114.90
26	BB	921	C	O4'-C4'-C3'	7.82	112.36	106.10
26	BB	2732	G	N9-C4-C5	7.82	108.53	105.40
26	BB	2763	G	C4'-C3'-C2'	-7.82	94.78	102.60
1	AA	992	U	O4'-C4'-C3'	7.82	112.36	106.10
26	BB	2009	A	N1-C2-N3	-7.82	125.39	129.30
1	AA	199	A	C4-C5-N7	-7.82	106.79	110.70
1	AA	215	C	C4'-C3'-C2'	-7.82	94.78	102.60
2	AB	73	G	C1'-O4'-C4'	-7.82	103.64	109.90
25	BA	25	U	N3-C2-O2	-7.82	116.73	122.20
26	BB	1434	A	O4'-C1'-N9	7.82	114.46	108.20
26	BB	2121	G	C5-N7-C8	7.82	108.21	104.30
26	BB	2895	G	O4'-C1'-N9	7.82	114.46	108.20
1	AA	317	U	N1-C2-O2	-7.82	117.33	122.80
1	AA	890	G	C4-C5-N7	7.82	113.93	110.80
2	AB	7	G	C2'-C3'-O3'	7.82	126.70	109.50
5	AE	6	ARG	NE-CZ-NH1	7.82	124.21	120.30
26	BB	1845	G	C5-C6-N1	7.82	115.41	111.50
26	BB	2037	A	N9-C4-C5	7.82	108.93	105.80
26	BB	2494	G	C6-C5-N7	-7.82	125.71	130.40
1	AA	847	G	C5-C6-N1	7.82	115.41	111.50
2	AB	28	C	C2-N3-C4	7.82	123.81	119.90
26	BB	411	G	N1-C6-O6	-7.82	115.21	119.90
26	BB	641	U	C4-C5-C6	7.82	124.39	119.70
26	BB	991	C	N1-C2-O2	7.82	123.59	118.90
26	BB	1378	A	O4'-C4'-C3'	7.82	112.36	106.10
26	BB	1481	U	N3-C4-O4	7.82	124.87	119.40
26	BB	1985	C	N1-C2-O2	7.82	123.59	118.90
26	BB	2270	A	C6-N1-C2	-7.82	113.91	118.60
26	BB	2675	A	C4-C5-C6	-7.82	113.09	117.00
1	AA	37	U	N3-C2-O2	-7.82	116.73	122.20
1	AA	1215	G	N3-C4-C5	-7.82	124.69	128.60
4	AD	27	G	C4-C5-N7	-7.82	107.67	110.80
26	BB	139	U	N3-C2-O2	-7.82	116.73	122.20
26	BB	359	G	O4'-C1'-N9	7.82	114.45	108.20
26	BB	533	G	N3-C4-N9	7.82	130.69	126.00
26	BB	1494	A	C5'-C4'-O4'	7.82	118.48	109.10
26	BB	1838	C	C3'-C2'-C1'	-7.82	95.25	101.50
26	BB	2124	G	C1'-O4'-C4'	7.82	116.15	109.90
25	BA	84	G	C5'-C4'-O4'	7.81	118.48	109.10
26	BB	99	U	O4'-C1'-N1	7.81	114.45	108.20
26	BB	719	C	C6-N1-C2	-7.81	117.17	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2718	G	C5-C6-N1	7.81	115.41	111.50
49	BY	63	ASP	CB-CG-OD2	-7.81	111.27	118.30
1	AA	1338	G	O4'-C1'-C2'	7.81	114.63	107.60
1	AA	1488	G	O4'-C1'-N9	7.81	114.45	108.20
4	AD	19	G	N7-C8-N9	7.81	117.01	113.10
26	BB	92	U	C4-C5-C6	-7.81	115.01	119.70
26	BB	161	A	N9-C4-C5	7.81	108.92	105.80
26	BB	1937	A	O4'-C1'-N9	-7.81	101.95	108.20
1	AA	1515	G	O4'-C1'-N9	-7.81	101.95	108.20
1	AA	1358	U	C2-N3-C4	-7.81	122.31	127.00
3	AC	44	U	O4'-C4'-C3'	7.81	112.35	106.10
4	AD	58	A	N1-C2-N3	-7.81	125.39	129.30
26	BB	1330	C	N3-C4-N4	7.81	123.47	118.00
26	BB	2290	G	N3-C4-C5	-7.81	124.69	128.60
1	AA	41	G	C4-C5-N7	-7.81	107.68	110.80
2	AB	57	G	C5-N7-C8	-7.81	100.40	104.30
26	BB	100	U	N1-C1'-C2'	-7.81	103.41	112.00
26	BB	513	A	C5-C6-N1	7.81	121.60	117.70
26	BB	880	G	N9-C4-C5	7.81	108.52	105.40
26	BB	1119	U	C5-C4-O4	-7.81	121.22	125.90
1	AA	815	A	O4'-C4'-C3'	7.81	112.34	106.10
26	BB	805	G	C2-N3-C4	7.81	115.80	111.90
26	BB	986	C	C4-C5-C6	-7.81	113.50	117.40
26	BB	2381	A	O4'-C4'-C3'	7.81	112.34	106.10
26	BB	2467	C	O4'-C1'-N1	7.81	114.44	108.20
1	AA	111	G	C3'-C2'-C1'	7.80	107.74	101.50
1	AA	1082	A	N1-C6-N6	7.80	123.28	118.60
1	AA	1313	U	O5'-C5'-C4'	7.80	126.53	111.70
1	AA	1375	A	C4'-C3'-C2'	-7.80	94.80	102.60
25	BA	38	C	C2-N3-C4	7.80	123.80	119.90
31	BG	19	PHE	CB-CG-CD2	-7.80	115.34	120.80
1	AA	304	U	C3'-C2'-C1'	7.80	107.74	101.50
1	AA	1128	C	N1-C2-O2	7.80	123.58	118.90
1	AA	1447	A	N9-C4-C5	7.80	108.92	105.80
26	BB	199	A	O4'-C1'-N9	7.80	114.44	108.20
26	BB	1637	A	N1-C6-N6	7.80	123.28	118.60
26	BB	1787	A	C2-N3-C4	7.80	114.50	110.60
1	AA	187	G	C4'-C3'-C2'	-7.80	94.80	102.60
1	AA	696	A	N1-C2-N3	-7.80	125.40	129.30
26	BB	900	A	C5-C6-N1	7.80	121.60	117.70
26	BB	975	A	N1-C6-N6	-7.80	113.92	118.60
26	BB	1066	U	P-O3'-C3'	7.80	129.06	119.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2429	G	C2-N3-C4	-7.80	108.00	111.90
26	BB	2879	A	O4'-C1'-N9	7.80	114.44	108.20
1	AA	101	A	N3-C4-C5	-7.80	121.34	126.80
1	AA	549	C	N1-C2-O2	7.80	123.58	118.90
1	AA	571	U	C4-C5-C6	7.80	124.38	119.70
1	AA	1461	G	N3-C2-N2	-7.80	114.44	119.90
26	BB	195	A	N1-C6-N6	7.80	123.28	118.60
26	BB	243	U	P-O3'-C3'	7.80	129.06	119.70
26	BB	614	A	N1-C6-N6	-7.80	113.92	118.60
26	BB	834	G	O4'-C1'-N9	7.80	114.44	108.20
26	BB	1251	C	N3-C4-N4	7.80	123.46	118.00
26	BB	1337	G	C3'-C2'-C1'	-7.80	95.26	101.50
26	BB	1484	U	O4'-C1'-N1	7.80	114.44	108.20
26	BB	1516	G	O4'-C1'-N9	7.80	114.44	108.20
26	BB	1517	G	N3-C2-N2	-7.80	114.44	119.90
26	BB	2114	A	C5-C6-N6	-7.80	117.46	123.70
26	BB	2331	G	N7-C8-N9	7.80	117.00	113.10
1	AA	724	G	N1-C6-O6	-7.80	115.22	119.90
26	BB	1566	A	C2-N3-C4	7.80	114.50	110.60
26	BB	2470	G	N7-C8-N9	7.80	117.00	113.10
26	BB	2578	G	C6-C5-N7	-7.80	125.72	130.40
1	AA	49	U	N1-C2-O2	7.80	128.26	122.80
1	AA	219	U	N1-C2-N3	7.80	119.58	114.90
1	AA	371	A	O4'-C1'-N9	7.80	114.44	108.20
1	AA	430	A	C8-N9-C4	-7.80	102.68	105.80
1	AA	975	A	N7-C8-N9	7.80	117.70	113.80
1	AA	1045	C	C2-N3-C4	7.80	123.80	119.90
26	BB	1499	C	O4'-C1'-N1	7.80	114.44	108.20
26	BB	2505	G	C8-N9-C4	-7.80	103.28	106.40
26	BB	2820	A	O4'-C4'-C3'	7.80	112.34	106.10
1	AA	972	C	C5'-C4'-O4'	7.79	118.45	109.10
26	BB	279	A	C6-N1-C2	7.79	123.28	118.60
26	BB	314	C	C5-C4-N4	-7.79	114.74	120.20
26	BB	364	C	N3-C4-N4	7.79	123.46	118.00
26	BB	1318	U	N3-C4-O4	7.79	124.86	119.40
26	BB	417	C	C4'-C3'-C2'	-7.79	94.81	102.60
26	BB	768	G	N3-C4-C5	-7.79	124.70	128.60
26	BB	863	A	C3'-C2'-C1'	7.79	107.73	101.50
26	BB	864	G	C6-C5-N7	-7.79	125.72	130.40
26	BB	978	G	C6-C5-N7	-7.79	125.72	130.40
26	BB	1385	A	C4-C5-C6	-7.79	113.10	117.00
26	BB	1832	C	C5-C4-N4	-7.79	114.74	120.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1974	C	O4'-C1'-N1	7.79	114.43	108.20
1	AA	412	A	C6-C5-N7	-7.79	126.85	132.30
1	AA	1152	A	N9-C4-C5	7.79	108.92	105.80
1	AA	1532	U	N1-C2-O2	-7.79	117.34	122.80
26	BB	202	U	O4'-C1'-N1	7.79	114.43	108.20
26	BB	584	C	N1-C2-O2	7.79	123.58	118.90
26	BB	772	C	O4'-C1'-N1	7.79	114.43	108.20
26	BB	1453	A	C2-N3-C4	7.79	114.50	110.60
26	BB	2659	G	C6-N1-C2	-7.79	120.42	125.10
1	AA	508	U	O4'-C4'-C3'	7.79	112.33	106.10
1	AA	696	A	N9-C4-C5	7.79	108.92	105.80
1	AA	1141	C	C3'-C2'-C1'	7.79	107.73	101.50
26	BB	1971	U	C6-N1-C2	-7.79	116.33	121.00
1	AA	614	C	N3-C2-O2	-7.79	116.45	121.90
1	AA	829	G	C1'-O4'-C4'	-7.79	103.67	109.90
26	BB	393	C	O4'-C1'-N1	7.79	114.43	108.20
26	BB	704	G	N9-C4-C5	-7.79	102.28	105.40
26	BB	2018	G	O4'-C1'-N9	7.79	114.43	108.20
26	BB	2529	G	N7-C8-N9	7.79	116.99	113.10
1	AA	598	U	C1'-O4'-C4'	-7.79	103.67	109.90
1	AA	619	U	N1-C2-N3	7.79	119.57	114.90
1	AA	942	G	N3-C2-N2	7.79	125.35	119.90
1	AA	970	C	O4'-C1'-N1	7.79	114.43	108.20
1	AA	1142	G	C8-N9-C4	-7.79	103.28	106.40
2	AB	24	G	C6-N1-C2	-7.79	120.43	125.10
11	AK	112	ASP	CB-CG-OD2	-7.79	111.29	118.30
26	BB	846	U	C3'-C2'-C1'	7.79	107.73	101.50
26	BB	1429	G	N7-C8-N9	7.79	116.99	113.10
26	BB	1736	U	P-O3'-C3'	7.79	129.04	119.70
26	BB	2433	A	C4'-C3'-C2'	7.79	110.39	102.60
26	BB	2794	C	N1-C1'-C2'	-7.79	103.44	112.00
26	BB	2885	G	C5'-C4'-O4'	7.79	118.44	109.10
1	AA	301	G	C4-C5-C6	7.78	123.47	118.80
1	AA	1460	C	C6-N1-C2	-7.78	117.19	120.30
26	BB	529	A	C4-C5-N7	-7.78	106.81	110.70
26	BB	1089	A	N1-C6-N6	-7.78	113.93	118.60
26	BB	1213	A	N3-C4-C5	-7.78	121.35	126.80
26	BB	2380	C	C4-C5-C6	-7.78	113.51	117.40
26	BB	2657	A	N1-C2-N3	-7.78	125.41	129.30
26	BB	2872	A	C5-N7-C8	7.78	107.79	103.90
1	AA	586	C	O4'-C1'-N1	7.78	114.43	108.20
26	BB	93	G	N1-C2-N2	7.78	123.20	116.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	156	A	N7-C8-N9	7.78	117.69	113.80
26	BB	845	A	N3-C4-C5	-7.78	121.35	126.80
53	B2	56	ARG	NE-CZ-NH2	-7.78	116.41	120.30
1	AA	301	G	N1-C6-O6	7.78	124.57	119.90
1	AA	453	G	N1-C2-N3	-7.78	119.23	123.90
1	AA	1228	C	N3-C4-C5	-7.78	118.79	121.90
26	BB	544	C	O4'-C1'-N1	7.78	114.42	108.20
26	BB	940	G	C8-N9-C4	-7.78	103.29	106.40
26	BB	2049	G	C5'-C4'-O4'	7.78	118.44	109.10
26	BB	2683	C	C5-C4-N4	7.78	125.65	120.20
1	AA	707	U	C5-C4-O4	7.78	130.57	125.90
1	AA	876	C	N1-C1'-C2'	-7.78	103.44	112.00
1	AA	1080	A	N7-C8-N9	7.78	117.69	113.80
26	BB	53	A	C4'-C3'-C2'	-7.78	94.82	102.60
26	BB	281	C	P-O3'-C3'	7.78	129.03	119.70
26	BB	382	A	C5-C6-N1	7.78	121.59	117.70
26	BB	2476	A	C5-N7-C8	-7.78	100.01	103.90
53	B2	44	PHE	CB-CG-CD1	7.78	126.25	120.80
1	AA	548	G	N3-C4-C5	-7.78	124.71	128.60
26	BB	2158	A	C6-C5-N7	7.78	137.74	132.30
1	AA	917	G	C5'-C4'-O4'	7.77	118.43	109.10
26	BB	230	G	C5-C6-N1	7.77	115.39	111.50
1	AA	951	G	C6-C5-N7	-7.77	125.74	130.40
1	AA	1437	A	P-O3'-C3'	7.77	129.03	119.70
1	AA	1454	G	C5-C6-N1	-7.77	107.61	111.50
26	BB	6	A	C5-N7-C8	-7.77	100.01	103.90
26	BB	621	A	N7-C8-N9	7.77	117.69	113.80
26	BB	973	A	N7-C8-N9	7.77	117.69	113.80
26	BB	1370	C	C5-C4-N4	-7.77	114.76	120.20
26	BB	1412	U	O4'-C1'-N1	7.77	114.42	108.20
26	BB	1424	G	C5-C6-O6	-7.77	123.94	128.60
26	BB	1731	G	N3-C2-N2	-7.77	114.46	119.90
26	BB	2810	A	C3'-C2'-C1'	-7.77	95.28	101.50
54	B3	39	ARG	NE-CZ-NH1	7.77	124.19	120.30
1	AA	1262	C	C4-C5-C6	7.77	121.28	117.40
2	AB	66	C	C5-C6-N1	7.77	124.89	121.00
26	BB	188	G	C5-C6-O6	-7.77	123.94	128.60
26	BB	381	G	N1-C2-N2	-7.77	109.21	116.20
26	BB	1031	G	O4'-C1'-N9	7.77	114.42	108.20
26	BB	1828	G	N1-C6-O6	-7.77	115.24	119.90
26	BB	2019	A	N9-C4-C5	7.77	108.91	105.80
1	AA	526	C	N3-C2-O2	-7.77	116.46	121.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	390	U	N3-C4-C5	-7.77	109.94	114.60
26	BB	1529	G	N9-C4-C5	7.77	108.51	105.40
26	BB	2177	C	O4'-C1'-N1	7.77	114.42	108.20
26	BB	2736	A	N3-C4-C5	-7.77	121.36	126.80
26	BB	2742	G	C1'-O4'-C4'	-7.77	103.69	109.90
1	AA	413	G	C2-N3-C4	-7.77	108.02	111.90
4	AD	13	C	C5-C6-N1	7.77	124.88	121.00
10	AJ	77	ARG	NE-CZ-NH2	7.77	124.18	120.30
26	BB	307	G	C4-C5-C6	7.77	123.46	118.80
26	BB	703	U	C5-C6-N1	-7.77	118.82	122.70
26	BB	1218	G	C4-C5-C6	7.77	123.46	118.80
26	BB	1753	G	C2-N3-C4	7.77	115.78	111.90
26	BB	2823	A	N9-C4-C5	7.77	108.91	105.80
26	BB	2847	U	C4'-C3'-C2'	-7.77	94.83	102.60
3	AC	41	A	N1-C6-N6	7.77	123.26	118.60
26	BB	10	A	C2-N3-C4	-7.77	106.72	110.60
26	BB	512	G	C2-N3-C4	7.77	115.78	111.90
26	BB	942	G	C4-C5-N7	-7.77	107.69	110.80
26	BB	1850	G	C6-N1-C2	-7.77	120.44	125.10
1	AA	903	G	C6-N1-C2	-7.76	120.44	125.10
1	AA	1131	G	N1-C2-N3	-7.76	119.24	123.90
26	BB	618	G	C5-C6-N1	7.76	115.38	111.50
26	BB	1414	C	N3-C4-C5	-7.76	118.79	121.90
26	BB	1808	A	N7-C8-N9	7.76	117.68	113.80
26	BB	2186	G	C5-C6-N1	7.76	115.38	111.50
1	AA	377	G	N9-C4-C5	7.76	108.50	105.40
1	AA	1143	G	C2-N3-C4	7.76	115.78	111.90
26	BB	966	G	C4-C5-N7	-7.76	107.69	110.80
1	AA	402	G	O3'-P-O5'	7.76	118.75	104.00
1	AA	608	A	N1-C6-N6	-7.76	113.94	118.60
1	AA	1019	A	C5'-C4'-O4'	7.76	118.41	109.10
26	BB	436	C	N1-C2-O2	7.76	123.56	118.90
26	BB	1437	C	C5-C6-N1	-7.76	117.12	121.00
26	BB	1455	G	C6-C5-N7	-7.76	125.74	130.40
26	BB	2209	G	C6-N1-C2	-7.76	120.44	125.10
1	AA	1253	G	C4-C5-C6	7.76	123.46	118.80
26	BB	27	G	C4-C5-N7	7.76	113.90	110.80
26	BB	126	A	N1-C2-N3	-7.76	125.42	129.30
26	BB	529	A	C8-N9-C4	-7.76	102.70	105.80
26	BB	1472	C	C4-C5-C6	7.76	121.28	117.40
26	BB	1822	C	C2-N3-C4	7.76	123.78	119.90
26	BB	1922	G	C5-C6-O6	-7.76	123.94	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2053	G	N1-C6-O6	-7.76	115.24	119.90
26	BB	2554	U	C4-C5-C6	7.76	124.36	119.70
26	BB	2608	G	C5'-C4'-O4'	7.76	118.41	109.10
26	BB	2836	U	C4-C5-C6	7.76	124.36	119.70
1	AA	88	U	C4-C5-C6	7.76	124.36	119.70
1	AA	139	A	C8-N9-C4	-7.76	102.70	105.80
26	BB	371	A	C2-N3-C4	-7.76	106.72	110.60
26	BB	1878	G	C6-N1-C2	-7.76	120.44	125.10
26	BB	2433	A	C3'-C2'-C1'	-7.76	95.29	101.50
1	AA	1334	G	C2-N3-C4	7.76	115.78	111.90
2	AB	3	G	N9-C1'-C2'	-7.76	103.47	112.00
8	AH	137	ARG	NE-CZ-NH1	7.76	124.18	120.30
26	BB	274	C	N3-C4-N4	7.76	123.43	118.00
26	BB	731	C	N3-C2-O2	-7.76	116.47	121.90
26	BB	928	A	N3-C4-C5	-7.76	121.37	126.80
26	BB	1064	C	N1-C2-O2	7.76	123.55	118.90
26	BB	1647	U	N3-C2-O2	-7.76	116.77	122.20
26	BB	1783	A	N1-C6-N6	7.76	123.25	118.60
26	BB	2107	G	C8-N9-C4	-7.76	103.30	106.40
26	BB	2624	G	C3'-C2'-C1'	-7.76	95.30	101.50
1	AA	1292	G	C4-C5-N7	-7.75	107.70	110.80
25	BA	16	G	N7-C8-N9	-7.75	109.22	113.10
1	AA	539	A	C4-C5-N7	7.75	114.58	110.70
26	BB	583	G	C8-N9-C4	-7.75	103.30	106.40
26	BB	948	C	O4'-C1'-N1	7.75	114.40	108.20
26	BB	1306	C	C1'-O4'-C4'	7.75	116.10	109.90
26	BB	2500	U	P-O3'-C3'	7.75	129.00	119.70
26	BB	2735	G	C3'-C2'-C1'	-7.75	95.30	101.50
26	BB	2838	G	C4-C5-C6	7.75	123.45	118.80
1	AA	306	A	N9-C4-C5	7.75	108.90	105.80
1	AA	1072	G	O4'-C1'-N9	7.75	114.40	108.20
1	AA	1303	C	C2-N3-C4	7.75	123.78	119.90
25	BA	89	U	C2-N3-C4	-7.75	122.35	127.00
26	BB	380	G	N9-C1'-C2'	-7.75	103.47	112.00
26	BB	1013	C	C6-N1-C2	-7.75	117.20	120.30
26	BB	2649	C	C2-N3-C4	-7.75	116.03	119.90
1	AA	819	A	C5-C6-N6	-7.75	117.50	123.70
1	AA	1014	A	C2-N3-C4	7.75	114.47	110.60
1	AA	1142	G	N1-C6-O6	7.75	124.55	119.90
26	BB	816	C	C5'-C4'-O4'	7.75	118.40	109.10
1	AA	419	C	N1-C2-N3	7.75	124.62	119.20
1	AA	1352	C	N3-C4-N4	7.75	123.42	118.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1504	G	C8-N9-C4	-7.75	103.30	106.40
26	BB	351	C	C6-N1-C2	-7.75	117.20	120.30
26	BB	605	G	N9-C4-C5	7.75	108.50	105.40
26	BB	785	G	C5-C6-N1	7.75	115.37	111.50
26	BB	1275	A	C5-N7-C8	-7.75	100.03	103.90
26	BB	1399	C	N1-C2-O2	7.75	123.55	118.90
26	BB	1662	U	N3-C4-O4	7.75	124.82	119.40
26	BB	1947	C	C6-N1-C2	-7.75	117.20	120.30
1	AA	1154	G	N9-C4-C5	7.75	108.50	105.40
25	BA	50	A	C6-N1-C2	-7.75	113.95	118.60
26	BB	645	C	N3-C4-C5	-7.75	118.80	121.90
26	BB	2075	U	O4'-C1'-N1	7.75	114.40	108.20
1	AA	928	G	C5-C6-O6	-7.75	123.95	128.60
26	BB	105	C	C6-N1-C2	7.75	123.40	120.30
26	BB	922	C	C4-C5-C6	-7.75	113.53	117.40
26	BB	1192	G	N3-C4-C5	-7.75	124.73	128.60
26	BB	1361	G	N3-C4-C5	-7.75	124.73	128.60
26	BB	1845	G	C3'-C2'-C1'	7.75	107.70	101.50
26	BB	2031	A	C6-N1-C2	7.75	123.25	118.60
1	AA	892	A	C5-N7-C8	7.74	107.77	103.90
1	AA	1536	C	C5'-C4'-O4'	7.74	118.39	109.10
3	AC	52	U	C3'-C2'-C1'	7.74	107.69	101.50
26	BB	1728	C	O4'-C1'-C2'	-7.74	98.06	105.80
26	BB	2692	G	C1'-O4'-C4'	-7.74	103.71	109.90
26	BB	2711	A	C3'-C2'-C1'	7.74	107.69	101.50
26	BB	259	G	N7-C8-N9	7.74	116.97	113.10
26	BB	1098	A	N9-C4-C5	-7.74	102.70	105.80
26	BB	2407	A	C5-N7-C8	-7.74	100.03	103.90
26	BB	2512	C	N1-C2-O2	7.74	123.55	118.90
1	AA	442	G	C6-C5-N7	-7.74	125.75	130.40
1	AA	574	A	O4'-C1'-N9	7.74	114.39	108.20
1	AA	1160	G	C5'-C4'-O4'	7.74	118.39	109.10
26	BB	62	U	C3'-C2'-C1'	7.74	107.69	101.50
26	BB	461	C	N3-C4-C5	-7.74	118.80	121.90
26	BB	1847	A	C5'-C4'-C3'	-7.74	103.61	116.00
26	BB	2302	U	O4'-C1'-N1	7.74	114.39	108.20
1	AA	327	A	C6-N1-C2	7.74	123.24	118.60
1	AA	350	G	N1-C6-O6	-7.74	115.26	119.90
1	AA	469	C	N3-C4-C5	-7.74	118.80	121.90
1	AA	1141	C	C5-C4-N4	7.74	125.62	120.20
26	BB	189	G	C5-C6-O6	-7.74	123.96	128.60
26	BB	540	C	N3-C4-N4	-7.74	112.58	118.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1055	G	N7-C8-N9	7.74	116.97	113.10
26	BB	2173	A	C8-N9-C4	-7.74	102.70	105.80
26	BB	2252	G	C2-N3-C4	7.74	115.77	111.90
26	BB	2680	U	N1-C2-N3	7.74	119.54	114.90
1	AA	882	C	N3-C4-C5	-7.74	118.81	121.90
2	AB	66	C	C6-N1-C2	-7.74	117.20	120.30
26	BB	400	G	N7-C8-N9	7.74	116.97	113.10
26	BB	838	C	N3-C2-O2	-7.74	116.48	121.90
26	BB	2016	U	C5-C4-O4	-7.74	121.26	125.90
1	AA	945	G	C6-N1-C2	-7.74	120.46	125.10
1	AA	1234	C	O4'-C4'-C3'	7.74	112.29	106.10
1	AA	1468	A	C5-N7-C8	7.74	107.77	103.90
1	AA	1523	G	N7-C8-N9	7.74	116.97	113.10
26	BB	237	C	C5-C4-N4	7.74	125.61	120.20
26	BB	240	C	C5'-C4'-O4'	7.74	118.38	109.10
26	BB	1238	G	C5-C6-O6	-7.74	123.96	128.60
26	BB	1883	U	C5-C4-O4	7.74	130.54	125.90
4	AD	49	C	C5'-C4'-C3'	-7.73	103.62	116.00
26	BB	313	G	C5-C6-O6	-7.73	123.96	128.60
26	BB	934	U	N3-C4-O4	7.73	124.81	119.40
1	AA	79	G	N3-C2-N2	-7.73	114.49	119.90
1	AA	850	U	N1-C2-O2	-7.73	117.39	122.80
26	BB	537	G	N3-C4-N9	7.73	130.64	126.00
26	BB	857	G	O4'-C1'-N9	7.73	114.39	108.20
26	BB	1040	A	C5'-C4'-O4'	7.73	118.38	109.10
26	BB	1084	A	C4-C5-N7	-7.73	106.83	110.70
26	BB	2549	G	N9-C1'-C2'	-7.73	103.50	112.00
1	AA	232	G	C4-C5-C6	7.73	123.44	118.80
1	AA	1322	C	N3-C2-O2	-7.73	116.49	121.90
26	BB	293	U	C4-C5-C6	-7.73	115.06	119.70
26	BB	1763	G	N7-C8-N9	7.73	116.97	113.10
26	BB	2032	G	N3-C4-C5	-7.73	124.73	128.60
26	BB	2283	C	C6-N1-C2	7.73	123.39	120.30
1	AA	173	U	N3-C4-C5	-7.73	109.96	114.60
26	BB	880	G	O4'-C1'-N9	7.73	114.38	108.20
26	BB	1455	G	C5-C6-O6	-7.73	123.96	128.60
26	BB	1543	G	C4-C5-C6	7.73	123.44	118.80
26	BB	1821	A	N7-C8-N9	7.73	117.67	113.80
1	AA	349	A	C5-C6-N1	7.73	121.56	117.70
1	AA	775	G	N9-C4-C5	7.73	108.49	105.40
1	AA	822	U	C5-C4-O4	7.73	130.54	125.90
1	AA	1195	C	C5'-C4'-O4'	7.73	118.37	109.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BA	114	C	O4'-C1'-N1	7.73	114.38	108.20
26	BB	261	G	N9-C1'-C2'	-7.73	103.50	112.00
26	BB	1044	C	N3-C4-C5	-7.73	118.81	121.90
26	BB	1711	A	N7-C8-N9	-7.73	109.94	113.80
26	BB	2341	G	N3-C4-C5	-7.73	124.74	128.60
26	BB	2657	A	C4-C5-C6	-7.73	113.14	117.00
26	BB	2667	C	C4'-C3'-C2'	-7.73	94.87	102.60
1	AA	54	C	N3-C2-O2	-7.73	116.49	121.90
1	AA	806	C	C5'-C4'-O4'	7.73	118.37	109.10
1	AA	188	C	N3-C4-C5	-7.72	118.81	121.90
1	AA	392	C	N1-C2-O2	7.72	123.53	118.90
1	AA	1293	C	N1-C2-O2	7.72	123.53	118.90
26	BB	771	G	O4'-C1'-N9	7.72	114.38	108.20
26	BB	1497	U	N1-C2-N3	7.72	119.53	114.90
26	BB	1552	A	N7-C8-N9	-7.72	109.94	113.80
1	AA	1014	A	C4-C5-C6	7.72	120.86	117.00
1	AA	1066	C	O4'-C1'-N1	7.72	114.38	108.20
1	AA	1502	A	N7-C8-N9	7.72	117.66	113.80
1	AA	1525	G	C1'-O4'-C4'	7.72	116.08	109.90
26	BB	1401	G	C4-C5-N7	7.72	113.89	110.80
26	BB	1643	G	O4'-C1'-N9	7.72	114.38	108.20
1	AA	67	C	O4'-C1'-N1	7.72	114.38	108.20
25	BA	34	A	P-O3'-C3'	7.72	128.97	119.70
25	BA	96	G	C4-C5-N7	-7.72	107.71	110.80
26	BB	670	A	C1'-O4'-C4'	-7.72	103.72	109.90
26	BB	776	G	C2-N3-C4	7.72	115.76	111.90
26	BB	1602	U	N3-C4-O4	7.72	124.81	119.40
26	BB	2367	G	C5'-C4'-O4'	7.72	118.37	109.10
26	BB	2706	A	C6-N1-C2	7.72	123.23	118.60
1	AA	344	A	C5-C6-N1	-7.72	113.84	117.70
1	AA	1180	A	O4'-C1'-N9	7.72	114.38	108.20
1	AA	1253	G	N9-C4-C5	7.72	108.49	105.40
26	BB	149	A	C6-C5-N7	-7.72	126.90	132.30
26	BB	1967	C	C4-C5-C6	-7.72	113.54	117.40
26	BB	2725	A	C4'-C3'-C2'	-7.72	94.88	102.60
26	BB	2841	C	C3'-C2'-C1'	7.72	107.67	101.50
26	BB	1060	U	N1-C2-N3	7.72	119.53	114.90
26	BB	1306	C	O4'-C1'-C2'	-7.72	98.08	105.80
1	AA	395	C	C4'-C3'-C2'	-7.72	94.88	102.60
26	BB	335	C	O4'-C1'-N1	7.72	114.37	108.20
26	BB	620	G	O5'-P-OP2	-7.72	98.75	105.70
26	BB	1188	U	C4-C5-C6	7.72	124.33	119.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1331	G	C8-N9-C4	-7.72	103.31	106.40
26	BB	1832	C	N1-C2-O2	7.72	123.53	118.90
26	BB	2513	A	C6-N1-C2	-7.72	113.97	118.60
26	BB	2650	U	C5'-C4'-C3'	-7.72	103.66	116.00
26	BB	2770	G	C5-C6-O6	-7.72	123.97	128.60
26	BB	2886	A	C4-C5-C6	-7.72	113.14	117.00
1	AA	239	U	O3'-P-O5'	-7.71	89.34	104.00
26	BB	428	A	N1-C2-N3	-7.71	125.44	129.30
26	BB	1964	G	O4'-C1'-N9	7.71	114.37	108.20
26	BB	2598	A	C5-C6-N1	7.71	121.56	117.70
1	AA	1040	U	N3-C2-O2	-7.71	116.80	122.20
26	BB	993	G	C8-N9-C4	-7.71	103.31	106.40
26	BB	2627	G	C1'-O4'-C4'	-7.71	103.73	109.90
1	AA	1153	G	C8-N9-C4	7.71	109.48	106.40
4	AD	61	U	N3-C4-O4	-7.71	114.00	119.40
26	BB	257	C	C5-C4-N4	7.71	125.60	120.20
26	BB	2188	U	C5-C6-N1	-7.71	118.84	122.70
26	BB	2340	A	C1'-O4'-C4'	7.71	116.07	109.90
26	BB	347	A	N1-C2-N3	-7.71	125.44	129.30
26	BB	608	A	C5-N7-C8	-7.71	100.05	103.90
26	BB	1374	G	C3'-C2'-C1'	7.71	107.67	101.50
26	BB	2051	A	C8-N9-C4	-7.71	102.72	105.80
1	AA	59	A	P-O3'-C3'	7.71	128.95	119.70
1	AA	211	G	P-O3'-C3'	7.71	128.95	119.70
1	AA	326	G	N3-C2-N2	7.71	125.30	119.90
1	AA	332	G	C3'-C2'-C1'	-7.71	95.33	101.50
1	AA	412	A	N9-C4-C5	-7.71	102.72	105.80
1	AA	1534	A	C4-C5-N7	-7.71	106.85	110.70
4	AD	9	G	C4'-C3'-C2'	7.71	110.31	102.60
21	AU	50	TYR	CB-CG-CD2	7.71	125.63	121.00
26	BB	969	G	C5-N7-C8	-7.71	100.45	104.30
26	BB	2269	G	N1-C2-N3	-7.71	119.28	123.90
26	BB	2844	G	C4-N9-C1'	-7.71	116.48	126.50
1	AA	896	C	C4-C5-C6	7.71	121.25	117.40
6	AF	21	TRP	NE1-CE2-CD2	-7.71	99.59	107.30
26	BB	402	A	C2-N3-C4	7.71	114.45	110.60
26	BB	743	A	C5-C6-N1	7.71	121.55	117.70
26	BB	1246	A	C5'-C4'-O4'	7.71	118.35	109.10
26	BB	2272	U	C5'-C4'-O4'	7.71	118.35	109.10
26	BB	2306	C	C4-C5-C6	-7.71	113.55	117.40
26	BB	2390	U	N3-C2-O2	-7.71	116.81	122.20
26	BB	2808	G	C8-N9-C4	-7.71	103.32	106.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	289	G	O5'-P-OP2	-7.71	98.77	105.70
26	BB	1181	U	C6-N1-C2	-7.71	116.38	121.00
26	BB	1577	C	N3-C4-C5	-7.71	118.82	121.90
1	AA	54	C	O4'-C1'-N1	7.70	114.36	108.20
1	AA	284	C	O4'-C1'-N1	7.70	114.36	108.20
1	AA	639	G	O4'-C1'-N9	7.70	114.36	108.20
1	AA	664	G	N1-C2-N2	7.70	123.13	116.20
26	BB	405	U	C4-C5-C6	7.70	124.32	119.70
26	BB	699	A	C6-N1-C2	7.70	123.22	118.60
26	BB	1926	U	C6-N1-C2	-7.70	116.38	121.00
26	BB	2037	A	N1-C2-N3	-7.70	125.45	129.30
2	AB	69	C	C3'-C2'-C1'	7.70	107.66	101.50
4	AD	25	U	N3-C4-O4	7.70	124.79	119.40
26	BB	1243	C	N1-C2-N3	-7.70	113.81	119.20
1	AA	408	A	C5-C6-N6	-7.70	117.54	123.70
1	AA	414	A	C5'-C4'-O4'	7.70	118.34	109.10
1	AA	1299	A	N9-C4-C5	7.70	108.88	105.80
2	AB	47	U	C2-N3-C4	-7.70	122.38	127.00
26	BB	570	G	C8-N9-C4	-7.70	103.32	106.40
26	BB	966	G	C5-C6-O6	-7.70	123.98	128.60
26	BB	1134	A	N7-C8-N9	-7.70	109.95	113.80
26	BB	1465	G	N9-C4-C5	7.70	108.48	105.40
26	BB	2100	G	C4-C5-N7	-7.70	107.72	110.80
26	BB	2309	A	N9-C4-C5	7.70	108.88	105.80
26	BB	2566	A	N1-C2-N3	-7.70	125.45	129.30
31	BG	96	TRP	CG-CD1-NE1	7.70	117.80	110.10
1	AA	571	U	N3-C4-C5	-7.70	109.98	114.60
1	AA	950	U	C6-N1-C2	7.70	125.62	121.00
1	AA	1089	G	N3-C4-C5	-7.70	124.75	128.60
2	AB	10	G	C6-C5-N7	-7.70	125.78	130.40
26	BB	1670	C	C2-N3-C4	7.70	123.75	119.90
26	BB	2280	G	C2-N3-C4	7.70	115.75	111.90
26	BB	2323	G	O4'-C4'-C3'	7.70	112.26	106.10
26	BB	2338	C	C6-N1-C2	-7.70	117.22	120.30
26	BB	2362	C	N3-C4-C5	7.70	124.98	121.90
26	BB	2818	U	N1-C2-N3	7.70	119.52	114.90
26	BB	2868	A	C5-C6-N1	-7.70	113.85	117.70
1	AA	21	G	N7-C8-N9	7.70	116.95	113.10
1	AA	636	U	N1-C2-O2	7.70	128.19	122.80
1	AA	666	G	O4'-C1'-N9	7.70	114.36	108.20
1	AA	943	U	N1-C2-O2	-7.70	117.41	122.80
4	AD	39	A	C4-C5-C6	-7.70	113.15	117.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1480	C	N1-C2-O2	7.70	123.52	118.90
1	AA	264	C	N3-C4-C5	-7.70	118.82	121.90
1	AA	1141	C	C4'-C3'-C2'	-7.70	94.91	102.60
26	BB	1636	U	O4'-C1'-N1	7.70	114.36	108.20
26	BB	1637	A	O4'-C1'-N9	7.70	114.36	108.20
26	BB	2050	C	O4'-C1'-N1	7.70	114.36	108.20
1	AA	182	A	C5-C6-N6	-7.69	117.55	123.70
1	AA	456	A	N3-C4-C5	-7.69	121.41	126.80
26	BB	1489	C	O4'-C1'-N1	7.69	114.36	108.20
1	AA	1468	A	O4'-C1'-C2'	7.69	114.52	107.60
1	AA	1507	A	C3'-C2'-C1'	-7.69	95.35	101.50
1	AA	1542	A	C4-C5-N7	-7.69	106.85	110.70
25	BA	39	A	C1'-O4'-C4'	-7.69	103.75	109.90
26	BB	585	G	C4'-C3'-C2'	-7.69	94.91	102.60
26	BB	995	C	C5'-C4'-C3'	-7.69	103.69	116.00
26	BB	1892	C	C4'-C3'-C2'	-7.69	94.91	102.60
26	BB	2002	G	N3-C4-N9	7.69	130.62	126.00
26	BB	2250	G	C1'-O4'-C4'	-7.69	103.75	109.90
26	BB	1111	A	C5'-C4'-O4'	7.69	118.33	109.10
26	BB	1988	G	N1-C6-O6	7.69	124.51	119.90
26	BB	2288	A	C5-C6-N1	-7.69	113.85	117.70
1	AA	86	G	C8-N9-C1'	7.69	137.00	127.00
1	AA	857	C	C6-N1-C2	7.69	123.38	120.30
26	BB	608	A	C8-N9-C4	-7.69	102.72	105.80
26	BB	2364	C	N3-C2-O2	-7.69	116.52	121.90
1	AA	237	G	C5-C6-N1	7.69	115.34	111.50
1	AA	1352	C	C6-N1-C2	-7.69	117.22	120.30
26	BB	1570	A	O4'-C1'-N9	7.69	114.35	108.20
26	BB	1714	U	N3-C2-O2	-7.69	116.82	122.20
26	BB	1845	G	C4'-C3'-C2'	-7.69	94.91	102.60
26	BB	2411	A	C2-N3-C4	-7.69	106.76	110.60
26	BB	2583	G	C5-C6-N1	7.69	115.34	111.50
26	BB	2706	A	N1-C6-N6	7.69	123.21	118.60
1	AA	509	A	C4-C5-C6	7.68	120.84	117.00
1	AA	594	U	C4'-C3'-C2'	-7.68	94.92	102.60
1	AA	1421	G	O4'-C1'-N9	7.68	114.35	108.20
2	AB	47	U	N1-C2-N3	7.68	119.51	114.90
26	BB	203	A	C8-N9-C4	-7.68	102.73	105.80
26	BB	257	C	O4'-C1'-N1	7.68	114.35	108.20
26	BB	763	G	C4-C5-C6	7.68	123.41	118.80
26	BB	1746	A	C6-N1-C2	7.68	123.21	118.60
26	BB	2865	U	C5'-C4'-O4'	7.68	118.32	109.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	915	A	N1-C2-N3	-7.68	125.46	129.30
1	AA	1504	G	C2-N3-C4	7.68	115.74	111.90
26	BB	146	A	N9-C1'-C2'	-7.68	103.55	112.00
26	BB	175	G	O4'-C1'-N9	7.68	114.34	108.20
26	BB	2005	A	C2-N3-C4	-7.68	106.76	110.60
26	BB	2050	C	C6-N1-C2	-7.68	117.23	120.30
26	BB	2218	G	N1-C2-N3	-7.68	119.29	123.90
26	BB	2450	A	N1-C6-N6	-7.68	113.99	118.60
26	BB	2900	A	C5-N7-C8	7.68	107.74	103.90
29	BE	68	PHE	CB-CG-CD2	7.68	126.18	120.80
1	AA	5	U	O4'-C1'-N1	7.68	114.34	108.20
26	BB	182	A	C4-C5-N7	-7.68	106.86	110.70
26	BB	373	U	N1-C2-N3	7.68	119.51	114.90
26	BB	2863	C	O4'-C1'-N1	7.68	114.34	108.20
2	AB	23	A	C4'-C3'-C2'	-7.68	94.92	102.60
26	BB	443	A	C5-N7-C8	-7.68	100.06	103.90
26	BB	1157	G	C3'-C2'-C1'	7.68	107.64	101.50
26	BB	1658	C	C4-C5-C6	7.68	121.24	117.40
26	BB	2063	C	C1'-O4'-C4'	-7.68	103.76	109.90
26	BB	2088	A	N7-C8-N9	7.68	117.64	113.80
26	BB	2198	A	N7-C8-N9	-7.68	109.96	113.80
1	AA	512	U	C2-N3-C4	-7.68	122.39	127.00
1	AA	1344	C	C4-C5-C6	7.68	121.24	117.40
26	BB	603	A	N9-C4-C5	7.68	108.87	105.80
1	AA	97	G	P-O3'-C3'	7.68	128.91	119.70
1	AA	1034	G	C5-C6-O6	-7.68	123.99	128.60
25	BA	50	A	N9-C4-C5	7.68	108.87	105.80
26	BB	11	C	C2-N3-C4	7.68	123.74	119.90
26	BB	454	A	C6-C5-N7	7.68	137.67	132.30
26	BB	1293	C	C2-N3-C4	-7.68	116.06	119.90
26	BB	2703	C	N1-C1'-C2'	-7.68	103.56	112.00
26	BB	2870	C	N3-C4-C5	-7.68	118.83	121.90
37	BM	70	ARG	NH1-CZ-NH2	7.68	127.84	119.40
1	AA	861	G	N3-C4-C5	-7.67	124.76	128.60
2	AB	10	G	N1-C6-O6	-7.67	115.30	119.90
26	BB	339	U	C5-C4-O4	-7.67	121.30	125.90
26	BB	990	A	C5-N7-C8	7.67	107.74	103.90
1	AA	2	A	C2-N3-C4	7.67	114.44	110.60
1	AA	751	U	O4'-C1'-N1	7.67	114.34	108.20
1	AA	1314	C	O4'-C1'-N1	7.67	114.34	108.20
26	BB	249	C	C6-N1-C2	7.67	123.37	120.30
26	BB	1578	U	C5-C4-O4	-7.67	121.30	125.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	461	A	C5-N7-C8	7.67	107.73	103.90
1	AA	532	A	O4'-C1'-N9	7.67	114.34	108.20
1	AA	999	C	C6-N1-C2	7.67	123.37	120.30
26	BB	168	G	C2-N3-C4	7.67	115.74	111.90
26	BB	312	G	C4-C5-C6	7.67	123.40	118.80
26	BB	2317	A	C4-C5-C6	7.67	120.83	117.00
1	AA	530	G	C2-N3-C4	7.67	115.73	111.90
1	AA	805	C	C4-C5-C6	-7.67	113.56	117.40
1	AA	1470	U	N3-C2-O2	-7.67	116.83	122.20
3	AC	15	G	C5-C6-O6	-7.67	124.00	128.60
4	AD	27	G	N1-C6-O6	-7.67	115.30	119.90
26	BB	2001	C	C6-N1-C2	-7.67	117.23	120.30
26	BB	2788	C	N3-C2-O2	-7.67	116.53	121.90
1	AA	818	G	C5-N7-C8	7.67	108.13	104.30
1	AA	1455	G	C2-N3-C4	7.67	115.73	111.90
4	AD	46	G	C5-C6-O6	-7.67	124.00	128.60
26	BB	45	G	N1-C6-O6	-7.67	115.30	119.90
26	BB	1189	A	C8-N9-C4	-7.67	102.73	105.80
26	BB	1238	G	C4-C5-N7	-7.67	107.73	110.80
26	BB	1254	A	N7-C8-N9	-7.67	109.97	113.80
26	BB	1460	U	P-O3'-C3'	7.67	128.90	119.70
26	BB	2673	G	C5-N7-C8	-7.67	100.47	104.30
1	AA	933	G	C5-C6-N1	7.67	115.33	111.50
1	AA	1131	G	C5'-C4'-O4'	7.67	118.30	109.10
25	BA	116	G	N3-C4-C5	-7.67	124.77	128.60
26	BB	260	G	C8-N9-C4	-7.67	103.33	106.40
26	BB	1421	G	C5-C6-O6	-7.67	124.00	128.60
26	BB	1535	A	C4-C5-N7	-7.67	106.87	110.70
26	BB	1581	G	C4'-C3'-C2'	-7.67	94.93	102.60
26	BB	2088	A	C5-N7-C8	-7.67	100.07	103.90
1	AA	710	G	O4'-C1'-N9	7.67	114.33	108.20
1	AA	865	A	C6-N1-C2	7.66	123.20	118.60
1	AA	1520	C	O4'-C1'-N1	7.66	114.33	108.20
4	AD	32	G	C5-N7-C8	-7.66	100.47	104.30
25	BA	25	U	O4'-C1'-N1	7.66	114.33	108.20
26	BB	73	A	N7-C8-N9	7.66	117.63	113.80
26	BB	1201	U	N3-C2-O2	-7.66	116.84	122.20
26	BB	1524	G	C6-C5-N7	-7.66	125.80	130.40
26	BB	1840	G	C6-C5-N7	-7.66	125.80	130.40
26	BB	2662	A	N1-C2-N3	7.66	133.13	129.30
1	AA	376	G	C1'-O4'-C4'	-7.66	103.77	109.90
1	AA	849	G	C5-C6-N1	-7.66	107.67	111.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	980	C	N3-C4-N4	7.66	123.36	118.00
1	AA	1482	G	N9-C4-C5	-7.66	102.33	105.40
4	AD	36	A	O4'-C1'-N9	7.66	114.33	108.20
26	BB	842	U	N1-C2-N3	7.66	119.50	114.90
26	BB	1166	G	C5-C6-N1	7.66	115.33	111.50
26	BB	1200	C	N3-C2-O2	-7.66	116.54	121.90
1	AA	436	C	N3-C4-C5	7.66	124.96	121.90
1	AA	694	A	O4'-C4'-C3'	7.66	112.23	106.10
1	AA	735	C	P-O3'-C3'	7.66	128.89	119.70
1	AA	1164	G	O4'-C1'-N9	7.66	114.33	108.20
2	AB	18	G	C5-N7-C8	-7.66	100.47	104.30
3	AC	53	G	C2-N3-C4	-7.66	108.07	111.90
26	BB	382	A	C4-C5-C6	-7.66	113.17	117.00
26	BB	731	C	C5-C4-N4	-7.66	114.84	120.20
26	BB	2691	C	N3-C4-N4	-7.66	112.64	118.00
26	BB	2749	A	C5-C6-N1	7.66	121.53	117.70
1	AA	694	A	O4'-C1'-N9	7.66	114.33	108.20
26	BB	628	G	C5-N7-C8	7.66	108.13	104.30
1	AA	247	G	C3'-C2'-C1'	-7.66	95.38	101.50
1	AA	1106	G	C4-C5-N7	-7.66	107.74	110.80
1	AA	1316	G	N9-C4-C5	7.66	108.46	105.40
26	BB	1174	U	C4'-C3'-C2'	-7.66	94.94	102.60
26	BB	1768	C	N3-C4-C5	-7.66	118.84	121.90
26	BB	2583	G	C6-N1-C2	-7.66	120.51	125.10
1	AA	664	G	N3-C2-N2	-7.65	114.54	119.90
1	AA	355	C	C6-N1-C2	7.65	123.36	120.30
1	AA	588	G	N1-C2-N3	-7.65	119.31	123.90
1	AA	665	A	C6-C5-N7	7.65	137.66	132.30
1	AA	698	G	C5-C6-N1	-7.65	107.67	111.50
1	AA	830	G	N9-C1'-C2'	-7.65	103.58	112.00
1	AA	1329	A	P-O3'-C3'	7.65	128.88	119.70
1	AA	1455	G	C4-C5-C6	7.65	123.39	118.80
26	BB	822	G	N1-C2-N2	7.65	123.09	116.20
26	BB	1389	G	C8-N9-C4	-7.65	103.34	106.40
26	BB	1532	A	N9-C1'-C2'	-7.65	103.58	112.00
26	BB	1573	G	N3-C2-N2	7.65	125.26	119.90
26	BB	2121	G	O4'-C1'-N9	7.65	114.32	108.20
26	BB	2775	G	C8-N9-C4	-7.65	103.34	106.40
1	AA	95	C	C6-N1-C2	7.65	123.36	120.30
1	AA	694	A	N1-C2-N3	-7.65	125.47	129.30
26	BB	84	A	P-O3'-C3'	7.65	128.88	119.70
26	BB	395	U	N3-C2-O2	-7.65	116.84	122.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	471	A	C8-N9-C4	-7.65	102.74	105.80
26	BB	565	C	N3-C4-C5	7.65	124.96	121.90
26	BB	873	C	C6-N1-C2	7.65	123.36	120.30
26	BB	973	A	C4-C5-N7	-7.65	106.88	110.70
26	BB	1676	A	C8-N9-C4	-7.65	102.74	105.80
26	BB	1776	G	N7-C8-N9	7.65	116.93	113.10
26	BB	2803	G	N7-C8-N9	7.65	116.93	113.10
26	BB	2881	U	C5-C4-O4	7.65	130.49	125.90
1	AA	30	U	C5-C4-O4	-7.65	121.31	125.90
26	BB	59	U	C4-C5-C6	7.65	124.29	119.70
1	AA	1057	G	N9-C4-C5	7.65	108.46	105.40
1	AA	1189	U	N1-C2-N3	7.65	119.49	114.90
1	AA	1260	G	C6-C5-N7	-7.65	125.81	130.40
1	AA	1494	G	O4'-C4'-C3'	7.65	112.22	106.10
26	BB	553	G	C6-N1-C2	-7.65	120.51	125.10
26	BB	1337	G	C2-N3-C4	7.65	115.72	111.90
26	BB	2147	A	N1-C6-N6	-7.65	114.01	118.60
26	BB	437	U	C5'-C4'-O4'	7.65	118.28	109.10
26	BB	1151	A	C8-N9-C4	-7.65	102.74	105.80
26	BB	1268	A	C5-C6-N6	7.65	129.82	123.70
26	BB	1932	A	C6-N1-C2	-7.65	114.01	118.60
1	AA	185	U	O4'-C1'-N1	7.64	114.32	108.20
1	AA	450	G	C2-N3-C4	-7.64	108.08	111.90
1	AA	511	C	C5-C6-N1	-7.64	117.18	121.00
1	AA	809	G	N9-C4-C5	-7.64	102.34	105.40
1	AA	893	C	C6-N1-C2	7.64	123.36	120.30
1	AA	1043	G	N3-C4-N9	7.64	130.59	126.00
26	BB	402	A	N9-C4-C5	7.64	108.86	105.80
26	BB	692	C	C4-C5-C6	-7.64	113.58	117.40
26	BB	765	C	C3'-C2'-C1'	7.64	107.61	101.50
26	BB	797	G	C5-N7-C8	-7.64	100.48	104.30
26	BB	1899	A	N7-C8-N9	7.64	117.62	113.80
26	BB	2075	U	C3'-C2'-C1'	7.64	107.61	101.50
26	BB	2556	C	N3-C4-C5	7.64	124.96	121.90
26	BB	2637	U	C2-N3-C4	7.64	131.59	127.00
26	BB	2816	G	N1-C2-N2	7.64	123.08	116.20
1	AA	419	C	C3'-C2'-C1'	-7.64	95.39	101.50
1	AA	1483	A	C4'-C3'-C2'	7.64	110.24	102.60
16	AP	100	ARG	NE-CZ-NH1	7.64	124.12	120.30
26	BB	315	G	C5-C6-O6	-7.64	124.01	128.60
26	BB	560	C	N1-C1'-C2'	-7.64	103.59	112.00
26	BB	804	A	N7-C8-N9	7.64	117.62	113.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	609	A	C8-N9-C4	-7.64	102.74	105.80
26	BB	379	G	O4'-C1'-N9	7.64	114.31	108.20
26	BB	93	G	C8-N9-C4	-7.64	103.34	106.40
26	BB	645	C	C4'-C3'-C2'	-7.64	94.96	102.60
26	BB	1874	C	C6-N1-C2	-7.64	117.24	120.30
1	AA	1419	G	C2-N3-C4	7.64	115.72	111.90
26	BB	161	A	O4'-C4'-C3'	7.64	112.21	106.10
26	BB	1172	C	C6-N1-C2	7.64	123.36	120.30
1	AA	1479	C	C5-C4-N4	-7.64	114.86	120.20
26	BB	100	U	N1-C2-N3	7.64	119.48	114.90
26	BB	709	U	N1-C2-N3	7.64	119.48	114.90
26	BB	1425	G	C6-C5-N7	-7.64	125.82	130.40
26	BB	1428	C	O4'-C1'-N1	7.64	114.31	108.20
26	BB	2052	A	C5-C6-N1	7.64	121.52	117.70
1	AA	626	G	C2-N3-C4	7.63	115.72	111.90
1	AA	1087	G	N9-C4-C5	7.63	108.45	105.40
3	AC	36	U	N1-C1'-C2'	-7.63	103.60	112.00
26	BB	101	A	O4'-C1'-N9	7.63	114.31	108.20
26	BB	326	G	N3-C4-C5	-7.63	124.78	128.60
26	BB	1142	A	N7-C8-N9	7.63	117.62	113.80
26	BB	1723	G	C5'-C4'-O4'	7.63	118.26	109.10
26	BB	2171	A	C2-N3-C4	7.63	114.42	110.60
26	BB	2257	U	C4'-C3'-C2'	-7.63	94.97	102.60
26	BB	166	U	C6-N1-C2	-7.63	116.42	121.00
26	BB	536	G	N3-C4-N9	-7.63	121.42	126.00
1	AA	268	U	N1-C2-N3	7.63	119.48	114.90
2	AB	15	A	C4-C5-N7	7.63	114.52	110.70
18	AR	67	ASP	CB-CG-OD1	-7.63	111.43	118.30
26	BB	1243	C	N1-C2-O2	7.63	123.48	118.90
26	BB	1365	A	C5-N7-C8	-7.63	100.08	103.90
26	BB	1724	G	C5-N7-C8	7.63	108.12	104.30
26	BB	1823	G	C5-N7-C8	-7.63	100.48	104.30
26	BB	2308	G	C4-C5-N7	-7.63	107.75	110.80
1	AA	182	A	C4-C5-N7	7.63	114.52	110.70
1	AA	503	C	N3-C4-N4	7.63	123.34	118.00
1	AA	1464	U	N1-C2-N3	-7.63	110.32	114.90
26	BB	1250	G	C5'-C4'-O4'	7.63	118.26	109.10
26	BB	1418	G	N9-C4-C5	7.63	108.45	105.40
26	BB	2054	A	C6-N1-C2	-7.63	114.02	118.60
1	AA	1300	G	C3'-C2'-C1'	7.63	107.60	101.50
1	AA	1467	C	O4'-C1'-N1	7.63	114.30	108.20
12	AL	89	TYR	CB-CG-CD2	-7.63	116.42	121.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BA	18	G	O4'-C1'-N9	7.63	114.30	108.20
25	BA	46	A	C2-N3-C4	-7.63	106.79	110.60
26	BB	509	C	O4'-C1'-N1	7.63	114.30	108.20
26	BB	1829	A	C5-C6-N1	7.63	121.51	117.70
26	BB	2262	U	N3-C4-O4	7.63	124.74	119.40
26	BB	2762	C	N3-C4-C5	-7.63	118.85	121.90
1	AA	290	C	N3-C4-N4	7.63	123.34	118.00
1	AA	1367	C	N3-C4-C5	-7.63	118.85	121.90
1	AA	1391	U	N3-C2-O2	-7.63	116.86	122.20
26	BB	1	G	C2-N3-C4	7.63	115.71	111.90
26	BB	476	G	C4-C5-C6	7.63	123.38	118.80
26	BB	2257	U	C2-N3-C4	-7.63	122.42	127.00
26	BB	5	A	N1-C2-N3	7.62	133.11	129.30
26	BB	890	C	N3-C4-N4	7.62	123.34	118.00
26	BB	1729	U	C4'-C3'-C2'	-7.62	94.97	102.60
26	BB	2598	A	N3-C4-N9	7.62	133.50	127.40
1	AA	1006	G	C8-N9-C4	-7.62	103.35	106.40
26	BB	832	U	C4-C5-C6	7.62	124.27	119.70
1	AA	474	G	O4'-C1'-N9	7.62	114.30	108.20
1	AA	625	U	N1-C2-N3	7.62	119.47	114.90
1	AA	1251	A	C8-N9-C4	-7.62	102.75	105.80
1	AA	1522	U	C5'-C4'-C3'	-7.62	103.81	116.00
25	BA	5	U	C2-N3-C4	-7.62	122.43	127.00
26	BB	437	U	C5-C4-O4	-7.62	121.33	125.90
26	BB	1207	C	N1-C2-O2	7.62	123.47	118.90
26	BB	1575	C	C4-C5-C6	7.62	121.21	117.40
1	AA	1326	U	O4'-C1'-N1	7.62	114.30	108.20
26	BB	1722	A	C1'-O4'-C4'	7.62	116.00	109.90
26	BB	2865	U	C2-N3-C4	-7.62	122.43	127.00
1	AA	428	G	N3-C2-N2	7.62	125.23	119.90
1	AA	637	C	N1-C2-O2	7.62	123.47	118.90
1	AA	730	G	N9-C1'-C2'	-7.62	103.62	112.00
26	BB	252	G	N1-C2-N3	-7.62	119.33	123.90
26	BB	1090	A	O4'-C4'-C3'	7.62	112.19	106.10
26	BB	1128	G	C2-N3-C4	7.62	115.71	111.90
26	BB	1812	U	O4'-C1'-N1	7.62	114.30	108.20
26	BB	2591	C	C5'-C4'-O4'	7.62	118.24	109.10
26	BB	2653	U	C5-C4-O4	-7.62	121.33	125.90
1	AA	130	A	N1-C2-N3	-7.62	125.49	129.30
1	AA	866	C	O4'-C1'-N1	7.62	114.29	108.20
1	AA	1080	A	C5-C6-N1	7.62	121.51	117.70
1	AA	104	G	N1-C2-N3	7.62	128.47	123.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	271	C	N1-C2-O2	7.62	123.47	118.90
1	AA	345	C	N3-C4-C5	7.62	124.95	121.90
1	AA	457	G	C2-N3-C4	7.62	115.71	111.90
1	AA	1099	G	N3-C4-N9	7.62	130.57	126.00
25	BA	10	G	C4-C5-N7	-7.62	107.75	110.80
26	BB	103	A	C5-C6-N6	-7.62	117.61	123.70
26	BB	773	U	C2-N3-C4	-7.62	122.43	127.00
26	BB	1262	A	N9-C4-C5	7.62	108.85	105.80
26	BB	1288	G	C5-C6-O6	7.62	133.17	128.60
26	BB	1336	A	C8-N9-C4	-7.62	102.75	105.80
26	BB	1500	G	C5'-C4'-O4'	7.62	118.24	109.10
26	BB	1738	G	O4'-C1'-N9	7.62	114.29	108.20
26	BB	2320	U	P-O3'-C3'	7.62	128.84	119.70
26	BB	2408	U	C2-N3-C4	-7.62	122.43	127.00
26	BB	2537	U	C5'-C4'-O4'	7.62	118.24	109.10
26	BB	2618	G	C5-C6-O6	-7.62	124.03	128.60
26	BB	2640	G	C5-C6-N1	7.62	115.31	111.50
26	BB	2691	C	C5-C4-N4	7.62	125.53	120.20
26	BB	2716	C	C3'-C2'-C1'	7.62	107.59	101.50
33	BI	50	ARG	NE-CZ-NH2	7.62	124.11	120.30
1	AA	57	G	C8-N9-C4	-7.61	103.36	106.40
1	AA	562	U	C3'-C2'-C1'	-7.61	95.41	101.50
1	AA	1127	G	N7-C8-N9	7.61	116.91	113.10
1	AA	1153	G	O4'-C1'-N9	7.61	114.29	108.20
1	AA	1213	A	C5-N7-C8	-7.61	100.09	103.90
1	AA	1263	C	C4'-C3'-C2'	-7.61	94.99	102.60
2	AB	42	G	N3-C4-C5	-7.61	124.79	128.60
4	AD	17	C	C5'-C4'-O4'	7.61	118.24	109.10
25	BA	58	A	O4'-C1'-N9	7.61	114.29	108.20
26	BB	386	G	C3'-C2'-C1'	7.61	107.59	101.50
26	BB	498	G	N1-C6-O6	-7.61	115.33	119.90
26	BB	718	A	C1'-O4'-C4'	-7.61	103.81	109.90
26	BB	2590	A	O4'-C1'-N9	7.61	114.29	108.20
1	AA	723	U	N1-C2-O2	7.61	128.13	122.80
1	AA	746	A	C5-C6-N6	-7.61	117.61	123.70
1	AA	1057	G	C4'-C3'-C2'	-7.61	94.99	102.60
26	BB	23	G	C4-C5-N7	-7.61	107.75	110.80
26	BB	179	C	N3-C4-N4	7.61	123.33	118.00
26	BB	2146	C	C5-C6-N1	-7.61	117.19	121.00
1	AA	244	U	O4'-C1'-N1	7.61	114.29	108.20
1	AA	337	G	C6-N1-C2	-7.61	120.53	125.10
1	AA	522	C	N1-C2-O2	7.61	123.47	118.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BA	57	A	C3'-C2'-C1'	-7.61	95.41	101.50
26	BB	177	G	C5-N7-C8	7.61	108.11	104.30
26	BB	192	C	N3-C4-C5	7.61	124.94	121.90
26	BB	561	G	C4-C5-N7	-7.61	107.76	110.80
26	BB	1186	G	C1'-O4'-C4'	7.61	115.99	109.90
26	BB	1391	U	C6-N1-C2	-7.61	116.43	121.00
26	BB	1537	G	C5-N7-C8	-7.61	100.50	104.30
26	BB	1559	U	C2-N3-C4	-7.61	122.43	127.00
26	BB	1654	A	C5-N7-C8	-7.61	100.09	103.90
26	BB	2422	C	C4'-C3'-C2'	-7.61	94.99	102.60
26	BB	2526	G	C5-N7-C8	-7.61	100.50	104.30
26	BB	512	G	C4-C5-N7	-7.61	107.76	110.80
26	BB	675	A	C5-N7-C8	-7.61	100.10	103.90
26	BB	1097	U	O4'-C4'-C3'	7.61	112.19	106.10
26	BB	1168	G	N1-C6-O6	-7.61	115.33	119.90
26	BB	1963	U	P-O3'-C3'	7.61	128.83	119.70
26	BB	2273	A	C4-C5-N7	7.61	114.50	110.70
26	BB	2571	U	N3-C2-O2	-7.61	116.87	122.20
1	AA	1527	U	O4'-C1'-N1	7.61	114.29	108.20
26	BB	254	G	C4-C5-N7	-7.61	107.76	110.80
26	BB	740	C	N3-C4-C5	7.61	124.94	121.90
26	BB	1678	A	N9-C4-C5	7.61	108.84	105.80
1	AA	740	U	O4'-C1'-N1	7.61	114.28	108.20
1	AA	379	C	N3-C4-C5	7.60	124.94	121.90
1	AA	799	G	N9-C4-C5	7.60	108.44	105.40
1	AA	1242	G	C4-C5-N7	7.60	113.84	110.80
1	AA	1529	G	C3'-C2'-C1'	7.60	107.58	101.50
26	BB	556	A	C5'-C4'-O4'	7.60	118.22	109.10
26	BB	2237	G	O4'-C1'-N9	7.60	114.28	108.20
26	BB	2517	C	N3-C4-N4	-7.60	112.68	118.00
1	AA	36	C	C4-C5-C6	7.60	121.20	117.40
1	AA	198	G	C6-C5-N7	-7.60	125.84	130.40
1	AA	524	G	C5-N7-C8	-7.60	100.50	104.30
1	AA	1000	A	C4-C5-C6	-7.60	113.20	117.00
26	BB	911	A	C4-C5-N7	7.60	114.50	110.70
26	BB	1572	A	C5-N7-C8	7.60	107.70	103.90
26	BB	1723	G	C5-C6-N1	7.60	115.30	111.50
26	BB	1837	C	N3-C4-N4	7.60	123.32	118.00
26	BB	2225	A	C8-N9-C4	-7.60	102.76	105.80
26	BB	2479	U	O4'-C1'-N1	7.60	114.28	108.20
27	BC	7	ARG	NE-CZ-NH1	7.60	124.10	120.30
1	AA	845	A	C4-C5-C6	-7.60	113.20	117.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	540	C	O4'-C4'-C3'	7.60	112.18	106.10
26	BB	874	G	N3-C4-C5	-7.60	124.80	128.60
26	BB	1398	C	N3-C4-N4	7.60	123.32	118.00
1	AA	710	G	N3-C2-N2	-7.60	114.58	119.90
26	BB	175	G	N9-C1'-C2'	-7.60	103.64	112.00
26	BB	222	A	O4'-C4'-C3'	7.60	112.18	106.10
26	BB	1215	G	N3-C4-C5	-7.60	124.80	128.60
26	BB	2266	A	N1-C6-N6	-7.60	114.04	118.60
1	AA	63	C	N1-C2-O2	7.60	123.46	118.90
1	AA	259	G	N1-C6-O6	7.60	124.46	119.90
1	AA	546	A	N1-C2-N3	-7.60	125.50	129.30
1	AA	996	A	N1-C6-N6	7.60	123.16	118.60
26	BB	142	A	N1-C6-N6	-7.60	114.04	118.60
26	BB	303	G	N9-C4-C5	7.60	108.44	105.40
26	BB	417	C	O4'-C1'-N1	7.60	114.28	108.20
26	BB	1097	U	C6-N1-C2	-7.60	116.44	121.00
26	BB	1189	A	N7-C8-N9	7.60	117.60	113.80
26	BB	2133	G	C2-N3-C4	7.60	115.70	111.90
26	BB	2291	U	O4'-C1'-N1	7.60	114.28	108.20
26	BB	2752	C	P-O3'-C3'	7.60	128.82	119.70
1	AA	1244	G	C4'-C3'-C2'	-7.60	95.00	102.60
1	AA	1292	G	N3-C4-N9	7.60	130.56	126.00
26	BB	2628	C	O4'-C4'-C3'	7.60	112.18	106.10
27	BC	134	ARG	NE-CZ-NH2	-7.60	116.50	120.30
26	BB	204	A	N7-C8-N9	7.59	117.60	113.80
26	BB	819	A	C5-C6-N1	7.59	121.50	117.70
26	BB	926	G	O4'-C1'-N9	7.59	114.28	108.20
26	BB	976	G	N1-C2-N2	7.59	123.04	116.20
26	BB	1642	G	C8-N9-C4	-7.59	103.36	106.40
26	BB	2750	A	C6-N1-C2	7.59	123.16	118.60
1	AA	430	A	N9-C4-C5	7.59	108.84	105.80
1	AA	653	U	C5-C4-O4	7.59	130.46	125.90
1	AA	1071	C	N1-C2-O2	7.59	123.46	118.90
2	AB	26	A	O5'-P-OP1	-7.59	98.87	105.70
1	AA	113	G	N1-C2-N2	7.59	123.03	116.20
1	AA	969	A	C5-C6-N1	-7.59	113.90	117.70
26	BB	6	A	N3-C4-N9	7.59	133.47	127.40
26	BB	402	A	C1'-O4'-C4'	7.59	115.97	109.90
26	BB	1918	A	N1-C6-N6	7.59	123.16	118.60
26	BB	2593	U	C5-C4-O4	-7.59	121.34	125.90
1	AA	592	G	C5-C6-O6	7.59	133.15	128.60
26	BB	874	G	C6-C5-N7	7.59	134.95	130.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	904	G	C5-N7-C8	-7.59	100.50	104.30
26	BB	1135	C	N3-C4-C5	7.59	124.94	121.90
26	BB	1479	G	N1-C6-O6	-7.59	115.35	119.90
26	BB	2196	C	O4'-C1'-N1	7.59	114.27	108.20
26	BB	2469	A	C6-C5-N7	7.59	137.61	132.30
1	AA	130	A	N9-C4-C5	7.59	108.83	105.80
1	AA	181	A	C3'-C2'-C1'	-7.59	95.43	101.50
1	AA	774	G	N3-C4-N9	7.59	130.55	126.00
1	AA	1045	C	O4'-C1'-N1	7.59	114.27	108.20
3	AC	48	C	N1-C1'-C2'	-7.59	103.65	112.00
26	BB	597	G	N3-C4-C5	-7.59	124.81	128.60
26	BB	636	G	N1-C6-O6	-7.59	115.35	119.90
26	BB	2183	A	C6-N1-C2	-7.59	114.05	118.60
1	AA	860	A	C8-N9-C4	-7.59	102.77	105.80
1	AA	1165	U	N1-C2-O2	7.59	128.11	122.80
1	AA	1542	A	N1-C2-N3	-7.59	125.51	129.30
26	BB	494	G	C6-N1-C2	-7.59	120.55	125.10
26	BB	2006	C	C3'-C2'-C1'	7.59	107.57	101.50
26	BB	2097	A	C6-N1-C2	7.59	123.15	118.60
26	BB	2216	G	N3-C4-C5	-7.59	124.81	128.60
40	BP	44	LEU	CB-CG-CD1	7.59	123.90	111.00
26	BB	2882	A	N9-C1'-C2'	-7.58	103.66	112.00
1	AA	387	U	O4'-C1'-N1	7.58	114.27	108.20
1	AA	485	U	N1-C2-N3	7.58	119.45	114.90
26	BB	376	G	C6-C5-N7	-7.58	125.85	130.40
26	BB	505	A	N7-C8-N9	7.58	117.59	113.80
26	BB	751	A	C5-C6-N1	-7.58	113.91	117.70
26	BB	1115	G	C5-C6-N1	7.58	115.29	111.50
26	BB	1330	C	C5-C4-N4	-7.58	114.89	120.20
26	BB	1705	A	C5-N7-C8	-7.58	100.11	103.90
26	BB	2466	C	N3-C2-O2	-7.58	116.59	121.90
26	BB	2636	C	C6-N1-C2	7.58	123.33	120.30
26	BB	2745	C	C3'-C2'-C1'	7.58	107.57	101.50
26	BB	2820	A	O4'-C1'-N9	7.58	114.27	108.20
1	AA	158	G	N3-C4-C5	-7.58	124.81	128.60
26	BB	287	G	O4'-C1'-C2'	-7.58	98.22	105.80
26	BB	754	U	O4'-C1'-N1	7.58	114.26	108.20
26	BB	2150	C	C2-N3-C4	7.58	123.69	119.90
26	BB	2515	C	C5'-C4'-C3'	7.58	128.13	116.00
1	AA	44	A	N1-C2-N3	-7.58	125.51	129.30
1	AA	498	A	C4-C5-C6	-7.58	113.21	117.00
26	BB	809	G	C8-N9-C4	-7.58	103.37	106.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	905	A	C2-N3-C4	7.58	114.39	110.60
26	BB	2351	G	C1'-O4'-C4'	7.58	115.96	109.90
25	BA	94	A	C2-N3-C4	7.58	114.39	110.60
26	BB	1633	G	N3-C2-N2	7.58	125.20	119.90
26	BB	2092	U	N3-C2-O2	-7.58	116.90	122.20
1	AA	1126	U	O4'-C1'-N1	7.58	114.26	108.20
1	AA	1400	C	C6-N1-C2	-7.58	117.27	120.30
26	BB	797	G	C6-N1-C2	-7.58	120.56	125.10
26	BB	1004	U	C4-C5-C6	7.58	124.25	119.70
26	BB	1182	G	C8-N9-C4	-7.58	103.37	106.40
26	BB	2366	A	C6-N1-C2	-7.58	114.05	118.60
1	AA	709	U	N3-C2-O2	-7.57	116.90	122.20
26	BB	628	G	C8-N9-C4	-7.57	103.37	106.40
26	BB	657	U	N3-C4-O4	7.57	124.70	119.40
26	BB	1299	G	O4'-C1'-N9	7.57	114.26	108.20
26	BB	2106	U	C5'-C4'-O4'	7.57	118.19	109.10
26	BB	2827	C	C2-N3-C4	7.57	123.69	119.90
1	AA	203	G	C6-N1-C2	-7.57	120.56	125.10
1	AA	835	U	C4'-C3'-C2'	-7.57	95.03	102.60
26	BB	666	A	N9-C4-C5	-7.57	102.77	105.80
26	BB	1000	A	N9-C4-C5	7.57	108.83	105.80
26	BB	2627	G	O4'-C1'-N9	7.57	114.26	108.20
1	AA	1479	C	N3-C4-N4	7.57	123.30	118.00
26	BB	656	G	C5-C6-O6	-7.57	124.06	128.60
26	BB	1250	G	O3'-P-O5'	-7.57	89.62	104.00
26	BB	1803	A	N9-C4-C5	7.57	108.83	105.80
26	BB	2319	G	O4'-C4'-C3'	7.57	112.16	106.10
26	BB	2904	U	C3'-C2'-C1'	7.57	107.56	101.50
1	AA	649	A	C6-C5-N7	7.57	137.60	132.30
1	AA	769	G	N9-C4-C5	-7.57	102.37	105.40
1	AA	776	G	N3-C2-N2	7.57	125.20	119.90
17	AQ	40	ARG	NE-CZ-NH1	7.57	124.08	120.30
26	BB	1270	C	C5-C4-N4	7.57	125.50	120.20
26	BB	2736	A	N3-C4-N9	7.57	133.46	127.40
1	AA	1429	A	O5'-P-OP1	-7.57	98.89	105.70
2	AB	71	C	N1-C2-N3	-7.57	113.90	119.20
26	BB	29	U	C5-C6-N1	-7.57	118.92	122.70
26	BB	1311	G	C2-N3-C4	7.57	115.68	111.90
26	BB	1513	U	C3'-C2'-C1'	7.57	107.56	101.50
26	BB	1516	G	C8-N9-C4	-7.57	103.37	106.40
26	BB	1588	G	C6-C5-N7	-7.57	125.86	130.40
26	BB	1672	A	C8-N9-C4	-7.57	102.77	105.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1684	G	C4-C5-C6	7.57	123.34	118.80
26	BB	1902	C	C6-N1-C2	-7.57	117.27	120.30
26	BB	2109	U	N1-C1'-C2'	7.57	123.84	114.00
26	BB	2476	A	C5-C6-N1	-7.57	113.92	117.70
26	BB	2665	A	C2-N3-C4	7.57	114.38	110.60
1	AA	978	A	O4'-C1'-C2'	7.57	114.41	107.60
25	BA	46	A	O4'-C1'-N9	7.57	114.25	108.20
26	BB	1521	G	C5-N7-C8	-7.57	100.52	104.30
26	BB	2315	G	C6-C5-N7	-7.57	125.86	130.40
1	AA	409	U	O4'-C1'-N1	7.56	114.25	108.20
26	BB	1332	G	N9-C4-C5	7.56	108.43	105.40
26	BB	2200	C	N3-C4-N4	-7.56	112.70	118.00
1	AA	309	A	C5-C6-N6	-7.56	117.65	123.70
1	AA	600	A	C5-N7-C8	-7.56	100.12	103.90
1	AA	612	C	N3-C4-C5	-7.56	118.88	121.90
1	AA	696	A	C1'-O4'-C4'	-7.56	103.85	109.90
1	AA	763	G	C2-N3-C4	7.56	115.68	111.90
1	AA	898	G	C5-C6-N1	7.56	115.28	111.50
1	AA	1073	U	C5'-C4'-O4'	7.56	118.17	109.10
1	AA	1361	G	N3-C4-C5	-7.56	124.82	128.60
1	AA	1425	U	N1-C1'-C2'	-7.56	103.68	112.00
1	AA	1517	G	C5-C6-N1	7.56	115.28	111.50
26	BB	562	U	C4-C5-C6	7.56	124.24	119.70
26	BB	804	A	C5'-C4'-C3'	7.56	128.10	116.00
26	BB	1633	G	C5-C6-N1	7.56	115.28	111.50
26	BB	2712	C	C5-C4-N4	-7.56	114.91	120.20
32	BH	11	PRO	N-CA-CB	7.56	112.38	103.30
1	AA	1024	G	C8-N9-C4	-7.56	103.38	106.40
25	BA	111	U	N1-C2-N3	-7.56	110.36	114.90
26	BB	1651	G	N1-C6-O6	7.56	124.44	119.90
26	BB	1831	G	N1-C6-O6	-7.56	115.36	119.90
26	BB	2290	G	C6-C5-N7	7.56	134.94	130.40
1	AA	448	A	C6-C5-N7	7.56	137.59	132.30
1	AA	1164	G	C4-C5-N7	-7.56	107.78	110.80
2	AB	42	G	C8-N9-C4	-7.56	103.38	106.40
26	BB	1025	G	C6-N1-C2	-7.56	120.56	125.10
26	BB	2027	G	O4'-C1'-C2'	7.56	114.40	107.60
26	BB	2385	C	C6-N1-C2	7.56	123.32	120.30
26	BB	2755	C	N3-C2-O2	-7.56	116.61	121.90
1	AA	563	A	C5-C6-N6	-7.56	117.65	123.70
26	BB	477	A	C4'-C3'-C2'	-7.56	95.04	102.60
26	BB	519	U	O4'-C1'-N1	7.56	114.25	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	883	G	O4'-C1'-N9	7.56	114.25	108.20
26	BB	2444	G	C8-N9-C4	-7.56	103.38	106.40
1	AA	1311	A	N1-C2-N3	-7.56	125.52	129.30
1	AA	1030	U	C2-N3-C4	-7.55	122.47	127.00
1	AA	1530	G	C5-C6-N1	-7.55	107.72	111.50
26	BB	113	U	C4'-C3'-C2'	7.55	110.15	102.60
26	BB	764	A	C3'-C2'-C1'	7.55	107.54	101.50
26	BB	2759	G	C4-C5-N7	-7.55	107.78	110.80
1	AA	195	A	C6-C5-N7	7.55	137.59	132.30
1	AA	780	A	N1-C2-N3	-7.55	125.52	129.30
1	AA	1108	G	C2-N3-C4	7.55	115.68	111.90
1	AA	1444	U	C3'-C2'-C1'	7.55	107.54	101.50
26	BB	167	A	N1-C6-N6	7.55	123.13	118.60
26	BB	190	A	C5-N7-C8	-7.55	100.12	103.90
1	AA	443	C	N3-C4-C5	-7.55	118.88	121.90
1	AA	1169	A	N3-C4-C5	-7.55	121.52	126.80
26	BB	508	A	N9-C4-C5	7.55	108.82	105.80
26	BB	1268	A	O4'-C1'-N9	7.55	114.24	108.20
26	BB	2012	G	N3-C4-N9	-7.55	121.47	126.00
26	BB	2093	G	C2-N3-C4	7.55	115.67	111.90
26	BB	2189	U	O4'-C1'-N1	7.55	114.24	108.20
26	BB	2865	U	O4'-C4'-C3'	7.55	112.14	106.10
1	AA	934	C	N3-C2-O2	-7.55	116.62	121.90
25	BA	75	G	C5'-C4'-O4'	7.55	118.16	109.10
26	BB	2579	C	O4'-C4'-C3'	7.55	112.14	106.10
1	AA	41	G	C6-N1-C2	-7.55	120.57	125.10
1	AA	219	U	C2-N3-C4	-7.55	122.47	127.00
1	AA	238	A	N9-C4-C5	-7.55	102.78	105.80
1	AA	746	A	C4'-C3'-C2'	-7.55	95.05	102.60
1	AA	1078	U	O4'-C1'-C2'	7.55	114.39	107.60
26	BB	691	C	C5'-C4'-C3'	-7.55	103.93	116.00
26	BB	737	C	N1-C1'-C2'	-7.55	103.70	112.00
26	BB	927	A	C4-C5-N7	-7.55	106.93	110.70
26	BB	1590	A	O4'-C4'-C3'	7.55	112.14	106.10
26	BB	1891	G	N7-C8-N9	7.55	116.87	113.10
26	BB	2280	G	C4'-C3'-C2'	-7.55	95.05	102.60
1	AA	680	C	C5'-C4'-O4'	7.54	118.15	109.10
26	BB	1177	G	C8-N9-C1'	7.54	136.81	127.00
25	BA	99	A	C4-C5-C6	7.54	120.77	117.00
26	BB	7	G	N3-C2-N2	-7.54	114.62	119.90
26	BB	57	C	N3-C4-C5	7.54	124.92	121.90
26	BB	499	U	C5'-C4'-O4'	7.54	118.15	109.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	603	A	C5-C6-N1	7.54	121.47	117.70
26	BB	650	C	C2-N3-C4	-7.54	116.13	119.90
26	BB	823	C	N3-C4-C5	-7.54	118.88	121.90
26	BB	840	C	C3'-C2'-C1'	7.54	107.53	101.50
26	BB	1157	G	C5-C6-N1	7.54	115.27	111.50
26	BB	1192	G	O4'-C1'-N9	7.54	114.23	108.20
26	BB	1937	A	C4'-C3'-C2'	-7.54	95.06	102.60
26	BB	2446	G	C8-N9-C4	-7.54	103.38	106.40
1	AA	139	A	C4-C5-C6	7.54	120.77	117.00
1	AA	1133	G	N3-C4-C5	7.54	132.37	128.60
26	BB	1237	A	C6-C5-N7	7.54	137.58	132.30
26	BB	2688	G	O4'-C1'-N9	-7.54	102.17	108.20
1	AA	56	U	N3-C4-O4	7.54	124.68	119.40
1	AA	59	A	N7-C8-N9	7.54	117.57	113.80
1	AA	303	A	N1-C2-N3	-7.54	125.53	129.30
1	AA	719	C	N3-C2-O2	-7.54	116.62	121.90
25	BA	56	G	C2-N3-C4	7.54	115.67	111.90
26	BB	104	A	N1-C2-N3	-7.54	125.53	129.30
26	BB	550	C	O4'-C1'-N1	7.54	114.23	108.20
26	BB	1543	G	N3-C4-C5	-7.54	124.83	128.60
42	BR	61	ARG	NE-CZ-NH1	-7.54	116.53	120.30
1	AA	601	G	C6-N1-C2	7.54	129.62	125.10
26	BB	317	G	N3-C2-N2	-7.54	114.62	119.90
26	BB	1250	G	N9-C4-C5	7.54	108.42	105.40
26	BB	1653	G	C8-N9-C4	-7.54	103.39	106.40
26	BB	1822	C	O4'-C1'-N1	7.54	114.23	108.20
26	BB	1855	U	C5-C6-N1	-7.54	118.93	122.70
26	BB	2076	U	C4-C5-C6	7.54	124.22	119.70
26	BB	1866	A	C8-N9-C4	-7.54	102.78	105.80
26	BB	2828	G	N1-C2-N2	7.54	122.98	116.20
1	AA	1378	C	N3-C4-C5	7.54	124.91	121.90
6	AF	21	TRP	CE2-CD2-CG	7.54	113.33	107.30
25	BA	13	G	C4-C5-C6	7.54	123.32	118.80
26	BB	1074	G	C6-N1-C2	-7.54	120.58	125.10
26	BB	1209	U	P-O3'-C3'	7.54	128.74	119.70
26	BB	1669	A	C1'-O4'-C4'	-7.54	103.87	109.90
26	BB	1759	A	O4'-C1'-N9	7.54	114.23	108.20
26	BB	2090	A	N1-C2-N3	7.54	133.07	129.30
1	AA	827	U	N3-C2-O2	-7.53	116.93	122.20
1	AA	853	C	C6-N1-C2	7.53	123.31	120.30
1	AA	1128	C	C3'-C2'-C1'	-7.53	95.47	101.50
1	AA	1258	G	C5-N7-C8	-7.53	100.53	104.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1344	C	N3-C2-O2	-7.53	116.63	121.90
26	BB	300	A	N1-C6-N6	-7.53	114.08	118.60
26	BB	1151	A	N1-C2-N3	-7.53	125.53	129.30
26	BB	2403	C	C5'-C4'-O4'	7.53	118.14	109.10
26	BB	486	C	C1'-O4'-C4'	7.53	115.93	109.90
26	BB	963	U	C4'-C3'-C2'	-7.53	95.07	102.60
26	BB	965	C	C6-N1-C2	-7.53	117.29	120.30
1	AA	512	U	C5-C6-N1	-7.53	118.93	122.70
1	AA	1110	A	O4'-C1'-N9	7.53	114.22	108.20
1	AA	1233	G	O4'-C1'-N9	7.53	114.22	108.20
26	BB	2877	G	C8-N9-C4	-7.53	103.39	106.40
1	AA	433	G	C3'-C2'-C1'	-7.53	95.48	101.50
25	BA	92	C	C5-C4-N4	-7.53	114.93	120.20
26	BB	2347	C	C3'-C2'-C1'	7.53	107.52	101.50
1	AA	181	A	C5-C6-N1	7.53	121.46	117.70
1	AA	1160	G	C8-N9-C4	-7.53	103.39	106.40
1	AA	1218	C	N3-C2-O2	-7.53	116.63	121.90
1	AA	1255	G	N3-C4-C5	-7.53	124.84	128.60
26	BB	582	A	N9-C1'-C2'	-7.53	103.72	112.00
26	BB	931	U	C2-N3-C4	-7.53	122.48	127.00
26	BB	1876	A	C8-N9-C4	-7.53	102.79	105.80
26	BB	2277	G	C2-N3-C4	7.53	115.66	111.90
26	BB	2385	C	O4'-C1'-N1	7.53	114.22	108.20
26	BB	2670	A	C1'-O4'-C4'	-7.53	103.88	109.90
26	BB	2782	G	N3-C2-N2	7.53	125.17	119.90
1	AA	838	G	N9-C4-C5	7.53	108.41	105.40
3	AC	19	A	C1'-O4'-C4'	-7.53	103.88	109.90
26	BB	478	A	N3-C4-N9	-7.53	121.38	127.40
26	BB	2084	C	N3-C4-C5	-7.53	118.89	121.90
26	BB	2702	G	N3-C2-N2	-7.53	114.63	119.90
26	BB	392	U	C5-C6-N1	-7.52	118.94	122.70
20	AT	33	TYR	CG-CD1-CE1	-7.52	115.28	121.30
26	BB	293	U	N3-C4-C5	7.52	119.11	114.60
26	BB	455	C	N3-C4-C5	-7.52	118.89	121.90
26	BB	874	G	C5-C6-N1	7.52	115.26	111.50
26	BB	1263	U	C3'-C2'-C1'	7.52	107.52	101.50
26	BB	1514	G	N3-C4-C5	-7.52	124.84	128.60
26	BB	1833	C	N1-C1'-C2'	-7.52	103.72	112.00
1	AA	1265	C	C4-C5-C6	7.52	121.16	117.40
26	BB	927	A	N1-C2-N3	-7.52	125.54	129.30
26	BB	1482	G	C8-N9-C4	-7.52	103.39	106.40
26	BB	1623	G	C4-C5-N7	-7.52	107.79	110.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1933	G	C1'-O4'-C4'	7.52	115.92	109.90
26	BB	2039	U	C5-C4-O4	7.52	130.41	125.90
26	BB	2268	A	C2-N3-C4	7.52	114.36	110.60
26	BB	2808	G	C3'-C2'-C1'	7.52	107.52	101.50
1	AA	46	G	N9-C4-C5	7.52	108.41	105.40
1	AA	505	G	C5'-C4'-C3'	-7.52	103.97	116.00
1	AA	869	G	C4-C5-N7	-7.52	107.79	110.80
1	AA	1359	C	C4-C5-C6	7.52	121.16	117.40
2	AB	43	G	N3-C4-C5	-7.52	124.84	128.60
26	BB	130	C	O4'-C1'-N1	7.52	114.22	108.20
26	BB	535	G	N9-C4-C5	7.52	108.41	105.40
26	BB	1090	A	C5-N7-C8	-7.52	100.14	103.90
26	BB	1210	G	N3-C4-C5	-7.52	124.84	128.60
26	BB	1334	G	N7-C8-N9	7.52	116.86	113.10
26	BB	1549	A	C4-C5-C6	-7.52	113.24	117.00
26	BB	1950	G	C5-C6-O6	7.52	133.11	128.60
1	AA	1011	C	P-O3'-C3'	7.52	128.72	119.70
1	AA	1316	G	C4-C5-N7	-7.52	107.79	110.80
4	AD	75	C	C2-N3-C4	7.52	123.66	119.90
25	BA	83	G	C5-C6-O6	-7.52	124.09	128.60
26	BB	59	U	N3-C4-C5	-7.52	110.09	114.60
26	BB	679	C	C1'-O4'-C4'	-7.52	103.89	109.90
26	BB	2610	C	C5-C6-N1	7.52	124.76	121.00
1	AA	234	C	O4'-C1'-N1	7.52	114.21	108.20
1	AA	330	C	O4'-C1'-N1	7.52	114.21	108.20
1	AA	455	G	C1'-O4'-C4'	-7.52	103.89	109.90
26	BB	266	G	C6-C5-N7	-7.52	125.89	130.40
26	BB	1481	U	C3'-C2'-C1'	-7.52	95.49	101.50
1	AA	368	U	C4'-C3'-C2'	-7.51	95.08	102.60
1	AA	702	A	N7-C8-N9	-7.51	110.04	113.80
26	BB	775	G	N1-C6-O6	-7.51	115.39	119.90
26	BB	1033	U	O4'-C1'-N1	7.51	114.21	108.20
26	BB	1779	U	O4'-C1'-N1	7.51	114.21	108.20
26	BB	1870	C	N3-C2-O2	-7.51	116.64	121.90
26	BB	2076	U	O4'-C1'-N1	7.51	114.21	108.20
26	BB	2310	C	C5'-C4'-O4'	7.51	118.12	109.10
26	BB	2527	C	C5'-C4'-O4'	7.51	118.12	109.10
26	BB	2569	G	C8-N9-C4	-7.51	103.39	106.40
26	BB	2618	G	C5-C6-N1	7.51	115.26	111.50
26	BB	134	G	C5-N7-C8	-7.51	100.54	104.30
26	BB	1196	C	N3-C4-C5	7.51	124.91	121.90
26	BB	2574	G	C5'-C4'-O4'	-7.51	100.08	109.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	716	A	N1-C2-N3	-7.51	125.54	129.30
26	BB	307	G	N3-C4-C5	-7.51	124.84	128.60
26	BB	513	A	C5-N7-C8	-7.51	100.14	103.90
26	BB	1463	C	N3-C4-N4	7.51	123.26	118.00
26	BB	1541	C	N3-C4-N4	-7.51	112.74	118.00
26	BB	1550	C	N3-C2-O2	-7.51	116.64	121.90
26	BB	2594	C	N3-C4-N4	7.51	123.26	118.00
1	AA	1108	G	N1-C6-O6	7.51	124.41	119.90
1	AA	1143	G	N1-C2-N2	7.51	122.96	116.20
1	AA	1366	C	N1-C2-O2	7.51	123.41	118.90
1	AA	1393	U	C5'-C4'-O4'	7.51	118.11	109.10
4	AD	76	C	C1'-O4'-C4'	-7.51	103.89	109.90
7	AG	43	ARG	NE-CZ-NH1	7.51	124.06	120.30
25	BA	23	G	N7-C8-N9	-7.51	109.34	113.10
26	BB	161	A	C1'-O4'-C4'	-7.51	103.89	109.90
26	BB	860	U	N1-C2-N3	7.51	119.41	114.90
26	BB	1114	C	C2-N3-C4	7.51	123.66	119.90
26	BB	1147	A	N9-C4-C5	7.51	108.80	105.80
1	AA	406	G	C3'-C2'-C1'	-7.51	95.49	101.50
1	AA	520	A	N1-C2-N3	-7.51	125.55	129.30
1	AA	739	C	N3-C4-C5	-7.51	118.90	121.90
1	AA	263	A	C6-N1-C2	7.51	123.10	118.60
1	AA	520	A	C3'-C2'-C1'	7.51	107.50	101.50
1	AA	745	G	C4-C5-C6	7.51	123.30	118.80
1	AA	1323	G	C5'-C4'-O4'	7.51	118.11	109.10
1	AA	1341	U	C4-C5-C6	7.51	124.20	119.70
26	BB	254	G	C3'-C2'-C1'	7.51	107.51	101.50
26	BB	527	C	C6-N1-C2	7.51	123.30	120.30
26	BB	1812	U	C5-C4-O4	-7.51	121.40	125.90
26	BB	2240	U	N3-C2-O2	-7.51	116.95	122.20
26	BB	2380	C	C2-N1-C1'	-7.51	110.54	118.80
1	AA	532	A	N9-C4-C5	7.50	108.80	105.80
2	AB	67	G	P-O3'-C3'	7.50	128.71	119.70
25	BA	99	A	C8-N9-C4	-7.50	102.80	105.80
26	BB	696	G	C3'-C2'-C1'	7.50	107.50	101.50
1	AA	873	A	C5-C6-N1	-7.50	113.95	117.70
1	AA	989	U	O4'-C1'-N1	7.50	114.20	108.20
1	AA	1143	G	C4-C5-N7	-7.50	107.80	110.80
26	BB	15	G	C5'-C4'-O4'	-7.50	100.10	109.10
26	BB	57	C	C1'-O4'-C4'	7.50	115.90	109.90
26	BB	180	G	C5-C6-O6	-7.50	124.10	128.60
26	BB	1722	A	C4-C5-C6	7.50	120.75	117.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1932	A	N1-C6-N6	-7.50	114.10	118.60
1	AA	686	U	P-O3'-C3'	7.50	128.70	119.70
1	AA	1126	U	N1-C2-O2	7.50	128.05	122.80
26	BB	354	A	N7-C8-N9	7.50	117.55	113.80
26	BB	397	U	C4-C5-C6	7.50	124.20	119.70
26	BB	1233	C	C5-C4-N4	-7.50	114.95	120.20
26	BB	1645	G	C1'-O4'-C4'	7.50	115.90	109.90
26	BB	2686	G	C2-N3-C4	7.50	115.65	111.90
26	BB	2857	G	N3-C2-N2	-7.50	114.65	119.90
1	AA	554	A	C8-N9-C4	-7.50	102.80	105.80
1	AA	1091	U	C2-N3-C4	-7.50	122.50	127.00
4	AD	68	C	O4'-C1'-N1	7.50	114.20	108.20
26	BB	703	U	C3'-C2'-C1'	7.50	107.50	101.50
26	BB	1424	G	C8-N9-C4	-7.50	103.40	106.40
26	BB	2210	U	C5-C6-N1	-7.50	118.95	122.70
26	BB	2579	C	O4'-C1'-N1	7.50	114.20	108.20
27	BC	112	ASP	CB-CG-OD1	-7.50	111.55	118.30
1	AA	1053	G	N3-C4-N9	-7.50	121.50	126.00
1	AA	1368	A	N3-C4-C5	7.50	132.05	126.80
25	BA	93	C	C6-N1-C2	-7.50	117.30	120.30
26	BB	479	A	P-O3'-C3'	7.50	128.70	119.70
26	BB	841	G	C8-N9-C4	-7.50	103.40	106.40
26	BB	924	G	C5-N7-C8	7.50	108.05	104.30
26	BB	1131	G	C4-C5-C6	7.50	123.30	118.80
26	BB	1659	G	C2-N3-C4	7.50	115.65	111.90
26	BB	1843	C	C2-N3-C4	7.50	123.65	119.90
26	BB	1855	U	N3-C2-O2	-7.50	116.95	122.20
26	BB	2896	C	C5-C4-N4	-7.50	114.95	120.20
1	AA	1454	G	C6-N1-C2	7.50	129.60	125.10
7	AG	66	VAL	CA-CB-CG1	7.50	122.14	110.90
26	BB	2044	C	C6-N1-C2	-7.50	117.30	120.30
1	AA	465	A	O4'-C4'-C3'	7.49	112.09	106.10
1	AA	1230	C	N3-C4-N4	7.49	123.25	118.00
26	BB	927	A	C2-N3-C4	7.49	114.35	110.60
26	BB	1673	G	C8-N9-C4	-7.49	103.40	106.40
26	BB	2582	G	C5-C6-O6	-7.49	124.10	128.60
1	AA	267	C	N3-C4-N4	7.49	123.25	118.00
1	AA	860	A	N1-C6-N6	7.49	123.09	118.60
1	AA	921	U	N3-C4-O4	7.49	124.64	119.40
26	BB	1260	A	C5-C6-N1	7.49	121.45	117.70
1	AA	1050	G	C4'-C3'-C2'	-7.49	95.11	102.60
5	AE	178	LEU	CB-CG-CD1	7.49	123.73	111.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1543	G	N9-C4-C5	7.49	108.40	105.40
26	BB	2134	A	N3-C4-N9	7.49	133.39	127.40
26	BB	2348	U	O4'-C1'-N1	7.49	114.19	108.20
26	BB	2878	U	N3-C2-O2	-7.49	116.96	122.20
1	AA	98	A	O4'-C4'-C3'	-7.49	96.51	104.00
1	AA	946	A	C1'-O4'-C4'	7.49	115.89	109.90
1	AA	1303	C	N3-C4-C5	-7.49	118.91	121.90
26	BB	664	G	C5-C6-O6	-7.49	124.11	128.60
26	BB	2301	C	N3-C4-N4	7.49	123.24	118.00
26	BB	2745	C	N3-C4-N4	-7.49	112.76	118.00
1	AA	318	G	C8-N9-C4	-7.49	103.41	106.40
1	AA	1251	A	O4'-C1'-N9	7.49	114.19	108.20
4	AD	4	G	C4-C5-C6	7.49	123.29	118.80
26	BB	573	U	C5'-C4'-C3'	-7.49	104.02	116.00
1	AA	750	C	N3-C4-C5	-7.49	118.91	121.90
1	AA	892	A	C6-C5-N7	7.49	137.54	132.30
1	AA	1268	G	C4-C5-N7	-7.49	107.81	110.80
26	BB	232	G	C8-N9-C4	-7.49	103.41	106.40
26	BB	957	C	O4'-C1'-N1	7.49	114.19	108.20
26	BB	1040	A	N7-C8-N9	7.49	117.54	113.80
26	BB	1396	U	P-O3'-C3'	7.49	128.68	119.70
1	AA	1154	G	C4-C5-N7	-7.48	107.81	110.80
25	BA	20	G	N7-C8-N9	7.48	116.84	113.10
25	BA	113	C	N3-C4-N4	7.48	123.24	118.00
26	BB	1641	A	C4'-C3'-C2'	-7.48	95.12	102.60
1	AA	1161	C	C2-N3-C4	-7.48	116.16	119.90
26	BB	131	A	C5-C6-N6	-7.48	117.71	123.70
26	BB	173	A	C8-N9-C4	-7.48	102.81	105.80
26	BB	396	G	C4-C5-C6	7.48	123.29	118.80
26	BB	1131	G	C2-N3-C4	7.48	115.64	111.90
26	BB	1456	G	N9-C4-C5	7.48	108.39	105.40
26	BB	1538	G	C3'-C2'-C1'	-7.48	95.52	101.50
26	BB	1544	A	O4'-C4'-C3'	7.48	112.09	106.10
26	BB	1822	C	N3-C4-C5	-7.48	118.91	121.90
26	BB	1847	A	C5-C6-N1	7.48	121.44	117.70
30	BF	49	ARG	NE-CZ-NH1	-7.48	116.56	120.30
1	AA	308	C	N1-C2-O2	7.48	123.39	118.90
1	AA	1043	G	N3-C4-C5	-7.48	124.86	128.60
1	AA	1302	C	C5-C4-N4	-7.48	114.96	120.20
1	AA	1309	G	C4-C5-N7	-7.48	107.81	110.80
25	BA	45	A	C5-C6-N1	7.48	121.44	117.70
26	BB	422	A	C2-N3-C4	7.48	114.34	110.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	732	C	N3-C4-N4	7.48	123.24	118.00
26	BB	2398	U	N1-C2-N3	7.48	119.39	114.90
26	BB	2780	G	N1-C2-N3	-7.48	119.41	123.90
48	BX	82	TYR	CB-CG-CD2	-7.48	116.51	121.00
1	AA	752	G	O4'-C1'-C2'	-7.48	98.32	105.80
1	AA	1244	G	C5-C6-N1	7.48	115.24	111.50
4	AD	35	C	N3-C4-N4	7.48	123.24	118.00
26	BB	82	U	N1-C1'-C2'	-7.48	103.77	112.00
26	BB	2670	A	C8-N9-C4	-7.48	102.81	105.80
1	AA	38	G	N9-C4-C5	7.48	108.39	105.40
1	AA	302	G	C2-N3-C4	7.48	115.64	111.90
1	AA	561	U	N3-C4-O4	-7.48	114.17	119.40
1	AA	676	A	N1-C2-N3	-7.48	125.56	129.30
1	AA	764	C	N3-C4-C5	-7.48	118.91	121.90
1	AA	913	A	N1-C6-N6	-7.48	114.11	118.60
1	AA	992	U	N1-C2-O2	7.48	128.03	122.80
1	AA	1500	A	N1-C2-N3	-7.48	125.56	129.30
1	AA	1508	A	C5-C6-N1	7.48	121.44	117.70
1	AA	1530	G	N9-C4-C5	7.48	108.39	105.40
26	BB	125	A	N9-C4-C5	7.48	108.79	105.80
26	BB	522	A	C5-C6-N1	7.48	121.44	117.70
49	BY	38	ARG	NE-CZ-NH1	7.48	124.04	120.30
1	AA	227	G	N7-C8-N9	7.48	116.84	113.10
26	BB	563	A	N9-C4-C5	7.48	108.79	105.80
1	AA	200	G	O4'-C1'-N9	7.47	114.18	108.20
1	AA	1028	C	N1-C2-O2	7.47	123.39	118.90
1	AA	1258	G	C5-C6-N1	7.47	115.24	111.50
1	AA	1288	A	N7-C8-N9	7.47	117.54	113.80
1	AA	1523	G	C8-N9-C4	-7.47	103.41	106.40
26	BB	656	G	C2-N3-C4	7.47	115.64	111.90
26	BB	1305	C	C5-C4-N4	-7.47	114.97	120.20
26	BB	1430	G	C4-C5-N7	-7.47	107.81	110.80
26	BB	1492	G	C8-N9-C4	-7.47	103.41	106.40
26	BB	2004	G	C2-N3-C4	7.47	115.64	111.90
1	AA	114	U	C1'-O4'-C4'	7.47	115.88	109.90
1	AA	1386	G	N3-C4-C5	-7.47	124.86	128.60
26	BB	384	A	N1-C2-N3	-7.47	125.56	129.30
26	BB	1731	G	C4-C5-N7	-7.47	107.81	110.80
35	BK	133	ARG	NE-CZ-NH1	7.47	124.04	120.30
1	AA	168	G	C8-N9-C4	-7.47	103.41	106.40
1	AA	861	G	C1'-O4'-C4'	7.47	115.88	109.90
1	AA	150	U	N3-C2-O2	-7.47	116.97	122.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	247	G	N7-C8-N9	7.47	116.83	113.10
1	AA	711	G	C8-N9-C4	-7.47	103.41	106.40
1	AA	860	A	C4-C5-N7	-7.47	106.97	110.70
1	AA	926	G	C6-C5-N7	-7.47	125.92	130.40
1	AA	1174	G	N7-C8-N9	-7.47	109.36	113.10
1	AA	1398	A	C5'-C4'-O4'	7.47	118.06	109.10
2	AB	57	G	C5'-C4'-O4'	7.47	118.06	109.10
25	BA	13	G	C8-N9-C4	-7.47	103.41	106.40
25	BA	75	G	C6-C5-N7	-7.47	125.92	130.40
25	BA	111	U	O4'-C1'-N1	7.47	114.17	108.20
26	BB	284	U	O4'-C1'-N1	7.47	114.18	108.20
26	BB	431	U	C4-C5-C6	7.47	124.18	119.70
26	BB	1846	G	C8-N9-C4	-7.47	103.41	106.40
26	BB	1603	A	C8-N9-C4	7.47	108.79	105.80
26	BB	2118	U	O4'-C4'-C3'	7.47	112.08	106.10
26	BB	304	U	C5-C4-O4	-7.47	121.42	125.90
26	BB	1446	C	O4'-C1'-C2'	-7.47	98.33	105.80
26	BB	1643	G	C5-C6-N1	7.47	115.23	111.50
26	BB	2047	C	C6-N1-C2	7.47	123.29	120.30
26	BB	2401	U	O4'-C1'-N1	7.47	114.17	108.20
1	AA	998	C	N3-C4-C5	7.46	124.89	121.90
1	AA	1434	A	C5'-C4'-O4'	7.46	118.06	109.10
1	AA	1457	G	C5-C6-O6	7.46	133.08	128.60
2	AB	51	G	C4'-C3'-C2'	-7.46	95.14	102.60
3	AC	14	G	C6-C5-N7	-7.46	125.92	130.40
25	BA	24	G	O4'-C4'-C3'	7.46	112.07	106.10
26	BB	1177	G	N7-C8-N9	7.46	116.83	113.10
26	BB	2767	C	N3-C4-C5	-7.46	118.91	121.90
26	BB	186	G	C8-N9-C4	-7.46	103.42	106.40
26	BB	203	A	C3'-C2'-C1'	7.46	107.47	101.50
26	BB	2612	C	C5'-C4'-O4'	7.46	118.06	109.10
1	AA	148	G	N3-C2-N2	-7.46	114.68	119.90
1	AA	206	C	C2'-C3'-O3'	7.46	125.91	109.50
1	AA	806	C	N1-C2-O2	7.46	123.38	118.90
1	AA	853	C	O4'-C4'-C3'	7.46	112.07	106.10
1	AA	1292	G	C8-N9-C4	-7.46	103.42	106.40
1	AA	1349	A	O4'-C1'-N9	7.46	114.17	108.20
2	AB	12	U	C5-C6-N1	-7.46	118.97	122.70
26	BB	450	G	C8-N9-C4	-7.46	103.42	106.40
26	BB	478	A	C6-C5-N7	7.46	137.52	132.30
26	BB	1408	G	N1-C6-O6	7.46	124.38	119.90
26	BB	2249	U	O4'-C4'-C3'	7.46	112.07	106.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2300	C	N3-C4-C5	-7.46	118.92	121.90
1	AA	497	G	N7-C8-N9	7.46	116.83	113.10
1	AA	1253	G	C2'-C3'-O3'	7.46	125.91	109.50
26	BB	99	U	N3-C2-O2	-7.46	116.98	122.20
26	BB	107	G	N9-C4-C5	7.46	108.38	105.40
26	BB	1296	G	C2-N3-C4	7.46	115.63	111.90
26	BB	1742	U	C3'-C2'-C1'	7.46	107.47	101.50
26	BB	2629	U	N1-C2-N3	7.46	119.38	114.90
1	AA	1032	G	C5'-C4'-O4'	7.46	118.05	109.10
26	BB	1861	G	N3-C4-C5	-7.46	124.87	128.60
1	AA	1229	A	N9-C4-C5	-7.46	102.82	105.80
3	AC	56	G	C3'-C2'-C1'	-7.46	95.53	101.50
25	BA	44	G	C8-N9-C4	7.46	109.38	106.40
26	BB	1467	U	C5-C4-O4	-7.46	121.43	125.90
26	BB	1963	U	O3'-P-O5'	-7.46	89.83	104.00
26	BB	2061	G	C5-C6-N1	7.46	115.23	111.50
26	BB	2517	C	O4'-C1'-N1	7.46	114.17	108.20
1	AA	435	A	C5'-C4'-O4'	7.46	118.05	109.10
1	AA	1223	C	P-O3'-C3'	7.46	128.65	119.70
26	BB	71	A	O4'-C1'-N9	7.46	114.16	108.20
26	BB	664	G	N1-C6-O6	7.46	124.37	119.90
26	BB	841	G	C5-C6-O6	-7.46	124.13	128.60
26	BB	1632	A	C5-N7-C8	7.46	107.63	103.90
26	BB	2006	C	N3-C4-N4	-7.46	112.78	118.00
26	BB	2348	U	C1'-O4'-C4'	-7.46	103.94	109.90
1	AA	302	G	C5-C6-O6	-7.45	124.13	128.60
1	AA	929	G	C4'-C3'-C2'	-7.45	95.15	102.60
1	AA	1524	C	N3-C2-O2	7.45	127.12	121.90
26	BB	552	U	O4'-C1'-N1	7.45	114.16	108.20
26	BB	912	C	C1'-O4'-C4'	-7.45	103.94	109.90
26	BB	1562	U	N3-C4-O4	-7.45	114.18	119.40
26	BB	1593	A	N1-C2-N3	7.45	133.03	129.30
26	BB	1807	G	N7-C8-N9	7.45	116.83	113.10
26	BB	2388	A	C1'-O4'-C4'	-7.45	103.94	109.90
1	AA	470	C	O4'-C1'-N1	7.45	114.16	108.20
1	AA	1130	A	C6-C5-N7	7.45	137.52	132.30
1	AA	1503	A	O4'-C1'-C2'	-7.45	98.35	105.80
6	AF	129	PHE	CB-CG-CD2	-7.45	115.58	120.80
26	BB	1301	A	N7-C8-N9	-7.45	110.07	113.80
26	BB	1733	G	O5'-P-OP2	-7.45	98.99	105.70
26	BB	1960	A	N3-C4-N9	-7.45	121.44	127.40
26	BB	2715	C	C5'-C4'-C3'	-7.45	104.08	116.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	978	A	C5-C6-N1	7.45	121.42	117.70
1	AA	1083	U	C1'-O4'-C4'	-7.45	103.94	109.90
1	AA	1283	U	C2-N3-C4	-7.45	122.53	127.00
26	BB	449	A	C4-C5-N7	-7.45	106.97	110.70
26	BB	835	C	C4-C5-C6	7.45	121.12	117.40
26	BB	1079	C	O4'-C1'-N1	7.45	114.16	108.20
26	BB	2839	G	N9-C4-C5	-7.45	102.42	105.40
1	AA	596	A	N3-C4-N9	7.45	133.36	127.40
1	AA	792	A	N1-C2-N3	-7.45	125.58	129.30
1	AA	1409	C	P-O5'-C5'	7.45	132.82	120.90
1	AA	1475	G	C4'-C3'-C2'	-7.45	95.15	102.60
26	BB	301	G	N3-C4-C5	-7.45	124.88	128.60
26	BB	693	A	N7-C8-N9	7.45	117.53	113.80
26	BB	1377	G	N3-C2-N2	-7.45	114.69	119.90
26	BB	1382	G	N3-C4-C5	-7.45	124.88	128.60
26	BB	2310	C	N1-C2-N3	-7.45	113.99	119.20
4	AD	46	G	O4'-C1'-N9	7.45	114.16	108.20
26	BB	1033	U	N1-C2-O2	-7.45	117.59	122.80
26	BB	2601	C	C2-N3-C4	7.45	123.62	119.90
1	AA	88	U	O4'-C1'-N1	7.45	114.16	108.20
25	BA	31	C	N3-C2-O2	-7.45	116.69	121.90
26	BB	489	G	C5-N7-C8	7.45	108.02	104.30
26	BB	704	G	P-O3'-C3'	7.45	128.63	119.70
26	BB	862	G	N1-C6-O6	-7.45	115.43	119.90
26	BB	1291	C	C6-N1-C2	-7.45	117.32	120.30
26	BB	2673	G	N7-C8-N9	7.45	116.82	113.10
37	BM	17	ARG	NE-CZ-NH1	7.45	124.02	120.30
1	AA	532	A	N1-C2-N3	-7.44	125.58	129.30
26	BB	997	G	N7-C8-N9	7.44	116.82	113.10
1	AA	601	G	N1-C6-O6	7.44	124.36	119.90
1	AA	974	A	N7-C8-N9	7.44	117.52	113.80
26	BB	1913	A	N7-C8-N9	7.44	117.52	113.80
26	BB	2082	A	C5-C6-N1	7.44	121.42	117.70
26	BB	2162	G	C3'-C2'-C1'	7.44	107.45	101.50
26	BB	2576	G	C8-N9-C4	-7.44	103.42	106.40
1	AA	104	G	N3-C2-N2	-7.44	114.69	119.90
1	AA	142	G	N7-C8-N9	7.44	116.82	113.10
1	AA	978	A	C4-C5-C6	-7.44	113.28	117.00
25	BA	6	G	N1-C2-N2	7.44	122.90	116.20
26	BB	251	A	N7-C8-N9	7.44	117.52	113.80
26	BB	626	A	C5'-C4'-C3'	-7.44	104.09	116.00
26	BB	910	A	O4'-C4'-C3'	7.44	112.05	106.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	931	U	C4-C5-C6	7.44	124.16	119.70
26	BB	1126	A	C4-C5-N7	7.44	114.42	110.70
26	BB	1173	U	C3'-C2'-C1'	7.44	107.45	101.50
26	BB	1771	C	O4'-C1'-N1	7.44	114.15	108.20
26	BB	2040	G	C4-C5-C6	7.44	123.26	118.80
26	BB	2470	G	N1-C2-N3	-7.44	119.44	123.90
26	BB	2666	C	C4-C5-C6	-7.44	113.68	117.40
3	AC	16	A	N1-C6-N6	7.44	123.06	118.60
26	BB	608	A	N7-C8-N9	7.44	117.52	113.80
26	BB	1552	A	O4'-C1'-N9	7.44	114.15	108.20
26	BB	2843	G	C4-C5-N7	-7.44	107.82	110.80
1	AA	410	G	O4'-C1'-N9	7.44	114.15	108.20
1	AA	1256	A	C4'-C3'-C2'	7.44	110.04	102.60
1	AA	1311	A	C2-N3-C4	7.44	114.32	110.60
10	AJ	101	ARG	NE-CZ-NH1	7.44	124.02	120.30
26	BB	178	G	C6-N1-C2	-7.44	120.64	125.10
26	BB	1659	G	C5-C6-N1	7.44	115.22	111.50
26	BB	1874	C	C5-C4-N4	-7.44	114.99	120.20
26	BB	2014	A	C4-C5-N7	-7.44	106.98	110.70
26	BB	2618	G	C5'-C4'-O4'	7.44	118.03	109.10
1	AA	871	U	P-O3'-C3'	7.44	128.62	119.70
26	BB	1259	G	C5'-C4'-O4'	7.44	118.02	109.10
26	BB	1487	U	C5-C4-O4	-7.44	121.44	125.90
3	AC	59	A	C4-C5-N7	-7.43	106.98	110.70
26	BB	619	G	C8-N9-C4	-7.43	103.43	106.40
26	BB	1133	A	C5-N7-C8	7.43	107.62	103.90
26	BB	1479	G	C5-C6-N1	7.43	115.22	111.50
26	BB	2290	G	N7-C8-N9	7.43	116.82	113.10
26	BB	2630	G	N3-C4-C5	-7.43	124.88	128.60
1	AA	147	G	C2-N3-C4	7.43	115.62	111.90
1	AA	1159	U	C5-C6-N1	7.43	126.42	122.70
1	AA	1262	C	N3-C4-N4	7.43	123.20	118.00
1	AA	1475	G	C5-C6-N1	7.43	115.22	111.50
26	BB	230	G	C4'-C3'-C2'	-7.43	95.17	102.60
1	AA	1399	C	C2-N3-C4	-7.43	116.18	119.90
1	AA	1425	U	C5-C6-N1	-7.43	118.98	122.70
26	BB	436	C	C2-N3-C4	7.43	123.62	119.90
26	BB	732	C	N3-C2-O2	-7.43	116.70	121.90
1	AA	289	G	O4'-C1'-N9	7.43	114.14	108.20
1	AA	922	G	C8-N9-C4	-7.43	103.43	106.40
1	AA	1200	C	N1-C2-O2	7.43	123.36	118.90
26	BB	177	G	C4-C5-C6	7.43	123.26	118.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	880	G	N3-C4-N9	-7.43	121.54	126.00
26	BB	2262	U	N1-C2-O2	-7.43	117.60	122.80
1	AA	298	A	N9-C4-C5	-7.43	102.83	105.80
1	AA	310	G	C4'-C3'-C2'	-7.43	95.17	102.60
26	BB	1184	U	C5'-C4'-O4'	7.43	118.01	109.10
26	BB	1410	G	N1-C2-N3	-7.43	119.44	123.90
26	BB	2082	A	N9-C4-C5	7.43	108.77	105.80
26	BB	2262	U	O4'-C1'-N1	7.43	114.14	108.20
26	BB	2351	G	O4'-C1'-C2'	-7.43	98.37	105.80
1	AA	21	G	O4'-C1'-N9	7.43	114.14	108.20
4	AD	72	C	P-O3'-C3'	7.43	128.61	119.70
26	BB	1954	G	O4'-C1'-N9	7.43	114.14	108.20
26	BB	2244	U	N1-C1'-C2'	-7.43	103.83	112.00
26	BB	2532	G	N3-C2-N2	-7.43	114.70	119.90
26	BB	2572	A	C5-C6-N1	7.43	121.41	117.70
1	AA	367	U	C5'-C4'-O4'	7.42	118.01	109.10
1	AA	680	C	O4'-C1'-N1	7.42	114.14	108.20
1	AA	800	G	C8-N9-C4	-7.42	103.43	106.40
24	AX	44	ARG	NE-CZ-NH1	7.42	124.01	120.30
26	BB	380	G	N7-C8-N9	7.42	116.81	113.10
26	BB	2558	C	C4-C5-C6	-7.42	113.69	117.40
29	BE	128	ARG	NH1-CZ-NH2	7.42	127.57	119.40
1	AA	168	G	O4'-C1'-N9	7.42	114.14	108.20
1	AA	402	G	N3-C4-C5	-7.42	124.89	128.60
1	AA	854	U	N1-C2-N3	7.42	119.35	114.90
26	BB	672	C	C3'-C2'-C1'	7.42	107.44	101.50
26	BB	1685	C	C5-C4-N4	-7.42	115.00	120.20
4	AD	32	G	N1-C2-N3	-7.42	119.45	123.90
26	BB	241	A	C4-C5-C6	-7.42	113.29	117.00
26	BB	929	U	C5'-C4'-O4'	7.42	118.00	109.10
26	BB	1641	A	C5-C6-N1	7.42	121.41	117.70
26	BB	2767	C	N1-C2-O2	7.42	123.35	118.90
25	BA	47	C	N3-C4-C5	-7.42	118.93	121.90
26	BB	1864	U	O4'-C1'-C2'	-7.42	98.38	105.80
26	BB	2014	A	C2-N3-C4	7.42	114.31	110.60
26	BB	2632	A	C4-C5-C6	-7.42	113.29	117.00
1	AA	541	G	C2-N3-C4	7.42	115.61	111.90
1	AA	1089	G	O4'-C1'-N9	7.42	114.14	108.20
3	AC	47	C	C5-C6-N1	7.42	124.71	121.00
26	BB	79	C	C4-C5-C6	-7.42	113.69	117.40
26	BB	336	C	C5'-C4'-O4'	7.42	118.00	109.10
26	BB	2114	A	N3-C4-C5	-7.42	121.61	126.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2271	G	N3-C4-N9	7.42	130.45	126.00
26	BB	2709	G	C3'-C2'-C1'	7.42	107.44	101.50
39	BO	10	ARG	NE-CZ-NH2	7.42	124.01	120.30
1	AA	433	G	C5-C6-N1	7.42	115.21	111.50
1	AA	1425	U	C1'-O4'-C4'	-7.42	103.97	109.90
26	BB	2072	C	O4'-C1'-N1	7.42	114.13	108.20
26	BB	2541	A	C3'-C2'-C1'	-7.42	95.57	101.50
1	AA	349	A	C8-N9-C4	-7.42	102.83	105.80
1	AA	580	C	N3-C2-O2	-7.42	116.71	121.90
1	AA	648	A	O4'-C1'-N9	7.42	114.13	108.20
3	AC	55	A	C6-C5-N7	7.42	137.49	132.30
26	BB	863	A	C1'-O4'-C4'	7.42	115.83	109.90
1	AA	72	A	C4-C5-N7	-7.41	106.99	110.70
1	AA	868	C	C6-N1-C2	7.41	123.27	120.30
1	AA	1067	A	C4-C5-C6	-7.41	113.29	117.00
1	AA	1476	A	C4-C5-C6	-7.41	113.29	117.00
26	BB	184	C	O4'-C1'-N1	7.41	114.13	108.20
26	BB	528	A	C5'-C4'-O4'	7.41	118.00	109.10
26	BB	1256	G	C4-C5-N7	-7.41	107.83	110.80
26	BB	2179	C	N3-C2-O2	-7.41	116.71	121.90
26	BB	2661	G	N3-C2-N2	-7.41	114.71	119.90
1	AA	694	A	N1-C6-N6	-7.41	114.15	118.60
1	AA	702	A	C8-N9-C4	7.41	108.77	105.80
1	AA	1174	G	C4-C5-N7	-7.41	107.83	110.80
26	BB	1627	G	O4'-C1'-N9	7.41	114.13	108.20
40	BP	86	ARG	NE-CZ-NH2	-7.41	116.59	120.30
1	AA	45	G	N3-C4-N9	7.41	130.45	126.00
1	AA	104	G	C5-C6-O6	-7.41	124.15	128.60
1	AA	519	C	C1'-O4'-C4'	-7.41	103.97	109.90
1	AA	1419	G	O4'-C4'-C3'	7.41	112.03	106.10
1	AA	1534	A	O4'-C1'-N9	7.41	114.13	108.20
26	BB	635	C	O4'-C1'-N1	7.41	114.13	108.20
26	BB	1399	C	C4-C5-C6	-7.41	113.69	117.40
26	BB	1700	A	N1-C6-N6	7.41	123.05	118.60
26	BB	2028	U	O5'-P-OP2	-7.41	99.03	105.70
1	AA	1499	A	C6-C5-N7	7.41	137.49	132.30
4	AD	22	A	C4-C5-N7	-7.41	107.00	110.70
26	BB	374	A	C8-N9-C4	7.41	108.76	105.80
26	BB	862	G	C6-N1-C2	-7.41	120.66	125.10
26	BB	1410	G	N3-C4-C5	-7.41	124.90	128.60
26	BB	1632	A	C3'-C2'-C1'	7.41	107.43	101.50
26	BB	2463	C	N3-C4-N4	7.41	123.19	118.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2485	G	P-O3'-C3'	7.41	128.59	119.70
26	BB	2593	U	N3-C4-O4	7.41	124.59	119.40
1	AA	262	A	C5-C6-N6	-7.41	117.77	123.70
1	AA	499	A	N1-C6-N6	7.41	123.04	118.60
1	AA	571	U	N3-C4-O4	7.41	124.58	119.40
26	BB	2462	C	C6-N1-C1'	7.41	129.69	120.80
26	BB	2795	C	C6-N1-C2	-7.41	117.34	120.30
1	AA	64	G	N1-C2-N2	7.41	122.86	116.20
1	AA	332	G	N7-C8-N9	-7.41	109.40	113.10
1	AA	625	U	C6-N1-C2	-7.41	116.56	121.00
1	AA	1050	G	N1-C6-O6	7.41	124.34	119.90
1	AA	1364	U	C4-C5-C6	7.41	124.14	119.70
26	BB	26	G	N7-C8-N9	7.41	116.80	113.10
26	BB	356	G	C4-C5-C6	-7.41	114.36	118.80
26	BB	2156	G	C8-N9-C4	-7.41	103.44	106.40
1	AA	421	U	C1'-O4'-C4'	7.40	115.82	109.90
4	AD	20	G	C5'-C4'-O4'	7.40	117.98	109.10
26	BB	174	U	N3-C2-O2	-7.40	117.02	122.20
26	BB	2230	G	C8-N9-C4	-7.40	103.44	106.40
26	BB	2816	G	N3-C4-C5	-7.40	124.90	128.60
1	AA	87	C	C6-N1-C2	-7.40	117.34	120.30
1	AA	177	G	C3'-C2'-C1'	7.40	107.42	101.50
1	AA	429	U	N1-C2-O2	7.40	127.98	122.80
1	AA	611	C	C2-N3-C4	7.40	123.60	119.90
1	AA	1205	U	C5-C4-O4	-7.40	121.46	125.90
26	BB	75	G	C5-C6-N1	7.40	115.20	111.50
26	BB	664	G	N7-C8-N9	-7.40	109.40	113.10
26	BB	1108	U	C5-C6-N1	-7.40	119.00	122.70
26	BB	1440	U	N3-C4-C5	7.40	119.04	114.60
26	BB	2160	C	P-O3'-C3'	7.40	128.58	119.70
26	BB	2423	U	C3'-C2'-C1'	-7.40	95.58	101.50
37	BM	105	ARG	NH1-CZ-NH2	-7.40	111.26	119.40
1	AA	192	A	N1-C6-N6	7.40	123.04	118.60
1	AA	285	C	C3'-C2'-C1'	-7.40	95.58	101.50
1	AA	903	G	N9-C1'-C2'	-7.40	103.86	112.00
3	AC	25	U	C3'-C2'-C1'	7.40	107.42	101.50
25	BA	81	G	C4-C5-N7	-7.40	107.84	110.80
26	BB	401	A	C1'-O4'-C4'	-7.40	103.98	109.90
26	BB	525	U	O4'-C1'-N1	7.40	114.12	108.20
26	BB	537	G	C5-N7-C8	-7.40	100.60	104.30
26	BB	1320	C	O4'-C4'-C3'	7.40	112.02	106.10
26	BB	1720	U	C5'-C4'-O4'	7.40	117.98	109.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2315	G	N9-C4-C5	7.40	108.36	105.40
4	AD	48	U	O4'-C1'-N1	7.40	114.12	108.20
26	BB	2842	G	O4'-C1'-N9	7.40	114.12	108.20
1	AA	291	U	C4'-C3'-C2'	-7.40	95.20	102.60
1	AA	591	U	N3-C4-O4	7.40	124.58	119.40
1	AA	643	C	O4'-C1'-N1	7.40	114.12	108.20
1	AA	1136	C	C5'-C4'-O4'	7.40	117.98	109.10
1	AA	1166	G	N3-C2-N2	-7.40	114.72	119.90
26	BB	1495	A	O4'-C1'-N9	7.40	114.12	108.20
26	BB	2627	G	C5-N7-C8	7.40	108.00	104.30
1	AA	1123	U	N1-C2-O2	-7.40	117.62	122.80
4	AD	51	U	C5-C4-O4	7.40	130.34	125.90
26	BB	588	U	N3-C2-O2	-7.40	117.02	122.20
26	BB	823	C	O4'-C1'-N1	7.40	114.12	108.20
26	BB	1582	C	N1-C1'-C2'	-7.40	103.86	112.00
1	AA	975	A	N1-C2-N3	-7.39	125.60	129.30
1	AA	1414	U	C5-C6-N1	7.39	126.40	122.70
26	BB	1191	G	C6-N1-C2	-7.39	120.66	125.10
26	BB	1237	A	O4'-C1'-N9	7.39	114.12	108.20
26	BB	1331	G	N3-C2-N2	7.39	125.08	119.90
26	BB	1582	C	P-O3'-C3'	7.39	128.57	119.70
26	BB	1729	U	O4'-C1'-N1	7.39	114.12	108.20
26	BB	2469	A	C5'-C4'-O4'	7.39	117.97	109.10
26	BB	2516	A	C6-N1-C2	7.39	123.04	118.60
1	AA	220	G	O4'-C1'-N9	7.39	114.11	108.20
1	AA	265	G	C5-C6-N1	7.39	115.20	111.50
1	AA	442	G	C6-N1-C2	-7.39	120.66	125.10
1	AA	878	A	C4-C5-N7	7.39	114.40	110.70
1	AA	1362	A	N9-C4-C5	-7.39	102.84	105.80
2	AB	67	G	C8-N9-C4	-7.39	103.44	106.40
26	BB	1817	G	C6-C5-N7	-7.39	125.96	130.40
26	BB	1945	G	N1-C6-O6	-7.39	115.46	119.90
1	AA	860	A	N9-C1'-C2'	-7.39	103.87	112.00
1	AA	930	C	N1-C2-N3	-7.39	114.03	119.20
26	BB	1513	U	C4-C5-C6	7.39	124.13	119.70
26	BB	1907	G	N3-C4-C5	-7.39	124.90	128.60
26	BB	2462	C	C4-C5-C6	-7.39	113.70	117.40
1	AA	51	A	C6-N1-C2	7.39	123.03	118.60
1	AA	457	G	N1-C2-N3	-7.39	119.47	123.90
1	AA	635	A	C5'-C4'-C3'	7.39	127.82	116.00
1	AA	665	A	N7-C8-N9	7.39	117.50	113.80
26	BB	874	G	N7-C8-N9	7.39	116.80	113.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	925	A	N9-C4-C5	7.39	108.76	105.80
26	BB	1506	U	O4'-C1'-N1	7.39	114.11	108.20
26	BB	970	U	N1-C1'-C2'	-7.39	103.87	112.00
26	BB	1243	C	O4'-C1'-N1	7.39	114.11	108.20
26	BB	2809	A	C4-C5-N7	-7.39	107.01	110.70
1	AA	526	C	N3-C4-C5	7.39	124.85	121.90
26	BB	191	A	N9-C4-C5	7.39	108.75	105.80
26	BB	356	G	O4'-C1'-N9	7.39	114.11	108.20
26	BB	378	C	C6-N1-C2	-7.39	117.34	120.30
26	BB	728	G	N9-C4-C5	-7.39	102.45	105.40
26	BB	1686	C	C2-N3-C4	7.39	123.59	119.90
26	BB	1882	U	O4'-C1'-N1	7.39	114.11	108.20
26	BB	2809	A	C6-N1-C2	-7.39	114.17	118.60
1	AA	340	U	C2-N3-C4	-7.38	122.57	127.00
4	AD	9	G	C1'-O4'-C4'	7.38	115.81	109.90
4	AD	48	U	C5-C6-N1	-7.38	119.01	122.70
26	BB	607	U	C4-C5-C6	7.38	124.13	119.70
26	BB	831	G	C2-N3-C4	7.38	115.59	111.90
26	BB	1203	U	O4'-C4'-C3'	7.38	112.01	106.10
26	BB	1565	C	N3-C4-C5	-7.38	118.95	121.90
26	BB	2673	G	N9-C4-C5	-7.38	102.45	105.40
2	AB	14	A	C5'-C4'-O4'	7.38	117.96	109.10
26	BB	2087	G	N7-C8-N9	7.38	116.79	113.10
1	AA	824	G	N3-C4-C5	-7.38	124.91	128.60
1	AA	873	A	C3'-C2'-C1'	7.38	107.41	101.50
1	AA	1186	G	N1-C2-N3	-7.38	119.47	123.90
1	AA	1339	A	C8-N9-C4	-7.38	102.85	105.80
2	AB	34	C	C5-C4-N4	-7.38	115.03	120.20
26	BB	49	A	O4'-C1'-N9	7.38	114.11	108.20
26	BB	50	U	C5'-C4'-O4'	7.38	117.96	109.10
26	BB	88	G	O4'-C1'-N9	7.38	114.11	108.20
26	BB	1031	G	C8-N9-C4	-7.38	103.45	106.40
26	BB	1521	G	O4'-C1'-N9	7.38	114.11	108.20
26	BB	1873	G	C5'-C4'-O4'	7.38	117.96	109.10
26	BB	1955	U	N1-C2-O2	-7.38	117.63	122.80
26	BB	2020	A	N9-C4-C5	-7.38	102.85	105.80
26	BB	2634	A	C4-C5-N7	-7.38	107.01	110.70
11	AK	89	ASP	CB-CG-OD1	7.38	124.94	118.30
26	BB	64	A	O4'-C1'-N9	7.38	114.10	108.20
26	BB	1364	G	C5'-C4'-C3'	7.38	127.81	116.00
26	BB	1847	A	O4'-C1'-C2'	-7.38	98.42	105.80
26	BB	2500	U	C5-C6-N1	-7.38	119.01	122.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	562	U	C6-N1-C2	-7.38	116.57	121.00
1	AA	803	G	C2-N3-C4	7.38	115.59	111.90
1	AA	941	G	N3-C4-C5	-7.38	124.91	128.60
2	AB	48	U	C5'-C4'-O4'	7.38	117.95	109.10
26	BB	154	U	N1-C1'-C2'	-7.38	103.88	112.00
26	BB	295	G	C1'-O4'-C4'	-7.38	104.00	109.90
26	BB	375	G	C4-C5-N7	7.38	113.75	110.80
26	BB	842	U	C5-C4-O4	-7.38	121.47	125.90
26	BB	1839	G	C4-C5-N7	-7.38	107.85	110.80
26	BB	1891	G	O4'-C1'-C2'	7.38	114.24	107.60
26	BB	2630	G	N1-C6-O6	-7.38	115.47	119.90
26	BB	2646	C	C5-C6-N1	7.38	124.69	121.00
26	BB	2813	A	C6-C5-N7	7.38	137.46	132.30
1	AA	523	A	N3-C4-C5	-7.38	121.64	126.80
1	AA	832	G	N1-C2-N3	-7.38	119.47	123.90
1	AA	1475	G	C6-N1-C2	-7.38	120.67	125.10
26	BB	200	U	C5-C4-O4	-7.38	121.47	125.90
26	BB	385	C	C5-C4-N4	-7.38	115.04	120.20
26	BB	2652	C	O4'-C1'-N1	7.38	114.10	108.20
26	BB	2774	C	C2-N3-C4	-7.38	116.21	119.90
26	BB	1678	A	C2-N3-C4	7.38	114.29	110.60
1	AA	562	U	N1-C2-O2	-7.37	117.64	122.80
1	AA	1270	G	C5-C6-O6	-7.37	124.18	128.60
1	AA	1374	A	C6-C5-N7	7.37	137.46	132.30
17	AQ	56	PRO	N-CD-CG	7.37	114.26	103.20
26	BB	6	A	C8-N9-C4	-7.37	102.85	105.80
26	BB	70	G	N1-C6-O6	7.37	124.32	119.90
26	BB	532	A	O4'-C1'-N9	7.37	114.10	108.20
26	BB	682	G	C5-C6-O6	-7.37	124.17	128.60
26	BB	1831	G	C6-N1-C2	-7.37	120.68	125.10
26	BB	2114	A	N1-C6-N6	7.37	123.02	118.60
1	AA	679	C	C2-N3-C4	-7.37	116.22	119.90
3	AC	52	U	C1'-O4'-C4'	-7.37	104.00	109.90
26	BB	1000	A	C5-C6-N6	-7.37	117.80	123.70
26	BB	2070	A	O4'-C1'-C2'	-7.37	98.43	105.80
26	BB	2809	A	C8-N9-C4	-7.37	102.85	105.80
1	AA	1	A	C3'-C2'-C1'	7.37	107.40	101.50
1	AA	208	U	C4-C5-C6	7.37	124.12	119.70
1	AA	445	G	N3-C4-C5	-7.37	124.92	128.60
1	AA	1448	C	C5-C6-N1	-7.37	117.31	121.00
26	BB	971	G	N3-C4-C5	-7.37	124.92	128.60
26	BB	1647	U	N1-C2-N3	7.37	119.32	114.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1861	G	C5'-C4'-C3'	-7.37	104.21	116.00
26	BB	2038	G	N3-C4-C5	-7.37	124.92	128.60
1	AA	696	A	O4'-C1'-C2'	7.37	114.23	107.60
26	BB	652	U	N1-C2-N3	7.37	119.32	114.90
26	BB	889	C	C5-C6-N1	7.37	124.68	121.00
26	BB	1344	U	N3-C2-O2	-7.37	117.04	122.20
26	BB	1624	U	C5-C6-N1	-7.37	119.02	122.70
26	BB	1891	G	C6-N1-C2	-7.37	120.68	125.10
26	BB	2034	U	N3-C2-O2	-7.37	117.04	122.20
1	AA	58	C	C4'-C3'-C2'	-7.37	95.23	102.60
1	AA	312	C	N1-C2-O2	7.37	123.32	118.90
26	BB	945	A	C6-N1-C2	7.37	123.02	118.60
26	BB	1627	G	C5-C6-O6	-7.37	124.18	128.60
26	BB	2631	G	C5-C6-N1	7.37	115.18	111.50
1	AA	58	C	C2-N3-C4	7.36	123.58	119.90
1	AA	211	G	C5-C6-O6	-7.36	124.18	128.60
1	AA	334	C	C6-N1-C2	7.36	123.25	120.30
1	AA	950	U	N1-C2-N3	-7.36	110.48	114.90
1	AA	1047	G	C5-C6-N1	7.36	115.18	111.50
1	AA	1256	A	N9-C4-C5	7.36	108.75	105.80
26	BB	289	G	N1-C2-N2	7.36	122.83	116.20
26	BB	455	C	N1-C2-O2	7.36	123.32	118.90
26	BB	638	G	C5'-C4'-C3'	-7.36	104.22	116.00
26	BB	1553	A	C8-N9-C4	-7.36	102.86	105.80
26	BB	2302	U	N3-C2-O2	-7.36	117.05	122.20
1	AA	145	G	C4'-C3'-C2'	-7.36	95.24	102.60
1	AA	430	A	N1-C6-N6	-7.36	114.18	118.60
26	BB	909	A	O4'-C1'-N9	7.36	114.09	108.20
26	BB	1641	A	C6-N1-C2	-7.36	114.18	118.60
26	BB	1737	G	N3-C4-N9	7.36	130.42	126.00
26	BB	2194	U	C5-C6-N1	-7.36	119.02	122.70
26	BB	2271	G	C2-N3-C4	7.36	115.58	111.90
1	AA	148	G	N3-C4-C5	-7.36	124.92	128.60
1	AA	292	G	O4'-C1'-N9	7.36	114.09	108.20
1	AA	707	U	C1'-O4'-C4'	7.36	115.79	109.90
25	BA	116	G	C2-N3-C4	7.36	115.58	111.90
26	BB	243	U	C6-N1-C2	7.36	125.42	121.00
26	BB	561	G	N3-C4-C5	-7.36	124.92	128.60
26	BB	1889	A	O4'-C4'-C3'	-7.36	96.64	104.00
26	BB	2298	A	C5-C6-N1	7.36	121.38	117.70
26	BB	2357	G	N1-C6-O6	-7.36	115.48	119.90
26	BB	2765	A	C4-C5-C6	-7.36	113.32	117.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	846	G	C8-N9-C4	-7.36	103.46	106.40
25	BA	90	C	N3-C4-N4	-7.36	112.85	118.00
26	BB	1973	G	C4-C5-N7	-7.36	107.86	110.80
26	BB	2700	A	N9-C1'-C2'	-7.36	103.91	112.00
26	BB	144	A	O4'-C1'-N9	7.36	114.09	108.20
26	BB	886	A	C5-C6-N1	7.36	121.38	117.70
26	BB	952	G	C4-C5-N7	-7.36	107.86	110.80
26	BB	1617	C	C3'-C2'-C1'	-7.36	95.61	101.50
26	BB	2437	G	C5-N7-C8	-7.36	100.62	104.30
26	BB	2544	G	C1'-O4'-C4'	7.36	115.79	109.90
1	AA	566	G	C3'-C2'-C1'	-7.36	95.62	101.50
26	BB	37	C	O4'-C1'-N1	7.36	114.08	108.20
26	BB	50	U	N1-C2-O2	7.36	127.95	122.80
26	BB	819	A	C3'-C2'-C1'	7.36	107.38	101.50
26	BB	861	A	N3-C4-C5	7.36	131.95	126.80
26	BB	863	A	C4-C5-C6	7.36	120.68	117.00
26	BB	1238	G	C1'-O4'-C4'	7.36	115.78	109.90
26	BB	1927	A	C2'-C3'-O3'	7.36	125.68	109.50
26	BB	2297	A	C5'-C4'-O4'	7.36	117.93	109.10
26	BB	2629	U	N3-C4-O4	7.36	124.55	119.40
1	AA	640	A	C5'-C4'-O4'	7.35	117.92	109.10
26	BB	2051	A	N1-C6-N6	-7.35	114.19	118.60
1	AA	144	G	O4'-C1'-N9	7.35	114.08	108.20
4	AD	70	C	C4'-C3'-C2'	-7.35	95.25	102.60
26	BB	2002	G	N3-C4-C5	-7.35	124.92	128.60
26	BB	2303	G	N3-C4-C5	-7.35	124.92	128.60
26	BB	2323	G	C4'-C3'-C2'	-7.35	95.25	102.60
26	BB	2703	C	C4-C5-C6	7.35	121.08	117.40
26	BB	2797	U	C5'-C4'-O4'	7.35	117.92	109.10
34	BJ	98	PHE	CB-CG-CD2	-7.35	115.65	120.80
26	BB	2403	C	C2-N3-C4	7.35	123.58	119.90
26	BB	2757	A	O4'-C1'-N9	7.35	114.08	108.20
24	AX	44	ARG	NE-CZ-NH2	-7.35	116.62	120.30
26	BB	552	U	N1-C2-O2	-7.35	117.66	122.80
26	BB	1576	U	P-O3'-C3'	7.35	128.52	119.70
1	AA	963	G	C5-N7-C8	-7.35	100.63	104.30
1	AA	1099	G	N3-C4-C5	-7.35	124.93	128.60
4	AD	14	A	N1-C2-N3	-7.35	125.63	129.30
26	BB	1191	G	C4-C5-C6	-7.35	114.39	118.80
26	BB	1242	U	N3-C2-O2	-7.35	117.06	122.20
26	BB	1260	A	C8-N9-C4	-7.35	102.86	105.80
26	BB	1282	U	O4'-C4'-C3'	-7.35	96.65	104.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1865	U	C6-N1-C2	-7.35	116.59	121.00
39	BO	114	ARG	NE-CZ-NH1	-7.35	116.63	120.30
26	BB	1530	G	N1-C2-N3	-7.35	119.49	123.90
26	BB	1985	C	N3-C4-C5	7.35	124.84	121.90
26	BB	2509	G	C4-C5-N7	-7.35	107.86	110.80
26	BB	2699	C	N3-C2-O2	-7.35	116.76	121.90
26	BB	2	G	O4'-C1'-N9	7.34	114.08	108.20
26	BB	457	A	C3'-C2'-C1'	7.34	107.38	101.50
26	BB	621	A	N1-C6-N6	-7.34	114.19	118.60
26	BB	762	U	O4'-C4'-C3'	7.34	111.97	106.10
53	B2	44	PHE	CB-CG-CD2	-7.34	115.66	120.80
1	AA	144	G	C5-N7-C8	-7.34	100.63	104.30
1	AA	427	U	C5-C4-O4	-7.34	121.49	125.90
25	BA	87	U	C2'-C3'-O3'	7.34	125.65	109.50
37	BM	108	ARG	NE-CZ-NH1	7.34	123.97	120.30
1	AA	778	G	C6-N1-C2	-7.34	120.69	125.10
26	BB	761	A	N9-C4-C5	7.34	108.74	105.80
26	BB	1545	A	N1-C2-N3	-7.34	125.63	129.30
26	BB	1564	C	N3-C4-C5	-7.34	118.96	121.90
26	BB	1581	G	N3-C4-C5	-7.34	124.93	128.60
26	BB	2368	C	C2-N3-C4	7.34	123.57	119.90
26	BB	2655	G	C1'-O4'-C4'	-7.34	104.03	109.90
40	BP	45	ARG	NE-CZ-NH1	7.34	123.97	120.30
1	AA	126	G	O4'-C1'-N9	7.34	114.07	108.20
1	AA	911	U	C3'-C2'-C1'	7.34	107.37	101.50
1	AA	1345	U	O4'-C1'-N1	7.34	114.07	108.20
1	AA	1356	G	C5-C6-N1	-7.34	107.83	111.50
26	BB	124	G	N9-C4-C5	7.34	108.34	105.40
26	BB	1225	G	O4'-C4'-C3'	7.34	111.97	106.10
26	BB	2381	A	N1-C6-N6	-7.34	114.20	118.60
26	BB	2400	G	C8-N9-C4	-7.34	103.47	106.40
1	AA	280	C	N1-C1'-C2'	-7.34	103.93	112.00
26	BB	403	U	O4'-C1'-N1	7.34	114.07	108.20
26	BB	679	C	C5-C4-N4	7.34	125.34	120.20
26	BB	2532	G	N9-C4-C5	-7.34	102.47	105.40
1	AA	642	A	C4-C5-C6	-7.34	113.33	117.00
1	AA	815	A	O4'-C1'-N9	7.34	114.07	108.20
26	BB	262	A	C6-C5-N7	7.34	137.44	132.30
26	BB	1459	G	P-O3'-C3'	7.34	128.50	119.70
26	BB	1571	A	C2-N3-C4	7.34	114.27	110.60
26	BB	1640	A	N9-C4-C5	7.34	108.73	105.80
45	BU	38	TYR	CB-CG-CD2	7.34	125.40	121.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	581	G	N1-C2-N3	-7.33	119.50	123.90
1	AA	1046	A	C4-C5-N7	-7.33	107.03	110.70
1	AA	1186	G	C4-C5-N7	-7.33	107.87	110.80
26	BB	186	G	N9-C1'-C2'	-7.33	103.93	112.00
1	AA	411	A	C2-N3-C4	7.33	114.27	110.60
1	AA	1006	G	O4'-C1'-N9	7.33	114.07	108.20
25	BA	33	G	C8-N9-C4	-7.33	103.47	106.40
26	BB	814	C	N3-C2-O2	-7.33	116.77	121.90
26	BB	1735	A	C5-N7-C8	7.33	107.57	103.90
26	BB	1759	A	N1-C6-N6	-7.33	114.20	118.60
26	BB	2469	A	C8-N9-C4	7.33	108.73	105.80
1	AA	235	C	C5'-C4'-O4'	7.33	117.90	109.10
1	AA	749	A	C5-C6-N6	-7.33	117.83	123.70
1	AA	785	G	N9-C1'-C2'	-7.33	103.94	112.00
1	AA	1225	A	O4'-C1'-N9	7.33	114.06	108.20
3	AC	54	U	C5-C4-O4	-7.33	121.50	125.90
25	BA	34	A	N9-C4-C5	7.33	108.73	105.80
26	BB	358	U	N1-C2-O2	-7.33	117.67	122.80
26	BB	1943	U	C1'-O4'-C4'	7.33	115.77	109.90
26	BB	2102	G	C8-N9-C4	-7.33	103.47	106.40
26	BB	2526	G	C8-N9-C4	-7.33	103.47	106.40
47	BW	81	ARG	NE-CZ-NH1	7.33	123.97	120.30
1	AA	224	U	O4'-C1'-C2'	-7.33	98.47	105.80
1	AA	403	C	N1-C1'-C2'	-7.33	103.94	112.00
26	BB	2787	C	N3-C4-C5	7.33	124.83	121.90
1	AA	86	G	N3-C4-N9	7.33	130.40	126.00
1	AA	122	G	C5-N7-C8	-7.33	100.64	104.30
26	BB	139	U	C5-C6-N1	-7.33	119.03	122.70
26	BB	788	A	C5-C6-N1	7.33	121.36	117.70
26	BB	919	U	C4-C5-C6	7.33	124.10	119.70
26	BB	1319	C	O4'-C1'-N1	7.33	114.06	108.20
26	BB	1719	G	N9-C4-C5	-7.33	102.47	105.40
26	BB	2209	G	N1-C2-N3	7.33	128.30	123.90
26	BB	757	G	C6-N1-C2	-7.33	120.70	125.10
26	BB	1098	A	N1-C6-N6	7.33	123.00	118.60
26	BB	1640	A	C8-N9-C4	-7.33	102.87	105.80
1	AA	1296	C	C5'-C4'-O4'	7.33	117.89	109.10
7	AG	153	ARG	NE-CZ-NH1	-7.33	116.64	120.30
15	AO	93	ARG	NE-CZ-NH1	7.33	123.96	120.30
25	BA	4	C	C5-C6-N1	-7.33	117.34	121.00
26	BB	115	C	C5'-C4'-C3'	-7.33	104.28	116.00
26	BB	1071	G	O4'-C1'-N9	7.33	114.06	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1098	A	C6-C5-N7	7.33	137.43	132.30
26	BB	1705	A	O4'-C1'-N9	7.33	114.06	108.20
26	BB	2187	U	C5-C4-O4	-7.33	121.50	125.90
26	BB	2533	U	C5'-C4'-O4'	7.33	117.89	109.10
26	BB	2898	U	N3-C2-O2	-7.33	117.07	122.20
1	AA	40	C	C2-N3-C4	-7.32	116.24	119.90
3	AC	31	U	N3-C2-O2	-7.32	117.07	122.20
26	BB	65	U	C5-C6-N1	7.32	126.36	122.70
26	BB	220	G	N9-C4-C5	7.32	108.33	105.40
26	BB	550	C	C5-C6-N1	7.32	124.66	121.00
26	BB	1502	A	C2-N3-C4	7.32	114.26	110.60
26	BB	1663	G	C2-N3-C4	7.32	115.56	111.90
26	BB	1737	G	N9-C1'-C2'	-7.32	103.94	112.00
26	BB	2218	G	C6-C5-N7	-7.32	126.01	130.40
1	AA	1359	C	O4'-C1'-N1	7.32	114.06	108.20
2	AB	33	U	P-O3'-C3'	7.32	128.49	119.70
26	BB	379	G	N1-C6-O6	-7.32	115.51	119.90
26	BB	626	A	N7-C8-N9	7.32	117.46	113.80
26	BB	1042	G	N3-C4-N9	7.32	130.39	126.00
26	BB	2158	A	C5'-C4'-O4'	-7.32	100.31	109.10
26	BB	2768	U	N3-C4-C5	-7.32	110.21	114.60
1	AA	761	G	C4-C5-C6	7.32	123.19	118.80
1	AA	1453	G	C5-N7-C8	-7.32	100.64	104.30
26	BB	661	A	C4-C5-N7	-7.32	107.04	110.70
26	BB	740	C	C5-C4-N4	-7.32	115.08	120.20
26	BB	2175	C	N3-C2-O2	-7.32	116.78	121.90
40	BP	71	ARG	CD-NE-CZ	7.32	133.85	123.60
1	AA	49	U	C5'-C4'-C3'	-7.32	104.29	116.00
1	AA	547	A	C8-N9-C4	-7.32	102.87	105.80
1	AA	609	A	C1'-O4'-C4'	7.32	115.76	109.90
26	BB	227	A	N3-C4-N9	7.32	133.25	127.40
26	BB	245	G	N3-C4-N9	-7.32	121.61	126.00
26	BB	682	G	N9-C4-C5	7.32	108.33	105.40
26	BB	918	A	C5-C6-N1	7.32	121.36	117.70
26	BB	1273	U	N3-C4-O4	7.32	124.52	119.40
26	BB	2386	A	C5-N7-C8	-7.32	100.24	103.90
26	BB	2582	G	O4'-C4'-C3'	7.32	111.95	106.10
1	AA	136	C	N1-C2-O2	7.32	123.29	118.90
1	AA	951	G	N7-C8-N9	7.32	116.76	113.10
2	AB	70	C	C1'-O4'-C4'	-7.32	104.05	109.90
25	BA	21	G	C6-C5-N7	-7.32	126.01	130.40
26	BB	258	G	C6-C5-N7	-7.32	126.01	130.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	552	U	N1-C2-N3	7.32	119.29	114.90
26	BB	612	G	C4-C5-N7	-7.32	107.87	110.80
26	BB	1061	U	O4'-C1'-C2'	-7.32	98.48	105.80
26	BB	1203	U	N3-C4-O4	7.32	124.52	119.40
26	BB	1623	G	N3-C4-N9	-7.32	121.61	126.00
26	BB	2004	G	N1-C6-O6	-7.32	115.51	119.90
26	BB	2278	A	O4'-C1'-N9	7.32	114.06	108.20
26	BB	2737	G	C3'-C2'-C1'	7.32	107.35	101.50
1	AA	107	G	C4-C5-N7	-7.32	107.87	110.80
1	AA	450	G	C8-N9-C4	-7.32	103.47	106.40
1	AA	815	A	C1'-O4'-C4'	-7.32	104.05	109.90
1	AA	1138	G	C4-C5-N7	-7.32	107.87	110.80
2	AB	59	G	O5'-C5'-C4'	7.32	125.60	111.70
4	AD	23	G	N1-C2-N3	-7.32	119.51	123.90
26	BB	1185	G	C6-N1-C2	-7.32	120.71	125.10
26	BB	2730	C	C4'-C3'-C2'	-7.32	95.28	102.60
26	BB	2800	A	C5-C6-N1	7.32	121.36	117.70
26	BB	2900	A	C6-C5-N7	7.32	137.42	132.30
26	BB	1223	G	N3-C2-N2	-7.31	114.78	119.90
26	BB	1921	G	C8-N9-C4	-7.31	103.47	106.40
26	BB	2675	A	N1-C6-N6	-7.31	114.21	118.60
1	AA	851	G	O4'-C1'-N9	7.31	114.05	108.20
1	AA	895	G	C5'-C4'-O4'	7.31	117.88	109.10
1	AA	1270	G	O4'-C1'-N9	7.31	114.05	108.20
4	AD	53	G	N1-C6-O6	7.31	124.29	119.90
26	BB	61	C	C6-N1-C2	7.31	123.22	120.30
26	BB	192	C	C4-C5-C6	-7.31	113.74	117.40
26	BB	948	C	N1-C2-O2	7.31	123.29	118.90
26	BB	1162	G	C2-N3-C4	7.31	115.56	111.90
26	BB	2087	G	N3-C2-N2	-7.31	114.78	119.90
28	BD	101	ARG	NE-CZ-NH2	-7.31	116.64	120.30
1	AA	135	C	O4'-C1'-C2'	7.31	114.18	107.60
1	AA	597	G	C6-N1-C2	-7.31	120.71	125.10
1	AA	1014	A	N3-C4-C5	-7.31	121.68	126.80
1	AA	1230	C	C5-C4-N4	-7.31	115.08	120.20
26	BB	1538	G	C5-C6-O6	-7.31	124.21	128.60
26	BB	2857	G	O4'-C1'-N9	7.31	114.05	108.20
1	AA	657	U	C5-C6-N1	-7.31	119.05	122.70
1	AA	834	U	C2-N3-C4	-7.31	122.61	127.00
26	BB	351	C	O4'-C1'-N1	7.31	114.05	108.20
26	BB	554	U	N3-C4-C5	-7.31	110.21	114.60
26	BB	1448	G	C5-N7-C8	7.31	107.95	104.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1622	G	N3-C2-N2	-7.31	114.78	119.90
26	BB	2495	G	C4-C5-N7	-7.31	107.88	110.80
26	BB	332	A	O4'-C1'-N9	7.31	114.05	108.20
26	BB	685	A	C8-N9-C4	-7.31	102.88	105.80
26	BB	1009	A	C2-N3-C4	7.31	114.25	110.60
26	BB	2707	U	C3'-C2'-C1'	7.31	107.35	101.50
1	AA	544	G	N3-C4-C5	-7.31	124.95	128.60
1	AA	1284	C	C6-N1-C2	7.31	123.22	120.30
1	AA	566	G	C1'-O4'-C4'	-7.30	104.06	109.90
1	AA	575	G	N9-C4-C5	7.30	108.32	105.40
1	AA	614	C	N1-C2-O2	7.30	123.28	118.90
1	AA	744	C	C2-N3-C4	7.30	123.55	119.90
2	AB	65	C	C5'-C4'-O4'	7.30	117.87	109.10
4	AD	65	G	N7-C8-N9	7.30	116.75	113.10
26	BB	98	G	O4'-C1'-N9	7.30	114.04	108.20
26	BB	996	A	C2-N3-C4	7.30	114.25	110.60
26	BB	1095	A	C5-C6-N1	-7.30	114.05	117.70
26	BB	2108	A	C2-N3-C4	7.30	114.25	110.60
26	BB	2592	G	C4-C5-C6	7.30	123.18	118.80
26	BB	2659	G	N3-C4-N9	7.30	130.38	126.00
1	AA	490	C	C2-N3-C4	-7.30	116.25	119.90
1	AA	999	C	N3-C4-C5	7.30	124.82	121.90
1	AA	1106	G	C3'-C2'-C1'	-7.30	95.66	101.50
26	BB	1284	A	C6-N1-C2	7.30	122.98	118.60
1	AA	275	G	C3'-C2'-C1'	-7.30	95.66	101.50
1	AA	382	A	O4'-C1'-N9	7.30	114.04	108.20
1	AA	856	C	O5'-P-OP2	-7.30	99.13	105.70
3	AC	37	G	O4'-C1'-N9	7.30	114.04	108.20
26	BB	177	G	N3-C4-C5	-7.30	124.95	128.60
34	BJ	50	TYR	CG-CD2-CE2	-7.30	115.46	121.30
1	AA	870	U	C5-C6-N1	-7.30	119.05	122.70
1	AA	954	G	C2-N3-C4	7.30	115.55	111.90
1	AA	969	A	C8-N9-C4	-7.30	102.88	105.80
1	AA	980	C	O5'-P-OP2	-7.30	99.13	105.70
1	AA	988	G	C5'-C4'-O4'	7.30	117.86	109.10
26	BB	81	G	C4'-C3'-C2'	-7.30	95.30	102.60
26	BB	1057	A	N1-C2-N3	-7.30	125.65	129.30
26	BB	1343	G	C6-N1-C2	-7.30	120.72	125.10
26	BB	1481	U	O4'-C1'-N1	7.30	114.04	108.20
26	BB	2368	C	N1-C2-N3	-7.30	114.09	119.20
26	BB	2749	A	N7-C8-N9	-7.30	110.15	113.80
26	BB	2812	G	C8-N9-C4	-7.30	103.48	106.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	610	U	O4'-C1'-N1	7.30	114.04	108.20
1	AA	1114	C	C5-C6-N1	-7.30	117.35	121.00
26	BB	570	G	C2-N3-C4	7.30	115.55	111.90
31	BG	73	VAL	CA-CB-CG2	7.30	121.85	110.90
1	AA	290	C	N3-C2-O2	-7.30	116.79	121.90
1	AA	346	G	C5-N7-C8	-7.30	100.65	104.30
1	AA	809	G	C4-C5-N7	7.30	113.72	110.80
1	AA	1166	G	C2-N3-C4	-7.30	108.25	111.90
1	AA	1399	C	C6-N1-C2	7.30	123.22	120.30
1	AA	1476	A	C8-N9-C4	7.30	108.72	105.80
4	AD	10	G	N3-C2-N2	-7.30	114.79	119.90
4	AD	32	G	C6-N1-C2	7.30	129.48	125.10
25	BA	82	U	N1-C2-N3	7.30	119.28	114.90
26	BB	241	A	N9-C4-C5	7.30	108.72	105.80
26	BB	1069	A	C5-C6-N6	7.30	129.54	123.70
26	BB	1114	C	N3-C2-O2	-7.30	116.79	121.90
26	BB	1135	C	C1'-O4'-C4'	-7.30	104.06	109.90
26	BB	1200	C	N3-C4-C5	-7.30	118.98	121.90
26	BB	1600	C	N3-C4-C5	-7.30	118.98	121.90
26	BB	1611	C	C2-N3-C4	7.30	123.55	119.90
26	BB	2865	U	P-O3'-C3'	7.30	128.46	119.70
26	BB	1264	A	C1'-O4'-C4'	-7.29	104.06	109.90
26	BB	1360	G	N3-C2-N2	7.29	125.01	119.90
26	BB	1888	G	N7-C8-N9	7.29	116.75	113.10
23	AW	17	ARG	NE-CZ-NH1	-7.29	116.65	120.30
26	BB	28	A	C4-C5-N7	-7.29	107.05	110.70
26	BB	1358	G	C3'-C2'-C1'	7.29	107.33	101.50
26	BB	1742	U	C4-C5-C6	7.29	124.08	119.70
26	BB	2736	A	C5-C6-N6	-7.29	117.87	123.70
26	BB	2805	C	C3'-C2'-C1'	-7.29	95.67	101.50
1	AA	396	C	C5-C4-N4	-7.29	115.10	120.20
1	AA	538	G	C8-N9-C4	-7.29	103.48	106.40
1	AA	615	G	N3-C4-C5	-7.29	124.95	128.60
1	AA	1099	G	N7-C8-N9	7.29	116.75	113.10
1	AA	1285	A	C2-N3-C4	-7.29	106.95	110.60
1	AA	1295	U	O4'-C1'-N1	7.29	114.03	108.20
4	AD	46	G	C5-N7-C8	7.29	107.95	104.30
26	BB	541	A	C3'-C2'-C1'	7.29	107.33	101.50
26	BB	996	A	N1-C6-N6	-7.29	114.23	118.60
26	BB	1139	G	N1-C2-N2	-7.29	109.64	116.20
26	BB	1264	A	O4'-C1'-N9	7.29	114.03	108.20
26	BB	1415	U	N3-C4-C5	-7.29	110.23	114.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1443	U	N1-C2-O2	-7.29	117.70	122.80
26	BB	1552	A	C4-C5-N7	7.29	114.35	110.70
26	BB	1702	G	N3-C2-N2	-7.29	114.80	119.90
1	AA	76	G	O4'-C1'-N9	7.29	114.03	108.20
1	AA	702	A	C3'-C2'-C1'	7.29	107.33	101.50
26	BB	1350	C	N3-C2-O2	-7.29	116.80	121.90
26	BB	2147	A	C5-C6-N1	7.29	121.34	117.70
1	AA	742	G	N3-C4-C5	-7.29	124.95	128.60
1	AA	920	U	P-O3'-C3'	7.29	128.45	119.70
26	BB	107	G	C4'-C3'-C2'	-7.29	95.31	102.60
26	BB	1429	G	N3-C2-N2	7.29	125.00	119.90
31	BG	127	TYR	CB-CG-CD2	-7.29	116.63	121.00
1	AA	1137	C	N1-C2-O2	7.29	123.27	118.90
26	BB	274	C	N3-C2-O2	-7.29	116.80	121.90
26	BB	313	G	C8-N9-C4	-7.29	103.48	106.40
26	BB	2417	C	N1-C1'-C2'	-7.29	103.98	112.00
1	AA	536	C	C5-C4-N4	7.29	125.30	120.20
1	AA	1032	G	N9-C4-C5	-7.29	102.48	105.40
26	BB	763	G	C3'-C2'-C1'	-7.29	95.67	101.50
26	BB	808	G	N1-C2-N3	-7.29	119.53	123.90
26	BB	1942	C	C2-N3-C4	7.29	123.54	119.90
26	BB	2430	A	N1-C2-N3	7.29	132.94	129.30
26	BB	2903	U	C1'-O4'-C4'	7.29	115.73	109.90
1	AA	279	A	N7-C8-N9	7.28	117.44	113.80
1	AA	962	C	C6-N1-C2	-7.28	117.39	120.30
1	AA	1368	A	C4'-C3'-C2'	-7.28	95.32	102.60
1	AA	1427	C	N3-C2-O2	-7.28	116.80	121.90
2	AB	23	A	N1-C6-N6	7.28	122.97	118.60
26	BB	1297	C	C6-N1-C2	-7.28	117.39	120.30
26	BB	2269	G	C8-N9-C4	7.28	109.31	106.40
29	BE	112	THR	CA-CB-CG2	-7.28	102.20	112.40
56	B5	35	ARG	NE-CZ-NH2	-7.28	116.66	120.30
1	AA	866	C	C5-C6-N1	7.28	124.64	121.00
26	BB	217	A	P-O3'-C3'	7.28	128.44	119.70
26	BB	2004	G	N3-C4-N9	7.28	130.37	126.00
26	BB	2756	U	O4'-C4'-C3'	7.28	111.93	106.10
1	AA	1326	U	C5-C4-O4	7.28	130.27	125.90
1	AA	1528	U	P-O3'-C3'	7.28	128.44	119.70
3	AC	35	G	C5-N7-C8	-7.28	100.66	104.30
4	AD	20	G	N1-C6-O6	7.28	124.27	119.90
26	BB	470	A	N1-C2-N3	-7.28	125.66	129.30
26	BB	1094	U	N3-C2-O2	-7.28	117.10	122.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1107	G	N3-C2-N2	-7.28	114.80	119.90
26	BB	1721	G	C2-N3-C4	7.28	115.54	111.90
26	BB	1903	G	C5-C6-N1	7.28	115.14	111.50
1	AA	1035	A	C5-C6-N1	7.28	121.34	117.70
26	BB	285	G	C4-C5-N7	7.28	113.71	110.80
26	BB	728	G	C5-C6-O6	-7.28	124.23	128.60
26	BB	1067	A	C5-C6-N6	7.28	129.52	123.70
26	BB	1417	C	N3-C4-C5	7.28	124.81	121.90
40	BP	87	PHE	CB-CA-C	7.28	124.96	110.40
4	AD	57	C	C6-N1-C2	-7.28	117.39	120.30
26	BB	210	C	C6-N1-C2	7.28	123.21	120.30
26	BB	213	A	C5-N7-C8	-7.28	100.26	103.90
26	BB	1214	A	C5-C6-N1	-7.28	114.06	117.70
26	BB	1415	U	O4'-C1'-N1	7.28	114.02	108.20
26	BB	1476	U	N1-C2-N3	7.28	119.27	114.90
26	BB	1894	C	C2-N3-C4	-7.28	116.26	119.90
1	AA	428	G	N9-C4-C5	7.28	108.31	105.40
1	AA	1475	G	N1-C2-N3	7.28	128.27	123.90
26	BB	108	G	N3-C2-N2	-7.28	114.81	119.90
26	BB	733	G	C5-C6-N1	7.28	115.14	111.50
26	BB	1061	U	O3'-P-O5'	-7.28	90.18	104.00
26	BB	1227	G	C1'-O4'-C4'	7.28	115.72	109.90
26	BB	1873	G	C8-N9-C4	-7.28	103.49	106.40
26	BB	2374	C	N3-C4-N4	7.28	123.09	118.00
1	AA	1005	A	N1-C6-N6	7.27	122.97	118.60
2	AB	57	G	C6-C5-N7	-7.27	126.04	130.40
25	BA	45	A	O4'-C1'-N9	7.27	114.02	108.20
26	BB	558	U	O4'-C1'-N1	7.27	114.02	108.20
26	BB	610	C	N3-C2-O2	-7.27	116.81	121.90
26	BB	950	G	N3-C2-N2	-7.27	114.81	119.90
26	BB	2821	A	C4-C5-N7	-7.27	107.06	110.70
1	AA	543	U	O4'-C1'-N1	7.27	114.02	108.20
1	AA	612	C	C5'-C4'-C3'	-7.27	104.36	116.00
1	AA	1013	G	N3-C4-N9	-7.27	121.64	126.00
26	BB	1568	G	N3-C4-C5	-7.27	124.96	128.60
26	BB	2335	A	N7-C8-N9	7.27	117.44	113.80
1	AA	3	A	C6-C5-N7	7.27	137.39	132.30
1	AA	1110	A	N1-C6-N6	7.27	122.96	118.60
1	AA	1308	U	N3-C4-O4	7.27	124.49	119.40
26	BB	619	G	O4'-C1'-N9	7.27	114.02	108.20
1	AA	1292	G	C4-C5-C6	7.27	123.16	118.80
1	AA	1494	G	C8-N9-C4	-7.27	103.49	106.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	106	C	N3-C2-O2	-7.27	116.81	121.90
26	BB	535	G	N1-C2-N3	-7.27	119.54	123.90
26	BB	1731	G	O4'-C1'-N9	7.27	114.02	108.20
26	BB	1805	A	C4'-C3'-C2'	-7.27	95.33	102.60
26	BB	2062	A	C5'-C4'-C3'	-7.27	104.37	116.00
26	BB	2632	A	O4'-C1'-C2'	7.27	114.14	107.60
26	BB	2674	G	C5-C6-O6	-7.27	124.24	128.60
26	BB	2818	U	C4'-C3'-C2'	-7.27	95.33	102.60
1	AA	606	G	C4-C5-C6	7.27	123.16	118.80
25	BA	97	C	C2-N3-C4	-7.27	116.27	119.90
26	BB	708	G	C5'-C4'-O4'	7.27	117.82	109.10
26	BB	789	A	C4'-C3'-C2'	-7.27	95.33	102.60
26	BB	1710	G	C1'-O4'-C4'	-7.27	104.09	109.90
26	BB	2256	G	P-O3'-C3'	7.27	128.42	119.70
26	BB	2273	A	N1-C2-N3	-7.27	125.67	129.30
26	BB	2636	C	N1-C2-O2	7.27	123.26	118.90
26	BB	2708	G	N1-C2-N2	7.27	122.74	116.20
1	AA	202	G	C5-C6-N1	7.27	115.13	111.50
1	AA	587	G	N1-C6-O6	-7.27	115.54	119.90
1	AA	1479	C	N1-C2-O2	7.27	123.26	118.90
1	AA	176	C	N1-C2-N3	7.26	124.28	119.20
1	AA	181	A	C4-C5-C6	-7.26	113.37	117.00
1	AA	259	G	C5-C6-O6	-7.26	124.24	128.60
1	AA	1336	C	O4'-C4'-C3'	7.26	111.91	106.10
26	BB	112	U	O4'-C1'-N1	7.26	114.01	108.20
26	BB	268	C	N1-C2-N3	7.26	124.28	119.20
26	BB	629	G	C6-N1-C2	-7.26	120.74	125.10
26	BB	1718	G	C4-C5-C6	7.26	123.16	118.80
26	BB	1981	A	N1-C6-N6	-7.26	114.24	118.60
26	BB	2353	G	C2-N3-C4	-7.26	108.27	111.90
34	BJ	55	ARG	NE-CZ-NH2	-7.26	116.67	120.30
1	AA	874	G	C5'-C4'-O4'	7.26	117.82	109.10
26	BB	159	G	C5-C6-O6	-7.26	124.24	128.60
47	BW	85	ARG	NE-CZ-NH2	7.26	123.93	120.30
1	AA	39	G	C5'-C4'-O4'	7.26	117.81	109.10
1	AA	369	G	C5-C6-O6	-7.26	124.24	128.60
26	BB	78	U	C5-C4-O4	-7.26	121.54	125.90
26	BB	1164	C	N1-C2-O2	7.26	123.26	118.90
26	BB	1167	C	O4'-C1'-N1	7.26	114.01	108.20
26	BB	2892	G	C1'-O4'-C4'	-7.26	104.09	109.90
28	BD	2	VAL	CG1-CB-CG2	-7.26	99.28	110.90
31	BG	164	GLU	OE1-CD-OE2	7.26	132.01	123.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	78	A	C3'-C2'-C1'	-7.26	95.69	101.50
1	AA	937	A	P-O3'-C3'	7.26	128.41	119.70
1	AA	1352	C	O4'-C1'-N1	7.26	114.01	108.20
4	AD	74	A	N9-C1'-C2'	7.26	123.44	114.00
26	BB	67	U	N3-C2-O2	-7.26	117.12	122.20
26	BB	307	G	C5-N7-C8	7.26	107.93	104.30
26	BB	770	G	C4-C5-C6	-7.26	114.44	118.80
26	BB	1239	G	C4-C5-N7	-7.26	107.90	110.80
26	BB	1749	A	C5'-C4'-O4'	7.26	117.81	109.10
26	BB	1761	C	N1-C2-N3	-7.26	114.12	119.20
26	BB	1985	C	C5-C6-N1	-7.26	117.37	121.00
26	BB	2841	C	C6-N1-C2	-7.26	117.40	120.30
3	AC	56	G	C8-N9-C4	-7.26	103.50	106.40
26	BB	185	G	N3-C4-C5	-7.26	124.97	128.60
26	BB	233	A	C2-N3-C4	-7.26	106.97	110.60
26	BB	1552	A	C5-C6-N1	7.26	121.33	117.70
26	BB	1941	C	C2-N3-C4	7.26	123.53	119.90
1	AA	606	G	O4'-C1'-N9	7.26	114.01	108.20
1	AA	828	U	P-O3'-C3'	7.26	128.41	119.70
26	BB	143	C	N1-C2-O2	7.26	123.25	118.90
26	BB	701	G	C6-N1-C2	-7.26	120.75	125.10
26	BB	1000	A	C4-C5-N7	-7.26	107.07	110.70
26	BB	1456	G	N9-C1'-C2'	-7.26	104.02	112.00
26	BB	1597	A	C4'-C3'-C2'	-7.26	95.34	102.60
26	BB	2133	G	N3-C2-N2	-7.26	114.82	119.90
1	AA	463	U	N1-C1'-C2'	-7.25	104.02	112.00
1	AA	1087	G	C8-N9-C4	-7.25	103.50	106.40
26	BB	464	U	C5-C6-N1	-7.25	119.07	122.70
26	BB	494	G	C5-C6-N1	7.25	115.13	111.50
26	BB	2066	C	N3-C2-O2	-7.25	116.82	121.90
26	BB	2611	C	O4'-C4'-C3'	7.25	111.90	106.10
26	BB	2874	C	O4'-C1'-N1	7.25	114.00	108.20
1	AA	690	G	C4-C5-C6	7.25	123.15	118.80
1	AA	937	A	C6-N1-C2	7.25	122.95	118.60
1	AA	1038	C	C5-C4-N4	7.25	125.28	120.20
1	AA	1177	G	O4'-C1'-N9	7.25	114.00	108.20
1	AA	1387	G	C6-C5-N7	-7.25	126.05	130.40
26	BB	208	C	O4'-C1'-N1	7.25	114.00	108.20
26	BB	288	U	N1-C2-O2	7.25	127.88	122.80
26	BB	1069	A	C5-C6-N1	-7.25	114.07	117.70
26	BB	1275	A	C4-C5-C6	-7.25	113.37	117.00
26	BB	2721	A	C5'-C4'-C3'	-7.25	104.39	116.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
45	BU	38	TYR	CG-CD2-CE2	-7.25	115.50	121.30
1	AA	1525	G	C6-C5-N7	-7.25	126.05	130.40
4	AD	25	U	O5'-P-OP2	-7.25	99.17	105.70
26	BB	670	A	C8-N9-C4	7.25	108.70	105.80
26	BB	2074	U	O4'-C1'-N1	7.25	114.00	108.20
26	BB	2815	C	N3-C4-N4	7.25	123.08	118.00
26	BB	2820	A	N1-C2-N3	-7.25	125.67	129.30
1	AA	618	C	N1-C2-O2	7.25	123.25	118.90
1	AA	657	U	C4'-C3'-C2'	-7.25	95.35	102.60
4	AD	15	G	C6-N1-C2	-7.25	120.75	125.10
1	AA	286	C	O4'-C1'-N1	7.25	114.00	108.20
1	AA	768	A	N7-C8-N9	7.25	117.42	113.80
1	AA	796	C	C2-N3-C4	7.25	123.52	119.90
1	AA	1156	G	C5-N7-C8	-7.25	100.68	104.30
26	BB	405	U	O4'-C1'-N1	7.25	114.00	108.20
1	AA	11	G	N9-C4-C5	7.25	108.30	105.40
1	AA	273	U	C5-C6-N1	7.25	126.32	122.70
1	AA	1337	G	C5-C6-N1	7.25	115.12	111.50
25	BA	71	C	C4-C5-C6	7.25	121.02	117.40
26	BB	338	G	C5-C6-N1	7.25	115.12	111.50
26	BB	1144	A	N3-C4-N9	7.25	133.20	127.40
26	BB	1599	U	C4'-C3'-C2'	-7.25	95.35	102.60
26	BB	1713	A	O4'-C4'-C3'	7.25	111.90	106.10
3	AC	20	G	N3-C4-N9	7.25	130.35	126.00
26	BB	111	A	C2-N3-C4	7.25	114.22	110.60
26	BB	2651	C	C4-C5-C6	-7.25	113.78	117.40
1	AA	1035	A	C8-N9-C4	-7.24	102.90	105.80
1	AA	1053	G	N9-C4-C5	7.24	108.30	105.40
1	AA	1261	A	C2-N3-C4	7.24	114.22	110.60
3	AC	43	U	P-O3'-C3'	7.24	128.39	119.70
4	AD	62	C	C5-C4-N4	7.24	125.27	120.20
26	BB	62	U	C5-C4-O4	-7.24	121.55	125.90
26	BB	312	G	C5-C6-O6	-7.24	124.25	128.60
26	BB	1592	C	C3'-C2'-C1'	7.24	107.29	101.50
26	BB	1604	C	C2-N1-C1'	-7.24	110.83	118.80
26	BB	1692	U	C5-C6-N1	-7.24	119.08	122.70
26	BB	2433	A	N3-C4-C5	-7.24	121.73	126.80
31	BG	50	ASP	CB-CG-OD2	7.24	124.82	118.30
56	B5	41	ARG	NE-CZ-NH1	-7.24	116.68	120.30
1	AA	79	G	N1-C2-N2	7.24	122.72	116.20
1	AA	321	A	C2-N3-C4	7.24	114.22	110.60
1	AA	579	A	C8-N9-C4	7.24	108.70	105.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1366	C	N3-C4-N4	7.24	123.07	118.00
1	AA	1437	A	O4'-C1'-N9	7.24	113.99	108.20
1	AA	1533	C	C6-N1-C2	-7.24	117.40	120.30
26	BB	37	C	N1-C2-N3	-7.24	114.13	119.20
26	BB	2740	A	C2-N3-C4	7.24	114.22	110.60
1	AA	63	C	O4'-C1'-N1	7.24	113.99	108.20
1	AA	535	A	C1'-O4'-C4'	-7.24	104.11	109.90
1	AA	661	G	C5-N7-C8	7.24	107.92	104.30
26	BB	1383	A	O4'-C1'-C2'	-7.24	98.56	105.80
26	BB	1454	C	N1-C2-O2	7.24	123.24	118.90
26	BB	1511	G	O4'-C1'-N9	7.24	113.99	108.20
30	BF	183	PHE	CB-CG-CD1	-7.24	115.73	120.80
1	AA	69	G	N7-C8-N9	7.24	116.72	113.10
1	AA	319	G	C2-N3-C4	7.24	115.52	111.90
1	AA	384	G	N1-C2-N3	7.24	128.24	123.90
1	AA	1031	C	C2-N3-C4	7.24	123.52	119.90
26	BB	1270	C	N3-C4-C5	-7.24	119.00	121.90
26	BB	2406	A	C2-N3-C4	7.24	114.22	110.60
1	AA	115	G	C6-C5-N7	7.24	134.74	130.40
1	AA	681	A	O4'-C1'-N9	7.24	113.99	108.20
1	AA	708	C	N3-C4-N4	7.24	123.06	118.00
1	AA	1083	U	O4'-C4'-C3'	7.24	111.89	106.10
2	AB	18	G	N3-C4-C5	-7.24	124.98	128.60
8	AH	19	ARG	CD-NE-CZ	7.24	133.73	123.60
25	BA	93	C	N1-C1'-C2'	-7.24	104.04	112.00
26	BB	588	U	C5-C6-N1	7.24	126.32	122.70
26	BB	2441	U	O4'-C1'-N1	7.24	113.99	108.20
1	AA	345	C	C4-C5-C6	-7.23	113.78	117.40
1	AA	581	G	N3-C2-N2	7.23	124.96	119.90
1	AA	789	U	N1-C2-N3	7.23	119.24	114.90
26	BB	395	U	C4'-C3'-C2'	-7.23	95.37	102.60
26	BB	2851	A	N1-C2-N3	-7.23	125.68	129.30
1	AA	1078	U	O4'-C1'-N1	-7.23	102.42	108.20
1	AA	1378	C	N1-C2-O2	7.23	123.24	118.90
1	AA	1533	C	N3-C2-O2	-7.23	116.84	121.90
26	BB	1694	C	C5-C6-N1	7.23	124.62	121.00
26	BB	1719	G	C6-C5-N7	-7.23	126.06	130.40
26	BB	2093	G	N3-C2-N2	7.23	124.96	119.90
26	BB	2182	U	C5-C6-N1	-7.23	119.08	122.70
1	AA	417	G	O4'-C1'-N9	7.23	113.98	108.20
1	AA	482	A	C1'-O4'-C4'	7.23	115.68	109.90
4	AD	42	C	N1-C2-O2	7.23	123.24	118.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	129	C	O3'-P-O5'	7.23	117.74	104.00
26	BB	350	G	C5'-C4'-O4'	7.23	117.78	109.10
26	BB	540	C	C1'-O4'-C4'	-7.23	104.12	109.90
26	BB	699	A	N7-C8-N9	7.23	117.42	113.80
26	BB	1635	A	N1-C2-N3	-7.23	125.69	129.30
1	AA	220	G	C6-C5-N7	-7.23	126.06	130.40
1	AA	368	U	O4'-C1'-N1	7.23	113.98	108.20
4	AD	9	G	C6-N1-C2	-7.23	120.76	125.10
26	BB	2138	G	C5-N7-C8	-7.23	100.69	104.30
1	AA	32	A	C5-N7-C8	-7.23	100.29	103.90
1	AA	1293	C	C6-N1-C2	7.23	123.19	120.30
26	BB	1200	C	O4'-C1'-N1	7.23	113.98	108.20
26	BB	1413	A	N7-C8-N9	-7.23	110.19	113.80
26	BB	1739	A	C2-N3-C4	7.23	114.21	110.60
26	BB	1759	A	C8-N9-C4	-7.23	102.91	105.80
26	BB	1762	A	C3'-C2'-C1'	7.23	107.28	101.50
26	BB	1783	A	O4'-C1'-N9	7.23	113.98	108.20
1	AA	841	C	C1'-O4'-C4'	-7.23	104.12	109.90
26	BB	144	A	C4-C5-C6	-7.23	113.39	117.00
26	BB	1812	U	C4-C5-C6	7.23	124.04	119.70
26	BB	2744	G	P-O3'-C3'	7.23	128.37	119.70
1	AA	406	G	C5-C6-O6	-7.22	124.27	128.60
1	AA	493	A	C8-N9-C4	-7.22	102.91	105.80
1	AA	505	G	N3-C2-N2	-7.22	114.84	119.90
1	AA	833	G	N3-C4-C5	-7.22	124.99	128.60
4	AD	51	U	C2-N3-C4	-7.22	122.67	127.00
20	AT	36	PHE	CB-CG-CD1	7.22	125.86	120.80
26	BB	443	A	O4'-C1'-N9	7.22	113.98	108.20
26	BB	1343	G	N3-C4-N9	7.22	130.34	126.00
26	BB	2232	C	C4-C5-C6	-7.22	113.79	117.40
26	BB	2274	A	N3-C4-C5	-7.22	121.74	126.80
26	BB	2297	A	N1-C2-N3	-7.22	125.69	129.30
1	AA	1358	U	N1-C1'-C2'	-7.22	104.06	112.00
26	BB	1189	A	N1-C2-N3	-7.22	125.69	129.30
26	BB	1303	G	O4'-C1'-N9	7.22	113.98	108.20
1	AA	1020	G	C3'-C2'-C1'	7.22	107.28	101.50
26	BB	499	U	C4'-C3'-C2'	-7.22	95.38	102.60
26	BB	1357	C	C6-N1-C2	-7.22	117.41	120.30
1	AA	422	C	N1-C2-N3	-7.22	114.15	119.20
3	AC	50	U	C5-C6-N1	-7.22	119.09	122.70
4	AD	49	C	C2-N3-C4	7.22	123.51	119.90
26	BB	105	C	N1-C2-O2	7.22	123.23	118.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	467	G	C2-N3-C4	7.22	115.51	111.90
26	BB	1275	A	C5-C6-N6	-7.22	117.92	123.70
26	BB	1721	G	P-O3'-C3'	7.22	128.36	119.70
26	BB	2439	A	P-O3'-C3'	7.22	128.36	119.70
1	AA	639	G	N3-C4-C5	-7.22	124.99	128.60
1	AA	1350	A	C2-N3-C4	7.22	114.21	110.60
26	BB	1220	G	O4'-C1'-N9	7.22	113.97	108.20
1	AA	98	A	C5'-C4'-O4'	7.22	117.76	109.10
1	AA	408	A	C5-C6-N1	7.22	121.31	117.70
1	AA	608	A	C2-N3-C4	-7.22	106.99	110.60
1	AA	785	G	C5'-C4'-O4'	7.22	117.76	109.10
1	AA	925	G	C2-N3-C4	-7.22	108.29	111.90
1	AA	1307	U	C5-C6-N1	-7.22	119.09	122.70
26	BB	1491	G	N9-C4-C5	7.22	108.29	105.40
26	BB	2133	G	N1-C6-O6	-7.22	115.57	119.90
26	BB	2656	U	C4-C5-C6	7.22	124.03	119.70
26	BB	2665	A	C5-C6-N1	7.22	121.31	117.70
1	AA	765	G	C6-N1-C2	-7.21	120.77	125.10
23	AW	17	ARG	CD-NE-CZ	7.21	133.70	123.60
26	BB	406	G	N1-C6-O6	-7.21	115.57	119.90
26	BB	482	A	C2-N3-C4	7.21	114.21	110.60
26	BB	775	G	N3-C4-N9	7.21	130.33	126.00
26	BB	1026	G	O4'-C1'-N9	7.21	113.97	108.20
26	BB	1328	A	C5-N7-C8	-7.21	100.29	103.90
26	BB	1491	G	N7-C8-N9	7.21	116.71	113.10
26	BB	2357	G	N9-C4-C5	7.21	108.29	105.40
1	AA	535	A	C6-N1-C2	-7.21	114.27	118.60
26	BB	659	G	C2-N3-C4	7.21	115.51	111.90
26	BB	2799	A	C5'-C4'-O4'	7.21	117.75	109.10
56	B5	34	ARG	NE-CZ-NH1	7.21	123.91	120.30
1	AA	328	C	O4'-C1'-N1	7.21	113.97	108.20
1	AA	487	A	O4'-C1'-N9	7.21	113.97	108.20
1	AA	576	C	N3-C4-N4	-7.21	112.95	118.00
1	AA	1001	C	O4'-C1'-N1	7.21	113.97	108.20
25	BA	30	C	C2-N3-C4	7.21	123.51	119.90
25	BA	50	A	N7-C8-N9	7.21	117.41	113.80
26	BB	1572	A	N1-C6-N6	-7.21	114.27	118.60
26	BB	1716	U	N3-C2-O2	-7.21	117.15	122.20
38	BN	123	ARG	C-N-CA	7.21	137.44	122.30
1	AA	286	C	N1-C2-O2	7.21	123.23	118.90
4	AD	17	C	C3'-C2'-C1'	7.21	107.27	101.50
26	BB	1410	G	N1-C6-O6	7.21	124.23	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1682	G	C5'-C4'-O4'	7.21	117.75	109.10
26	BB	2091	C	C4-C5-C6	7.21	121.00	117.40
1	AA	495	A	C5'-C4'-C3'	-7.21	104.47	116.00
1	AA	533	A	N7-C8-N9	7.21	117.40	113.80
4	AD	10	G	N3-C4-C5	-7.21	125.00	128.60
26	BB	30	G	C4'-C3'-C2'	-7.21	95.39	102.60
26	BB	1571	A	O4'-C1'-N9	7.21	113.97	108.20
26	BB	2520	C	N1-C2-O2	7.21	123.22	118.90
26	BB	2693	G	O4'-C1'-N9	7.21	113.97	108.20
1	AA	301	G	N7-C8-N9	7.21	116.70	113.10
1	AA	466	A	C3'-C2'-C1'	7.21	107.27	101.50
1	AA	982	U	C6-N1-C2	-7.21	116.68	121.00
1	AA	1175	G	C4'-C3'-C2'	-7.21	95.39	102.60
1	AA	1252	A	C2-N3-C4	7.21	114.20	110.60
15	AO	82	ARG	NE-CZ-NH1	7.21	123.90	120.30
26	BB	276	U	C4'-C3'-C2'	-7.21	95.39	102.60
26	BB	288	U	P-O3'-C3'	7.21	128.35	119.70
26	BB	1599	U	N1-C1'-C2'	-7.21	104.07	112.00
26	BB	2003	A	C8-N9-C4	-7.21	102.92	105.80
1	AA	1370	G	C6-C5-N7	-7.21	126.08	130.40
1	AA	1496	C	N1-C2-O2	7.21	123.22	118.90
26	BB	322	A	C4'-C3'-C2'	-7.21	95.39	102.60
26	BB	486	C	C5'-C4'-O4'	7.21	117.75	109.10
26	BB	947	A	N7-C8-N9	7.21	117.40	113.80
26	BB	2414	G	N1-C2-N2	7.21	122.68	116.20
1	AA	998	C	C5-C4-N4	-7.20	115.16	120.20
1	AA	1029	U	C2-N3-C4	-7.20	122.68	127.00
2	AB	6	C	O4'-C1'-N1	7.20	113.96	108.20
26	BB	60	G	N7-C8-N9	7.20	116.70	113.10
26	BB	468	G	C2-N3-C4	7.20	115.50	111.90
26	BB	529	A	N9-C4-C5	7.20	108.68	105.80
26	BB	990	A	C8-N9-C4	-7.20	102.92	105.80
26	BB	1479	G	N1-C2-N3	-7.20	119.58	123.90
26	BB	1585	C	N3-C2-O2	-7.20	116.86	121.90
26	BB	1989	G	C5-C6-N1	7.20	115.10	111.50
26	BB	2376	A	O4'-C1'-C2'	-7.20	98.60	105.80
26	BB	2748	A	C5'-C4'-O4'	7.20	117.75	109.10
1	AA	1509	C	C5-C6-N1	7.20	124.60	121.00
26	BB	1523	U	N3-C4-C5	-7.20	110.28	114.60
26	BB	2305	U	C5'-C4'-C3'	-7.20	104.48	116.00
26	BB	2737	G	C5-C6-O6	-7.20	124.28	128.60
1	AA	486	U	N1-C2-N3	7.20	119.22	114.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	910	C	C5-C6-N1	7.20	124.60	121.00
1	AA	992	U	P-O3'-C3'	7.20	128.34	119.70
1	AA	1050	G	N7-C8-N9	7.20	116.70	113.10
1	AA	1176	A	N1-C2-N3	-7.20	125.70	129.30
26	BB	138	U	O5'-P-OP2	7.20	119.34	110.70
26	BB	616	A	C4-C5-C6	7.20	120.60	117.00
26	BB	1315	C	C5'-C4'-O4'	7.20	117.74	109.10
26	BB	1368	G	N1-C2-N2	7.20	122.68	116.20
26	BB	2081	U	N3-C2-O2	-7.20	117.16	122.20
1	AA	156	C	N3-C2-O2	-7.20	116.86	121.90
1	AA	812	G	C5-N7-C8	-7.20	100.70	104.30
26	BB	75	G	N9-C1'-C2'	-7.20	104.08	112.00
26	BB	1649	G	C3'-C2'-C1'	-7.20	95.74	101.50
26	BB	1805	A	N7-C8-N9	-7.20	110.20	113.80
26	BB	2550	G	C6-N1-C2	-7.20	120.78	125.10
26	BB	2640	G	N3-C2-N2	-7.20	114.86	119.90
26	BB	2679	A	C2'-C3'-O3'	7.20	125.34	109.50
26	BB	2709	G	C6-C5-N7	-7.20	126.08	130.40
1	AA	954	G	N3-C4-N9	7.20	130.32	126.00
25	BA	15	A	C5-N7-C8	-7.20	100.30	103.90
26	BB	885	C	N1-C2-N3	7.20	124.24	119.20
26	BB	1420	A	O4'-C1'-N9	7.20	113.96	108.20
1	AA	597	G	N3-C4-C5	-7.20	125.00	128.60
25	BA	24	G	N7-C8-N9	7.20	116.70	113.10
26	BB	26	G	N1-C2-N3	-7.20	119.58	123.90
26	BB	962	G	N9-C4-C5	7.20	108.28	105.40
26	BB	1039	A	N9-C4-C5	7.20	108.68	105.80
26	BB	1131	G	C8-N9-C4	-7.20	103.52	106.40
26	BB	1591	A	C5-C6-N1	-7.20	114.10	117.70
26	BB	1718	G	C2-N3-C4	7.20	115.50	111.90
26	BB	1949	G	C5-C6-O6	-7.20	124.28	128.60
26	BB	2847	U	C2-N3-C4	7.20	131.32	127.00
27	BC	60	ARG	NE-CZ-NH1	7.20	123.90	120.30
26	BB	156	A	C4-C5-N7	-7.19	107.10	110.70
26	BB	332	A	C5'-C4'-O4'	7.19	117.73	109.10
1	AA	115	G	C5-C6-O6	-7.19	124.28	128.60
1	AA	431	A	O4'-C1'-N9	7.19	113.95	108.20
1	AA	628	G	C2-N3-C4	7.19	115.50	111.90
1	AA	980	C	C5-C4-N4	-7.19	115.17	120.20
1	AA	1254	A	C5-N7-C8	-7.19	100.30	103.90
26	BB	86	G	N1-C2-N2	-7.19	109.73	116.20
26	BB	368	A	C5-C6-N1	7.19	121.30	117.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	857	G	C6-N1-C2	-7.19	120.78	125.10
26	BB	1680	U	C3'-C2'-C1'	7.19	107.25	101.50
1	AA	560	A	C5-C6-N6	7.19	129.45	123.70
1	AA	671	G	C2-N3-C4	-7.19	108.31	111.90
1	AA	1347	G	P-O3'-C3'	7.19	128.33	119.70
1	AA	1385	G	C5-C6-O6	-7.19	124.29	128.60
26	BB	1124	G	C5-C6-O6	-7.19	124.29	128.60
26	BB	1440	U	N1-C2-N3	7.19	119.21	114.90
26	BB	1454	C	O4'-C1'-N1	7.19	113.95	108.20
26	BB	1908	C	C6-N1-C2	-7.19	117.42	120.30
26	BB	2380	C	N1-C2-O2	7.19	123.21	118.90
26	BB	2606	C	C3'-C2'-C1'	7.19	107.25	101.50
26	BB	2793	C	C4'-C3'-C2'	-7.19	95.41	102.60
26	BB	2883	A	C6-N1-C2	7.19	122.92	118.60
34	BJ	75	PHE	CB-CG-CD2	-7.19	115.77	120.80
40	BP	103	ARG	NE-CZ-NH1	7.19	123.89	120.30
1	AA	795	C	C5'-C4'-O4'	7.19	117.73	109.10
5	AE	196	ASP	CB-CG-OD2	-7.19	111.83	118.30
26	BB	727	A	N9-C4-C5	7.19	108.68	105.80
26	BB	978	G	N3-C4-C5	-7.19	125.00	128.60
26	BB	1233	C	N1-C2-O2	7.19	123.21	118.90
26	BB	2285	C	N1-C2-N3	-7.19	114.17	119.20
1	AA	920	U	C5-C6-N1	-7.19	119.11	122.70
26	BB	88	G	C5'-C4'-O4'	7.19	117.73	109.10
26	BB	329	G	C5'-C4'-C3'	-7.19	104.50	116.00
26	BB	382	A	O4'-C1'-C2'	-7.19	98.61	105.80
26	BB	1194	A	N1-C6-N6	-7.19	114.29	118.60
26	BB	2428	G	C5-N7-C8	-7.19	100.71	104.30
42	BR	91	VAL	CA-CB-CG1	7.19	121.68	110.90
1	AA	697	U	C2-N3-C4	-7.19	122.69	127.00
1	AA	764	C	C2'-C3'-O3'	7.19	125.31	109.50
26	BB	89	A	C6-N1-C2	7.19	122.91	118.60
26	BB	551	G	C5-C6-O6	-7.19	124.29	128.60
1	AA	17	U	N3-C4-C5	-7.18	110.29	114.60
1	AA	155	A	C4'-C3'-C2'	-7.18	95.42	102.60
26	BB	659	G	N1-C2-N3	-7.18	119.59	123.90
26	BB	1121	C	O4'-C1'-N1	7.18	113.95	108.20
26	BB	1351	C	C5-C4-N4	7.18	125.23	120.20
26	BB	2020	A	C5'-C4'-C3'	-7.18	104.50	116.00
26	BB	2360	G	N9-C1'-C2'	-7.18	104.10	112.00
26	BB	2773	C	N3-C2-O2	-7.18	116.87	121.90
26	BB	2783	U	C6-N1-C2	-7.18	116.69	121.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	288	A	O5'-C5'-C4'	-7.18	98.05	111.70
1	AA	995	C	C6-N1-C2	-7.18	117.43	120.30
1	AA	1440	U	O4'-C1'-N1	7.18	113.95	108.20
10	AJ	3	ARG	NE-CZ-NH2	-7.18	116.71	120.30
26	BB	871	U	C5'-C4'-O4'	7.18	117.72	109.10
26	BB	1232	G	C8-N9-C4	7.18	109.27	106.40
26	BB	1268	A	C8-N9-C4	7.18	108.67	105.80
26	BB	1392	A	N3-C4-C5	-7.18	121.77	126.80
26	BB	1679	A	N7-C8-N9	7.18	117.39	113.80
26	BB	1899	A	C5-C6-N1	7.18	121.29	117.70
26	BB	2047	C	O4'-C1'-N1	7.18	113.95	108.20
1	AA	265	G	N1-C6-O6	-7.18	115.59	119.90
1	AA	1335	U	O4'-C1'-N1	7.18	113.94	108.20
26	BB	646	U	N1-C2-O2	-7.18	117.77	122.80
1	AA	63	C	O4'-C1'-C2'	-7.18	98.62	105.80
1	AA	619	U	O4'-C1'-N1	7.18	113.94	108.20
26	BB	527	C	N1-C2-N3	-7.18	114.17	119.20
26	BB	1558	C	N3-C4-N4	7.18	123.03	118.00
26	BB	2142	A	C8-N9-C4	7.18	108.67	105.80
26	BB	2206	C	C5'-C4'-O4'	7.18	117.72	109.10
26	BB	2888	C	C3'-C2'-C1'	7.18	107.24	101.50
1	AA	850	U	N3-C4-C5	7.18	118.91	114.60
1	AA	1521	C	O4'-C1'-N1	7.18	113.94	108.20
26	BB	1611	C	N3-C4-C5	-7.18	119.03	121.90
1	AA	9	G	C6-N1-C2	-7.18	120.79	125.10
1	AA	1069	C	C2-N3-C4	7.18	123.49	119.90
1	AA	1309	G	N1-C6-O6	7.18	124.20	119.90
3	AC	54	U	N3-C2-O2	-7.18	117.18	122.20
4	AD	34	U	C1'-O4'-C4'	7.18	115.64	109.90
26	BB	2	G	C5-N7-C8	7.18	107.89	104.30
26	BB	272	A	P-O3'-C3'	7.18	128.31	119.70
26	BB	436	C	C6-N1-C2	7.18	123.17	120.30
26	BB	783	A	N3-C4-N9	7.18	133.14	127.40
39	BO	50	ARG	NE-CZ-NH2	7.18	123.89	120.30
1	AA	837	U	O4'-C1'-N1	7.17	113.94	108.20
1	AA	1322	C	C4'-C3'-C2'	7.17	109.77	102.60
25	BA	9	G	C4-C5-N7	-7.17	107.93	110.80
26	BB	188	G	C4'-C3'-C2'	-7.17	95.43	102.60
26	BB	945	A	C2-N3-C4	7.17	114.19	110.60
26	BB	1501	G	O4'-C1'-N9	7.17	113.94	108.20
26	BB	1713	A	N3-C4-C5	7.17	131.82	126.80
1	AA	780	A	C4-C5-N7	-7.17	107.11	110.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	AC	25	U	C6-N1-C2	-7.17	116.70	121.00
26	BB	375	G	N3-C2-N2	7.17	124.92	119.90
26	BB	1727	C	C5-C6-N1	7.17	124.59	121.00
26	BB	2722	G	N9-C4-C5	7.17	108.27	105.40
26	BB	2757	A	C3'-C2'-C1'	7.17	107.24	101.50
42	BR	108	ARG	NE-CZ-NH2	7.17	123.89	120.30
1	AA	127	G	C6-C5-N7	-7.17	126.10	130.40
1	AA	1250	A	N7-C8-N9	7.17	117.39	113.80
26	BB	463	G	C5'-C4'-O4'	7.17	117.71	109.10
26	BB	513	A	N9-C4-C5	7.17	108.67	105.80
26	BB	2213	U	C5'-C4'-O4'	7.17	117.71	109.10
1	AA	358	U	N1-C2-N3	7.17	119.20	114.90
26	BB	2632	A	C6-C5-N7	7.17	137.32	132.30
26	BB	2798	U	C2-N3-C4	-7.17	122.70	127.00
1	AA	545	C	N3-C4-C5	-7.17	119.03	121.90
1	AA	1142	G	C4-C5-N7	7.17	113.67	110.80
9	AI	112	ARG	NE-CZ-NH2	7.17	123.88	120.30
26	BB	155	A	C8-N9-C4	-7.17	102.93	105.80
26	BB	454	A	C4-C5-C6	-7.17	113.42	117.00
26	BB	1165	A	C8-N9-C4	-7.17	102.93	105.80
26	BB	2352	A	C5-N7-C8	7.17	107.48	103.90
26	BB	2425	A	C2-N3-C4	7.17	114.18	110.60
26	BB	2533	U	N1-C1'-C2'	-7.17	104.11	112.00
1	AA	630	A	N9-C1'-C2'	-7.17	104.12	112.00
1	AA	856	C	O4'-C1'-N1	7.17	113.93	108.20
1	AA	1266	G	N1-C2-N3	7.17	128.20	123.90
2	AB	56	C	N1-C2-N3	-7.17	114.18	119.20
26	BB	117	G	N1-C2-N2	7.17	122.65	116.20
26	BB	575	A	C5-N7-C8	-7.17	100.32	103.90
26	BB	1579	A	C1'-O4'-C4'	-7.17	104.17	109.90
26	BB	1664	A	N7-C8-N9	7.17	117.38	113.80
26	BB	2002	G	C2-N3-C4	7.17	115.48	111.90
26	BB	2150	C	N3-C4-C5	-7.17	119.03	121.90
1	AA	33	A	C5-C6-N1	7.17	121.28	117.70
26	BB	250	G	C8-N9-C4	7.17	109.27	106.40
26	BB	1722	A	C6-C5-N7	-7.17	127.28	132.30
26	BB	2100	G	N1-C6-O6	-7.17	115.60	119.90
26	BB	2822	G	O4'-C1'-N9	7.17	113.93	108.20
1	AA	872	A	O4'-C4'-C3'	7.16	111.83	106.10
1	AA	1044	A	C4'-C3'-C2'	-7.16	95.44	102.60
1	AA	1188	A	O4'-C1'-N9	7.16	113.93	108.20
1	AA	1431	A	O4'-C1'-N9	7.16	113.93	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1449	C	N3-C4-C5	-7.16	119.03	121.90
26	BB	276	U	C4-C5-C6	7.16	124.00	119.70
26	BB	466	A	C8-N9-C4	-7.16	102.93	105.80
26	BB	670	A	N9-C4-C5	-7.16	102.94	105.80
26	BB	914	G	C4'-C3'-C2'	-7.16	95.44	102.60
26	BB	1866	A	N1-C2-N3	-7.16	125.72	129.30
26	BB	2076	U	N3-C2-O2	-7.16	117.19	122.20
35	BK	23	VAL	CA-CB-CG1	7.16	121.64	110.90
26	BB	1762	A	N7-C8-N9	7.16	117.38	113.80
33	BI	97	ARG	NE-CZ-NH1	7.16	123.88	120.30
1	AA	331	G	N3-C4-C5	-7.16	125.02	128.60
12	AL	32	ARG	NE-CZ-NH2	-7.16	116.72	120.30
26	BB	325	G	C1'-O4'-C4'	-7.16	104.17	109.90
26	BB	1650	A	N1-C2-N3	-7.16	125.72	129.30
26	BB	2748	A	N9-C4-C5	-7.16	102.94	105.80
43	BS	29	ARG	NE-CZ-NH1	-7.16	116.72	120.30
1	AA	32	A	C3'-C2'-C1'	7.16	107.23	101.50
1	AA	290	C	C4-C5-C6	7.16	120.98	117.40
1	AA	1272	G	C6-C5-N7	-7.16	126.11	130.40
26	BB	264	C	C6-N1-C2	-7.16	117.44	120.30
26	BB	1571	A	N3-C4-C5	-7.16	121.79	126.80
26	BB	1903	G	C1'-O4'-C4'	-7.16	104.17	109.90
26	BB	2376	A	N7-C8-N9	7.16	117.38	113.80
26	BB	2750	A	C5-C6-N1	-7.16	114.12	117.70
1	AA	441	A	C5-N7-C8	-7.16	100.32	103.90
22	AV	35	ARG	NE-CZ-NH1	7.16	123.88	120.30
26	BB	36	G	N3-C4-C5	-7.16	125.02	128.60
26	BB	1723	G	P-O3'-C3'	7.16	128.29	119.70
28	BD	120	ASP	CB-CG-OD2	-7.16	111.86	118.30
1	AA	82	G	N7-C8-N9	7.16	116.68	113.10
1	AA	192	A	C5-C6-N1	-7.16	114.12	117.70
1	AA	335	C	O4'-C1'-N1	7.16	113.92	108.20
1	AA	1524	C	N3-C4-C5	-7.16	119.04	121.90
4	AD	19	G	C4'-C3'-C2'	-7.16	95.44	102.60
26	BB	795	C	C5-C6-N1	7.16	124.58	121.00
26	BB	864	G	O4'-C1'-N9	7.16	113.92	108.20
26	BB	1229	C	C1'-O4'-C4'	-7.16	104.18	109.90
26	BB	1768	C	O4'-C4'-C3'	7.16	111.82	106.10
26	BB	1937	A	C1'-O4'-C4'	-7.16	104.17	109.90
26	BB	2061	G	C6-C5-N7	7.16	134.69	130.40
26	BB	2315	G	O4'-C1'-N9	7.16	113.92	108.20
1	AA	1440	U	C4-C5-C6	7.15	123.99	119.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	AB	6	C	N3-C2-O2	-7.15	116.89	121.90
26	BB	1435	G	N1-C6-O6	7.15	124.19	119.90
26	BB	2156	G	C1'-O4'-C4'	-7.15	104.18	109.90
26	BB	2534	A	C3'-C2'-C1'	-7.15	95.78	101.50
1	AA	265	G	C2-N3-C4	7.15	115.48	111.90
1	AA	1351	U	N1-C2-N3	7.15	119.19	114.90
1	AA	1360	A	C8-N9-C4	-7.15	102.94	105.80
1	AA	1509	C	C6-N1-C2	-7.15	117.44	120.30
26	BB	597	G	C5-N7-C8	7.15	107.88	104.30
26	BB	612	G	N1-C6-O6	7.15	124.19	119.90
26	BB	651	G	N1-C6-O6	-7.15	115.61	119.90
26	BB	734	A	N1-C6-N6	7.15	122.89	118.60
26	BB	1700	A	C5-C6-N6	-7.15	117.98	123.70
26	BB	2067	G	N9-C4-C5	7.15	108.26	105.40
26	BB	2437	G	C6-C5-N7	-7.15	126.11	130.40
1	AA	359	G	C4'-C3'-C2'	-7.15	95.45	102.60
1	AA	838	G	C8-N9-C4	-7.15	103.54	106.40
1	AA	1530	G	C6-C5-N7	-7.15	126.11	130.40
1	AA	1534	A	C1'-O4'-C4'	7.15	115.62	109.90
26	BB	28	A	C5-N7-C8	7.15	107.47	103.90
26	BB	933	A	N7-C8-N9	7.15	117.38	113.80
26	BB	1278	C	C5-C6-N1	-7.15	117.42	121.00
26	BB	1308	A	C5'-C4'-O4'	7.15	117.68	109.10
26	BB	2019	A	P-O3'-C3'	7.15	128.28	119.70
26	BB	2554	U	C1'-O4'-C4'	-7.15	104.18	109.90
26	BB	2740	A	C4'-C3'-C2'	-7.15	95.45	102.60
26	BB	2753	A	N9-C4-C5	7.15	108.66	105.80
26	BB	2904	U	N3-C4-C5	-7.15	110.31	114.60
1	AA	830	G	N3-C4-C5	-7.15	125.03	128.60
26	BB	773	U	C5-C6-N1	-7.15	119.13	122.70
26	BB	979	A	C5-C6-N1	7.15	121.28	117.70
26	BB	1203	U	C3'-C2'-C1'	7.15	107.22	101.50
26	BB	2697	G	C4-C5-C6	7.15	123.09	118.80
26	BB	2833	U	N1-C2-O2	7.15	127.80	122.80
1	AA	557	G	N7-C8-N9	7.15	116.67	113.10
1	AA	894	G	C5'-C4'-O4'	7.15	117.68	109.10
1	AA	1237	C	C5-C6-N1	7.15	124.57	121.00
26	BB	1129	A	N9-C4-C5	7.15	108.66	105.80
26	BB	1989	G	N3-C4-N9	7.15	130.29	126.00
26	BB	2727	A	N9-C4-C5	7.15	108.66	105.80
26	BB	2741	A	N1-C2-N3	-7.15	125.73	129.30
37	BM	18	ARG	NE-CZ-NH2	-7.15	116.73	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	828	U	N3-C4-O4	7.15	124.40	119.40
3	AC	39	U	C2'-C3'-O3'	7.15	125.22	109.50
26	BB	43	G	C3'-C2'-C1'	-7.15	95.78	101.50
26	BB	849	A	N1-C6-N6	7.15	122.89	118.60
26	BB	2522	U	C4-C5-C6	7.15	123.99	119.70
1	AA	83	C	N1-C2-O2	7.14	123.19	118.90
1	AA	126	G	C8-N9-C4	-7.14	103.54	106.40
1	AA	1327	C	C5'-C4'-O4'	7.14	117.67	109.10
2	AB	23	A	C8-N9-C4	-7.14	102.94	105.80
26	BB	180	G	C2-N3-C4	7.14	115.47	111.90
26	BB	1233	C	N3-C4-N4	7.14	123.00	118.00
26	BB	1526	C	N1-C2-O2	7.14	123.19	118.90
26	BB	1692	U	N3-C2-O2	-7.14	117.20	122.20
26	BB	2309	A	N1-C2-N3	-7.14	125.73	129.30
26	BB	2571	U	C4'-C3'-C2'	-7.14	95.46	102.60
1	AA	75	G	C5-C6-O6	-7.14	124.31	128.60
1	AA	627	G	C6-N1-C2	-7.14	120.81	125.10
1	AA	1074	G	O4'-C1'-N9	7.14	113.91	108.20
1	AA	1414	U	N3-C4-C5	7.14	118.89	114.60
1	AA	1480	A	C4-C5-C6	-7.14	113.43	117.00
26	BB	647	G	C5-C6-N1	-7.14	107.93	111.50
26	BB	1853	A	C8-N9-C4	7.14	108.66	105.80
26	BB	1998	A	C5-C6-N6	-7.14	117.99	123.70
27	BC	163	TYR	CB-CG-CD2	7.14	125.28	121.00
1	AA	754	C	C6-N1-C2	-7.14	117.44	120.30
1	AA	1055	A	C5'-C4'-O4'	7.14	117.67	109.10
1	AA	1216	A	C6-C5-N7	7.14	137.30	132.30
26	BB	469	G	C4'-C3'-C2'	-7.14	95.46	102.60
26	BB	905	A	C8-N9-C4	-7.14	102.94	105.80
26	BB	1501	G	N7-C8-N9	7.14	116.67	113.10
26	BB	1914	C	N1-C2-N3	7.14	124.20	119.20
26	BB	2385	C	C4-C5-C6	-7.14	113.83	117.40
26	BB	2607	G	P-O3'-C3'	7.14	128.27	119.70
36	BL	37	ARG	NE-CZ-NH2	7.14	123.87	120.30
1	AA	220	G	N7-C8-N9	7.14	116.67	113.10
1	AA	683	G	N9-C4-C5	7.14	108.25	105.40
26	BB	994	C	C4'-C3'-C2'	-7.14	95.46	102.60
26	BB	1484	U	N1-C1'-C2'	-7.14	104.15	112.00
1	AA	562	U	N3-C4-O4	7.14	124.40	119.40
1	AA	751	U	C5-C6-N1	-7.14	119.13	122.70
1	AA	869	G	N1-C6-O6	7.14	124.18	119.90
1	AA	1165	U	O4'-C1'-N1	7.14	113.91	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
13	AM	72	ARG	NE-CZ-NH2	7.14	123.87	120.30
26	BB	1799	G	N1-C2-N2	7.14	122.62	116.20
26	BB	2106	U	P-O3'-C3'	7.14	128.26	119.70
26	BB	2856	A	C4-C5-C6	-7.14	113.43	117.00
1	AA	230	G	C5'-C4'-O4'	7.13	117.66	109.10
1	AA	755	G	N3-C4-C5	-7.13	125.03	128.60
1	AA	763	G	N3-C2-N2	-7.13	114.91	119.90
1	AA	1154	G	C8-N9-C4	-7.13	103.55	106.40
1	AA	1266	G	C6-N1-C2	-7.13	120.82	125.10
26	BB	1214	A	C4-C5-N7	-7.13	107.13	110.70
26	BB	2262	U	N1-C2-N3	7.13	119.18	114.90
26	BB	2834	G	C4-C5-C6	7.13	123.08	118.80
27	BC	164	ARG	NE-CZ-NH1	7.13	123.87	120.30
25	BA	73	A	C5-N7-C8	7.13	107.47	103.90
26	BB	1086	A	C8-N9-C4	-7.13	102.95	105.80
26	BB	1307	A	N9-C1'-C2'	7.13	123.27	114.00
26	BB	2698	U	N1-C2-O2	7.13	127.79	122.80
26	BB	2790	U	C5-C4-O4	-7.13	121.62	125.90
26	BB	2821	A	N1-C6-N6	-7.13	114.32	118.60
1	AA	15	G	N1-C2-N3	-7.13	119.62	123.90
1	AA	175	C	N3-C4-C5	7.13	124.75	121.90
4	AD	14	A	C6-N1-C2	7.13	122.88	118.60
26	BB	375	G	O4'-C1'-N9	7.13	113.91	108.20
26	BB	1333	G	N1-C2-N3	7.13	128.18	123.90
26	BB	1653	G	P-O3'-C3'	7.13	128.26	119.70
26	BB	1799	G	O4'-C4'-C3'	7.13	111.80	106.10
26	BB	2351	G	N7-C8-N9	7.13	116.67	113.10
26	BB	2502	G	N9-C4-C5	-7.13	102.55	105.40
1	AA	409	U	N3-C4-O4	7.13	124.39	119.40
1	AA	496	A	C5-C6-N6	-7.13	118.00	123.70
26	BB	1248	G	N7-C8-N9	7.13	116.67	113.10
26	BB	1439	A	C4-C5-N7	-7.13	107.14	110.70
26	BB	1536	C	O4'-C4'-C3'	7.13	111.80	106.10
26	BB	2696	U	N3-C4-O4	7.13	124.39	119.40
26	BB	2826	A	O4'-C1'-N9	7.13	113.90	108.20
1	AA	135	C	C5'-C4'-O4'	7.13	117.65	109.10
1	AA	357	G	N3-C4-C5	-7.13	125.04	128.60
26	BB	627	A	C6-C5-N7	7.13	137.29	132.30
26	BB	1560	G	N9-C4-C5	-7.13	102.55	105.40
26	BB	1649	G	O4'-C4'-C3'	-7.13	96.87	104.00
26	BB	1805	A	C8-N9-C4	7.13	108.65	105.80
26	BB	1966	A	O4'-C4'-C3'	7.13	111.80	106.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2107	G	C5-N7-C8	-7.13	100.74	104.30
26	BB	2640	G	C4-C5-N7	-7.13	107.95	110.80
3	AC	22	G	C5-N7-C8	-7.13	100.74	104.30
26	BB	86	G	C6-N1-C2	-7.13	120.82	125.10
26	BB	311	A	N9-C1'-C2'	-7.13	104.16	112.00
26	BB	959	A	O4'-C1'-N9	7.13	113.90	108.20
26	BB	2750	A	O4'-C4'-C3'	7.13	111.80	106.10
26	BB	2763	G	N3-C4-N9	7.13	130.28	126.00
26	BB	2782	G	N3-C4-C5	-7.13	125.04	128.60
2	AB	22	G	O4'-C1'-N9	7.12	113.90	108.20
26	BB	451	U	N1-C2-N3	7.12	119.17	114.90
26	BB	1908	C	C4'-C3'-C2'	-7.12	95.47	102.60
26	BB	1974	C	N1-C2-O2	7.12	123.17	118.90
1	AA	201	G	N9-C4-C5	7.12	108.25	105.40
1	AA	1032	G	C3'-C2'-C1'	-7.12	95.80	101.50
1	AA	1184	G	N9-C4-C5	-7.12	102.55	105.40
25	BA	116	G	N3-C4-N9	7.12	130.27	126.00
26	BB	1836	C	P-O3'-C3'	7.12	128.25	119.70
26	BB	1920	C	O4'-C1'-N1	7.12	113.90	108.20
1	AA	203	G	C5-C6-N1	7.12	115.06	111.50
25	BA	23	G	C4-C5-C6	-7.12	114.53	118.80
26	BB	940	G	C2-N3-C4	7.12	115.46	111.90
26	BB	1489	C	C6-N1-C2	7.12	123.15	120.30
26	BB	1527	G	N7-C8-N9	7.12	116.66	113.10
26	BB	1640	A	N1-C2-N3	-7.12	125.74	129.30
26	BB	1871	A	O4'-C1'-N9	7.12	113.90	108.20
26	BB	2085	U	O4'-C1'-N1	7.12	113.90	108.20
1	AA	1013	G	C2'-C3'-O3'	7.12	125.16	109.50
5	AE	53	LEU	CB-CG-CD2	7.12	123.10	111.00
26	BB	1096	A	C5-N7-C8	-7.12	100.34	103.90
1	AA	110	C	N3-C4-N4	-7.12	113.02	118.00
1	AA	150	U	N1-C2-N3	7.12	119.17	114.90
1	AA	439	U	C5-C6-N1	-7.12	119.14	122.70
1	AA	509	A	N9-C4-C5	7.12	108.65	105.80
1	AA	853	C	N3-C2-O2	-7.12	116.92	121.90
1	AA	1263	C	O4'-C1'-N1	7.12	113.89	108.20
1	AA	1471	U	C5'-C4'-O4'	7.12	117.64	109.10
26	BB	96	C	N3-C4-C5	7.12	124.75	121.90
26	BB	1000	A	C6-C5-N7	7.12	137.28	132.30
26	BB	1356	G	O4'-C4'-C3'	-7.12	96.88	104.00
26	BB	1369	G	C6-N1-C2	7.12	129.37	125.10
26	BB	1468	U	O4'-C1'-N1	7.12	113.89	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2100	G	C8-N9-C4	-7.12	103.55	106.40
26	BB	2426	A	N9-C4-C5	7.12	108.65	105.80
1	AA	1049	U	O4'-C1'-N1	7.12	113.89	108.20
26	BB	29	U	C4-C5-C6	7.12	123.97	119.70
26	BB	817	C	C4'-C3'-C2'	-7.12	95.48	102.60
26	BB	1081	U	N3-C2-O2	-7.12	117.22	122.20
26	BB	1194	A	N3-C4-N9	-7.12	121.71	127.40
26	BB	2741	A	C2-N3-C4	7.12	114.16	110.60
1	AA	204	G	N9-C4-C5	7.12	108.25	105.40
1	AA	285	C	N3-C2-O2	-7.12	116.92	121.90
1	AA	657	U	O4'-C1'-N1	7.12	113.89	108.20
1	AA	1085	U	C2-N3-C4	-7.12	122.73	127.00
1	AA	1088	G	N1-C2-N3	7.12	128.17	123.90
1	AA	1238	A	C5-N7-C8	7.12	107.46	103.90
26	BB	344	A	C2-N3-C4	-7.12	107.04	110.60
26	BB	494	G	N3-C2-N2	-7.12	114.92	119.90
26	BB	1890	A	N3-C4-N9	7.12	133.09	127.40
26	BB	1963	U	O4'-C1'-N1	7.12	113.89	108.20
26	BB	2243	U	N3-C2-O2	-7.12	117.22	122.20
26	BB	2570	G	N1-C6-O6	7.12	124.17	119.90
1	AA	55	A	N9-C4-C5	7.11	108.64	105.80
1	AA	328	C	C3'-C2'-C1'	7.11	107.19	101.50
1	AA	1243	C	N3-C4-N4	7.11	122.98	118.00
26	BB	841	G	P-O3'-C3'	7.11	128.24	119.70
26	BB	1368	G	O4'-C1'-N9	7.11	113.89	108.20
26	BB	1697	G	N1-C6-O6	7.11	124.17	119.90
26	BB	1840	G	N9-C4-C5	7.11	108.25	105.40
26	BB	2323	G	C4-C5-N7	7.11	113.64	110.80
47	BW	17	ASP	CB-CG-OD1	-7.11	111.90	118.30
1	AA	163	C	C3'-C2'-C1'	7.11	107.19	101.50
1	AA	195	A	C5'-C4'-C3'	-7.11	104.62	116.00
1	AA	571	U	C3'-C2'-C1'	7.11	107.19	101.50
25	BA	68	C	N3-C4-N4	7.11	122.98	118.00
26	BB	132	G	C5-N7-C8	7.11	107.86	104.30
26	BB	2528	U	P-O3'-C3'	7.11	128.23	119.70
27	BC	207	VAL	CA-CB-CG2	-7.11	100.23	110.90
1	AA	45	G	O4'-C1'-N9	7.11	113.89	108.20
1	AA	138	G	N3-C4-N9	7.11	130.27	126.00
1	AA	160	A	N9-C4-C5	7.11	108.64	105.80
1	AA	189	A	C4-C5-C6	-7.11	113.44	117.00
1	AA	479	U	C5'-C4'-O4'	7.11	117.63	109.10
2	AB	76	A	C4-C5-C6	7.11	120.56	117.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	AC	21	U	O4'-C1'-N1	7.11	113.89	108.20
4	AD	40	C	N1-C1'-C2'	-7.11	104.18	112.00
4	AD	40	C	N3-C4-C5	-7.11	119.06	121.90
4	AD	58	A	C6-N1-C2	7.11	122.87	118.60
26	BB	738	G	N9-C4-C5	7.11	108.24	105.40
26	BB	766	U	C5-C4-O4	7.11	130.17	125.90
26	BB	859	G	C4-C5-N7	7.11	113.64	110.80
26	BB	942	G	N1-C6-O6	-7.11	115.63	119.90
26	BB	1521	G	N9-C4-C5	7.11	108.24	105.40
26	BB	1950	G	C2-N3-C4	7.11	115.45	111.90
38	BN	132	ARG	NE-CZ-NH1	7.11	123.86	120.30
1	AA	1374	A	C4-C5-C6	-7.11	113.44	117.00
26	BB	400	G	N1-C2-N3	-7.11	119.63	123.90
26	BB	764	A	C4'-C3'-C2'	-7.11	95.49	102.60
26	BB	2152	G	N3-C4-C5	-7.11	125.05	128.60
1	AA	193	C	N3-C4-N4	-7.11	113.02	118.00
1	AA	386	C	O4'-C1'-N1	7.11	113.89	108.20
1	AA	1136	C	C1'-O4'-C4'	7.11	115.59	109.90
26	BB	644	A	C4-C5-C6	-7.11	113.45	117.00
26	BB	682	G	C4-C5-N7	-7.11	107.96	110.80
26	BB	984	A	C5-C6-N6	-7.11	118.01	123.70
26	BB	1199	U	O4'-C4'-C3'	7.11	111.79	106.10
26	BB	1883	U	C1'-O4'-C4'	7.11	115.59	109.90
1	AA	990	C	C4-C5-C6	7.11	120.95	117.40
1	AA	1217	C	N3-C2-O2	-7.11	116.93	121.90
1	AA	1358	U	C5-C6-N1	-7.11	119.15	122.70
26	BB	317	G	O4'-C1'-N9	7.11	113.89	108.20
26	BB	1148	U	N1-C2-O2	7.11	127.77	122.80
26	BB	1384	A	C5'-C4'-O4'	7.11	117.63	109.10
26	BB	2810	A	N9-C4-C5	7.11	108.64	105.80
1	AA	1215	G	C5-N7-C8	-7.10	100.75	104.30
1	AA	1514	G	N7-C8-N9	7.10	116.65	113.10
26	BB	23	G	C5-N7-C8	7.10	107.85	104.30
26	BB	433	C	O4'-C1'-C2'	7.10	113.99	107.60
26	BB	623	C	C5-C6-N1	-7.10	117.45	121.00
26	BB	2175	C	O3'-P-O5'	-7.10	90.50	104.00
26	BB	2446	G	C1'-O4'-C4'	-7.10	104.22	109.90
1	AA	102	G	C8-N9-C4	-7.10	103.56	106.40
1	AA	795	C	C5-C6-N1	7.10	124.55	121.00
1	AA	1262	C	C5'-C4'-O4'	7.10	117.62	109.10
25	BA	106	G	C2'-C3'-O3'	7.10	125.13	109.50
26	BB	67	U	C4'-C3'-C2'	-7.10	95.50	102.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	445	C	C5'-C4'-O4'	7.10	117.62	109.10
26	BB	774	G	C2-N3-C4	7.10	115.45	111.90
26	BB	1869	G	C5-C6-O6	7.10	132.86	128.60
26	BB	2399	G	N9-C1'-C2'	-7.10	104.19	112.00
26	BB	2693	G	C5-C6-O6	-7.10	124.34	128.60
1	AA	278	G	N9-C4-C5	7.10	108.24	105.40
1	AA	461	A	N7-C8-N9	-7.10	110.25	113.80
26	BB	2316	G	C5'-C4'-O4'	7.10	117.62	109.10
26	BB	2553	G	N1-C6-O6	-7.10	115.64	119.90
1	AA	207	C	C2-N3-C4	-7.10	116.35	119.90
1	AA	489	C	N3-C4-N4	7.10	122.97	118.00
1	AA	934	C	O4'-C4'-C3'	7.10	111.78	106.10
1	AA	1087	G	N3-C4-C5	-7.10	125.05	128.60
1	AA	1444	U	N3-C4-O4	7.10	124.37	119.40
2	AB	13	C	C6-N1-C2	7.10	123.14	120.30
7	AG	164	ARG	NE-CZ-NH2	7.10	123.85	120.30
25	BA	80	U	N3-C2-O2	-7.10	117.23	122.20
26	BB	2379	G	C3'-C2'-C1'	7.10	107.18	101.50
1	AA	1524	C	O4'-C1'-N1	7.10	113.88	108.20
26	BB	808	G	C2-N3-C4	7.10	115.45	111.90
26	BB	859	G	C6-N1-C2	-7.10	120.84	125.10
26	BB	1173	U	C6-N1-C2	-7.10	116.74	121.00
26	BB	1701	A	N1-C2-N3	-7.10	125.75	129.30
26	BB	1906	G	N3-C4-N9	7.10	130.26	126.00
26	BB	1929	G	C5-N7-C8	-7.10	100.75	104.30
26	BB	2193	G	C6-C5-N7	-7.10	126.14	130.40
26	BB	2214	C	C6-N1-C2	7.10	123.14	120.30
26	BB	2228	G	C4-C5-N7	7.10	113.64	110.80
43	BS	91	ARG	NE-CZ-NH2	-7.10	116.75	120.30
1	AA	1200	C	C2-N3-C4	7.10	123.45	119.90
1	AA	1382	C	C5'-C4'-O4'	7.10	117.61	109.10
1	AA	590	U	C1'-O4'-C4'	-7.09	104.22	109.90
1	AA	612	C	C1'-O4'-C4'	-7.09	104.22	109.90
26	BB	280	U	N3-C2-O2	-7.09	117.23	122.20
26	BB	553	G	O4'-C4'-C3'	7.09	111.78	106.10
26	BB	828	U	C3'-C2'-C1'	7.09	107.18	101.50
26	BB	1343	G	C1'-O4'-C4'	7.09	115.58	109.90
26	BB	2223	G	C5-N7-C8	-7.09	100.75	104.30
1	AA	1508	A	N3-C4-C5	-7.09	121.83	126.80
3	AC	17	U	N1-C2-N3	-7.09	110.64	114.90
26	BB	1599	U	C5'-C4'-C3'	-7.09	104.65	116.00
26	BB	2810	A	N1-C2-N3	-7.09	125.75	129.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	85	U	O4'-C4'-C3'	7.09	111.77	106.10
1	AA	164	G	P-O3'-C3'	7.09	128.21	119.70
1	AA	304	U	C5-C6-N1	-7.09	119.15	122.70
1	AA	630	A	C5-N7-C8	-7.09	100.35	103.90
1	AA	990	C	C1'-O4'-C4'	7.09	115.57	109.90
6	AF	97	PRO	N-CA-CB	7.09	111.81	103.30
26	BB	235	U	C5-C6-N1	-7.09	119.16	122.70
26	BB	342	A	C4-C5-N7	7.09	114.25	110.70
26	BB	1406	U	O4'-C1'-N1	7.09	113.87	108.20
26	BB	2502	G	C5-C6-N1	7.09	115.05	111.50
26	BB	2526	G	N3-C4-C5	-7.09	125.05	128.60
1	AA	59	A	C5-N7-C8	-7.09	100.36	103.90
25	BA	74	U	N1-C2-O2	7.09	127.76	122.80
26	BB	1200	C	C5-C4-N4	-7.09	115.24	120.20
26	BB	2161	C	C4'-C3'-C2'	-7.09	95.51	102.60
26	BB	2518	A	N7-C8-N9	-7.09	110.25	113.80
1	AA	996	A	C5'-C4'-C3'	-7.09	104.66	116.00
1	AA	1099	G	C5-N7-C8	-7.09	100.76	104.30
26	BB	297	G	N7-C8-N9	7.09	116.64	113.10
26	BB	1205	A	C1'-O4'-C4'	7.09	115.57	109.90
26	BB	1409	U	C4-C5-C6	-7.09	115.45	119.70
26	BB	1780	A	C2-N3-C4	7.09	114.14	110.60
1	AA	1453	G	N7-C8-N9	7.09	116.64	113.10
26	BB	504	A	C8-N9-C4	-7.09	102.97	105.80
26	BB	606	U	C5-C4-O4	-7.09	121.65	125.90
26	BB	668	A	N1-C2-N3	-7.09	125.76	129.30
26	BB	798	G	N7-C8-N9	7.09	116.64	113.10
26	BB	1094	U	C4-C5-C6	7.09	123.95	119.70
26	BB	2409	G	C4-C5-C6	7.09	123.05	118.80
26	BB	2454	G	C4'-C3'-C2'	-7.09	95.51	102.60
44	BT	78	ARG	NE-CZ-NH2	7.09	123.84	120.30
1	AA	383	A	N3-C4-N9	7.08	133.07	127.40
26	BB	777	G	N3-C4-C5	-7.08	125.06	128.60
26	BB	1387	A	N1-C6-N6	7.08	122.85	118.60
1	AA	1248	A	O4'-C1'-N9	7.08	113.87	108.20
26	BB	250	G	N1-C6-O6	7.08	124.15	119.90
26	BB	799	G	N3-C2-N2	7.08	124.86	119.90
26	BB	1379	U	O4'-C1'-N1	7.08	113.87	108.20
26	BB	1583	A	C1'-O4'-C4'	-7.08	104.23	109.90
26	BB	1876	A	N9-C4-C5	7.08	108.63	105.80
26	BB	2897	U	C5-C4-O4	-7.08	121.65	125.90
28	BD	213	ARG	NE-CZ-NH1	7.08	123.84	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	245	U	C2-N3-C4	-7.08	122.75	127.00
1	AA	1264	U	N3-C4-O4	7.08	124.36	119.40
1	AA	1291	U	N1-C2-O2	7.08	127.76	122.80
2	AB	74	C	C2-N3-C4	7.08	123.44	119.90
26	BB	77	G	C5-C6-N1	7.08	115.04	111.50
26	BB	88	G	N1-C2-N3	-7.08	119.65	123.90
26	BB	128	C	N3-C4-C5	7.08	124.73	121.90
26	BB	883	G	C8-N9-C4	-7.08	103.57	106.40
26	BB	1026	G	C3'-C2'-C1'	-7.08	95.83	101.50
26	BB	1082	U	C5-C4-O4	-7.08	121.65	125.90
26	BB	2112	G	N3-C4-N9	7.08	130.25	126.00
26	BB	2485	G	C4-C5-N7	-7.08	107.97	110.80
26	BB	2530	A	O4'-C1'-N9	7.08	113.87	108.20
31	BG	142	TYR	CB-CG-CD1	-7.08	116.75	121.00
1	AA	607	A	C8-N9-C4	-7.08	102.97	105.80
26	BB	438	G	C4-C5-C6	7.08	123.05	118.80
26	BB	2049	G	C3'-C2'-C1'	7.08	107.16	101.50
26	BB	2770	G	N7-C8-N9	7.08	116.64	113.10
1	AA	1019	A	O4'-C1'-N9	7.08	113.86	108.20
1	AA	1239	A	O4'-C4'-C3'	7.08	111.76	106.10
2	AB	71	C	C5'-C4'-O4'	7.08	117.59	109.10
3	AC	26	U	C1'-O4'-C4'	7.08	115.56	109.90
6	AF	228	ARG	NE-CZ-NH1	7.08	123.84	120.30
26	BB	12	U	N1-C2-O2	7.08	127.75	122.80
26	BB	1478	G	C5'-C4'-O4'	7.08	117.59	109.10
26	BB	2277	G	O4'-C1'-N9	7.08	113.86	108.20
1	AA	185	U	N1-C2-N3	7.08	119.15	114.90
26	BB	796	C	C5-C4-N4	-7.08	115.25	120.20
26	BB	1480	C	N3-C4-C5	-7.08	119.07	121.90
26	BB	2351	G	C5-N7-C8	-7.08	100.76	104.30
26	BB	2614	A	C4'-C3'-C2'	-7.08	95.52	102.60
1	AA	78	A	N1-C2-N3	-7.08	125.76	129.30
26	BB	838	C	C5-C4-N4	7.08	125.15	120.20
26	BB	867	C	N1-C2-O2	7.08	123.14	118.90
26	BB	1176	U	O4'-C1'-N1	7.08	113.86	108.20
26	BB	1787	A	C8-N9-C4	-7.08	102.97	105.80
26	BB	1910	G	OP1-P-OP2	7.08	130.21	119.60
26	BB	2139	U	N3-C4-C5	-7.08	110.35	114.60
1	AA	320	A	N1-C6-N6	-7.07	114.36	118.60
26	BB	1788	C	C5-C6-N1	7.07	124.54	121.00
26	BB	234	U	N1-C2-N3	7.07	119.14	114.90
1	AA	703	G	C8-N9-C4	-7.07	103.57	106.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1266	G	O4'-C1'-N9	7.07	113.86	108.20
1	AA	1471	U	N3-C4-O4	7.07	124.35	119.40
4	AD	66	C	C5-C6-N1	7.07	124.53	121.00
25	BA	107	G	N7-C8-N9	7.07	116.64	113.10
26	BB	578	G	C4-C5-N7	-7.07	107.97	110.80
26	BB	1064	C	C5'-C4'-O4'	7.07	117.58	109.10
26	BB	1216	G	O4'-C1'-C2'	7.07	113.96	107.60
26	BB	1248	G	N3-C4-N9	-7.07	121.76	126.00
26	BB	1501	G	C8-N9-C4	-7.07	103.57	106.40
26	BB	2671	G	C5-C6-N1	7.07	115.03	111.50
1	AA	1134	G	N9-C4-C5	7.07	108.23	105.40
21	AU	52	ARG	NE-CZ-NH2	-7.07	116.77	120.30
26	BB	1507	C	N3-C4-N4	7.07	122.95	118.00
1	AA	581	G	C8-N9-C4	-7.07	103.57	106.40
26	BB	785	G	C4-C5-N7	-7.07	107.97	110.80
26	BB	1246	A	C5-C6-N6	-7.07	118.05	123.70
26	BB	1452	G	C3'-C2'-C1'	7.07	107.15	101.50
26	BB	1486	U	C5-C6-N1	-7.07	119.17	122.70
26	BB	1569	A	N9-C1'-C2'	-7.07	104.22	112.00
26	BB	2035	G	C6-N1-C2	-7.07	120.86	125.10
1	AA	1349	A	C8-N9-C4	-7.07	102.97	105.80
4	AD	44	A	N7-C8-N9	7.07	117.33	113.80
25	BA	101	A	C6-N1-C2	-7.07	114.36	118.60
26	BB	684	G	C6-C5-N7	-7.07	126.16	130.40
26	BB	772	C	N3-C4-C5	7.07	124.73	121.90
26	BB	875	G	C4-C5-N7	-7.07	107.97	110.80
26	BB	1414	C	O4'-C1'-N1	7.07	113.85	108.20
26	BB	2123	G	C5-C6-N1	7.07	115.03	111.50
26	BB	2808	G	N1-C2-N3	-7.07	119.66	123.90
1	AA	563	A	C4-C5-N7	-7.06	107.17	110.70
26	BB	2181	U	C5-C4-O4	7.06	130.14	125.90
26	BB	2677	G	C2-N3-C4	7.06	115.43	111.90
1	AA	1338	G	C5-C6-O6	-7.06	124.36	128.60
1	AA	1345	U	C3'-C2'-C1'	-7.06	95.85	101.50
26	BB	1328	A	N7-C8-N9	7.06	117.33	113.80
26	BB	2126	A	C5'-C4'-C3'	-7.06	104.70	116.00
26	BB	2521	C	N3-C4-N4	7.06	122.94	118.00
1	AA	1052	U	C5-C6-N1	-7.06	119.17	122.70
26	BB	1097	U	P-O3'-C3'	7.06	128.17	119.70
26	BB	1224	U	N1-C1'-C2'	7.06	123.18	114.00
1	AA	430	A	C5'-C4'-O4'	7.06	117.57	109.10
1	AA	949	A	C5-N7-C8	7.06	107.43	103.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	AF	58	ARG	NE-CZ-NH2	7.06	123.83	120.30
20	AT	22	VAL	CA-CB-CG2	7.06	121.49	110.90
26	BB	261	G	C8-N9-C1'	7.06	136.18	127.00
26	BB	753	A	C6-N1-C2	7.06	122.83	118.60
26	BB	829	A	C5'-C4'-C3'	-7.06	104.70	116.00
26	BB	1059	G	O4'-C1'-C2'	7.06	113.95	107.60
26	BB	1233	C	O4'-C1'-N1	7.06	113.85	108.20
26	BB	1679	A	O4'-C1'-N9	7.06	113.85	108.20
26	BB	2297	A	C8-N9-C4	-7.06	102.98	105.80
26	BB	2490	G	C8-N9-C4	-7.06	103.58	106.40
26	BB	2888	C	C4'-C3'-C2'	-7.06	95.54	102.60
1	AA	407	U	C1'-O4'-C4'	-7.06	104.25	109.90
1	AA	1382	C	N3-C4-C5	-7.06	119.08	121.90
26	BB	140	C	N3-C2-O2	-7.06	116.96	121.90
26	BB	571	U	O4'-C4'-C3'	7.06	111.75	106.10
26	BB	636	G	N3-C4-N9	7.06	130.24	126.00
26	BB	921	C	C4-C5-C6	-7.06	113.87	117.40
26	BB	1456	G	O4'-C1'-N9	7.06	113.85	108.20
26	BB	1503	A	C5-C6-N6	7.06	129.35	123.70
26	BB	1997	C	C2-N3-C4	7.06	123.43	119.90
26	BB	2196	C	C4'-C3'-C2'	-7.06	95.54	102.60
26	BB	2330	G	N3-C4-C5	-7.06	125.07	128.60
26	BB	2524	G	N1-C6-O6	-7.06	115.67	119.90
42	BR	20	ARG	NE-CZ-NH2	-7.06	116.77	120.30
1	AA	8	A	C5-C6-N6	7.06	129.34	123.70
1	AA	944	G	N1-C2-N3	-7.06	119.67	123.90
26	BB	314	C	C5'-C4'-C3'	7.06	127.29	116.00
26	BB	1174	U	C2-N3-C4	-7.06	122.77	127.00
26	BB	1942	C	C5'-C4'-O4'	7.06	117.57	109.10
39	BO	18	ARG	CD-NE-CZ	7.06	133.48	123.60
1	AA	771	G	N1-C6-O6	-7.05	115.67	119.90
1	AA	778	G	C4-C5-N7	-7.05	107.98	110.80
1	AA	851	G	C5-C6-O6	-7.05	124.37	128.60
1	AA	1386	G	C4-C5-N7	-7.05	107.98	110.80
26	BB	108	G	C3'-C2'-C1'	-7.05	95.86	101.50
26	BB	1818	U	N1-C2-O2	7.05	127.74	122.80
26	BB	2178	C	C6-N1-C2	-7.05	117.48	120.30
26	BB	2451	A	N1-C2-N3	7.05	132.83	129.30
26	BB	2466	C	C3'-C2'-C1'	7.05	107.14	101.50
1	AA	8	A	N7-C8-N9	-7.05	110.27	113.80
1	AA	878	A	C5-C6-N1	-7.05	114.17	117.70
26	BB	1552	A	C1'-O4'-C4'	-7.05	104.26	109.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2098	U	C5-C4-O4	7.05	130.13	125.90
26	BB	2386	A	C5'-C4'-C3'	-7.05	104.72	116.00
26	BB	2644	G	C4-C5-N7	-7.05	107.98	110.80
26	BB	2859	G	O4'-C1'-N9	7.05	113.84	108.20
1	AA	1191	A	N1-C6-N6	-7.05	114.37	118.60
3	AC	47	C	C5-C4-N4	-7.05	115.26	120.20
26	BB	1007	C	C5-C6-N1	-7.05	117.47	121.00
26	BB	1529	G	C8-N9-C4	-7.05	103.58	106.40
26	BB	1654	A	P-O5'-C5'	7.05	132.18	120.90
26	BB	2118	U	C5-C4-O4	7.05	130.13	125.90
26	BB	2751	G	P-O3'-C3'	7.05	128.16	119.70
1	AA	376	G	N1-C6-O6	-7.05	115.67	119.90
1	AA	948	C	O4'-C4'-C3'	7.05	111.74	106.10
26	BB	273	G	C5'-C4'-O4'	7.05	117.56	109.10
26	BB	1272	A	N1-C6-N6	-7.05	114.37	118.60
26	BB	1303	G	C2-N3-C4	7.05	115.42	111.90
26	BB	1471	G	N9-C4-C5	7.05	108.22	105.40
26	BB	1483	G	N3-C4-N9	7.05	130.23	126.00
26	BB	2107	G	C4-C5-N7	7.05	113.62	110.80
26	BB	2296	U	N1-C2-N3	7.05	119.13	114.90
26	BB	2306	C	C5-C4-N4	-7.05	115.27	120.20
26	BB	23	G	C6-C5-N7	7.05	134.63	130.40
26	BB	713	G	N3-C4-C5	-7.05	125.08	128.60
26	BB	1000	A	C5-C6-N1	7.05	121.22	117.70
26	BB	1105	U	C5-C6-N1	-7.05	119.18	122.70
26	BB	1429	G	N9-C4-C5	7.05	108.22	105.40
26	BB	2011	U	P-O3'-C3'	7.05	128.16	119.70
26	BB	2093	G	N1-C6-O6	-7.05	115.67	119.90
26	BB	2516	A	N9-C4-C5	7.05	108.62	105.80
1	AA	754	C	N3-C2-O2	-7.05	116.97	121.90
1	AA	861	G	C4-C5-C6	7.05	123.03	118.80
1	AA	907	A	N9-C4-C5	-7.05	102.98	105.80
3	AC	55	A	C2'-C3'-O3'	7.05	125.00	109.50
3	AC	55	A	C4'-C3'-C2'	-7.05	95.55	102.60
26	BB	770	G	C5-C6-N1	7.05	115.02	111.50
26	BB	2230	G	N7-C8-N9	7.05	116.62	113.10
1	AA	37	U	N1-C2-N3	7.04	119.13	114.90
1	AA	778	G	C5-C6-O6	-7.04	124.37	128.60
26	BB	1895	C	C6-N1-C2	-7.04	117.48	120.30
26	BB	2745	C	N1-C2-O2	7.04	123.13	118.90
1	AA	76	G	C2-N3-C4	-7.04	108.38	111.90
1	AA	248	C	C5'-C4'-O4'	7.04	117.55	109.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1157	A	N9-C4-C5	7.04	108.62	105.80
26	BB	400	G	C2-N3-C4	7.04	115.42	111.90
26	BB	647	G	C4-C5-C6	7.04	123.03	118.80
26	BB	989	G	C2-N3-C4	7.04	115.42	111.90
26	BB	1443	U	C5-C4-O4	7.04	130.13	125.90
26	BB	1624	U	O4'-C1'-N1	7.04	113.83	108.20
1	AA	303	A	C5'-C4'-O4'	7.04	117.55	109.10
1	AA	355	C	C5'-C4'-O4'	7.04	117.55	109.10
26	BB	1256	G	C4-C5-C6	7.04	123.03	118.80
26	BB	1578	U	N3-C4-O4	7.04	124.33	119.40
26	BB	2678	C	C5-C6-N1	7.04	124.52	121.00
34	BJ	123	ASP	CB-CG-OD2	-7.04	111.96	118.30
49	BY	19	ARG	NE-CZ-NH1	7.04	123.82	120.30
1	AA	240	G	C5-N7-C8	-7.04	100.78	104.30
1	AA	520	A	C4-C5-C6	-7.04	113.48	117.00
1	AA	771	G	C5'-C4'-O4'	7.04	117.55	109.10
1	AA	1533	C	N1-C2-O2	7.04	123.12	118.90
26	BB	36	G	C6-N1-C2	-7.04	120.88	125.10
26	BB	143	C	C4'-C3'-C2'	-7.04	95.56	102.60
26	BB	420	C	C3'-C2'-C1'	7.04	107.13	101.50
26	BB	522	A	C4-C5-C6	-7.04	113.48	117.00
26	BB	579	G	N3-C2-N2	7.04	124.83	119.90
26	BB	609	A	O4'-C1'-N9	7.04	113.83	108.20
26	BB	828	U	C1'-O4'-C4'	-7.04	104.27	109.90
26	BB	927	A	C6-C5-N7	7.04	137.23	132.30
26	BB	1292	G	C4-C5-C6	7.04	123.02	118.80
26	BB	2094	A	N1-C6-N6	-7.04	114.38	118.60
26	BB	2193	G	C6-N1-C2	-7.04	120.88	125.10
26	BB	2310	C	C6-N1-C2	7.04	123.11	120.30
30	BF	61	ARG	NE-CZ-NH1	-7.04	116.78	120.30
1	AA	1	A	N7-C8-N9	7.04	117.32	113.80
1	AA	95	C	C3'-C2'-C1'	7.04	107.13	101.50
1	AA	174	A	C2-N3-C4	7.04	114.12	110.60
1	AA	376	G	C4-C5-N7	-7.04	107.98	110.80
26	BB	155	A	C5'-C4'-O4'	7.04	117.54	109.10
26	BB	1313	U	C5-C6-N1	-7.04	119.18	122.70
26	BB	1471	G	C6-C5-N7	-7.04	126.18	130.40
26	BB	2493	U	N3-C4-O4	7.04	124.33	119.40
26	BB	2733	A	C5-C6-N1	-7.04	114.18	117.70
32	BH	54	ARG	NE-CZ-NH1	-7.04	116.78	120.30
1	AA	478	A	N7-C8-N9	7.04	117.32	113.80
1	AA	878	A	C6-C5-N7	-7.04	127.38	132.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1213	A	N7-C8-N9	7.04	117.32	113.80
26	BB	104	A	C2-N3-C4	7.04	114.12	110.60
26	BB	398	C	C1'-O4'-C4'	-7.04	104.27	109.90
26	BB	1248	G	N1-C6-O6	7.04	124.12	119.90
26	BB	2027	G	C5-C6-N1	7.04	115.02	111.50
26	BB	2195	U	O4'-C1'-N1	7.04	113.83	108.20
26	BB	2285	C	O4'-C1'-N1	7.04	113.83	108.20
26	BB	2626	C	C2-N3-C4	7.04	123.42	119.90
26	BB	2838	G	C4-C5-N7	-7.04	107.99	110.80
58	B7	1	MET	CA-CB-CG	7.04	125.26	113.30
1	AA	446	G	C5'-C4'-O4'	7.03	117.54	109.10
1	AA	713	G	O4'-C1'-N9	7.03	113.83	108.20
1	AA	783	C	C6-N1-C2	-7.03	117.49	120.30
1	AA	803	G	C5-N7-C8	7.03	107.82	104.30
1	AA	1008	U	O4'-C1'-N1	7.03	113.83	108.20
1	AA	1447	A	C8-N9-C4	-7.03	102.99	105.80
26	BB	56	A	N9-C4-C5	-7.03	102.99	105.80
26	BB	295	G	C2-N3-C4	7.03	115.42	111.90
26	BB	597	G	C3'-C2'-C1'	-7.03	95.87	101.50
26	BB	1042	G	C2-N3-C4	7.03	115.42	111.90
26	BB	1122	G	N3-C2-N2	-7.03	114.98	119.90
26	BB	1494	A	C4'-C3'-C2'	7.03	109.63	102.60
26	BB	1669	A	C8-N9-C4	-7.03	102.99	105.80
26	BB	2577	A	N3-C4-C5	-7.03	121.88	126.80
26	BB	2579	C	N1-C2-N3	-7.03	114.28	119.20
1	AA	547	A	N3-C4-C5	-7.03	121.88	126.80
1	AA	657	U	C3'-C2'-C1'	7.03	107.13	101.50
1	AA	1198	G	N9-C1'-C2'	-7.03	104.27	112.00
26	BB	980	A	O4'-C1'-N9	7.03	113.83	108.20
26	BB	1420	A	N7-C8-N9	7.03	117.32	113.80
1	AA	529	G	O4'-C1'-N9	-7.03	102.58	108.20
1	AA	725	G	C4-C5-N7	-7.03	107.99	110.80
1	AA	1479	C	C2-N3-C4	7.03	123.42	119.90
26	BB	998	C	C5-C6-N1	7.03	124.52	121.00
26	BB	1022	G	C1'-O4'-C4'	-7.03	104.28	109.90
26	BB	1162	G	C4-C5-N7	7.03	113.61	110.80
26	BB	1179	G	O4'-C1'-N9	7.03	113.83	108.20
26	BB	2136	G	N3-C4-C5	-7.03	125.08	128.60
26	BB	2514	U	C4'-C3'-C2'	-7.03	95.57	102.60
26	BB	2581	G	N3-C4-C5	-7.03	125.08	128.60
1	AA	730	G	C8-N9-C4	-7.03	103.59	106.40
1	AA	993	G	O4'-C1'-C2'	-7.03	98.77	105.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1307	U	N1-C2-O2	7.03	127.72	122.80
2	AB	25	C	O4'-C4'-C3'	7.03	111.72	106.10
26	BB	90	U	N3-C2-O2	-7.03	117.28	122.20
26	BB	336	C	C1'-O4'-C4'	7.03	115.52	109.90
26	BB	1267	U	C4-C5-C6	7.03	123.92	119.70
26	BB	1959	G	C8-N9-C4	-7.03	103.59	106.40
26	BB	2336	A	N7-C8-N9	-7.03	110.29	113.80
26	BB	2398	U	O4'-C1'-N1	7.03	113.82	108.20
40	BP	72	ASP	CB-CG-OD1	-7.03	111.97	118.30
1	AA	4	U	O4'-C1'-N1	7.03	113.82	108.20
1	AA	301	G	C8-N9-C4	-7.03	103.59	106.40
1	AA	582	C	N3-C4-N4	7.03	122.92	118.00
1	AA	1197	A	C6-N1-C2	-7.03	114.38	118.60
1	AA	1254	A	P-O3'-C3'	-7.03	111.27	119.70
1	AA	1321	U	N1-C2-O2	7.03	127.72	122.80
1	AA	1528	U	N1-C2-N3	7.03	119.12	114.90
3	AC	24	A	C5-C6-N6	7.03	129.32	123.70
4	AD	72	C	N1-C2-O2	7.03	123.12	118.90
6	AF	142	ARG	NE-CZ-NH2	7.03	123.81	120.30
25	BA	15	A	C1'-O4'-C4'	7.03	115.52	109.90
26	BB	577	G	N9-C4-C5	-7.03	102.59	105.40
26	BB	1185	G	C4-C5-N7	-7.03	107.99	110.80
26	BB	1464	G	N1-C2-N2	7.03	122.53	116.20
26	BB	1875	G	C5-C6-O6	-7.03	124.38	128.60
26	BB	2768	U	N1-C2-O2	7.03	127.72	122.80
43	BS	50	ARG	NE-CZ-NH1	7.03	123.81	120.30
1	AA	79	G	N3-C4-C5	-7.03	125.09	128.60
1	AA	283	U	C3'-C2'-C1'	-7.03	95.88	101.50
1	AA	1066	C	N1-C2-O2	7.03	123.11	118.90
9	AI	2	ARG	NH1-CZ-NH2	-7.03	111.67	119.40
26	BB	431	U	N1-C2-N3	7.03	119.12	114.90
26	BB	832	U	N3-C4-C5	-7.03	110.39	114.60
26	BB	1201	U	C5-C4-O4	-7.03	121.68	125.90
26	BB	1369	G	N3-C4-C5	-7.03	125.09	128.60
26	BB	2272	U	N3-C2-O2	-7.03	117.28	122.20
1	AA	7	A	C5-N7-C8	7.02	107.41	103.90
1	AA	210	C	C4-C5-C6	-7.02	113.89	117.40
14	AN	121	ARG	NE-CZ-NH2	-7.02	116.79	120.30
26	BB	390	U	C3'-C2'-C1'	7.02	107.12	101.50
26	BB	1077	A	N1-C6-N6	7.02	122.81	118.60
26	BB	1154	G	C1'-O4'-C4'	-7.02	104.28	109.90
26	BB	1641	A	N1-C2-N3	7.02	132.81	129.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
43	BS	54	ARG	NE-CZ-NH1	7.02	123.81	120.30
1	AA	161	A	C5-C6-N1	7.02	121.21	117.70
1	AA	225	C	N3-C4-C5	7.02	124.71	121.90
1	AA	767	A	N1-C2-N3	-7.02	125.79	129.30
1	AA	1026	G	C6-C5-N7	-7.02	126.19	130.40
4	AD	64	G	O4'-C1'-N9	7.02	113.82	108.20
5	AE	212	TYR	CB-CG-CD1	7.02	125.21	121.00
26	BB	303	G	C5-C6-N1	-7.02	107.99	111.50
26	BB	390	U	O4'-C1'-N1	7.02	113.82	108.20
26	BB	987	C	C6-N1-C2	-7.02	117.49	120.30
26	BB	1856	U	N1-C1'-C2'	-7.02	104.28	112.00
26	BB	2196	C	C3'-C2'-C1'	7.02	107.12	101.50
26	BB	2226	C	C6-N1-C2	-7.02	117.49	120.30
1	AA	538	G	C4-C5-N7	-7.02	107.99	110.80
1	AA	982	U	C5-C6-N1	7.02	126.21	122.70
1	AA	1268	G	N7-C8-N9	7.02	116.61	113.10
4	AD	6	G	N9-C4-C5	-7.02	102.59	105.40
26	BB	829	A	O4'-C4'-C3'	7.02	111.72	106.10
26	BB	1656	C	O4'-C1'-N1	7.02	113.82	108.20
1	AA	743	A	N1-C2-N3	-7.02	125.79	129.30
1	AA	1160	G	C5-N7-C8	-7.02	100.79	104.30
26	BB	1099	G	N9-C4-C5	-7.02	102.59	105.40
26	BB	1194	A	C6-C5-N7	7.02	137.21	132.30
26	BB	1665	A	C5-C6-N6	7.02	129.31	123.70
26	BB	1790	C	P-O3'-C3'	7.02	128.12	119.70
26	BB	1994	C	C5-C4-N4	7.02	125.11	120.20
26	BB	2227	A	N9-C4-C5	-7.02	102.99	105.80
26	BB	2399	G	N3-C4-N9	7.02	130.21	126.00
28	BD	95	TYR	CZ-CE2-CD2	-7.02	113.48	119.80
48	BX	31	TYR	CB-CG-CD2	-7.02	116.79	121.00
1	AA	41	G	N1-C6-O6	-7.02	115.69	119.90
1	AA	206	C	N3-C2-O2	-7.02	116.99	121.90
1	AA	402	G	N1-C6-O6	7.02	124.11	119.90
1	AA	690	G	C6-N1-C2	-7.02	120.89	125.10
1	AA	907	A	N9-C1'-C2'	-7.02	104.28	112.00
1	AA	1266	G	C3'-C2'-C1'	7.02	107.11	101.50
26	BB	461	C	N1-C2-O2	7.02	123.11	118.90
26	BB	1369	G	C4-C5-N7	-7.02	107.99	110.80
26	BB	1902	C	N1-C2-O2	7.02	123.11	118.90
26	BB	2448	A	C6-N1-C2	7.02	122.81	118.60
1	AA	489	C	O4'-C1'-N1	7.02	113.81	108.20
1	AA	695	A	C6-N1-C2	7.02	122.81	118.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1024	G	N3-C2-N2	-7.02	114.99	119.90
26	BB	728	G	C6-N1-C2	-7.02	120.89	125.10
26	BB	1991	U	C4-C5-C6	7.02	123.91	119.70
1	AA	926	G	N9-C4-C5	-7.01	102.59	105.40
1	AA	1370	G	N3-C4-N9	7.01	130.21	126.00
1	AA	1405	G	C6-N1-C2	-7.01	120.89	125.10
1	AA	1443	C	N3-C4-N4	-7.01	113.09	118.00
4	AD	69	C	C4-C5-C6	-7.01	113.89	117.40
26	BB	1555	G	O4'-C1'-N9	7.01	113.81	108.20
26	BB	1783	A	N1-C2-N3	7.01	132.81	129.30
26	BB	2439	A	N7-C8-N9	7.01	117.31	113.80
26	BB	2535	G	O4'-C1'-C2'	-7.01	98.79	105.80
26	BB	88	G	C5-N7-C8	-7.01	100.79	104.30
26	BB	408	G	N7-C8-N9	7.01	116.61	113.10
26	BB	524	G	C6-C5-N7	-7.01	126.19	130.40
26	BB	778	G	C5-C6-O6	-7.01	124.39	128.60
26	BB	2288	A	O4'-C1'-N9	7.01	113.81	108.20
26	BB	2708	G	C6-C5-N7	7.01	134.61	130.40
1	AA	179	A	C6-N1-C2	7.01	122.81	118.60
10	AJ	101	ARG	NE-CZ-NH2	-7.01	116.79	120.30
13	AM	31	ARG	NE-CZ-NH1	7.01	123.81	120.30
26	BB	17	G	C6-C5-N7	-7.01	126.19	130.40
26	BB	123	G	C8-N9-C4	-7.01	103.60	106.40
26	BB	662	G	O4'-C1'-C2'	7.01	113.91	107.60
26	BB	907	G	N3-C4-C5	-7.01	125.09	128.60
1	AA	260	G	C5-C6-N1	7.01	115.00	111.50
1	AA	383	A	N1-C2-N3	-7.01	125.80	129.30
1	AA	1097	C	N1-C2-O2	7.01	123.11	118.90
1	AA	1398	A	O4'-C4'-C3'	7.01	111.71	106.10
26	BB	67	U	C5-C6-N1	7.01	126.20	122.70
26	BB	157	C	N3-C4-C5	-7.01	119.10	121.90
26	BB	300	A	N1-C2-N3	-7.01	125.80	129.30
26	BB	1690	A	N1-C2-N3	-7.01	125.80	129.30
1	AA	433	G	C2-N3-C4	7.01	115.40	111.90
26	BB	309	A	N3-C4-C5	-7.01	121.89	126.80
26	BB	407	G	C8-N9-C4	7.01	109.20	106.40
26	BB	881	G	C5-N7-C8	-7.01	100.80	104.30
26	BB	1613	G	N3-C4-N9	-7.01	121.80	126.00
1	AA	51	A	C2-N3-C4	7.01	114.10	110.60
1	AA	486	U	C2-N3-C4	-7.01	122.80	127.00
1	AA	511	C	C4-C5-C6	7.01	120.90	117.40
1	AA	769	G	N3-C4-N9	7.01	130.20	126.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1050	G	C5-C6-O6	-7.01	124.40	128.60
1	AA	1511	G	C5-N7-C8	-7.01	100.80	104.30
25	BA	44	G	P-O3'-C3'	7.01	128.11	119.70
26	BB	381	G	C5'-C4'-O4'	7.01	117.51	109.10
26	BB	513	A	N1-C6-N6	-7.01	114.40	118.60
26	BB	1599	U	N3-C2-O2	-7.01	117.30	122.20
26	BB	1890	A	N3-C4-C5	-7.01	121.89	126.80
26	BB	2206	C	C4-C5-C6	-7.01	113.90	117.40
1	AA	144	G	C5-C6-N1	7.00	115.00	111.50
1	AA	162	A	C8-N9-C4	-7.00	103.00	105.80
1	AA	539	A	C8-N9-C4	-7.00	103.00	105.80
26	BB	750	A	C4-C5-N7	7.00	114.20	110.70
26	BB	1237	A	C4-C5-N7	-7.00	107.20	110.70
26	BB	2077	A	O4'-C1'-C2'	-7.00	98.80	105.80
26	BB	2097	A	C8-N9-C4	-7.00	103.00	105.80
26	BB	2550	G	N3-C4-N9	-7.00	121.80	126.00
26	BB	2761	A	N1-C6-N6	-7.00	114.40	118.60
4	AD	45	A	N9-C4-C5	7.00	108.60	105.80
25	BA	5	U	N3-C2-O2	-7.00	117.30	122.20
26	BB	56	A	C5-N7-C8	-7.00	100.40	103.90
26	BB	2127	G	C5-C6-N1	7.00	115.00	111.50
1	AA	231	U	N1-C2-N3	7.00	119.10	114.90
1	AA	462	G	C5'-C4'-O4'	7.00	117.50	109.10
1	AA	693	G	C4-C5-C6	7.00	123.00	118.80
1	AA	1202	U	C5-C4-O4	-7.00	121.70	125.90
4	AD	61	U	C5'-C4'-O4'	7.00	117.50	109.10
25	BA	100	G	C4-C5-C6	7.00	123.00	118.80
26	BB	253	C	C4'-C3'-C2'	-7.00	95.60	102.60
26	BB	1196	C	C5-C6-N1	7.00	124.50	121.00
26	BB	1711	A	C5-N7-C8	7.00	107.40	103.90
26	BB	1936	A	O4'-C1'-N9	7.00	113.80	108.20
26	BB	2184	A	C5-C6-N6	-7.00	118.10	123.70
26	BB	2305	U	N1-C2-N3	7.00	119.10	114.90
26	BB	2461	A	C2-N3-C4	7.00	114.10	110.60
26	BB	2530	A	C8-N9-C4	7.00	108.60	105.80
26	BB	2683	C	C2-N3-C4	7.00	123.40	119.90
1	AA	567	G	C5-C6-O6	7.00	132.80	128.60
25	BA	16	G	P-O3'-C3'	7.00	128.10	119.70
1	AA	765	G	N3-C4-C5	-7.00	125.10	128.60
1	AA	819	A	N9-C4-C5	-7.00	103.00	105.80
1	AA	915	A	N3-C4-C5	-7.00	121.90	126.80
1	AA	1156	G	N1-C6-O6	-7.00	115.70	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BA	13	G	C6-N1-C2	7.00	129.30	125.10
26	BB	386	G	C4-C5-N7	-7.00	108.00	110.80
26	BB	1826	G	C6-N1-C2	-7.00	120.90	125.10
26	BB	2148	G	P-O3'-C3'	7.00	128.10	119.70
26	BB	2183	A	C5-N7-C8	7.00	107.40	103.90
26	BB	2513	A	N1-C2-N3	7.00	132.80	129.30
1	AA	1298	U	O4'-C1'-C2'	-7.00	98.80	105.80
2	AB	24	G	C4-C5-C6	7.00	123.00	118.80
26	BB	29	U	O4'-C1'-C2'	7.00	113.90	107.60
26	BB	115	C	N3-C4-C5	-7.00	119.10	121.90
26	BB	756	A	N1-C2-N3	7.00	132.80	129.30
26	BB	1036	G	C5-N7-C8	-7.00	100.80	104.30
26	BB	1311	G	C5-N7-C8	-7.00	100.80	104.30
26	BB	2164	C	P-O3'-C3'	7.00	128.09	119.70
26	BB	2612	C	N1-C2-N3	7.00	124.10	119.20
26	BB	2668	G	N3-C2-N2	7.00	124.80	119.90
1	AA	420	U	N1-C2-O2	7.00	127.70	122.80
1	AA	595	A	C2-N3-C4	7.00	114.10	110.60
1	AA	932	C	C2-N3-C4	7.00	123.40	119.90
3	AC	22	G	C4-C5-N7	-7.00	108.00	110.80
26	BB	1771	C	O4'-C1'-C2'	-7.00	98.81	105.80
26	BB	2249	U	C5-C6-N1	7.00	126.20	122.70
26	BB	2865	U	C5-C4-O4	-7.00	121.70	125.90
1	AA	626	G	C6-C5-N7	-6.99	126.20	130.40
3	AC	59	A	O4'-C1'-N9	6.99	113.80	108.20
25	BA	106	G	C2-N3-C4	6.99	115.40	111.90
26	BB	39	G	N3-C2-N2	-6.99	115.00	119.90
26	BB	210	C	N1-C2-O2	6.99	123.10	118.90
26	BB	1545	A	N7-C8-N9	-6.99	110.30	113.80
26	BB	1720	U	O4'-C1'-N1	6.99	113.80	108.20
26	BB	2323	G	N9-C4-C5	-6.99	102.60	105.40
26	BB	2799	A	P-O3'-C3'	6.99	128.09	119.70
1	AA	152	A	O4'-C1'-C2'	6.99	113.89	107.60
1	AA	738	C	N1-C2-O2	6.99	123.09	118.90
1	AA	759	A	C5-C6-N6	-6.99	118.11	123.70
1	AA	888	G	C6-N1-C2	-6.99	120.91	125.10
26	BB	1602	U	N3-C4-C5	-6.99	110.41	114.60
26	BB	2669	G	N7-C8-N9	-6.99	109.60	113.10
3	AC	14	G	N3-C4-C5	-6.99	125.10	128.60
26	BB	1076	C	C4'-C3'-C2'	-6.99	95.61	102.60
26	BB	1215	G	C4-C5-C6	6.99	122.99	118.80
26	BB	1269	A	C6-N1-C2	6.99	122.79	118.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1294	U	C2-N3-C4	-6.99	122.81	127.00
26	BB	1770	G	N3-C2-N2	6.99	124.79	119.90
26	BB	2064	C	C2-N3-C4	6.99	123.39	119.90
26	BB	2219	U	C5-C6-N1	-6.99	119.20	122.70
26	BB	2835	A	C4-C5-C6	-6.99	113.50	117.00
43	BS	46	TYR	CG-CD1-CE1	6.99	126.89	121.30
1	AA	210	C	N3-C4-N4	6.99	122.89	118.00
1	AA	244	U	C4-C5-C6	6.99	123.89	119.70
1	AA	788	U	C5'-C4'-O4'	6.99	117.49	109.10
1	AA	1414	U	P-O3'-C3'	6.99	128.09	119.70
1	AA	1439	G	N1-C2-N3	-6.99	119.71	123.90
26	BB	674	G	N7-C8-N9	6.99	116.59	113.10
26	BB	917	A	N1-C2-N3	-6.99	125.81	129.30
48	BX	21	ARG	NE-CZ-NH1	6.99	123.79	120.30
1	AA	481	G	O4'-C1'-N9	-6.99	102.61	108.20
25	BA	74	U	C3'-C2'-C1'	6.99	107.09	101.50
26	BB	1598	A	O4'-C1'-N9	6.99	113.79	108.20
26	BB	2236	U	N1-C2-N3	6.99	119.09	114.90
26	BB	2729	G	C5-C6-O6	6.99	132.79	128.60
26	BB	2880	C	C4-C5-C6	6.99	120.89	117.40
1	AA	1345	U	C4-C5-C6	6.99	123.89	119.70
25	BA	16	G	C4'-C3'-C2'	-6.99	95.61	102.60
26	BB	243	U	N1-C2-N3	-6.99	110.71	114.90
26	BB	440	C	N1-C2-O2	6.99	123.09	118.90
26	BB	659	G	N3-C2-N2	6.99	124.79	119.90
26	BB	1208	C	C6-N1-C2	-6.99	117.51	120.30
26	BB	1619	G	N9-C4-C5	6.99	108.19	105.40
26	BB	1802	A	P-O3'-C3'	6.99	128.08	119.70
26	BB	1957	C	O4'-C1'-N1	6.99	113.79	108.20
1	AA	1094	G	C4-C5-N7	-6.98	108.01	110.80
26	BB	979	A	N9-C4-C5	6.98	108.59	105.80
26	BB	1658	C	N3-C4-C5	-6.98	119.11	121.90
26	BB	2361	G	C6-N1-C2	6.98	129.29	125.10
1	AA	564	C	N1-C1'-C2'	-6.98	104.32	112.00
1	AA	640	A	C1'-O4'-C4'	-6.98	104.31	109.90
1	AA	694	A	C3'-C2'-C1'	6.98	107.09	101.50
1	AA	943	U	C5'-C4'-C3'	-6.98	104.83	116.00
1	AA	1528	U	C2-N3-C4	-6.98	122.81	127.00
26	BB	863	A	N3-C4-C5	-6.98	121.91	126.80
26	BB	1246	A	O4'-C1'-N9	6.98	113.78	108.20
26	BB	1803	A	N3-C4-C5	-6.98	121.91	126.80
1	AA	117	G	N9-C4-C5	6.98	108.19	105.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	205	A	N1-C6-N6	6.98	122.79	118.60
1	AA	277	C	C4'-C3'-C2'	-6.98	95.62	102.60
1	AA	957	U	C3'-C2'-C1'	6.98	107.08	101.50
1	AA	1132	C	C6-N1-C2	-6.98	117.51	120.30
26	BB	597	G	C4-C5-C6	6.98	122.99	118.80
26	BB	820	A	N3-C4-N9	-6.98	121.82	127.40
26	BB	932	U	C2-N1-C1'	6.98	126.08	117.70
26	BB	986	C	C5-C4-N4	-6.98	115.31	120.20
26	BB	1253	A	O4'-C1'-N9	6.98	113.78	108.20
26	BB	1263	U	C5'-C4'-O4'	6.98	117.48	109.10
26	BB	1926	U	N1-C2-O2	-6.98	117.91	122.80
26	BB	2258	C	C6-N1-C2	6.98	123.09	120.30
26	BB	2702	G	C8-N9-C4	6.98	109.19	106.40
1	AA	523	A	N9-C4-C5	6.98	108.59	105.80
1	AA	1386	G	N9-C4-C5	6.98	108.19	105.40
26	BB	467	G	C4-C5-C6	6.98	122.99	118.80
26	BB	2431	U	N3-C4-C5	-6.98	110.41	114.60
30	BF	96	VAL	CG1-CB-CG2	-6.98	99.73	110.90
22	AV	85	ASP	CB-CG-OD1	-6.98	112.02	118.30
26	BB	60	G	N1-C2-N3	-6.98	119.71	123.90
26	BB	777	G	N1-C6-O6	6.98	124.09	119.90
26	BB	1166	G	N3-C4-N9	-6.98	121.81	126.00
26	BB	1378	A	C5-C6-N6	6.98	129.28	123.70
26	BB	1476	U	C4-C5-C6	6.98	123.89	119.70
26	BB	2015	A	N1-C6-N6	-6.98	114.41	118.60
26	BB	2252	G	N1-C2-N3	-6.98	119.71	123.90
26	BB	2615	U	N3-C4-O4	-6.98	114.52	119.40
45	BU	88	ARG	NE-CZ-NH1	-6.98	116.81	120.30
26	BB	1089	A	C5-C6-N1	6.98	121.19	117.70
26	BB	1599	U	N1-C2-N3	6.98	119.08	114.90
26	BB	2534	A	O4'-C1'-N9	6.98	113.78	108.20
1	AA	49	U	C3'-C2'-C1'	6.97	107.08	101.50
1	AA	656	G	N9-C4-C5	6.97	108.19	105.40
2	AB	73	G	N3-C2-N2	6.97	124.78	119.90
26	BB	178	G	N3-C4-N9	6.97	130.19	126.00
26	BB	180	G	C5-C6-N1	6.97	114.99	111.50
26	BB	806	C	N3-C2-O2	-6.97	117.02	121.90
26	BB	1425	G	C2-N3-C4	-6.97	108.41	111.90
26	BB	1454	C	C4'-C3'-C2'	-6.97	95.63	102.60
26	BB	1491	G	N3-C4-C5	-6.97	125.11	128.60
26	BB	1774	C	N3-C4-N4	6.97	122.88	118.00
26	BB	1823	G	N1-C6-O6	6.97	124.08	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
32	BH	148	ARG	NE-CZ-NH1	6.97	123.79	120.30
1	AA	76	G	C3'-C2'-C1'	6.97	107.08	101.50
1	AA	854	U	C2-N3-C4	-6.97	122.82	127.00
1	AA	1413	A	N1-C2-N3	6.97	132.79	129.30
2	AB	41	C	O4'-C1'-N1	6.97	113.78	108.20
26	BB	340	A	N1-C2-N3	-6.97	125.81	129.30
26	BB	637	A	P-O3'-C3'	6.97	128.07	119.70
26	BB	1269	A	N1-C6-N6	6.97	122.78	118.60
26	BB	1828	G	C8-N9-C4	6.97	109.19	106.40
26	BB	1960	A	N9-C4-C5	6.97	108.59	105.80
26	BB	2834	G	C8-N9-C4	-6.97	103.61	106.40
3	AC	44	U	N1-C2-N3	6.97	119.08	114.90
26	BB	285	G	C5-N7-C8	-6.97	100.81	104.30
26	BB	651	G	C4-C5-C6	-6.97	114.62	118.80
26	BB	1131	G	N1-C6-O6	6.97	124.08	119.90
49	BY	40	ARG	NH1-CZ-NH2	-6.97	111.73	119.40
1	AA	88	U	N3-C2-O2	-6.97	117.32	122.20
1	AA	345	C	N1-C2-O2	6.97	123.08	118.90
1	AA	910	C	N3-C2-O2	-6.97	117.02	121.90
1	AA	1381	U	O3'-P-O5'	-6.97	90.76	104.00
1	AA	1511	G	C1'-O4'-C4'	6.97	115.48	109.90
26	BB	13	A	N9-C4-C5	6.97	108.59	105.80
26	BB	167	A	C4-C5-C6	6.97	120.48	117.00
26	BB	887	U	C3'-C2'-C1'	6.97	107.08	101.50
26	BB	957	C	C4-C5-C6	6.97	120.89	117.40
26	BB	1347	A	C4-C5-N7	6.97	114.19	110.70
26	BB	1536	C	N3-C4-C5	-6.97	119.11	121.90
26	BB	1918	A	N9-C4-C5	6.97	108.59	105.80
26	BB	2120	G	C8-N9-C4	-6.97	103.61	106.40
25	BA	76	G	N7-C8-N9	6.97	116.58	113.10
26	BB	218	A	C5'-C4'-O4'	6.97	117.46	109.10
26	BB	407	G	N1-C6-O6	-6.97	115.72	119.90
26	BB	1753	G	O4'-C4'-C3'	6.97	111.67	106.10
26	BB	2321	U	C4-C5-C6	6.97	123.88	119.70
1	AA	291	U	C5-C6-N1	-6.97	119.22	122.70
1	AA	643	C	C5'-C4'-O4'	6.97	117.46	109.10
1	AA	1273	C	C6-N1-C2	6.97	123.09	120.30
25	BA	16	G	C5-N7-C8	6.97	107.78	104.30
26	BB	18	U	N3-C4-C5	-6.97	110.42	114.60
26	BB	152	A	N9-C4-C5	-6.97	103.01	105.80
26	BB	467	G	N7-C8-N9	-6.97	109.62	113.10
26	BB	531	C	C5-C4-N4	-6.97	115.32	120.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	564	C	N1-C1'-C2'	-6.97	104.34	112.00
26	BB	914	G	O4'-C1'-N9	6.97	113.77	108.20
26	BB	2276	G	C5-C6-O6	-6.97	124.42	128.60
1	AA	517	G	C8-N9-C1'	6.96	136.05	127.00
1	AA	1168	U	C5'-C4'-O4'	6.96	117.46	109.10
26	BB	870	U	N3-C4-C5	6.96	118.78	114.60
26	BB	1784	A	C5-C6-N1	6.96	121.18	117.70
26	BB	2091	C	C5-C6-N1	-6.96	117.52	121.00
26	BB	2374	C	N3-C4-C5	-6.96	119.11	121.90
26	BB	2675	A	C3'-C2'-C1'	-6.96	95.93	101.50
1	AA	189	A	C3'-C2'-C1'	6.96	107.07	101.50
1	AA	449	G	C5-C6-O6	-6.96	124.42	128.60
1	AA	1108	G	N9-C4-C5	6.96	108.19	105.40
26	BB	347	A	O4'-C4'-C3'	-6.96	97.04	104.00
26	BB	1998	A	C8-N9-C4	-6.96	103.02	105.80
1	AA	298	A	O4'-C1'-N9	6.96	113.77	108.20
1	AA	1371	G	C6-C5-N7	-6.96	126.22	130.40
1	AA	1541	U	C4'-C3'-C2'	6.96	109.56	102.60
2	AB	27	C	N3-C2-O2	-6.96	117.03	121.90
26	BB	286	U	C2-N3-C4	-6.96	122.82	127.00
26	BB	324	A	O4'-C1'-N9	6.96	113.77	108.20
26	BB	1796	U	O4'-C4'-C3'	6.96	111.67	106.10
26	BB	2212	A	N7-C8-N9	-6.96	110.32	113.80
26	BB	2606	C	N1-C1'-C2'	-6.96	104.34	112.00
26	BB	2832	U	C1'-O4'-C4'	6.96	115.47	109.90
26	BB	183	C	C5-C6-N1	6.96	124.48	121.00
26	BB	493	G	C8-N9-C4	-6.96	103.62	106.40
1	AA	165	G	C2-N3-C4	6.96	115.38	111.90
1	AA	309	A	C4'-C3'-C2'	-6.96	95.64	102.60
1	AA	538	G	C5-N7-C8	6.96	107.78	104.30
1	AA	848	C	C6-N1-C2	-6.96	117.52	120.30
1	AA	944	G	C2'-C3'-O3'	6.96	124.83	113.70
1	AA	1132	C	N3-C4-C5	6.96	124.68	121.90
1	AA	1504	G	C5-N7-C8	6.96	107.78	104.30
2	AB	69	C	O4'-C1'-N1	6.96	113.77	108.20
26	BB	45	G	N1-C2-N2	-6.96	109.94	116.20
26	BB	55	G	C5'-C4'-O4'	6.96	117.45	109.10
26	BB	991	C	N3-C2-O2	-6.96	117.03	121.90
26	BB	1226	A	C8-N9-C4	-6.96	103.02	105.80
26	BB	1899	A	N1-C6-N6	-6.96	114.42	118.60
1	AA	511	C	N1-C1'-C2'	6.96	123.04	114.00
1	AA	601	G	P-O3'-C3'	6.96	128.05	119.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	882	C	O4'-C1'-N1	6.96	113.77	108.20
1	AA	971	G	C4'-C3'-C2'	-6.96	95.64	102.60
1	AA	993	G	N3-C4-N9	6.96	130.17	126.00
1	AA	1114	C	N3-C4-N4	6.96	122.87	118.00
25	BA	120	U	N1-C1'-C2'	-6.96	104.35	112.00
26	BB	367	G	C5'-C4'-O4'	6.96	117.45	109.10
26	BB	384	A	C5-C6-N1	6.96	121.18	117.70
26	BB	1614	A	C4'-C3'-C2'	6.96	109.56	102.60
26	BB	1737	G	N3-C4-C5	-6.96	125.12	128.60
26	BB	1816	C	P-O3'-C3'	6.96	128.05	119.70
26	BB	1986	C	C5'-C4'-O4'	6.96	117.45	109.10
1	AA	613	C	N1-C1'-C2'	-6.96	104.35	112.00
1	AA	622	A	C4-C5-N7	-6.96	107.22	110.70
25	BA	7	G	C5-C6-O6	-6.96	124.43	128.60
26	BB	161	A	C4-C5-N7	-6.96	107.22	110.70
26	BB	650	C	C5-C4-N4	-6.96	115.33	120.20
26	BB	1672	A	C6-N1-C2	-6.96	114.43	118.60
26	BB	1892	C	N3-C4-C5	-6.96	119.12	121.90
26	BB	2120	G	O4'-C1'-N9	-6.96	102.64	108.20
26	BB	2886	A	C8-N9-C4	-6.96	103.02	105.80
29	BE	13	ARG	NE-CZ-NH1	-6.96	116.82	120.30
1	AA	760	G	C4-C5-N7	-6.95	108.02	110.80
1	AA	768	A	C3'-C2'-C1'	-6.95	95.94	101.50
1	AA	1006	G	C5'-C4'-O4'	6.95	117.44	109.10
1	AA	1067	A	C6-C5-N7	6.95	137.17	132.30
1	AA	1288	A	C3'-C2'-C1'	-6.95	95.94	101.50
25	BA	99	A	N3-C4-C5	-6.95	121.93	126.80
26	BB	667	U	C2-N3-C4	-6.95	122.83	127.00
26	BB	1366	A	C2-N3-C4	6.95	114.08	110.60
26	BB	1675	C	N3-C4-C5	6.95	124.68	121.90
26	BB	1837	C	C4-C5-C6	-6.95	113.92	117.40
26	BB	2508	G	C6-C5-N7	-6.95	126.23	130.40
33	BI	55	GLU	OE1-CD-OE2	6.95	131.64	123.30
1	AA	531	U	C5-C4-O4	6.95	130.07	125.90
13	AM	9	ARG	CD-NE-CZ	6.95	133.33	123.60
26	BB	1688	U	N3-C4-O4	6.95	124.27	119.40
26	BB	2134	A	C4-C5-N7	6.95	114.18	110.70
1	AA	1381	U	C4'-C3'-C2'	-6.95	95.65	102.60
1	AA	1438	G	N1-C2-N2	6.95	122.45	116.20
26	BB	371	A	C5-C6-N6	6.95	129.26	123.70
26	BB	422	A	N7-C8-N9	6.95	117.28	113.80
26	BB	463	G	O4'-C1'-N9	6.95	113.76	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	794	A	C5'-C4'-O4'	6.95	117.44	109.10
26	BB	1151	A	N9-C4-C5	6.95	108.58	105.80
26	BB	1403	A	C5'-C4'-O4'	6.95	117.44	109.10
26	BB	1950	G	C5-N7-C8	6.95	107.78	104.30
26	BB	2731	G	C3'-C2'-C1'	6.95	107.06	101.50
26	BB	2839	G	C5'-C4'-O4'	6.95	117.44	109.10
1	AA	828	U	C5-C6-N1	6.95	126.17	122.70
1	AA	830	G	N9-C4-C5	6.95	108.18	105.40
1	AA	1231	G	C4'-C3'-C2'	-6.95	95.65	102.60
13	AM	65	TYR	CG-CD2-CE2	-6.95	115.74	121.30
26	BB	735	A	C4-C5-C6	-6.95	113.53	117.00
26	BB	748	G	C5-N7-C8	6.95	107.78	104.30
26	BB	1000	A	C4'-C3'-C2'	-6.95	95.65	102.60
26	BB	1075	C	C2-N1-C1'	-6.95	111.16	118.80
26	BB	1193	G	C5-C6-O6	-6.95	124.43	128.60
26	BB	1853	A	C4-C5-N7	-6.95	107.23	110.70
26	BB	2075	U	C1'-O4'-C4'	-6.95	104.34	109.90
26	BB	2608	G	C5-N7-C8	6.95	107.78	104.30
1	AA	804	U	O4'-C1'-C2'	-6.95	98.85	105.80
3	AC	40	G	C6-N1-C2	-6.95	120.93	125.10
25	BA	62	C	C3'-C2'-C1'	6.95	107.06	101.50
26	BB	84	A	C3'-C2'-C1'	-6.95	95.94	101.50
26	BB	780	G	C4-C5-C6	-6.95	114.63	118.80
26	BB	1167	C	C5-C6-N1	6.95	124.47	121.00
26	BB	1191	G	C5'-C4'-O4'	6.95	117.44	109.10
26	BB	2830	C	C5-C4-N4	6.95	125.06	120.20
1	AA	1084	G	C5-C6-N1	6.95	114.97	111.50
1	AA	1196	A	C5-C6-N6	-6.95	118.14	123.70
1	AA	1424	U	C2-N3-C4	-6.95	122.83	127.00
26	BB	547	A	C3'-C2'-C1'	-6.95	95.94	101.50
26	BB	1063	G	C6-C5-N7	-6.95	126.23	130.40
26	BB	1074	G	N1-C2-N3	6.95	128.07	123.90
26	BB	2577	A	C4-C5-C6	6.95	120.47	117.00
26	BB	2692	G	N3-C4-C5	-6.95	125.13	128.60
26	BB	2776	A	C6-N1-C2	6.95	122.77	118.60
1	AA	1361	G	C5-N7-C8	-6.94	100.83	104.30
26	BB	23	G	N1-C6-O6	-6.94	115.73	119.90
1	AA	13	U	N3-C4-O4	6.94	124.26	119.40
1	AA	980	C	C4-C5-C6	-6.94	113.93	117.40
26	BB	1749	A	C5'-C4'-C3'	-6.94	104.89	116.00
26	BB	1975	G	N3-C4-C5	-6.94	125.13	128.60
26	BB	2226	C	P-O3'-C3'	6.94	128.03	119.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2261	C	O4'-C1'-N1	6.94	113.75	108.20
1	AA	1130	A	N9-C4-C5	6.94	108.58	105.80
1	AA	1238	A	N3-C4-C5	-6.94	121.94	126.80
26	BB	227	A	C2-N3-C4	6.94	114.07	110.60
26	BB	273	G	C4-C5-N7	-6.94	108.02	110.80
26	BB	394	C	N3-C4-C5	-6.94	119.12	121.90
26	BB	1213	A	C6-N1-C2	-6.94	114.44	118.60
26	BB	1573	G	C8-N9-C4	6.94	109.18	106.40
26	BB	1713	A	C1'-O4'-C4'	-6.94	104.35	109.90
26	BB	1754	A	C4'-C3'-C2'	6.94	109.54	102.60
26	BB	2104	C	N3-C2-O2	-6.94	117.04	121.90
26	BB	2223	G	P-O3'-C3'	6.94	128.03	119.70
26	BB	2446	G	P-O3'-C3'	6.94	128.03	119.70
26	BB	2641	G	N9-C1'-C2'	-6.94	104.36	112.00
26	BB	2660	A	C8-N9-C4	6.94	108.58	105.80
26	BB	2736	A	O4'-C1'-N9	6.94	113.75	108.20
1	AA	1268	G	C1'-O4'-C4'	6.94	115.45	109.90
3	AC	13	A	C6-C5-N7	6.94	137.16	132.30
26	BB	2137	U	O4'-C1'-N1	6.94	113.75	108.20
1	AA	199	A	C5-N7-C8	6.94	107.37	103.90
1	AA	633	G	C5-C6-N1	-6.94	108.03	111.50
1	AA	783	C	N3-C2-O2	-6.94	117.04	121.90
1	AA	1069	C	O4'-C1'-N1	6.94	113.75	108.20
1	AA	1263	C	N1-C2-O2	6.94	123.06	118.90
1	AA	1431	A	C4-C5-N7	-6.94	107.23	110.70
26	BB	556	A	N1-C2-N3	-6.94	125.83	129.30
29	BE	143	PRO	N-CA-CB	6.94	111.62	103.30
1	AA	1442	G	C4-C5-N7	6.94	113.58	110.80
28	BD	100	ARG	NE-CZ-NH2	-6.94	116.83	120.30
1	AA	824	G	C2-N3-C4	6.93	115.37	111.90
1	AA	1239	A	C6-C5-N7	6.93	137.15	132.30
26	BB	393	C	N3-C2-O2	-6.93	117.05	121.90
26	BB	758	C	C5-C6-N1	-6.93	117.53	121.00
26	BB	1809	A	N1-C2-N3	6.93	132.77	129.30
26	BB	1935	G	N3-C4-N9	6.93	130.16	126.00
26	BB	2379	G	N1-C2-N3	-6.93	119.74	123.90
58	B7	36	ARG	NE-CZ-NH1	6.93	123.77	120.30
1	AA	829	G	C4'-C3'-C2'	-6.93	95.67	102.60
1	AA	1090	U	C5-C4-O4	-6.93	121.74	125.90
1	AA	1176	A	C1'-O4'-C4'	6.93	115.45	109.90
26	BB	327	G	N7-C8-N9	-6.93	109.63	113.10
26	BB	1180	U	N3-C2-O2	-6.93	117.35	122.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1299	G	C1'-O4'-C4'	6.93	115.45	109.90
26	BB	2098	U	O4'-C1'-N1	6.93	113.75	108.20
26	BB	2209	G	C2-N3-C4	-6.93	108.43	111.90
1	AA	768	A	C5-N7-C8	-6.93	100.43	103.90
1	AA	1432	G	O4'-C1'-N9	6.93	113.75	108.20
1	AA	1538	C	C4-C5-C6	6.93	120.87	117.40
26	BB	1005	C	N3-C4-C5	-6.93	119.13	121.90
26	BB	1637	A	N3-C4-C5	-6.93	121.95	126.80
26	BB	2485	G	C5-C6-N1	6.93	114.97	111.50
28	BD	82	TYR	CG-CD1-CE1	-6.93	115.75	121.30
1	AA	832	G	C5-C6-N1	-6.93	108.03	111.50
1	AA	1214	C	C5-C4-N4	-6.93	115.35	120.20
1	AA	1520	C	O4'-C1'-C2'	-6.93	98.87	105.80
26	BB	17	G	O4'-C1'-N9	6.93	113.74	108.20
26	BB	1935	G	N3-C2-N2	-6.93	115.05	119.90
26	BB	2146	C	C4-C5-C6	6.93	120.86	117.40
39	BO	51	ARG	NE-CZ-NH1	-6.93	116.83	120.30
1	AA	1130	A	C5-C6-N6	-6.93	118.16	123.70
26	BB	119	A	C5'-C4'-C3'	-6.93	104.92	116.00
26	BB	572	A	C5-C6-N1	-6.93	114.24	117.70
26	BB	1519	G	C5-N7-C8	6.93	107.76	104.30
1	AA	721	G	C5-C6-N1	6.93	114.96	111.50
1	AA	933	G	N3-C4-C5	-6.93	125.14	128.60
25	BA	97	C	O4'-C1'-C2'	-6.93	98.87	105.80
26	BB	505	A	C6-N1-C2	6.93	122.76	118.60
26	BB	986	C	O4'-C1'-N1	6.93	113.74	108.20
26	BB	1953	A	C5-C6-N6	-6.93	118.16	123.70
26	BB	2089	C	C3'-C2'-C1'	-6.93	95.96	101.50
26	BB	2471	A	C4-C5-C6	-6.93	113.54	117.00
26	BB	2713	U	N3-C2-O2	-6.93	117.35	122.20
28	BD	97	ASP	CB-CG-OD2	-6.93	112.07	118.30
1	AA	116	A	N3-C4-C5	-6.92	121.95	126.80
1	AA	267	C	C6-N1-C2	6.92	123.07	120.30
1	AA	528	C	C6-N1-C2	-6.92	117.53	120.30
1	AA	999	C	C2-N3-C4	-6.92	116.44	119.90
1	AA	1194	U	C5-C6-N1	6.92	126.16	122.70
1	AA	1413	A	C5-C6-N6	-6.92	118.16	123.70
1	AA	1468	A	N9-C4-C5	6.92	108.57	105.80
2	AB	34	C	N3-C4-C5	-6.92	119.13	121.90
4	AD	43	G	C5-C6-O6	-6.92	124.44	128.60
26	BB	211	C	N3-C4-N4	6.92	122.85	118.00
26	BB	260	G	O4'-C1'-N9	6.92	113.74	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	829	A	N1-C6-N6	-6.92	114.44	118.60
26	BB	956	G	C5-C6-O6	6.92	132.75	128.60
26	BB	2623	G	N3-C2-N2	-6.92	115.05	119.90
26	BB	2625	G	C4-C5-N7	-6.92	108.03	110.80
1	AA	459	A	N1-C2-N3	-6.92	125.84	129.30
25	BA	117	G	N3-C4-C5	-6.92	125.14	128.60
26	BB	417	C	N3-C4-C5	-6.92	119.13	121.90
26	BB	2788	C	N1-C2-O2	6.92	123.05	118.90
1	AA	478	A	C5-C6-N1	6.92	121.16	117.70
4	AD	65	G	C8-N9-C4	-6.92	103.63	106.40
26	BB	628	G	N9-C4-C5	6.92	108.17	105.40
26	BB	1128	G	O4'-C1'-N9	6.92	113.74	108.20
26	BB	1152	C	N1-C2-N3	6.92	124.05	119.20
26	BB	2670	A	O4'-C1'-N9	6.92	113.74	108.20
26	BB	533	G	N1-C6-O6	-6.92	115.75	119.90
26	BB	606	U	N3-C2-O2	-6.92	117.36	122.20
1	AA	237	G	C6-N1-C2	-6.92	120.95	125.10
1	AA	657	U	O4'-C4'-C3'	6.92	111.63	106.10
26	BB	327	G	C5-C6-N1	6.92	114.96	111.50
26	BB	440	C	N3-C4-C5	6.92	124.67	121.90
26	BB	1785	A	N3-C4-N9	6.92	132.94	127.40
26	BB	1827	U	N3-C2-O2	-6.92	117.36	122.20
26	BB	2422	C	N3-C4-N4	6.92	122.84	118.00
26	BB	2650	U	O4'-C1'-N1	6.92	113.73	108.20
36	BL	49	ASP	CB-CG-OD1	-6.92	112.07	118.30
1	AA	110	C	N3-C4-C5	6.92	124.67	121.90
1	AA	462	G	C6-C5-N7	6.92	134.55	130.40
26	BB	388	G	O4'-C1'-N9	6.92	113.73	108.20
26	BB	422	A	N1-C6-N6	-6.92	114.45	118.60
26	BB	646	U	C5'-C4'-O4'	6.92	117.40	109.10
26	BB	1154	G	O4'-C4'-C3'	6.92	111.63	106.10
26	BB	1788	C	C4-C5-C6	-6.92	113.94	117.40
26	BB	1988	G	C5-C6-O6	-6.92	124.45	128.60
26	BB	2057	G	C4-C5-N7	6.92	113.57	110.80
26	BB	2138	G	C6-N1-C2	-6.92	120.95	125.10
26	BB	2887	A	O4'-C1'-N9	6.92	113.73	108.20
31	BG	132	ARG	NE-CZ-NH2	6.92	123.76	120.30
39	BO	68	PHE	CB-CG-CD1	6.92	125.64	120.80
1	AA	753	A	O4'-C4'-C3'	6.92	111.63	106.10
1	AA	1156	G	N1-C2-N2	-6.92	109.98	116.20
3	AC	37	G	C4-C5-N7	-6.92	108.03	110.80
4	AD	68	C	N3-C4-N4	-6.92	113.16	118.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	888	G	C4-C5-N7	-6.91	108.03	110.80
1	AA	1002	G	C4-C5-C6	6.91	122.95	118.80
26	BB	299	A	N1-C6-N6	-6.91	114.45	118.60
26	BB	1758	U	C4-C5-C6	6.91	123.85	119.70
26	BB	1833	C	C5'-C4'-C3'	-6.91	104.94	116.00
26	BB	2266	A	O4'-C4'-C3'	6.91	111.63	106.10
26	BB	2433	A	C4-C5-C6	6.91	120.46	117.00
57	B6	7	ARG	NE-CZ-NH2	-6.91	116.84	120.30
1	AA	117	G	C2-N3-C4	6.91	115.36	111.90
1	AA	181	A	O4'-C1'-N9	6.91	113.73	108.20
1	AA	1246	A	N1-C6-N6	6.91	122.75	118.60
2	AB	2	G	C5-C6-N1	6.91	114.96	111.50
26	BB	415	A	O4'-C1'-N9	6.91	113.73	108.20
26	BB	417	C	C2-N3-C4	6.91	123.36	119.90
26	BB	693	A	N3-C4-N9	-6.91	121.87	127.40
26	BB	1213	A	C4-C5-N7	-6.91	107.24	110.70
26	BB	1381	G	C1'-O4'-C4'	-6.91	104.37	109.90
26	BB	1673	G	C5-C6-N1	6.91	114.96	111.50
26	BB	1682	G	O4'-C1'-N9	6.91	113.73	108.20
26	BB	2607	G	C6-C5-N7	-6.91	126.25	130.40
1	AA	177	G	C4-C5-N7	-6.91	108.03	110.80
1	AA	465	A	N1-C6-N6	-6.91	114.45	118.60
26	BB	320	A	N7-C8-N9	6.91	117.25	113.80
26	BB	535	G	N3-C2-N2	6.91	124.74	119.90
26	BB	1110	G	C4-C5-C6	6.91	122.95	118.80
37	BM	71	ARG	NE-CZ-NH2	6.91	123.75	120.30
1	AA	499	A	O4'-C1'-N9	6.91	113.73	108.20
1	AA	762	U	N1-C2-O2	6.91	127.64	122.80
26	BB	182	A	C5-N7-C8	6.91	107.36	103.90
26	BB	916	G	C6-C5-N7	-6.91	126.25	130.40
30	BF	60	TRP	CH2-CZ2-CE2	6.91	124.31	117.40
1	AA	1267	C	O4'-C1'-N1	6.91	113.72	108.20
26	BB	2642	G	C5-C6-N1	-6.91	108.05	111.50
26	BB	2775	G	C4'-C3'-C2'	-6.91	95.69	102.60
1	AA	559	A	N1-C2-N3	-6.91	125.85	129.30
1	AA	996	A	C4-C5-N7	-6.91	107.25	110.70
1	AA	1180	A	C6-N1-C2	-6.91	114.46	118.60
1	AA	1284	C	N1-C2-O2	6.91	123.04	118.90
1	AA	1316	G	C6-N1-C2	6.91	129.24	125.10
2	AB	15	A	C5-N7-C8	-6.91	100.45	103.90
13	AM	85	ASP	CB-CG-OD1	-6.91	112.08	118.30
26	BB	397	U	C4'-C3'-C2'	-6.91	95.69	102.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	784	G	N1-C2-N3	6.91	128.04	123.90
26	BB	935	C	C5-C6-N1	6.91	124.45	121.00
26	BB	1155	A	N7-C8-N9	6.91	117.25	113.80
26	BB	1258	U	C4-C5-C6	6.91	123.84	119.70
26	BB	2439	A	N9-C4-C5	6.91	108.56	105.80
26	BB	2788	C	C5'-C4'-C3'	-6.91	104.95	116.00
1	AA	1169	A	C8-N9-C4	6.90	108.56	105.80
26	BB	988	A	O4'-C1'-N9	6.90	113.72	108.20
26	BB	2686	G	C6-C5-N7	6.90	134.54	130.40
26	BB	2770	G	N9-C4-C5	6.90	108.16	105.40
1	AA	2	A	C5-C6-N6	6.90	129.22	123.70
1	AA	125	U	C4-C5-C6	6.90	123.84	119.70
1	AA	565	U	N3-C4-C5	-6.90	110.46	114.60
1	AA	768	A	C8-N9-C4	-6.90	103.04	105.80
1	AA	839	C	N3-C4-N4	-6.90	113.17	118.00
1	AA	899	C	N3-C4-C5	-6.90	119.14	121.90
1	AA	1321	U	N3-C4-C5	-6.90	110.46	114.60
1	AA	1528	U	O4'-C4'-C3'	6.90	111.62	106.10
25	BA	29	A	C1'-O4'-C4'	-6.90	104.38	109.90
26	BB	524	G	N1-C6-O6	-6.90	115.76	119.90
26	BB	624	C	C2-N3-C4	6.90	123.35	119.90
26	BB	1450	G	N9-C4-C5	6.90	108.16	105.40
26	BB	1717	A	N9-C4-C5	6.90	108.56	105.80
26	BB	1896	G	C5-C6-O6	-6.90	124.46	128.60
26	BB	2324	U	N3-C4-O4	6.90	124.23	119.40
1	AA	1240	U	N3-C4-C5	6.90	118.74	114.60
1	AA	1361	G	C2-N3-C4	6.90	115.35	111.90
26	BB	1016	G	C2-N3-C4	6.90	115.35	111.90
26	BB	2015	A	C4-C5-N7	-6.90	107.25	110.70
26	BB	2178	C	C2-N1-C1'	6.90	126.39	118.80
26	BB	2343	U	O4'-C1'-N1	6.90	113.72	108.20
1	AA	548	G	C5-C6-O6	6.90	132.74	128.60
26	BB	1358	G	C4-C5-N7	-6.90	108.04	110.80
26	BB	2280	G	N1-C6-O6	-6.90	115.76	119.90
26	BB	2719	G	C5'-C4'-O4'	6.90	117.38	109.10
1	AA	408	A	C3'-C2'-C1'	6.90	107.02	101.50
1	AA	520	A	C5-N7-C8	-6.90	100.45	103.90
1	AA	975	A	C5-C6-N1	6.90	121.15	117.70
1	AA	1321	U	N3-C2-O2	-6.90	117.37	122.20
26	BB	448	U	O4'-C4'-C3'	6.90	111.62	106.10
26	BB	452	G	N1-C6-O6	-6.90	115.76	119.90
26	BB	1494	A	C3'-C2'-C1'	-6.90	95.98	101.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1528	A	N1-C2-N3	-6.90	125.85	129.30
26	BB	1677	A	O4'-C1'-N9	6.90	113.72	108.20
26	BB	1838	C	N3-C4-C5	-6.90	119.14	121.90
26	BB	2869	G	C8-N9-C4	-6.90	103.64	106.40
30	BF	19	PHE	C-N-CA	6.90	136.78	122.30
1	AA	1144	G	C4'-C3'-C2'	-6.90	95.70	102.60
1	AA	1398	A	N1-C6-N6	6.90	122.74	118.60
26	BB	1390	U	C5-C4-O4	6.90	130.04	125.90
26	BB	1462	C	C5-C4-N4	-6.90	115.37	120.20
1	AA	286	C	C5'-C4'-O4'	6.89	117.37	109.10
1	AA	321	A	N1-C2-N3	-6.89	125.85	129.30
1	AA	1088	G	C6-C5-N7	6.89	134.54	130.40
26	BB	356	G	N9-C1'-C2'	-6.89	104.42	112.00
26	BB	399	U	C3'-C2'-C1'	-6.89	95.98	101.50
26	BB	2512	C	C5'-C4'-O4'	-6.89	100.83	109.10
27	BC	166	ASP	CB-CG-OD2	-6.89	112.10	118.30
1	AA	106	C	C2-N3-C4	-6.89	116.45	119.90
1	AA	128	G	C6-N1-C2	-6.89	120.97	125.10
1	AA	651	C	N1-C2-O2	6.89	123.03	118.90
1	AA	1375	A	N9-C4-C5	6.89	108.56	105.80
26	BB	159	G	C5-C6-N1	6.89	114.95	111.50
26	BB	772	C	C5-C6-N1	-6.89	117.55	121.00
26	BB	958	U	O4'-C1'-N1	6.89	113.72	108.20
26	BB	1650	A	C3'-C2'-C1'	6.89	107.01	101.50
26	BB	1674	G	N7-C8-N9	6.89	116.55	113.10
26	BB	2091	C	C5'-C4'-O4'	6.89	117.37	109.10
26	BB	2384	U	C3'-C2'-C1'	6.89	107.01	101.50
26	BB	2515	C	O4'-C1'-N1	6.89	113.71	108.20
4	AD	10	G	C5-C6-N1	6.89	114.95	111.50
26	BB	857	G	N9-C4-C5	6.89	108.16	105.40
26	BB	2141	G	C1'-O4'-C4'	-6.89	104.39	109.90
26	BB	2707	U	C4'-C3'-C2'	-6.89	95.71	102.60
1	AA	1008	U	N1-C2-O2	6.89	127.62	122.80
3	AC	41	A	C2-N3-C4	6.89	114.05	110.60
26	BB	458	G	C5'-C4'-C3'	-6.89	104.98	116.00
26	BB	2189	U	N3-C2-O2	-6.89	117.38	122.20
26	BB	2209	G	C5-C6-O6	-6.89	124.47	128.60
35	BK	66	PHE	CB-CG-CD1	6.89	125.62	120.80
1	AA	224	U	P-O3'-C3'	6.89	127.97	119.70
1	AA	1302	C	C5'-C4'-O4'	6.89	117.37	109.10
26	BB	1175	A	C2-N3-C4	6.89	114.04	110.60
26	BB	2581	G	N3-C4-N9	6.89	130.13	126.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
36	BL	53	TYR	CB-CG-CD2	-6.89	116.87	121.00
58	B7	24	ARG	NE-CZ-NH2	6.89	123.74	120.30
4	AD	50	G	C8-N9-C4	-6.89	103.64	106.40
22	AV	54	ARG	NE-CZ-NH1	6.89	123.74	120.30
26	BB	289	G	N3-C2-N2	-6.89	115.08	119.90
26	BB	360	U	N3-C4-C5	6.89	118.73	114.60
26	BB	463	G	N1-C6-O6	6.89	124.03	119.90
26	BB	1128	G	N3-C4-N9	6.89	130.13	126.00
26	BB	1608	A	C6-C5-N7	-6.89	127.48	132.30
26	BB	1716	U	C5-C4-O4	-6.89	121.77	125.90
26	BB	2434	A	N9-C4-C5	6.89	108.55	105.80
1	AA	34	C	C5-C4-N4	-6.88	115.38	120.20
1	AA	662	U	C4-C5-C6	6.88	123.83	119.70
1	AA	1067	A	C5-C6-N1	6.88	121.14	117.70
1	AA	1517	G	C5-N7-C8	-6.88	100.86	104.30
26	BB	47	C	N3-C4-N4	-6.88	113.18	118.00
26	BB	613	A	O4'-C1'-N9	6.88	113.71	108.20
26	BB	622	G	C8-N9-C4	6.88	109.15	106.40
26	BB	2055	C	C1'-O4'-C4'	-6.88	104.39	109.90
26	BB	2649	C	O4'-C1'-N1	6.88	113.71	108.20
26	BB	2778	A	O4'-C1'-N9	6.88	113.71	108.20
26	BB	2786	U	N1-C2-N3	6.88	119.03	114.90
26	BB	2808	G	C1'-O4'-C4'	6.88	115.41	109.90
1	AA	788	U	C4-C5-C6	-6.88	115.57	119.70
1	AA	1525	G	N3-C2-N2	-6.88	115.08	119.90
26	BB	317	G	O4'-C4'-C3'	6.88	111.61	106.10
26	BB	992	C	C4-C5-C6	6.88	120.84	117.40
26	BB	1977	A	C5-N7-C8	-6.88	100.46	103.90
26	BB	2097	A	N1-C2-N3	-6.88	125.86	129.30
26	BB	2527	C	N1-C2-O2	6.88	123.03	118.90
1	AA	986	U	C6-N1-C2	-6.88	116.87	121.00
1	AA	991	U	C6-N1-C2	-6.88	116.87	121.00
1	AA	1013	G	N3-C2-N2	-6.88	115.08	119.90
26	BB	604	G	N3-C4-C5	-6.88	125.16	128.60
26	BB	737	C	N3-C2-O2	-6.88	117.08	121.90
26	BB	882	G	N9-C4-C5	6.88	108.15	105.40
26	BB	895	U	C2-N3-C4	-6.88	122.87	127.00
26	BB	1095	A	N9-C4-C5	-6.88	103.05	105.80
26	BB	1292	G	N1-C2-N3	-6.88	119.77	123.90
26	BB	1873	G	C5-N7-C8	-6.88	100.86	104.30
26	BB	1880	U	C6-N1-C2	-6.88	116.87	121.00
26	BB	2597	G	C4'-C3'-C2'	-6.88	95.72	102.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	673	A	C5-C6-N1	6.88	121.14	117.70
25	BA	112	G	N3-C4-C5	-6.88	125.16	128.60
26	BB	2719	G	N7-C8-N9	6.88	116.54	113.10
1	AA	116	A	N7-C8-N9	-6.88	110.36	113.80
1	AA	1251	A	C3'-C2'-C1'	6.88	107.00	101.50
26	BB	395	U	C1'-O4'-C4'	-6.88	104.40	109.90
26	BB	750	A	N1-C6-N6	-6.88	114.47	118.60
26	BB	2718	G	C5'-C4'-O4'	6.88	117.36	109.10
26	BB	2781	A	N7-C8-N9	6.88	117.24	113.80
26	BB	2850	A	N7-C8-N9	-6.88	110.36	113.80
1	AA	922	G	O4'-C1'-N9	6.88	113.70	108.20
1	AA	935	A	C3'-C2'-C1'	6.88	107.00	101.50
1	AA	1391	U	N3-C4-O4	6.88	124.21	119.40
1	AA	1398	A	N3-C4-N9	-6.88	121.90	127.40
1	AA	1488	G	N1-C2-N2	6.88	122.39	116.20
25	BA	13	G	N3-C4-C5	-6.88	125.16	128.60
26	BB	99	U	P-O3'-C3'	6.88	127.95	119.70
26	BB	260	G	C6-N1-C2	-6.88	120.97	125.10
26	BB	312	G	N3-C2-N2	-6.88	115.09	119.90
26	BB	313	G	C4'-C3'-C2'	-6.88	95.72	102.60
26	BB	367	G	N7-C8-N9	6.88	116.54	113.10
26	BB	539	G	N1-C6-O6	6.88	124.03	119.90
26	BB	610	C	C5-C6-N1	6.88	124.44	121.00
26	BB	695	G	C4-C5-C6	6.88	122.93	118.80
26	BB	1561	C	N1-C2-O2	6.88	123.03	118.90
26	BB	2200	C	N1-C2-O2	6.88	123.03	118.90
26	BB	2562	U	C5'-C4'-O4'	6.88	117.35	109.10
26	BB	2885	G	C4-C5-N7	-6.88	108.05	110.80
6	AF	168	ARG	NE-CZ-NH2	-6.88	116.86	120.30
26	BB	1904	G	O4'-C1'-N9	6.88	113.70	108.20
26	BB	2230	G	C5'-C4'-O4'	6.88	117.35	109.10
26	BB	2392	A	N3-C4-C5	-6.88	121.99	126.80
1	AA	126	G	N7-C8-N9	6.87	116.54	113.10
1	AA	462	G	N9-C4-C5	6.87	108.15	105.40
1	AA	1016	A	C4-C5-N7	6.87	114.14	110.70
1	AA	1474	U	C6-N1-C2	-6.87	116.88	121.00
3	AC	42	U	C1'-O4'-C4'	-6.87	104.40	109.90
26	BB	930	G	N3-C4-C5	-6.87	125.16	128.60
26	BB	2670	A	C5-N7-C8	-6.87	100.46	103.90
26	BB	2880	C	C5'-C4'-C3'	-6.87	105.00	116.00
1	AA	434	U	O4'-C1'-N1	6.87	113.70	108.20
1	AA	781	A	O4'-C1'-N9	6.87	113.70	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	796	C	P-O3'-C3'	6.87	127.95	119.70
4	AD	30	G	C5-N7-C8	-6.87	100.86	104.30
26	BB	1308	A	C4-C5-C6	-6.87	113.56	117.00
26	BB	1376	C	C6-N1-C2	6.87	123.05	120.30
26	BB	1642	G	C2-N3-C4	6.87	115.33	111.90
26	BB	1651	G	O5'-P-OP1	-6.87	99.52	105.70
26	BB	1933	G	N1-C2-N3	-6.87	119.78	123.90
1	AA	404	G	N9-C1'-C2'	-6.87	104.44	112.00
1	AA	1179	A	N9-C1'-C2'	-6.87	104.44	112.00
1	AA	1485	U	C2-N3-C4	-6.87	122.88	127.00
1	AA	1529	G	N3-C4-C5	-6.87	125.17	128.60
26	BB	900	A	C5-C6-N6	-6.87	118.20	123.70
26	BB	2621	G	C1'-O4'-C4'	-6.87	104.40	109.90
36	BL	74	TYR	CG-CD1-CE1	-6.87	115.80	121.30
1	AA	575	G	C4'-C3'-C2'	-6.87	95.73	102.60
1	AA	1212	U	C4-C5-C6	6.87	123.82	119.70
26	BB	15	G	N1-C2-N3	-6.87	119.78	123.90
26	BB	23	G	N1-C2-N2	6.87	122.38	116.20
26	BB	403	U	C2-N3-C4	-6.87	122.88	127.00
26	BB	410	G	C5-C6-O6	-6.87	124.48	128.60
26	BB	1842	G	O4'-C1'-N9	6.87	113.69	108.20
26	BB	1949	G	N3-C2-N2	-6.87	115.09	119.90
26	BB	2013	A	C5-C6-N1	6.87	121.14	117.70
26	BB	2817	U	C4'-C3'-C2'	-6.87	95.73	102.60
1	AA	805	C	C4'-C3'-C2'	-6.87	95.73	102.60
26	BB	65	U	C3'-C2'-C1'	6.87	106.99	101.50
26	BB	95	A	N1-C2-N3	6.87	132.73	129.30
26	BB	710	U	C4-C5-C6	6.87	123.82	119.70
26	BB	1180	U	N1-C2-O2	6.87	127.61	122.80
1	AA	608	A	C5-C6-N1	6.87	121.13	117.70
1	AA	1345	U	N1-C2-N3	6.87	119.02	114.90
1	AA	1423	G	O4'-C1'-N9	6.87	113.69	108.20
2	AB	28	C	C3'-C2'-C1'	-6.87	96.01	101.50
26	BB	54	G	N1-C2-N3	-6.87	119.78	123.90
26	BB	230	G	C8-N9-C4	6.87	109.15	106.40
26	BB	498	G	C5-C6-N1	6.87	114.93	111.50
26	BB	1042	G	N7-C8-N9	6.87	116.53	113.10
26	BB	1635	A	C6-N1-C2	6.87	122.72	118.60
26	BB	1704	C	O4'-C1'-N1	6.87	113.69	108.20
26	BB	2697	G	N9-C4-C5	6.87	108.15	105.40
26	BB	2718	G	O4'-C1'-C2'	-6.87	98.94	105.80
1	AA	864	A	P-O3'-C3'	6.86	127.94	119.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	473	G	C5-N7-C8	-6.86	100.87	104.30
26	BB	1201	U	C6-N1-C2	6.86	125.12	121.00
26	BB	2582	G	C2-N3-C4	6.86	115.33	111.90
26	BB	2601	C	O4'-C1'-N1	6.86	113.69	108.20
1	AA	3	A	C3'-C2'-C1'	-6.86	96.01	101.50
1	AA	438	U	N3-C2-O2	-6.86	117.40	122.20
1	AA	772	U	N1-C2-N3	6.86	119.02	114.90
26	BB	1358	G	C4-C5-C6	6.86	122.92	118.80
26	BB	2148	G	C5'-C4'-O4'	6.86	117.33	109.10
26	BB	2869	G	C5-C6-O6	6.86	132.72	128.60
26	BB	2899	A	C3'-C2'-C1'	6.86	106.99	101.50
1	AA	699	C	C4'-C3'-C2'	-6.86	95.74	102.60
25	BA	9	G	N1-C2-N3	-6.86	119.78	123.90
26	BB	116	C	C3'-C2'-C1'	6.86	106.99	101.50
26	BB	1333	G	C4-C5-N7	-6.86	108.06	110.80
26	BB	2203	U	C4-C5-C6	-6.86	115.58	119.70
26	BB	2562	U	C6-N1-C2	-6.86	116.88	121.00
1	AA	311	C	C1'-O4'-C4'	-6.86	104.41	109.90
1	AA	1112	C	C4-C5-C6	6.86	120.83	117.40
1	AA	1286	U	N3-C4-O4	6.86	124.20	119.40
26	BB	809	G	N7-C8-N9	6.86	116.53	113.10
34	BJ	73	ASP	CB-CG-OD1	-6.86	112.13	118.30
1	AA	59	A	N1-C2-N3	-6.86	125.87	129.30
1	AA	438	U	O4'-C1'-N1	6.86	113.69	108.20
1	AA	497	G	N3-C4-C5	-6.86	125.17	128.60
1	AA	1530	G	C8-N9-C4	-6.86	103.66	106.40
26	BB	283	G	C8-N9-C4	-6.86	103.66	106.40
26	BB	300	A	N9-C4-C5	6.86	108.54	105.80
26	BB	570	G	N3-C4-N9	-6.86	121.89	126.00
26	BB	637	A	N9-C4-C5	6.86	108.54	105.80
26	BB	786	C	P-O3'-C3'	6.86	127.93	119.70
26	BB	1388	G	C5-N7-C8	6.86	107.73	104.30
26	BB	1892	C	C2-N3-C4	6.86	123.33	119.90
26	BB	1988	G	C5-N7-C8	6.86	107.73	104.30
26	BB	2292	U	C6-N1-C2	-6.86	116.89	121.00
26	BB	2779	U	N3-C4-O4	6.86	124.20	119.40
1	AA	118	U	N1-C2-N3	6.86	119.01	114.90
1	AA	630	A	N3-C4-C5	-6.86	122.00	126.80
1	AA	1166	G	N1-C2-N3	6.86	128.01	123.90
1	AA	1353	G	O4'-C1'-N9	6.86	113.68	108.20
2	AB	7	G	N1-C2-N3	-6.86	119.79	123.90
26	BB	940	G	C5-N7-C8	-6.86	100.87	104.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1087	G	C4-C5-C6	6.86	122.91	118.80
26	BB	1770	G	N7-C8-N9	6.86	116.53	113.10
26	BB	2357	G	O4'-C1'-N9	6.86	113.68	108.20
26	BB	2887	A	C5'-C4'-O4'	6.86	117.33	109.10
27	BC	208	TYR	CB-CG-CD1	6.86	125.11	121.00
32	BH	162	ARG	NE-CZ-NH2	6.86	123.73	120.30
1	AA	111	G	C5-N7-C8	6.85	107.73	104.30
1	AA	1150	A	C3'-C2'-C1'	6.85	106.98	101.50
25	BA	22	U	N3-C2-O2	-6.85	117.40	122.20
26	BB	110	G	N7-C8-N9	6.85	116.53	113.10
26	BB	375	G	N1-C6-O6	-6.85	115.79	119.90
26	BB	757	G	N1-C2-N3	6.85	128.01	123.90
26	BB	2298	A	C5-C6-N6	-6.85	118.22	123.70
1	AA	107	G	C4-C5-C6	6.85	122.91	118.80
1	AA	775	G	C1'-O4'-C4'	-6.85	104.42	109.90
1	AA	778	G	O4'-C1'-N9	6.85	113.68	108.20
4	AD	59	A	N1-C6-N6	6.85	122.71	118.60
25	BA	85	G	C4'-C3'-C2'	-6.85	95.75	102.60
26	BB	204	A	C8-N9-C4	-6.85	103.06	105.80
26	BB	295	G	O4'-C1'-C2'	6.85	113.77	107.60
26	BB	1032	A	C6-N1-C2	6.85	122.71	118.60
26	BB	1470	A	C6-C5-N7	-6.85	127.50	132.30
26	BB	1657	U	C5-C6-N1	-6.85	119.27	122.70
26	BB	1767	G	N3-C4-C5	-6.85	125.17	128.60
26	BB	2068	U	C5'-C4'-O4'	6.85	117.32	109.10
26	BB	2193	G	N7-C8-N9	-6.85	109.67	113.10
2	AB	67	G	N9-C4-C5	6.85	108.14	105.40
4	AD	14	A	C4-C5-N7	6.85	114.12	110.70
26	BB	736	C	C3'-C2'-C1'	6.85	106.98	101.50
26	BB	758	C	C5-C4-N4	-6.85	115.40	120.20
26	BB	1159	U	C2-N3-C4	-6.85	122.89	127.00
26	BB	2118	U	O4'-C1'-N1	6.85	113.68	108.20
26	BB	2301	C	N3-C4-C5	-6.85	119.16	121.90
37	BM	62	VAL	CG1-CB-CG2	-6.85	99.94	110.90
1	AA	223	A	N3-C4-C5	-6.85	122.00	126.80
1	AA	573	A	C6-N1-C2	6.85	122.71	118.60
1	AA	1085	U	N1-C2-O2	-6.85	118.01	122.80
1	AA	1111	A	C5-C6-N6	-6.85	118.22	123.70
1	AA	1521	C	N3-C2-O2	-6.85	117.11	121.90
26	BB	474	G	N3-C4-C5	-6.85	125.17	128.60
26	BB	603	A	C6-C5-N7	6.85	137.09	132.30
26	BB	1146	C	C5-C6-N1	6.85	124.42	121.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1308	A	C2-N3-C4	-6.85	107.17	110.60
26	BB	1323	C	C6-N1-C2	-6.85	117.56	120.30
26	BB	1483	G	C6-N1-C2	-6.85	120.99	125.10
26	BB	1822	C	N1-C2-N3	-6.85	114.41	119.20
26	BB	2537	U	C5-C4-O4	-6.85	121.79	125.90
26	BB	2596	U	N3-C2-O2	-6.85	117.41	122.20
1	AA	453	G	N7-C8-N9	6.85	116.52	113.10
1	AA	485	U	N3-C2-O2	-6.85	117.41	122.20
1	AA	888	G	C4-C5-C6	6.85	122.91	118.80
1	AA	962	C	C2-N3-C4	-6.85	116.48	119.90
1	AA	1087	G	C5-C6-N1	6.85	114.92	111.50
1	AA	1356	G	C2-N3-C4	-6.85	108.48	111.90
26	BB	1451	C	N3-C4-C5	6.85	124.64	121.90
26	BB	1542	U	N3-C4-O4	6.85	124.19	119.40
26	BB	1788	C	C1'-O4'-C4'	-6.85	104.42	109.90
26	BB	2016	U	N3-C4-O4	6.85	124.19	119.40
26	BB	2167	U	O5'-P-OP2	-6.85	99.54	105.70
26	BB	2214	C	C1'-O4'-C4'	6.85	115.38	109.90
26	BB	2224	G	N3-C4-C5	-6.85	125.18	128.60
26	BB	2277	G	N9-C1'-C2'	-6.85	104.47	112.00
26	BB	2629	U	O4'-C1'-N1	6.85	113.68	108.20
1	AA	1261	A	N3-C4-C5	-6.85	122.01	126.80
3	AC	41	A	C4'-C3'-C2'	-6.85	95.75	102.60
26	BB	2608	G	N3-C4-C5	-6.85	125.18	128.60
26	BB	2828	G	N3-C4-C5	-6.85	125.18	128.60
1	AA	278	G	C6-C5-N7	6.84	134.51	130.40
1	AA	288	A	C4-C5-C6	-6.84	113.58	117.00
1	AA	675	A	N1-C2-N3	-6.84	125.88	129.30
26	BB	401	A	N7-C8-N9	6.84	117.22	113.80
26	BB	1306	C	C5'-C4'-O4'	6.84	117.31	109.10
26	BB	1745	A	N1-C2-N3	6.84	132.72	129.30
26	BB	2582	G	C6-N1-C2	-6.84	120.99	125.10
1	AA	518	C	O4'-C1'-N1	6.84	113.67	108.20
26	BB	1637	A	C3'-C2'-C1'	6.84	106.97	101.50
26	BB	1879	C	C2-N3-C4	6.84	123.32	119.90
1	AA	173	U	C5'-C4'-C3'	-6.84	105.05	116.00
1	AA	357	G	C4-C5-C6	6.84	122.91	118.80
1	AA	1084	G	C5-C6-O6	-6.84	124.50	128.60
4	AD	39	A	O5'-P-OP2	-6.84	99.54	105.70
12	AL	85	ALA	O-C-N	6.84	133.65	122.70
26	BB	677	A	C8-N9-C4	-6.84	103.06	105.80
26	BB	1620	G	N3-C4-C5	-6.84	125.18	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2057	G	C2-N3-C4	6.84	115.32	111.90
26	BB	2534	A	C2-N3-C4	6.84	114.02	110.60
1	AA	535	A	O4'-C1'-C2'	6.84	113.75	107.60
1	AA	877	G	C1'-O4'-C4'	-6.84	104.43	109.90
1	AA	1372	U	C4'-C3'-C2'	-6.84	95.76	102.60
1	AA	1423	G	N9-C4-C5	6.84	108.14	105.40
2	AB	68	C	C6-N1-C2	-6.84	117.56	120.30
26	BB	557	C	N3-C2-O2	-6.84	117.11	121.90
26	BB	631	A	O4'-C1'-N9	6.84	113.67	108.20
26	BB	1124	G	C8-N9-C4	-6.84	103.66	106.40
26	BB	1507	C	N1-C2-O2	6.84	123.00	118.90
26	BB	1527	G	C4'-C3'-C2'	-6.84	95.76	102.60
26	BB	1866	A	N9-C4-C5	6.84	108.53	105.80
26	BB	1974	C	N3-C2-O2	-6.84	117.11	121.90
26	BB	2728	U	C5-C6-N1	-6.84	119.28	122.70
26	BB	1281	G	N3-C4-N9	6.84	130.10	126.00
26	BB	1441	G	C5-C6-O6	-6.84	124.50	128.60
1	AA	334	C	C2-N3-C4	6.84	123.32	119.90
1	AA	632	U	C5-C4-O4	-6.84	121.80	125.90
1	AA	797	C	C4-C5-C6	6.84	120.82	117.40
1	AA	909	A	C5-N7-C8	-6.84	100.48	103.90
1	AA	912	C	C6-N1-C2	-6.84	117.56	120.30
26	BB	251	A	C5'-C4'-O4'	6.84	117.30	109.10
26	BB	1228	G	N7-C8-N9	6.84	116.52	113.10
26	BB	1518	C	C6-N1-C2	-6.84	117.56	120.30
26	BB	1527	G	C3'-C2'-C1'	6.84	106.97	101.50
26	BB	317	G	C4'-C3'-C2'	-6.83	95.77	102.60
26	BB	1422	G	C5-C6-N1	6.83	114.92	111.50
26	BB	2110	G	O4'-C4'-C3'	6.83	111.57	106.10
26	BB	2628	C	N3-C4-N4	-6.83	113.22	118.00
26	BB	2650	U	C1'-O4'-C4'	6.83	115.37	109.90
1	AA	767	A	C5-N7-C8	-6.83	100.48	103.90
1	AA	810	C	N3-C4-C5	-6.83	119.17	121.90
1	AA	1085	U	C5-C6-N1	-6.83	119.28	122.70
1	AA	1111	A	C4-C5-N7	6.83	114.12	110.70
1	AA	1510	C	N3-C4-C5	-6.83	119.17	121.90
13	AM	51	VAL	CA-CB-CG2	6.83	121.15	110.90
26	BB	369	U	N1-C2-N3	6.83	119.00	114.90
26	BB	1129	A	C5-C6-N1	6.83	121.12	117.70
26	BB	1365	A	C5'-C4'-O4'	6.83	117.30	109.10
26	BB	2777	G	C4-C5-C6	6.83	122.90	118.80
1	AA	46	G	C8-N9-C4	-6.83	103.67	106.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1531	A	N7-C8-N9	-6.83	110.39	113.80
25	BA	107	G	C5-N7-C8	-6.83	100.88	104.30
26	BB	337	C	O4'-C4'-C3'	6.83	111.57	106.10
26	BB	730	A	N3-C4-C5	-6.83	122.02	126.80
26	BB	1237	A	C2-N3-C4	6.83	114.02	110.60
26	BB	1323	C	O4'-C4'-C3'	6.83	111.56	106.10
26	BB	1651	G	C5-C6-O6	-6.83	124.50	128.60
26	BB	2532	G	N1-C2-N2	6.83	122.35	116.20
26	BB	2749	A	O3'-P-O5'	-6.83	91.02	104.00
3	AC	26	U	N3-C4-O4	6.83	124.18	119.40
26	BB	2075	U	O4'-C4'-C3'	6.83	111.56	106.10
26	BB	2311	A	O4'-C4'-C3'	6.83	111.56	106.10
1	AA	579	A	N7-C8-N9	-6.83	110.39	113.80
1	AA	782	A	C5-N7-C8	6.83	107.31	103.90
4	AD	17	C	N3-C2-O2	-6.83	117.12	121.90
25	BA	117	G	N7-C8-N9	6.83	116.51	113.10
26	BB	642	U	C5-C6-N1	6.83	126.11	122.70
26	BB	1544	A	C2-N3-C4	6.83	114.01	110.60
26	BB	2274	A	C4-C5-N7	-6.83	107.29	110.70
26	BB	2469	A	C4-C5-N7	-6.83	107.28	110.70
26	BB	2549	G	N1-C2-N2	6.83	122.34	116.20
26	BB	2665	A	C8-N9-C4	-6.83	103.07	105.80
1	AA	1088	G	O4'-C1'-N9	6.83	113.66	108.20
1	AA	1183	U	N1-C1'-C2'	6.83	122.88	114.00
1	AA	1215	G	N9-C4-C5	6.83	108.13	105.40
26	BB	362	A	O4'-C4'-C3'	6.83	111.56	106.10
26	BB	1900	A	P-O3'-C3'	6.83	127.89	119.70
1	AA	279	A	P-O3'-C3'	6.83	127.89	119.70
1	AA	906	A	C2-N3-C4	6.83	114.01	110.60
1	AA	1076	U	C4-C5-C6	6.83	123.80	119.70
25	BA	18	G	N1-C2-N2	6.83	122.34	116.20
26	BB	768	G	C5-C6-O6	-6.83	124.50	128.60
26	BB	1183	U	C2-N3-C4	-6.83	122.90	127.00
26	BB	1417	C	N1-C2-O2	6.83	123.00	118.90
26	BB	1698	A	C5-N7-C8	6.83	107.31	103.90
26	BB	1880	U	N1-C2-O2	-6.83	118.02	122.80
26	BB	2229	U	C5-C6-N1	-6.83	119.29	122.70
26	BB	2266	A	N9-C4-C5	-6.83	103.07	105.80
33	BI	25	TYR	CD1-CG-CD2	6.83	125.41	117.90
1	AA	340	U	C5'-C4'-O4'	6.82	117.29	109.10
1	AA	668	G	N3-C2-N2	-6.82	115.12	119.90
1	AA	1100	C	C6-N1-C2	-6.82	117.57	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1219	A	N7-C8-N9	6.82	117.21	113.80
1	AA	1377	A	C4-C5-C6	6.82	120.41	117.00
1	AA	1438	G	N3-C2-N2	-6.82	115.12	119.90
8	AH	47	PHE	CB-CG-CD2	-6.82	116.02	120.80
26	BB	250	G	C4-C5-N7	-6.82	108.07	110.80
26	BB	263	G	C5-C6-O6	6.82	132.69	128.60
26	BB	301	G	N1-C2-N3	-6.82	119.81	123.90
26	BB	395	U	O4'-C4'-C3'	6.82	111.56	106.10
26	BB	777	G	C5-C6-O6	-6.82	124.50	128.60
26	BB	795	C	O4'-C1'-N1	6.82	113.66	108.20
26	BB	956	G	O4'-C1'-N9	6.82	113.66	108.20
26	BB	1969	A	C2-N3-C4	-6.82	107.19	110.60
26	BB	2003	A	C5-C6-N6	6.82	129.16	123.70
1	AA	616	G	C8-N9-C4	-6.82	103.67	106.40
1	AA	829	G	C4-C5-N7	-6.82	108.07	110.80
2	AB	34	C	C6-N1-C2	-6.82	117.57	120.30
26	BB	406	G	C5-C6-N1	6.82	114.91	111.50
26	BB	1355	G	C2-N3-C4	6.82	115.31	111.90
26	BB	2538	C	C2-N3-C4	6.82	123.31	119.90
1	AA	304	U	C5'-C4'-C3'	-6.82	105.09	116.00
1	AA	931	C	C3'-C2'-C1'	-6.82	96.04	101.50
1	AA	1291	U	N1-C1'-C2'	-6.82	104.50	112.00
4	AD	27	G	C5'-C4'-O4'	6.82	117.28	109.10
26	BB	701	G	C5-C6-O6	-6.82	124.51	128.60
26	BB	737	C	C4'-C3'-C2'	-6.82	95.78	102.60
26	BB	753	A	N3-C4-C5	-6.82	122.03	126.80
26	BB	842	U	C5-C6-N1	-6.82	119.29	122.70
26	BB	946	C	C4-C5-C6	6.82	120.81	117.40
26	BB	1987	A	C4-C5-N7	6.82	114.11	110.70
26	BB	2477	U	C3'-C2'-C1'	6.82	106.96	101.50
1	AA	415	A	C8-N9-C4	6.82	108.53	105.80
1	AA	1228	C	N3-C4-N4	6.82	122.77	118.00
1	AA	1346	A	C5'-C4'-O4'	-6.82	100.92	109.10
26	BB	635	C	N3-C4-C5	-6.82	119.17	121.90
26	BB	2011	U	C4-C5-C6	6.82	123.79	119.70
1	AA	410	G	C5-C6-O6	6.82	132.69	128.60
1	AA	420	U	O4'-C1'-N1	6.82	113.66	108.20
26	BB	1256	G	C8-N9-C4	-6.82	103.67	106.40
26	BB	1269	A	N7-C8-N9	6.82	117.21	113.80
26	BB	1652	A	O4'-C1'-N9	6.82	113.65	108.20
26	BB	2013	A	C5-C6-N6	-6.82	118.25	123.70
26	BB	2160	C	N3-C2-O2	-6.82	117.13	121.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2534	A	P-O5'-C5'	6.82	131.81	120.90
1	AA	925	G	C6-N1-C2	-6.82	121.01	125.10
1	AA	968	A	O4'-C4'-C3'	6.82	111.55	106.10
1	AA	1502	A	O4'-C1'-N9	6.82	113.65	108.20
2	AB	44	G	C6-C5-N7	-6.82	126.31	130.40
26	BB	350	G	C1'-O4'-C4'	6.82	115.35	109.90
26	BB	407	G	O5'-P-OP2	6.82	118.88	110.70
26	BB	425	G	O4'-C1'-N9	6.82	113.65	108.20
26	BB	510	C	C4-C5-C6	6.82	120.81	117.40
26	BB	539	G	C5-C6-O6	-6.82	124.51	128.60
26	BB	1011	G	C5-N7-C8	6.82	107.71	104.30
26	BB	1024	G	N1-C2-N3	-6.82	119.81	123.90
26	BB	1151	A	C5-N7-C8	-6.82	100.49	103.90
26	BB	1275	A	C1'-O4'-C4'	-6.82	104.45	109.90
26	BB	1613	G	N9-C4-C5	6.82	108.13	105.40
26	BB	1726	C	C5-C6-N1	-6.82	117.59	121.00
26	BB	1897	G	O4'-C1'-N9	6.82	113.65	108.20
45	BU	95	ARG	NE-CZ-NH1	-6.82	116.89	120.30
26	BB	1203	U	N3-C2-O2	-6.81	117.43	122.20
26	BB	1800	C	P-O3'-C3'	6.81	127.88	119.70
26	BB	1834	U	C5-C4-O4	-6.81	121.81	125.90
1	AA	14	U	C2-N3-C4	6.81	131.09	127.00
1	AA	844	G	C4-C5-C6	6.81	122.89	118.80
1	AA	1122	U	C3'-C2'-C1'	6.81	106.95	101.50
1	AA	1325	C	C5-C4-N4	-6.81	115.43	120.20
4	AD	29	C	C6-N1-C2	-6.81	117.58	120.30
22	AV	77	ARG	NE-CZ-NH2	-6.81	116.89	120.30
25	BA	71	C	N1-C2-N3	-6.81	114.43	119.20
26	BB	208	C	N3-C4-N4	6.81	122.77	118.00
26	BB	577	G	O4'-C1'-N9	6.81	113.65	108.20
26	BB	889	C	P-O3'-C3'	6.81	127.87	119.70
26	BB	1185	G	N1-C6-O6	-6.81	115.81	119.90
26	BB	1567	G	C6-N1-C2	-6.81	121.01	125.10
26	BB	2129	C	N1-C2-N3	-6.81	114.43	119.20
26	BB	2682	A	C8-N9-C4	-6.81	103.08	105.80
1	AA	285	C	N3-C4-C5	-6.81	119.18	121.90
1	AA	1052	U	O4'-C1'-N1	6.81	113.65	108.20
26	BB	32	C	N3-C4-C5	-6.81	119.18	121.90
26	BB	720	U	C5-C6-N1	-6.81	119.29	122.70
26	BB	1411	U	C6-N1-C2	-6.81	116.91	121.00
26	BB	1975	G	O4'-C1'-C2'	6.81	113.73	107.60
26	BB	2165	C	C2-N3-C4	6.81	123.31	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	365	U	C5'-C4'-O4'	6.81	117.27	109.10
1	AA	461	A	N9-C1'-C2'	6.81	122.85	114.00
1	AA	692	U	O4'-C1'-N1	6.81	113.65	108.20
1	AA	755	G	C5-C6-O6	-6.81	124.51	128.60
1	AA	895	G	O4'-C1'-N9	6.81	113.65	108.20
1	AA	1515	G	N3-C2-N2	-6.81	115.13	119.90
21	AU	62	ARG	NE-CZ-NH2	-6.81	116.89	120.30
25	BA	6	G	N1-C2-N3	-6.81	119.81	123.90
26	BB	768	G	C1'-O4'-C4'	6.81	115.35	109.90
26	BB	878	A	N9-C4-C5	-6.81	103.08	105.80
26	BB	2084	C	O4'-C1'-N1	6.81	113.65	108.20
26	BB	2602	A	C5-C6-N1	-6.81	114.30	117.70
26	BB	2660	A	C4'-C3'-C2'	-6.81	95.79	102.60
26	BB	2765	A	N9-C4-C5	6.81	108.52	105.80
1	AA	812	G	N1-C2-N2	-6.81	110.07	116.20
1	AA	1138	G	N7-C8-N9	6.81	116.50	113.10
1	AA	1366	C	O4'-C1'-N1	6.81	113.65	108.20
25	BA	66	A	C4'-C3'-O3'	6.81	126.61	113.00
26	BB	57	C	C4'-C3'-C2'	-6.81	95.79	102.60
26	BB	507	A	N9-C4-C5	6.81	108.52	105.80
26	BB	582	A	N7-C8-N9	6.81	117.20	113.80
26	BB	607	U	O4'-C1'-N1	6.81	113.65	108.20
26	BB	698	C	N3-C4-N4	-6.81	113.23	118.00
26	BB	1004	U	C3'-C2'-C1'	6.81	106.94	101.50
26	BB	1144	A	C1'-O4'-C4'	-6.81	104.45	109.90
26	BB	1335	C	N3-C2-O2	-6.81	117.13	121.90
26	BB	1578	U	O4'-C1'-N1	6.81	113.64	108.20
26	BB	1965	C	C6-N1-C2	6.81	123.02	120.30
26	BB	1983	G	N3-C4-C5	-6.81	125.20	128.60
26	BB	2409	G	N3-C4-N9	6.81	130.09	126.00
26	BB	2472	G	N1-C2-N2	6.81	122.33	116.20
26	BB	2676	C	C4'-C3'-C2'	-6.81	95.79	102.60
26	BB	2848	G	C3'-C2'-C1'	-6.81	96.05	101.50
1	AA	603	U	C3'-C2'-C1'	6.81	106.94	101.50
26	BB	764	A	C6-C5-N7	6.81	137.06	132.30
26	BB	862	G	O4'-C1'-N9	6.81	113.64	108.20
26	BB	1505	A	N1-C2-N3	-6.81	125.90	129.30
26	BB	2571	U	C4-C5-C6	6.81	123.78	119.70
1	AA	485	U	O4'-C1'-C2'	-6.80	99.00	105.80
1	AA	831	A	C6-C5-N7	6.80	137.06	132.30
1	AA	903	G	C5-C6-N1	6.80	114.90	111.50
1	AA	920	U	N1-C1'-C2'	-6.80	104.52	112.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	AD	76	C	C5'-C4'-C3'	-6.80	105.11	116.00
26	BB	1235	G	C5-N7-C8	6.80	107.70	104.30
26	BB	1683	U	C2-N3-C4	-6.80	122.92	127.00
26	BB	2134	A	C5'-C4'-O4'	6.80	117.27	109.10
26	BB	2849	U	N1-C1'-C2'	6.80	122.85	114.00
1	AA	676	A	C4'-C3'-C2'	-6.80	95.80	102.60
1	AA	1149	C	C4'-C3'-C2'	-6.80	95.80	102.60
26	BB	185	G	C2-N3-C4	6.80	115.30	111.90
26	BB	990	A	O4'-C1'-N9	6.80	113.64	108.20
26	BB	1164	C	O4'-C1'-N1	6.80	113.64	108.20
26	BB	2070	A	N1-C6-N6	-6.80	114.52	118.60
26	BB	2479	U	C4'-C3'-C2'	-6.80	95.80	102.60
1	AA	165	G	N3-C4-C5	-6.80	125.20	128.60
1	AA	1280	A	C5-N7-C8	6.80	107.30	103.90
26	BB	174	U	N3-C4-O4	6.80	124.16	119.40
26	BB	447	A	N7-C8-N9	6.80	117.20	113.80
26	BB	453	A	P-O3'-C3'	6.80	127.86	119.70
26	BB	536	G	N1-C2-N3	-6.80	119.82	123.90
26	BB	1005	C	N1-C2-N3	-6.80	114.44	119.20
26	BB	1197	G	C3'-C2'-C1'	6.80	106.94	101.50
26	BB	1289	C	C3'-C2'-C1'	6.80	106.94	101.50
26	BB	1555	G	C4'-C3'-C2'	-6.80	95.80	102.60
26	BB	1560	G	C8-N9-C4	-6.80	103.68	106.40
26	BB	2844	G	N3-C4-C5	-6.80	125.20	128.60
1	AA	818	G	N9-C4-C5	6.80	108.12	105.40
1	AA	1196	A	C5-N7-C8	-6.80	100.50	103.90
1	AA	1254	A	C5-C6-N1	6.80	121.10	117.70
3	AC	36	U	C5-C4-O4	-6.80	121.82	125.90
26	BB	342	A	N7-C8-N9	6.80	117.20	113.80
26	BB	850	U	N1-C2-N3	6.80	118.98	114.90
26	BB	1380	G	C5-C6-N1	-6.80	108.10	111.50
26	BB	1860	G	N3-C4-N9	6.80	130.08	126.00
26	BB	1983	G	C4-C5-C6	6.80	122.88	118.80
26	BB	2665	A	N1-C6-N6	-6.80	114.52	118.60
26	BB	861	A	O4'-C1'-N9	6.80	113.64	108.20
26	BB	2631	G	C5-C6-O6	-6.80	124.52	128.60
1	AA	219	U	N1-C2-O2	-6.80	118.04	122.80
1	AA	1119	C	C6-N1-C2	-6.80	117.58	120.30
1	AA	1360	A	C5'-C4'-O4'	6.80	117.26	109.10
2	AB	65	C	C2-N3-C4	6.80	123.30	119.90
23	AW	26	MET	CG-SD-CE	6.80	111.07	100.20
26	BB	51	G	C6-N1-C2	-6.80	121.02	125.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	432	A	C5-C6-N1	6.80	121.10	117.70
26	BB	1259	G	O4'-C4'-C3'	6.80	111.54	106.10
26	BB	1346	G	C4-C5-N7	-6.80	108.08	110.80
26	BB	1456	G	C6-N1-C2	-6.80	121.02	125.10
26	BB	1836	C	C2-N3-C4	6.80	123.30	119.90
26	BB	1861	G	C5-C6-N1	6.80	114.90	111.50
26	BB	2287	A	N9-C4-C5	-6.80	103.08	105.80
26	BB	2450	A	C4-C5-N7	6.80	114.10	110.70
1	AA	1455	G	C8-N9-C4	-6.79	103.68	106.40
26	BB	1039	A	C5-N7-C8	-6.79	100.50	103.90
26	BB	2053	G	C5'-C4'-O4'	6.79	117.25	109.10
26	BB	2334	U	C3'-C2'-C1'	6.79	106.94	101.50
26	BB	2512	C	C5-C4-N4	-6.79	115.44	120.20
33	BI	31	VAL	CG1-CB-CG2	-6.79	100.03	110.90
1	AA	54	C	N1-C2-O2	6.79	122.98	118.90
4	AD	30	G	N7-C8-N9	6.79	116.50	113.10
26	BB	575	A	N3-C4-C5	-6.79	122.04	126.80
26	BB	1159	U	C1'-O4'-C4'	-6.79	104.47	109.90
26	BB	1971	U	C5-C4-O4	6.79	129.98	125.90
26	BB	1975	G	N7-C8-N9	6.79	116.50	113.10
26	BB	2589	A	O4'-C1'-N9	6.79	113.64	108.20
28	BD	239	PHE	CB-CG-CD1	-6.79	116.05	120.80
1	AA	1363	A	C1'-O4'-C4'	-6.79	104.47	109.90
25	BA	6	G	N1-C6-O6	-6.79	115.83	119.90
26	BB	115	C	C4'-C3'-C2'	-6.79	95.81	102.60
26	BB	326	G	C5-C6-O6	-6.79	124.53	128.60
26	BB	363	G	C2-N3-C4	6.79	115.30	111.90
26	BB	1017	G	C5-C6-O6	-6.79	124.53	128.60
26	BB	1890	A	O4'-C1'-N9	6.79	113.63	108.20
26	BB	2204	G	C5-C6-O6	-6.79	124.53	128.60
26	BB	2559	C	N3-C4-C5	6.79	124.62	121.90
1	AA	1152	A	C1'-O4'-C4'	-6.79	104.47	109.90
26	BB	1063	G	C5-N7-C8	-6.79	100.91	104.30
26	BB	2646	C	C4-C5-C6	-6.79	114.00	117.40
1	AA	109	A	N1-C6-N6	6.79	122.67	118.60
1	AA	306	A	C6-C5-N7	6.79	137.05	132.30
1	AA	1068	G	C8-N9-C4	-6.79	103.69	106.40
7	AG	203	TYR	CB-CG-CD2	-6.79	116.93	121.00
25	BA	64	G	N1-C2-N3	6.79	127.97	123.90
26	BB	43	G	C8-N9-C4	-6.79	103.68	106.40
26	BB	54	G	C5-C6-O6	-6.79	124.53	128.60
26	BB	96	C	C2-N3-C4	-6.79	116.50	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2880	C	C3'-C2'-C1'	-6.79	96.07	101.50
1	AA	143	A	O4'-C1'-N9	-6.79	102.77	108.20
1	AA	1061	G	N9-C4-C5	6.79	108.11	105.40
1	AA	1220	G	O5'-P-OP2	-6.79	99.59	105.70
26	BB	319	G	C8-N9-C4	-6.79	103.69	106.40
26	BB	1408	G	C5-C6-O6	-6.79	124.53	128.60
26	BB	1978	A	N1-C6-N6	-6.79	114.53	118.60
26	BB	2329	U	P-O3'-C3'	6.79	127.84	119.70
1	AA	184	G	O4'-C4'-C3'	6.79	111.53	106.10
1	AA	361	G	N3-C4-C5	-6.79	125.21	128.60
1	AA	871	U	O4'-C1'-N1	6.79	113.63	108.20
4	AD	19	G	C8-N9-C4	-6.79	103.69	106.40
4	AD	54	G	C4-C5-N7	-6.79	108.09	110.80
26	BB	13	A	C8-N9-C4	-6.79	103.09	105.80
26	BB	356	G	N3-C2-N2	6.79	124.65	119.90
26	BB	1116	G	N1-C2-N3	-6.79	119.83	123.90
26	BB	1561	C	N3-C4-N4	-6.79	113.25	118.00
26	BB	2140	G	N3-C2-N2	6.79	124.65	119.90
1	AA	1190	G	C8-N9-C4	-6.78	103.69	106.40
1	AA	1273	C	C5'-C4'-O4'	6.78	117.24	109.10
1	AA	1540	U	C5-C6-N1	-6.78	119.31	122.70
4	AD	13	C	C4-C5-C6	-6.78	114.01	117.40
8	AH	53	ARG	NE-CZ-NH1	6.78	123.69	120.30
26	BB	780	G	N3-C2-N2	6.78	124.65	119.90
26	BB	1266	G	C4-C5-N7	-6.78	108.09	110.80
26	BB	2248	C	C3'-C2'-C1'	6.78	106.93	101.50
26	BB	2271	G	C8-N9-C4	-6.78	103.69	106.40
26	BB	2378	A	O4'-C1'-N9	6.78	113.63	108.20
26	BB	2423	U	C2-N3-C4	-6.78	122.93	127.00
26	BB	2455	G	C5-C6-N1	6.78	114.89	111.50
1	AA	514	C	C2-N3-C4	6.78	123.29	119.90
26	BB	498	G	P-O3'-C3'	6.78	127.84	119.70
26	BB	608	A	C5-C6-N6	-6.78	118.28	123.70
26	BB	2375	G	C4-C5-C6	6.78	122.87	118.80
26	BB	2627	G	O4'-C4'-C3'	6.78	111.53	106.10
26	BB	2869	G	N9-C1'-C2'	-6.78	104.54	112.00
1	AA	789	U	O4'-C4'-C3'	6.78	111.52	106.10
1	AA	1504	G	C1'-O4'-C4'	-6.78	104.48	109.90
1	AA	1526	G	C8-N9-C4	-6.78	103.69	106.40
25	BA	9	G	N9-C4-C5	6.78	108.11	105.40
25	BA	38	C	C5-C4-N4	6.78	124.95	120.20
26	BB	6	A	N3-C4-C5	-6.78	122.05	126.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	113	U	O4'-C1'-N1	6.78	113.62	108.20
26	BB	944	C	C5'-C4'-O4'	6.78	117.24	109.10
26	BB	2425	A	C5-N7-C8	-6.78	100.51	103.90
26	BB	2635	A	N3-C4-C5	-6.78	122.05	126.80
26	BB	2683	C	C1'-O4'-C4'	-6.78	104.47	109.90
26	BB	2735	G	C5'-C4'-O4'	6.78	117.23	109.10
1	AA	824	G	N3-C4-N9	6.78	130.07	126.00
1	AA	1493	A	C8-N9-C4	-6.78	103.09	105.80
25	BA	37	C	N3-C4-N4	-6.78	113.25	118.00
26	BB	2467	C	N3-C4-C5	-6.78	119.19	121.90
1	AA	487	A	N3-C4-C5	-6.78	122.06	126.80
1	AA	831	A	C4-C5-C6	-6.78	113.61	117.00
1	AA	945	G	C5-C6-N1	6.78	114.89	111.50
2	AB	13	C	N1-C2-N3	-6.78	114.45	119.20
25	BA	67	G	O4'-C1'-N9	6.78	113.62	108.20
26	BB	436	C	C4'-C3'-C2'	-6.78	95.82	102.60
26	BB	1207	C	N3-C2-O2	-6.78	117.16	121.90
26	BB	1263	U	C5-C6-N1	-6.78	119.31	122.70
26	BB	1271	G	P-O3'-C3'	6.78	127.83	119.70
26	BB	1520	U	N3-C4-C5	-6.78	110.53	114.60
26	BB	2639	A	C5'-C4'-C3'	-6.78	105.16	116.00
26	BB	2899	A	N7-C8-N9	6.78	117.19	113.80
28	BD	100	ARG	NE-CZ-NH1	6.78	123.69	120.30
1	AA	115	G	N9-C4-C5	6.78	108.11	105.40
3	AC	27	A	O4'-C1'-C2'	-6.78	99.02	105.80
25	BA	14	U	C4'-C3'-C2'	-6.78	95.82	102.60
25	BA	78	A	C5-N7-C8	-6.78	100.51	103.90
26	BB	163	C	N3-C4-C5	-6.78	119.19	121.90
26	BB	730	A	O5'-C5'-C4'	-6.78	98.83	111.70
26	BB	1690	A	C8-N9-C4	-6.78	103.09	105.80
26	BB	2101	A	C5-N7-C8	6.78	107.29	103.90
26	BB	2616	C	N3-C2-O2	6.78	126.64	121.90
26	BB	2644	G	N1-C2-N3	-6.78	119.83	123.90
26	BB	2843	G	N3-C2-N2	-6.78	115.16	119.90
1	AA	524	G	C4-C5-N7	6.77	113.51	110.80
3	AC	15	G	N7-C8-N9	6.77	116.49	113.10
26	BB	979	A	C2-N3-C4	6.77	113.99	110.60
26	BB	1308	A	N7-C8-N9	6.77	117.19	113.80
1	AA	193	C	C1'-O4'-C4'	-6.77	104.48	109.90
1	AA	342	C	C6-N1-C2	-6.77	117.59	120.30
1	AA	1508	A	N9-C4-C5	6.77	108.51	105.80
26	BB	7	G	C5-C6-O6	-6.77	124.54	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	102	U	O4'-C1'-N1	6.77	113.62	108.20
26	BB	285	G	N3-C2-N2	-6.77	115.16	119.90
26	BB	669	G	C1'-O4'-C4'	6.77	115.32	109.90
26	BB	1369	G	C4-C5-C6	6.77	122.86	118.80
26	BB	1444	G	C4-C5-N7	-6.77	108.09	110.80
26	BB	1686	C	N1-C1'-C2'	-6.77	104.55	112.00
26	BB	1755	A	N1-C6-N6	-6.77	114.54	118.60
26	BB	2614	A	N1-C6-N6	6.77	122.66	118.60
26	BB	2614	A	N9-C4-C5	-6.77	103.09	105.80
1	AA	139	A	N9-C4-C5	6.77	108.51	105.80
4	AD	46	G	N1-C6-O6	6.77	123.96	119.90
26	BB	269	C	O5'-C5'-C4'	-6.77	98.83	111.70
26	BB	1467	U	N3-C2-O2	-6.77	117.46	122.20
26	BB	1521	G	C4'-C3'-C2'	-6.77	95.83	102.60
26	BB	2060	A	C4'-C3'-C2'	-6.77	95.83	102.60
1	AA	613	C	C5-C6-N1	6.77	124.39	121.00
1	AA	657	U	N1-C2-O2	6.77	127.54	122.80
1	AA	696	A	C3'-C2'-C1'	-6.77	96.08	101.50
1	AA	879	C	O4'-C1'-N1	6.77	113.61	108.20
1	AA	1222	G	C3'-C2'-C1'	6.77	106.92	101.50
1	AA	1262	C	N3-C2-O2	-6.77	117.16	121.90
25	BA	17	C	C1'-O4'-C4'	6.77	115.32	109.90
26	BB	322	A	P-O3'-C3'	6.77	127.83	119.70
26	BB	1221	C	O4'-C1'-N1	6.77	113.61	108.20
26	BB	1935	G	C6-C5-N7	-6.77	126.34	130.40
26	BB	2106	U	N3-C2-O2	-6.77	117.46	122.20
26	BB	2377	A	O4'-C4'-C3'	6.77	111.52	106.10
26	BB	2422	C	C5-C6-N1	6.77	124.39	121.00
26	BB	2468	A	C4'-C3'-C2'	-6.77	95.83	102.60
26	BB	2476	A	C3'-C2'-C1'	6.77	106.92	101.50
26	BB	2895	G	C5-N7-C8	-6.77	100.92	104.30
1	AA	601	G	N9-C4-C5	-6.77	102.69	105.40
1	AA	890	G	O4'-C1'-N9	6.77	113.61	108.20
1	AA	1068	G	P-O5'-C5'	6.77	131.73	120.90
26	BB	762	U	C5-C4-O4	-6.77	121.84	125.90
26	BB	827	U	N1-C2-N3	6.77	118.96	114.90
26	BB	1121	C	C6-N1-C2	-6.77	117.59	120.30
26	BB	1545	A	N9-C1'-C2'	-6.77	104.56	112.00
26	BB	1645	G	N1-C6-O6	6.77	123.96	119.90
26	BB	2353	G	C5-N7-C8	6.77	107.68	104.30
1	AA	1074	G	C5-N7-C8	-6.77	100.92	104.30
1	AA	1170	A	N9-C4-C5	6.77	108.51	105.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	21	A	C4-C5-N7	6.77	114.08	110.70
26	BB	750	A	N7-C8-N9	6.77	117.18	113.80
26	BB	1020	A	C3'-C2'-C1'	6.77	106.91	101.50
26	BB	1284	A	C5'-C4'-O4'	6.77	117.22	109.10
26	BB	1613	G	C8-N9-C4	-6.77	103.69	106.40
26	BB	2076	U	N3-C4-O4	6.77	124.14	119.40
1	AA	43	C	O4'-C1'-N1	6.76	113.61	108.20
1	AA	324	G	N7-C8-N9	6.76	116.48	113.10
1	AA	422	C	C4-C5-C6	-6.76	114.02	117.40
1	AA	707	U	C4-C5-C6	6.76	123.76	119.70
1	AA	1028	C	C6-N1-C2	-6.76	117.59	120.30
1	AA	1125	U	N3-C2-O2	-6.76	117.46	122.20
2	AB	30	G	C2-N3-C4	-6.76	108.52	111.90
4	AD	35	C	C5-C4-N4	-6.76	115.47	120.20
7	AG	72	ARG	NE-CZ-NH2	-6.76	116.92	120.30
25	BA	3	C	C4-C5-C6	6.76	120.78	117.40
26	BB	339	U	N3-C2-O2	-6.76	117.47	122.20
26	BB	531	C	C6-N1-C2	-6.76	117.59	120.30
26	BB	767	U	N1-C2-O2	6.76	127.53	122.80
26	BB	868	U	O4'-C1'-N1	6.76	113.61	108.20
26	BB	1466	U	N3-C2-O2	-6.76	117.47	122.20
26	BB	1619	G	C5-C6-N1	6.76	114.88	111.50
26	BB	1667	G	N7-C8-N9	6.76	116.48	113.10
26	BB	1814	G	C4-C5-C6	6.76	122.86	118.80
26	BB	1933	G	N3-C4-C5	6.76	131.98	128.60
26	BB	2179	C	O4'-C1'-N1	6.76	113.61	108.20
26	BB	2597	G	N3-C2-N2	-6.76	115.16	119.90
26	BB	2718	G	C4'-C3'-C2'	-6.76	95.84	102.60
1	AA	956	U	C4-C5-C6	-6.76	115.64	119.70
26	BB	447	A	C3'-C2'-C1'	6.76	106.91	101.50
26	BB	1684	G	C6-C5-N7	-6.76	126.34	130.40
26	BB	2900	A	C4-C5-N7	-6.76	107.32	110.70
1	AA	27	G	N1-C6-O6	6.76	123.96	119.90
1	AA	1313	U	N1-C1'-C2'	-6.76	104.56	112.00
26	BB	221	A	C3'-C2'-C1'	6.76	106.91	101.50
26	BB	364	C	C5-C6-N1	6.76	124.38	121.00
26	BB	912	C	C4-C5-C6	6.76	120.78	117.40
26	BB	2502	G	C5-N7-C8	-6.76	100.92	104.30
26	BB	2816	G	C8-N9-C4	-6.76	103.69	106.40
1	AA	360	G	N3-C4-C5	-6.76	125.22	128.60
7	AG	50	TYR	CD1-CG-CD2	6.76	125.34	117.90
25	BA	53	A	C6-N1-C2	-6.76	114.54	118.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1034	G	C5-C6-N1	-6.76	108.12	111.50
26	BB	1215	G	C6-C5-N7	-6.76	126.34	130.40
26	BB	1328	A	P-O3'-C3'	6.76	127.81	119.70
1	AA	232	G	N3-C4-C5	-6.76	125.22	128.60
1	AA	775	G	N7-C8-N9	6.76	116.48	113.10
1	AA	844	G	O4'-C1'-N9	6.76	113.61	108.20
25	BA	63	C	N1-C2-O2	6.76	122.95	118.90
26	BB	2820	A	N3-C4-C5	-6.76	122.07	126.80
27	BC	43	ASP	CB-CG-OD1	-6.76	112.22	118.30
1	AA	958	A	N1-C2-N3	6.76	132.68	129.30
1	AA	1509	C	N3-C4-C5	-6.76	119.20	121.90
26	BB	2261	C	N3-C4-C5	-6.76	119.20	121.90
33	BI	97	ARG	CD-NE-CZ	6.76	133.06	123.60
1	AA	532	A	N3-C4-C5	-6.75	122.07	126.80
2	AB	58	A	P-O3'-C3'	6.75	127.81	119.70
26	BB	695	G	N9-C4-C5	-6.75	102.70	105.40
26	BB	1368	G	C3'-C2'-C1'	-6.75	96.10	101.50
26	BB	2152	G	C6-C5-N7	-6.75	126.35	130.40
26	BB	2572	A	C3'-C2'-C1'	6.75	106.90	101.50
1	AA	39	G	N3-C4-N9	-6.75	121.95	126.00
1	AA	412	A	N7-C8-N9	6.75	117.18	113.80
1	AA	423	G	C5-C6-N1	6.75	114.88	111.50
1	AA	913	A	C8-N9-C4	6.75	108.50	105.80
1	AA	1437	A	C1'-O4'-C4'	-6.75	104.50	109.90
4	AD	14	A	C6-C5-N7	-6.75	127.57	132.30
5	AE	234	GLU	OE1-CD-OE2	6.75	131.40	123.30
26	BB	231	A	C2'-C3'-O3'	6.75	124.50	113.70
26	BB	1869	G	N1-C6-O6	-6.75	115.85	119.90
26	BB	1948	G	O4'-C1'-N9	-6.75	102.80	108.20
1	AA	1150	A	C1'-O4'-C4'	-6.75	104.50	109.90
1	AA	1294	G	N1-C6-O6	6.75	123.95	119.90
2	AB	18	G	N9-C4-C5	6.75	108.10	105.40
3	AC	44	U	C2-N3-C4	-6.75	122.95	127.00
26	BB	173	A	O4'-C1'-N9	6.75	113.60	108.20
26	BB	285	G	O4'-C1'-N9	6.75	113.60	108.20
26	BB	620	G	N1-C2-N2	6.75	122.28	116.20
26	BB	1091	G	O4'-C1'-C2'	6.75	113.68	107.60
26	BB	1230	A	N9-C4-C5	6.75	108.50	105.80
26	BB	1461	C	C4-C5-C6	-6.75	114.02	117.40
26	BB	1500	G	C4-C5-N7	6.75	113.50	110.80
26	BB	1673	G	C6-N1-C2	-6.75	121.05	125.10
26	BB	2220	U	N1-C2-N3	6.75	118.95	114.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2695	U	O5'-P-OP1	-6.75	99.62	105.70
1	AA	1072	G	N1-C2-N2	-6.75	110.12	116.20
1	AA	1096	C	N3-C4-C5	-6.75	119.20	121.90
1	AA	1512	U	C3'-C2'-C1'	6.75	106.90	101.50
26	BB	57	C	C4-C5-C6	-6.75	114.03	117.40
26	BB	1032	A	C5-C6-N1	-6.75	114.33	117.70
26	BB	1797	G	C5-N7-C8	-6.75	100.92	104.30
1	AA	216	U	C6-N1-C2	-6.75	116.95	121.00
1	AA	417	G	N1-C6-O6	-6.75	115.85	119.90
1	AA	509	A	C4-C5-N7	-6.75	107.33	110.70
1	AA	1033	G	N3-C2-N2	-6.75	115.18	119.90
26	BB	33	C	O4'-C1'-N1	6.75	113.60	108.20
26	BB	55	G	C4'-C3'-C2'	-6.75	95.85	102.60
26	BB	74	A	N9-C4-C5	-6.75	103.10	105.80
26	BB	453	A	C5-N7-C8	6.75	107.27	103.90
26	BB	650	C	N1-C2-O2	6.75	122.95	118.90
26	BB	971	G	C2-N3-C4	6.75	115.28	111.90
26	BB	1084	A	N9-C4-C5	6.75	108.50	105.80
26	BB	1296	G	O4'-C1'-N9	-6.75	102.80	108.20
26	BB	1945	G	P-O3'-C3'	6.75	127.80	119.70
26	BB	2020	A	C5'-C4'-O4'	6.75	117.20	109.10
26	BB	2806	C	P-O3'-C3'	6.75	127.80	119.70
1	AA	188	C	P-O3'-C3'	6.75	127.80	119.70
1	AA	568	G	C3'-C2'-C1'	6.75	106.90	101.50
1	AA	775	G	C4-C5-N7	-6.75	108.10	110.80
1	AA	804	U	C1'-O4'-C4'	6.75	115.30	109.90
2	AB	59	G	C5-C6-N1	-6.75	108.13	111.50
26	BB	326	G	N7-C8-N9	6.75	116.47	113.10
26	BB	417	C	C5-C4-N4	6.75	124.92	120.20
26	BB	540	C	N3-C2-O2	-6.75	117.18	121.90
26	BB	907	G	N9-C4-C5	6.75	108.10	105.40
26	BB	1214	A	C8-N9-C4	-6.75	103.10	105.80
26	BB	1374	G	N3-C4-C5	-6.75	125.23	128.60
26	BB	1435	G	N9-C4-C5	6.75	108.10	105.40
26	BB	1489	C	C5'-C4'-O4'	6.75	117.20	109.10
26	BB	1974	C	C5-C4-N4	-6.75	115.48	120.20
45	BU	50	VAL	CA-CB-CG1	6.75	121.02	110.90
1	AA	25	C	N3-C4-N4	6.75	122.72	118.00
1	AA	371	A	C4-C5-C6	-6.75	113.63	117.00
1	AA	617	G	C4'-C3'-C2'	-6.75	95.86	102.60
26	BB	144	A	C5'-C4'-O4'	6.75	117.19	109.10
26	BB	342	A	C5-N7-C8	-6.75	100.53	103.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2795	C	C5'-C4'-O4'	6.75	117.19	109.10
1	AA	993	G	C1'-O4'-C4'	6.74	115.30	109.90
25	BA	41	G	C5-N7-C8	-6.74	100.93	104.30
26	BB	298	G	N9-C4-C5	6.74	108.10	105.40
26	BB	689	A	C4'-C3'-C2'	-6.74	95.86	102.60
26	BB	904	G	C5-C6-O6	6.74	132.65	128.60
26	BB	1240	U	N3-C4-O4	6.74	124.12	119.40
26	BB	1423	G	C5-N7-C8	-6.74	100.93	104.30
26	BB	1567	G	N7-C8-N9	6.74	116.47	113.10
26	BB	1853	A	N1-C2-N3	6.74	132.67	129.30
26	BB	2494	G	N3-C2-N2	-6.74	115.18	119.90
26	BB	2827	C	C3'-C2'-C1'	-6.74	96.11	101.50
1	AA	1539	C	C4'-C3'-C2'	6.74	109.34	102.60
26	BB	704	G	C5-C6-O6	-6.74	124.56	128.60
26	BB	1264	A	N1-C2-N3	6.74	132.67	129.30
26	BB	1372	U	C5-C4-O4	-6.74	121.86	125.90
26	BB	1495	A	N3-C4-N9	6.74	132.79	127.40
26	BB	1963	U	C1'-O4'-C4'	-6.74	104.51	109.90
26	BB	2505	G	P-O3'-C3'	6.74	127.79	119.70
26	BB	2581	G	C5-N7-C8	-6.74	100.93	104.30
1	AA	31	G	O4'-C1'-N9	6.74	113.59	108.20
1	AA	212	G	C5-C6-N1	6.74	114.87	111.50
1	AA	546	A	N1-C6-N6	-6.74	114.56	118.60
1	AA	584	G	C4-C5-N7	-6.74	108.10	110.80
1	AA	1088	G	C4-C5-C6	-6.74	114.76	118.80
26	BB	57	C	C5-C4-N4	-6.74	115.48	120.20
26	BB	642	U	C6-N1-C2	-6.74	116.95	121.00
26	BB	1339	G	C2-N3-C4	6.74	115.27	111.90
26	BB	1399	C	C5-C6-N1	6.74	124.37	121.00
26	BB	1673	G	C3'-C2'-C1'	6.74	106.89	101.50
26	BB	2565	A	P-O3'-C3'	6.74	127.79	119.70
1	AA	178	C	N3-C4-C5	-6.74	119.20	121.90
1	AA	704	A	N1-C2-N3	-6.74	125.93	129.30
1	AA	1145	A	C5-C6-N1	6.74	121.07	117.70
4	AD	67	C	C6-N1-C2	-6.74	117.61	120.30
26	BB	21	A	C8-N9-C4	6.74	108.50	105.80
26	BB	1004	U	C5-C4-O4	6.74	129.94	125.90
26	BB	1140	C	N3-C2-O2	-6.74	117.18	121.90
26	BB	1534	U	C3'-C2'-C1'	6.74	106.89	101.50
26	BB	1715	G	N1-C6-O6	-6.74	115.86	119.90
26	BB	2509	G	C6-C5-N7	-6.74	126.36	130.40
1	AA	22	G	C8-N9-C4	-6.74	103.70	106.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	550	G	N9-C4-C5	6.74	108.09	105.40
1	AA	872	A	C6-N1-C2	6.74	122.64	118.60
1	AA	1111	A	N9-C4-C5	-6.74	103.11	105.80
26	BB	893	C	N3-C2-O2	-6.74	117.18	121.90
26	BB	957	C	C5-C6-N1	-6.74	117.63	121.00
26	BB	1370	C	N3-C4-C5	-6.74	119.20	121.90
26	BB	1390	U	C4-C5-C6	6.74	123.74	119.70
26	BB	1608	A	C5-N7-C8	-6.74	100.53	103.90
26	BB	2200	C	C2-N3-C4	-6.74	116.53	119.90
26	BB	2634	A	N1-C2-N3	-6.74	125.93	129.30
1	AA	202	G	O4'-C4'-C3'	6.74	111.49	106.10
1	AA	930	C	N1-C2-O2	6.74	122.94	118.90
25	BA	18	G	C6-C5-N7	-6.74	126.36	130.40
26	BB	460	A	N1-C6-N6	-6.74	114.56	118.60
26	BB	668	A	O4'-C1'-N9	-6.74	102.81	108.20
26	BB	712	G	N3-C2-N2	6.74	124.61	119.90
26	BB	1638	C	O4'-C1'-N1	6.74	113.59	108.20
26	BB	1807	G	C5-C6-N1	6.74	114.87	111.50
26	BB	2193	G	C5-N7-C8	6.74	107.67	104.30
26	BB	2488	G	N3-C4-C5	-6.74	125.23	128.60
44	BT	92	TRP	CD1-CG-CD2	-6.74	100.91	106.30
26	BB	180	G	C8-N9-C4	-6.73	103.71	106.40
26	BB	453	A	C8-N9-C4	-6.73	103.11	105.80
26	BB	1294	U	N1-C2-N3	6.73	118.94	114.90
26	BB	1433	A	C5'-C4'-O4'	6.73	117.18	109.10
26	BB	1695	G	C5-C6-N1	-6.73	108.13	111.50
26	BB	2235	G	C4'-C3'-C2'	-6.73	95.87	102.60
26	BB	2672	U	C6-N1-C2	-6.73	116.96	121.00
26	BB	2751	G	C6-C5-N7	6.73	134.44	130.40
1	AA	561	U	C4-C5-C6	6.73	123.74	119.70
1	AA	1351	U	C6-N1-C2	-6.73	116.96	121.00
1	AA	1448	C	N1-C1'-C2'	6.73	122.75	114.00
26	BB	269	C	C4'-C3'-C2'	-6.73	95.87	102.60
26	BB	394	C	N1-C2-O2	6.73	122.94	118.90
26	BB	1006	C	N3-C4-N4	6.73	122.71	118.00
26	BB	1047	G	C4-C5-N7	-6.73	108.11	110.80
26	BB	1339	G	N9-C4-C5	6.73	108.09	105.40
26	BB	2315	G	C8-N9-C4	-6.73	103.71	106.40
28	BD	211	ARG	NE-CZ-NH2	6.73	123.67	120.30
1	AA	1152	A	C4-C5-N7	-6.73	107.33	110.70
3	AC	57	C	C6-N1-C2	-6.73	117.61	120.30
6	AF	180	ASP	CB-CG-OD2	-6.73	112.24	118.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BA	76	G	C5'-C4'-O4'	6.73	117.18	109.10
26	BB	1638	C	N1-C2-N3	6.73	123.91	119.20
26	BB	2003	A	O5'-P-OP2	-6.73	99.64	105.70
26	BB	2312	U	O4'-C1'-N1	6.73	113.58	108.20
1	AA	1014	A	N9-C4-C5	6.73	108.49	105.80
26	BB	654	A	O4'-C4'-C3'	-6.73	97.27	104.00
26	BB	657	U	C5'-C4'-O4'	6.73	117.17	109.10
26	BB	1857	G	C6-N1-C2	-6.73	121.06	125.10
26	BB	2101	A	C4-C5-N7	-6.73	107.33	110.70
26	BB	2258	C	N1-C2-O2	6.73	122.94	118.90
26	BB	2462	C	O4'-C4'-C3'	6.73	111.48	106.10
26	BB	2671	G	C6-N1-C2	-6.73	121.06	125.10
26	BB	2735	G	C2-N3-C4	-6.73	108.54	111.90
26	BB	2868	A	N9-C1'-C2'	-6.73	104.60	112.00
42	BR	81	ASP	CB-CG-OD2	-6.73	112.24	118.30
1	AA	373	A	O4'-C1'-N9	6.73	113.58	108.20
1	AA	943	U	N3-C2-O2	6.73	126.91	122.20
26	BB	75	G	C6-N1-C2	-6.73	121.06	125.10
26	BB	315	G	N1-C2-N3	6.73	127.94	123.90
26	BB	707	G	O4'-C4'-C3'	6.73	111.48	106.10
26	BB	1600	C	C4-C5-C6	6.73	120.76	117.40
26	BB	1625	C	C5-C4-N4	-6.73	115.49	120.20
26	BB	2001	C	C5-C6-N1	6.73	124.36	121.00
1	AA	224	U	C3'-C2'-C1'	6.73	106.88	101.50
1	AA	823	C	C3'-C2'-C1'	6.73	106.88	101.50
1	AA	1465	A	O4'-C1'-C2'	6.73	113.65	107.60
1	AA	1485	U	C6-N1-C2	-6.73	116.96	121.00
4	AD	59	A	C3'-C2'-C1'	6.73	106.88	101.50
26	BB	68	G	C8-N9-C1'	6.73	135.74	127.00
26	BB	82	U	C4-C5-C6	6.73	123.74	119.70
26	BB	542	C	O4'-C1'-N1	6.73	113.58	108.20
26	BB	1936	A	C3'-C2'-C1'	-6.73	96.12	101.50
26	BB	2042	A	C5'-C4'-O4'	6.73	117.17	109.10
26	BB	2598	A	N9-C4-C5	-6.73	103.11	105.80
1	AA	235	C	C2-N3-C4	-6.72	116.54	119.90
1	AA	1290	G	O4'-C4'-C3'	-6.72	97.28	104.00
6	AF	96	VAL	CA-CB-CG2	6.72	120.99	110.90
26	BB	549	G	C8-N9-C4	-6.72	103.71	106.40
26	BB	1098	A	N7-C8-N9	-6.72	110.44	113.80
26	BB	1401	G	C6-C5-N7	-6.72	126.36	130.40
26	BB	1677	A	C2-N3-C4	6.72	113.96	110.60
26	BB	1944	U	C2-N3-C4	-6.72	122.97	127.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2421	G	N9-C1'-C2'	-6.72	104.60	112.00
26	BB	2641	G	C8-N9-C4	-6.72	103.71	106.40
26	BB	2750	A	C2-N3-C4	-6.72	107.24	110.60
1	AA	468	A	C5'-C4'-O4'	6.72	117.17	109.10
26	BB	185	G	N3-C2-N2	-6.72	115.19	119.90
26	BB	601	C	O4'-C1'-N1	6.72	113.58	108.20
26	BB	1061	U	P-O3'-C3'	6.72	127.77	119.70
26	BB	1529	G	N3-C2-N2	-6.72	115.19	119.90
26	BB	1719	G	C3'-C2'-C1'	-6.72	96.12	101.50
26	BB	2519	U	N3-C4-C5	-6.72	110.57	114.60
33	BI	137	GLU	OE1-CD-OE2	6.72	131.37	123.30
1	AA	745	G	C2-N3-C4	6.72	115.26	111.90
1	AA	1060	U	O4'-C1'-N1	6.72	113.58	108.20
1	AA	1215	G	C6-C5-N7	-6.72	126.37	130.40
26	BB	957	C	N1-C2-O2	6.72	122.93	118.90
26	BB	1151	A	N7-C8-N9	6.72	117.16	113.80
26	BB	1524	G	N7-C8-N9	6.72	116.46	113.10
26	BB	1788	C	O4'-C1'-N1	6.72	113.58	108.20
26	BB	2837	A	N3-C4-C5	6.72	131.50	126.80
1	AA	89	U	N1-C2-O2	6.72	127.50	122.80
1	AA	1246	A	C6-C5-N7	-6.72	127.60	132.30
26	BB	481	G	C4-C5-C6	6.72	122.83	118.80
26	BB	900	A	C2'-C3'-O3'	6.72	124.45	113.70
26	BB	1147	A	N7-C8-N9	-6.72	110.44	113.80
26	BB	2082	A	C8-N9-C4	-6.72	103.11	105.80
26	BB	2286	G	C4-C5-C6	6.72	122.83	118.80
26	BB	2377	A	C4'-C3'-C2'	-6.72	95.88	102.60
26	BB	2722	G	N3-C2-N2	-6.72	115.20	119.90
1	AA	338	A	C4-C5-N7	-6.72	107.34	110.70
2	AB	72	U	N1-C2-O2	6.72	127.50	122.80
26	BB	545	U	C3'-C2'-C1'	-6.72	96.12	101.50
26	BB	722	A	N9-C4-C5	6.72	108.49	105.80
26	BB	1864	U	C5-C6-N1	6.72	126.06	122.70
26	BB	2101	A	N7-C8-N9	-6.72	110.44	113.80
1	AA	933	G	N9-C4-C5	-6.72	102.71	105.40
26	BB	259	G	N3-C4-C5	-6.72	125.24	128.60
26	BB	943	A	C5-C6-N6	6.72	129.07	123.70
26	BB	1358	G	N7-C8-N9	6.72	116.46	113.10
26	BB	1468	U	C4-C5-C6	6.72	123.73	119.70
26	BB	1541	C	O4'-C1'-N1	6.72	113.57	108.20
26	BB	1985	C	N1-C1'-C2'	-6.72	104.61	112.00
26	BB	2621	G	C4-C5-C6	6.72	122.83	118.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
30	BF	44	ARG	NE-CZ-NH1	-6.72	116.94	120.30
54	B3	9	ARG	NE-CZ-NH2	6.72	123.66	120.30
1	AA	313	A	N7-C8-N9	6.71	117.16	113.80
1	AA	1097	C	C4-C5-C6	-6.71	114.04	117.40
1	AA	1239	A	C4-C5-C6	-6.71	113.64	117.00
18	AR	62	ARG	NE-CZ-NH1	-6.71	116.94	120.30
25	BA	75	G	N1-C6-O6	6.71	123.93	119.90
26	BB	245	G	C4-C5-C6	-6.71	114.77	118.80
26	BB	434	U	N3-C4-O4	6.71	124.10	119.40
26	BB	743	A	C6-N1-C2	-6.71	114.57	118.60
26	BB	874	G	C4'-C3'-C2'	-6.71	95.89	102.60
26	BB	902	C	C5-C6-N1	6.71	124.36	121.00
26	BB	1015	U	O4'-C1'-N1	6.71	113.57	108.20
26	BB	2803	G	C6-N1-C2	-6.71	121.07	125.10
1	AA	9	G	N3-C4-N9	6.71	130.03	126.00
1	AA	419	C	N3-C2-O2	-6.71	117.20	121.90
26	BB	20	C	N1-C2-O2	6.71	122.93	118.90
26	BB	2214	C	C5-C6-N1	-6.71	117.64	121.00
26	BB	2284	A	C2-N3-C4	6.71	113.96	110.60
1	AA	104	G	C5-N7-C8	6.71	107.66	104.30
1	AA	243	A	C5-C6-N1	6.71	121.06	117.70
1	AA	1149	C	O4'-C1'-N1	6.71	113.57	108.20
1	AA	1263	C	C2-N3-C4	6.71	123.26	119.90
3	AC	56	G	C5-C6-O6	-6.71	124.57	128.60
26	BB	58	G	C4-C5-N7	6.71	113.48	110.80
26	BB	500	G	N1-C6-O6	-6.71	115.87	119.90
26	BB	587	C	C1'-O4'-C4'	6.71	115.27	109.90
26	BB	658	U	O4'-C1'-N1	6.71	113.57	108.20
26	BB	1454	C	N3-C4-N4	6.71	122.70	118.00
26	BB	2078	C	N3-C2-O2	-6.71	117.20	121.90
26	BB	2463	C	C5-C4-N4	-6.71	115.50	120.20
26	BB	2886	A	N9-C4-C5	-6.71	103.11	105.80
1	AA	127	G	N3-C4-C5	-6.71	125.25	128.60
25	BA	78	A	N9-C4-C5	6.71	108.48	105.80
26	BB	431	U	C1'-O4'-C4'	-6.71	104.53	109.90
26	BB	840	C	C4'-C3'-C2'	-6.71	95.89	102.60
26	BB	1117	C	N1-C2-O2	6.71	122.93	118.90
26	BB	1847	A	C4'-C3'-C2'	-6.71	95.89	102.60
26	BB	2828	G	N1-C2-N3	-6.71	119.87	123.90
1	AA	818	G	C5-C6-O6	-6.71	124.57	128.60
1	AA	1252	A	C8-N9-C4	-6.71	103.12	105.80
26	BB	43	G	N3-C2-N2	-6.71	115.20	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	182	A	C8-N9-C4	-6.71	103.12	105.80
26	BB	1485	U	C5-C6-N1	6.71	126.05	122.70
26	BB	1503	A	C1'-O4'-C4'	6.71	115.27	109.90
26	BB	1513	U	C5-C6-N1	-6.71	119.35	122.70
26	BB	1714	U	N1-C2-O2	6.71	127.50	122.80
26	BB	2655	G	N3-C4-N9	-6.71	121.97	126.00
31	BG	83	PRO	N-CA-CB	6.71	111.35	103.30
1	AA	786	G	C4-C5-N7	6.71	113.48	110.80
1	AA	941	G	N9-C4-C5	6.71	108.08	105.40
4	AD	54	G	N3-C2-N2	-6.71	115.20	119.90
26	BB	326	G	C2-N3-C4	6.71	115.25	111.90
26	BB	539	G	N9-C4-C5	6.71	108.08	105.40
26	BB	1022	G	C5-C6-O6	-6.71	124.58	128.60
26	BB	1394	U	N3-C4-O4	6.71	124.09	119.40
26	BB	1807	G	N3-C2-N2	-6.71	115.20	119.90
26	BB	1936	A	C6-N1-C2	-6.71	114.58	118.60
26	BB	2510	C	C5-C6-N1	-6.71	117.65	121.00
26	BB	2581	G	C2-N3-C4	6.71	115.25	111.90
1	AA	1270	G	C2-N3-C4	6.71	115.25	111.90
1	AA	1457	G	C5-C6-N1	-6.71	108.15	111.50
26	BB	449	A	P-O3'-C3'	6.71	127.75	119.70
26	BB	487	C	N1-C2-N3	-6.71	114.51	119.20
26	BB	1819	A	O5'-C5'-C4'	6.71	124.44	111.70
26	BB	2006	C	C5-C4-N4	6.71	124.89	120.20
1	AA	946	A	C4'-C3'-C2'	-6.70	95.90	102.60
1	AA	1139	G	N9-C4-C5	6.70	108.08	105.40
9	AI	13	ASP	CB-CG-OD2	-6.70	112.27	118.30
26	BB	73	A	N9-C4-C5	6.70	108.48	105.80
26	BB	536	G	C2-N3-C4	6.70	115.25	111.90
26	BB	542	C	C4'-C3'-C2'	-6.70	95.90	102.60
26	BB	670	A	C2-N3-C4	-6.70	107.25	110.60
26	BB	794	A	O5'-P-OP2	-6.70	99.67	105.70
26	BB	1012	U	N3-C2-O2	-6.70	117.51	122.20
26	BB	1054	A	C8-N9-C4	-6.70	103.12	105.80
26	BB	1338	G	N3-C4-N9	6.70	130.02	126.00
26	BB	1580	A	O4'-C1'-N9	6.70	113.56	108.20
26	BB	1652	A	N7-C8-N9	6.70	117.15	113.80
45	BU	109	ASP	CB-CG-OD1	6.70	124.33	118.30
1	AA	671	G	O4'-C1'-N9	6.70	113.56	108.20
26	BB	1656	C	C6-N1-C2	-6.70	117.62	120.30
26	BB	1785	A	C4-C5-C6	6.70	120.35	117.00
26	BB	1970	A	C5-C6-N1	6.70	121.05	117.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2890	G	N7-C8-N9	6.70	116.45	113.10
1	AA	761	G	C5-C6-N1	-6.70	108.15	111.50
1	AA	1413	A	O4'-C1'-N9	-6.70	102.84	108.20
25	BA	84	G	N9-C1'-C2'	-6.70	104.63	112.00
26	BB	100	U	N3-C4-O4	-6.70	114.71	119.40
26	BB	994	C	C1'-O4'-C4'	-6.70	104.54	109.90
26	BB	1735	A	C5-C6-N1	6.70	121.05	117.70
26	BB	2054	A	N7-C8-N9	-6.70	110.45	113.80
26	BB	2464	G	N7-C8-N9	6.70	116.45	113.10
26	BB	2726	A	C5-N7-C8	-6.70	100.55	103.90
1	AA	94	G	N3-C4-C5	-6.70	125.25	128.60
2	AB	38	A	O4'-C1'-N9	6.70	113.56	108.20
4	AD	58	A	N1-C6-N6	-6.70	114.58	118.60
24	AX	2	VAL	CA-CB-CG1	6.70	120.95	110.90
25	BA	63	C	P-O3'-C3'	6.70	127.74	119.70
25	BA	73	A	C5-C6-N6	-6.70	118.34	123.70
26	BB	24	G	N3-C4-N9	6.70	130.02	126.00
26	BB	47	C	N1-C1'-C2'	-6.70	104.63	112.00
26	BB	260	G	C3'-C2'-C1'	-6.70	96.14	101.50
26	BB	479	A	N1-C6-N6	6.70	122.62	118.60
26	BB	1014	A	C5-N7-C8	-6.70	100.55	103.90
26	BB	1309	G	N1-C2-N3	-6.70	119.88	123.90
26	BB	1660	G	N3-C2-N2	-6.70	115.21	119.90
26	BB	2322	A	C4-C5-N7	-6.70	107.35	110.70
26	BB	2821	A	C2-N3-C4	6.70	113.95	110.60
1	AA	368	U	C5'-C4'-C3'	-6.70	105.28	116.00
1	AA	780	A	C6-N1-C2	6.70	122.62	118.60
26	BB	898	C	C5-C6-N1	-6.70	117.65	121.00
26	BB	2614	A	C5-C6-N6	-6.70	118.34	123.70
1	AA	406	G	C4-C5-N7	-6.70	108.12	110.80
1	AA	763	G	C4-C5-N7	-6.70	108.12	110.80
2	AB	69	C	N3-C2-O2	-6.70	117.21	121.90
25	BA	66	A	C5'-C4'-O4'	6.70	117.14	109.10
26	BB	247	G	N3-C4-C5	-6.70	125.25	128.60
26	BB	707	G	O4'-C1'-N9	6.70	113.56	108.20
26	BB	803	U	C2-N3-C4	-6.70	122.98	127.00
26	BB	838	C	O4'-C1'-N1	6.70	113.56	108.20
26	BB	1109	C	C5'-C4'-O4'	6.70	117.13	109.10
26	BB	1242	U	C2-N3-C4	-6.70	122.98	127.00
26	BB	1861	G	N3-C4-N9	6.70	130.02	126.00
26	BB	2050	C	N1-C2-O2	6.70	122.92	118.90
26	BB	2899	A	O4'-C1'-N9	6.70	113.56	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1504	G	C4-C5-C6	6.69	122.82	118.80
21	AU	56	ARG	NE-CZ-NH1	6.69	123.65	120.30
25	BA	18	G	N7-C8-N9	-6.69	109.75	113.10
26	BB	133	U	C2-N3-C4	-6.69	122.98	127.00
26	BB	276	U	N1-C2-N3	6.69	118.92	114.90
26	BB	1067	A	C3'-C2'-C1'	6.69	106.86	101.50
26	BB	1602	U	C4-C5-C6	6.69	123.72	119.70
26	BB	1761	C	C6-N1-C2	6.69	122.98	120.30
26	BB	2476	A	C4-C5-C6	6.69	120.35	117.00
1	AA	627	G	C5-C6-N1	6.69	114.85	111.50
1	AA	820	U	N3-C2-O2	-6.69	117.52	122.20
1	AA	1083	U	C4'-C3'-C2'	-6.69	95.91	102.60
8	AH	127	TYR	CB-CG-CD2	6.69	125.02	121.00
26	BB	173	A	C4'-C3'-C2'	-6.69	95.91	102.60
26	BB	240	C	N1-C2-O2	6.69	122.92	118.90
26	BB	647	G	C6-C5-N7	-6.69	126.38	130.40
26	BB	1333	G	N3-C4-N9	6.69	130.02	126.00
26	BB	2011	U	C5'-C4'-C3'	-6.69	105.29	116.00
26	BB	2203	U	C6-N1-C2	6.69	125.02	121.00
26	BB	2438	U	N1-C2-N3	6.69	118.92	114.90
26	BB	2540	C	C5'-C4'-O4'	6.69	117.13	109.10
26	BB	2670	A	C4'-C3'-C2'	-6.69	95.91	102.60
26	BB	2731	G	N3-C4-C5	-6.69	125.25	128.60
29	BE	169	ARG	NE-CZ-NH1	6.69	123.65	120.30
1	AA	410	G	P-O3'-C3'	6.69	127.73	119.70
1	AA	887	G	N3-C4-C5	-6.69	125.25	128.60
1	AA	996	A	C5-N7-C8	6.69	107.25	103.90
1	AA	1094	G	O4'-C1'-N9	-6.69	102.85	108.20
1	AA	1467	C	N3-C4-N4	6.69	122.68	118.00
26	BB	797	G	C4-C5-C6	6.69	122.81	118.80
26	BB	844	A	C2-N3-C4	6.69	113.95	110.60
26	BB	1066	U	C6-N1-C2	-6.69	116.99	121.00
26	BB	1289	C	C5-C4-N4	-6.69	115.52	120.20
26	BB	1342	A	O4'-C1'-N9	6.69	113.55	108.20
26	BB	1776	G	C5'-C4'-O4'	6.69	117.13	109.10
26	BB	2242	G	N3-C2-N2	6.69	124.58	119.90
26	BB	2785	C	N3-C4-N4	6.69	122.68	118.00
1	AA	200	G	N1-C6-O6	-6.69	115.89	119.90
1	AA	204	G	N7-C8-N9	6.69	116.44	113.10
1	AA	589	U	C3'-C2'-C1'	6.69	106.85	101.50
25	BA	23	G	C5'-C4'-O4'	6.69	117.13	109.10
26	BB	211	C	C5-C4-N4	-6.69	115.52	120.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2200	C	C6-N1-C2	-6.69	117.62	120.30
1	AA	134	G	O4'-C1'-N9	-6.69	102.85	108.20
1	AA	524	G	C2-N3-C4	6.69	115.24	111.90
1	AA	802	A	O4'-C1'-N9	6.69	113.55	108.20
1	AA	968	A	C1'-O4'-C4'	-6.69	104.55	109.90
1	AA	1459	G	C6-C5-N7	-6.69	126.39	130.40
25	BA	38	C	N1-C2-N3	-6.69	114.52	119.20
26	BB	348	A	C6-C5-N7	6.69	136.98	132.30
26	BB	414	C	O4'-C1'-N1	6.69	113.55	108.20
26	BB	1006	C	O4'-C1'-N1	6.69	113.55	108.20
26	BB	2170	A	O4'-C1'-C2'	6.69	113.62	107.60
26	BB	2761	A	N1-C2-N3	-6.69	125.96	129.30
42	BR	88	ARG	NE-CZ-NH1	-6.69	116.96	120.30
26	BB	843	G	N3-C2-N2	-6.69	115.22	119.90
26	BB	849	A	C2-N3-C4	-6.69	107.26	110.60
26	BB	1368	G	C2-N3-C4	6.69	115.24	111.90
26	BB	1502	A	N1-C2-N3	-6.69	125.96	129.30
26	BB	1753	G	C4-C5-N7	-6.69	108.13	110.80
26	BB	2854	G	C6-N1-C2	-6.69	121.09	125.10
1	AA	11	G	C4-C5-N7	-6.68	108.13	110.80
1	AA	117	G	C3'-C2'-C1'	6.68	106.85	101.50
1	AA	519	C	C5'-C4'-C3'	-6.68	105.31	116.00
25	BA	8	C	C3'-C2'-C1'	6.68	106.85	101.50
26	BB	478	A	C4-C5-C6	-6.68	113.66	117.00
26	BB	966	G	N3-C2-N2	6.68	124.58	119.90
26	BB	1020	A	O4'-C4'-C3'	6.68	111.45	106.10
26	BB	1240	U	C4-C5-C6	6.68	123.71	119.70
26	BB	1338	G	C2-N3-C4	6.68	115.24	111.90
26	BB	1885	A	C6-C5-N7	6.68	136.98	132.30
26	BB	1971	U	O4'-C1'-N1	6.68	113.55	108.20
26	BB	2040	G	C4-C5-N7	-6.68	108.13	110.80
26	BB	2178	C	C5'-C4'-O4'	6.68	117.12	109.10
26	BB	2332	C	C1'-O4'-C4'	6.68	115.25	109.90
26	BB	2581	G	C6-C5-N7	-6.68	126.39	130.40
54	B3	24	VAL	CA-CB-CG1	6.68	120.93	110.90
1	AA	180	U	O4'-C1'-N1	6.68	113.55	108.20
1	AA	779	C	O4'-C4'-C3'	6.68	111.45	106.10
1	AA	962	C	N1-C2-N3	6.68	123.88	119.20
26	BB	120	U	P-O3'-C3'	6.68	127.72	119.70
26	BB	297	G	N1-C6-O6	6.68	123.91	119.90
26	BB	966	G	N3-C4-C5	-6.68	125.26	128.60
26	BB	1094	U	N1-C2-N3	6.68	118.91	114.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1654	A	C5'-C4'-C3'	-6.68	105.31	116.00
26	BB	2153	C	N3-C4-N4	6.68	122.68	118.00
26	BB	2595	G	C6-C5-N7	-6.68	126.39	130.40
26	BB	2598	A	O4'-C1'-N9	6.68	113.55	108.20
1	AA	6	G	N3-C4-C5	-6.68	125.26	128.60
1	AA	491	G	N9-C4-C5	6.68	108.07	105.40
1	AA	1164	G	N9-C1'-C2'	-6.68	104.65	112.00
1	AA	1541	U	C4-C5-C6	6.68	123.71	119.70
26	BB	768	G	C4-C5-C6	6.68	122.81	118.80
26	BB	1194	A	C5-C6-N1	6.68	121.04	117.70
26	BB	1256	G	C5'-C4'-O4'	6.68	117.12	109.10
26	BB	1292	G	C6-C5-N7	-6.68	126.39	130.40
26	BB	2842	G	C5'-C4'-O4'	6.68	117.12	109.10
1	AA	551	U	C5-C4-O4	-6.68	121.89	125.90
1	AA	715	A	N1-C2-N3	-6.68	125.96	129.30
1	AA	807	A	C6-C5-N7	6.68	136.98	132.30
1	AA	1070	U	C5'-C4'-C3'	-6.68	105.31	116.00
1	AA	1201	A	P-O3'-C3'	6.68	127.72	119.70
26	BB	1259	G	C4'-C3'-C2'	-6.68	95.92	102.60
26	BB	1274	A	N9-C1'-C2'	-6.68	104.65	112.00
26	BB	1877	A	C5-C6-N6	-6.68	118.36	123.70
26	BB	2011	U	N3-C4-C5	-6.68	110.59	114.60
26	BB	2283	C	N3-C4-C5	-6.68	119.23	121.90
26	BB	2527	C	C1'-O4'-C4'	6.68	115.24	109.90
26	BB	2548	U	N1-C2-O2	6.68	127.48	122.80
26	BB	2634	A	C6-C5-N7	6.68	136.98	132.30
26	BB	2656	U	N3-C4-C5	-6.68	110.59	114.60
1	AA	208	U	N3-C2-O2	-6.68	117.53	122.20
1	AA	1082	A	C5-N7-C8	-6.68	100.56	103.90
4	AD	33	OMC	P-O3'-C3'	6.68	127.71	119.70
26	BB	209	C	C6-N1-C2	6.68	122.97	120.30
26	BB	461	C	N3-C2-O2	-6.68	117.23	121.90
26	BB	694	U	N1-C2-O2	6.68	127.47	122.80
26	BB	727	A	N3-C4-C5	-6.68	122.13	126.80
26	BB	883	G	N9-C1'-C2'	-6.68	104.65	112.00
26	BB	2118	U	N3-C4-C5	-6.68	110.59	114.60
26	BB	2719	G	C8-N9-C4	-6.68	103.73	106.40
26	BB	2880	C	C5'-C4'-O4'	6.68	117.11	109.10
1	AA	760	G	N9-C4-C5	6.68	108.07	105.40
1	AA	1185	G	C6-N1-C2	6.68	129.10	125.10
26	BB	113	U	N3-C4-O4	-6.68	114.73	119.40
26	BB	370	G	C8-N9-C4	-6.68	103.73	106.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1004	U	C5-C6-N1	-6.68	119.36	122.70
26	BB	1173	U	C5-C6-N1	6.68	126.04	122.70
26	BB	1346	G	N7-C8-N9	-6.68	109.76	113.10
26	BB	1805	A	C1'-O4'-C4'	-6.68	104.56	109.90
26	BB	2325	G	C6-N1-C2	-6.68	121.09	125.10
26	BB	2487	G	N1-C2-N3	-6.68	119.89	123.90
26	BB	2732	G	C8-N9-C4	-6.68	103.73	106.40
49	BY	19	ARG	CD-NE-CZ	6.68	132.95	123.60
1	AA	535	A	P-O3'-C3'	6.67	127.71	119.70
1	AA	1160	G	C8-N9-C1'	6.67	135.68	127.00
11	AK	53	ASP	CB-CG-OD1	-6.67	112.29	118.30
26	BB	980	A	C5'-C4'-O4'	6.67	117.11	109.10
26	BB	1254	A	C5-C6-N1	-6.67	114.36	117.70
26	BB	1675	C	C4'-C3'-C2'	-6.67	95.93	102.60
26	BB	1933	G	N3-C4-N9	-6.67	122.00	126.00
26	BB	1944	U	N1-C2-N3	6.67	118.90	114.90
26	BB	2366	A	C5-C6-N1	6.67	121.04	117.70
26	BB	2672	U	N1-C2-N3	6.67	118.91	114.90
26	BB	2713	U	C5-C4-O4	-6.67	121.89	125.90
57	B6	33	THR	CA-CB-CG2	6.67	121.74	112.40
1	AA	1221	G	C8-N9-C4	-6.67	103.73	106.40
26	BB	163	C	N1-C2-O2	6.67	122.90	118.90
26	BB	1754	A	N9-C4-C5	-6.67	103.13	105.80
26	BB	1907	G	O4'-C1'-N9	6.67	113.54	108.20
26	BB	1924	C	C4-C5-C6	-6.67	114.06	117.40
26	BB	2529	G	C8-N9-C4	-6.67	103.73	106.40
1	AA	1279	G	C5-N7-C8	-6.67	100.97	104.30
26	BB	62	U	N3-C4-O4	6.67	124.07	119.40
26	BB	407	G	N3-C4-N9	6.67	130.00	126.00
26	BB	1397	U	N1-C2-N3	-6.67	110.90	114.90
26	BB	1998	A	O4'-C1'-N9	6.67	113.54	108.20
26	BB	2640	G	C6-N1-C2	-6.67	121.10	125.10
1	AA	551	U	N3-C4-O4	6.67	124.07	119.40
1	AA	705	G	C2-N3-C4	6.67	115.23	111.90
1	AA	795	C	C6-N1-C1'	6.67	128.80	120.80
26	BB	389	G	C4-C5-C6	6.67	122.80	118.80
26	BB	2331	G	C4-C5-N7	6.67	113.47	110.80
1	AA	361	G	C5-N7-C8	-6.67	100.97	104.30
1	AA	587	G	C6-C5-N7	6.67	134.40	130.40
1	AA	753	A	C4'-C3'-C2'	-6.67	95.93	102.60
26	BB	29	U	N1-C2-N3	6.67	118.90	114.90
26	BB	516	C	C5-C4-N4	-6.67	115.53	120.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	566	U	C4-C5-C6	6.67	123.70	119.70
26	BB	649	G	C5'-C4'-O4'	6.67	117.10	109.10
26	BB	722	A	C5-C6-N1	-6.67	114.36	117.70
26	BB	874	G	C8-N9-C4	-6.67	103.73	106.40
26	BB	908	C	O4'-C1'-N1	6.67	113.53	108.20
26	BB	1235	G	C5-C6-N1	6.67	114.83	111.50
26	BB	2128	G	N3-C2-N2	-6.67	115.23	119.90
26	BB	2206	C	O4'-C1'-N1	6.67	113.53	108.20
1	AA	101	A	C3'-C2'-C1'	-6.67	96.17	101.50
1	AA	454	G	C4-C5-N7	-6.67	108.13	110.80
1	AA	558	G	C1'-O4'-C4'	-6.67	104.57	109.90
1	AA	935	A	C8-N9-C4	6.67	108.47	105.80
1	AA	1032	G	C6-C5-N7	-6.67	126.40	130.40
26	BB	187	G	N1-C6-O6	-6.67	115.90	119.90
26	BB	342	A	C5-C6-N1	6.67	121.03	117.70
26	BB	594	U	C2-N3-C4	-6.67	123.00	127.00
26	BB	2111	U	C5-C4-O4	6.67	129.90	125.90
1	AA	1200	C	N3-C2-O2	-6.67	117.23	121.90
1	AA	1331	G	N1-C2-N3	-6.67	119.90	123.90
1	AA	1369	C	N3-C4-N4	6.67	122.67	118.00
26	BB	1063	G	C5-C6-O6	6.67	132.60	128.60
26	BB	1247	A	C5-C6-N1	6.67	121.03	117.70
26	BB	1855	U	C3'-C2'-C1'	6.67	106.83	101.50
26	BB	2599	G	N3-C2-N2	-6.67	115.23	119.90
1	AA	143	A	N9-C4-C5	6.66	108.47	105.80
1	AA	632	U	C3'-C2'-C1'	6.66	106.83	101.50
1	AA	757	U	C3'-C2'-C1'	6.66	106.83	101.50
1	AA	1083	U	C2-N3-C4	-6.66	123.00	127.00
1	AA	1308	U	O5'-P-OP2	-6.66	99.70	105.70
26	BB	492	A	N3-C4-N9	-6.66	122.07	127.40
26	BB	1026	G	C5'-C4'-O4'	6.66	117.10	109.10
26	BB	1333	G	C4-C5-C6	6.66	122.80	118.80
26	BB	1569	A	N9-C4-C5	6.66	108.47	105.80
26	BB	1632	A	C4-C5-N7	-6.66	107.37	110.70
26	BB	2031	A	C5-C6-N6	-6.66	118.37	123.70
26	BB	2200	C	N3-C2-O2	-6.66	117.23	121.90
26	BB	2255	G	N3-C2-N2	6.66	124.56	119.90
26	BB	2375	G	N1-C6-O6	6.66	123.90	119.90
26	BB	2775	G	N1-C2-N2	6.66	122.20	116.20
1	AA	50	A	N1-C2-N3	-6.66	125.97	129.30
1	AA	454	G	C3'-C2'-C1'	-6.66	96.17	101.50
1	AA	626	G	N7-C8-N9	6.66	116.43	113.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1514	G	N3-C4-N9	6.66	130.00	126.00
26	BB	1385	A	C5-C6-N1	6.66	121.03	117.70
26	BB	1564	C	O4'-C1'-N1	6.66	113.53	108.20
1	AA	199	A	C5-C6-N1	-6.66	114.37	117.70
1	AA	299	G	C4'-C3'-C2'	-6.66	95.94	102.60
1	AA	509	A	N9-C1'-C2'	-6.66	104.67	112.00
1	AA	1092	A	N1-C6-N6	-6.66	114.60	118.60
1	AA	1413	A	P-O3'-C3'	6.66	127.69	119.70
26	BB	245	G	N9-C4-C5	-6.66	102.74	105.40
26	BB	276	U	N1-C2-O2	-6.66	118.14	122.80
26	BB	528	A	O4'-C4'-C3'	6.66	111.43	106.10
26	BB	728	G	N9-C1'-C2'	-6.66	104.67	112.00
26	BB	774	G	C4-C5-N7	-6.66	108.14	110.80
26	BB	1041	G	C2-N3-C4	6.66	115.23	111.90
26	BB	2086	U	N3-C4-C5	6.66	118.60	114.60
26	BB	2590	A	N9-C4-C5	6.66	108.46	105.80
26	BB	2607	G	N9-C1'-C2'	-6.66	104.67	112.00
26	BB	2862	G	O4'-C1'-N9	6.66	113.53	108.20
1	AA	484	G	O4'-C1'-N9	6.66	113.53	108.20
1	AA	558	G	C4-C5-N7	-6.66	108.14	110.80
1	AA	689	C	C2-N3-C4	-6.66	116.57	119.90
25	BA	37	C	N3-C4-C5	-6.66	119.24	121.90
25	BA	81	G	C5-N7-C8	6.66	107.63	104.30
26	BB	294	A	N9-C1'-C2'	-6.66	104.68	112.00
26	BB	458	G	C3'-C2'-C1'	-6.66	96.17	101.50
26	BB	592	A	N7-C8-N9	6.66	117.13	113.80
26	BB	1018	U	C2-N3-C4	6.66	131.00	127.00
26	BB	1136	G	C2-N3-C4	6.66	115.23	111.90
26	BB	1174	U	C4-C5-C6	6.66	123.69	119.70
26	BB	1636	U	C2-N3-C4	-6.66	123.00	127.00
26	BB	1805	A	N1-C2-N3	6.66	132.63	129.30
26	BB	1916	A	C8-N9-C4	-6.66	103.14	105.80
1	AA	1124	G	C6-N1-C2	-6.66	121.11	125.10
26	BB	46	G	C4'-C3'-C2'	-6.66	95.94	102.60
26	BB	226	A	N1-C2-N3	-6.66	125.97	129.30
26	BB	594	U	C5-C6-N1	-6.66	119.37	122.70
26	BB	630	G	C6-C5-N7	6.66	134.39	130.40
26	BB	694	U	O4'-C1'-N1	6.66	113.53	108.20
26	BB	1558	C	N1-C2-O2	6.66	122.89	118.90
26	BB	1791	A	C4-C5-C6	-6.66	113.67	117.00
26	BB	1803	A	C6-N1-C2	-6.66	114.61	118.60
26	BB	2537	U	C1'-O4'-C4'	-6.66	104.57	109.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2694	G	C2-N3-C4	6.66	115.23	111.90
1	AA	389	A	N7-C8-N9	6.66	117.13	113.80
1	AA	447	G	C5'-C4'-O4'	6.66	117.09	109.10
1	AA	977	A	C3'-C2'-C1'	6.66	106.82	101.50
1	AA	1087	G	C6-N1-C2	-6.66	121.11	125.10
1	AA	1436	U	C5-C4-O4	-6.66	121.91	125.90
26	BB	145	C	C1'-O4'-C4'	-6.66	104.58	109.90
26	BB	238	C	C2'-C3'-O3'	6.66	124.35	113.70
26	BB	400	G	C5-C6-N1	6.66	114.83	111.50
26	BB	623	C	P-O3'-C3'	6.66	127.69	119.70
26	BB	1161	C	N3-C4-N4	6.66	122.66	118.00
26	BB	1587	G	C3'-C2'-C1'	6.66	106.83	101.50
26	BB	1970	A	C3'-C2'-C1'	6.66	106.82	101.50
26	BB	2004	G	C5'-C4'-O4'	6.66	117.09	109.10
32	BH	93	TYR	CG-CD2-CE2	-6.66	115.97	121.30
1	AA	1014	A	C2'-C3'-O3'	6.65	124.35	113.70
1	AA	1200	C	C5-C4-N4	-6.65	115.54	120.20
26	BB	1002	G	N9-C1'-C2'	-6.65	104.68	112.00
26	BB	2625	G	N9-C4-C5	6.65	108.06	105.40
1	AA	743	A	C2-N3-C4	6.65	113.93	110.60
1	AA	890	G	C2-N3-C4	6.65	115.23	111.90
1	AA	1048	G	C6-C5-N7	-6.65	126.41	130.40
1	AA	1091	U	N1-C2-N3	6.65	118.89	114.90
1	AA	1109	C	N1-C2-N3	-6.65	114.54	119.20
25	BA	29	A	C5-N7-C8	-6.65	100.57	103.90
26	BB	1235	G	O4'-C1'-N9	6.65	113.52	108.20
1	AA	155	A	N9-C4-C5	6.65	108.46	105.80
1	AA	279	A	C2-N3-C4	6.65	113.92	110.60
1	AA	284	C	C4-C5-C6	6.65	120.73	117.40
25	BA	112	G	C2-N3-C4	6.65	115.22	111.90
26	BB	158	U	C4-C5-C6	6.65	123.69	119.70
26	BB	615	U	N3-C4-C5	-6.65	110.61	114.60
26	BB	1332	G	N1-C6-O6	-6.65	115.91	119.90
26	BB	1692	U	C4'-C3'-C2'	-6.65	95.95	102.60
26	BB	1858	A	C4'-C3'-C2'	-6.65	95.95	102.60
26	BB	1899	A	N3-C4-C5	-6.65	122.14	126.80
46	BV	37	ASP	CB-CG-OD2	-6.65	112.31	118.30
21	AU	3	TYR	CB-CG-CD1	6.65	124.99	121.00
26	BB	1124	G	C1'-O4'-C4'	6.65	115.22	109.90
26	BB	1430	G	C4'-C3'-C2'	-6.65	95.95	102.60
26	BB	1443	U	C4-C5-C6	6.65	123.69	119.70
26	BB	1460	U	C4'-C3'-C2'	-6.65	95.95	102.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	25	C	C5-C4-N4	-6.65	115.55	120.20
1	AA	728	A	N1-C2-N3	6.65	132.62	129.30
9	AI	7	VAL	CA-CB-CG1	6.65	120.87	110.90
25	BA	19	C	N3-C4-C5	6.65	124.56	121.90
25	BA	77	U	N1-C2-N3	6.65	118.89	114.90
26	BB	219	A	C4'-C3'-C2'	-6.65	95.95	102.60
26	BB	1099	G	C8-N9-C4	-6.65	103.74	106.40
26	BB	1317	G	O4'-C1'-N9	6.65	113.52	108.20
26	BB	1451	C	O4'-C1'-N1	6.65	113.52	108.20
26	BB	1590	A	N1-C6-N6	-6.65	114.61	118.60
26	BB	1748	C	C5-C6-N1	6.65	124.32	121.00
26	BB	2003	A	C4-C5-N7	6.65	114.02	110.70
26	BB	2171	A	C5-N7-C8	-6.65	100.58	103.90
26	BB	2428	G	C4-C5-C6	6.65	122.79	118.80
1	AA	629	A	C5-C6-N6	-6.65	118.38	123.70
1	AA	734	G	N3-C4-C5	-6.65	125.28	128.60
1	AA	1074	G	C5-C6-N1	6.65	114.82	111.50
1	AA	1438	G	N9-C1'-C2'	-6.65	104.69	112.00
26	BB	315	G	C6-C5-N7	-6.65	126.41	130.40
26	BB	512	G	N7-C8-N9	6.65	116.42	113.10
26	BB	1832	C	N1-C1'-C2'	-6.65	104.69	112.00
26	BB	2228	G	N1-C6-O6	6.65	123.89	119.90
1	AA	101	A	N3-C4-N9	6.64	132.72	127.40
1	AA	388	G	C6-N1-C2	-6.64	121.11	125.10
1	AA	618	C	O4'-C4'-C3'	-6.64	97.36	104.00
2	AB	70	C	C2-N3-C4	6.64	123.22	119.90
5	AE	109	SER	N-CA-CB	-6.64	100.53	110.50
26	BB	510	C	C1'-O4'-C4'	6.64	115.22	109.90
26	BB	818	G	C4-C5-N7	-6.64	108.14	110.80
26	BB	1388	G	O4'-C1'-N9	6.64	113.52	108.20
26	BB	1756	G	C5'-C4'-O4'	6.64	117.07	109.10
26	BB	1803	A	N1-C2-N3	6.64	132.62	129.30
26	BB	2341	G	C5'-C4'-C3'	-6.64	105.37	116.00
26	BB	2699	C	C5-C4-N4	-6.64	115.55	120.20
26	BB	2760	C	C4'-C3'-C2'	-6.64	95.95	102.60
26	BB	2884	U	O4'-C1'-N1	6.64	113.52	108.20
1	AA	85	U	N3-C2-O2	-6.64	117.55	122.20
1	AA	138	G	C2-N3-C4	6.64	115.22	111.90
1	AA	323	U	C4-C5-C6	6.64	123.69	119.70
1	AA	347	G	C5'-C4'-O4'	6.64	117.07	109.10
1	AA	1324	A	C6-C5-N7	-6.64	127.65	132.30
3	AC	37	G	C2-N3-C4	6.64	115.22	111.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	636	G	P-O3'-C3'	6.64	127.67	119.70
26	BB	681	G	C4-C5-C6	6.64	122.78	118.80
26	BB	1500	G	C8-N9-C4	-6.64	103.74	106.40
26	BB	1950	G	C4-C5-C6	6.64	122.78	118.80
26	BB	2086	U	N3-C2-O2	6.64	126.85	122.20
26	BB	626	A	O4'-C1'-N9	-6.64	102.89	108.20
26	BB	1768	C	N3-C2-O2	-6.64	117.25	121.90
26	BB	1804	C	N3-C4-C5	-6.64	119.24	121.90
26	BB	2000	C	C2-N3-C4	6.64	123.22	119.90
1	AA	37	U	C6-N1-C2	-6.64	117.02	121.00
1	AA	107	G	C5'-C4'-O4'	6.64	117.07	109.10
1	AA	467	U	C4-C5-C6	6.64	123.68	119.70
25	BA	85	G	C6-N1-C2	-6.64	121.12	125.10
26	BB	94	A	C8-N9-C4	-6.64	103.14	105.80
26	BB	630	G	C4-C5-N7	-6.64	108.14	110.80
26	BB	1569	A	C1'-O4'-C4'	-6.64	104.59	109.90
26	BB	1865	U	C1'-O4'-C4'	-6.64	104.59	109.90
26	BB	1897	G	C6-N1-C2	-6.64	121.12	125.10
26	BB	2024	G	N3-C2-N2	-6.64	115.25	119.90
26	BB	2522	U	O4'-C1'-N1	6.64	113.51	108.20
26	BB	2862	G	C4-C5-C6	6.64	122.78	118.80
44	BT	77	PHE	CB-CG-CD1	-6.64	116.15	120.80
1	AA	223	A	N9-C4-C5	6.64	108.45	105.80
1	AA	491	G	O4'-C1'-C2'	6.64	113.57	107.60
2	AB	73	G	C5-C6-O6	6.64	132.58	128.60
26	BB	506	G	N3-C4-C5	-6.64	125.28	128.60
26	BB	603	A	C5'-C4'-C3'	-6.64	105.38	116.00
26	BB	895	U	N1-C1'-C2'	6.64	122.63	114.00
26	BB	2796	U	C5'-C4'-C3'	-6.64	105.38	116.00
1	AA	450	G	C5-C6-O6	-6.64	124.62	128.60
1	AA	1302	C	P-O3'-C3'	6.64	127.66	119.70
26	BB	297	G	C8-N9-C1'	6.64	135.63	127.00
26	BB	956	G	C2-N3-C4	6.64	115.22	111.90
26	BB	1606	C	N1-C2-O2	6.64	122.88	118.90
26	BB	2154	A	C8-N9-C4	-6.64	103.15	105.80
26	BB	2624	G	C6-C5-N7	-6.64	126.42	130.40
1	AA	1051	C	N3-C4-N4	6.63	122.64	118.00
1	AA	1243	C	N1-C2-O2	6.63	122.88	118.90
4	AD	16	C	O4'-C1'-C2'	-6.63	99.17	105.80
25	BA	67	G	C5'-C4'-O4'	6.63	117.06	109.10
26	BB	44	A	C5-C6-N1	-6.63	114.38	117.70
26	BB	533	G	C1'-O4'-C4'	6.63	115.21	109.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1129	A	C5-C6-N6	-6.63	118.39	123.70
26	BB	1538	G	N3-C2-N2	-6.63	115.26	119.90
26	BB	1597	A	N3-C4-C5	-6.63	122.16	126.80
26	BB	2327	A	C3'-C2'-C1'	6.63	106.81	101.50
26	BB	2463	C	O4'-C1'-N1	6.63	113.51	108.20
41	BQ	30	ARG	NH1-CZ-NH2	-6.63	112.10	119.40
1	AA	1087	G	C5-N7-C8	-6.63	100.98	104.30
1	AA	1258	G	C6-N1-C2	-6.63	121.12	125.10
1	AA	1447	A	C4-C5-C6	-6.63	113.68	117.00
4	AD	2	G	N1-C2-N2	6.63	122.17	116.20
26	BB	866	A	C5'-C4'-O4'	6.63	117.06	109.10
1	AA	767	A	C6-N1-C2	6.63	122.58	118.60
26	BB	234	U	C2-N3-C4	-6.63	123.02	127.00
26	BB	348	A	C2-N3-C4	6.63	113.92	110.60
26	BB	1073	A	C8-N9-C4	-6.63	103.15	105.80
26	BB	1262	A	C4-C5-N7	-6.63	107.38	110.70
26	BB	1278	C	C3'-C2'-C1'	6.63	106.81	101.50
26	BB	1308	A	C6-N1-C2	-6.63	114.62	118.60
26	BB	1547	C	N3-C4-C5	-6.63	119.25	121.90
26	BB	1894	C	N1-C2-O2	6.63	122.88	118.90
26	BB	2419	U	O4'-C1'-N1	6.63	113.50	108.20
1	AA	218	U	N3-C2-O2	-6.63	117.56	122.20
1	AA	983	A	O4'-C1'-C2'	6.63	113.57	107.60
1	AA	1172	C	C3'-C2'-C1'	6.63	106.80	101.50
4	AD	42	C	C5-C6-N1	6.63	124.31	121.00
26	BB	192	C	C2-N3-C4	-6.63	116.58	119.90
26	BB	1604	C	C5-C6-N1	-6.63	117.69	121.00
1	AA	70	U	C3'-C2'-C1'	-6.63	96.20	101.50
1	AA	376	G	C5-N7-C8	6.63	107.61	104.30
1	AA	854	U	C5-C6-N1	-6.63	119.39	122.70
1	AA	867	G	N9-C4-C5	6.63	108.05	105.40
1	AA	1095	U	N3-C2-O2	-6.63	117.56	122.20
1	AA	1266	G	N3-C2-N2	-6.63	115.26	119.90
1	AA	1430	A	C5-C6-N1	6.63	121.02	117.70
26	BB	17	G	C4-C5-C6	6.63	122.78	118.80
26	BB	433	C	C3'-C2'-C1'	-6.63	96.20	101.50
26	BB	1731	G	N1-C2-N3	-6.63	119.92	123.90
26	BB	1738	G	C6-N1-C2	-6.63	121.12	125.10
26	BB	1752	C	C4'-C3'-C2'	-6.63	95.97	102.60
26	BB	2555	U	N3-C4-C5	-6.63	110.62	114.60
26	BB	2828	G	N9-C1'-C2'	-6.63	104.71	112.00
1	AA	476	U	N3-C4-C5	6.63	118.58	114.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	618	C	O4'-C1'-N1	6.63	113.50	108.20
1	AA	817	C	C2-N3-C4	6.63	123.21	119.90
1	AA	1139	G	N3-C4-C5	-6.63	125.29	128.60
26	BB	278	A	N1-C6-N6	-6.63	114.62	118.60
26	BB	516	C	N3-C4-C5	6.63	124.55	121.90
26	BB	553	G	C8-N9-C4	-6.63	103.75	106.40
26	BB	553	G	N1-C6-O6	-6.63	115.92	119.90
26	BB	793	A	N7-C8-N9	6.63	117.11	113.80
26	BB	909	A	N3-C4-C5	-6.63	122.16	126.80
26	BB	1273	U	O4'-C1'-C2'	6.63	113.56	107.60
26	BB	1418	G	N3-C2-N2	6.63	124.54	119.90
26	BB	1616	A	C3'-C2'-C1'	6.63	106.80	101.50
26	BB	1702	G	C1'-O4'-C4'	-6.63	104.60	109.90
26	BB	2765	A	C5-C6-N1	6.63	121.01	117.70
1	AA	953	G	C4-C5-N7	-6.62	108.15	110.80
1	AA	1392	G	O4'-C1'-N9	6.62	113.50	108.20
26	BB	59	U	C5'-C4'-O4'	6.62	117.05	109.10
26	BB	172	A	N7-C8-N9	6.62	117.11	113.80
26	BB	207	A	C2-N3-C4	6.62	113.91	110.60
26	BB	714	U	O4'-C1'-N1	6.62	113.50	108.20
26	BB	1376	C	C4-C5-C6	6.62	120.71	117.40
26	BB	1427	A	N7-C8-N9	6.62	117.11	113.80
26	BB	1767	G	N1-C2-N3	-6.62	119.92	123.90
1	AA	413	G	O4'-C4'-C3'	6.62	111.40	106.10
1	AA	478	A	N9-C1'-C2'	-6.62	104.71	112.00
1	AA	1029	U	N1-C2-N3	6.62	118.87	114.90
1	AA	1136	C	P-O3'-C3'	6.62	127.65	119.70
1	AA	1334	G	N3-C4-N9	-6.62	122.03	126.00
1	AA	1468	A	C4-C5-N7	-6.62	107.39	110.70
3	AC	55	A	N9-C4-C5	6.62	108.45	105.80
26	BB	1088	A	C2-N3-C4	6.62	113.91	110.60
26	BB	2025	C	C1'-O4'-C4'	-6.62	104.60	109.90
26	BB	2341	G	N1-C6-O6	6.62	123.88	119.90
1	AA	187	G	N3-C2-N2	-6.62	115.26	119.90
1	AA	860	A	N3-C4-N9	-6.62	122.10	127.40
1	AA	911	U	N1-C2-N3	6.62	118.87	114.90
26	BB	317	G	C1'-O4'-C4'	-6.62	104.60	109.90
26	BB	1735	A	C2-N3-C4	-6.62	107.29	110.60
26	BB	2371	G	N3-C2-N2	6.62	124.53	119.90
2	AB	5	G	C5-N7-C8	-6.62	100.99	104.30
26	BB	187	G	C2-N3-C4	6.62	115.21	111.90
26	BB	438	G	N1-C6-O6	-6.62	115.93	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2312	U	C3'-C2'-C1'	6.62	106.80	101.50
1	AA	497	G	C2-N3-C4	6.62	115.21	111.90
1	AA	917	G	N9-C4-C5	-6.62	102.75	105.40
1	AA	1066	C	N3-C2-O2	-6.62	117.27	121.90
1	AA	1511	G	O4'-C4'-C3'	-6.62	97.38	104.00
1	AA	1527	U	C5'-C4'-C3'	6.62	126.59	116.00
2	AB	5	G	O4'-C1'-N9	6.62	113.50	108.20
3	AC	41	A	O4'-C1'-N9	6.62	113.49	108.20
25	BA	33	G	N3-C4-C5	-6.62	125.29	128.60
25	BA	103	U	C2-N3-C4	-6.62	123.03	127.00
26	BB	51	G	C5-C6-O6	-6.62	124.63	128.60
26	BB	121	G	C5'-C4'-O4'	6.62	117.04	109.10
26	BB	586	A	N7-C8-N9	-6.62	110.49	113.80
26	BB	624	C	N3-C4-N4	6.62	122.63	118.00
26	BB	1545	A	C5-N7-C8	6.62	107.21	103.90
26	BB	1730	C	N3-C4-N4	6.62	122.63	118.00
26	BB	1837	C	N3-C2-O2	-6.62	117.27	121.90
26	BB	2042	A	N9-C4-C5	6.62	108.45	105.80
26	BB	2872	A	C6-C5-N7	6.62	136.93	132.30
1	AA	591	U	N1-C2-N3	6.62	118.87	114.90
1	AA	714	G	C5-N7-C8	-6.62	100.99	104.30
1	AA	1338	G	C5-C6-N1	6.62	114.81	111.50
1	AA	1493	A	N1-C2-N3	-6.62	125.99	129.30
25	BA	7	G	C6-N1-C2	-6.62	121.13	125.10
26	BB	181	A	C5-N7-C8	6.62	107.21	103.90
26	BB	658	U	N1-C1'-C2'	-6.62	104.72	112.00
26	BB	1306	C	O4'-C1'-N1	6.62	113.49	108.20
26	BB	1737	G	O4'-C4'-C3'	6.62	111.39	106.10
26	BB	1823	G	C8-N9-C4	-6.62	103.75	106.40
26	BB	1907	G	N3-C4-N9	6.62	129.97	126.00
26	BB	2299	U	N3-C4-C5	-6.62	110.63	114.60
26	BB	2697	G	C6-N1-C2	-6.62	121.13	125.10
1	AA	177	G	O4'-C1'-N9	6.62	113.49	108.20
1	AA	380	G	C5-C6-N1	6.62	114.81	111.50
1	AA	649	A	P-O3'-C3'	6.62	127.64	119.70
1	AA	668	G	N1-C2-N2	6.62	122.15	116.20
19	AS	32	PHE	CB-CG-CD2	-6.62	116.17	120.80
26	BB	130	C	C6-N1-C2	-6.62	117.65	120.30
26	BB	627	A	C3'-C2'-C1'	-6.62	96.21	101.50
26	BB	836	G	C5'-C4'-C3'	-6.62	105.42	116.00
26	BB	2062	A	P-O3'-C3'	6.62	127.64	119.70
26	BB	2833	U	N3-C4-O4	-6.62	114.77	119.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	366	A	N1-C6-N6	-6.61	114.63	118.60
1	AA	1492	A	N1-C6-N6	-6.61	114.63	118.60
3	AC	42	U	P-O3'-C3'	6.61	127.64	119.70
16	AP	92	ARG	NH1-CZ-NH2	-6.61	112.12	119.40
26	BB	84	A	C4'-C3'-C2'	6.61	109.21	102.60
26	BB	133	U	C3'-C2'-C1'	-6.61	96.21	101.50
26	BB	473	G	N3-C2-N2	-6.61	115.27	119.90
26	BB	514	A	N1-C6-N6	6.61	122.57	118.60
26	BB	706	A	C5'-C4'-O4'	6.61	117.04	109.10
26	BB	1009	A	N3-C4-C5	-6.61	122.17	126.80
26	BB	1597	A	N1-C2-N3	-6.61	125.99	129.30
26	BB	2308	G	C3'-C2'-C1'	-6.61	96.21	101.50
26	BB	2499	C	C3'-C2'-C1'	6.61	106.79	101.50
1	AA	396	C	N3-C4-N4	6.61	122.63	118.00
12	AL	124	PRO	N-CA-CB	6.61	111.23	103.30
13	AM	43	PRO	N-CA-CB	6.61	111.23	103.30
1	AA	604	G	C4-C5-N7	-6.61	108.16	110.80
1	AA	648	A	C6-N1-C2	-6.61	114.63	118.60
1	AA	994	A	C6-N1-C2	6.61	122.57	118.60
25	BA	12	C	O4'-C1'-N1	6.61	113.49	108.20
25	BA	105	G	N9-C4-C5	6.61	108.04	105.40
26	BB	422	A	C1'-O4'-C4'	-6.61	104.61	109.90
26	BB	881	G	C2-N3-C4	6.61	115.20	111.90
26	BB	1752	C	C3'-C2'-C1'	6.61	106.79	101.50
26	BB	2295	C	C4-C5-C6	6.61	120.70	117.40
42	BR	31	VAL	CA-CB-CG1	6.61	120.82	110.90
1	AA	821	G	C3'-C2'-C1'	6.61	106.79	101.50
25	BA	109	A	C5'-C4'-C3'	6.61	126.57	116.00
26	BB	1389	G	N1-C6-O6	-6.61	115.93	119.90
1	AA	53	A	N1-C6-N6	6.61	122.56	118.60
1	AA	1447	A	N3-C4-N9	-6.61	122.11	127.40
4	AD	40	C	C5-C4-N4	6.61	124.83	120.20
26	BB	36	G	C5-C6-N1	6.61	114.80	111.50
26	BB	290	U	C4-C5-C6	6.61	123.66	119.70
26	BB	1214	A	N9-C4-C5	6.61	108.44	105.80
26	BB	1482	G	P-O3'-C3'	6.61	127.63	119.70
26	BB	1921	G	N3-C4-C5	-6.61	125.30	128.60
26	BB	1944	U	C4-C5-C6	6.61	123.67	119.70
26	BB	2026	U	N3-C2-O2	-6.61	117.58	122.20
26	BB	2287	A	C4-C5-N7	6.61	114.00	110.70
26	BB	2622	U	N1-C2-O2	6.61	127.42	122.80
1	AA	567	G	N3-C4-C5	-6.61	125.30	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	825	A	C2-N3-C4	6.61	113.90	110.60
1	AA	1020	G	C2-N3-C4	6.61	115.20	111.90
1	AA	1340	A	N1-C6-N6	6.61	122.56	118.60
2	AB	4	G	C6-N1-C2	-6.61	121.14	125.10
26	BB	324	A	C5'-C4'-O4'	6.61	117.03	109.10
26	BB	1210	G	C4-C5-C6	6.61	122.76	118.80
26	BB	1421	G	N9-C4-C5	-6.61	102.76	105.40
26	BB	1738	G	N3-C4-N9	-6.61	122.04	126.00
26	BB	1773	A	N1-C6-N6	6.61	122.56	118.60
26	BB	1895	C	C5-C6-N1	6.61	124.30	121.00
26	BB	1960	A	N7-C8-N9	6.61	117.10	113.80
26	BB	2086	U	C1'-O4'-C4'	-6.61	104.61	109.90
26	BB	2732	G	C6-N1-C2	-6.61	121.14	125.10
26	BB	313	G	N9-C4-C5	6.60	108.04	105.40
26	BB	579	G	C5-N7-C8	-6.60	101.00	104.30
26	BB	2081	U	C6-N1-C2	-6.60	117.04	121.00
26	BB	2256	G	O4'-C1'-N9	6.60	113.48	108.20
1	AA	77	A	C5-C6-N1	6.60	121.00	117.70
1	AA	605	U	O4'-C1'-N1	6.60	113.48	108.20
1	AA	899	C	C6-N1-C2	6.60	122.94	120.30
1	AA	1494	G	C3'-C2'-C1'	6.60	106.78	101.50
26	BB	207	A	C5'-C4'-C3'	-6.60	105.44	116.00
26	BB	489	G	C4'-C3'-C2'	-6.60	96.00	102.60
26	BB	1513	U	N3-C4-C5	-6.60	110.64	114.60
26	BB	1675	C	C5-C4-N4	-6.60	115.58	120.20
26	BB	1822	C	C5-C4-N4	-6.60	115.58	120.20
26	BB	2573	C	P-O3'-C3'	6.60	127.62	119.70
26	BB	2628	C	O4'-C1'-N1	6.60	113.48	108.20
1	AA	61	G	N3-C4-C5	-6.60	125.30	128.60
1	AA	372	C	N3-C4-N4	-6.60	113.38	118.00
1	AA	473	U	C6-N1-C2	6.60	124.96	121.00
1	AA	959	A	N3-C4-C5	-6.60	122.18	126.80
16	AP	78	ARG	NE-CZ-NH2	-6.60	117.00	120.30
26	BB	1342	A	N1-C2-N3	6.60	132.60	129.30
1	AA	189	A	N1-C6-N6	-6.60	114.64	118.60
1	AA	797	C	N3-C4-N4	6.60	122.62	118.00
1	AA	1414	U	N3-C2-O2	-6.60	117.58	122.20
26	BB	727	A	C4-C5-C6	6.60	120.30	117.00
26	BB	774	G	C5-C6-O6	-6.60	124.64	128.60
26	BB	1298	C	C1'-O4'-C4'	-6.60	104.62	109.90
26	BB	1323	C	N3-C2-O2	-6.60	117.28	121.90
26	BB	1409	U	N3-C2-O2	-6.60	117.58	122.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1579	A	C2-N3-C4	6.60	113.90	110.60
26	BB	1662	U	C5'-C4'-C3'	-6.60	105.44	116.00
26	BB	1669	A	C4-C5-N7	6.60	114.00	110.70
26	BB	2414	G	C5'-C4'-O4'	6.60	117.02	109.10
26	BB	2720	U	O4'-C1'-N1	6.60	113.48	108.20
1	AA	53	A	C5'-C4'-C3'	-6.60	105.44	116.00
1	AA	340	U	C4-C5-C6	6.60	123.66	119.70
1	AA	1082	A	C4'-C3'-C2'	-6.60	96.00	102.60
1	AA	1233	G	N1-C6-O6	6.60	123.86	119.90
26	BB	1002	G	C8-N9-C4	-6.60	103.76	106.40
26	BB	1173	U	C2-N3-C4	-6.60	123.04	127.00
26	BB	1491	G	C5-N7-C8	-6.60	101.00	104.30
26	BB	1930	G	C5-C6-O6	-6.60	124.64	128.60
41	BQ	93	ASP	CB-CG-OD1	-6.60	112.36	118.30
1	AA	252	U	P-O3'-C3'	6.60	127.61	119.70
1	AA	1032	G	N3-C4-C5	6.60	131.90	128.60
1	AA	1050	G	C6-C5-N7	-6.60	126.44	130.40
1	AA	1106	G	P-O3'-C3'	6.60	127.61	119.70
26	BB	356	G	C5'-C4'-O4'	-6.60	101.19	109.10
26	BB	925	A	C5-C6-N6	-6.60	118.42	123.70
26	BB	1077	A	C4-C5-C6	6.60	120.30	117.00
26	BB	2144	G	C3'-C2'-C1'	-6.60	96.22	101.50
26	BB	2165	C	C6-N1-C2	6.60	122.94	120.30
26	BB	2349	G	N3-C4-N9	6.60	129.96	126.00
26	BB	2427	C	P-O5'-C5'	6.60	131.45	120.90
26	BB	2696	U	O4'-C1'-N1	6.60	113.48	108.20
26	BB	2739	U	C5'-C4'-C3'	-6.60	105.45	116.00
1	AA	793	U	O4'-C1'-N1	6.59	113.48	108.20
1	AA	1108	G	C8-N9-C4	-6.59	103.76	106.40
1	AA	1278	G	N9-C4-C5	-6.59	102.76	105.40
26	BB	647	G	N1-C2-N3	-6.59	119.94	123.90
26	BB	665	U	C4-C5-C6	6.59	123.66	119.70
26	BB	739	A	C8-N9-C4	-6.59	103.16	105.80
26	BB	997	G	C8-N9-C4	-6.59	103.76	106.40
26	BB	1576	U	O4'-C1'-N1	6.59	113.48	108.20
26	BB	1818	U	N3-C4-O4	6.59	124.02	119.40
26	BB	1941	C	N1-C1'-C2'	-6.59	104.75	112.00
26	BB	2062	A	O4'-C4'-C3'	6.59	111.38	106.10
31	BG	50	ASP	CB-CG-OD1	-6.59	112.36	118.30
26	BB	9	G	N7-C8-N9	-6.59	109.80	113.10
26	BB	1017	G	C4'-C3'-C2'	-6.59	96.01	102.60
26	BB	1500	G	C6-N1-C2	-6.59	121.14	125.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2245	U	N3-C2-O2	-6.59	117.58	122.20
26	BB	2872	A	C4-C5-N7	-6.59	107.40	110.70
1	AA	761	G	N1-C2-N3	-6.59	119.94	123.90
1	AA	970	C	C5'-C4'-O4'	6.59	117.01	109.10
1	AA	1101	A	C8-N9-C4	-6.59	103.16	105.80
1	AA	1206	G	N3-C2-N2	6.59	124.52	119.90
26	BB	1182	G	C5-C6-O6	6.59	132.56	128.60
26	BB	1981	A	O4'-C4'-C3'	6.59	111.37	106.10
26	BB	2290	G	C2-N3-C4	6.59	115.20	111.90
26	BB	2315	G	N9-C1'-C2'	-6.59	104.75	112.00
26	BB	2346	A	O4'-C4'-C3'	6.59	111.37	106.10
26	BB	2490	G	O4'-C4'-C3'	6.59	111.37	106.10
1	AA	585	G	N1-C6-O6	-6.59	115.95	119.90
1	AA	895	G	N1-C2-N2	-6.59	110.27	116.20
1	AA	1305	G	N7-C8-N9	6.59	116.39	113.10
2	AB	24	G	N3-C4-C5	-6.59	125.31	128.60
25	BA	94	A	N9-C4-C5	-6.59	103.16	105.80
26	BB	610	C	C4-C5-C6	-6.59	114.11	117.40
26	BB	1019	U	N3-C2-O2	-6.59	117.59	122.20
26	BB	1101	U	O4'-C1'-C2'	6.59	113.53	107.60
26	BB	1206	G	C3'-C2'-C1'	6.59	106.77	101.50
26	BB	1923	U	N3-C2-O2	-6.59	117.59	122.20
26	BB	2290	G	C3'-C2'-C1'	6.59	106.77	101.50
26	BB	2303	G	C2-N3-C4	6.59	115.19	111.90
1	AA	817	C	N3-C4-N4	6.59	122.61	118.00
1	AA	1246	A	C3'-C2'-C1'	6.59	106.77	101.50
1	AA	1260	G	N1-C2-N2	-6.59	110.27	116.20
25	BA	101	A	N1-C2-N3	6.59	132.59	129.30
26	BB	82	U	C3'-C2'-C1'	6.59	106.77	101.50
26	BB	1655	A	C5'-C4'-O4'	6.59	117.01	109.10
26	BB	1956	U	C1'-O4'-C4'	-6.59	104.63	109.90
51	B0	29	ARG	NE-CZ-NH1	-6.59	117.01	120.30
1	AA	436	C	C5-C4-N4	-6.59	115.59	120.20
1	AA	465	A	C3'-C2'-C1'	6.59	106.77	101.50
1	AA	931	C	C2-N3-C4	-6.59	116.61	119.90
1	AA	1038	C	C5'-C4'-O4'	6.59	117.00	109.10
1	AA	1508	A	C5-C6-N6	-6.59	118.43	123.70
2	AB	63	C	N3-C4-C5	-6.59	119.27	121.90
25	BA	57	A	C5-C6-N6	-6.59	118.43	123.70
26	BB	114	U	C5'-C4'-O4'	6.59	117.00	109.10
26	BB	155	A	C6-N1-C2	-6.59	114.65	118.60
26	BB	1229	C	C5-C6-N1	-6.59	117.71	121.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1581	G	N7-C8-N9	6.59	116.39	113.10
26	BB	1826	G	N3-C4-N9	6.59	129.95	126.00
26	BB	2414	G	O4'-C1'-N9	6.59	113.47	108.20
12	AL	63	TYR	CG-CD2-CE2	-6.58	116.03	121.30
26	BB	371	A	N1-C6-N6	-6.58	114.65	118.60
26	BB	885	C	C2-N3-C4	-6.58	116.61	119.90
26	BB	1829	A	C6-N1-C2	-6.58	114.65	118.60
26	BB	1834	U	N3-C2-O2	-6.58	117.59	122.20
26	BB	2363	G	C3'-C2'-C1'	-6.58	96.23	101.50
26	BB	2722	G	C6-C5-N7	-6.58	126.45	130.40
1	AA	23	C	C2-N3-C4	-6.58	116.61	119.90
1	AA	49	U	C4'-C3'-C2'	-6.58	96.02	102.60
1	AA	1497	G	O4'-C1'-N9	6.58	113.47	108.20
1	AA	1511	G	N1-C2-N3	-6.58	119.95	123.90
2	AB	73	G	C8-N9-C4	-6.58	103.77	106.40
4	AD	30	G	C6-N1-C2	-6.58	121.15	125.10
25	BA	43	C	C5-C6-N1	6.58	124.29	121.00
25	BA	97	C	C5'-C4'-O4'	6.58	117.00	109.10
26	BB	32	C	C2-N1-C1'	-6.58	111.56	118.80
26	BB	86	G	N1-C2-N3	6.58	127.85	123.90
26	BB	1177	G	C6-N1-C2	-6.58	121.15	125.10
26	BB	2164	C	O4'-C1'-N1	6.58	113.47	108.20
26	BB	2559	C	O4'-C1'-N1	6.58	113.47	108.20
57	B6	7	ARG	NE-CZ-NH1	6.58	123.59	120.30
1	AA	26	A	N9-C4-C5	6.58	108.43	105.80
1	AA	530	G	C3'-C2'-C1'	-6.58	96.24	101.50
1	AA	631	C	N3-C4-C5	-6.58	119.27	121.90
1	AA	640	A	N1-C6-N6	6.58	122.55	118.60
1	AA	693	G	C4-C5-N7	-6.58	108.17	110.80
1	AA	1154	G	N7-C8-N9	6.58	116.39	113.10
1	AA	1162	C	C3'-C2'-C1'	6.58	106.76	101.50
26	BB	130	C	N3-C2-O2	-6.58	117.29	121.90
26	BB	2152	G	C6-N1-C2	-6.58	121.15	125.10
26	BB	2210	U	C6-N1-C2	6.58	124.95	121.00
26	BB	2628	C	C4-C5-C6	-6.58	114.11	117.40
26	BB	2809	A	C5-C6-N1	6.58	120.99	117.70
26	BB	2855	C	C5-C4-N4	-6.58	115.59	120.20
1	AA	465	A	N3-C4-C5	-6.58	122.19	126.80
26	BB	2704	C	O4'-C1'-N1	6.58	113.46	108.20
26	BB	2840	C	C1'-O4'-C4'	6.58	115.16	109.90
1	AA	131	A	C5'-C4'-O4'	6.58	116.99	109.10
1	AA	1090	U	N3-C4-O4	6.58	124.00	119.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1164	G	C4-C5-C6	6.58	122.75	118.80
1	AA	1248	A	C4-C5-C6	-6.58	113.71	117.00
1	AA	1411	C	C6-N1-C2	-6.58	117.67	120.30
25	BA	23	G	C8-N9-C4	6.58	109.03	106.40
26	BB	160	A	C6-N1-C2	6.58	122.55	118.60
26	BB	408	G	C4'-C3'-C2'	-6.58	96.02	102.60
26	BB	426	C	C4-C5-C6	-6.58	114.11	117.40
26	BB	687	C	N3-C2-O2	-6.58	117.30	121.90
26	BB	853	C	C2-N3-C4	6.58	123.19	119.90
26	BB	856	G	C4-C5-N7	-6.58	108.17	110.80
26	BB	1075	C	N1-C2-O2	6.58	122.85	118.90
26	BB	1884	G	N3-C4-C5	-6.58	125.31	128.60
26	BB	1978	A	N9-C1'-C2'	-6.58	104.76	112.00
26	BB	2705	A	C5-N7-C8	-6.58	100.61	103.90
26	BB	2742	G	N3-C4-N9	-6.58	122.05	126.00
1	AA	587	G	C1'-O4'-C4'	-6.58	104.64	109.90
1	AA	601	G	C5-C6-N1	-6.58	108.21	111.50
1	AA	880	C	O4'-C1'-N1	6.58	113.46	108.20
26	BB	354	A	C5-N7-C8	-6.58	100.61	103.90
26	BB	1059	G	N9-C4-C5	-6.58	102.77	105.40
26	BB	1075	C	C5-C6-N1	-6.58	117.71	121.00
26	BB	2078	C	O4'-C1'-N1	6.58	113.46	108.20
1	AA	80	A	C8-N9-C4	-6.58	103.17	105.80
1	AA	435	A	C5-C6-N6	-6.58	118.44	123.70
1	AA	761	G	C4'-C3'-C2'	-6.58	96.03	102.60
1	AA	1102	A	C5'-C4'-O4'	6.58	116.99	109.10
1	AA	1168	U	N3-C2-O2	-6.58	117.60	122.20
1	AA	1394	A	P-O3'-C3'	6.58	127.59	119.70
1	AA	1464	U	N3-C2-O2	6.58	126.80	122.20
3	AC	20	G	C1'-O4'-C4'	6.58	115.16	109.90
26	BB	81	G	C4-C5-C6	6.58	122.75	118.80
26	BB	134	G	N1-C6-O6	-6.58	115.95	119.90
26	BB	165	A	N9-C4-C5	6.58	108.43	105.80
26	BB	447	A	N1-C2-N3	6.58	132.59	129.30
26	BB	629	G	C2-N3-C4	6.58	115.19	111.90
26	BB	1543	G	N9-C1'-C2'	-6.58	104.77	112.00
26	BB	2003	A	P-O3'-C3'	6.58	127.59	119.70
26	BB	2716	C	C4-C5-C6	-6.58	114.11	117.40
26	BB	2717	C	C5-C6-N1	6.58	124.29	121.00
1	AA	474	G	N7-C8-N9	6.57	116.39	113.10
1	AA	808	C	N3-C4-N4	6.57	122.60	118.00
1	AA	898	G	C6-N1-C2	-6.57	121.16	125.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	258	G	C4'-C3'-C2'	-6.57	96.03	102.60
26	BB	1104	C	C3'-C2'-C1'	6.57	106.76	101.50
26	BB	1275	A	N9-C4-C5	-6.57	103.17	105.80
26	BB	1283	G	C5'-C4'-O4'	6.57	116.99	109.10
26	BB	2070	A	C1'-O4'-C4'	6.57	115.16	109.90
26	BB	2365	G	N3-C4-C5	-6.57	125.31	128.60
26	BB	2591	C	O4'-C1'-N1	6.57	113.46	108.20
26	BB	2669	G	C5-C6-O6	-6.57	124.66	128.60
26	BB	2684	U	N3-C4-C5	6.57	118.54	114.60
26	BB	2843	G	N1-C2-N3	6.57	127.84	123.90
1	AA	779	C	C3'-C2'-C1'	6.57	106.76	101.50
1	AA	866	C	C1'-O4'-C4'	-6.57	104.64	109.90
26	BB	1770	G	N3-C4-C5	-6.57	125.31	128.60
1	AA	288	A	C6-N1-C2	6.57	122.54	118.60
4	AD	65	G	O4'-C1'-N9	-6.57	102.94	108.20
26	BB	40	U	O4'-C1'-N1	6.57	113.46	108.20
26	BB	241	A	C5'-C4'-O4'	6.57	116.98	109.10
26	BB	385	C	N3-C4-C5	-6.57	119.27	121.90
26	BB	569	U	O4'-C1'-C2'	-6.57	99.23	105.80
26	BB	1276	A	C5-N7-C8	6.57	107.19	103.90
26	BB	2569	G	N9-C1'-C2'	-6.57	104.77	112.00
1	AA	22	G	N3-C2-N2	6.57	124.50	119.90
1	AA	772	U	C3'-C2'-C1'	-6.57	96.25	101.50
1	AA	1294	G	N3-C4-C5	-6.57	125.31	128.60
26	BB	664	G	O4'-C1'-N9	6.57	113.45	108.20
26	BB	1472	C	N3-C2-O2	-6.57	117.30	121.90
26	BB	2297	A	N9-C4-C5	6.57	108.43	105.80
26	BB	2473	U	C3'-C2'-C1'	-6.57	96.25	101.50
1	AA	769	G	N3-C2-N2	6.57	124.50	119.90
1	AA	1441	A	C5-C6-N6	-6.57	118.45	123.70
2	AB	4	G	C5-C6-N1	6.57	114.78	111.50
26	BB	862	G	C5-N7-C8	-6.57	101.02	104.30
26	BB	918	A	O4'-C4'-C3'	6.57	111.36	106.10
26	BB	1724	G	N3-C2-N2	-6.57	115.30	119.90
26	BB	1769	U	C5-C6-N1	-6.57	119.42	122.70
1	AA	787	A	C5-N7-C8	6.57	107.18	103.90
1	AA	904	U	C5-C4-O4	-6.57	121.96	125.90
1	AA	1044	A	C1'-O4'-C4'	-6.57	104.65	109.90
1	AA	1337	G	C8-N9-C4	-6.57	103.77	106.40
1	AA	1345	U	C4'-C3'-C2'	6.57	109.17	102.60
26	BB	769	U	C2-N3-C4	-6.57	123.06	127.00
26	BB	1464	G	C4-C5-N7	-6.57	108.17	110.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1789	A	O4'-C1'-N9	-6.57	102.95	108.20
26	BB	2204	G	C5-C6-N1	6.57	114.78	111.50
26	BB	2346	A	C1'-O4'-C4'	-6.57	104.65	109.90
26	BB	2540	C	C5-C4-N4	-6.57	115.60	120.20
1	AA	726	C	O4'-C1'-C2'	-6.56	99.24	105.80
26	BB	1101	U	C5-C4-O4	6.56	129.84	125.90
26	BB	2320	U	N1-C1'-C2'	6.56	122.53	114.00
1	AA	177	G	N3-C4-C5	-6.56	125.32	128.60
1	AA	320	A	C4-C5-N7	6.56	113.98	110.70
1	AA	597	G	N1-C6-O6	6.56	123.84	119.90
1	AA	606	G	C8-N9-C4	-6.56	103.78	106.40
1	AA	742	G	C2-N3-C4	6.56	115.18	111.90
1	AA	892	A	C4-C5-C6	-6.56	113.72	117.00
12	AL	121	ARG	NE-CZ-NH2	-6.56	117.02	120.30
25	BA	64	G	C8-N9-C1'	6.56	135.53	127.00
26	BB	491	G	C6-C5-N7	-6.56	126.46	130.40
26	BB	881	G	N3-C2-N2	6.56	124.49	119.90
26	BB	1934	C	C5-C6-N1	6.56	124.28	121.00
26	BB	2227	A	C8-N9-C4	6.56	108.42	105.80
40	BP	42	LYS	O-C-N	6.56	133.20	122.70
48	BX	19	ARG	NE-CZ-NH1	6.56	123.58	120.30
1	AA	85	U	C1'-O4'-C4'	-6.56	104.65	109.90
1	AA	392	C	C5-C6-N1	6.56	124.28	121.00
1	AA	1151	A	C4-C5-C6	-6.56	113.72	117.00
26	BB	93	G	C4'-C3'-C2'	-6.56	96.04	102.60
1	AA	122	G	N3-C4-N9	-6.56	122.06	126.00
1	AA	234	C	N3-C4-N4	-6.56	113.41	118.00
1	AA	665	A	N1-C2-N3	-6.56	126.02	129.30
1	AA	1180	A	C5-N7-C8	6.56	107.18	103.90
10	AJ	3	ARG	CD-NE-CZ	6.56	132.78	123.60
26	BB	1067	A	C6-N1-C2	6.56	122.54	118.60
26	BB	2701	U	C6-N1-C2	-6.56	117.06	121.00
1	AA	373	A	C8-N9-C4	-6.56	103.18	105.80
1	AA	471	U	N1-C2-O2	6.56	127.39	122.80
1	AA	710	G	C2-N3-C4	6.56	115.18	111.90
1	AA	1425	U	C5-C4-O4	6.56	129.83	125.90
3	AC	19	A	C4'-C3'-C2'	-6.56	96.04	102.60
26	BB	144	A	N1-C2-N3	-6.56	126.02	129.30
26	BB	273	G	O4'-C1'-N9	6.56	113.44	108.20
26	BB	368	A	N1-C6-N6	-6.56	114.67	118.60
26	BB	1344	U	N1-C2-O2	6.56	127.39	122.80
26	BB	1725	U	C4'-C3'-C2'	-6.56	96.04	102.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2562	U	C5'-C4'-C3'	-6.56	105.51	116.00
28	BD	160	TYR	CB-CG-CD1	-6.56	117.06	121.00
51	B0	8	GLU	CA-CB-CG	6.56	127.83	113.40
1	AA	508	U	N3-C4-C5	-6.56	110.67	114.60
1	AA	681	A	C5-N7-C8	-6.56	100.62	103.90
25	BA	27	C	C5'-C4'-O4'	6.56	116.97	109.10
26	BB	844	A	C5-N7-C8	-6.56	100.62	103.90
26	BB	1036	G	P-O3'-C3'	6.56	127.57	119.70
26	BB	2472	G	C3'-C2'-C1'	6.56	106.74	101.50
1	AA	391	G	N7-C8-N9	-6.55	109.82	113.10
1	AA	745	G	C6-C5-N7	-6.55	126.47	130.40
1	AA	835	U	C3'-C2'-C1'	6.55	106.74	101.50
26	BB	495	G	N7-C8-N9	6.55	116.38	113.10
26	BB	593	U	N3-C4-O4	6.55	123.99	119.40
26	BB	970	U	O5'-P-OP2	-6.55	99.80	105.70
26	BB	1490	A	C1'-O4'-C4'	-6.55	104.66	109.90
26	BB	2478	A	C2-N3-C4	6.55	113.88	110.60
1	AA	380	G	C6-N1-C2	-6.55	121.17	125.10
1	AA	1178	G	O4'-C1'-N9	6.55	113.44	108.20
26	BB	1149	G	N9-C4-C5	6.55	108.02	105.40
26	BB	1342	A	C5'-C4'-C3'	-6.55	105.52	116.00
26	BB	2214	C	N3-C4-N4	6.55	122.59	118.00
1	AA	327	A	O4'-C1'-N9	6.55	113.44	108.20
1	AA	1127	G	C5-C6-N1	6.55	114.78	111.50
26	BB	5	A	C4-C5-C6	-6.55	113.72	117.00
26	BB	599	A	C8-N9-C4	-6.55	103.18	105.80
26	BB	963	U	O4'-C4'-C3'	6.55	111.34	106.10
26	BB	999	U	O4'-C1'-N1	6.55	113.44	108.20
26	BB	1625	C	C5'-C4'-O4'	6.55	116.96	109.10
26	BB	1905	C	N3-C2-O2	-6.55	117.31	121.90
26	BB	1930	G	N9-C4-C5	6.55	108.02	105.40
1	AA	758	C	C1'-O4'-C4'	6.55	115.14	109.90
1	AA	893	C	N1-C2-N3	-6.55	114.61	119.20
1	AA	982	U	O4'-C4'-C3'	6.55	111.34	106.10
1	AA	1304	G	O4'-C1'-N9	6.55	113.44	108.20
7	AG	74	TYR	CB-CG-CD2	-6.55	117.07	121.00
25	BA	88	C	C2-N3-C4	6.55	123.17	119.90
26	BB	491	G	N1-C6-O6	6.55	123.83	119.90
26	BB	632	A	C3'-C2'-C1'	-6.55	96.26	101.50
26	BB	685	A	O4'-C1'-N9	6.55	113.44	108.20
26	BB	1276	A	N7-C8-N9	-6.55	110.53	113.80
26	BB	1519	G	N3-C2-N2	-6.55	115.32	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1919	A	C2-N3-C4	6.55	113.87	110.60
26	BB	2022	U	C5'-C4'-O4'	6.55	116.96	109.10
1	AA	449	G	O4'-C1'-N9	6.55	113.44	108.20
1	AA	1126	U	N3-C2-O2	-6.55	117.62	122.20
26	BB	591	U	C2-N3-C4	-6.55	123.07	127.00
26	BB	601	C	N3-C4-C5	-6.55	119.28	121.90
26	BB	708	G	N3-C2-N2	-6.55	115.32	119.90
26	BB	1583	A	N7-C8-N9	6.55	117.07	113.80
26	BB	1785	A	C8-N9-C4	-6.55	103.18	105.80
1	AA	452	A	N1-C6-N6	-6.55	114.67	118.60
1	AA	546	A	C5-N7-C8	6.55	107.17	103.90
1	AA	1417	G	C4-C5-C6	6.55	122.73	118.80
26	BB	170	U	C2-N3-C4	-6.55	123.07	127.00
26	BB	1090	A	C2-N3-C4	6.55	113.87	110.60
26	BB	1622	G	C8-N9-C4	-6.55	103.78	106.40
1	AA	100	G	N3-C4-N9	6.54	129.93	126.00
1	AA	1132	C	O4'-C1'-N1	6.54	113.44	108.20
26	BB	332	A	P-O3'-C3'	6.54	127.55	119.70
26	BB	431	U	O4'-C1'-N1	6.54	113.44	108.20
26	BB	1036	G	N1-C2-N3	-6.54	119.97	123.90
26	BB	1084	A	C5-C6-N6	6.54	128.94	123.70
26	BB	1859	U	C6-N1-C2	-6.54	117.07	121.00
26	BB	2276	G	O4'-C1'-N9	6.54	113.44	108.20
26	BB	2543	G	N3-C4-N9	6.54	129.93	126.00
1	AA	18	C	N1-C2-O2	6.54	122.83	118.90
1	AA	461	A	C5'-C4'-C3'	-6.54	105.53	116.00
26	BB	739	A	C6-N1-C2	-6.54	114.67	118.60
26	BB	827	U	C2-N3-C4	-6.54	123.07	127.00
26	BB	972	A	C3'-C2'-C1'	6.54	106.73	101.50
26	BB	1478	G	N1-C2-N3	-6.54	119.97	123.90
26	BB	1765	U	C2-N3-C4	-6.54	123.07	127.00
26	BB	1808	A	N9-C4-C5	6.54	108.42	105.80
26	BB	2076	U	N1-C2-N3	6.54	118.83	114.90
26	BB	2146	C	N1-C2-O2	6.54	122.83	118.90
26	BB	2283	C	C1'-O4'-C4'	6.54	115.14	109.90
46	BV	6	ARG	NE-CZ-NH2	-6.54	117.03	120.30
1	AA	1341	U	N3-C2-O2	-6.54	117.62	122.20
2	AB	42	G	C6-N1-C2	-6.54	121.17	125.10
25	BA	21	G	N9-C4-C5	6.54	108.02	105.40
26	BB	592	A	C5-N7-C8	-6.54	100.63	103.90
26	BB	644	A	C4'-C3'-C2'	-6.54	96.06	102.60
26	BB	811	U	N1-C2-N3	6.54	118.83	114.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1106	G	C6-C5-N7	-6.54	126.48	130.40
26	BB	1205	A	C3'-C2'-C1'	6.54	106.73	101.50
26	BB	1261	C	N3-C2-O2	-6.54	117.32	121.90
26	BB	1471	G	N7-C8-N9	6.54	116.37	113.10
26	BB	2195	U	N1-C1'-C2'	-6.54	104.80	112.00
26	BB	2222	C	O4'-C1'-N1	6.54	113.43	108.20
26	BB	2361	G	N3-C4-C5	-6.54	125.33	128.60
26	BB	2374	C	C2'-C3'-O3'	6.54	124.17	113.70
2	AB	29	G	N7-C8-N9	6.54	116.37	113.10
4	AD	6	G	C2-N3-C4	6.54	115.17	111.90
26	BB	1881	C	N3-C4-C5	-6.54	119.28	121.90
26	BB	1980	G	C5-C6-N1	6.54	114.77	111.50
34	BJ	95	PHE	CG-CD2-CE2	-6.54	113.61	120.80
1	AA	143	A	N3-C4-C5	-6.54	122.22	126.80
1	AA	536	C	N3-C4-N4	-6.54	113.42	118.00
2	AB	72	U	O4'-C1'-N1	6.54	113.43	108.20
26	BB	1211	C	C6-N1-C2	6.54	122.92	120.30
26	BB	1891	G	C1'-O4'-C4'	-6.54	104.67	109.90
26	BB	2563	U	N1-C2-N3	6.54	118.82	114.90
1	AA	115	G	N7-C8-N9	6.54	116.37	113.10
1	AA	487	A	N9-C4-C5	6.54	108.42	105.80
1	AA	595	A	C6-N1-C2	6.54	122.52	118.60
1	AA	1236	A	C6-C5-N7	-6.54	127.72	132.30
26	BB	58	G	N3-C4-N9	-6.54	122.08	126.00
26	BB	996	A	C4'-C3'-C2'	6.54	109.14	102.60
26	BB	2806	C	N1-C2-O2	6.54	122.82	118.90
26	BB	2860	A	C2-N3-C4	6.54	113.87	110.60
1	AA	123	U	C5-C6-N1	-6.54	119.43	122.70
1	AA	310	G	O4'-C1'-N9	6.54	113.43	108.20
1	AA	1469	C	N3-C2-O2	-6.54	117.33	121.90
21	AU	69	TYR	CB-CG-CD1	-6.54	117.08	121.00
25	BA	21	G	N3-C2-N2	-6.54	115.33	119.90
26	BB	148	U	N1-C2-N3	6.54	118.82	114.90
26	BB	811	U	C1'-O4'-C4'	-6.54	104.67	109.90
26	BB	997	G	N3-C4-C5	-6.54	125.33	128.60
26	BB	1122	G	N1-C2-N3	6.54	127.82	123.90
26	BB	1659	G	C4'-C3'-C2'	-6.54	96.06	102.60
26	BB	2029	G	N3-C2-N2	6.54	124.47	119.90
26	BB	2221	G	C5-C6-O6	-6.54	124.68	128.60
29	BE	200	ASP	CB-CG-OD1	-6.54	112.42	118.30
38	BN	126	ARG	CD-NE-CZ	6.54	132.75	123.60
48	BX	91	PHE	CB-CG-CD1	6.54	125.37	120.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	461	A	C4'-C3'-C2'	-6.53	96.07	102.60
1	AA	1110	A	C5-C6-N1	-6.53	114.43	117.70
26	BB	825	A	C5-C6-N1	6.53	120.97	117.70
26	BB	1088	A	C3'-C2'-C1'	6.53	106.73	101.50
26	BB	2097	A	C3'-C2'-C1'	-6.53	96.27	101.50
1	AA	607	A	C5-C6-N1	6.53	120.97	117.70
1	AA	895	G	N3-C2-N2	6.53	124.47	119.90
1	AA	930	C	C6-N1-C2	6.53	122.91	120.30
26	BB	574	A	O4'-C1'-N9	6.53	113.42	108.20
26	BB	1348	C	C5-C6-N1	6.53	124.27	121.00
26	BB	1711	A	N1-C6-N6	6.53	122.52	118.60
26	BB	2462	C	C6-N1-C2	-6.53	117.69	120.30
26	BB	2521	C	N1-C2-N3	-6.53	114.63	119.20
1	AA	1276	G	N3-C4-N9	-6.53	122.08	126.00
1	AA	1330	U	C4-C5-C6	6.53	123.62	119.70
1	AA	1330	U	C5-C6-N1	-6.53	119.44	122.70
2	AB	5	G	N3-C4-C5	-6.53	125.33	128.60
2	AB	30	G	N9-C1'-C2'	-6.53	104.82	112.00
26	BB	292	U	N3-C4-C5	6.53	118.52	114.60
26	BB	423	A	N9-C4-C5	6.53	108.41	105.80
26	BB	829	A	C4'-C3'-C2'	-6.53	96.07	102.60
26	BB	983	A	C4'-C3'-C2'	-6.53	96.07	102.60
26	BB	1269	A	C5-N7-C8	-6.53	100.64	103.90
26	BB	1430	G	C6-N1-C2	-6.53	121.18	125.10
26	BB	1875	G	C4'-C3'-C2'	-6.53	96.07	102.60
26	BB	2239	G	N7-C8-N9	6.53	116.36	113.10
26	BB	2269	G	C2-N3-C4	6.53	115.17	111.90
26	BB	2412	A	C5'-C4'-O4'	6.53	116.94	109.10
38	BN	5	THR	CA-CB-CG2	6.53	121.54	112.40
22	AV	77	ARG	NE-CZ-NH1	6.53	123.56	120.30
26	BB	1326	U	O4'-C4'-C3'	-6.53	97.47	104.00
26	BB	1961	C	N1-C2-N3	6.53	123.77	119.20
1	AA	928	G	C5-N7-C8	-6.53	101.04	104.30
1	AA	937	A	C8-N9-C4	-6.53	103.19	105.80
26	BB	120	U	N3-C4-O4	6.53	123.97	119.40
26	BB	166	U	O4'-C1'-C2'	6.53	113.47	107.60
26	BB	211	C	C4'-C3'-C2'	-6.53	96.07	102.60
26	BB	223	A	N9-C4-C5	6.53	108.41	105.80
26	BB	244	A	N1-C6-N6	-6.53	114.68	118.60
26	BB	821	A	C5-C6-N1	6.53	120.96	117.70
26	BB	862	G	C5-C6-N1	6.53	114.76	111.50
26	BB	1018	U	O4'-C1'-N1	6.53	113.42	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1167	C	N3-C4-C5	-6.53	119.29	121.90
26	BB	2756	U	O4'-C1'-N1	6.53	113.42	108.20
26	BB	2859	G	C5-C6-O6	-6.53	124.68	128.60
1	AA	556	C	N1-C2-O2	6.53	122.81	118.90
1	AA	691	G	C5-C6-O6	-6.53	124.68	128.60
1	AA	955	U	C4'-C3'-C2'	-6.53	96.08	102.60
3	AC	15	G	C5'-C4'-O4'	6.53	116.93	109.10
26	BB	380	G	C3'-C2'-C1'	-6.53	96.28	101.50
26	BB	659	G	O4'-C1'-N9	6.53	113.42	108.20
26	BB	761	A	C8-N9-C4	-6.53	103.19	105.80
26	BB	847	U	C1'-O4'-C4'	-6.53	104.68	109.90
26	BB	859	G	N1-C2-N3	6.53	127.81	123.90
26	BB	1515	A	C5'-C4'-C3'	-6.53	105.56	116.00
26	BB	1670	C	O5'-P-OP2	-6.53	99.83	105.70
26	BB	1948	G	N1-C6-O6	-6.53	115.98	119.90
26	BB	2249	U	C5-C4-O4	6.53	129.82	125.90
26	BB	2459	A	O4'-C1'-N9	6.53	113.42	108.20
26	BB	2469	A	O4'-C1'-N9	6.53	113.42	108.20
26	BB	2706	A	C5'-C4'-O4'	6.53	116.93	109.10
26	BB	2794	C	C5-C4-N4	-6.53	115.63	120.20
1	AA	55	A	N1-C6-N6	6.52	122.52	118.60
1	AA	1134	G	C4-C5-N7	-6.52	108.19	110.80
1	AA	1151	A	C4-C5-N7	6.52	113.96	110.70
1	AA	1346	A	C5-C6-N1	-6.52	114.44	117.70
25	BA	41	G	N7-C8-N9	6.52	116.36	113.10
26	BB	58	G	N3-C4-C5	6.52	131.86	128.60
26	BB	1338	G	C5'-C4'-O4'	6.52	116.93	109.10
26	BB	2406	A	N1-C2-N3	-6.52	126.04	129.30
1	AA	115	G	C6-N1-C2	-6.52	121.19	125.10
1	AA	188	C	C5-C4-N4	-6.52	115.64	120.20
1	AA	927	G	O5'-P-OP2	-6.52	99.83	105.70
1	AA	987	G	C5'-C4'-O4'	6.52	116.93	109.10
1	AA	1441	A	C4'-C3'-C2'	-6.52	96.08	102.60
4	AD	30	G	N9-C4-C5	6.52	108.01	105.40
26	BB	253	C	O4'-C1'-N1	6.52	113.42	108.20
26	BB	586	A	N1-C2-N3	6.52	132.56	129.30
26	BB	1094	U	N3-C4-C5	-6.52	110.69	114.60
26	BB	1333	G	C3'-C2'-C1'	6.52	106.72	101.50
26	BB	1515	A	C5'-C4'-O4'	6.52	116.93	109.10
26	BB	1713	A	C5-C6-N1	6.52	120.96	117.70
26	BB	2253	G	C5-N7-C8	6.52	107.56	104.30
29	BE	23	PRO	C-N-CA	6.52	138.00	121.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	140	U	N1-C2-O2	6.52	127.36	122.80
1	AA	928	G	C6-N1-C2	-6.52	121.19	125.10
1	AA	1352	C	N1-C2-N3	6.52	123.77	119.20
26	BB	493	G	N9-C4-C5	6.52	108.01	105.40
26	BB	579	G	C5-C6-N1	6.52	114.76	111.50
26	BB	619	G	N3-C4-C5	-6.52	125.34	128.60
26	BB	716	A	C5-N7-C8	-6.52	100.64	103.90
26	BB	1843	C	O4'-C4'-C3'	-6.52	97.48	104.00
1	AA	135	C	N1-C1'-C2'	-6.52	104.83	112.00
1	AA	470	C	N1-C1'-C2'	-6.52	104.83	112.00
1	AA	474	G	C3'-C2'-C1'	6.52	106.72	101.50
1	AA	574	A	P-O3'-C3'	6.52	127.52	119.70
1	AA	694	A	C2-N3-C4	6.52	113.86	110.60
1	AA	891	U	C5-C6-N1	-6.52	119.44	122.70
1	AA	1171	A	C4'-C3'-C2'	6.52	109.12	102.60
1	AA	1201	A	C1'-O4'-C4'	-6.52	104.68	109.90
1	AA	1242	G	N3-C4-N9	6.52	129.91	126.00
1	AA	1416	G	C4-C5-N7	-6.52	108.19	110.80
26	BB	292	U	C4-C5-C6	-6.52	115.79	119.70
26	BB	933	A	N9-C4-C5	6.52	108.41	105.80
26	BB	2292	U	C2-N3-C4	-6.52	123.09	127.00
26	BB	2641	G	N7-C8-N9	6.52	116.36	113.10
26	BB	2694	G	N1-C6-O6	-6.52	115.99	119.90
1	AA	7	A	N3-C4-N9	-6.52	122.19	127.40
1	AA	993	G	N9-C1'-C2'	6.52	122.47	114.00
1	AA	1075	U	O4'-C1'-N1	6.52	113.41	108.20
1	AA	1440	U	N3-C4-C5	-6.52	110.69	114.60
26	BB	415	A	C2-N3-C4	6.52	113.86	110.60
26	BB	518	G	C2-N3-C4	6.52	115.16	111.90
26	BB	1112	G	P-O3'-C3'	6.52	127.52	119.70
26	BB	1292	G	N9-C1'-C2'	-6.52	104.83	112.00
26	BB	1500	G	C5'-C4'-C3'	-6.52	105.57	116.00
26	BB	1615	C	C5-C4-N4	-6.52	115.64	120.20
26	BB	2033	A	C4-C5-N7	-6.52	107.44	110.70
26	BB	2283	C	N3-C4-N4	6.52	122.56	118.00
26	BB	2491	U	C2-N3-C4	-6.52	123.09	127.00
1	AA	1522	U	C5'-C4'-O4'	6.52	116.92	109.10
26	BB	149	A	C4'-C3'-C2'	-6.52	96.08	102.60
26	BB	1160	G	O4'-C1'-N9	6.52	113.41	108.20
26	BB	1705	A	C5'-C4'-C3'	6.52	126.42	116.00
1	AA	185	U	P-O3'-C3'	6.51	127.52	119.70
1	AA	465	A	N1-C2-N3	6.51	132.56	129.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	AG	49	ASP	CB-CG-OD2	-6.51	112.44	118.30
26	BB	115	C	O4'-C1'-N1	6.51	113.41	108.20
26	BB	898	C	C4'-C3'-C2'	-6.51	96.09	102.60
26	BB	1248	G	C6-C5-N7	6.51	134.31	130.40
26	BB	1288	G	C6-N1-C2	-6.51	121.19	125.10
26	BB	1486	U	C2-N3-C4	-6.51	123.09	127.00
26	BB	2037	A	C6-N1-C2	6.51	122.51	118.60
1	AA	762	U	N1-C2-N3	6.51	118.81	114.90
1	AA	784	A	C4-C5-N7	6.51	113.96	110.70
1	AA	1304	G	P-O3'-C3'	6.51	127.52	119.70
26	BB	420	C	N3-C4-N4	-6.51	113.44	118.00
26	BB	2327	A	N7-C8-N9	6.51	117.06	113.80
1	AA	466	A	C4'-C3'-C2'	-6.51	96.09	102.60
1	AA	891	U	C1'-O4'-C4'	-6.51	104.69	109.90
1	AA	1072	G	C2-N3-C4	6.51	115.16	111.90
25	BA	52	A	C4-C5-C6	-6.51	113.74	117.00
26	BB	731	C	N1-C2-O2	6.51	122.81	118.90
26	BB	990	A	N1-C6-N6	-6.51	114.69	118.60
26	BB	1536	C	O3'-P-O5'	6.51	116.37	104.00
26	BB	1877	A	C3'-C2'-C1'	6.51	106.71	101.50
26	BB	1891	G	N9-C4-C5	6.51	108.00	105.40
26	BB	2615	U	C5-C4-O4	6.51	129.81	125.90
26	BB	2797	U	O4'-C1'-N1	6.51	113.41	108.20
26	BB	2904	U	C6-N1-C2	-6.51	117.09	121.00
1	AA	634	C	O4'-C1'-N1	6.51	113.41	108.20
1	AA	785	G	C4-C5-C6	6.51	122.71	118.80
1	AA	846	G	C5-N7-C8	6.51	107.55	104.30
1	AA	1324	A	N1-C6-N6	6.51	122.51	118.60
25	BA	66	A	P-O3'-C3'	6.51	127.51	119.70
26	BB	490	C	N3-C4-N4	6.51	122.56	118.00
26	BB	617	G	P-O5'-C5'	6.51	131.31	120.90
26	BB	1329	U	C4-C5-C6	6.51	123.61	119.70
26	BB	1573	G	N9-C4-C5	-6.51	102.80	105.40
26	BB	1627	G	C4-C5-N7	-6.51	108.20	110.80
26	BB	2126	A	C5-C6-N1	-6.51	114.45	117.70
26	BB	2315	G	C5-N7-C8	-6.51	101.05	104.30
26	BB	2890	G	C4'-C3'-C2'	-6.51	96.09	102.60
1	AA	1144	G	C6-N1-C2	-6.51	121.19	125.10
26	BB	879	G	C4-C5-N7	-6.51	108.20	110.80
26	BB	1942	C	O4'-C1'-N1	6.51	113.41	108.20
26	BB	2016	U	C6-N1-C2	-6.51	117.09	121.00
1	AA	359	G	N1-C6-O6	-6.51	116.00	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	850	U	C5-C4-O4	-6.51	122.00	125.90
1	AA	922	G	N3-C4-C5	-6.51	125.35	128.60
1	AA	1154	G	O4'-C4'-C3'	-6.51	97.49	104.00
1	AA	1374	A	C4'-C3'-C2'	-6.51	96.09	102.60
2	AB	56	C	N3-C4-N4	6.51	122.56	118.00
26	BB	124	G	C2-N3-C4	-6.51	108.65	111.90
26	BB	341	C	C3'-C2'-C1'	6.51	106.70	101.50
26	BB	700	G	C4-N9-C1'	-6.51	118.04	126.50
26	BB	1715	G	C2-N3-C4	6.51	115.15	111.90
26	BB	2333	A	C4-C5-C6	-6.51	113.75	117.00
26	BB	2690	U	C6-N1-C2	6.51	124.90	121.00
26	BB	2877	G	C6-N1-C2	-6.51	121.20	125.10
1	AA	33	A	C2-N3-C4	6.50	113.85	110.60
1	AA	503	C	N1-C2-O2	6.50	122.80	118.90
1	AA	623	C	C4-C5-C6	6.50	120.65	117.40
26	BB	54	G	O4'-C1'-N9	6.50	113.40	108.20
26	BB	104	A	C4'-C3'-C2'	-6.50	96.09	102.60
1	AA	212	G	C6-N1-C2	-6.50	121.20	125.10
1	AA	420	U	C4-C5-C6	6.50	123.60	119.70
1	AA	914	A	N1-C2-N3	-6.50	126.05	129.30
1	AA	1186	G	C5'-C4'-O4'	6.50	116.91	109.10
26	BB	60	G	C5'-C4'-C3'	-6.50	105.59	116.00
26	BB	744	U	N1-C2-N3	6.50	118.80	114.90
26	BB	890	C	C5-C6-N1	-6.50	117.75	121.00
26	BB	996	A	N1-C2-N3	-6.50	126.05	129.30
26	BB	1335	C	C1'-O4'-C4'	6.50	115.10	109.90
26	BB	1845	G	C4-C5-N7	6.50	113.40	110.80
26	BB	2064	C	N1-C2-N3	-6.50	114.65	119.20
26	BB	2353	G	N1-C6-O6	6.50	123.80	119.90
26	BB	2543	G	C2-N3-C4	6.50	115.15	111.90
26	BB	2811	G	C1'-O4'-C4'	6.50	115.10	109.90
1	AA	526	C	N1-C2-N3	6.50	123.75	119.20
1	AA	1029	U	O4'-C1'-N1	6.50	113.40	108.20
1	AA	1197	A	C8-N9-C4	-6.50	103.20	105.80
26	BB	1398	C	C2-N3-C4	6.50	123.15	119.90
26	BB	1746	A	O4'-C1'-N9	6.50	113.40	108.20
26	BB	1807	G	O4'-C1'-N9	6.50	113.40	108.20
26	BB	2107	G	N1-C6-O6	-6.50	116.00	119.90
26	BB	2348	U	N3-C2-O2	-6.50	117.65	122.20
1	AA	1043	G	N1-C2-N2	6.50	122.05	116.20
26	BB	261	G	C5-C6-N1	6.50	114.75	111.50
26	BB	1795	C	N3-C4-N4	6.50	122.55	118.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2103	C	O4'-C1'-N1	6.50	113.40	108.20
1	AA	204	G	C2-N3-C4	6.50	115.15	111.90
1	AA	509	A	C8-N9-C4	-6.50	103.20	105.80
1	AA	586	C	N3-C4-C5	-6.50	119.30	121.90
1	AA	944	G	C2-N3-C4	6.50	115.15	111.90
1	AA	1206	G	C8-N9-C4	-6.50	103.80	106.40
26	BB	615	U	C4-C5-C6	6.50	123.60	119.70
26	BB	931	U	C5-C6-N1	-6.50	119.45	122.70
26	BB	1011	G	C4-C5-C6	6.50	122.70	118.80
26	BB	1437	C	O4'-C1'-N1	6.50	113.40	108.20
26	BB	2325	G	C3'-C2'-C1'	-6.50	96.30	101.50
1	AA	673	A	N3-C4-C5	-6.50	122.25	126.80
1	AA	1187	G	C4-C5-C6	6.50	122.70	118.80
26	BB	85	G	C4-C5-N7	6.50	113.40	110.80
26	BB	242	G	C5'-C4'-C3'	-6.50	105.61	116.00
26	BB	374	A	N7-C8-N9	-6.50	110.55	113.80
26	BB	519	U	N3-C4-O4	6.50	123.95	119.40
26	BB	1586	A	C5-C6-N6	-6.50	118.50	123.70
26	BB	1772	A	C5'-C4'-C3'	-6.50	105.61	116.00
26	BB	2233	U	C3'-C2'-C1'	6.50	106.70	101.50
26	BB	2637	U	O4'-C1'-N1	6.50	113.40	108.20
26	BB	2869	G	C5-N7-C8	-6.50	101.05	104.30
1	AA	104	G	C2-N3-C4	-6.50	108.65	111.90
1	AA	704	A	C4-C5-C6	-6.50	113.75	117.00
1	AA	905	U	N1-C2-N3	-6.50	111.00	114.90
26	BB	618	G	N3-C2-N2	-6.50	115.35	119.90
26	BB	665	U	C5-C6-N1	-6.50	119.45	122.70
1	AA	130	A	N1-C6-N6	-6.49	114.70	118.60
1	AA	243	A	C2'-C3'-O3'	6.49	124.09	113.70
1	AA	1023	U	O4'-C4'-C3'	-6.49	97.51	104.00
1	AA	1074	G	C4'-C3'-C2'	-6.49	96.11	102.60
26	BB	126	A	C5'-C4'-O4'	6.49	116.89	109.10
26	BB	900	A	C2-N3-C4	6.49	113.85	110.60
26	BB	1646	C	C4'-C3'-C2'	-6.49	96.11	102.60
26	BB	2052	A	O4'-C1'-N9	6.49	113.39	108.20
26	BB	2113	U	C2-N3-C4	-6.49	123.10	127.00
26	BB	2687	U	C2-N3-C4	-6.49	123.10	127.00
26	BB	2711	A	N9-C4-C5	6.49	108.40	105.80
25	BA	90	C	C5'-C4'-C3'	-6.49	105.61	116.00
26	BB	827	U	N3-C4-O4	6.49	123.94	119.40
1	AA	40	C	C6-N1-C2	-6.49	117.70	120.30
1	AA	64	G	N3-C2-N2	-6.49	115.36	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	396	C	C5-C6-N1	6.49	124.25	121.00
1	AA	423	G	N7-C8-N9	6.49	116.34	113.10
1	AA	508	U	N1-C2-N3	6.49	118.79	114.90
1	AA	528	C	C2-N3-C4	-6.49	116.65	119.90
1	AA	762	U	C2-N3-C4	-6.49	123.11	127.00
26	BB	228	C	O4'-C1'-C2'	-6.49	99.31	105.80
26	BB	743	A	N7-C8-N9	-6.49	110.56	113.80
26	BB	2672	U	O4'-C1'-N1	6.49	113.39	108.20
26	BB	2737	G	C6-C5-N7	-6.49	126.50	130.40
1	AA	201	G	C8-N9-C4	-6.49	103.81	106.40
1	AA	253	A	C5-C6-N1	6.49	120.94	117.70
1	AA	397	A	N9-C1'-C2'	6.49	122.44	114.00
1	AA	1012	A	C5-C6-N1	6.49	120.94	117.70
1	AA	1044	A	C2-N3-C4	6.49	113.84	110.60
1	AA	1193	G	C8-N9-C4	-6.49	103.80	106.40
1	AA	1355	G	N7-C8-N9	6.49	116.34	113.10
25	BA	52	A	C6-N1-C2	-6.49	114.71	118.60
26	BB	431	U	N3-C4-C5	-6.49	110.71	114.60
26	BB	468	G	N7-C8-N9	6.49	116.34	113.10
26	BB	996	A	C5-N7-C8	-6.49	100.66	103.90
26	BB	1075	C	N3-C2-O2	-6.49	117.36	121.90
26	BB	1170	C	C3'-C2'-C1'	-6.49	96.31	101.50
26	BB	1519	G	C4'-C3'-C2'	-6.49	96.11	102.60
26	BB	2068	U	C2-N3-C4	-6.49	123.11	127.00
26	BB	2185	U	C1'-O4'-C4'	-6.49	104.71	109.90
45	BU	38	TYR	CZ-CE2-CD2	6.49	125.64	119.80
1	AA	1019	A	N9-C4-C5	6.49	108.39	105.80
1	AA	1452	C	N1-C2-O2	6.49	122.79	118.90
26	BB	510	C	N3-C2-O2	-6.49	117.36	121.90
26	BB	1314	C	O4'-C1'-N1	6.49	113.39	108.20
26	BB	1667	G	C5-C6-O6	6.49	132.49	128.60
26	BB	1906	G	O4'-C1'-N9	6.49	113.39	108.20
26	BB	2397	G	N9-C4-C5	6.49	108.00	105.40
1	AA	209	U	N3-C4-C5	-6.49	110.71	114.60
1	AA	341	C	C6-N1-C2	6.49	122.89	120.30
1	AA	488	C	C6-N1-C2	-6.49	117.71	120.30
1	AA	821	G	N3-C4-C5	-6.49	125.36	128.60
1	AA	1255	G	N3-C4-N9	6.49	129.89	126.00
3	AC	33	A	N3-C4-C5	-6.49	122.26	126.80
9	AI	49	TYR	CB-CG-CD2	-6.49	117.11	121.00
26	BB	182	A	N1-C2-N3	-6.49	126.06	129.30
26	BB	439	A	C3'-C2'-C1'	-6.49	96.31	101.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1265	A	C4-C5-N7	6.49	113.94	110.70
26	BB	1470	A	N3-C4-N9	6.49	132.59	127.40
26	BB	2229	U	C4-C5-C6	6.49	123.59	119.70
26	BB	2272	U	N1-C2-N3	6.49	118.79	114.90
26	BB	2609	U	N1-C2-N3	6.49	118.79	114.90
26	BB	2742	G	O5'-P-OP2	-6.49	99.86	105.70
1	AA	302	G	N1-C2-N2	6.48	122.04	116.20
26	BB	473	G	C4'-C3'-C2'	-6.48	96.12	102.60
26	BB	2663	G	C2-N3-C4	6.48	115.14	111.90
1	AA	578	C	N3-C4-C5	-6.48	119.31	121.90
1	AA	752	G	C5-C6-O6	-6.48	124.71	128.60
26	BB	945	A	C5'-C4'-C3'	-6.48	105.63	116.00
26	BB	1609	A	C8-N9-C4	-6.48	103.21	105.80
26	BB	1836	C	C5'-C4'-O4'	6.48	116.88	109.10
26	BB	2548	U	C1'-O4'-C4'	-6.48	104.71	109.90
32	BH	148	ARG	NE-CZ-NH2	-6.48	117.06	120.30
1	AA	55	A	C8-N9-C4	-6.48	103.21	105.80
1	AA	102	G	C5-C6-N1	6.48	114.74	111.50
1	AA	213	G	C4-C5-N7	-6.48	108.21	110.80
1	AA	408	A	C2-N3-C4	6.48	113.84	110.60
1	AA	439	U	N1-C2-N3	6.48	118.79	114.90
1	AA	1363	A	N7-C8-N9	-6.48	110.56	113.80
26	BB	301	G	C6-C5-N7	-6.48	126.51	130.40
26	BB	315	G	N3-C2-N2	-6.48	115.36	119.90
26	BB	1856	U	C5'-C4'-O4'	6.48	116.88	109.10
26	BB	1966	A	C6-N1-C2	-6.48	114.71	118.60
26	BB	2603	G	N3-C4-C5	-6.48	125.36	128.60
1	AA	407	U	O4'-C1'-C2'	6.48	113.43	107.60
1	AA	727	G	C2-N3-C4	6.48	115.14	111.90
1	AA	1155	A	C3'-C2'-C1'	-6.48	96.32	101.50
26	BB	551	G	N1-C2-N3	-6.48	120.01	123.90
26	BB	1700	A	O4'-C1'-N9	6.48	113.38	108.20
26	BB	2339	C	N3-C4-N4	6.48	122.54	118.00
26	BB	2869	G	C5-C6-N1	-6.48	108.26	111.50
1	AA	322	C	C5-C6-N1	-6.48	117.76	121.00
1	AA	347	G	N9-C4-C5	6.48	107.99	105.40
1	AA	431	A	C5'-C4'-O4'	6.48	116.87	109.10
1	AA	681	A	N3-C4-N9	-6.48	122.22	127.40
1	AA	1026	G	C4-C5-N7	6.48	113.39	110.80
1	AA	1139	G	C4-C5-N7	-6.48	108.21	110.80
26	BB	1059	G	C1'-O4'-C4'	-6.48	104.72	109.90
26	BB	1658	C	C4'-C3'-C2'	-6.48	96.12	102.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1905	C	C4'-C3'-C2'	-6.48	96.12	102.60
26	BB	2114	A	C4'-C3'-C2'	-6.48	96.12	102.60
26	BB	2589	A	C4'-C3'-C2'	-6.48	96.12	102.60
26	BB	2603	G	N3-C4-N9	6.48	129.89	126.00
1	AA	814	A	C4-C5-C6	-6.48	113.76	117.00
26	BB	16	C	C2-N1-C1'	-6.48	111.68	118.80
43	BS	100	PHE	CB-CG-CD2	-6.48	116.27	120.80
50	BZ	73	ARG	NE-CZ-NH2	6.48	123.54	120.30
53	B2	51	VAL	CA-CB-CG2	6.48	120.61	110.90
1	AA	291	U	C3'-C2'-C1'	6.47	106.68	101.50
1	AA	329	A	C4-C5-N7	-6.47	107.46	110.70
1	AA	692	U	N1-C2-O2	6.47	127.33	122.80
1	AA	806	C	N1-C2-N3	-6.47	114.67	119.20
1	AA	1184	G	C5-N7-C8	-6.47	101.06	104.30
26	BB	970	U	P-O5'-C5'	6.47	131.26	120.90
26	BB	1185	G	O4'-C1'-N9	6.47	113.38	108.20
26	BB	1257	C	C5'-C4'-O4'	6.47	116.87	109.10
26	BB	1260	A	C1'-O4'-C4'	-6.47	104.72	109.90
26	BB	1419	A	O4'-C4'-C3'	6.47	111.28	106.10
26	BB	1940	U	O4'-C4'-C3'	6.47	111.28	106.10
26	BB	2076	U	O4'-C4'-C3'	6.47	111.28	106.10
26	BB	2901	C	N3-C4-C5	-6.47	119.31	121.90
1	AA	149	A	N1-C2-N3	-6.47	126.06	129.30
1	AA	270	A	N9-C1'-C2'	-6.47	104.88	112.00
1	AA	488	C	N3-C4-N4	6.47	122.53	118.00
1	AA	691	G	C8-N9-C4	-6.47	103.81	106.40
1	AA	734	G	N3-C2-N2	-6.47	115.37	119.90
1	AA	1047	G	N9-C1'-C2'	-6.47	104.88	112.00
1	AA	1102	A	C5-C6-N1	6.47	120.94	117.70
1	AA	1476	A	N1-C6-N6	-6.47	114.72	118.60
1	AA	1496	C	N3-C4-N4	6.47	122.53	118.00
2	AB	5	G	N3-C4-N9	6.47	129.88	126.00
26	BB	75	G	C5'-C4'-O4'	6.47	116.87	109.10
26	BB	260	G	N3-C4-N9	-6.47	122.12	126.00
26	BB	314	C	C4-C5-C6	-6.47	114.16	117.40
26	BB	727	A	N1-C2-N3	-6.47	126.06	129.30
26	BB	925	A	C4-C5-N7	-6.47	107.46	110.70
26	BB	1129	A	P-O3'-C3'	6.47	127.47	119.70
26	BB	1573	G	N3-C4-N9	6.47	129.88	126.00
26	BB	2007	U	N3-C4-C5	-6.47	110.72	114.60
26	BB	2158	A	N9-C4-C5	6.47	108.39	105.80
26	BB	2209	G	O4'-C4'-C3'	6.47	111.28	106.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	416	G	C2-N3-C4	6.47	115.14	111.90
6	AF	92	ASP	CB-CG-OD1	6.47	124.12	118.30
26	BB	729	G	C5-C6-N1	6.47	114.73	111.50
26	BB	737	C	C3'-C2'-C1'	6.47	106.68	101.50
26	BB	777	G	C2-N3-C4	6.47	115.14	111.90
26	BB	1463	C	C5-C6-N1	6.47	124.23	121.00
26	BB	1895	C	N1-C1'-C2'	-6.47	104.88	112.00
1	AA	147	G	N3-C4-C5	-6.47	125.36	128.60
1	AA	959	A	C8-N9-C4	-6.47	103.21	105.80
1	AA	1005	A	N9-C4-C5	6.47	108.39	105.80
1	AA	1169	A	C6-N1-C2	-6.47	114.72	118.60
1	AA	1427	C	N3-C4-C5	-6.47	119.31	121.90
26	BB	56	A	C3'-C2'-C1'	-6.47	96.33	101.50
26	BB	140	C	N3-C4-C5	-6.47	119.31	121.90
26	BB	197	A	C8-N9-C4	-6.47	103.21	105.80
26	BB	294	A	C2-N3-C4	6.47	113.83	110.60
26	BB	478	A	N7-C8-N9	-6.47	110.56	113.80
26	BB	980	A	P-O3'-C3'	6.47	127.46	119.70
26	BB	1120	G	N9-C1'-C2'	-6.47	104.88	112.00
26	BB	1210	G	N7-C8-N9	6.47	116.33	113.10
26	BB	1235	G	C4-C5-N7	-6.47	108.21	110.80
26	BB	1436	G	C5-N7-C8	-6.47	101.06	104.30
26	BB	1775	U	C2-N3-C4	-6.47	123.12	127.00
26	BB	1854	A	C5-C6-N1	6.47	120.94	117.70
26	BB	2769	U	C4'-C3'-C2'	-6.47	96.13	102.60
26	BB	2813	A	N3-C4-C5	6.47	131.33	126.80
28	BD	235	GLU	OE1-CD-OE2	6.47	131.06	123.30
1	AA	453	G	N1-C2-N2	6.47	122.02	116.20
1	AA	528	C	N3-C4-C5	6.47	124.49	121.90
4	AD	22	A	C8-N9-C4	-6.47	103.21	105.80
26	BB	328	U	N3-C4-C5	-6.47	110.72	114.60
26	BB	783	A	C2-N3-C4	6.47	113.83	110.60
26	BB	1232	G	C3'-C2'-C1'	-6.47	96.33	101.50
1	AA	370	C	N3-C4-C5	-6.47	119.31	121.90
1	AA	852	G	C1'-O4'-C4'	6.47	115.07	109.90
1	AA	1294	G	C6-C5-N7	-6.47	126.52	130.40
26	BB	363	G	N3-C4-C5	-6.47	125.37	128.60
26	BB	444	C	C2-N3-C4	6.47	123.13	119.90
26	BB	809	G	C2-N3-C4	6.47	115.13	111.90
26	BB	997	G	C5'-C4'-O4'	6.47	116.86	109.10
26	BB	1552	A	N9-C4-C5	-6.47	103.21	105.80
26	BB	1756	G	C6-N1-C2	-6.47	121.22	125.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2029	G	C5'-C4'-O4'	6.47	116.86	109.10
26	BB	2264	C	C2-N3-C4	-6.47	116.67	119.90
1	AA	297	G	C6-N1-C2	-6.46	121.22	125.10
1	AA	382	A	C4-C5-C6	-6.46	113.77	117.00
6	AF	7	ASN	CA-C-N	6.46	129.13	116.20
26	BB	108	G	N3-C4-N9	6.46	129.88	126.00
26	BB	140	C	C4-C5-C6	6.46	120.63	117.40
26	BB	209	C	N3-C4-N4	6.46	122.53	118.00
26	BB	1041	G	C4'-C3'-C2'	-6.46	96.14	102.60
26	BB	2351	G	C5-C6-N1	-6.46	108.27	111.50
26	BB	2753	A	C5-C6-N6	-6.46	118.53	123.70
1	AA	579	A	C4-C5-C6	6.46	120.23	117.00
26	BB	993	G	N1-C2-N3	-6.46	120.02	123.90
26	BB	2454	G	N1-C6-O6	6.46	123.78	119.90
52	B1	37	ARG	NE-CZ-NH2	6.46	123.53	120.30
1	AA	17	U	N1-C2-N3	6.46	118.78	114.90
1	AA	1084	G	N1-C2-N3	-6.46	120.02	123.90
1	AA	1404	C	N3-C4-N4	6.46	122.52	118.00
3	AC	54	U	N3-C4-O4	6.46	123.92	119.40
6	AF	131	ARG	NE-CZ-NH1	6.46	123.53	120.30
25	BA	17	C	N1-C1'-C2'	-6.46	104.89	112.00
26	BB	774	G	O4'-C1'-N9	6.46	113.37	108.20
26	BB	1158	C	O4'-C1'-N1	6.46	113.37	108.20
26	BB	1263	U	C4-C5-C6	6.46	123.58	119.70
26	BB	1551	A	N7-C8-N9	6.46	117.03	113.80
26	BB	1641	A	C4-C5-N7	-6.46	107.47	110.70
26	BB	2109	U	N3-C4-C5	-6.46	110.72	114.60
26	BB	2242	G	C4-C5-C6	6.46	122.68	118.80
26	BB	2278	A	C8-N9-C4	6.46	108.38	105.80
26	BB	2358	A	C5'-C4'-O4'	6.46	116.85	109.10
26	BB	2683	C	C6-N1-C2	-6.46	117.72	120.30
26	BB	2837	A	C6-C5-N7	6.46	136.82	132.30
1	AA	424	G	C4-C5-C6	6.46	122.68	118.80
26	BB	1817	G	N3-C4-C5	-6.46	125.37	128.60
26	BB	2549	G	O4'-C4'-C3'	6.46	111.27	106.10
1	AA	106	C	C3'-C2'-C1'	6.46	106.67	101.50
1	AA	1146	A	O4'-C1'-N9	6.46	113.37	108.20
1	AA	1225	A	N7-C8-N9	6.46	117.03	113.80
3	AC	40	G	C3'-C2'-C1'	-6.46	96.33	101.50
26	BB	96	C	C3'-C2'-C1'	-6.46	96.33	101.50
26	BB	250	G	N7-C8-N9	-6.46	109.87	113.10
26	BB	397	U	N3-C2-O2	-6.46	117.68	122.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	561	G	N1-C6-O6	6.46	123.78	119.90
26	BB	962	G	O4'-C1'-N9	6.46	113.37	108.20
26	BB	1040	A	N1-C2-N3	-6.46	126.07	129.30
26	BB	1422	G	C2-N3-C4	6.46	115.13	111.90
26	BB	1422	G	C4-C5-C6	6.46	122.67	118.80
26	BB	2011	U	N1-C2-O2	6.46	127.32	122.80
26	BB	2057	G	C8-N9-C1'	6.46	135.40	127.00
26	BB	2096	C	N3-C4-C5	-6.46	119.32	121.90
26	BB	2124	G	N1-C2-N3	-6.46	120.03	123.90
26	BB	2789	C	C4-C5-C6	-6.46	114.17	117.40
1	AA	1482	G	C4-C5-N7	6.46	113.38	110.80
9	AI	45	ARG	NE-CZ-NH2	-6.46	117.07	120.30
26	BB	911	A	N9-C4-C5	-6.46	103.22	105.80
26	BB	1333	G	C5-C6-O6	-6.46	124.73	128.60
26	BB	2525	G	C5-C6-O6	-6.46	124.73	128.60
26	BB	2547	A	P-O3'-C3'	6.46	127.45	119.70
26	BB	2871	U	O4'-C1'-N1	6.46	113.36	108.20
1	AA	335	C	C6-N1-C2	6.46	122.88	120.30
1	AA	716	A	N7-C8-N9	6.46	117.03	113.80
26	BB	498	G	O4'-C4'-C3'	6.46	111.26	106.10
26	BB	1874	C	C4-C5-C6	6.46	120.63	117.40
26	BB	2299	U	N3-C2-O2	-6.46	117.68	122.20
26	BB	2418	A	C1'-O4'-C4'	-6.46	104.74	109.90
26	BB	2655	G	C4'-C3'-C2'	6.46	109.06	102.60
1	AA	287	U	N1-C1'-C2'	-6.45	104.90	112.00
1	AA	596	A	O4'-C1'-N9	6.45	113.36	108.20
6	AF	16	PRO	N-CA-CB	6.45	111.05	103.30
26	BB	199	A	C8-N9-C4	6.45	108.38	105.80
26	BB	1163	G	C4-C5-N7	-6.45	108.22	110.80
26	BB	1512	C	O5'-C5'-C4'	6.45	123.96	111.70
26	BB	1667	G	N3-C2-N2	6.45	124.42	119.90
26	BB	1887	C	C2-N3-C4	-6.45	116.67	119.90
26	BB	1929	G	N3-C2-N2	-6.45	115.38	119.90
26	BB	1957	C	C5'-C4'-O4'	6.45	116.84	109.10
26	BB	2166	U	O4'-C1'-N1	6.45	113.36	108.20
26	BB	2411	A	N9-C4-C5	-6.45	103.22	105.80
26	BB	2679	A	N1-C6-N6	6.45	122.47	118.60
34	BJ	83	TYR	CZ-CE2-CD2	6.45	125.61	119.80
40	BP	72	ASP	CB-CG-OD2	6.45	124.11	118.30
1	AA	119	A	C3'-C2'-C1'	6.45	106.66	101.50
26	BB	1090	A	C1'-O4'-C4'	-6.45	104.74	109.90
1	AA	763	G	N3-C4-C5	-6.45	125.37	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1236	A	C5'-C4'-O4'	6.45	116.84	109.10
26	BB	721	A	N1-C6-N6	-6.45	114.73	118.60
26	BB	1428	C	C3'-C2'-C1'	6.45	106.66	101.50
26	BB	1463	C	N1-C2-O2	6.45	122.77	118.90
26	BB	1827	U	C3'-C2'-C1'	6.45	106.66	101.50
26	BB	1867	G	N3-C4-N9	6.45	129.87	126.00
26	BB	2124	G	N3-C2-N2	6.45	124.42	119.90
26	BB	2211	A	C5-C6-N1	6.45	120.92	117.70
1	AA	182	A	N1-C6-N6	6.45	122.47	118.60
1	AA	319	G	C5-N7-C8	6.45	107.52	104.30
1	AA	350	G	O4'-C1'-N9	6.45	113.36	108.20
1	AA	420	U	C2'-C3'-O3'	6.45	124.02	113.70
1	AA	926	G	C1'-O4'-C4'	-6.45	104.74	109.90
1	AA	984	C	C5'-C4'-O4'	6.45	116.84	109.10
1	AA	1161	C	N1-C2-N3	6.45	123.72	119.20
1	AA	1355	G	N9-C4-C5	6.45	107.98	105.40
26	BB	155	A	C4-C5-C6	-6.45	113.78	117.00
26	BB	1170	C	O5'-P-OP2	-6.45	99.90	105.70
26	BB	1613	G	C3'-C2'-C1'	-6.45	96.34	101.50
26	BB	2595	G	C4-C5-N7	6.45	113.38	110.80
26	BB	2699	C	O4'-C1'-N1	6.45	113.36	108.20
1	AA	505	G	N3-C4-C5	-6.45	125.38	128.60
1	AA	612	C	C5-C4-N4	6.45	124.71	120.20
25	BA	13	G	N1-C2-N3	-6.45	120.03	123.90
26	BB	1115	G	O4'-C4'-C3'	6.45	111.26	106.10
26	BB	1934	C	C6-N1-C2	-6.45	117.72	120.30
26	BB	2028	U	C5-C4-O4	6.45	129.77	125.90
1	AA	1137	C	N3-C2-O2	-6.45	117.39	121.90
6	AF	21	TRP	CA-CB-CG	6.45	125.95	113.70
26	BB	385	C	O3'-P-O5'	-6.45	91.75	104.00
26	BB	940	G	C5-C6-N1	6.45	114.72	111.50
26	BB	994	C	C2-N3-C4	-6.45	116.68	119.90
26	BB	1097	U	C3'-C2'-C1'	6.45	106.66	101.50
26	BB	1172	C	C3'-C2'-C1'	-6.45	96.34	101.50
42	BR	87	ARG	NE-CZ-NH1	6.45	123.52	120.30
26	BB	33	C	C3'-C2'-C1'	6.44	106.66	101.50
26	BB	2791	G	C4-C5-N7	-6.44	108.22	110.80
26	BB	2836	U	O4'-C1'-N1	6.44	113.36	108.20
1	AA	570	G	N9-C4-C5	6.44	107.98	105.40
1	AA	735	C	C4-C5-C6	-6.44	114.18	117.40
1	AA	785	G	N3-C4-C5	-6.44	125.38	128.60
1	AA	832	G	C2-N3-C4	6.44	115.12	111.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	886	G	N7-C8-N9	6.44	116.32	113.10
1	AA	1351	U	O4'-C1'-N1	6.44	113.35	108.20
26	BB	69	C	C5'-C4'-O4'	6.44	116.83	109.10
26	BB	421	C	O4'-C1'-N1	6.44	113.35	108.20
26	BB	540	C	C4'-C3'-C2'	-6.44	96.16	102.60
26	BB	1086	A	C6-N1-C2	-6.44	114.73	118.60
26	BB	1100	C	O4'-C1'-N1	6.44	113.35	108.20
26	BB	2468	A	O4'-C1'-C2'	-6.44	99.36	105.80
26	BB	2657	A	C6-N1-C2	6.44	122.47	118.60
26	BB	2658	C	N3-C2-O2	-6.44	117.39	121.90
1	AA	1264	U	C1'-O4'-C4'	-6.44	104.75	109.90
1	AA	1292	G	N9-C4-C5	6.44	107.98	105.40
1	AA	1294	G	C4-C5-C6	6.44	122.67	118.80
26	BB	241	A	C8-N9-C4	-6.44	103.22	105.80
26	BB	627	A	N1-C2-N3	6.44	132.52	129.30
26	BB	1003	G	N3-C4-N9	6.44	129.86	126.00
26	BB	1808	A	C5-N7-C8	-6.44	100.68	103.90
26	BB	2046	G	O4'-C4'-C3'	-6.44	97.56	104.00
26	BB	2276	G	N9-C4-C5	6.44	107.98	105.40
26	BB	2408	U	C5-C4-O4	-6.44	122.04	125.90
26	BB	2732	G	C3'-C2'-C1'	6.44	106.65	101.50
26	BB	2823	A	C4-C5-N7	-6.44	107.48	110.70
1	AA	1214	C	C6-N1-C1'	-6.44	113.07	120.80
1	AA	1223	C	C2-N1-C1'	6.44	125.88	118.80
26	BB	1336	A	N9-C4-C5	6.44	108.38	105.80
26	BB	2262	U	C5'-C4'-C3'	-6.44	105.70	116.00
26	BB	2292	U	O4'-C1'-N1	6.44	113.35	108.20
26	BB	2627	G	N9-C4-C5	6.44	107.98	105.40
1	AA	974	A	N9-C4-C5	6.44	108.38	105.80
1	AA	1178	G	C5-C6-O6	-6.44	124.74	128.60
1	AA	1238	A	C2-N3-C4	6.44	113.82	110.60
3	AC	43	U	C6-N1-C2	-6.44	117.14	121.00
25	BA	54	G	O4'-C1'-N9	6.44	113.35	108.20
26	BB	58	G	C1'-O4'-C4'	6.44	115.05	109.90
26	BB	532	A	C6-C5-N7	6.44	136.81	132.30
26	BB	570	G	C3'-C2'-C1'	6.44	106.65	101.50
26	BB	683	U	C4-C5-C6	6.44	123.56	119.70
26	BB	1323	C	N1-C2-O2	6.44	122.76	118.90
26	BB	1498	C	O4'-C1'-N1	6.44	113.35	108.20
26	BB	2547	A	N7-C8-N9	6.44	117.02	113.80
1	AA	191	G	N9-C1'-C2'	-6.44	104.92	112.00
1	AA	459	A	N3-C4-C5	-6.44	122.30	126.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	525	C	N3-C4-N4	6.44	122.50	118.00
1	AA	722	G	N7-C8-N9	6.44	116.32	113.10
1	AA	1181	G	C8-N9-C4	-6.44	103.83	106.40
25	BA	108	A	C1'-O4'-C4'	-6.44	104.75	109.90
26	BB	563	A	C4-C5-C6	6.44	120.22	117.00
26	BB	1553	A	N1-C2-N3	-6.44	126.08	129.30
32	BH	151	ARG	NE-CZ-NH1	6.44	123.52	120.30
1	AA	277	C	N3-C4-C5	-6.43	119.33	121.90
1	AA	536	C	C6-N1-C2	-6.43	117.73	120.30
1	AA	652	U	N3-C2-O2	-6.43	117.70	122.20
1	AA	775	G	N3-C4-N9	-6.43	122.14	126.00
1	AA	1158	C	C2-N3-C4	6.43	123.12	119.90
1	AA	1409	C	N1-C2-O2	6.43	122.76	118.90
26	BB	69	C	N3-C4-N4	6.43	122.50	118.00
26	BB	335	C	N1-C2-N3	-6.43	114.69	119.20
26	BB	438	G	N1-C2-N2	6.43	121.99	116.20
26	BB	654	A	C5'-C4'-O4'	6.43	116.82	109.10
26	BB	2216	G	C4'-C3'-C2'	-6.43	96.17	102.60
29	BE	107	VAL	CA-CB-CG2	6.43	120.55	110.90
1	AA	1	A	C6-N1-C2	6.43	122.46	118.60
1	AA	336	A	C6-N1-C2	6.43	122.46	118.60
1	AA	353	A	N1-C6-N6	6.43	122.46	118.60
1	AA	418	C	N1-C2-N3	6.43	123.70	119.20
1	AA	619	U	C2-N1-C1'	6.43	125.42	117.70
1	AA	1527	U	N3-C2-O2	-6.43	117.70	122.20
3	AC	50	U	N3-C2-O2	-6.43	117.70	122.20
3	AC	55	A	C4-C5-C6	-6.43	113.78	117.00
26	BB	242	G	P-O3'-C3'	6.43	127.42	119.70
26	BB	1187	G	C8-N9-C4	-6.43	103.83	106.40
26	BB	1436	G	N7-C8-N9	6.43	116.32	113.10
26	BB	1697	G	C4-C5-N7	-6.43	108.23	110.80
26	BB	1955	U	C5-C6-N1	-6.43	119.48	122.70
26	BB	2187	U	C2-N3-C4	-6.43	123.14	127.00
26	BB	2376	A	N9-C1'-C2'	6.43	122.36	114.00
26	BB	2821	A	C5-C6-N6	6.43	128.85	123.70
1	AA	742	G	C8-N9-C1'	6.43	135.36	127.00
26	BB	283	G	C6-C5-N7	6.43	134.26	130.40
1	AA	655	A	N1-C6-N6	6.43	122.46	118.60
1	AA	1472	U	O4'-C1'-N1	6.43	113.34	108.20
3	AC	34	U	C6-N1-C2	-6.43	117.14	121.00
26	BB	27	G	N9-C4-C5	-6.43	102.83	105.40
26	BB	615	U	C6-N1-C2	-6.43	117.14	121.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1212	G	O4'-C4'-C3'	6.43	111.24	106.10
26	BB	1382	G	C2-N3-C4	6.43	115.11	111.90
26	BB	2083	G	C2-N3-C4	6.43	115.11	111.90
1	AA	916	U	N3-C2-O2	-6.43	117.70	122.20
1	AA	1153	G	N1-C6-O6	6.43	123.76	119.90
1	AA	1527	U	C5-C4-O4	6.43	129.76	125.90
26	BB	553	G	N7-C8-N9	-6.43	109.89	113.10
26	BB	1156	A	O4'-C4'-C3'	6.43	111.24	106.10
26	BB	1245	G	N1-C6-O6	6.43	123.76	119.90
26	BB	1552	A	C8-N9-C4	6.43	108.37	105.80
26	BB	2336	A	O4'-C1'-N9	6.43	113.34	108.20
51	B0	7	ARG	NE-CZ-NH1	6.43	123.51	120.30
1	AA	1364	U	C6-N1-C2	-6.43	117.14	121.00
7	AG	12	ARG	NE-CZ-NH2	6.43	123.51	120.30
26	BB	32	C	N1-C2-O2	6.43	122.76	118.90
26	BB	593	U	C5'-C4'-O4'	6.43	116.81	109.10
26	BB	1816	C	C3'-C2'-C1'	6.43	106.64	101.50
34	BJ	95	PHE	CB-CG-CD1	-6.43	116.30	120.80
1	AA	34	C	C4'-C3'-C2'	-6.42	96.18	102.60
1	AA	179	A	N1-C6-N6	6.42	122.45	118.60
1	AA	492	C	N3-C4-C5	-6.42	119.33	121.90
1	AA	790	A	C4-C5-N7	6.42	113.91	110.70
26	BB	101	A	C3'-C2'-C1'	6.42	106.64	101.50
26	BB	261	G	N3-C4-C5	-6.42	125.39	128.60
26	BB	682	G	C5-N7-C8	6.42	107.51	104.30
26	BB	958	U	N1-C2-N3	6.42	118.75	114.90
26	BB	1265	A	N9-C1'-C2'	-6.42	104.93	112.00
54	B3	16	ARG	NE-CZ-NH2	6.42	123.51	120.30
1	AA	238	A	N3-C4-N9	6.42	132.54	127.40
1	AA	502	A	C2-N3-C4	6.42	113.81	110.60
1	AA	1159	U	C5-C4-O4	6.42	129.75	125.90
1	AA	1239	A	O4'-C1'-N9	6.42	113.34	108.20
26	BB	9	G	C6-C5-N7	6.42	134.25	130.40
26	BB	1577	C	N3-C2-O2	-6.42	117.40	121.90
26	BB	2100	G	N7-C8-N9	6.42	116.31	113.10
26	BB	2391	G	O4'-C4'-C3'	6.42	111.24	106.10
1	AA	872	A	C1'-O4'-C4'	-6.42	104.76	109.90
1	AA	971	G	C5-C6-N1	6.42	114.71	111.50
1	AA	1039	G	C4-C5-N7	-6.42	108.23	110.80
1	AA	1068	G	N7-C8-N9	6.42	116.31	113.10
1	AA	1125	U	O4'-C1'-N1	6.42	113.34	108.20
1	AA	1371	G	N9-C1'-C2'	-6.42	104.94	112.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1541	U	C1'-O4'-C4'	6.42	115.04	109.90
2	AB	9	A	C6-C5-N7	-6.42	127.81	132.30
26	BB	266	G	N9-C4-C5	-6.42	102.83	105.40
26	BB	1175	A	N3-C4-C5	-6.42	122.31	126.80
26	BB	1196	C	C5'-C4'-O4'	6.42	116.81	109.10
26	BB	1378	A	N1-C2-N3	-6.42	126.09	129.30
26	BB	1624	U	N3-C4-O4	6.42	123.89	119.40
26	BB	1666	G	C4'-C3'-C2'	-6.42	96.18	102.60
26	BB	1673	G	C2-N3-C4	6.42	115.11	111.90
26	BB	2029	G	C5-C6-N1	6.42	114.71	111.50
26	BB	2403	C	C5'-C4'-C3'	-6.42	105.72	116.00
1	AA	800	G	C3'-C2'-C1'	6.42	106.64	101.50
26	BB	1249	U	C5-C4-O4	-6.42	122.05	125.90
26	BB	2223	G	C5'-C4'-O4'	6.42	116.80	109.10
1	AA	56	U	C5-C6-N1	6.42	125.91	122.70
1	AA	831	A	O4'-C1'-N9	6.42	113.33	108.20
1	AA	887	G	C1'-O4'-C4'	-6.42	104.77	109.90
1	AA	1027	C	N3-C4-C5	6.42	124.47	121.90
26	BB	936	A	C2-N3-C4	6.42	113.81	110.60
26	BB	1771	C	N3-C4-C5	6.42	124.47	121.90
26	BB	1948	G	C2-N3-C4	6.42	115.11	111.90
26	BB	2628	C	P-O3'-C3'	6.42	127.40	119.70
26	BB	2698	U	O4'-C1'-N1	6.42	113.33	108.20
26	BB	2758	A	C6-N1-C2	-6.42	114.75	118.60
26	BB	2886	A	C5-C6-N1	6.42	120.91	117.70
1	AA	800	G	N7-C8-N9	6.42	116.31	113.10
1	AA	887	G	C8-N9-C4	-6.42	103.83	106.40
1	AA	1111	A	N3-C4-C5	6.42	131.29	126.80
1	AA	1236	A	C8-N9-C4	6.42	108.37	105.80
4	AD	48	U	C5-C4-O4	6.42	129.75	125.90
4	AD	70	C	C3'-C2'-C1'	6.42	106.63	101.50
25	BA	82	U	C2-N3-C4	-6.42	123.15	127.00
26	BB	30	G	N3-C4-C5	-6.42	125.39	128.60
26	BB	114	U	N1-C2-N3	6.42	118.75	114.90
26	BB	340	A	C4-C5-N7	-6.42	107.49	110.70
26	BB	694	U	C4-C5-C6	6.42	123.55	119.70
26	BB	1176	U	O4'-C4'-C3'	-6.42	97.58	104.00
26	BB	1393	A	C4-C5-N7	-6.42	107.49	110.70
26	BB	1539	U	C5'-C4'-O4'	6.42	116.80	109.10
26	BB	1631	G	C6-N1-C2	-6.42	121.25	125.10
1	AA	376	G	N3-C4-C5	-6.42	125.39	128.60
1	AA	917	G	N1-C2-N3	-6.42	120.05	123.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1315	U	C5'-C4'-O4'	6.42	116.80	109.10
2	AB	47	U	N3-C4-C5	6.42	118.45	114.60
26	BB	522	A	C5-C6-N6	-6.42	118.57	123.70
26	BB	1221	C	C5'-C4'-O4'	6.42	116.80	109.10
28	BD	226	PRO	N-CA-CB	6.42	111.00	103.30
29	BE	20	VAL	CG1-CB-CG2	-6.42	100.64	110.90
1	AA	31	G	N1-C2-N2	-6.41	110.43	116.20
1	AA	430	A	C3'-C2'-C1'	-6.41	96.37	101.50
1	AA	439	U	C5'-C4'-O4'	6.41	116.80	109.10
1	AA	1201	A	C5'-C4'-O4'	6.41	116.80	109.10
1	AA	1201	A	O4'-C1'-N9	6.41	113.33	108.20
1	AA	1221	G	N7-C8-N9	6.41	116.31	113.10
2	AB	1	A	N1-C2-N3	6.41	132.51	129.30
3	AC	58	C	N3-C2-O2	-6.41	117.41	121.90
26	BB	106	C	C4-C5-C6	6.41	120.61	117.40
26	BB	1518	C	C5-C6-N1	6.41	124.21	121.00
26	BB	1878	G	N1-C2-N3	6.41	127.75	123.90
1	AA	334	C	O4'-C1'-N1	6.41	113.33	108.20
26	BB	215	G	C5-C6-O6	-6.41	124.75	128.60
26	BB	315	G	N9-C4-C5	6.41	107.97	105.40
26	BB	418	C	N3-C2-O2	-6.41	117.41	121.90
26	BB	2053	G	N7-C8-N9	6.41	116.31	113.10
1	AA	192	A	C4-C5-C6	6.41	120.20	117.00
1	AA	674	G	N3-C2-N2	-6.41	115.41	119.90
1	AA	1103	C	C6-N1-C2	-6.41	117.74	120.30
1	AA	1335	U	N3-C2-O2	-6.41	117.71	122.20
1	AA	1446	A	C3'-C2'-C1'	6.41	106.63	101.50
25	BA	5	U	N3-C4-C5	6.41	118.45	114.60
26	BB	68	G	C4-N9-C1'	-6.41	118.17	126.50
26	BB	132	G	C6-C5-N7	6.41	134.25	130.40
26	BB	207	A	N3-C4-C5	-6.41	122.31	126.80
1	AA	64	G	C5-C6-O6	-6.41	124.75	128.60
1	AA	382	A	C6-N1-C2	-6.41	114.75	118.60
1	AA	1213	A	C2'-C3'-O3'	6.41	123.95	113.70
1	AA	1371	G	C4-C5-N7	6.41	113.36	110.80
2	AB	69	C	C4'-C3'-C2'	-6.41	96.19	102.60
4	AD	42	C	C4-C5-C6	-6.41	114.20	117.40
4	AD	77	A	O4'-C1'-N9	6.41	113.33	108.20
14	AN	35	ASP	CB-CG-OD2	6.41	124.07	118.30
18	AR	77	TYR	CD1-CE1-CZ	-6.41	114.03	119.80
25	BA	25	U	C2-N3-C4	-6.41	123.16	127.00
26	BB	217	A	N1-C6-N6	-6.41	114.75	118.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	260	G	N9-C4-C5	6.41	107.96	105.40
26	BB	760	G	N7-C8-N9	6.41	116.30	113.10
26	BB	1585	C	O4'-C1'-N1	6.41	113.33	108.20
26	BB	2638	G	N9-C4-C5	6.41	107.96	105.40
39	BO	103	TYR	CB-CG-CD1	-6.41	117.16	121.00
43	BS	12	ARG	NE-CZ-NH2	6.41	123.50	120.30
1	AA	548	G	C4-C5-C6	6.41	122.64	118.80
1	AA	817	C	C6-N1-C2	-6.41	117.74	120.30
1	AA	1014	A	C8-N9-C4	-6.41	103.24	105.80
1	AA	1173	U	C2-N3-C4	6.41	130.84	127.00
22	AV	9	PHE	CG-CD2-CE2	-6.41	113.75	120.80
26	BB	1050	A	O4'-C4'-C3'	-6.41	97.59	104.00
26	BB	1204	A	C4-C5-C6	6.41	120.20	117.00
26	BB	1575	C	O4'-C1'-N1	6.41	113.33	108.20
26	BB	1713	A	C4-C5-N7	6.41	113.90	110.70
30	BF	170	ARG	NE-CZ-NH1	6.41	123.50	120.30
1	AA	136	C	C5'-C4'-O4'	6.41	116.79	109.10
1	AA	231	U	C4-C5-C6	6.41	123.54	119.70
1	AA	235	C	N1-C1'-C2'	-6.41	104.95	112.00
1	AA	268	U	C5-C6-N1	-6.41	119.50	122.70
1	AA	539	A	N7-C8-N9	6.41	117.00	113.80
1	AA	1037	C	C5-C4-N4	-6.41	115.72	120.20
26	BB	534	U	C5-C6-N1	6.41	125.90	122.70
26	BB	695	G	N1-C6-O6	6.41	123.74	119.90
26	BB	1297	C	C5-C6-N1	6.41	124.20	121.00
26	BB	1384	A	N3-C4-C5	-6.41	122.32	126.80
26	BB	1425	G	C5-N7-C8	-6.41	101.10	104.30
26	BB	1881	C	C5'-C4'-C3'	-6.41	105.75	116.00
26	BB	2469	A	C5-N7-C8	6.41	107.10	103.90
26	BB	2480	C	N1-C2-O2	6.41	122.74	118.90
26	BB	2793	C	C1'-O4'-C4'	-6.41	104.78	109.90
1	AA	309	A	C8-N9-C4	-6.40	103.24	105.80
1	AA	540	G	C8-N9-C4	-6.40	103.84	106.40
26	BB	749	A	O4'-C1'-N9	6.40	113.32	108.20
26	BB	818	G	O4'-C1'-N9	6.40	113.32	108.20
26	BB	900	A	N1-C2-N3	-6.40	126.10	129.30
26	BB	2006	C	N1-C2-O2	6.40	122.74	118.90
26	BB	2299	U	C5'-C4'-O4'	6.40	116.78	109.10
26	BB	2404	U	N1-C2-N3	6.40	118.74	114.90
1	AA	332	G	C5-C6-N1	6.40	114.70	111.50
1	AA	462	G	N1-C6-O6	6.40	123.74	119.90
1	AA	857	C	O4'-C1'-N1	6.40	113.32	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1021	A	C3'-C2'-C1'	6.40	106.62	101.50
2	AB	22	G	N1-C2-N3	-6.40	120.06	123.90
26	BB	84	A	C4-C5-C6	-6.40	113.80	117.00
26	BB	153	U	C2-N3-C4	-6.40	123.16	127.00
26	BB	498	G	C5-N7-C8	6.40	107.50	104.30
26	BB	536	G	C4-C5-N7	-6.40	108.24	110.80
26	BB	989	G	C6-C5-N7	-6.40	126.56	130.40
26	BB	1910	G	N3-C2-N2	-6.40	115.42	119.90
26	BB	2157	G	N3-C4-C5	-6.40	125.40	128.60
26	BB	2229	U	C3'-C2'-C1'	6.40	106.62	101.50
26	BB	2325	G	O4'-C1'-N9	6.40	113.32	108.20
26	BB	2804	U	N3-C2-O2	-6.40	117.72	122.20
26	BB	2825	G	O4'-C4'-C3'	-6.40	97.60	104.00
26	BB	2846	G	C5-N7-C8	6.40	107.50	104.30
1	AA	245	U	P-O3'-C3'	6.40	127.38	119.70
1	AA	331	G	C5'-C4'-O4'	6.40	116.78	109.10
1	AA	689	C	O4'-C1'-N1	6.40	113.32	108.20
1	AA	1005	A	C2-N3-C4	6.40	113.80	110.60
1	AA	1095	U	O4'-C1'-N1	6.40	113.32	108.20
1	AA	1335	U	N1-C2-O2	6.40	127.28	122.80
25	BA	75	G	C5-C6-O6	-6.40	124.76	128.60
26	BB	106	C	N1-C2-O2	6.40	122.74	118.90
26	BB	289	G	O4'-C4'-C3'	6.40	111.22	106.10
26	BB	553	G	C1'-O4'-C4'	-6.40	104.78	109.90
26	BB	605	G	N7-C8-N9	6.40	116.30	113.10
26	BB	1168	G	C8-N9-C4	-6.40	103.84	106.40
26	BB	1500	G	C6-C5-N7	-6.40	126.56	130.40
26	BB	1748	C	C6-N1-C2	-6.40	117.74	120.30
1	AA	1012	A	N1-C6-N6	6.40	122.44	118.60
1	AA	1071	C	C5'-C4'-O4'	6.40	116.78	109.10
25	BA	31	C	C5-C4-N4	6.40	124.68	120.20
26	BB	205	G	C4-C5-C6	6.40	122.64	118.80
26	BB	1456	G	C4-C5-C6	6.40	122.64	118.80
26	BB	2491	U	O4'-C1'-N1	6.40	113.32	108.20
26	BB	2829	A	O4'-C1'-N9	6.40	113.32	108.20
1	AA	796	C	N3-C2-O2	-6.40	117.42	121.90
1	AA	1437	A	N1-C2-N3	-6.40	126.10	129.30
2	AB	44	G	C4-N9-C1'	-6.40	118.18	126.50
4	AD	27	G	C4'-C3'-C2'	-6.40	96.20	102.60
26	BB	205	G	C8-N9-C4	-6.40	103.84	106.40
26	BB	255	A	C2-N3-C4	6.40	113.80	110.60
26	BB	509	C	C6-N1-C2	-6.40	117.74	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2269	G	P-O3'-C3'	6.40	127.38	119.70
26	BB	2306	C	N1-C2-N3	-6.40	114.72	119.20
26	BB	2845	U	O3'-P-O5'	-6.40	91.84	104.00
26	BB	453	A	N3-C4-N9	-6.40	122.28	127.40
26	BB	714	U	C5'-C4'-O4'	6.40	116.78	109.10
1	AA	85	U	N1-C2-N3	6.39	118.74	114.90
1	AA	616	G	C4-C5-N7	-6.39	108.24	110.80
1	AA	635	A	C5-C6-N1	-6.39	114.50	117.70
1	AA	1223	C	C5-C4-N4	-6.39	115.72	120.20
1	AA	1254	A	N3-C4-C5	-6.39	122.32	126.80
1	AA	1333	A	C5-N7-C8	-6.39	100.70	103.90
3	AC	26	U	C6-N1-C2	-6.39	117.16	121.00
26	BB	328	U	C5-C6-N1	-6.39	119.50	122.70
26	BB	508	A	O5'-P-OP2	6.39	118.37	110.70
26	BB	596	U	O4'-C1'-N1	6.39	113.31	108.20
26	BB	904	G	N1-C6-O6	-6.39	116.06	119.90
26	BB	1077	A	N3-C4-C5	-6.39	122.32	126.80
26	BB	1831	G	O4'-C1'-N9	6.39	113.31	108.20
26	BB	1999	C	C6-N1-C2	-6.39	117.74	120.30
26	BB	2018	G	C4-C5-C6	6.39	122.64	118.80
26	BB	2207	C	N1-C2-N3	-6.39	114.72	119.20
26	BB	2333	A	N1-C6-N6	-6.39	114.76	118.60
26	BB	2360	G	C2-N3-C4	6.39	115.10	111.90
26	BB	2538	C	O4'-C1'-N1	6.39	113.32	108.20
26	BB	2657	A	C4-C5-N7	6.39	113.90	110.70
26	BB	2697	G	C1'-O4'-C4'	-6.39	104.78	109.90
1	AA	15	G	C5-N7-C8	-6.39	101.10	104.30
1	AA	541	G	C4'-C3'-C2'	-6.39	96.21	102.60
1	AA	943	U	C3'-C2'-C1'	6.39	106.61	101.50
1	AA	957	U	C5-C6-N1	6.39	125.90	122.70
1	AA	1096	C	O4'-C4'-C3'	6.39	111.21	106.10
1	AA	1143	G	N3-C2-N2	-6.39	115.43	119.90
1	AA	1175	G	C8-N9-C4	-6.39	103.84	106.40
1	AA	1277	C	C6-N1-C1'	6.39	128.47	120.80
26	BB	269	C	P-O5'-C5'	6.39	131.13	120.90
26	BB	337	C	C4'-C3'-C2'	-6.39	96.21	102.60
26	BB	349	U	N1-C2-O2	6.39	127.28	122.80
26	BB	377	G	C4'-C3'-C2'	-6.39	96.21	102.60
26	BB	620	G	C4'-C3'-C2'	6.39	108.99	102.60
26	BB	786	C	C3'-C2'-C1'	6.39	106.61	101.50
26	BB	857	G	C5-C6-N1	6.39	114.70	111.50
26	BB	1987	A	N7-C8-N9	6.39	117.00	113.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	644	U	N1-C1'-C2'	-6.39	104.97	112.00
1	AA	652	U	N3-C4-O4	6.39	123.87	119.40
1	AA	908	A	C4-C5-C6	-6.39	113.80	117.00
1	AA	1307	U	C6-N1-C2	6.39	124.83	121.00
26	BB	248	G	C8-N9-C4	-6.39	103.84	106.40
26	BB	534	U	C6-N1-C2	-6.39	117.17	121.00
26	BB	786	C	C5'-C4'-C3'	-6.39	105.78	116.00
26	BB	868	U	N3-C2-O2	-6.39	117.73	122.20
26	BB	2456	C	N1-C2-N3	-6.39	114.73	119.20
26	BB	2797	U	N1-C2-N3	6.39	118.73	114.90
1	AA	398	U	O4'-C1'-N1	6.39	113.31	108.20
1	AA	599	C	C4'-C3'-C2'	-6.39	96.21	102.60
1	AA	742	G	N9-C1'-C2'	-6.39	104.97	112.00
25	BA	68	C	N3-C2-O2	-6.39	117.43	121.90
26	BB	911	A	N1-C2-N3	6.39	132.50	129.30
26	BB	1730	C	N3-C2-O2	-6.39	117.43	121.90
26	BB	2071	A	C8-N9-C4	-6.39	103.25	105.80
53	B2	16	CYS	CA-CB-SG	-6.39	102.50	114.00
1	AA	1134	G	C5-N7-C8	6.39	107.49	104.30
1	AA	1453	G	C5-C6-O6	-6.39	124.77	128.60
26	BB	281	C	C4-C5-C6	-6.39	114.21	117.40
26	BB	472	A	C8-N9-C4	-6.39	103.25	105.80
26	BB	548	G	O4'-C1'-N9	6.39	113.31	108.20
26	BB	624	C	C5-C6-N1	6.39	124.19	121.00
26	BB	673	C	N3-C2-O2	-6.39	117.43	121.90
26	BB	893	C	N1-C2-N3	-6.39	114.73	119.20
26	BB	1571	A	C3'-C2'-C1'	6.39	106.61	101.50
26	BB	2518	A	C1'-O4'-C4'	-6.39	104.79	109.90
1	AA	254	G	C2-N3-C4	6.39	115.09	111.90
7	AG	128	VAL	CA-CB-CG1	6.39	120.48	110.90
26	BB	79	C	C5-C4-N4	6.39	124.67	120.20
26	BB	199	A	N1-C2-N3	-6.39	126.11	129.30
26	BB	697	G	C4-C5-N7	6.39	113.36	110.80
26	BB	1437	C	N3-C2-O2	-6.39	117.43	121.90
26	BB	1493	C	O4'-C1'-N1	6.39	113.31	108.20
26	BB	1918	A	C4-C5-N7	-6.39	107.51	110.70
26	BB	2620	C	C6-N1-C2	6.39	122.86	120.30
26	BB	2877	G	N3-C4-N9	-6.39	122.17	126.00
47	BW	14	THR	CA-CB-CG2	6.39	121.34	112.40
1	AA	268	U	O4'-C1'-N1	6.38	113.31	108.20
1	AA	542	G	N3-C4-N9	6.38	129.83	126.00
1	AA	658	C	N3-C2-O2	-6.38	117.43	121.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1173	U	C3'-C2'-C1'	-6.38	96.39	101.50
26	BB	149	A	C4-C5-N7	6.38	113.89	110.70
26	BB	476	G	C4-C5-N7	-6.38	108.25	110.80
26	BB	533	G	N3-C2-N2	-6.38	115.43	119.90
26	BB	968	C	N3-C4-C5	-6.38	119.35	121.90
26	BB	1186	G	O5'-C5'-C4'	-6.38	99.57	111.70
26	BB	1451	C	C5'-C4'-O4'	6.38	116.76	109.10
26	BB	1535	A	O4'-C4'-C3'	6.38	111.21	106.10
26	BB	2180	U	C2-N3-C4	-6.38	123.17	127.00
26	BB	2193	G	C5'-C4'-O4'	6.38	116.76	109.10
26	BB	2424	C	C1'-O4'-C4'	6.38	115.01	109.90
26	BB	2902	C	C6-N1-C2	-6.38	117.75	120.30
26	BB	1445	G	N7-C8-N9	6.38	116.29	113.10
26	BB	1560	G	C5-C6-O6	-6.38	124.77	128.60
26	BB	1686	C	C4'-C3'-C2'	-6.38	96.22	102.60
26	BB	2752	C	C3'-C2'-C1'	6.38	106.61	101.50
26	BB	2796	U	O4'-C1'-N1	6.38	113.31	108.20
1	AA	141	G	C3'-C2'-C1'	-6.38	96.39	101.50
1	AA	724	G	N3-C2-N2	-6.38	115.43	119.90
1	AA	799	G	C8-N9-C4	-6.38	103.85	106.40
1	AA	1117	A	N1-C2-N3	6.38	132.49	129.30
1	AA	1415	G	C8-N9-C4	-6.38	103.85	106.40
4	AD	71	G	C4'-C3'-C2'	-6.38	96.22	102.60
5	AE	168	GLU	OE1-CD-OE2	6.38	130.96	123.30
18	AR	57	ARG	NE-CZ-NH2	-6.38	117.11	120.30
25	BA	107	G	N1-C2-N3	-6.38	120.07	123.90
26	BB	4	U	N1-C2-N3	6.38	118.73	114.90
26	BB	225	C	N1-C2-O2	6.38	122.73	118.90
26	BB	360	U	O4'-C1'-N1	6.38	113.31	108.20
26	BB	1907	G	C2-N3-C4	6.38	115.09	111.90
26	BB	2315	G	C4-C5-C6	6.38	122.63	118.80
26	BB	2692	G	O4'-C1'-N9	6.38	113.31	108.20
26	BB	2733	A	N1-C6-N6	6.38	122.43	118.60
1	AA	350	G	C3'-C2'-C1'	6.38	106.60	101.50
1	AA	840	C	C4'-C3'-C2'	6.38	108.98	102.60
26	BB	1134	A	C6-N1-C2	-6.38	114.77	118.60
26	BB	1223	G	C5-C6-N1	6.38	114.69	111.50
26	BB	1980	G	O4'-C1'-N9	6.38	113.30	108.20
26	BB	2437	G	C6-N1-C2	-6.38	121.27	125.10
1	AA	712	A	C5-N7-C8	6.38	107.09	103.90
2	AB	45	U	C5-C4-O4	-6.38	122.07	125.90
25	BA	30	C	C6-N1-C2	-6.38	117.75	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BA	115	A	N1-C6-N6	6.38	122.43	118.60
26	BB	22	C	O4'-C1'-N1	6.38	113.30	108.20
26	BB	784	G	C5-C6-O6	-6.38	124.77	128.60
26	BB	940	G	C4-C5-N7	6.38	113.35	110.80
26	BB	2184	A	C8-N9-C4	6.38	108.35	105.80
1	AA	441	A	N7-C8-N9	6.38	116.99	113.80
1	AA	707	U	O4'-C1'-N1	6.38	113.30	108.20
1	AA	871	U	C2-N3-C4	-6.38	123.17	127.00
1	AA	886	G	C5-N7-C8	-6.38	101.11	104.30
1	AA	975	A	C4-C5-C6	-6.38	113.81	117.00
1	AA	1024	G	N3-C4-C5	-6.38	125.41	128.60
1	AA	1361	G	C6-C5-N7	-6.38	126.57	130.40
25	BA	73	A	N7-C8-N9	-6.38	110.61	113.80
26	BB	161	A	C5-C6-N6	6.38	128.80	123.70
26	BB	592	A	C8-N9-C4	-6.38	103.25	105.80
26	BB	1268	A	C4-C5-C6	-6.38	113.81	117.00
26	BB	1482	G	C6-N1-C2	-6.38	121.27	125.10
26	BB	1819	A	O4'-C1'-N9	6.38	113.30	108.20
26	BB	2140	G	C4'-C3'-C2'	-6.38	96.22	102.60
26	BB	2404	U	N1-C2-O2	-6.38	118.34	122.80
26	BB	2470	G	C6-N1-C2	6.38	128.93	125.10
26	BB	2471	A	C3'-C2'-C1'	-6.38	96.40	101.50
26	BB	2727	A	C2-N3-C4	6.38	113.79	110.60
26	BB	2881	U	N3-C4-C5	-6.38	110.77	114.60
1	AA	120	A	C2-N3-C4	6.38	113.79	110.60
1	AA	597	G	C4-C5-C6	6.38	122.62	118.80
26	BB	20	C	C4-C5-C6	-6.38	114.21	117.40
26	BB	251	A	C2-N3-C4	-6.38	107.41	110.60
26	BB	286	U	N3-C4-O4	-6.38	114.94	119.40
26	BB	475	C	C3'-C2'-C1'	6.38	106.60	101.50
26	BB	2380	C	N3-C4-N4	-6.38	113.54	118.00
34	BJ	163	ALA	CB-CA-C	6.38	119.66	110.10
1	AA	960	U	C5-C4-O4	6.37	129.72	125.90
26	BB	386	G	N3-C4-C5	-6.37	125.41	128.60
26	BB	896	A	C4-C5-N7	-6.37	107.51	110.70
26	BB	953	G	O4'-C1'-N9	6.37	113.30	108.20
26	BB	1362	C	N3-C4-C5	-6.37	119.35	121.90
26	BB	1471	G	C5-N7-C8	-6.37	101.11	104.30
26	BB	1550	C	N1-C2-O2	6.37	122.72	118.90
26	BB	1654	A	C4-C5-N7	6.37	113.89	110.70
26	BB	1695	G	C5'-C4'-O4'	6.37	116.75	109.10
26	BB	1770	G	C5'-C4'-O4'	6.37	116.75	109.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2265	U	N1-C2-N3	6.37	118.72	114.90
26	BB	2591	C	C4'-C3'-C2'	-6.37	96.23	102.60
26	BB	2618	G	C3'-C2'-C1'	-6.37	96.40	101.50
26	BB	2888	C	O4'-C1'-N1	6.37	113.30	108.20
1	AA	102	G	N3-C4-C5	-6.37	125.41	128.60
1	AA	569	C	N1-C2-N3	6.37	123.66	119.20
1	AA	826	C	O4'-C1'-N1	6.37	113.30	108.20
1	AA	1041	G	C2-N3-C4	6.37	115.09	111.90
4	AD	61	U	N3-C4-C5	6.37	118.42	114.60
25	BA	51	G	C5'-C4'-O4'	6.37	116.75	109.10
25	BA	94	A	N9-C1'-C2'	-6.37	104.99	112.00
25	BA	95	U	N3-C4-C5	-6.37	110.78	114.60
26	BB	447	A	O4'-C1'-N9	-6.37	103.10	108.20
26	BB	658	U	N3-C2-O2	-6.37	117.74	122.20
26	BB	662	G	N1-C6-O6	-6.37	116.08	119.90
26	BB	701	G	N3-C2-N2	6.37	124.36	119.90
26	BB	722	A	C4-C5-C6	6.37	120.19	117.00
26	BB	781	A	C5-C6-N1	6.37	120.89	117.70
26	BB	1264	A	O4'-C1'-C2'	6.37	113.33	107.60
26	BB	1751	U	O4'-C4'-C3'	-6.37	97.63	104.00
26	BB	2234	G	N3-C4-N9	6.37	129.82	126.00
26	BB	2286	G	C5-N7-C8	6.37	107.49	104.30
26	BB	2318	G	N3-C4-C5	-6.37	125.41	128.60
26	BB	2814	A	C3'-C2'-C1'	-6.37	96.40	101.50
26	BB	2889	C	N1-C2-O2	6.37	122.72	118.90
26	BB	345	A	N1-C6-N6	-6.37	114.78	118.60
26	BB	710	U	O4'-C1'-N1	6.37	113.30	108.20
26	BB	1181	U	N1-C2-N3	6.37	118.72	114.90
26	BB	1202	G	N3-C4-C5	-6.37	125.42	128.60
26	BB	1238	G	O4'-C4'-C3'	-6.37	97.63	104.00
26	BB	1723	G	C8-N9-C4	-6.37	103.85	106.40
26	BB	2314	A	N9-C4-C5	-6.37	103.25	105.80
26	BB	2318	G	C5-C6-N1	6.37	114.69	111.50
26	BB	2454	G	C6-C5-N7	-6.37	126.58	130.40
26	BB	2621	G	N3-C4-N9	6.37	129.82	126.00
1	AA	24	U	C5-C4-O4	6.37	129.72	125.90
1	AA	448	A	C5'-C4'-C3'	-6.37	105.81	116.00
1	AA	574	A	N3-C4-N9	-6.37	122.31	127.40
1	AA	1234	C	C2-N3-C4	6.37	123.08	119.90
26	BB	7	G	C6-N1-C2	-6.37	121.28	125.10
26	BB	49	A	C6-N1-C2	-6.37	114.78	118.60
26	BB	612	G	N3-C4-C5	-6.37	125.42	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	858	G	C5-C6-O6	-6.37	124.78	128.60
26	BB	1377	G	N3-C4-C5	-6.37	125.42	128.60
26	BB	1426	G	C2-N3-C4	6.37	115.08	111.90
26	BB	2873	A	O4'-C1'-N9	6.37	113.30	108.20
26	BB	2898	U	O4'-C1'-N1	6.37	113.30	108.20
46	BV	8	LEU	CB-CG-CD1	6.37	121.83	111.00
1	AA	320	A	C5-C6-N1	6.37	120.88	117.70
1	AA	947	G	C5-C6-N1	6.37	114.68	111.50
1	AA	1171	A	N3-C4-C5	-6.37	122.34	126.80
1	AA	213	G	P-O5'-C5'	6.37	131.09	120.90
1	AA	272	C	C5'-C4'-O4'	6.37	116.74	109.10
1	AA	449	G	N1-C2-N3	-6.37	120.08	123.90
1	AA	782	A	N7-C8-N9	-6.37	110.62	113.80
1	AA	1155	A	N1-C6-N6	6.37	122.42	118.60
25	BA	20	G	C4-C5-C6	-6.37	114.98	118.80
25	BA	45	A	C4-C5-C6	-6.37	113.82	117.00
26	BB	164	C	C6-N1-C2	-6.37	117.75	120.30
26	BB	481	G	C6-N1-C2	-6.37	121.28	125.10
26	BB	765	C	C4'-C3'-C2'	-6.37	96.23	102.60
26	BB	1591	A	C8-N9-C4	6.37	108.35	105.80
26	BB	2227	A	O4'-C1'-N9	6.37	113.29	108.20
26	BB	2725	A	C5-C6-N6	6.37	128.79	123.70
43	BS	27	ARG	NE-CZ-NH1	6.37	123.48	120.30
1	AA	47	C	N1-C2-O2	6.36	122.72	118.90
1	AA	197	A	O5'-P-OP1	-6.36	99.97	105.70
1	AA	912	C	N1-C1'-C2'	-6.36	105.00	112.00
1	AA	1011	C	C5-C4-N4	-6.36	115.75	120.20
1	AA	1382	C	C4'-C3'-C2'	-6.36	96.24	102.60
2	AB	38	A	C8-N9-C4	-6.36	103.25	105.80
8	AH	68	ARG	CD-NE-CZ	6.36	132.51	123.60
26	BB	1141	U	N1-C2-N3	6.36	118.72	114.90
26	BB	1273	U	C1'-O4'-C4'	-6.36	104.81	109.90
26	BB	1349	C	C5'-C4'-O4'	6.36	116.74	109.10
26	BB	1734	G	C2-N3-C4	6.36	115.08	111.90
26	BB	2640	G	C8-N9-C1'	6.36	135.27	127.00
26	BB	2808	G	O4'-C1'-C2'	-6.36	99.44	105.80
1	AA	45	G	C6-N1-C2	-6.36	121.28	125.10
1	AA	319	G	C4-C5-C6	6.36	122.62	118.80
13	AM	65	TYR	CZ-CE2-CD2	6.36	125.53	119.80
26	BB	943	A	C3'-C2'-C1'	-6.36	96.41	101.50
1	AA	509	A	C5-C6-N1	-6.36	114.52	117.70
26	BB	502	A	C3'-C2'-C1'	6.36	106.59	101.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	786	C	C2-N3-C4	-6.36	116.72	119.90
26	BB	1003	G	N9-C4-C5	-6.36	102.86	105.40
26	BB	1028	A	P-O5'-C5'	6.36	131.08	120.90
26	BB	1632	A	N1-C6-N6	6.36	122.42	118.60
26	BB	1740	G	N9-C4-C5	-6.36	102.86	105.40
26	BB	2080	A	N1-C6-N6	6.36	122.42	118.60
26	BB	2154	A	O4'-C1'-N9	6.36	113.29	108.20
26	BB	2426	A	C5-C6-N1	6.36	120.88	117.70
1	AA	630	A	C2-N3-C4	6.36	113.78	110.60
1	AA	1429	A	C2-N3-C4	6.36	113.78	110.60
26	BB	953	G	C4-C5-C6	6.36	122.61	118.80
1	AA	243	A	C2-N3-C4	6.36	113.78	110.60
1	AA	437	U	O4'-C1'-N1	6.36	113.29	108.20
1	AA	807	A	N9-C4-C5	6.36	108.34	105.80
1	AA	833	G	N1-C2-N2	6.36	121.92	116.20
1	AA	1329	A	N1-C6-N6	6.36	122.41	118.60
26	BB	282	A	C8-N9-C4	-6.36	103.26	105.80
26	BB	956	G	N3-C4-C5	-6.36	125.42	128.60
26	BB	1698	A	O4'-C1'-N9	-6.36	103.11	108.20
26	BB	2711	A	C5-N7-C8	-6.36	100.72	103.90
26	BB	2731	G	C6-N1-C2	-6.36	121.28	125.10
36	BL	46	PRO	N-CA-CB	6.36	110.93	103.30
1	AA	220	G	C8-N9-C1'	6.36	135.26	127.00
1	AA	1291	U	N3-C4-C5	-6.36	110.79	114.60
1	AA	1525	G	N9-C4-C5	6.36	107.94	105.40
26	BB	1131	G	C5'-C4'-O4'	6.36	116.73	109.10
26	BB	1555	G	C4-C5-C6	6.36	122.61	118.80
26	BB	2302	U	P-O3'-C3'	6.36	127.33	119.70
26	BB	2509	G	N1-C2-N3	6.36	127.71	123.90
1	AA	520	A	C5-C6-N1	6.35	120.88	117.70
26	BB	11	C	C5-C4-N4	-6.35	115.75	120.20
26	BB	722	A	O4'-C1'-C2'	-6.35	99.45	105.80
26	BB	735	A	N1-C6-N6	-6.35	114.79	118.60
26	BB	1760	C	C6-N1-C2	6.35	122.84	120.30
26	BB	2534	A	N7-C8-N9	6.35	116.98	113.80
1	AA	51	A	C5'-C4'-C3'	-6.35	105.83	116.00
4	AD	31	G	N1-C6-O6	-6.35	116.09	119.90
25	BA	90	C	C2-N3-C4	-6.35	116.72	119.90
26	BB	327	G	N1-C6-O6	-6.35	116.09	119.90
26	BB	404	A	O4'-C4'-C3'	6.35	111.18	106.10
26	BB	741	U	N1-C2-N3	6.35	118.71	114.90
26	BB	762	U	C6-N1-C2	-6.35	117.19	121.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1065	U	N3-C2-O2	6.35	126.65	122.20
26	BB	1929	G	O4'-C1'-N9	6.35	113.28	108.20
26	BB	2213	U	C4'-C3'-C2'	-6.35	96.25	102.60
26	BB	2637	U	C1'-O4'-C4'	6.35	114.98	109.90
26	BB	2741	A	C4'-C3'-C2'	-6.35	96.25	102.60
1	AA	22	G	C4'-C3'-C2'	-6.35	96.25	102.60
1	AA	129	A	O4'-C1'-N9	6.35	113.28	108.20
1	AA	394	G	N1-C6-O6	6.35	123.71	119.90
1	AA	1172	C	C2-N3-C4	6.35	123.08	119.90
3	AC	46	C	C5'-C4'-O4'	6.35	116.72	109.10
26	BB	1260	A	N7-C8-N9	6.35	116.98	113.80
26	BB	1578	U	C5-C6-N1	-6.35	119.52	122.70
26	BB	2153	C	C4'-C3'-C2'	-6.35	96.25	102.60
26	BB	2557	G	N9-C1'-C2'	-6.35	105.01	112.00
26	BB	2889	C	C4-C5-C6	-6.35	114.22	117.40
1	AA	398	U	C4-C5-C6	6.35	123.51	119.70
1	AA	626	G	C5-N7-C8	-6.35	101.12	104.30
1	AA	1046	A	N1-C2-N3	-6.35	126.12	129.30
2	AB	52	A	C8-N9-C4	6.35	108.34	105.80
26	BB	276	U	N3-C4-O4	-6.35	114.95	119.40
26	BB	356	G	C6-C5-N7	6.35	134.21	130.40
26	BB	1964	G	C8-N9-C4	6.35	108.94	106.40
1	AA	187	G	C6-N1-C2	-6.35	121.29	125.10
1	AA	838	G	C2-N3-C4	-6.35	108.73	111.90
1	AA	1144	G	N1-C6-O6	6.35	123.71	119.90
1	AA	1391	U	C4-C5-C6	6.35	123.51	119.70
1	AA	1486	G	C4'-C3'-C2'	-6.35	96.25	102.60
1	AA	1495	U	C3'-C2'-C1'	6.35	106.58	101.50
25	BA	36	C	C2-N3-C4	6.35	123.07	119.90
25	BA	109	A	P-O3'-C3'	6.35	127.32	119.70
26	BB	1088	A	N1-C6-N6	-6.35	114.79	118.60
26	BB	1225	G	O4'-C1'-N9	-6.35	103.12	108.20
26	BB	1638	C	N3-C4-C5	-6.35	119.36	121.90
26	BB	1854	A	O4'-C1'-N9	6.35	113.28	108.20
26	BB	2267	A	C2-N3-C4	6.35	113.77	110.60
26	BB	2694	G	C4-C5-N7	-6.35	108.26	110.80
1	AA	1166	G	C8-N9-C4	-6.35	103.86	106.40
1	AA	1511	G	C2-N3-C4	6.35	115.07	111.90
26	BB	77	G	C8-N9-C4	-6.35	103.86	106.40
26	BB	713	G	C8-N9-C4	-6.35	103.86	106.40
26	BB	799	G	C4-C5-N7	-6.35	108.26	110.80
26	BB	1020	A	C4'-C3'-C2'	-6.35	96.25	102.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1030	C	C6-N1-C2	-6.35	117.76	120.30
26	BB	1162	G	C4-C5-C6	-6.35	114.99	118.80
26	BB	1259	G	C5'-C4'-C3'	-6.35	105.85	116.00
26	BB	1802	A	C2-N3-C4	6.35	113.77	110.60
26	BB	2534	A	N1-C2-N3	-6.35	126.13	129.30
1	AA	279	A	C5'-C4'-O4'	6.34	116.71	109.10
1	AA	878	A	N9-C4-C5	-6.34	103.26	105.80
1	AA	954	G	C6-N1-C2	-6.34	121.29	125.10
1	AA	1031	C	C5'-C4'-O4'	6.34	116.71	109.10
1	AA	1378	C	N3-C2-O2	-6.34	117.46	121.90
4	AD	19	G	N1-C2-N2	-6.34	110.49	116.20
25	BA	21	G	C6-N1-C2	-6.34	121.29	125.10
26	BB	4	U	O4'-C1'-N1	6.34	113.28	108.20
26	BB	26	G	C2-N3-C4	6.34	115.07	111.90
26	BB	199	A	O4'-C1'-C2'	-6.34	99.46	105.80
26	BB	513	A	C4-C5-C6	-6.34	113.83	117.00
26	BB	1217	U	C5-C4-O4	6.34	129.71	125.90
26	BB	1713	A	C5-N7-C8	-6.34	100.73	103.90
26	BB	2402	U	N1-C2-N3	6.34	118.71	114.90
26	BB	2438	U	C6-N1-C2	-6.34	117.19	121.00
26	BB	2490	G	N9-C4-C5	6.34	107.94	105.40
46	BV	76	ARG	NE-CZ-NH2	-6.34	117.13	120.30
1	AA	539	A	C5-N7-C8	-6.34	100.73	103.90
26	BB	1702	G	N1-C2-N3	6.34	127.71	123.90
26	BB	1783	A	C8-N9-C4	-6.34	103.26	105.80
26	BB	1999	C	N3-C2-O2	-6.34	117.46	121.90
26	BB	2767	C	N1-C1'-C2'	-6.34	105.02	112.00
1	AA	90	C	N3-C4-C5	-6.34	119.36	121.90
1	AA	422	C	N3-C4-C5	-6.34	119.36	121.90
1	AA	533	A	N9-C4-C5	6.34	108.34	105.80
1	AA	670	G	C8-N9-C4	-6.34	103.86	106.40
1	AA	778	G	C8-N9-C4	-6.34	103.86	106.40
1	AA	851	G	C5-C6-N1	6.34	114.67	111.50
1	AA	1129	C	C2-N3-C4	6.34	123.07	119.90
1	AA	1338	G	N7-C8-N9	6.34	116.27	113.10
1	AA	1372	U	O4'-C4'-C3'	6.34	111.17	106.10
1	AA	1523	G	C5-N7-C8	-6.34	101.13	104.30
25	BA	65	U	P-O3'-C3'	6.34	127.31	119.70
26	BB	626	A	C8-N9-C4	-6.34	103.26	105.80
26	BB	757	G	C4'-C3'-C2'	-6.34	96.26	102.60
26	BB	1573	G	P-O5'-C5'	6.34	131.05	120.90
1	AA	459	A	C8-N9-C4	-6.34	103.26	105.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	467	U	C5-C6-N1	-6.34	119.53	122.70
3	AC	39	U	N3-C2-O2	-6.34	117.76	122.20
25	BA	92	C	C5'-C4'-O4'	6.34	116.71	109.10
26	BB	845	A	N1-C2-N3	-6.34	126.13	129.30
26	BB	1085	A	O5'-P-OP1	-6.34	99.99	105.70
26	BB	1588	G	C5-C6-O6	-6.34	124.80	128.60
26	BB	1736	U	C4'-C3'-C2'	-6.34	96.26	102.60
26	BB	1866	A	O4'-C4'-C3'	-6.34	97.66	104.00
26	BB	1967	C	C5'-C4'-O4'	6.34	116.71	109.10
26	BB	2471	A	N1-C6-N6	-6.34	114.80	118.60
26	BB	2769	U	C4-C5-C6	6.34	123.50	119.70
1	AA	557	G	C8-N9-C4	-6.34	103.86	106.40
1	AA	1011	C	C2-N1-C1'	-6.34	111.83	118.80
4	AD	1	C	N3-C2-O2	-6.34	117.46	121.90
25	BA	102	G	C8-N9-C4	-6.34	103.86	106.40
26	BB	686	U	C2-N1-C1'	6.34	125.31	117.70
26	BB	1673	G	O4'-C1'-N9	6.34	113.27	108.20
26	BB	1764	C	N1-C2-O2	6.34	122.70	118.90
26	BB	2326	C	C6-N1-C2	-6.34	117.77	120.30
26	BB	2360	G	C5-N7-C8	6.34	107.47	104.30
40	BP	65	LEU	CB-CG-CD1	6.34	121.78	111.00
1	AA	193	C	C5-C4-N4	6.34	124.64	120.20
1	AA	750	C	N3-C2-O2	-6.34	117.46	121.90
1	AA	894	G	N9-C4-C5	6.34	107.94	105.40
1	AA	931	C	O4'-C1'-N1	6.34	113.27	108.20
1	AA	1428	A	N1-C6-N6	-6.34	114.80	118.60
9	AI	24	ARG	NE-CZ-NH2	6.34	123.47	120.30
26	BB	50	U	C2-N3-C4	6.34	130.80	127.00
26	BB	291	G	C5-C6-O6	-6.34	124.80	128.60
26	BB	805	G	C5-C6-O6	6.34	132.40	128.60
26	BB	1058	U	C5'-C4'-O4'	6.34	116.70	109.10
26	BB	1274	A	N1-C2-N3	6.34	132.47	129.30
26	BB	1387	A	C5-C6-N6	-6.34	118.63	123.70
26	BB	1461	C	C5-C6-N1	6.34	124.17	121.00
26	BB	1493	C	N1-C2-O2	6.34	122.70	118.90
26	BB	1793	C	O4'-C1'-N1	6.34	113.27	108.20
26	BB	2646	C	N3-C2-O2	-6.34	117.46	121.90
26	BB	2730	C	N3-C4-C5	-6.34	119.37	121.90
26	BB	2863	C	N3-C4-N4	6.34	122.44	118.00
1	AA	541	G	N7-C8-N9	6.33	116.27	113.10
2	AB	7	G	C5-C6-O6	-6.33	124.80	128.60
26	BB	402	A	C5-C6-N6	-6.33	118.63	123.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1483	G	C5-C6-O6	6.33	132.40	128.60
26	BB	1666	G	C5-C6-N1	-6.33	108.33	111.50
26	BB	2026	U	N1-C1'-C2'	-6.33	105.03	112.00
26	BB	2608	G	C6-C5-N7	6.33	134.20	130.40
1	AA	217	C	N1-C2-O2	6.33	122.70	118.90
1	AA	466	A	C4-C5-N7	-6.33	107.53	110.70
1	AA	1160	G	C5-C6-O6	-6.33	124.80	128.60
1	AA	1368	A	C3'-C2'-C1'	6.33	106.57	101.50
25	BA	112	G	C5'-C4'-O4'	6.33	116.70	109.10
26	BB	685	A	C3'-C2'-C1'	6.33	106.57	101.50
26	BB	954	G	C6-C5-N7	-6.33	126.60	130.40
26	BB	1076	C	C6-N1-C1'	6.33	128.40	120.80
26	BB	1097	U	C5-C6-N1	6.33	125.87	122.70
26	BB	2063	C	C2-N3-C4	6.33	123.07	119.90
26	BB	2307	G	C4-C5-N7	6.33	113.33	110.80
26	BB	2453	A	C4-C5-C6	-6.33	113.83	117.00
1	AA	228	A	N9-C4-C5	6.33	108.33	105.80
1	AA	380	G	O4'-C4'-C3'	6.33	111.17	106.10
1	AA	454	G	C1'-O4'-C4'	6.33	114.97	109.90
1	AA	739	C	N1-C1'-C2'	-6.33	105.04	112.00
1	AA	897	C	C5'-C4'-O4'	6.33	116.70	109.10
1	AA	1364	U	C2-N3-C4	-6.33	123.20	127.00
3	AC	46	C	N3-C4-N4	6.33	122.43	118.00
26	BB	396	G	N1-C2-N3	6.33	127.70	123.90
26	BB	494	G	C5-C6-O6	-6.33	124.80	128.60
26	BB	583	G	C2-N3-C4	6.33	115.07	111.90
26	BB	2268	A	C8-N9-C4	-6.33	103.27	105.80
26	BB	2308	G	N7-C8-N9	6.33	116.27	113.10
26	BB	2836	U	C5-C6-N1	-6.33	119.53	122.70
32	BH	139	VAL	CA-CB-CG1	6.33	120.40	110.90
1	AA	251	G	O4'-C1'-N9	6.33	113.26	108.20
1	AA	462	G	C6-N1-C2	-6.33	121.30	125.10
4	AD	25	U	O4'-C1'-N1	6.33	113.26	108.20
26	BB	837	C	C5-C6-N1	-6.33	117.83	121.00
26	BB	2402	U	C6-N1-C2	-6.33	117.20	121.00
26	BB	2550	G	C8-N9-C4	-6.33	103.87	106.40
1	AA	380	G	N3-C4-C5	-6.33	125.44	128.60
1	AA	714	G	N3-C4-N9	6.33	129.80	126.00
1	AA	1111	A	C5'-C4'-O4'	6.33	116.69	109.10
1	AA	1231	G	C3'-C2'-C1'	6.33	106.56	101.50
13	AM	72	ARG	NH1-CZ-NH2	-6.33	112.44	119.40
26	BB	85	G	C6-C5-N7	-6.33	126.60	130.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1349	C	C3'-C2'-C1'	6.33	106.56	101.50
26	BB	1457	U	C5-C6-N1	-6.33	119.54	122.70
26	BB	1567	G	N1-C2-N3	6.33	127.70	123.90
26	BB	2178	C	C4'-C3'-C2'	-6.33	96.27	102.60
26	BB	2199	A	C8-N9-C4	-6.33	103.27	105.80
26	BB	2325	G	C5'-C4'-O4'	6.33	116.69	109.10
26	BB	2458	G	C1'-O4'-C4'	-6.33	104.84	109.90
26	BB	2583	G	N1-C6-O6	-6.33	116.10	119.90
26	BB	2722	G	C8-N9-C4	-6.33	103.87	106.40
1	AA	938	A	N1-C6-N6	-6.33	114.80	118.60
26	BB	232	G	N7-C8-N9	6.33	116.26	113.10
26	BB	977	G	C4'-C3'-C2'	-6.33	96.27	102.60
26	BB	1001	A	P-O3'-C3'	6.33	127.29	119.70
26	BB	1866	A	C5'-C4'-O4'	6.33	116.69	109.10
1	AA	247	G	C8-N9-C4	-6.33	103.87	106.40
1	AA	450	G	O4'-C1'-N9	6.33	113.26	108.20
1	AA	770	C	N1-C2-O2	6.33	122.70	118.90
26	BB	109	C	C6-N1-C2	-6.33	117.77	120.30
26	BB	347	A	P-O3'-C3'	6.33	127.29	119.70
26	BB	542	C	C5-C4-N4	-6.33	115.77	120.20
26	BB	967	U	C5-C6-N1	6.33	125.86	122.70
26	BB	1014	A	N1-C6-N6	-6.33	114.81	118.60
26	BB	1682	G	C2-N3-C4	6.33	115.06	111.90
26	BB	1702	G	C5'-C4'-O4'	6.33	116.69	109.10
1	AA	794	A	C5-C6-N6	-6.32	118.64	123.70
1	AA	1196	A	N7-C8-N9	6.32	116.96	113.80
1	AA	1216	A	C4-C5-C6	-6.32	113.84	117.00
26	BB	1839	G	C5-C6-O6	-6.32	124.81	128.60
26	BB	2165	C	C1'-O4'-C4'	6.32	114.96	109.90
26	BB	2792	A	C5'-C4'-O4'	6.32	116.69	109.10
1	AA	180	U	N3-C4-C5	6.32	118.39	114.60
1	AA	812	G	C1'-O4'-C4'	-6.32	104.84	109.90
1	AA	1150	A	N7-C8-N9	-6.32	110.64	113.80
1	AA	1459	G	C6-N1-C2	-6.32	121.31	125.10
26	BB	1787	A	N3-C4-C5	-6.32	122.38	126.80
1	AA	8	A	P-O3'-C3'	6.32	127.28	119.70
1	AA	141	G	C1'-O4'-C4'	-6.32	104.84	109.90
1	AA	833	G	C4'-C3'-C2'	-6.32	96.28	102.60
1	AA	1171	A	C8-N9-C4	-6.32	103.27	105.80
26	BB	642	U	N3-C4-O4	-6.32	114.98	119.40
26	BB	658	U	C5'-C4'-O4'	6.32	116.69	109.10
26	BB	944	C	O4'-C4'-C3'	6.32	111.16	106.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1264	A	N9-C1'-C2'	-6.32	105.05	112.00
26	BB	1573	G	C5'-C4'-O4'	6.32	116.68	109.10
26	BB	1925	C	C2-N3-C4	6.32	123.06	119.90
26	BB	2281	A	N9-C4-C5	6.32	108.33	105.80
26	BB	2382	G	N3-C4-C5	-6.32	125.44	128.60
26	BB	2763	G	N1-C2-N3	6.32	127.69	123.90
1	AA	1104	G	C5-N7-C8	-6.32	101.14	104.30
1	AA	1301	U	C3'-C2'-C1'	-6.32	96.44	101.50
26	BB	9	G	C8-N9-C4	6.32	108.93	106.40
26	BB	111	A	N1-C2-N3	-6.32	126.14	129.30
26	BB	1075	C	C4'-C3'-C2'	-6.32	96.28	102.60
26	BB	2443	C	C2-N3-C4	6.32	123.06	119.90
26	BB	2555	U	C5-C6-N1	-6.32	119.54	122.70
38	BN	120	VAL	CG1-CB-CG2	-6.32	100.79	110.90
1	AA	265	G	C4'-C3'-C2'	-6.32	96.28	102.60
1	AA	607	A	C4-C5-C6	-6.32	113.84	117.00
1	AA	738	C	C4-C5-C6	-6.32	114.24	117.40
1	AA	1083	U	N1-C2-N3	6.32	118.69	114.90
1	AA	1253	G	C6-C5-N7	-6.32	126.61	130.40
1	AA	1284	C	C4'-C3'-C2'	-6.32	96.28	102.60
1	AA	1331	G	C4-C5-C6	6.32	122.59	118.80
1	AA	1333	A	N1-C6-N6	-6.32	114.81	118.60
1	AA	1502	A	N1-C6-N6	-6.32	114.81	118.60
2	AB	66	C	N1-C1'-C2'	-6.32	105.05	112.00
2	AB	73	G	C2-N3-C4	6.32	115.06	111.90
3	AC	17	U	N1-C2-O2	6.32	127.22	122.80
26	BB	450	G	C5'-C4'-O4'	6.32	116.68	109.10
26	BB	464	U	O4'-C1'-C2'	-6.32	99.48	105.80
26	BB	724	U	N1-C1'-C2'	-6.32	105.05	112.00
26	BB	1125	G	O4'-C1'-N9	6.32	113.25	108.20
1	AA	200	G	C8-N9-C4	-6.32	103.87	106.40
1	AA	395	C	C5-C6-N1	6.32	124.16	121.00
1	AA	646	G	N1-C6-O6	-6.32	116.11	119.90
1	AA	673	A	C1'-O4'-C4'	6.32	114.95	109.90
1	AA	848	C	C4'-C3'-C2'	-6.32	96.28	102.60
1	AA	1353	G	C6-N1-C2	-6.32	121.31	125.10
1	AA	1486	G	N9-C4-C5	-6.32	102.87	105.40
25	BA	54	G	C4-C5-N7	-6.32	108.27	110.80
25	BA	92	C	O4'-C1'-C2'	-6.32	99.48	105.80
26	BB	591	U	C4'-C3'-C2'	-6.32	96.28	102.60
26	BB	1433	A	C4-C5-C6	-6.32	113.84	117.00
26	BB	1555	G	C8-N9-C4	6.32	108.93	106.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2316	G	N3-C4-C5	-6.32	125.44	128.60
26	BB	2815	C	N3-C4-C5	-6.32	119.37	121.90
1	AA	303	A	C1'-O4'-C4'	-6.31	104.85	109.90
1	AA	654	G	N1-C2-N3	-6.31	120.11	123.90
26	BB	99	U	N1-C2-N3	6.31	118.69	114.90
26	BB	1026	G	P-O3'-C3'	6.31	127.28	119.70
26	BB	1310	G	C2-N3-C4	6.31	115.06	111.90
26	BB	1904	G	O5'-P-OP2	-6.31	100.02	105.70
26	BB	2101	A	N9-C4-C5	6.31	108.33	105.80
51	B0	7	ARG	NE-CZ-NH2	-6.31	117.14	120.30
1	AA	17	U	C4-C5-C6	6.31	123.49	119.70
1	AA	1247	U	C4'-C3'-C2'	-6.31	96.29	102.60
1	AA	1288	A	C5-C6-N6	-6.31	118.65	123.70
1	AA	1307	U	O4'-C1'-N1	6.31	113.25	108.20
25	BA	23	G	C6-N1-C2	-6.31	121.31	125.10
26	BB	1359	A	O4'-C4'-C3'	6.31	111.15	106.10
26	BB	2252	G	N7-C8-N9	6.31	116.26	113.10
26	BB	2452	C	O4'-C1'-C2'	-6.31	99.49	105.80
26	BB	2598	A	C4-C5-C6	-6.31	113.84	117.00
26	BB	2802	G	N9-C4-C5	6.31	107.92	105.40
1	AA	22	G	N9-C1'-C2'	-6.31	105.06	112.00
1	AA	173	U	C4-C5-C6	6.31	123.49	119.70
1	AA	377	G	C6-N1-C2	-6.31	121.31	125.10
4	AD	15	G	C5-C6-N1	6.31	114.66	111.50
4	AD	71	G	C5'-C4'-O4'	6.31	116.67	109.10
26	BB	460	A	C5-C6-N1	6.31	120.86	117.70
26	BB	1840	G	C4-C5-N7	-6.31	108.28	110.80
26	BB	2138	G	N1-C2-N3	6.31	127.69	123.90
1	AA	576	C	C5'-C4'-C3'	-6.31	105.91	116.00
1	AA	1100	C	C5-C4-N4	6.31	124.62	120.20
26	BB	32	C	P-O3'-C3'	6.31	127.27	119.70
26	BB	150	U	C6-N1-C2	-6.31	117.21	121.00
26	BB	1325	U	P-O3'-C3'	6.31	127.27	119.70
26	BB	2466	C	O4'-C1'-N1	6.31	113.25	108.20
26	BB	2514	U	P-O3'-C3'	6.31	127.27	119.70
26	BB	2855	C	C5-C6-N1	-6.31	117.85	121.00
1	AA	163	C	N1-C2-O2	6.31	122.69	118.90
1	AA	320	A	O4'-C1'-N9	6.31	113.25	108.20
1	AA	796	C	O4'-C1'-N1	6.31	113.25	108.20
1	AA	831	A	C4'-C3'-C2'	-6.31	96.29	102.60
1	AA	874	G	N3-C2-N2	-6.31	115.48	119.90
1	AA	1314	C	N3-C2-O2	-6.31	117.48	121.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	AD	5	G	C5-C6-N1	6.31	114.65	111.50
26	BB	445	C	N1-C2-O2	6.31	122.68	118.90
26	BB	502	A	O4'-C1'-N9	6.31	113.25	108.20
26	BB	560	C	O4'-C1'-N1	6.31	113.25	108.20
26	BB	725	G	C6-N1-C2	-6.31	121.31	125.10
26	BB	964	C	C5-C4-N4	-6.31	115.78	120.20
26	BB	1276	A	C4-C5-N7	-6.31	107.55	110.70
26	BB	1495	A	N9-C4-C5	-6.31	103.28	105.80
26	BB	130	C	C2-N3-C4	-6.31	116.75	119.90
26	BB	163	C	N3-C2-O2	-6.31	117.49	121.90
26	BB	349	U	N1-C2-N3	6.31	118.68	114.90
26	BB	700	G	C1'-O4'-C4'	6.31	114.94	109.90
26	BB	1265	A	C5'-C4'-C3'	-6.31	105.91	116.00
26	BB	2381	A	OP1-P-OP2	6.31	129.06	119.60
1	AA	850	U	O4'-C1'-N1	6.30	113.24	108.20
1	AA	880	C	C5'-C4'-O4'	-6.30	101.54	109.10
1	AA	1237	C	N3-C4-C5	-6.30	119.38	121.90
1	AA	1453	G	C4-C5-N7	6.30	113.32	110.80
4	AD	24	C	C4'-C3'-C2'	-6.30	96.30	102.60
26	BB	507	A	C4-C5-C6	-6.30	113.85	117.00
26	BB	910	A	C1'-O4'-C4'	-6.30	104.86	109.90
26	BB	1713	A	N1-C6-N6	-6.30	114.82	118.60
26	BB	2163	A	N7-C8-N9	-6.30	110.65	113.80
26	BB	2526	G	C5-C6-O6	6.30	132.38	128.60
26	BB	2607	G	N3-C4-C5	-6.30	125.45	128.60
26	BB	2828	G	C6-C5-N7	-6.30	126.62	130.40
30	BF	33	VAL	CG1-CB-CG2	-6.30	100.81	110.90
1	AA	55	A	C5-C6-N6	-6.30	118.66	123.70
1	AA	213	G	C5'-C4'-C3'	-6.30	105.92	116.00
1	AA	743	A	C4'-C3'-C2'	-6.30	96.30	102.60
1	AA	1296	C	N3-C4-N4	6.30	122.41	118.00
26	BB	451	U	N1-C2-O2	-6.30	118.39	122.80
26	BB	2528	U	O4'-C1'-N1	6.30	113.24	108.20
1	AA	86	G	C8-N9-C4	-6.30	103.88	106.40
1	AA	716	A	C6-N1-C2	6.30	122.38	118.60
1	AA	1324	A	N9-C4-C5	-6.30	103.28	105.80
1	AA	1346	A	O3'-P-O5'	-6.30	92.03	104.00
1	AA	1464	U	C6-N1-C2	6.30	124.78	121.00
25	BA	80	U	N1-C2-N3	6.30	118.68	114.90
26	BB	45	G	C2-N3-C4	6.30	115.05	111.90
26	BB	300	A	C5-C6-N6	6.30	128.74	123.70
26	BB	630	G	C3'-C2'-C1'	6.30	106.54	101.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1059	G	C5'-C4'-O4'	6.30	116.66	109.10
1	AA	1246	A	C4'-C3'-C2'	-6.30	96.30	102.60
1	AA	1439	G	C4-C5-C6	6.30	122.58	118.80
2	AB	29	G	C5-C6-N1	-6.30	108.35	111.50
2	AB	38	A	N3-C4-C5	-6.30	122.39	126.80
26	BB	1537	G	C2-N3-C4	-6.30	108.75	111.90
26	BB	1875	G	C5-C6-N1	6.30	114.65	111.50
26	BB	2722	G	C4-C5-C6	6.30	122.58	118.80
26	BB	2876	G	N3-C2-N2	-6.30	115.49	119.90
1	AA	651	C	O4'-C4'-C3'	6.30	111.14	106.10
1	AA	1059	C	C5'-C4'-C3'	-6.30	105.92	116.00
26	BB	510	C	C5-C4-N4	-6.30	115.79	120.20
26	BB	838	C	C5'-C4'-C3'	-6.30	105.92	116.00
26	BB	901	C	N3-C2-O2	-6.30	117.49	121.90
26	BB	1218	G	C8-N9-C4	6.30	108.92	106.40
26	BB	2078	C	C2-N3-C4	6.30	123.05	119.90
26	BB	2167	U	O4'-C1'-N1	6.30	113.24	108.20
26	BB	2607	G	C5-N7-C8	-6.30	101.15	104.30
1	AA	1333	A	N1-C2-N3	-6.30	126.15	129.30
26	BB	503	A	N9-C4-C5	-6.30	103.28	105.80
26	BB	619	G	N9-C4-C5	6.30	107.92	105.40
26	BB	643	A	C2'-C3'-O3'	6.30	123.77	113.70
26	BB	1012	U	C5-C6-N1	-6.30	119.55	122.70
26	BB	1503	A	N7-C8-N9	6.30	116.95	113.80
1	AA	554	A	C6-C5-N7	6.29	136.71	132.30
1	AA	570	G	C2-N3-C4	6.29	115.05	111.90
1	AA	1292	G	C8-N9-C1'	6.29	135.18	127.00
26	BB	1007	C	N3-C4-N4	-6.29	113.59	118.00
48	BX	91	PHE	CG-CD1-CE1	6.29	127.72	120.80
1	AA	81	A	C4-C5-C6	-6.29	113.85	117.00
1	AA	247	G	N3-C4-C5	-6.29	125.45	128.60
1	AA	794	A	N1-C6-N6	6.29	122.38	118.60
1	AA	1254	A	C4'-C3'-C2'	-6.29	96.31	102.60
24	AX	36	PHE	CD1-CE1-CZ	-6.29	112.55	120.10
26	BB	318	C	C3'-C2'-C1'	6.29	106.53	101.50
26	BB	513	A	C3'-C2'-C1'	6.29	106.53	101.50
26	BB	575	A	C3'-C2'-C1'	-6.29	96.47	101.50
26	BB	1219	U	C4-C5-C6	6.29	123.48	119.70
26	BB	1275	A	C4-C5-N7	6.29	113.85	110.70
26	BB	2052	A	C5-C6-N6	-6.29	118.67	123.70
1	AA	534	U	N3-C2-O2	-6.29	117.80	122.20
1	AA	568	G	C4-C5-N7	6.29	113.32	110.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	819	A	O4'-C1'-N9	6.29	113.23	108.20
1	AA	1261	A	C5-C6-N1	6.29	120.84	117.70
1	AA	1343	G	C3'-C2'-C1'	6.29	106.53	101.50
9	AI	78	PHE	CB-CG-CD1	6.29	125.20	120.80
25	BA	41	G	C4-C5-N7	6.29	113.32	110.80
26	BB	8	C	N3-C4-C5	-6.29	119.38	121.90
26	BB	401	A	O4'-C4'-C3'	-6.29	97.71	104.00
26	BB	579	G	N9-C4-C5	-6.29	102.88	105.40
26	BB	768	G	C8-N9-C4	-6.29	103.88	106.40
26	BB	883	G	C1'-O4'-C4'	6.29	114.93	109.90
26	BB	900	A	N3-C4-C5	-6.29	122.40	126.80
26	BB	1278	C	N3-C4-C5	-6.29	119.38	121.90
26	BB	1581	G	C1'-O4'-C4'	-6.29	104.87	109.90
26	BB	2093	G	C5-C6-N1	6.29	114.65	111.50
26	BB	2376	A	N1-C6-N6	6.29	122.37	118.60
29	BE	125	TRP	CD1-NE1-CE2	6.29	114.66	109.00
1	AA	1501	C	N3-C4-N4	6.29	122.40	118.00
3	AC	55	A	C2-N3-C4	6.29	113.75	110.60
25	BA	9	G	N3-C4-C5	-6.29	125.45	128.60
26	BB	460	A	C8-N9-C4	-6.29	103.28	105.80
26	BB	2344	U	C3'-C2'-C1'	-6.29	96.47	101.50
26	BB	2585	U	C5-C6-N1	-6.29	119.56	122.70
1	AA	50	A	C8-N9-C4	-6.29	103.28	105.80
1	AA	232	G	C5-N7-C8	6.29	107.44	104.30
1	AA	620	C	C5'-C4'-O4'	6.29	116.65	109.10
22	AV	60	PHE	CB-CG-CD1	-6.29	116.40	120.80
26	BB	82	U	N3-C4-C5	-6.29	110.83	114.60
26	BB	161	A	C4'-C3'-C2'	-6.29	96.31	102.60
26	BB	865	C	N1-C2-N3	-6.29	114.80	119.20
26	BB	2261	C	C5'-C4'-C3'	-6.29	105.94	116.00
26	BB	2665	A	N9-C4-C5	6.29	108.31	105.80
1	AA	113	G	N3-C4-N9	6.29	129.77	126.00
1	AA	129	A	C2-N3-C4	6.29	113.74	110.60
1	AA	965	U	C2-N1-C1'	6.29	125.25	117.70
1	AA	1473	G	C5-C6-N1	6.29	114.64	111.50
2	AB	45	U	C4'-C3'-C2'	-6.29	96.31	102.60
26	BB	117	G	C8-N9-C4	-6.29	103.89	106.40
26	BB	438	G	C6-C5-N7	-6.29	126.63	130.40
26	BB	1037	G	C5-N7-C8	-6.29	101.16	104.30
26	BB	1850	G	C5-C6-N1	6.29	114.64	111.50
26	BB	1909	C	C3'-C2'-C1'	-6.29	96.47	101.50
26	BB	2004	G	C5-N7-C8	-6.29	101.16	104.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	45	G	N9-C4-C5	6.29	107.91	105.40
1	AA	691	G	N1-C6-O6	6.29	123.67	119.90
1	AA	1244	G	O4'-C1'-N9	6.29	113.23	108.20
2	AB	59	G	C8-N9-C4	-6.29	103.89	106.40
3	AC	22	G	C2'-C3'-O3'	6.29	123.76	113.70
25	BA	37	C	C6-N1-C2	-6.29	117.79	120.30
25	BA	120	U	C5-C6-N1	-6.29	119.56	122.70
26	BB	336	C	C5-C4-N4	-6.29	115.80	120.20
26	BB	618	G	N1-C2-N2	6.29	121.86	116.20
26	BB	817	C	N1-C2-N3	-6.29	114.80	119.20
26	BB	2215	C	C6-N1-C2	-6.29	117.79	120.30
26	BB	2459	A	C8-N9-C4	-6.29	103.29	105.80
26	BB	2651	C	C4'-C3'-C2'	-6.29	96.31	102.60
1	AA	67	C	C5'-C4'-O4'	6.28	116.64	109.10
1	AA	105	G	C8-N9-C4	-6.28	103.89	106.40
1	AA	1064	G	C3'-C2'-C1'	6.28	106.53	101.50
1	AA	1215	G	N9-C1'-C2'	-6.28	105.09	112.00
1	AA	1238	A	C4-C5-N7	-6.28	107.56	110.70
2	AB	75	C	P-O3'-C3'	6.28	127.24	119.70
25	BA	38	C	C6-N1-C2	6.28	122.81	120.30
26	BB	626	A	C6-C5-N7	6.28	136.70	132.30
26	BB	1109	C	N3-C4-N4	-6.28	113.60	118.00
26	BB	1633	G	C2-N3-C4	6.28	115.04	111.90
26	BB	1672	A	C5'-C4'-O4'	6.28	116.64	109.10
26	BB	1998	A	C4'-C3'-C2'	-6.28	96.32	102.60
32	BH	168	VAL	CA-CB-CG1	6.28	120.33	110.90
41	BQ	97	PHE	CB-CG-CD2	-6.28	116.40	120.80
1	AA	32	A	N9-C1'-C2'	-6.28	105.09	112.00
1	AA	625	U	N3-C2-O2	-6.28	117.80	122.20
1	AA	771	G	C6-N1-C2	-6.28	121.33	125.10
26	BB	127	A	C5'-C4'-O4'	6.28	116.64	109.10
26	BB	148	U	C2-N3-C4	-6.28	123.23	127.00
26	BB	421	C	N1-C2-O2	6.28	122.67	118.90
26	BB	491	G	O4'-C1'-N9	6.28	113.22	108.20
26	BB	1138	G	C5'-C4'-O4'	6.28	116.64	109.10
26	BB	2764	A	N9-C4-C5	6.28	108.31	105.80
1	AA	212	G	C8-N9-C4	-6.28	103.89	106.40
1	AA	253	A	C8-N9-C4	-6.28	103.29	105.80
1	AA	413	G	C1'-O4'-C4'	-6.28	104.88	109.90
1	AA	493	A	C6-C5-N7	6.28	136.70	132.30
1	AA	790	A	C5-N7-C8	-6.28	100.76	103.90
1	AA	962	C	P-O3'-C3'	6.28	127.24	119.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1312	G	N1-C6-O6	-6.28	116.13	119.90
2	AB	30	G	C6-N1-C2	-6.28	121.33	125.10
8	AH	68	ARG	NE-CZ-NH1	-6.28	117.16	120.30
17	AQ	32	ASP	CB-CG-OD2	-6.28	112.65	118.30
19	AS	39	PHE	CB-CG-CD1	-6.28	116.40	120.80
25	BA	10	G	C5-N7-C8	6.28	107.44	104.30
26	BB	29	U	P-O3'-C3'	6.28	127.24	119.70
26	BB	55	G	N7-C8-N9	6.28	116.24	113.10
26	BB	1053	C	O4'-C1'-N1	6.28	113.22	108.20
26	BB	1536	C	N3-C2-O2	-6.28	117.50	121.90
26	BB	1622	G	N1-C2-N2	6.28	121.85	116.20
26	BB	1787	A	O4'-C1'-N9	-6.28	103.17	108.20
26	BB	2037	A	N3-C4-C5	-6.28	122.40	126.80
26	BB	2499	C	C4'-C3'-C2'	-6.28	96.32	102.60
26	BB	2550	G	N7-C8-N9	-6.28	109.96	113.10
26	BB	2601	C	N3-C2-O2	-6.28	117.50	121.90
1	AA	973	G	O4'-C4'-C3'	6.28	111.12	106.10
13	AM	9	ARG	NE-CZ-NH2	6.28	123.44	120.30
26	BB	2008	C	N3-C4-N4	6.28	122.40	118.00
26	BB	2173	A	C5-N7-C8	-6.28	100.76	103.90
26	BB	2764	A	N7-C8-N9	6.28	116.94	113.80
1	AA	354	G	N9-C4-C5	-6.28	102.89	105.40
1	AA	923	A	C5-N7-C8	-6.28	100.76	103.90
1	AA	1147	C	N3-C2-O2	-6.28	117.51	121.90
1	AA	1335	U	C5'-C4'-O4'	6.28	116.63	109.10
25	BA	5	U	C5-C6-N1	-6.28	119.56	122.70
25	BA	112	G	N1-C6-O6	6.28	123.67	119.90
26	BB	458	G	N7-C8-N9	6.28	116.24	113.10
26	BB	500	G	C4-C5-N7	6.28	113.31	110.80
26	BB	967	U	N1-C1'-C2'	-6.28	105.10	112.00
26	BB	1717	A	C4-C5-N7	-6.28	107.56	110.70
26	BB	2481	G	P-O3'-C3'	6.28	127.23	119.70
26	BB	2640	G	C4-C5-C6	6.28	122.57	118.80
26	BB	2876	G	N3-C4-N9	6.28	129.77	126.00
1	AA	563	A	N1-C2-N3	6.28	132.44	129.30
1	AA	1260	G	C4-C5-N7	6.28	113.31	110.80
1	AA	1318	A	C5-N7-C8	6.28	107.04	103.90
25	BA	47	C	C2-N3-C4	6.28	123.04	119.90
26	BB	904	G	N9-C4-C5	6.28	107.91	105.40
26	BB	996	A	C1'-O4'-C4'	6.28	114.92	109.90
26	BB	1024	G	N3-C4-N9	6.28	129.77	126.00
26	BB	1235	G	P-O3'-C3'	6.28	127.23	119.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1530	G	C5-C6-N1	6.28	114.64	111.50
26	BB	1845	G	C5-N7-C8	-6.28	101.16	104.30
26	BB	1877	A	C5-C6-N1	6.28	120.84	117.70
26	BB	1897	G	C6-C5-N7	-6.28	126.64	130.40
26	BB	1971	U	C5-C6-N1	6.28	125.84	122.70
26	BB	2122	U	N1-C2-N3	6.28	118.67	114.90
26	BB	2301	C	N1-C2-O2	6.28	122.67	118.90
26	BB	1885	A	N1-C2-N3	-6.27	126.16	129.30
26	BB	1956	U	C5-C4-O4	-6.27	122.14	125.90
26	BB	1993	U	C4'-C3'-C2'	-6.27	96.33	102.60
26	BB	2799	A	C2-N3-C4	6.27	113.74	110.60
1	AA	395	C	O4'-C1'-N1	6.27	113.22	108.20
1	AA	730	G	C3'-C2'-C1'	6.27	106.52	101.50
1	AA	924	C	C6-N1-C2	-6.27	117.79	120.30
1	AA	1067	A	O4'-C1'-C2'	-6.27	99.53	105.80
26	BB	56	A	O4'-C4'-C3'	-6.27	97.73	104.00
26	BB	473	G	C5-C6-N1	-6.27	108.36	111.50
26	BB	1709	U	N1-C1'-C2'	-6.27	105.10	112.00
26	BB	2057	G	C8-N9-C4	-6.27	103.89	106.40
26	BB	2224	G	C4'-C3'-C2'	-6.27	96.33	102.60
26	BB	2352	A	P-O3'-C3'	6.27	127.23	119.70
26	BB	2701	U	N1-C2-N3	6.27	118.66	114.90
26	BB	2759	G	N1-C6-O6	-6.27	116.14	119.90
26	BB	2799	A	C3'-C2'-C1'	6.27	106.52	101.50
4	AD	16	C	C3'-C2'-C1'	6.27	106.52	101.50
4	AD	41	C	C4-C5-C6	-6.27	114.27	117.40
25	BA	55	U	N3-C4-O4	6.27	123.79	119.40
26	BB	108	G	C6-C5-N7	-6.27	126.64	130.40
26	BB	1063	G	N3-C2-N2	6.27	124.29	119.90
26	BB	1679	A	C1'-O4'-C4'	6.27	114.92	109.90
26	BB	2025	C	N3-C4-C5	-6.27	119.39	121.90
26	BB	2854	G	N7-C8-N9	6.27	116.24	113.10
1	AA	350	G	N3-C2-N2	-6.27	115.51	119.90
1	AA	714	G	N3-C2-N2	-6.27	115.51	119.90
1	AA	1251	A	C5-N7-C8	-6.27	100.77	103.90
1	AA	1466	C	C4'-C3'-C2'	-6.27	96.33	102.60
25	BA	6	G	C4-N9-C1'	-6.27	118.35	126.50
25	BA	31	C	O4'-C1'-N1	6.27	113.22	108.20
26	BB	774	G	N7-C8-N9	6.27	116.23	113.10
26	BB	1433	A	N1-C6-N6	-6.27	114.84	118.60
26	BB	1747	U	O4'-C1'-N1	6.27	113.22	108.20
26	BB	2234	G	O4'-C1'-N9	6.27	113.22	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2235	G	C5-C6-O6	-6.27	124.84	128.60
26	BB	2329	U	C2-N3-C4	-6.27	123.24	127.00
26	BB	2467	C	N1-C2-O2	6.27	122.66	118.90
26	BB	2671	G	C5-C6-O6	-6.27	124.84	128.60
26	BB	2728	U	C5-C4-O4	-6.27	122.14	125.90
26	BB	2879	A	C5-C6-N1	6.27	120.83	117.70
1	AA	766	A	C4-C5-N7	6.27	113.83	110.70
1	AA	951	G	C4-C5-C6	6.27	122.56	118.80
1	AA	976	G	C5-N7-C8	-6.27	101.17	104.30
1	AA	1016	A	N9-C4-C5	-6.27	103.29	105.80
1	AA	1228	C	N1-C1'-C2'	-6.27	105.11	112.00
2	AB	5	G	N7-C8-N9	6.27	116.23	113.10
26	BB	381	G	C6-N1-C2	-6.27	121.34	125.10
26	BB	479	A	N1-C2-N3	6.27	132.43	129.30
26	BB	517	C	N3-C2-O2	6.27	126.29	121.90
26	BB	1981	A	C4-C5-N7	-6.27	107.57	110.70
26	BB	2116	G	C4-C5-N7	-6.27	108.29	110.80
29	BE	60	VAL	CA-CB-CG1	6.27	120.30	110.90
25	BA	15	A	N9-C4-C5	-6.27	103.29	105.80
26	BB	517	C	C5'-C4'-C3'	-6.27	105.97	116.00
26	BB	1924	C	C5-C4-N4	-6.27	115.81	120.20
26	BB	2173	A	C6-N1-C2	6.27	122.36	118.60
26	BB	2674	G	C4-C5-N7	-6.27	108.29	110.80
1	AA	511	C	C5-C4-N4	-6.26	115.81	120.20
26	BB	1216	G	C6-C5-N7	-6.26	126.64	130.40
26	BB	1285	A	C5'-C4'-C3'	-6.26	105.97	116.00
1	AA	337	G	C4'-C3'-C2'	-6.26	96.34	102.60
26	BB	423	A	C5-N7-C8	-6.26	100.77	103.90
26	BB	1946	U	C5-C6-N1	6.26	125.83	122.70
1	AA	404	G	C5'-C4'-O4'	6.26	116.61	109.10
1	AA	1341	U	C2-N3-C4	-6.26	123.24	127.00
25	BA	50	A	C5-C6-N1	6.26	120.83	117.70
26	BB	26	G	N1-C6-O6	-6.26	116.14	119.90
26	BB	350	G	C5-N7-C8	-6.26	101.17	104.30
26	BB	790	U	C6-N1-C2	-6.26	117.24	121.00
26	BB	794	A	N3-C4-C5	-6.26	122.42	126.80
26	BB	888	C	N3-C2-O2	-6.26	117.52	121.90
26	BB	971	G	C5-N7-C8	-6.26	101.17	104.30
26	BB	1449	G	C6-N1-C2	-6.26	121.34	125.10
26	BB	1667	G	C4-C5-N7	6.26	113.31	110.80
26	BB	2293	G	C5'-C4'-C3'	-6.26	105.98	116.00
26	BB	2296	U	N3-C4-C5	-6.26	110.84	114.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2636	C	N3-C2-O2	-6.26	117.52	121.90
1	AA	1103	C	C4'-C3'-C2'	-6.26	96.34	102.60
26	BB	554	U	C3'-C2'-C1'	6.26	106.51	101.50
26	BB	732	C	N1-C1'-C2'	-6.26	105.11	112.00
26	BB	770	G	C5'-C4'-O4'	6.26	116.61	109.10
26	BB	926	G	C6-N1-C2	-6.26	121.34	125.10
26	BB	1253	A	C5'-C4'-O4'	6.26	116.61	109.10
26	BB	1459	G	N3-C4-C5	-6.26	125.47	128.60
26	BB	1903	G	C4-C5-N7	-6.26	108.30	110.80
26	BB	2455	G	C2-N3-C4	6.26	115.03	111.90
26	BB	2487	G	P-O3'-C3'	6.26	127.21	119.70
3	AC	59	A	N1-C2-N3	-6.26	126.17	129.30
26	BB	1454	C	N3-C4-C5	-6.26	119.40	121.90
26	BB	1478	G	C4-C5-C6	-6.26	115.05	118.80
26	BB	2842	G	C5-C6-N1	-6.26	108.37	111.50
1	AA	381	C	O4'-C4'-C3'	6.26	111.10	106.10
1	AA	1099	G	C6-C5-N7	-6.26	126.65	130.40
1	AA	1121	U	C5'-C4'-C3'	-6.26	105.99	116.00
7	AG	50	TYR	CB-CG-CD2	-6.26	117.25	121.00
25	BA	95	U	C5-C6-N1	-6.26	119.57	122.70
26	BB	45	G	N3-C2-N2	6.26	124.28	119.90
26	BB	287	G	C1'-O4'-C4'	6.26	114.91	109.90
26	BB	588	U	N1-C2-O2	6.26	127.18	122.80
26	BB	655	A	P-O3'-C3'	6.26	127.21	119.70
26	BB	726	G	N3-C4-C5	-6.26	125.47	128.60
26	BB	887	U	O4'-C1'-C2'	-6.26	99.54	105.80
26	BB	926	G	C1'-O4'-C4'	-6.26	104.89	109.90
26	BB	1391	U	C2'-C3'-O3'	6.26	123.71	113.70
26	BB	1393	A	C6-N1-C2	-6.26	114.85	118.60
26	BB	1453	A	N3-C4-C5	-6.26	122.42	126.80
26	BB	2816	G	C3'-C2'-C1'	-6.26	96.50	101.50
34	BJ	95	PHE	CD1-CG-CD2	6.26	126.44	118.30
1	AA	1408	A	N3-C4-C5	-6.25	122.42	126.80
26	BB	442	G	P-O3'-C3'	6.25	127.21	119.70
26	BB	1423	G	C4'-C3'-C2'	-6.25	96.34	102.60
26	BB	1441	G	N7-C8-N9	6.25	116.23	113.10
26	BB	2058	A	C4-C5-C6	-6.25	113.87	117.00
26	BB	2175	C	C5'-C4'-O4'	6.25	116.61	109.10
26	BB	2197	U	O4'-C1'-N1	6.25	113.20	108.20
1	AA	30	U	C3'-C2'-C1'	6.25	106.50	101.50
1	AA	412	A	N1-C2-N3	-6.25	126.17	129.30
1	AA	560	A	C3'-C2'-C1'	6.25	106.50	101.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	859	G	O5'-P-OP1	-6.25	100.07	105.70
1	AA	884	U	O4'-C1'-N1	6.25	113.20	108.20
1	AA	938	A	N1-C2-N3	-6.25	126.17	129.30
5	AE	197	PHE	CB-CG-CD1	6.25	125.18	120.80
13	AM	72	ARG	NE-CZ-NH1	6.25	123.43	120.30
26	BB	231	A	C4-C5-C6	-6.25	113.87	117.00
26	BB	254	G	N1-C6-O6	-6.25	116.15	119.90
26	BB	707	G	N7-C8-N9	6.25	116.23	113.10
26	BB	1255	U	C5-C4-O4	-6.25	122.15	125.90
26	BB	1353	A	N1-C6-N6	6.25	122.35	118.60
26	BB	1959	G	N9-C4-C5	6.25	107.90	105.40
26	BB	2043	C	C4-C5-C6	-6.25	114.27	117.40
26	BB	2320	U	C5-C6-N1	-6.25	119.57	122.70
1	AA	269	C	O4'-C1'-N1	6.25	113.20	108.20
1	AA	278	G	N3-C4-C5	-6.25	125.47	128.60
1	AA	388	G	C3'-C2'-C1'	-6.25	96.50	101.50
1	AA	1243	C	C2-N1-C1'	-6.25	111.92	118.80
4	AD	16	C	N3-C4-C5	-6.25	119.40	121.90
4	AD	48	U	N1-C2-O2	6.25	127.18	122.80
7	AG	50	TYR	CB-CG-CD1	-6.25	117.25	121.00
26	BB	171	U	N3-C4-C5	-6.25	110.85	114.60
26	BB	346	A	C4'-C3'-C2'	-6.25	96.35	102.60
26	BB	1558	C	N3-C2-O2	-6.25	117.52	121.90
26	BB	1839	G	N3-C4-N9	-6.25	122.25	126.00
26	BB	1878	G	C4-C5-C6	6.25	122.55	118.80
26	BB	2126	A	N3-C4-N9	-6.25	122.40	127.40
26	BB	2708	G	C8-N9-C4	-6.25	103.90	106.40
26	BB	2805	C	C5'-C4'-O4'	6.25	116.60	109.10
26	BB	2849	U	C5-C6-N1	-6.25	119.57	122.70
26	BB	2865	U	N1-C2-N3	6.25	118.65	114.90
1	AA	413	G	C5-C6-N1	-6.25	108.38	111.50
1	AA	494	G	N9-C4-C5	-6.25	102.90	105.40
1	AA	983	A	C1'-O4'-C4'	-6.25	104.90	109.90
26	BB	1085	A	C4'-C3'-C2'	-6.25	96.35	102.60
26	BB	1088	A	O4'-C1'-N9	6.25	113.20	108.20
26	BB	2186	G	C5-N7-C8	6.25	107.42	104.30
54	B3	12	ARG	NE-CZ-NH2	-6.25	117.17	120.30
1	AA	185	U	C5'-C4'-O4'	6.25	116.60	109.10
14	AN	52	ARG	NE-CZ-NH2	-6.25	117.18	120.30
20	AT	76	ARG	NE-CZ-NH1	6.25	123.42	120.30
25	BA	21	G	C4-C5-C6	6.25	122.55	118.80
26	BB	160	A	N1-C2-N3	-6.25	126.17	129.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	477	A	N1-C2-N3	-6.25	126.18	129.30
26	BB	1657	U	C5'-C4'-O4'	6.25	116.60	109.10
26	BB	1718	G	N3-C4-N9	6.25	129.75	126.00
26	BB	2508	G	C5-N7-C8	-6.25	101.18	104.30
43	BS	5	ARG	NE-CZ-NH1	6.25	123.42	120.30
46	BV	80	TRP	NE1-CE2-CD2	-6.25	101.05	107.30
1	AA	338	A	C4-C5-C6	6.25	120.12	117.00
1	AA	746	A	N1-C6-N6	6.25	122.35	118.60
1	AA	1300	G	C5'-C4'-O4'	6.25	116.59	109.10
1	AA	1315	U	C5-C4-O4	-6.25	122.15	125.90
2	AB	4	G	C5-C6-O6	-6.25	124.85	128.60
4	AD	41	C	N3-C2-O2	-6.25	117.53	121.90
26	BB	623	C	C3'-C2'-C1'	-6.25	96.50	101.50
26	BB	924	G	C4-C5-N7	-6.25	108.30	110.80
26	BB	1273	U	O4'-C1'-N1	-6.25	103.20	108.20
26	BB	1538	G	C5-C6-N1	6.25	114.62	111.50
26	BB	1571	A	C5-N7-C8	-6.25	100.78	103.90
26	BB	1674	G	C4-C5-N7	6.25	113.30	110.80
26	BB	1823	G	C2-N3-C4	6.25	115.02	111.90
26	BB	2121	G	N9-C4-C5	6.25	107.90	105.40
26	BB	2128	G	C6-N1-C2	-6.25	121.35	125.10
26	BB	2626	C	C6-N1-C2	-6.25	117.80	120.30
46	BV	13	ALA	N-CA-CB	-6.25	101.35	110.10
1	AA	545	C	C5-C4-N4	-6.25	115.83	120.20
1	AA	583	A	N1-C2-N3	6.25	132.42	129.30
1	AA	1446	A	C8-N9-C4	6.25	108.30	105.80
26	BB	163	C	C5-C4-N4	-6.25	115.83	120.20
26	BB	792	A	C6-C5-N7	6.25	136.67	132.30
1	AA	106	C	N3-C4-N4	-6.24	113.63	118.00
1	AA	886	G	C6-C5-N7	-6.24	126.65	130.40
1	AA	927	G	C5-C6-O6	-6.24	124.85	128.60
1	AA	1079	G	C8-N9-C4	-6.24	103.90	106.40
1	AA	1092	A	C5-C6-N1	6.24	120.82	117.70
1	AA	1130	A	N1-C6-N6	6.24	122.35	118.60
2	AB	34	C	N1-C2-O2	6.24	122.65	118.90
26	BB	857	G	C3'-C2'-C1'	6.24	106.50	101.50
26	BB	908	C	C6-N1-C2	6.24	122.80	120.30
26	BB	1014	A	C6-N1-C2	-6.24	114.85	118.60
26	BB	1115	G	N1-C6-O6	-6.24	116.15	119.90
26	BB	1317	G	N7-C8-N9	-6.24	109.98	113.10
26	BB	1360	G	C5-C6-N1	6.24	114.62	111.50
26	BB	1492	G	N3-C4-C5	-6.24	125.48	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1694	C	C3'-C2'-C1'	-6.24	96.50	101.50
26	BB	2583	G	O4'-C1'-C2'	6.24	113.22	107.60
26	BB	2767	C	N3-C2-O2	-6.24	117.53	121.90
26	BB	2804	U	O4'-C4'-C3'	6.24	111.09	106.10
26	BB	2823	A	N3-C4-C5	-6.24	122.43	126.80
1	AA	576	C	C5-C4-N4	6.24	124.57	120.20
1	AA	1184	G	N9-C1'-C2'	-6.24	105.13	112.00
1	AA	1206	G	C8-N9-C1'	6.24	135.11	127.00
1	AA	1360	A	C2-N3-C4	6.24	113.72	110.60
1	AA	1414	U	N1-C2-O2	6.24	127.17	122.80
2	AB	42	G	C2-N3-C4	6.24	115.02	111.90
26	BB	467	G	C6-C5-N7	-6.24	126.66	130.40
26	BB	2301	C	C3'-C2'-C1'	6.24	106.49	101.50
26	BB	2377	A	C1'-O4'-C4'	-6.24	104.91	109.90
1	AA	278	G	O4'-C4'-C3'	-6.24	97.76	104.00
1	AA	343	U	C6-N1-C2	6.24	124.75	121.00
1	AA	671	G	N7-C8-N9	6.24	116.22	113.10
26	BB	1066	U	N3-C4-C5	-6.24	110.86	114.60
26	BB	1101	U	N3-C4-C5	-6.24	110.86	114.60
26	BB	1309	G	C3'-C2'-C1'	-6.24	96.51	101.50
26	BB	1690	A	C6-C5-N7	-6.24	127.93	132.30
26	BB	2185	U	C2-N3-C4	6.24	130.74	127.00
26	BB	2351	G	C4'-C3'-C2'	-6.24	96.36	102.60
45	BU	92	ARG	NE-CZ-NH2	-6.24	117.18	120.30
1	AA	236	A	N9-C4-C5	-6.24	103.31	105.80
1	AA	725	G	N1-C2-N2	-6.24	110.58	116.20
1	AA	1108	G	N3-C4-C5	-6.24	125.48	128.60
1	AA	1174	G	O4'-C1'-N9	6.24	113.19	108.20
10	AJ	98	LEU	CB-CG-CD2	6.24	121.61	111.00
22	AV	36	ARG	NE-CZ-NH1	6.24	123.42	120.30
25	BA	74	U	C1'-O4'-C4'	6.24	114.89	109.90
26	BB	391	A	C8-N9-C4	-6.24	103.30	105.80
26	BB	552	U	N3-C4-C5	-6.24	110.86	114.60
26	BB	1576	U	C3'-C2'-C1'	6.24	106.49	101.50
26	BB	1626	A	C5-C6-N1	-6.24	114.58	117.70
26	BB	1860	G	O4'-C4'-C3'	-6.24	97.76	104.00
26	BB	2418	A	N9-C1'-C2'	-6.24	105.14	112.00
26	BB	2612	C	C3'-C2'-C1'	6.24	106.49	101.50
1	AA	153	C	C5-C4-N4	-6.24	115.83	120.20
2	AB	53	G	C2-N3-C4	6.24	115.02	111.90
4	AD	59	A	O4'-C1'-N9	6.24	113.19	108.20
26	BB	28	A	C6-C5-N7	6.24	136.67	132.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	792	A	C8-N9-C4	-6.24	103.31	105.80
26	BB	1000	A	C6-N1-C2	-6.24	114.86	118.60
26	BB	1205	A	O4'-C1'-C2'	-6.24	99.56	105.80
26	BB	1378	A	C1'-O4'-C4'	-6.24	104.91	109.90
26	BB	1884	G	C5-C6-O6	6.24	132.34	128.60
26	BB	2391	G	N9-C4-C5	-6.24	102.91	105.40
26	BB	2661	G	C3'-C2'-C1'	6.24	106.49	101.50
1	AA	26	A	C6-N1-C2	-6.24	114.86	118.60
1	AA	246	A	C1'-O4'-C4'	-6.24	104.91	109.90
1	AA	835	U	N1-C1'-C2'	-6.24	105.14	112.00
1	AA	1090	U	O4'-C1'-N1	6.24	113.19	108.20
1	AA	1389	C	N3-C4-N4	6.24	122.36	118.00
3	AC	24	A	C8-N9-C4	-6.24	103.31	105.80
4	AD	51	U	N3-C4-O4	-6.24	115.03	119.40
26	BB	781	A	N1-C2-N3	-6.24	126.18	129.30
26	BB	863	A	N7-C8-N9	6.24	116.92	113.80
26	BB	1066	U	N3-C2-O2	-6.24	117.83	122.20
26	BB	1658	C	O4'-C1'-N1	6.24	113.19	108.20
26	BB	1866	A	C6-N1-C2	6.24	122.34	118.60
26	BB	1937	A	N7-C8-N9	-6.24	110.68	113.80
26	BB	2378	A	C5-N7-C8	6.24	107.02	103.90
26	BB	2662	A	C5-C6-N6	6.24	128.69	123.70
1	AA	511	C	C2-N3-C4	-6.23	116.78	119.90
25	BA	40	U	C5'-C4'-C3'	-6.23	106.03	116.00
25	BA	44	G	C5-C6-O6	-6.23	124.86	128.60
26	BB	1392	A	C3'-C2'-C1'	6.23	106.49	101.50
1	AA	34	C	N1-C2-O2	6.23	122.64	118.90
1	AA	115	G	C5'-C4'-C3'	-6.23	106.03	116.00
1	AA	161	A	C1'-O4'-C4'	6.23	114.89	109.90
1	AA	196	A	C6-C5-N7	-6.23	127.94	132.30
1	AA	319	G	O4'-C1'-C2'	-6.23	99.57	105.80
1	AA	423	G	C8-N9-C4	-6.23	103.91	106.40
1	AA	613	C	N3-C2-O2	-6.23	117.54	121.90
1	AA	860	A	C6-C5-N7	6.23	136.66	132.30
1	AA	1047	G	C4-C5-N7	6.23	113.29	110.80
1	AA	1326	U	N3-C2-O2	-6.23	117.84	122.20
25	BA	68	C	C5'-C4'-C3'	6.23	125.97	116.00
26	BB	481	G	N1-C2-N3	-6.23	120.16	123.90
26	BB	632	A	N1-C2-N3	6.23	132.42	129.30
26	BB	1508	A	C6-N1-C2	-6.23	114.86	118.60
26	BB	1681	G	N3-C2-N2	6.23	124.26	119.90
26	BB	1790	C	C5-C4-N4	-6.23	115.84	120.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	839	C	N3-C4-C5	-6.23	119.41	121.90
1	AA	943	U	C6-N1-C2	-6.23	117.26	121.00
1	AA	1412	C	N1-C2-O2	6.23	122.64	118.90
26	BB	297	G	C4-C5-C6	6.23	122.54	118.80
26	BB	441	U	N3-C4-O4	6.23	123.76	119.40
26	BB	459	U	C5-C4-O4	-6.23	122.16	125.90
26	BB	503	A	C2-N3-C4	-6.23	107.48	110.60
26	BB	870	U	C3'-C2'-C1'	-6.23	96.52	101.50
26	BB	1282	U	C5'-C4'-O4'	6.23	116.58	109.10
26	BB	1535	A	C4'-C3'-C2'	-6.23	96.37	102.60
26	BB	1580	A	N3-C4-C5	-6.23	122.44	126.80
26	BB	1668	A	N7-C8-N9	6.23	116.92	113.80
26	BB	1758	U	C6-N1-C2	-6.23	117.26	121.00
26	BB	2413	G	N9-C4-C5	6.23	107.89	105.40
26	BB	2899	A	C6-N1-C2	-6.23	114.86	118.60
35	BK	114	ALA	CB-CA-C	6.23	119.45	110.10
49	BY	75	ASN	O-C-N	6.23	132.67	122.70
1	AA	1491	G	C5-C6-N1	6.23	114.61	111.50
4	AD	15	G	C4-C5-N7	-6.23	108.31	110.80
26	BB	590	A	C5-C6-N1	6.23	120.81	117.70
26	BB	892	A	O4'-C1'-N9	6.23	113.18	108.20
26	BB	2266	A	C5'-C4'-O4'	-6.23	101.63	109.10
1	AA	515	G	N3-C2-N2	-6.23	115.54	119.90
1	AA	664	G	N7-C8-N9	6.23	116.21	113.10
1	AA	804	U	C6-N1-C2	-6.23	117.26	121.00
1	AA	852	G	N9-C1'-C2'	-6.23	105.15	112.00
1	AA	909	A	N7-C8-N9	6.23	116.91	113.80
1	AA	1483	A	C5'-C4'-O4'	6.23	116.57	109.10
12	AL	63	TYR	CB-CG-CD2	-6.23	117.26	121.00
25	BA	97	C	N3-C4-C5	6.23	124.39	121.90
26	BB	208	C	N1-C2-N3	-6.23	114.84	119.20
26	BB	491	G	O3'-P-O5'	-6.23	92.17	104.00
26	BB	1397	U	N3-C4-C5	-6.23	110.86	114.60
26	BB	1551	A	O4'-C1'-N9	6.23	113.18	108.20
26	BB	1708	C	N3-C4-C5	-6.23	119.41	121.90
26	BB	2244	U	C3'-C2'-C1'	-6.23	96.52	101.50
26	BB	2897	U	C5-C6-N1	-6.23	119.59	122.70
2	AB	76	A	N3-C4-C5	-6.23	122.44	126.80
26	BB	940	G	N9-C1'-C2'	-6.23	105.15	112.00
26	BB	1003	G	P-O3'-C3'	6.23	127.17	119.70
26	BB	1183	U	C5-C4-O4	-6.23	122.17	125.90
38	BN	66	PHE	CB-CG-CD1	-6.23	116.44	120.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	603	U	C6-N1-C2	-6.22	117.27	121.00
1	AA	762	U	C5-C4-O4	-6.22	122.17	125.90
1	AA	1217	C	N3-C4-C5	6.22	124.39	121.90
1	AA	1327	C	O4'-C1'-N1	6.22	113.18	108.20
26	BB	303	G	N3-C2-N2	6.22	124.26	119.90
26	BB	543	G	N1-C6-O6	6.22	123.64	119.90
26	BB	1074	G	C5-N7-C8	-6.22	101.19	104.30
26	BB	1311	G	C8-N9-C4	-6.22	103.91	106.40
26	BB	1797	G	N1-C6-O6	6.22	123.64	119.90
26	BB	2395	C	O4'-C4'-C3'	-6.22	97.78	104.00
1	AA	541	G	O4'-C1'-N9	6.22	113.18	108.20
1	AA	676	A	C2-N3-C4	6.22	113.71	110.60
25	BA	31	C	C6-N1-C2	-6.22	117.81	120.30
25	BA	102	G	C6-N1-C2	-6.22	121.37	125.10
26	BB	442	G	N1-C2-N2	6.22	121.80	116.20
26	BB	763	G	N3-C4-N9	6.22	129.73	126.00
26	BB	1197	G	N3-C4-N9	6.22	129.73	126.00
26	BB	2294	G	N3-C4-C5	-6.22	125.49	128.60
26	BB	2359	C	N3-C2-O2	-6.22	117.54	121.90
26	BB	2371	G	C8-N9-C4	-6.22	103.91	106.40
1	AA	629	A	C1'-O4'-C4'	-6.22	104.92	109.90
1	AA	749	A	C5'-C4'-C3'	-6.22	106.05	116.00
1	AA	1121	U	C5'-C4'-O4'	6.22	116.56	109.10
1	AA	1390	U	N1-C1'-C2'	-6.22	105.16	112.00
26	BB	1224	U	C3'-C2'-C1'	6.22	106.48	101.50
26	BB	1231	U	C2-N1-C1'	-6.22	110.23	117.70
26	BB	1648	U	C5-C6-N1	6.22	125.81	122.70
26	BB	1663	G	C5-N7-C8	6.22	107.41	104.30
26	BB	2195	U	C1'-O4'-C4'	6.22	114.88	109.90
26	BB	2510	C	C6-N1-C2	6.22	122.79	120.30
26	BB	2866	U	N3-C4-O4	-6.22	115.05	119.40
1	AA	534	U	N3-C4-C5	-6.22	110.87	114.60
26	BB	96	C	N3-C2-O2	-6.22	117.55	121.90
26	BB	325	G	N7-C8-N9	-6.22	109.99	113.10
26	BB	344	A	C5-N7-C8	-6.22	100.79	103.90
26	BB	475	C	C6-N1-C2	-6.22	117.81	120.30
26	BB	682	G	C6-C5-N7	6.22	134.13	130.40
26	BB	795	C	C6-N1-C2	-6.22	117.81	120.30
26	BB	2099	U	C3'-C2'-C1'	-6.22	96.53	101.50
26	BB	2518	A	N9-C4-C5	6.22	108.29	105.80
38	BN	19	LEU	CB-CG-CD2	6.22	121.57	111.00
1	AA	130	A	C4-C5-N7	-6.22	107.59	110.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1314	C	O4'-C4'-C3'	6.22	111.08	106.10
26	BB	1300	G	C5-N7-C8	-6.22	101.19	104.30
1	AA	731	G	C2-N3-C4	6.22	115.01	111.90
1	AA	1253	G	C2-N3-C4	6.22	115.01	111.90
24	AX	36	PHE	CG-CD1-CE1	6.22	127.64	120.80
26	BB	512	G	C5-C6-O6	-6.22	124.87	128.60
26	BB	638	G	C1'-O4'-C4'	6.22	114.87	109.90
26	BB	931	U	N1-C2-O2	6.22	127.15	122.80
26	BB	1120	G	C6-C5-N7	6.22	134.13	130.40
26	BB	1306	C	C5-C6-N1	-6.22	117.89	121.00
26	BB	1384	A	C1'-O4'-C4'	-6.22	104.93	109.90
26	BB	1573	G	C5-N7-C8	6.22	107.41	104.30
26	BB	2242	G	N7-C8-N9	-6.22	109.99	113.10
26	BB	2584	U	C3'-C2'-C1'	6.22	106.47	101.50
26	BB	2709	G	C8-N9-C4	-6.22	103.91	106.40
26	BB	2883	A	N1-C6-N6	6.22	122.33	118.60
1	AA	410	G	N3-C2-N2	-6.21	115.55	119.90
1	AA	672	U	C4-C5-C6	6.21	123.43	119.70
1	AA	672	U	N3-C4-O4	6.21	123.75	119.40
1	AA	882	C	C4-C5-C6	6.21	120.51	117.40
1	AA	1150	A	N9-C4-C5	-6.21	103.31	105.80
1	AA	1203	C	N3-C4-C5	6.21	124.39	121.90
1	AA	1226	C	P-O3'-C3'	6.21	127.16	119.70
1	AA	1424	U	C6-N1-C2	-6.21	117.27	121.00
26	BB	173	A	N1-C6-N6	-6.21	114.87	118.60
26	BB	402	A	C6-N1-C2	6.21	122.33	118.60
26	BB	1062	G	C5'-C4'-O4'	6.21	116.56	109.10
1	AA	614	C	C3'-C2'-C1'	-6.21	96.53	101.50
1	AA	1318	A	N7-C8-N9	-6.21	110.69	113.80
26	BB	739	A	C5-C6-N6	-6.21	118.73	123.70
26	BB	1075	C	C3'-C2'-C1'	6.21	106.47	101.50
26	BB	1588	G	N1-C6-O6	6.21	123.63	119.90
26	BB	2065	C	O4'-C1'-C2'	6.21	113.19	107.60
26	BB	2229	U	N3-C2-O2	-6.21	117.85	122.20
1	AA	154	U	C5-C4-O4	-6.21	122.17	125.90
1	AA	218	U	C3'-C2'-C1'	-6.21	96.53	101.50
1	AA	978	A	N1-C2-N3	-6.21	126.19	129.30
1	AA	1252	A	C5'-C4'-O4'	6.21	116.55	109.10
26	BB	410	G	N3-C2-N2	-6.21	115.55	119.90
26	BB	418	C	C5-C4-N4	-6.21	115.85	120.20
26	BB	675	A	C4-C5-N7	6.21	113.81	110.70
26	BB	739	A	C6-C5-N7	6.21	136.65	132.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	791	C	C2-N3-C4	6.21	123.01	119.90
26	BB	1096	A	C8-N9-C4	-6.21	103.31	105.80
26	BB	1857	G	N3-C4-N9	6.21	129.73	126.00
26	BB	1913	A	C5-C6-N6	-6.21	118.73	123.70
26	BB	2169	A	C6-C5-N7	6.21	136.65	132.30
26	BB	2677	G	N3-C4-C5	-6.21	125.49	128.60
26	BB	2869	G	C8-N9-C1'	6.21	135.08	127.00
26	BB	119	A	N9-C4-C5	6.21	108.28	105.80
26	BB	327	G	N1-C2-N3	-6.21	120.17	123.90
26	BB	399	U	N1-C2-O2	6.21	127.15	122.80
26	BB	1243	C	C2-N1-C1'	-6.21	111.97	118.80
26	BB	1655	A	C5-C6-N1	6.21	120.81	117.70
26	BB	2064	C	O4'-C1'-N1	6.21	113.17	108.20
1	AA	268	U	C6-N1-C2	-6.21	117.28	121.00
1	AA	573	A	C4'-C3'-C2'	-6.21	96.39	102.60
1	AA	722	G	C5-C6-N1	-6.21	108.39	111.50
1	AA	792	A	C4-C5-N7	6.21	113.80	110.70
1	AA	890	G	N3-C4-C5	-6.21	125.50	128.60
1	AA	941	G	C2-N3-C4	6.21	115.00	111.90
1	AA	1194	U	N1-C1'-C2'	-6.21	105.17	112.00
1	AA	1453	G	C8-N9-C4	-6.21	103.92	106.40
25	BA	13	G	C6-C5-N7	-6.21	126.67	130.40
26	BB	709	U	C4-C5-C6	6.21	123.42	119.70
26	BB	1477	A	C8-N9-C4	-6.21	103.32	105.80
26	BB	1494	A	O4'-C1'-N9	6.21	113.17	108.20
26	BB	1536	C	O4'-C1'-N1	6.21	113.17	108.20
26	BB	1873	G	N3-C2-N2	6.21	124.25	119.90
26	BB	2271	G	C5-C6-N1	6.21	114.61	111.50
26	BB	2602	A	O4'-C4'-C3'	6.21	111.07	106.10
26	BB	2739	U	C5-C6-N1	-6.21	119.60	122.70
26	BB	2770	G	P-O3'-C3'	6.21	127.15	119.70
1	AA	111	G	C6-C5-N7	6.21	134.12	130.40
25	BA	20	G	C5-C6-O6	-6.21	124.88	128.60
26	BB	171	U	C5'-C4'-O4'	6.21	116.55	109.10
26	BB	350	G	C5-C6-N1	-6.21	108.40	111.50
26	BB	364	C	N3-C2-O2	6.21	126.24	121.90
26	BB	1129	A	C5-N7-C8	-6.21	100.80	103.90
26	BB	2255	G	O4'-C1'-N9	6.21	113.17	108.20
26	BB	2775	G	P-O3'-C3'	6.21	127.15	119.70
40	BP	37	THR	O-C-N	-6.21	112.77	122.70
41	BQ	1	MET	CG-SD-CE	6.21	110.13	100.20
42	BR	77	SER	N-CA-CB	-6.21	101.19	110.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
44	BT	84	ARG	NE-CZ-NH2	6.21	123.40	120.30
6	AF	87	ARG	NE-CZ-NH2	-6.21	117.20	120.30
25	BA	94	A	N3-C4-N9	6.21	132.36	127.40
26	BB	465	G	C6-N1-C2	-6.21	121.38	125.10
26	BB	615	U	O4'-C1'-N1	6.21	113.16	108.20
26	BB	1513	U	C4'-C3'-C2'	-6.21	96.39	102.60
26	BB	1675	C	C3'-C2'-C1'	6.21	106.46	101.50
26	BB	2136	G	N1-C6-O6	-6.21	116.18	119.90
26	BB	2634	A	C1'-O4'-C4'	6.21	114.86	109.90
38	BN	60	ARG	NE-CZ-NH2	6.21	123.40	120.30
1	AA	2	A	C8-N9-C4	-6.20	103.32	105.80
1	AA	570	G	C5'-C4'-O4'	6.20	116.55	109.10
1	AA	582	C	C4-C5-C6	6.20	120.50	117.40
1	AA	730	G	C8-N9-C1'	6.20	135.06	127.00
1	AA	1283	U	N1-C2-N3	6.20	118.62	114.90
1	AA	1372	U	O4'-C1'-N1	6.20	113.16	108.20
1	AA	1386	G	O4'-C1'-N9	6.20	113.16	108.20
1	AA	1503	A	N7-C8-N9	6.20	116.90	113.80
26	BB	420	C	C5-C4-N4	6.20	124.54	120.20
26	BB	530	G	C5-C6-O6	-6.20	124.88	128.60
26	BB	562	U	C5-C6-N1	-6.20	119.60	122.70
26	BB	1296	G	N1-C6-O6	-6.20	116.18	119.90
26	BB	1386	C	C5'-C4'-O4'	6.20	116.54	109.10
26	BB	1524	G	C5'-C4'-O4'	6.20	116.55	109.10
26	BB	2029	G	C8-N9-C4	-6.20	103.92	106.40
26	BB	2038	G	C4-C5-C6	6.20	122.52	118.80
47	BW	74	ALA	CB-CA-C	6.20	119.41	110.10
1	AA	109	A	C5'-C4'-C3'	-6.20	106.08	116.00
26	BB	1704	C	C5'-C4'-C3'	-6.20	106.08	116.00
35	BK	26	ALA	N-CA-CB	-6.20	101.42	110.10
36	BL	74	TYR	CB-CG-CD2	-6.20	117.28	121.00
1	AA	27	G	N1-C2-N2	-6.20	110.62	116.20
1	AA	208	U	C5-C4-O4	6.20	129.62	125.90
1	AA	1074	G	C6-C5-N7	-6.20	126.68	130.40
26	BB	420	C	C2-N3-C4	-6.20	116.80	119.90
26	BB	485	C	N3-C4-C5	-6.20	119.42	121.90
26	BB	870	U	N3-C4-O4	-6.20	115.06	119.40
26	BB	2174	C	N3-C2-O2	-6.20	117.56	121.90
26	BB	2497	A	N1-C6-N6	6.20	122.32	118.60
26	BB	2627	G	C8-N9-C4	-6.20	103.92	106.40
26	BB	2708	G	N9-C1'-C2'	-6.20	105.18	112.00
26	BB	2816	G	N1-C2-N3	-6.20	120.18	123.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	84	U	N3-C4-O4	6.20	123.74	119.40
1	AA	376	G	O4'-C1'-N9	6.20	113.16	108.20
1	AA	1047	G	C6-N1-C2	-6.20	121.38	125.10
1	AA	1190	G	C6-C5-N7	6.20	134.12	130.40
3	AC	45	G	N3-C4-C5	-6.20	125.50	128.60
26	BB	27	G	O4'-C4'-C3'	6.20	111.06	106.10
26	BB	620	G	C8-N9-C4	-6.20	103.92	106.40
26	BB	821	A	N1-C6-N6	6.20	122.32	118.60
26	BB	848	C	P-O5'-C5'	-6.20	110.98	120.90
26	BB	907	G	C4-C5-N7	-6.20	108.32	110.80
26	BB	1723	G	C2-N3-C4	6.20	115.00	111.90
26	BB	2223	G	C4'-C3'-C2'	-6.20	96.40	102.60
26	BB	2439	A	O4'-C1'-N9	6.20	113.16	108.20
1	AA	251	G	C5-N7-C8	-6.20	101.20	104.30
1	AA	933	G	C4-C5-N7	6.20	113.28	110.80
26	BB	458	G	C8-N9-C1'	6.20	135.06	127.00
26	BB	556	A	C6-N1-C2	6.20	122.32	118.60
26	BB	946	C	C5-C6-N1	-6.20	117.90	121.00
26	BB	1687	G	N3-C4-N9	6.20	129.72	126.00
26	BB	2095	A	O4'-C1'-N9	6.20	113.16	108.20
1	AA	21	G	C4-C5-C6	6.20	122.52	118.80
1	AA	302	G	N1-C6-O6	6.20	123.62	119.90
1	AA	545	C	C6-N1-C2	-6.20	117.82	120.30
1	AA	575	G	N3-C4-C5	-6.20	125.50	128.60
1	AA	725	G	N3-C4-N9	-6.20	122.28	126.00
1	AA	791	G	O4'-C1'-N9	6.20	113.16	108.20
1	AA	1002	G	C5-C6-O6	6.20	132.32	128.60
16	AP	22	TYR	CG-CD1-CE1	-6.20	116.34	121.30
26	BB	107	G	C1'-O4'-C4'	-6.20	104.94	109.90
26	BB	277	G	P-O3'-C3'	6.20	127.14	119.70
26	BB	531	C	C5-C6-N1	6.20	124.10	121.00
26	BB	760	G	N3-C4-C5	-6.20	125.50	128.60
26	BB	1517	G	N3-C4-N9	6.20	129.72	126.00
26	BB	2138	G	C3'-C2'-C1'	-6.20	96.54	101.50
26	BB	2172	U	N3-C2-O2	6.20	126.54	122.20
26	BB	2755	C	C5-C6-N1	6.20	124.10	121.00
1	AA	535	A	O4'-C4'-C3'	6.19	111.06	106.10
1	AA	807	A	C4-C5-N7	-6.19	107.60	110.70
25	BA	68	C	C5-C4-N4	-6.19	115.86	120.20
26	BB	1154	G	N9-C1'-C2'	-6.19	105.19	112.00
26	BB	2098	U	N1-C1'-C2'	-6.19	105.19	112.00
26	BB	2217	G	N7-C8-N9	6.19	116.20	113.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	187	G	C1'-O4'-C4'	6.19	114.85	109.90
1	AA	247	G	C5'-C4'-O4'	6.19	116.53	109.10
1	AA	413	G	N1-C2-N3	6.19	127.61	123.90
1	AA	531	U	C6-N1-C2	-6.19	117.28	121.00
1	AA	1387	G	C1'-O4'-C4'	-6.19	104.95	109.90
26	BB	515	A	C8-N9-C4	6.19	108.28	105.80
26	BB	725	G	N3-C4-C5	-6.19	125.50	128.60
26	BB	824	U	C5-C4-O4	6.19	129.62	125.90
26	BB	1833	C	C5'-C4'-O4'	6.19	116.53	109.10
26	BB	2248	C	O4'-C1'-N1	6.19	113.15	108.20
26	BB	2565	A	C8-N9-C4	-6.19	103.32	105.80
26	BB	2599	G	O4'-C1'-N9	6.19	113.15	108.20
26	BB	2607	G	O5'-P-OP1	-6.19	100.13	105.70
1	AA	97	G	N3-C4-N9	6.19	129.71	126.00
1	AA	241	G	C6-C5-N7	-6.19	126.69	130.40
1	AA	1400	C	C2-N1-C1'	6.19	125.61	118.80
26	BB	977	G	N3-C4-C5	-6.19	125.50	128.60
26	BB	1122	G	C8-N9-C4	-6.19	103.92	106.40
26	BB	1190	G	O4'-C1'-N9	6.19	113.15	108.20
26	BB	2636	C	O5'-P-OP2	-6.19	100.13	105.70
35	BK	37	PHE	CB-CG-CD2	-6.19	116.47	120.80
1	AA	6	G	N3-C2-N2	-6.19	115.57	119.90
1	AA	606	G	N3-C4-C5	-6.19	125.51	128.60
1	AA	782	A	P-O3'-C3'	6.19	127.13	119.70
4	AD	22	A	P-O5'-C5'	6.19	130.80	120.90
26	BB	1079	C	O5'-P-OP2	-6.19	100.13	105.70
26	BB	1815	A	N3-C4-C5	6.19	131.13	126.80
26	BB	1860	G	N1-C2-N2	6.19	121.77	116.20
26	BB	2415	G	N1-C2-N3	-6.19	120.19	123.90
1	AA	647	C	N1-C2-O2	6.19	122.61	118.90
1	AA	851	G	C8-N9-C4	-6.19	103.92	106.40
1	AA	940	C	N1-C2-O2	6.19	122.61	118.90
1	AA	1344	C	N3-C4-C5	-6.19	119.42	121.90
1	AA	1360	A	C6-N1-C2	-6.19	114.89	118.60
3	AC	52	U	C6-N1-C1'	-6.19	112.54	121.20
26	BB	35	G	N3-C4-N9	6.19	129.71	126.00
26	BB	542	C	C4-C5-C6	-6.19	114.31	117.40
26	BB	633	A	C5-N7-C8	6.19	106.99	103.90
26	BB	961	C	C5-C4-N4	-6.19	115.87	120.20
26	BB	1753	G	C8-N9-C4	-6.19	103.92	106.40
26	BB	1891	G	C5-C6-N1	6.19	114.59	111.50
26	BB	2035	G	C3'-C2'-C1'	-6.19	96.55	101.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2655	G	N3-C2-N2	-6.19	115.57	119.90
1	AA	541	G	C8-N9-C4	-6.19	103.93	106.40
1	AA	1383	C	C6-N1-C2	-6.19	117.83	120.30
1	AA	1500	A	C5'-C4'-O4'	6.19	116.52	109.10
26	BB	62	U	O4'-C1'-N1	6.19	113.15	108.20
26	BB	959	A	C4'-C3'-C2'	6.19	108.79	102.60
1	AA	1117	A	C5-N7-C8	-6.18	100.81	103.90
1	AA	1475	G	C2-N3-C4	-6.18	108.81	111.90
26	BB	305	C	C5'-C4'-C3'	-6.18	106.10	116.00
26	BB	560	C	N3-C2-O2	-6.18	117.57	121.90
26	BB	564	C	C2-N3-C4	6.18	122.99	119.90
26	BB	1480	C	C5-C4-N4	6.18	124.53	120.20
26	BB	1586	A	C5-C6-N1	-6.18	114.61	117.70
26	BB	2003	A	C6-C5-N7	-6.18	127.97	132.30
26	BB	2044	C	C5-C6-N1	6.18	124.09	121.00
26	BB	2241	A	C4-C5-C6	-6.18	113.91	117.00
1	AA	513	C	O4'-C1'-N1	6.18	113.15	108.20
1	AA	974	A	C6-C5-N7	6.18	136.63	132.30
25	BA	84	G	O4'-C1'-N9	6.18	113.15	108.20
26	BB	205	G	N3-C4-N9	6.18	129.71	126.00
26	BB	1426	G	N9-C4-C5	6.18	107.87	105.40
26	BB	1741	C	C4'-C3'-C2'	-6.18	96.42	102.60
26	BB	1804	C	C5'-C4'-O4'	6.18	116.52	109.10
26	BB	2367	G	C8-N9-C4	-6.18	103.93	106.40
1	AA	169	C	C5'-C4'-C3'	-6.18	106.11	116.00
1	AA	530	G	N3-C2-N2	6.18	124.23	119.90
1	AA	832	G	C8-N9-C4	-6.18	103.93	106.40
2	AB	61	C	C2-N3-C4	-6.18	116.81	119.90
26	BB	519	U	C2-N3-C4	-6.18	123.29	127.00
26	BB	681	G	C3'-C2'-C1'	-6.18	96.56	101.50
26	BB	1907	G	C8-N9-C4	-6.18	103.93	106.40
26	BB	1995	U	O4'-C1'-N1	6.18	113.14	108.20
26	BB	2560	A	C6-N1-C2	-6.18	114.89	118.60
1	AA	147	G	C1'-O4'-C4'	6.18	114.84	109.90
1	AA	426	U	N3-C2-O2	6.18	126.53	122.20
1	AA	1445	U	C3'-C2'-C1'	-6.18	96.56	101.50
1	AA	1453	G	C4'-C3'-C2'	-6.18	96.42	102.60
3	AC	14	G	O4'-C4'-C3'	6.18	111.04	106.10
21	AU	62	ARG	NE-CZ-NH1	6.18	123.39	120.30
26	BB	138	U	C3'-C2'-C1'	6.18	106.44	101.50
26	BB	151	C	C5-C4-N4	6.18	124.53	120.20
26	BB	314	C	O4'-C1'-N1	6.18	113.14	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	452	G	C3'-C2'-C1'	6.18	106.44	101.50
26	BB	580	U	C2-N3-C4	-6.18	123.29	127.00
26	BB	651	G	N7-C8-N9	6.18	116.19	113.10
26	BB	1198	U	C5'-C4'-O4'	6.18	116.51	109.10
26	BB	1282	U	C5-C6-N1	-6.18	119.61	122.70
26	BB	1309	G	N9-C4-C5	6.18	107.87	105.40
26	BB	1420	A	C4-C5-N7	-6.18	107.61	110.70
26	BB	1493	C	C4-C5-C6	6.18	120.49	117.40
26	BB	1619	G	C5-C6-O6	-6.18	124.89	128.60
26	BB	1816	C	C1'-O4'-C4'	6.18	114.84	109.90
26	BB	2398	U	N3-C4-O4	6.18	123.73	119.40
26	BB	2512	C	C5'-C4'-C3'	6.18	125.89	116.00
51	B0	23	ARG	NE-CZ-NH2	-6.18	117.21	120.30
1	AA	894	G	C5-C6-N1	-6.18	108.41	111.50
1	AA	1325	C	N1-C2-O2	6.18	122.61	118.90
26	BB	1322	A	C4-C5-C6	-6.18	113.91	117.00
26	BB	1684	G	N9-C4-C5	6.18	107.87	105.40
26	BB	2667	C	N3-C4-C5	-6.18	119.43	121.90
26	BB	2870	C	N3-C4-N4	6.18	122.33	118.00
1	AA	2	A	C6-C5-N7	-6.18	127.98	132.30
1	AA	475	C	O4'-C4'-C3'	6.18	111.04	106.10
1	AA	1007	U	C4-C5-C6	6.18	123.41	119.70
1	AA	1017	U	C6-N1-C2	-6.18	117.29	121.00
1	AA	1222	G	C6-N1-C2	-6.18	121.39	125.10
1	AA	1259	C	C2-N3-C4	6.18	122.99	119.90
1	AA	1387	G	C4-C5-N7	6.18	113.27	110.80
1	AA	1388	C	C4'-C3'-C2'	-6.18	96.42	102.60
26	BB	524	G	O4'-C1'-N9	6.18	113.14	108.20
26	BB	1338	G	C8-N9-C4	-6.18	103.93	106.40
26	BB	1489	C	N1-C2-O2	6.18	122.61	118.90
26	BB	2313	C	C6-N1-C2	-6.18	117.83	120.30
26	BB	2446	G	C4-C5-N7	6.18	113.27	110.80
26	BB	2588	G	C8-N9-C1'	6.18	135.03	127.00
50	BZ	44	ARG	NE-CZ-NH2	6.18	123.39	120.30
1	AA	821	G	O4'-C1'-N9	6.17	113.14	108.20
1	AA	995	C	C5'-C4'-O4'	6.17	116.51	109.10
1	AA	1097	C	C5-C6-N1	6.17	124.09	121.00
1	AA	1151	A	C3'-C2'-C1'	6.17	106.44	101.50
1	AA	1472	U	C4-C5-C6	6.17	123.40	119.70
2	AB	28	C	N3-C4-C5	-6.17	119.43	121.90
11	AK	79	ARG	CD-NE-CZ	6.17	132.24	123.60
26	BB	326	G	C5-C6-N1	-6.17	108.41	111.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	568	U	N1-C1'-C2'	6.17	122.03	114.00
26	BB	855	G	C5-C6-N1	6.17	114.59	111.50
26	BB	1169	A	C5-N7-C8	-6.17	100.81	103.90
26	BB	1198	U	C5-C4-O4	-6.17	122.20	125.90
26	BB	1578	U	P-O5'-C5'	6.17	130.78	120.90
1	AA	151	A	O4'-C1'-N9	6.17	113.14	108.20
1	AA	931	C	N3-C2-O2	-6.17	117.58	121.90
1	AA	1400	C	N3-C4-C5	-6.17	119.43	121.90
26	BB	1702	G	C5-C6-N1	6.17	114.59	111.50
26	BB	1808	A	N1-C6-N6	6.17	122.30	118.60
26	BB	2574	G	C4'-C3'-C2'	-6.17	96.43	102.60
28	BD	102	TYR	CA-CB-CG	6.17	125.13	113.40
1	AA	283	U	N3-C4-O4	6.17	123.72	119.40
1	AA	927	G	C5-N7-C8	-6.17	101.21	104.30
1	AA	963	G	O4'-C1'-N9	6.17	113.14	108.20
1	AA	974	A	C4'-C3'-C2'	-6.17	96.43	102.60
2	AB	12	U	C4-C5-C6	6.17	123.40	119.70
3	AC	25	U	C2-N1-C1'	6.17	125.11	117.70
4	AD	72	C	O4'-C1'-N1	6.17	113.14	108.20
26	BB	436	C	N1-C2-N3	-6.17	114.88	119.20
26	BB	595	C	C5-C6-N1	6.17	124.09	121.00
26	BB	1424	G	C8-N9-C1'	6.17	135.02	127.00
26	BB	2079	U	C5-C6-N1	-6.17	119.61	122.70
26	BB	2687	U	C5-C6-N1	-6.17	119.61	122.70
54	B3	12	ARG	NE-CZ-NH1	6.17	123.39	120.30
1	AA	900	A	N1-C6-N6	6.17	122.30	118.60
1	AA	1074	G	C6-N1-C2	-6.17	121.40	125.10
3	AC	55	A	N3-C4-N9	-6.17	122.46	127.40
15	AO	55	ARG	NE-CZ-NH1	6.17	123.39	120.30
26	BB	562	U	C5-C4-O4	6.17	129.60	125.90
26	BB	1970	A	P-O3'-C3'	6.17	127.10	119.70
26	BB	2333	A	O4'-C4'-C3'	6.17	111.04	106.10
1	AA	94	G	N9-C4-C5	6.17	107.87	105.40
1	AA	408	A	C6-N1-C2	-6.17	114.90	118.60
1	AA	812	G	C5'-C4'-C3'	-6.17	106.13	116.00
4	AD	61	U	C5-C6-N1	-6.17	119.61	122.70
26	BB	849	A	C5-C6-N6	-6.17	118.77	123.70
26	BB	1317	G	N3-C4-C5	-6.17	125.52	128.60
26	BB	1979	U	C5-C4-O4	6.17	129.60	125.90
26	BB	2089	C	N3-C2-O2	-6.17	117.58	121.90
26	BB	2323	G	N3-C4-N9	6.17	129.70	126.00
26	BB	2526	G	N7-C8-N9	6.17	116.19	113.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2594	C	C4-C5-C6	6.17	120.48	117.40
26	BB	2757	A	N7-C8-N9	-6.17	110.72	113.80
1	AA	64	G	C5'-C4'-O4'	6.17	116.50	109.10
1	AA	173	U	C2'-C3'-O3'	6.17	123.57	113.70
1	AA	188	C	N1-C1'-C2'	6.17	122.02	114.00
1	AA	710	G	C4'-C3'-C2'	-6.17	96.43	102.60
1	AA	845	A	C4-C5-N7	6.17	113.78	110.70
1	AA	878	A	C5-C6-N6	-6.17	118.77	123.70
1	AA	1221	G	O3'-P-O5'	-6.17	92.28	104.00
1	AA	1305	G	C6-C5-N7	-6.17	126.70	130.40
1	AA	1513	A	C5-N7-C8	-6.17	100.82	103.90
25	BA	2	G	N3-C2-N2	-6.17	115.58	119.90
26	BB	37	C	C6-N1-C2	6.17	122.77	120.30
26	BB	134	G	C5-C6-N1	6.17	114.58	111.50
26	BB	278	A	C5'-C4'-O4'	6.17	116.50	109.10
26	BB	1130	U	C5-C6-N1	-6.17	119.62	122.70
26	BB	1792	G	N3-C4-C5	-6.17	125.52	128.60
26	BB	1813	G	C8-N9-C4	-6.17	103.93	106.40
26	BB	2510	C	N3-C2-O2	-6.17	117.58	121.90
1	AA	1159	U	O4'-C1'-N1	6.17	113.13	108.20
21	AU	46	THR	CA-CB-CG2	-6.17	103.77	112.40
26	BB	572	A	C6-C5-N7	-6.17	127.98	132.30
26	BB	989	G	C1'-O4'-C4'	-6.17	104.97	109.90
26	BB	996	A	C5-C6-N1	6.17	120.78	117.70
26	BB	1413	A	N9-C1'-C2'	-6.17	105.22	112.00
26	BB	1444	G	C6-N1-C2	-6.17	121.40	125.10
26	BB	2426	A	C2-N3-C4	6.17	113.68	110.60
26	BB	2843	G	C5-N7-C8	6.17	107.38	104.30
26	BB	2866	U	O4'-C4'-C3'	6.17	111.03	106.10
1	AA	134	G	C4-C5-C6	6.16	122.50	118.80
1	AA	871	U	N1-C2-N3	6.16	118.60	114.90
1	AA	1161	C	N3-C2-O2	-6.16	117.58	121.90
1	AA	1169	A	N7-C8-N9	-6.16	110.72	113.80
26	BB	257	C	C1'-O4'-C4'	6.16	114.83	109.90
26	BB	589	U	N3-C2-O2	-6.16	117.89	122.20
26	BB	853	C	C1'-O4'-C4'	6.16	114.83	109.90
26	BB	1126	A	C6-C5-N7	-6.16	127.99	132.30
26	BB	1360	G	N3-C4-C5	-6.16	125.52	128.60
26	BB	1906	G	C6-N1-C2	6.16	128.80	125.10
26	BB	1968	G	C5-C6-O6	6.16	132.30	128.60
1	AA	297	G	N1-C2-N2	-6.16	110.65	116.20
1	AA	576	C	C5-C6-N1	-6.16	117.92	121.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	AC	39	U	N3-C4-C5	6.16	118.30	114.60
26	BB	535	G	N7-C8-N9	6.16	116.18	113.10
26	BB	635	C	N1-C2-O2	6.16	122.60	118.90
26	BB	1956	U	C5-C6-N1	-6.16	119.62	122.70
26	BB	2554	U	N3-C4-C5	-6.16	110.90	114.60
26	BB	2631	G	C6-N1-C2	-6.16	121.40	125.10
1	AA	968	A	N9-C1'-C2'	6.16	122.01	114.00
26	BB	128	C	N3-C4-N4	6.16	122.31	118.00
26	BB	979	A	O4'-C1'-N9	6.16	113.13	108.20
26	BB	991	C	C2-N3-C4	6.16	122.98	119.90
26	BB	1455	G	C4-C5-C6	6.16	122.50	118.80
26	BB	2280	G	C6-N1-C2	-6.16	121.40	125.10
26	BB	2325	G	C4'-C3'-C2'	6.16	108.76	102.60
26	BB	2375	G	N9-C4-C5	6.16	107.86	105.40
26	BB	2423	U	P-O5'-C5'	6.16	130.76	120.90
26	BB	2517	C	C5-C4-N4	6.16	124.51	120.20
26	BB	2633	G	N9-C1'-C2'	-6.16	105.22	112.00
1	AA	251	G	C5-C6-N1	6.16	114.58	111.50
4	AD	64	G	C4'-C3'-C2'	-6.16	96.44	102.60
26	BB	260	G	C4-C5-N7	-6.16	108.34	110.80
26	BB	298	G	C4'-C3'-C2'	-6.16	96.44	102.60
26	BB	511	U	O4'-C1'-C2'	-6.16	99.64	105.80
26	BB	865	C	N3-C4-C5	-6.16	119.44	121.90
26	BB	1076	C	N1-C2-N3	6.16	123.51	119.20
26	BB	1136	G	N1-C2-N3	-6.16	120.20	123.90
26	BB	1631	G	C5-N7-C8	6.16	107.38	104.30
26	BB	1876	A	N7-C8-N9	6.16	116.88	113.80
26	BB	2031	A	C5-N7-C8	6.16	106.98	103.90
26	BB	2649	C	C4'-C3'-O3'	6.16	125.32	113.00
1	AA	710	G	C6-N1-C2	-6.16	121.41	125.10
1	AA	1191	A	C5-C6-N1	6.16	120.78	117.70
26	BB	1142	A	P-O3'-C3'	6.16	127.09	119.70
26	BB	1147	A	C4-C5-N7	-6.16	107.62	110.70
26	BB	1226	A	C5-C6-N6	-6.16	118.77	123.70
26	BB	2479	U	N3-C2-O2	-6.16	117.89	122.20
1	AA	509	A	C1'-O4'-C4'	6.16	114.82	109.90
1	AA	951	G	N9-C1'-C2'	-6.16	105.23	112.00
1	AA	1222	G	C5-C6-N1	6.16	114.58	111.50
1	AA	1511	G	N9-C4-C5	-6.16	102.94	105.40
2	AB	76	A	C5'-C4'-O4'	6.16	116.49	109.10
4	AD	51	U	N1-C2-N3	6.16	118.59	114.90
4	AD	65	G	C4-C5-N7	-6.16	108.34	110.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	AI	114	ASP	CB-CG-OD2	6.16	123.84	118.30
26	BB	1036	G	N3-C4-C5	-6.16	125.52	128.60
26	BB	1444	G	N3-C4-C5	-6.16	125.52	128.60
26	BB	1445	G	N3-C2-N2	6.16	124.21	119.90
26	BB	1863	G	C5-C6-O6	-6.16	124.91	128.60
26	BB	2195	U	C4-C5-C6	6.16	123.39	119.70
26	BB	2561	U	N1-C1'-C2'	-6.16	105.23	112.00
26	BB	2661	G	N1-C2-N2	6.16	121.74	116.20
26	BB	2773	C	C4-C5-C6	6.16	120.48	117.40
26	BB	2820	A	C4-C5-C6	6.16	120.08	117.00
32	BH	9	VAL	CA-CB-CG2	6.16	120.13	110.90
36	BL	13	ARG	NE-CZ-NH2	6.16	123.38	120.30
1	AA	848	C	N1-C2-O2	6.15	122.59	118.90
1	AA	887	G	N3-C2-N2	-6.15	115.59	119.90
2	AB	10	G	C5-C6-O6	6.15	132.29	128.60
26	BB	704	G	C5-C6-N1	6.15	114.58	111.50
26	BB	1125	G	C6-N1-C2	-6.15	121.41	125.10
26	BB	2797	U	C2-N1-C1'	6.15	125.08	117.70
1	AA	76	G	N9-C4-C5	-6.15	102.94	105.40
1	AA	234	C	C5'-C4'-O4'	6.15	116.48	109.10
1	AA	249	U	C6-N1-C1'	-6.15	112.58	121.20
1	AA	292	G	C6-C5-N7	-6.15	126.71	130.40
1	AA	983	A	N1-C6-N6	-6.15	114.91	118.60
1	AA	1253	G	P-O3'-C3'	6.15	127.08	119.70
4	AD	44	A	C5-N7-C8	-6.15	100.82	103.90
25	BA	50	A	C5-C6-N6	-6.15	118.78	123.70
26	BB	319	G	C8-N9-C1'	6.15	135.00	127.00
26	BB	432	A	C8-N9-C4	-6.15	103.34	105.80
26	BB	471	A	N9-C4-C5	6.15	108.26	105.80
26	BB	570	G	N1-C2-N3	-6.15	120.21	123.90
26	BB	651	G	P-O3'-C3'	6.15	127.08	119.70
26	BB	888	C	N3-C4-N4	-6.15	113.69	118.00
26	BB	1013	C	O4'-C1'-N1	6.15	113.12	108.20
26	BB	1422	G	C8-N9-C4	-6.15	103.94	106.40
26	BB	1654	A	N1-C2-N3	6.15	132.38	129.30
26	BB	2153	C	O4'-C4'-C3'	6.15	111.02	106.10
26	BB	2224	G	C3'-C2'-C1'	6.15	106.42	101.50
26	BB	2393	U	C5'-C4'-C3'	-6.15	106.16	116.00
26	BB	2527	C	C5-C4-N4	-6.15	115.89	120.20
1	AA	345	C	N3-C4-N4	-6.15	113.69	118.00
1	AA	834	U	C5-C6-N1	-6.15	119.62	122.70
8	AH	124	ALA	CB-CA-C	6.15	119.33	110.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	AK	24	VAL	CA-CB-CG2	6.15	120.12	110.90
26	BB	72	U	N1-C2-O2	6.15	127.11	122.80
26	BB	1073	A	C5'-C4'-O4'	6.15	116.48	109.10
26	BB	1107	G	O4'-C1'-N9	6.15	113.12	108.20
26	BB	1425	G	C4-N9-C1'	-6.15	118.50	126.50
26	BB	1947	C	C3'-C2'-C1'	6.15	106.42	101.50
26	BB	2616	C	C6-N1-C1'	-6.15	113.42	120.80
1	AA	589	U	O4'-C4'-C3'	6.15	111.02	106.10
1	AA	1106	G	C5-C6-N1	6.15	114.57	111.50
26	BB	254	G	C5-C6-O6	6.15	132.29	128.60
26	BB	1204	A	C4-C5-N7	-6.15	107.63	110.70
26	BB	2083	G	N9-C4-C5	6.15	107.86	105.40
26	BB	2352	A	C3'-C2'-C1'	6.15	106.42	101.50
54	B3	51	ARG	NE-CZ-NH2	6.15	123.37	120.30
1	AA	341	C	O4'-C1'-N1	6.15	113.12	108.20
1	AA	497	G	C5-N7-C8	-6.15	101.23	104.30
1	AA	546	A	N9-C4-C5	6.15	108.26	105.80
1	AA	575	G	O4'-C4'-C3'	6.15	111.02	106.10
1	AA	617	G	C5-C6-N1	6.15	114.57	111.50
1	AA	647	C	P-O3'-C3'	6.15	127.08	119.70
1	AA	1005	A	C4-C5-N7	-6.15	107.63	110.70
1	AA	1190	G	C5-N7-C8	6.15	107.37	104.30
3	AC	32	U	C5'-C4'-O4'	6.15	116.48	109.10
10	AJ	21	LEU	CB-CG-CD1	6.15	121.45	111.00
26	BB	10	A	N9-C4-C5	-6.15	103.34	105.80
26	BB	13	A	C5-C6-N1	6.15	120.77	117.70
26	BB	501	A	N9-C4-C5	6.15	108.26	105.80
26	BB	1269	A	C4-C5-N7	6.15	113.77	110.70
26	BB	1500	G	C8-N9-C1'	6.15	134.99	127.00
26	BB	1571	A	C5-C6-N1	6.15	120.77	117.70
26	BB	1597	A	C3'-C2'-C1'	6.15	106.42	101.50
26	BB	1956	U	N3-C2-O2	-6.15	117.90	122.20
26	BB	2117	A	C4'-C3'-C2'	-6.15	96.45	102.60
26	BB	2217	G	N3-C4-N9	-6.15	122.31	126.00
26	BB	2378	A	C5-C6-N6	-6.15	118.78	123.70
26	BB	2710	C	C5-C6-N1	6.15	124.07	121.00
26	BB	2806	C	N3-C2-O2	-6.15	117.60	121.90
1	AA	57	G	N3-C4-C5	-6.15	125.53	128.60
1	AA	218	U	C2-N3-C4	-6.15	123.31	127.00
2	AB	4	G	C4-C5-N7	-6.15	108.34	110.80
2	AB	31	U	C4-C5-C6	6.15	123.39	119.70
26	BB	98	G	N9-C4-C5	6.15	107.86	105.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	697	G	C5-C6-N1	6.15	114.57	111.50
26	BB	864	G	P-O3'-C3'	6.15	127.08	119.70
26	BB	2120	G	N1-C2-N3	-6.15	120.21	123.90
1	AA	35	G	N9-C4-C5	6.14	107.86	105.40
1	AA	371	A	C5-N7-C8	-6.14	100.83	103.90
1	AA	422	C	C4'-C3'-C2'	-6.14	96.46	102.60
1	AA	880	C	C4-C5-C6	6.14	120.47	117.40
1	AA	1204	A	N7-C8-N9	-6.14	110.73	113.80
25	BA	105	G	C4-C5-N7	-6.14	108.34	110.80
26	BB	563	A	C5-N7-C8	6.14	106.97	103.90
26	BB	1529	G	C6-N1-C2	-6.14	121.41	125.10
26	BB	2422	C	C5-C4-N4	-6.14	115.90	120.20
26	BB	2564	A	C2-N3-C4	6.14	113.67	110.60
32	BH	169	ARG	NE-CZ-NH2	6.14	123.37	120.30
1	AA	135	C	C5'-C4'-C3'	-6.14	106.17	116.00
1	AA	517	G	N1-C2-N3	-6.14	120.22	123.90
1	AA	1160	G	N7-C8-N9	6.14	116.17	113.10
1	AA	1374	A	N9-C4-C5	6.14	108.26	105.80
1	AA	1463	U	C2-N3-C4	-6.14	123.31	127.00
1	AA	1495	U	C4'-C3'-C2'	-6.14	96.46	102.60
4	AD	66	C	C4-C5-C6	-6.14	114.33	117.40
26	BB	2360	G	C3'-C2'-C1'	6.14	106.42	101.50
26	BB	2664	G	C3'-C2'-C1'	-6.14	96.59	101.50
1	AA	317	U	C2-N3-C4	-6.14	123.31	127.00
1	AA	1477	U	C4-C5-C6	6.14	123.39	119.70
26	BB	816	C	C3'-C2'-C1'	-6.14	96.59	101.50
26	BB	1313	U	N3-C4-C5	-6.14	110.92	114.60
26	BB	1648	U	C4'-C3'-C2'	-6.14	96.46	102.60
26	BB	2548	U	C4-C5-C6	6.14	123.38	119.70
1	AA	237	G	C8-N9-C4	-6.14	103.94	106.40
1	AA	521	G	N3-C4-C5	-6.14	125.53	128.60
1	AA	653	U	N1-C2-O2	-6.14	118.50	122.80
1	AA	1125	U	C5-C6-N1	-6.14	119.63	122.70
1	AA	1185	G	N9-C1'-C2'	-6.14	105.25	112.00
3	AC	44	U	C1'-O4'-C4'	-6.14	104.99	109.90
26	BB	228	C	N3-C2-O2	-6.14	117.60	121.90
26	BB	302	C	C5-C4-N4	-6.14	115.90	120.20
26	BB	988	A	O5'-P-OP2	-6.14	100.17	105.70
26	BB	1496	A	N7-C8-N9	6.14	116.87	113.80
26	BB	1507	C	C5-C4-N4	-6.14	115.90	120.20
26	BB	1970	A	C5-C6-N6	-6.14	118.79	123.70
26	BB	2198	A	C5-N7-C8	6.14	106.97	103.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2243	U	C5'-C4'-C3'	-6.14	106.18	116.00
26	BB	2894	G	C6-N1-C2	-6.14	121.42	125.10
1	AA	1312	G	N1-C2-N2	6.14	121.72	116.20
25	BA	113	C	C2-N3-C4	6.14	122.97	119.90
26	BB	2124	G	C5-C6-O6	6.14	132.28	128.60
1	AA	17	U	N3-C2-O2	-6.14	117.90	122.20
1	AA	46	G	C6-C5-N7	6.14	134.08	130.40
1	AA	538	G	O5'-P-OP1	-6.14	100.18	105.70
1	AA	859	G	C8-N9-C4	-6.14	103.94	106.40
1	AA	939	G	C5-N7-C8	-6.14	101.23	104.30
2	AB	26	A	C1'-O4'-C4'	6.14	114.81	109.90
25	BA	96	G	N3-C4-C5	-6.14	125.53	128.60
26	BB	2	G	P-O3'-C3'	6.14	127.06	119.70
26	BB	50	U	O4'-C1'-N1	6.14	113.11	108.20
26	BB	301	G	C2-N3-C4	6.14	114.97	111.90
26	BB	669	G	N3-C4-C5	-6.14	125.53	128.60
26	BB	1118	C	C5-C4-N4	-6.14	115.90	120.20
26	BB	1313	U	C2-N1-C1'	6.14	125.06	117.70
26	BB	1497	U	C2-N3-C4	-6.14	123.32	127.00
26	BB	1504	A	O4'-C4'-C3'	-6.14	97.86	104.00
26	BB	2038	G	C8-N9-C1'	6.14	134.98	127.00
26	BB	2429	G	N1-C6-O6	-6.14	116.22	119.90
1	AA	47	C	C4-C5-C6	-6.13	114.33	117.40
1	AA	220	G	N9-C4-C5	-6.13	102.95	105.40
1	AA	344	A	C5-C6-N6	6.13	128.61	123.70
1	AA	463	U	O4'-C1'-N1	6.13	113.11	108.20
1	AA	1225	A	N3-C4-N9	-6.13	122.49	127.40
20	AT	39	ARG	NE-CZ-NH1	6.13	123.37	120.30
26	BB	166	U	C3'-C2'-C1'	-6.13	96.59	101.50
26	BB	412	A	C5-N7-C8	-6.13	100.83	103.90
26	BB	513	A	C2-N3-C4	6.13	113.67	110.60
26	BB	1078	U	C2-N3-C4	-6.13	123.32	127.00
26	BB	1626	A	C4-C5-C6	6.13	120.07	117.00
26	BB	1920	C	C5-C4-N4	-6.13	115.91	120.20
26	BB	2029	G	N1-C6-O6	-6.13	116.22	119.90
26	BB	2325	G	O4'-C1'-C2'	6.13	113.12	107.60
26	BB	2719	G	P-O3'-C3'	6.13	127.06	119.70
26	BB	2756	U	C2'-C3'-O3'	6.13	123.52	113.70
26	BB	2771	C	C6-N1-C2	6.13	122.75	120.30
1	AA	860	A	C5-C6-N6	-6.13	118.79	123.70
26	BB	544	C	C4'-C3'-C2'	-6.13	96.47	102.60
26	BB	1956	U	O4'-C1'-N1	6.13	113.11	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2123	G	C5-N7-C8	-6.13	101.23	104.30
34	BJ	61	ARG	NE-CZ-NH1	6.13	123.37	120.30
1	AA	624	C	N3-C4-C5	-6.13	119.45	121.90
1	AA	784	A	O4'-C1'-N9	6.13	113.10	108.20
1	AA	1007	U	N1-C2-N3	6.13	118.58	114.90
1	AA	1424	U	C5-C4-O4	-6.13	122.22	125.90
1	AA	1459	G	N1-C2-N2	-6.13	110.68	116.20
1	AA	1486	G	N7-C8-N9	6.13	116.17	113.10
14	AN	55	ARG	NE-CZ-NH2	-6.13	117.23	120.30
26	BB	239	C	O4'-C1'-N1	6.13	113.10	108.20
26	BB	400	G	C1'-O4'-C4'	-6.13	105.00	109.90
26	BB	962	G	N7-C8-N9	-6.13	110.03	113.10
26	BB	1817	G	N7-C8-N9	6.13	116.17	113.10
26	BB	2381	A	C6-C5-N7	6.13	136.59	132.30
41	BQ	108	ASP	CB-CG-OD2	6.13	123.82	118.30
1	AA	362	G	N3-C4-C5	-6.13	125.53	128.60
1	AA	803	G	N9-C1'-C2'	-6.13	105.26	112.00
1	AA	913	A	N7-C8-N9	-6.13	110.73	113.80
26	BB	235	U	C2-N3-C4	-6.13	123.32	127.00
26	BB	584	C	C1'-O4'-C4'	-6.13	105.00	109.90
26	BB	1878	G	C5-C6-N1	6.13	114.56	111.50
26	BB	1983	G	N3-C2-N2	-6.13	115.61	119.90
53	B2	63	ARG	NH1-CZ-NH2	-6.13	112.66	119.40
1	AA	371	A	C4-C5-N7	6.13	113.77	110.70
1	AA	572	A	C1'-O4'-C4'	-6.13	105.00	109.90
1	AA	1018	G	C2-N3-C4	6.13	114.97	111.90
26	BB	397	U	N1-C2-O2	6.13	127.09	122.80
26	BB	786	C	C5'-C4'-O4'	6.13	116.45	109.10
26	BB	1387	A	O4'-C1'-N9	6.13	113.10	108.20
26	BB	1661	G	C4'-C3'-C2'	-6.13	96.47	102.60
26	BB	1894	C	O4'-C1'-N1	6.13	113.10	108.20
26	BB	2770	G	C4-C5-C6	6.13	122.48	118.80
26	BB	2874	C	C5-C6-N1	-6.13	117.94	121.00
1	AA	47	C	N3-C2-O2	-6.13	117.61	121.90
1	AA	460	A	C6-N1-C2	-6.13	114.92	118.60
1	AA	746	A	N3-C4-N9	-6.13	122.50	127.40
1	AA	813	U	P-O3'-C3'	6.13	127.05	119.70
1	AA	876	C	O4'-C1'-N1	6.13	113.10	108.20
5	AE	21	TYR	CG-CD1-CE1	-6.13	116.40	121.30
26	BB	64	A	N9-C1'-C2'	-6.13	105.26	112.00
26	BB	1777	U	C2-N3-C4	-6.13	123.32	127.00
26	BB	1803	A	C5-C6-N6	6.13	128.60	123.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1988	G	N1-C2-N2	6.13	121.72	116.20
26	BB	2693	G	N3-C2-N2	-6.13	115.61	119.90
1	AA	558	G	N3-C2-N2	-6.12	115.61	119.90
1	AA	1345	U	N3-C4-C5	-6.12	110.92	114.60
26	BB	118	A	C3'-C2'-C1'	6.12	106.40	101.50
26	BB	1465	G	P-O3'-C3'	6.12	127.05	119.70
26	BB	1608	A	N3-C4-N9	6.12	132.30	127.40
26	BB	1627	G	N3-C4-C5	-6.12	125.54	128.60
26	BB	1628	G	C5'-C4'-C3'	-6.12	106.20	116.00
26	BB	2391	G	C1'-O4'-C4'	-6.12	105.00	109.90
1	AA	136	C	C4-C5-C6	-6.12	114.34	117.40
1	AA	145	G	N9-C1'-C2'	-6.12	105.26	112.00
1	AA	255	G	P-O3'-C3'	6.12	127.05	119.70
1	AA	426	U	N1-C2-O2	-6.12	118.51	122.80
1	AA	687	A	C8-N9-C4	-6.12	103.35	105.80
1	AA	1035	A	C5-N7-C8	-6.12	100.84	103.90
1	AA	1265	C	N1-C1'-C2'	-6.12	105.27	112.00
26	BB	205	G	C5'-C4'-O4'	-6.12	101.75	109.10
26	BB	549	G	P-O3'-C3'	6.12	127.05	119.70
26	BB	1391	U	C3'-C2'-C1'	6.12	106.40	101.50
26	BB	1598	A	N9-C4-C5	6.12	108.25	105.80
26	BB	1783	A	C5-C6-N6	-6.12	118.80	123.70
26	BB	1786	A	N1-C6-N6	-6.12	114.93	118.60
26	BB	1970	A	C5'-C4'-C3'	-6.12	106.20	116.00
26	BB	2143	C	N3-C4-N4	6.12	122.29	118.00
26	BB	2421	G	N9-C4-C5	6.12	107.85	105.40
26	BB	2508	G	C5'-C4'-O4'	6.12	116.45	109.10
26	BB	2612	C	C6-N1-C2	-6.12	117.85	120.30
53	B2	49	ARG	NE-CZ-NH1	6.12	123.36	120.30
1	AA	309	A	C2-N3-C4	6.12	113.66	110.60
1	AA	325	A	N7-C8-N9	6.12	116.86	113.80
1	AA	329	A	C2-N3-C4	6.12	113.66	110.60
1	AA	482	A	N3-C4-C5	-6.12	122.52	126.80
1	AA	530	G	N7-C8-N9	6.12	116.16	113.10
1	AA	1127	G	O4'-C1'-N9	6.12	113.10	108.20
1	AA	1188	A	N1-C2-N3	-6.12	126.24	129.30
1	AA	1437	A	N9-C4-C5	-6.12	103.35	105.80
25	BA	112	G	C4-C5-C6	6.12	122.47	118.80
26	BB	274	C	C5'-C4'-C3'	-6.12	106.21	116.00
26	BB	432	A	N3-C4-N9	-6.12	122.50	127.40
26	BB	551	G	N3-C4-N9	6.12	129.67	126.00
26	BB	568	U	C4'-C3'-C2'	6.12	108.72	102.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	718	A	C4'-C3'-C2'	-6.12	96.48	102.60
26	BB	1682	G	N9-C1'-C2'	-6.12	105.27	112.00
26	BB	1955	U	N3-C2-O2	6.12	126.48	122.20
26	BB	2204	G	N9-C1'-C2'	6.12	121.96	114.00
26	BB	2275	C	N1-C2-N3	-6.12	114.92	119.20
26	BB	2363	G	P-O3'-C3'	6.12	127.05	119.70
26	BB	2477	U	O4'-C1'-C2'	-6.12	99.68	105.80
26	BB	2654	A	C4-C5-C6	-6.12	113.94	117.00
30	BF	6	LYS	N-CA-CB	-6.12	99.58	110.60
1	AA	165	G	C5-C6-O6	6.12	132.27	128.60
1	AA	471	U	C4'-C3'-C2'	-6.12	96.48	102.60
1	AA	934	C	P-O3'-C3'	6.12	127.04	119.70
25	BA	79	G	C4-C5-N7	-6.12	108.35	110.80
26	BB	236	C	N3-C4-N4	-6.12	113.72	118.00
26	BB	1582	C	C6-N1-C2	-6.12	117.85	120.30
26	BB	2720	U	C5-C4-O4	-6.12	122.23	125.90
1	AA	599	C	N3-C4-C5	6.12	124.35	121.90
1	AA	733	G	N3-C4-C5	-6.12	125.54	128.60
1	AA	739	C	C5'-C4'-C3'	-6.12	106.21	116.00
1	AA	805	C	C6-N1-C2	-6.12	117.85	120.30
1	AA	834	U	C4'-C3'-C2'	-6.12	96.48	102.60
1	AA	1452	C	C5'-C4'-C3'	-6.12	106.21	116.00
2	AB	29	G	C4-C5-C6	6.12	122.47	118.80
7	AG	169	TRP	NE1-CE2-CZ2	6.12	137.13	130.40
25	BA	84	G	C6-N1-C2	-6.12	121.43	125.10
26	BB	40	U	O5'-P-OP2	-6.12	100.19	105.70
26	BB	293	U	C5-C4-O4	-6.12	122.23	125.90
26	BB	695	G	N3-C4-N9	6.12	129.67	126.00
26	BB	970	U	N1-C2-O2	6.12	127.08	122.80
26	BB	1479	G	C4-C5-N7	6.12	113.25	110.80
26	BB	1933	G	N7-C8-N9	6.12	116.16	113.10
26	BB	2548	U	O4'-C1'-C2'	6.12	113.11	107.60
26	BB	2578	G	C5'-C4'-O4'	6.12	116.44	109.10
1	AA	944	G	N3-C4-N9	6.12	129.67	126.00
26	BB	762	U	C2-N1-C1'	6.12	125.04	117.70
26	BB	1038	G	C5-N7-C8	6.12	107.36	104.30
26	BB	1538	G	C8-N9-C4	-6.12	103.95	106.40
26	BB	1788	C	C3'-C2'-C1'	-6.12	96.61	101.50
1	AA	83	C	C5-C6-N1	6.12	124.06	121.00
1	AA	440	C	N1-C2-O2	6.12	122.57	118.90
1	AA	858	G	N9-C4-C5	6.12	107.85	105.40
2	AB	52	A	C5'-C4'-O4'	6.12	116.44	109.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	AD	35	C	C6-N1-C2	-6.12	117.85	120.30
25	BA	118	C	C2'-C3'-O3'	6.12	123.48	113.70
26	BB	545	U	C4'-C3'-C2'	6.12	108.72	102.60
26	BB	1373	A	N7-C8-N9	6.12	116.86	113.80
26	BB	1391	U	O4'-C1'-C2'	-6.12	99.69	105.80
26	BB	1593	A	N9-C4-C5	6.12	108.25	105.80
26	BB	2324	U	N1-C2-N3	6.12	118.57	114.90
26	BB	2569	G	N7-C8-N9	6.12	116.16	113.10
1	AA	481	G	C6-N1-C2	-6.11	121.43	125.10
1	AA	1189	U	C5-C4-O4	-6.11	122.23	125.90
3	AC	27	A	C6-N1-C2	-6.11	114.93	118.60
25	BA	110	C	P-O3'-C3'	6.11	127.04	119.70
26	BB	114	U	C2-N3-C4	-6.11	123.33	127.00
26	BB	132	G	C8-N9-C1'	6.11	134.95	127.00
26	BB	454	A	C2-N3-C4	6.11	113.66	110.60
26	BB	621	A	O4'-C1'-N9	6.11	113.09	108.20
26	BB	1689	A	C5-C6-N6	-6.11	118.81	123.70
26	BB	1858	A	C1'-O4'-C4'	-6.11	105.01	109.90
26	BB	2126	A	O4'-C1'-N9	6.11	113.09	108.20
26	BB	2221	G	C5-C6-N1	6.11	114.56	111.50
41	BQ	36	TYR	CB-CG-CD1	-6.11	117.33	121.00
42	BR	43	GLU	OE1-CD-OE2	6.11	130.63	123.30
1	AA	640	A	C8-N9-C4	-6.11	103.36	105.80
1	AA	1367	C	C4'-C3'-C2'	-6.11	96.49	102.60
26	BB	489	G	C4-C5-C6	6.11	122.47	118.80
26	BB	652	U	C5-C6-N1	6.11	125.76	122.70
26	BB	1916	A	N9-C4-C5	6.11	108.25	105.80
26	BB	2022	U	C2-N3-C4	-6.11	123.33	127.00
26	BB	2042	A	N3-C4-C5	-6.11	122.52	126.80
26	BB	2390	U	O4'-C1'-N1	6.11	113.09	108.20
1	AA	157	U	P-O3'-C3'	6.11	127.03	119.70
1	AA	358	U	C2-N3-C4	-6.11	123.33	127.00
1	AA	404	G	P-O3'-C3'	6.11	127.03	119.70
1	AA	752	G	N1-C6-O6	6.11	123.57	119.90
1	AA	1441	A	C5-N7-C8	-6.11	100.84	103.90
3	AC	18	A	C4'-C3'-C2'	-6.11	96.49	102.60
22	AV	80	ARG	NE-CZ-NH2	6.11	123.36	120.30
26	BB	2258	C	N3-C2-O2	-6.11	117.62	121.90
32	BH	175	LYS	CA-CB-CG	6.11	126.84	113.40
1	AA	820	U	C4-C5-C6	6.11	123.36	119.70
1	AA	845	A	P-O3'-C3'	6.11	127.03	119.70
2	AB	21	A	N7-C8-N9	6.11	116.86	113.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	567	U	N1-C1'-C2'	-6.11	105.28	112.00
26	BB	1247	A	N1-C2-N3	-6.11	126.25	129.30
26	BB	1307	A	C5-C6-N1	6.11	120.75	117.70
26	BB	1408	G	N7-C8-N9	-6.11	110.05	113.10
26	BB	2382	G	C1'-O4'-C4'	-6.11	105.01	109.90
29	BE	101	PHE	CB-CG-CD2	-6.11	116.52	120.80
1	AA	367	U	C5'-C4'-C3'	-6.11	106.23	116.00
1	AA	1168	U	C2-N3-C4	-6.11	123.33	127.00
1	AA	1234	C	N1-C1'-C2'	-6.11	105.28	112.00
26	BB	359	G	N7-C8-N9	6.11	116.15	113.10
26	BB	858	G	N7-C8-N9	-6.11	110.05	113.10
26	BB	1167	C	C6-N1-C2	-6.11	117.86	120.30
26	BB	1762	A	C2'-C3'-O3'	6.11	123.47	113.70
26	BB	1822	C	N3-C2-O2	6.11	126.17	121.90
26	BB	2766	A	N1-C6-N6	6.11	122.26	118.60
39	BO	130	PHE	CB-CG-CD2	-6.11	116.52	120.80
44	BT	66	HIS	CB-CA-C	6.11	122.61	110.40
1	AA	75	G	N1-C6-O6	6.11	123.56	119.90
1	AA	530	G	O3'-P-O5'	-6.11	92.40	104.00
1	AA	688	G	N3-C4-C5	-6.11	125.55	128.60
1	AA	808	C	C5-C4-N4	-6.11	115.93	120.20
1	AA	998	C	C6-N1-C2	6.11	122.74	120.30
1	AA	1031	C	C6-N1-C2	6.11	122.74	120.30
1	AA	1229	A	O4'-C1'-N9	6.11	113.08	108.20
26	BB	117	G	C5-C6-O6	6.11	132.26	128.60
26	BB	755	U	C5-C6-N1	-6.11	119.65	122.70
26	BB	1085	A	C5'-C4'-C3'	-6.11	106.23	116.00
26	BB	1198	U	O4'-C1'-N1	6.11	113.08	108.20
26	BB	2186	G	N3-C2-N2	6.11	124.17	119.90
26	BB	2496	C	C6-N1-C2	-6.11	117.86	120.30
26	BB	2579	C	C2-N3-C4	6.11	122.95	119.90
26	BB	2634	A	O4'-C1'-C2'	-6.11	99.69	105.80
1	AA	624	C	N1-C2-O2	6.10	122.56	118.90
1	AA	1138	G	C4-C5-C6	6.10	122.46	118.80
1	AA	1218	C	C2-N3-C4	-6.10	116.85	119.90
1	AA	1271	A	C5-N7-C8	-6.10	100.85	103.90
1	AA	1329	A	C2-N3-C4	6.10	113.65	110.60
25	BA	39	A	C5'-C4'-C3'	-6.10	106.23	116.00
26	BB	2690	U	O4'-C1'-N1	6.10	113.08	108.20
26	BB	2883	A	C6-C5-N7	-6.10	128.03	132.30
1	AA	1461	G	C8-N9-C4	-6.10	103.96	106.40
4	AD	19	G	N3-C2-N2	6.10	124.17	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	835	C	N1-C1'-C2'	-6.10	105.29	112.00
26	BB	985	C	C5'-C4'-O4'	-6.10	101.78	109.10
26	BB	1034	G	C4'-C3'-C2'	-6.10	96.50	102.60
26	BB	1102	C	N3-C4-N4	6.10	122.27	118.00
26	BB	1360	G	C6-C5-N7	-6.10	126.74	130.40
26	BB	1704	C	C2-N3-C4	6.10	122.95	119.90
26	BB	1929	G	N1-C2-N3	6.10	127.56	123.90
26	BB	2111	U	N1-C2-O2	6.10	127.07	122.80
26	BB	2122	U	C5-C6-N1	-6.10	119.65	122.70
26	BB	2162	G	C2-N3-C4	6.10	114.95	111.90
26	BB	2327	A	C4-C5-C6	-6.10	113.95	117.00
26	BB	2739	U	C4'-C3'-C2'	-6.10	96.50	102.60
26	BB	1829	A	O4'-C1'-C2'	-6.10	99.70	105.80
26	BB	2109	U	C2-N1-C1'	6.10	125.02	117.70
26	BB	2490	G	C1'-O4'-C4'	-6.10	105.02	109.90
1	AA	333	U	C5-C4-O4	-6.10	122.24	125.90
1	AA	673	A	N1-C6-N6	-6.10	114.94	118.60
1	AA	1383	C	N3-C4-N4	6.10	122.27	118.00
16	AP	81	ASP	CB-CG-OD2	-6.10	112.81	118.30
25	BA	13	G	N9-C4-C5	6.10	107.84	105.40
26	BB	507	A	N1-C6-N6	-6.10	114.94	118.60
26	BB	669	G	C4-C5-N7	-6.10	108.36	110.80
26	BB	1363	C	N1-C2-O2	6.10	122.56	118.90
26	BB	1490	A	O4'-C4'-C3'	6.10	110.98	106.10
26	BB	1628	G	C5-C6-N1	6.10	114.55	111.50
26	BB	2644	G	C8-N9-C4	-6.10	103.96	106.40
26	BB	2649	C	C3'-C2'-C1'	6.10	106.38	101.50
26	BB	2769	U	O4'-C1'-N1	6.10	113.08	108.20
1	AA	711	G	N3-C4-N9	6.10	129.66	126.00
1	AA	1175	G	N3-C2-N2	6.10	124.17	119.90
26	BB	343	C	N3-C4-N4	6.10	122.27	118.00
26	BB	781	A	C8-N9-C4	6.10	108.24	105.80
26	BB	1066	U	C5-C6-N1	6.10	125.75	122.70
26	BB	1542	U	C4'-C3'-C2'	-6.10	96.50	102.60
36	BL	27	ARG	NE-CZ-NH1	6.10	123.35	120.30
14	AN	43	TRP	CE3-CZ3-CH2	6.10	127.91	121.20
26	BB	967	U	C1'-O4'-C4'	6.10	114.78	109.90
26	BB	2633	G	C2-N3-C4	6.10	114.95	111.90
1	AA	330	C	N3-C2-O2	-6.09	117.63	121.90
1	AA	880	C	N1-C2-N3	6.09	123.47	119.20
1	AA	1311	A	C5-C6-N1	6.09	120.75	117.70
2	AB	34	C	C5-C6-N1	6.09	124.05	121.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	AC	23	C	O4'-C4'-C3'	-6.09	97.91	104.00
5	AE	21	TYR	CB-CG-CD1	-6.09	117.34	121.00
12	AL	61	ASP	CB-CG-OD2	-6.09	112.81	118.30
26	BB	331	C	O4'-C1'-N1	6.09	113.08	108.20
26	BB	695	G	C8-N9-C4	6.09	108.84	106.40
26	BB	2830	C	C6-N1-C2	-6.09	117.86	120.30
1	AA	42	G	C4-C5-N7	-6.09	108.36	110.80
15	AO	30	ARG	NE-CZ-NH1	6.09	123.35	120.30
26	BB	480	A	C1'-O4'-C4'	-6.09	105.03	109.90
1	AA	1349	A	P-O3'-C3'	6.09	127.01	119.70
26	BB	715	A	C2-N3-C4	6.09	113.65	110.60
26	BB	838	C	C4'-C3'-C2'	-6.09	96.51	102.60
26	BB	909	A	C8-N9-C4	-6.09	103.36	105.80
26	BB	1192	G	C5-C6-O6	-6.09	124.94	128.60
26	BB	1425	G	C5-C6-O6	6.09	132.25	128.60
26	BB	1729	U	C2-N3-C4	-6.09	123.34	127.00
26	BB	1789	A	C8-N9-C4	-6.09	103.36	105.80
26	BB	1860	G	N3-C4-C5	-6.09	125.55	128.60
26	BB	1970	A	N1-C2-N3	6.09	132.35	129.30
26	BB	2344	U	O4'-C1'-N1	6.09	113.07	108.20
26	BB	2491	U	C6-N1-C1'	-6.09	112.67	121.20
26	BB	2561	U	P-O3'-C3'	6.09	127.01	119.70
26	BB	2637	U	N3-C4-O4	6.09	123.66	119.40
1	AA	149	A	C5-C6-N1	-6.09	114.66	117.70
1	AA	833	G	C6-N1-C2	6.09	128.75	125.10
1	AA	934	C	N3-C4-N4	-6.09	113.74	118.00
25	BA	86	G	C4'-C3'-C2'	-6.09	96.51	102.60
26	BB	542	C	N3-C2-O2	-6.09	117.64	121.90
26	BB	575	A	N7-C8-N9	6.09	116.84	113.80
26	BB	625	G	C5'-C4'-O4'	6.09	116.41	109.10
26	BB	1134	A	C6-C5-N7	6.09	136.56	132.30
26	BB	2566	A	C5'-C4'-O4'	6.09	116.41	109.10
26	BB	2589	A	C6-N1-C2	6.09	122.25	118.60
26	BB	2817	U	C1'-O4'-C4'	-6.09	105.03	109.90
44	BT	21	ARG	NE-CZ-NH2	6.09	123.34	120.30
1	AA	628	G	N9-C4-C5	6.09	107.83	105.40
26	BB	405	U	C3'-C2'-C1'	6.09	106.37	101.50
26	BB	603	A	C6-N1-C2	-6.09	114.95	118.60
26	BB	1949	G	C6-N1-C2	-6.09	121.45	125.10
26	BB	2148	G	N7-C8-N9	6.09	116.14	113.10
1	AA	196	A	C3'-C2'-C1'	6.09	106.37	101.50
1	AA	236	A	C4'-C3'-C2'	-6.09	96.51	102.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	694	A	C4-C5-N7	-6.09	107.66	110.70
1	AA	723	U	O4'-C4'-C3'	6.09	110.97	106.10
3	AC	57	C	C4'-C3'-C2'	-6.09	96.51	102.60
8	AH	28	ARG	NE-CZ-NH1	6.09	123.34	120.30
25	BA	65	U	C3'-C2'-C1'	6.09	106.37	101.50
26	BB	381	G	N1-C6-O6	-6.09	116.25	119.90
26	BB	774	G	C5'-C4'-C3'	-6.09	106.26	116.00
26	BB	902	C	N3-C4-C5	6.09	124.33	121.90
26	BB	1206	G	N1-C2-N3	-6.09	120.25	123.90
26	BB	1215	G	N3-C4-N9	6.09	129.65	126.00
26	BB	1425	G	C4-C5-N7	6.09	113.23	110.80
26	BB	1653	G	N3-C4-N9	-6.09	122.35	126.00
26	BB	1906	G	N9-C4-C5	-6.09	102.97	105.40
26	BB	2446	G	N1-C2-N3	-6.09	120.25	123.90
26	BB	2483	C	C3'-C2'-C1'	6.09	106.37	101.50
4	AD	10	G	P-O3'-C3'	6.08	127.00	119.70
24	AX	37	TYR	CB-CG-CD2	6.08	124.65	121.00
26	BB	131	A	C5-N7-C8	-6.08	100.86	103.90
26	BB	511	U	O5'-P-OP2	-6.08	100.22	105.70
26	BB	530	G	C1'-O4'-C4'	-6.08	105.03	109.90
26	BB	973	A	C3'-C2'-C1'	6.08	106.37	101.50
26	BB	1058	U	N1-C2-N3	6.08	118.55	114.90
26	BB	1536	C	N1-C2-O2	6.08	122.55	118.90
26	BB	1550	C	C4'-C3'-C2'	-6.08	96.52	102.60
26	BB	2374	C	C6-N1-C2	-6.08	117.87	120.30
26	BB	2877	G	N1-C6-O6	-6.08	116.25	119.90
1	AA	836	G	C4'-C3'-C2'	-6.08	96.52	102.60
1	AA	1455	G	O4'-C1'-N9	6.08	113.07	108.20
26	BB	3	U	N1-C2-O2	-6.08	118.54	122.80
26	BB	223	A	C8-N9-C4	-6.08	103.37	105.80
26	BB	454	A	C6-N1-C2	-6.08	114.95	118.60
26	BB	707	G	C5-N7-C8	-6.08	101.26	104.30
26	BB	1571	A	N1-C6-N6	6.08	122.25	118.60
26	BB	2608	G	C5-C6-O6	6.08	132.25	128.60
1	AA	740	U	N3-C4-C5	-6.08	110.95	114.60
1	AA	756	C	N1-C1'-C2'	-6.08	105.31	112.00
1	AA	935	A	O4'-C1'-N9	6.08	113.07	108.20
1	AA	993	G	C3'-C2'-C1'	6.08	106.36	101.50
26	BB	144	A	C6-C5-N7	6.08	136.56	132.30
26	BB	181	A	O4'-C4'-C3'	6.08	110.96	106.10
26	BB	361	G	N3-C4-N9	6.08	129.65	126.00
26	BB	518	G	C5'-C4'-O4'	6.08	116.40	109.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	699	A	C8-N9-C4	-6.08	103.37	105.80
26	BB	844	A	N3-C4-C5	-6.08	122.54	126.80
26	BB	1057	A	N9-C1'-C2'	6.08	121.91	114.00
26	BB	1307	A	O4'-C4'-C3'	-6.08	97.92	104.00
26	BB	1666	G	C6-C5-N7	-6.08	126.75	130.40
26	BB	1912	A	N3-C4-N9	-6.08	122.53	127.40
26	BB	2422	C	N3-C2-O2	6.08	126.16	121.90
26	BB	2649	C	N1-C1'-C2'	-6.08	105.31	112.00
1	AA	1266	G	C4-C5-N7	-6.08	108.37	110.80
26	BB	1913	A	C1'-O4'-C4'	-6.08	105.04	109.90
1	AA	318	G	C5'-C4'-O4'	6.08	116.39	109.10
1	AA	416	G	N1-C2-N3	-6.08	120.25	123.90
1	AA	865	A	C1'-O4'-C4'	-6.08	105.04	109.90
1	AA	877	G	C4-N9-C1'	-6.08	118.60	126.50
1	AA	1398	A	C4'-C3'-C2'	-6.08	96.52	102.60
1	AA	1399	C	N1-C1'-C2'	-6.08	105.31	112.00
3	AC	27	A	C5-C6-N6	-6.08	118.84	123.70
26	BB	579	G	O4'-C1'-N9	6.08	113.06	108.20
26	BB	590	A	N1-C6-N6	-6.08	114.95	118.60
26	BB	696	G	C4'-C3'-C2'	-6.08	96.52	102.60
26	BB	949	G	N1-C2-N3	-6.08	120.25	123.90
26	BB	1342	A	N7-C8-N9	-6.08	110.76	113.80
26	BB	1958	C	O4'-C1'-N1	6.08	113.06	108.20
26	BB	1979	U	N3-C2-O2	-6.08	117.94	122.20
28	BD	173	LEU	CB-CG-CD2	6.08	121.33	111.00
1	AA	517	G	N7-C8-N9	6.08	116.14	113.10
1	AA	936	C	C5-C6-N1	6.08	124.04	121.00
1	AA	945	G	C8-N9-C4	-6.08	103.97	106.40
1	AA	1112	C	O4'-C4'-C3'	6.08	110.96	106.10
21	AU	19	GLU	OE1-CD-OE2	6.08	130.59	123.30
26	BB	1567	G	C4-N9-C1'	6.08	134.40	126.50
1	AA	177	G	C4'-C3'-C2'	-6.08	96.52	102.60
1	AA	532	A	C4-C5-N7	-6.08	107.66	110.70
1	AA	612	C	C4-C5-C6	6.08	120.44	117.40
1	AA	1242	G	N1-C6-O6	-6.08	116.25	119.90
1	AA	1259	C	O4'-C1'-N1	6.08	113.06	108.20
26	BB	467	G	N3-C4-N9	6.08	129.65	126.00
26	BB	576	U	C3'-C2'-C1'	-6.08	96.64	101.50
26	BB	667	U	N3-C4-C5	6.08	118.25	114.60
26	BB	1079	C	P-O3'-C3'	6.08	126.99	119.70
26	BB	1677	A	C5'-C4'-O4'	6.08	116.39	109.10
26	BB	1826	G	O4'-C1'-N9	6.08	113.06	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1909	C	O4'-C1'-N1	6.08	113.06	108.20
26	BB	2053	G	O5'-C5'-C4'	-6.08	100.16	111.70
26	BB	2067	G	C5'-C4'-O4'	6.08	116.39	109.10
26	BB	2321	U	P-O3'-C3'	6.08	126.99	119.70
26	BB	2645	G	N9-C4-C5	6.08	107.83	105.40
1	AA	253	A	C5'-C4'-O4'	6.07	116.39	109.10
1	AA	1105	A	C1'-O4'-C4'	-6.07	105.04	109.90
25	BA	109	A	N7-C8-N9	6.07	116.84	113.80
26	BB	26	G	C1'-O4'-C4'	6.07	114.76	109.90
26	BB	26	G	N3-C2-N2	6.07	124.15	119.90
26	BB	585	G	C5-C6-N1	-6.07	108.46	111.50
26	BB	771	G	C5-N7-C8	-6.07	101.26	104.30
26	BB	1192	G	N1-C6-O6	6.07	123.55	119.90
26	BB	1556	C	N1-C2-O2	6.07	122.54	118.90
26	BB	1690	A	C2-N3-C4	6.07	113.64	110.60
26	BB	1710	G	N3-C4-N9	6.07	129.65	126.00
26	BB	1888	G	O4'-C4'-C3'	-6.07	97.93	104.00
26	BB	2070	A	O4'-C1'-N9	6.07	113.06	108.20
26	BB	2214	C	C3'-C2'-C1'	6.07	106.36	101.50
26	BB	2348	U	O4'-C1'-C2'	6.07	113.07	107.60
54	B3	42	ILE	CB-CA-C	6.07	123.75	111.60
1	AA	372	C	C4-C5-C6	-6.07	114.36	117.40
1	AA	1313	U	C2'-C3'-O3'	6.07	123.42	113.70
26	BB	507	A	P-O3'-C3'	6.07	126.99	119.70
26	BB	1330	C	O4'-C1'-N1	6.07	113.06	108.20
26	BB	1462	C	C4-C5-C6	6.07	120.44	117.40
26	BB	2269	G	C3'-C2'-C1'	6.07	106.36	101.50
26	BB	2899	A	C2-N3-C4	6.07	113.64	110.60
33	BI	51	ARG	NE-CZ-NH2	-6.07	117.26	120.30
50	BZ	17	ARG	NE-CZ-NH1	-6.07	117.26	120.30
58	B7	24	ARG	CD-NE-CZ	6.07	132.10	123.60
1	AA	356	A	N9-C1'-C2'	-6.07	105.32	112.00
1	AA	578	C	O4'-C1'-N1	6.07	113.06	108.20
1	AA	616	G	C8-N9-C1'	6.07	134.89	127.00
1	AA	908	A	C5-N7-C8	6.07	106.94	103.90
1	AA	999	C	O4'-C1'-N1	6.07	113.06	108.20
1	AA	1032	G	O4'-C1'-C2'	6.07	113.06	107.60
1	AA	1120	C	N1-C2-O2	6.07	122.54	118.90
1	AA	1483	A	C2-N3-C4	6.07	113.64	110.60
26	BB	7	G	N3-C4-C5	-6.07	125.56	128.60
26	BB	84	A	O4'-C1'-N9	6.07	113.06	108.20
26	BB	789	A	C1'-O4'-C4'	6.07	114.76	109.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1023	U	C5-C6-N1	-6.07	119.67	122.70
26	BB	1137	G	C2-N3-C4	6.07	114.94	111.90
26	BB	1253	A	C5-C6-N1	6.07	120.73	117.70
26	BB	1281	G	C6-C5-N7	-6.07	126.76	130.40
26	BB	1338	G	C2'-C3'-O3'	6.07	123.41	113.70
26	BB	1431	A	C5-C6-N1	6.07	120.73	117.70
26	BB	1516	G	C5'-C4'-O4'	6.07	116.39	109.10
26	BB	2403	C	C6-N1-C2	-6.07	117.87	120.30
26	BB	2423	U	C1'-O4'-C4'	-6.07	105.04	109.90
26	BB	2488	G	N9-C4-C5	6.07	107.83	105.40
26	BB	2665	A	N3-C4-C5	-6.07	122.55	126.80
1	AA	293	G	C5'-C4'-C3'	-6.07	106.29	116.00
1	AA	332	G	N3-C4-N9	-6.07	122.36	126.00
1	AA	1526	G	C6-C5-N7	-6.07	126.76	130.40
17	AQ	100	TRP	CA-CB-CG	6.07	125.23	113.70
26	BB	481	G	N3-C4-N9	6.07	129.64	126.00
26	BB	517	C	N1-C2-O2	-6.07	115.26	118.90
26	BB	548	G	C5-C6-N1	-6.07	108.47	111.50
26	BB	945	A	N9-C4-C5	6.07	108.23	105.80
26	BB	1878	G	C4-C5-N7	6.07	113.23	110.80
26	BB	2708	G	N1-C2-N3	-6.07	120.26	123.90
1	AA	203	G	N1-C6-O6	-6.07	116.26	119.90
1	AA	392	C	C1'-O4'-C4'	6.07	114.75	109.90
1	AA	803	G	C1'-O4'-C4'	-6.07	105.05	109.90
1	AA	804	U	OP1-P-OP2	6.07	128.70	119.60
1	AA	1274	A	C4-C5-C6	6.07	120.03	117.00
1	AA	1316	G	C5-N7-C8	6.07	107.33	104.30
1	AA	1448	C	C1'-O4'-C4'	-6.07	105.05	109.90
3	AC	20	G	C2-N3-C4	6.07	114.93	111.90
26	BB	97	C	N3-C4-N4	-6.07	113.75	118.00
26	BB	347	A	N9-C4-C5	-6.07	103.37	105.80
26	BB	737	C	N1-C2-O2	6.07	122.54	118.90
26	BB	1134	A	C5-C6-N1	6.07	120.73	117.70
26	BB	1147	A	C4'-C3'-C2'	-6.07	96.53	102.60
26	BB	1325	U	N3-C2-O2	-6.07	117.95	122.20
26	BB	1384	A	C2-N3-C4	6.07	113.63	110.60
26	BB	1679	A	C4-C5-N7	-6.07	107.67	110.70
26	BB	2682	A	C5-C6-N1	6.07	120.73	117.70
1	AA	92	U	O4'-C1'-C2'	6.07	113.06	107.60
7	AG	193	ASP	CB-CG-OD1	-6.07	112.84	118.30
26	BB	190	A	C4-C5-N7	6.07	113.73	110.70
26	BB	494	G	C2-N3-C4	-6.07	108.87	111.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	546	U	O4'-C1'-N1	6.07	113.05	108.20
26	BB	605	G	C6-C5-N7	6.07	134.04	130.40
26	BB	864	G	C5'-C4'-O4'	6.07	116.38	109.10
26	BB	2024	G	C2-N3-C4	-6.07	108.87	111.90
26	BB	2126	A	C3'-C2'-C1'	6.07	106.35	101.50
26	BB	2289	G	N9-C4-C5	6.07	107.83	105.40
26	BB	2293	G	C8-N9-C4	-6.07	103.97	106.40
26	BB	2808	G	N9-C1'-C2'	-6.07	105.33	112.00
1	AA	728	A	C4-C5-C6	6.06	120.03	117.00
3	AC	19	A	O4'-C4'-C3'	6.06	110.95	106.10
4	AD	58	A	N9-C4-C5	-6.06	103.37	105.80
18	AR	17	ASP	CB-CG-OD2	-6.06	112.84	118.30
26	BB	1884	G	P-O3'-C3'	6.06	126.98	119.70
1	AA	556	C	C4-C5-C6	6.06	120.43	117.40
1	AA	674	G	C8-N9-C4	-6.06	103.97	106.40
1	AA	774	G	C2-N3-C4	6.06	114.93	111.90
1	AA	777	A	O5'-P-OP2	-6.06	100.24	105.70
1	AA	1291	U	N3-C2-O2	-6.06	117.96	122.20
1	AA	1441	A	C3'-C2'-C1'	6.06	106.35	101.50
1	AA	1456	A	O4'-C1'-N9	6.06	113.05	108.20
25	BA	115	A	C4-C5-C6	6.06	120.03	117.00
26	BB	842	U	C4-C5-C6	6.06	123.34	119.70
26	BB	1226	A	N9-C4-C5	6.06	108.22	105.80
26	BB	1428	C	N3-C2-O2	-6.06	117.66	121.90
26	BB	1482	G	N3-C4-N9	6.06	129.64	126.00
26	BB	1680	U	C5-C6-N1	-6.06	119.67	122.70
26	BB	2273	A	C5-N7-C8	-6.06	100.87	103.90
26	BB	2277	G	C5'-C4'-C3'	-6.06	106.30	116.00
26	BB	2280	G	C8-N9-C4	-6.06	103.97	106.40
26	BB	2319	G	C6-N1-C2	6.06	128.74	125.10
1	AA	560	A	C5-C6-N1	-6.06	114.67	117.70
1	AA	724	G	C5'-C4'-C3'	-6.06	106.30	116.00
1	AA	1122	U	O4'-C1'-N1	6.06	113.05	108.20
1	AA	1529	G	N9-C4-C5	6.06	107.83	105.40
25	BA	4	C	C6-N1-C2	6.06	122.72	120.30
25	BA	82	U	C4'-C3'-C2'	-6.06	96.54	102.60
26	BB	555	G	N9-C4-C5	-6.06	102.98	105.40
26	BB	1536	C	C5'-C4'-C3'	-6.06	106.30	116.00
26	BB	1676	A	N1-C6-N6	6.06	122.24	118.60
1	AA	1153	G	C6-C5-N7	-6.06	126.76	130.40
1	AA	1374	A	O4'-C1'-N9	6.06	113.05	108.20
1	AA	1438	G	O4'-C1'-N9	6.06	113.05	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	164	C	O4'-C1'-N1	6.06	113.05	108.20
26	BB	784	G	C2-N3-C4	-6.06	108.87	111.90
26	BB	1194	A	O4'-C1'-N9	6.06	113.05	108.20
26	BB	1418	G	C2-N3-C4	6.06	114.93	111.90
26	BB	1427	A	C4-C5-C6	-6.06	113.97	117.00
26	BB	1530	G	C4-C5-N7	-6.06	108.38	110.80
26	BB	1606	C	C6-N1-C2	-6.06	117.88	120.30
1	AA	149	A	C6-N1-C2	6.06	122.23	118.60
1	AA	1422	G	O4'-C1'-N9	6.06	113.05	108.20
4	AD	14	A	O4'-C1'-N9	6.06	113.05	108.20
26	BB	115	C	C3'-C2'-C1'	6.06	106.35	101.50
26	BB	593	U	N1-C1'-C2'	-6.06	105.34	112.00
26	BB	657	U	C6-N1-C2	-6.06	117.36	121.00
26	BB	734	A	N9-C1'-C2'	6.06	121.88	114.00
26	BB	1105	U	O4'-C1'-N1	6.06	113.05	108.20
26	BB	1520	U	C6-N1-C2	-6.06	117.36	121.00
26	BB	1823	G	C3'-C2'-C1'	-6.06	96.65	101.50
26	BB	1889	A	C6-N1-C2	-6.06	114.97	118.60
26	BB	2360	G	N1-C2-N3	-6.06	120.27	123.90
26	BB	2486	C	N1-C1'-C2'	-6.06	105.34	112.00
26	BB	2488	G	C4-C5-N7	-6.06	108.38	110.80
26	BB	2717	C	N1-C2-O2	6.06	122.53	118.90
1	AA	1332	A	N9-C1'-C2'	-6.06	105.34	112.00
1	AA	1351	U	C4-C5-C6	-6.06	116.07	119.70
8	AH	92	ARG	NE-CZ-NH1	6.06	123.33	120.30
26	BB	159	G	C2-N3-C4	6.06	114.93	111.90
26	BB	1430	G	C5-N7-C8	6.06	107.33	104.30
1	AA	619	U	N3-C2-O2	-6.05	117.96	122.20
1	AA	1091	U	N3-C2-O2	-6.05	117.96	122.20
1	AA	1159	U	C6-N1-C2	-6.05	117.37	121.00
1	AA	1372	U	N1-C2-N3	6.05	118.53	114.90
1	AA	1476	A	C2'-C3'-O3'	6.05	123.39	113.70
26	BB	424	G	C5-N7-C8	6.05	107.33	104.30
26	BB	811	U	N3-C2-O2	-6.05	117.96	122.20
26	BB	1506	U	C4-C5-C6	6.05	123.33	119.70
26	BB	1784	A	C5-C6-N6	-6.05	118.86	123.70
26	BB	2121	G	C4-C5-N7	-6.05	108.38	110.80
26	BB	2267	A	N9-C4-C5	6.05	108.22	105.80
26	BB	2863	C	O4'-C1'-C2'	6.05	113.05	107.60
32	BH	82	PHE	CG-CD2-CE2	-6.05	114.14	120.80
1	AA	167	A	C6-C5-N7	6.05	136.54	132.30
26	BB	1295	C	C5-C4-N4	-6.05	115.96	120.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2502	G	C5-C6-O6	-6.05	124.97	128.60
1	AA	200	G	C6-N1-C2	-6.05	121.47	125.10
1	AA	671	G	C5-C6-O6	-6.05	124.97	128.60
1	AA	944	G	P-O3'-C3'	6.05	126.96	119.70
1	AA	1186	G	N3-C4-N9	6.05	129.63	126.00
25	BA	115	A	N3-C4-C5	-6.05	122.56	126.80
26	BB	829	A	C5-C6-N6	6.05	128.54	123.70
26	BB	1009	A	P-O3'-C3'	6.05	126.96	119.70
26	BB	1657	U	C4-C5-C6	6.05	123.33	119.70
26	BB	2226	C	O4'-C1'-N1	6.05	113.04	108.20
26	BB	2847	U	C1'-O4'-C4'	-6.05	105.06	109.90
40	BP	118	ARG	NE-CZ-NH1	6.05	123.33	120.30
1	AA	133	U	N3-C4-O4	6.05	123.64	119.40
1	AA	542	G	N1-C2-N3	-6.05	120.27	123.90
1	AA	726	C	C4'-C3'-C2'	-6.05	96.55	102.60
1	AA	1115	U	C5'-C4'-O4'	6.05	116.36	109.10
1	AA	1131	G	N3-C4-C5	-6.05	125.58	128.60
1	AA	1188	A	N7-C8-N9	6.05	116.82	113.80
7	AG	64	TYR	CG-CD2-CE2	-6.05	116.46	121.30
25	BA	42	C	C2-N3-C4	6.05	122.92	119.90
26	BB	127	A	O4'-C1'-N9	6.05	113.04	108.20
26	BB	558	U	C3'-C2'-C1'	6.05	106.34	101.50
26	BB	941	A	C4'-C3'-C2'	-6.05	96.55	102.60
26	BB	1218	G	C6-C5-N7	-6.05	126.77	130.40
26	BB	1369	G	C5'-C4'-O4'	6.05	116.36	109.10
26	BB	1630	A	N1-C2-N3	-6.05	126.28	129.30
26	BB	1848	A	C1'-O4'-C4'	6.05	114.74	109.90
26	BB	2200	C	C4'-C3'-C2'	-6.05	96.55	102.60
26	BB	2400	G	O4'-C1'-C2'	6.05	113.04	107.60
1	AA	155	A	N1-C6-N6	6.05	122.23	118.60
1	AA	533	A	C4-C5-C6	-6.05	113.98	117.00
1	AA	788	U	N1-C2-O2	-6.05	118.57	122.80
1	AA	1272	G	C8-N9-C4	-6.05	103.98	106.40
1	AA	1483	A	C4-C5-C6	-6.05	113.98	117.00
26	BB	369	U	C5'-C4'-O4'	6.05	116.36	109.10
26	BB	2093	G	N1-C2-N3	-6.05	120.27	123.90
31	BG	109	ARG	NE-CZ-NH2	-6.05	117.28	120.30
1	AA	370	C	C5-C4-N4	6.05	124.43	120.20
1	AA	493	A	N1-C6-N6	-6.05	114.97	118.60
1	AA	533	A	C1'-O4'-C4'	-6.05	105.06	109.90
1	AA	647	C	C5-C4-N4	6.05	124.43	120.20
1	AA	697	U	N3-C2-O2	-6.05	117.97	122.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	729	A	C3'-C2'-C1'	6.05	106.34	101.50
1	AA	838	G	C8-N9-C1'	6.05	134.86	127.00
1	AA	959	A	C6-C5-N7	6.05	136.53	132.30
1	AA	964	A	C4-C5-C6	6.05	120.02	117.00
1	AA	1179	A	C5-C6-N6	-6.05	118.86	123.70
1	AA	1244	G	N1-C6-O6	6.05	123.53	119.90
26	BB	208	C	C5-C4-N4	-6.05	115.97	120.20
26	BB	278	A	P-O3'-C3'	6.05	126.96	119.70
26	BB	647	G	N3-C2-N2	6.05	124.13	119.90
26	BB	949	G	N1-C6-O6	6.05	123.53	119.90
26	BB	1240	U	N1-C2-N3	6.05	118.53	114.90
26	BB	1582	C	C5'-C4'-O4'	6.05	116.36	109.10
26	BB	1628	G	N3-C2-N2	-6.05	115.67	119.90
26	BB	2135	A	C4'-C3'-C2'	-6.05	96.55	102.60
26	BB	2222	C	C5'-C4'-O4'	6.05	116.36	109.10
26	BB	2329	U	N1-C2-N3	6.05	118.53	114.90
26	BB	2841	C	C4'-C3'-C2'	-6.05	96.55	102.60
1	AA	526	C	O4'-C1'-N1	6.04	113.04	108.20
1	AA	1198	G	C1'-O4'-C4'	-6.04	105.06	109.90
1	AA	1332	A	O4'-C1'-N9	6.04	113.04	108.20
2	AB	67	G	C4-C5-C6	6.04	122.43	118.80
26	BB	1970	A	C8-N9-C4	-6.04	103.38	105.80
26	BB	2658	C	N1-C2-O2	6.04	122.53	118.90
1	AA	767	A	C4-C5-C6	-6.04	113.98	117.00
1	AA	865	A	O4'-C4'-C3'	6.04	110.94	106.10
1	AA	1223	C	C3'-C2'-C1'	6.04	106.33	101.50
1	AA	1373	G	N9-C4-C5	6.04	107.82	105.40
26	BB	468	G	C6-N1-C2	-6.04	121.47	125.10
26	BB	579	G	C2-N3-C4	6.04	114.92	111.90
26	BB	923	G	C6-C5-N7	-6.04	126.77	130.40
26	BB	1214	A	C1'-O4'-C4'	-6.04	105.06	109.90
26	BB	1304	A	O4'-C1'-N9	6.04	113.03	108.20
26	BB	1682	G	N1-C2-N2	6.04	121.64	116.20
26	BB	2379	G	C6-C5-N7	6.04	134.03	130.40
26	BB	2553	G	C5'-C4'-O4'	6.04	116.35	109.10
26	BB	2812	G	C2-N3-C4	6.04	114.92	111.90
26	BB	2817	U	O4'-C1'-N1	6.04	113.03	108.20
1	AA	1	A	C8-N9-C4	-6.04	103.38	105.80
1	AA	360	G	N3-C2-N2	-6.04	115.67	119.90
1	AA	904	U	N3-C4-O4	6.04	123.63	119.40
1	AA	1373	G	O4'-C1'-C2'	-6.04	99.76	105.80
1	AA	1489	G	C5-N7-C8	-6.04	101.28	104.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	AD	26	C	C3'-C2'-C1'	6.04	106.33	101.50
11	AK	127	TYR	CB-CG-CD1	6.04	124.62	121.00
25	BA	45	A	N7-C8-N9	-6.04	110.78	113.80
26	BB	230	G	N3-C4-N9	6.04	129.62	126.00
26	BB	272	A	C4-C5-N7	6.04	113.72	110.70
26	BB	273	G	N7-C8-N9	6.04	116.12	113.10
26	BB	361	G	C5-N7-C8	-6.04	101.28	104.30
26	BB	1112	G	N7-C8-N9	-6.04	110.08	113.10
26	BB	1557	C	O4'-C1'-N1	6.04	113.03	108.20
26	BB	1565	C	N1-C1'-C2'	6.04	121.85	114.00
26	BB	1943	U	N1-C1'-C2'	-6.04	105.35	112.00
26	BB	2301	C	C4'-C3'-C2'	-6.04	96.56	102.60
25	BA	20	G	C2-N3-C4	6.04	114.92	111.90
26	BB	582	A	C6-N1-C2	6.04	122.22	118.60
26	BB	706	A	N1-C6-N6	-6.04	114.98	118.60
26	BB	798	G	N3-C4-C5	-6.04	125.58	128.60
26	BB	1471	G	C4-C5-C6	6.04	122.42	118.80
26	BB	2316	G	C6-N1-C2	-6.04	121.48	125.10
26	BB	2369	A	N1-C2-N3	6.04	132.32	129.30
26	BB	2459	A	N7-C8-N9	6.04	116.82	113.80
26	BB	2670	A	C5-C6-N1	6.04	120.72	117.70
1	AA	247	G	P-O3'-C3'	6.04	126.95	119.70
1	AA	295	C	C5'-C4'-O4'	6.04	116.34	109.10
1	AA	468	A	C4-C5-N7	6.04	113.72	110.70
1	AA	848	C	O4'-C1'-N1	6.04	113.03	108.20
1	AA	1330	U	O4'-C4'-C3'	6.04	110.93	106.10
25	BA	52	A	O4'-C1'-N9	6.04	113.03	108.20
25	BA	84	G	C3'-C2'-C1'	-6.04	96.67	101.50
26	BB	2	G	C4-C5-N7	-6.04	108.39	110.80
26	BB	660	C	O3'-P-O5'	-6.04	92.53	104.00
26	BB	758	C	O4'-C4'-C3'	-6.04	97.96	104.00
26	BB	1232	G	C4-N9-C1'	-6.04	118.65	126.50
26	BB	2827	C	N3-C4-N4	6.04	122.23	118.00
1	AA	468	A	C6-N1-C2	6.04	122.22	118.60
1	AA	833	G	C3'-C2'-C1'	6.04	106.33	101.50
1	AA	1017	U	C5-C4-O4	6.04	129.52	125.90
26	BB	415	A	C5-N7-C8	-6.04	100.88	103.90
26	BB	803	U	N1-C2-N3	6.04	118.52	114.90
26	BB	993	G	C6-N1-C2	6.04	128.72	125.10
26	BB	1725	U	C1'-O4'-C4'	6.04	114.73	109.90
42	BR	61	ARG	NE-CZ-NH2	6.04	123.32	120.30
1	AA	64	G	C4-C5-C6	-6.04	115.18	118.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	76	G	C5-N7-C8	-6.04	101.28	104.30
1	AA	376	G	C5-C6-O6	6.04	132.22	128.60
1	AA	632	U	C1'-O4'-C4'	-6.04	105.07	109.90
1	AA	841	C	N3-C2-O2	-6.04	117.68	121.90
1	AA	1192	C	O4'-C1'-N1	6.04	113.03	108.20
17	AQ	52	ARG	NE-CZ-NH1	6.04	123.32	120.30
26	BB	221	A	C8-N9-C4	-6.04	103.39	105.80
26	BB	723	C	C2-N3-C4	-6.04	116.88	119.90
26	BB	1055	G	C8-N9-C1'	6.04	134.85	127.00
26	BB	1150	C	O4'-C1'-N1	6.04	113.03	108.20
26	BB	1651	G	C8-N9-C4	-6.04	103.99	106.40
26	BB	1654	A	C6-N1-C2	-6.04	114.98	118.60
26	BB	1913	A	N9-C4-C5	6.04	108.22	105.80
26	BB	2010	G	C6-C5-N7	-6.04	126.78	130.40
26	BB	2224	G	C8-N9-C4	-6.04	103.99	106.40
26	BB	2317	A	C5-C6-N1	-6.04	114.68	117.70
26	BB	2328	A	N9-C4-C5	6.04	108.21	105.80
26	BB	2568	U	O4'-C1'-N1	6.04	113.03	108.20
1	AA	38	G	C4-C5-N7	-6.03	108.39	110.80
1	AA	337	G	N7-C8-N9	6.03	116.12	113.10
1	AA	488	C	C5-C4-N4	-6.03	115.98	120.20
1	AA	535	A	C5-C6-N1	6.03	120.72	117.70
1	AA	764	C	C2-N3-C4	6.03	122.92	119.90
1	AA	1125	U	N1-C2-O2	6.03	127.02	122.80
1	AA	1404	C	C5'-C4'-O4'	6.03	116.34	109.10
2	AB	12	U	C5'-C4'-O4'	6.03	116.34	109.10
24	AX	46	ARG	NE-CZ-NH2	6.03	123.32	120.30
26	BB	133	U	O4'-C1'-N1	6.03	113.03	108.20
26	BB	459	U	C5-C6-N1	-6.03	119.68	122.70
26	BB	1750	G	C8-N9-C4	-6.03	103.99	106.40
26	BB	1865	U	C3'-C2'-C1'	6.03	106.33	101.50
26	BB	2272	U	C4-C5-C6	6.03	123.32	119.70
26	BB	2458	G	N3-C4-N9	-6.03	122.38	126.00
27	BC	73	VAL	CA-CB-CG1	6.03	119.95	110.90
1	AA	574	A	C4-C5-C6	-6.03	113.98	117.00
1	AA	601	G	C4'-C3'-C2'	-6.03	96.57	102.60
1	AA	908	A	C4-C5-N7	-6.03	107.68	110.70
26	BB	2420	C	C5'-C4'-C3'	-6.03	106.35	116.00
1	AA	54	C	C3'-C2'-C1'	6.03	106.32	101.50
1	AA	315	A	C8-N9-C4	-6.03	103.39	105.80
1	AA	566	G	N9-C1'-C2'	-6.03	105.36	112.00
1	AA	596	A	C5-C6-N1	6.03	120.72	117.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	707	U	C5-C6-N1	-6.03	119.69	122.70
2	AB	49	G	N9-C4-C5	-6.03	102.99	105.40
3	AC	26	U	C5-C4-O4	-6.03	122.28	125.90
25	BA	39	A	C2-N3-C4	-6.03	107.58	110.60
26	BB	388	G	C5'-C4'-O4'	6.03	116.34	109.10
26	BB	761	A	C5'-C4'-O4'	6.03	116.34	109.10
26	BB	898	C	C2-N3-C4	-6.03	116.88	119.90
26	BB	1229	C	C2-N3-C4	-6.03	116.89	119.90
26	BB	1643	G	C6-N1-C2	-6.03	121.48	125.10
26	BB	2488	G	O4'-C1'-N9	6.03	113.03	108.20
26	BB	2507	C	O4'-C1'-N1	6.03	113.03	108.20
47	BW	51	LEU	CB-CG-CD1	-6.03	100.75	111.00
1	AA	445	G	C4-C5-N7	-6.03	108.39	110.80
1	AA	529	G	N7-C8-N9	-6.03	110.09	113.10
1	AA	849	G	N9-C4-C5	6.03	107.81	105.40
1	AA	854	U	C4-C5-C6	6.03	123.32	119.70
1	AA	1157	A	N3-C4-N9	-6.03	122.58	127.40
1	AA	1435	G	C4-C5-N7	-6.03	108.39	110.80
1	AA	1465	A	C6-C5-N7	-6.03	128.08	132.30
26	BB	344	A	C3'-C2'-C1'	-6.03	96.68	101.50
26	BB	557	C	C5'-C4'-O4'	6.03	116.33	109.10
26	BB	582	A	C4'-C3'-C2'	-6.03	96.57	102.60
26	BB	1435	G	C2-N3-C4	6.03	114.92	111.90
26	BB	1674	G	N3-C4-N9	6.03	129.62	126.00
26	BB	1888	G	P-O3'-C3'	6.03	126.94	119.70
26	BB	2027	G	C4-C5-N7	6.03	113.21	110.80
1	AA	595	A	N9-C4-C5	6.03	108.21	105.80
1	AA	636	U	N3-C2-O2	-6.03	117.98	122.20
1	AA	747	A	C4'-C3'-C2'	-6.03	96.57	102.60
1	AA	945	G	C5'-C4'-O4'	6.03	116.33	109.10
26	BB	101	A	P-O3'-C3'	6.03	126.93	119.70
26	BB	282	A	C6-N1-C2	6.03	122.22	118.60
26	BB	776	G	N1-C2-N2	6.03	121.62	116.20
26	BB	813	U	C4'-C3'-C2'	-6.03	96.57	102.60
26	BB	960	A	O4'-C1'-N9	-6.03	103.38	108.20
26	BB	1116	G	N9-C1'-C2'	-6.03	105.37	112.00
26	BB	1208	C	C5-C4-N4	-6.03	115.98	120.20
26	BB	1761	C	C4-C5-C6	-6.03	114.39	117.40
26	BB	2531	A	O4'-C4'-C3'	6.03	110.92	106.10
26	BB	2791	G	C5-N7-C8	6.03	107.31	104.30
1	AA	633	G	C6-N1-C2	6.03	128.72	125.10
25	BA	61	G	C8-N9-C4	-6.03	103.99	106.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	44	A	N7-C8-N9	6.03	116.81	113.80
26	BB	1239	G	N7-C8-N9	6.03	116.11	113.10
26	BB	1820	U	C5'-C4'-O4'	-6.03	101.87	109.10
26	BB	1865	U	C4'-C3'-C2'	-6.03	96.57	102.60
26	BB	1936	A	N1-C2-N3	6.03	132.31	129.30
26	BB	2242	G	C4'-C3'-C2'	-6.03	96.57	102.60
1	AA	1020	G	C4-C5-N7	-6.02	108.39	110.80
1	AA	1244	G	C8-N9-C4	-6.02	103.99	106.40
1	AA	1450	U	N1-C1'-C2'	-6.02	105.37	112.00
26	BB	214	G	N9-C4-C5	6.02	107.81	105.40
26	BB	903	C	C6-N1-C2	6.02	122.71	120.30
26	BB	2096	C	C2-N3-C4	6.02	122.91	119.90
26	BB	2206	C	C5-C6-N1	6.02	124.01	121.00
26	BB	2432	A	N1-C2-N3	-6.02	126.29	129.30
1	AA	863	U	O4'-C1'-N1	6.02	113.02	108.20
1	AA	954	G	O4'-C1'-N9	6.02	113.02	108.20
1	AA	1336	C	O4'-C1'-N1	6.02	113.02	108.20
1	AA	1454	G	O4'-C1'-N9	6.02	113.02	108.20
26	BB	28	A	N1-C2-N3	-6.02	126.29	129.30
26	BB	58	G	C5-C6-O6	-6.02	124.99	128.60
26	BB	98	G	C5-C6-O6	-6.02	124.99	128.60
26	BB	282	A	C5-C6-N1	-6.02	114.69	117.70
26	BB	485	C	C2-N3-C4	6.02	122.91	119.90
26	BB	498	G	C4'-C3'-C2'	-6.02	96.58	102.60
26	BB	1650	A	C4'-C3'-C2'	-6.02	96.58	102.60
26	BB	1682	G	N7-C8-N9	-6.02	110.09	113.10
26	BB	2168	G	N3-C2-N2	6.02	124.11	119.90
1	AA	388	G	C5-C6-O6	-6.02	124.99	128.60
1	AA	1141	C	N3-C2-O2	-6.02	117.69	121.90
25	BA	18	G	N1-C2-N3	-6.02	120.29	123.90
26	BB	85	G	C5-C6-O6	6.02	132.21	128.60
26	BB	119	A	N7-C8-N9	-6.02	110.79	113.80
26	BB	1293	C	N3-C2-O2	-6.02	117.69	121.90
26	BB	1418	G	N3-C4-C5	-6.02	125.59	128.60
1	AA	1129	C	C3'-C2'-C1'	6.02	106.32	101.50
1	AA	1513	A	N1-C6-N6	-6.02	114.99	118.60
5	AE	79	VAL	CA-CB-CG2	6.02	119.93	110.90
26	BB	170	U	N3-C2-O2	-6.02	117.99	122.20
26	BB	394	C	C5-C4-N4	-6.02	115.99	120.20
26	BB	700	G	C8-N9-C1'	6.02	134.82	127.00
26	BB	883	G	N3-C4-C5	-6.02	125.59	128.60
26	BB	1137	G	O4'-C1'-N9	6.02	113.02	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1564	C	C4'-C3'-C2'	-6.02	96.58	102.60
26	BB	1883	U	C4-C5-C6	6.02	123.31	119.70
26	BB	1890	A	N1-C2-N3	-6.02	126.29	129.30
26	BB	1988	G	N3-C2-N2	-6.02	115.69	119.90
26	BB	2036	C	N3-C2-O2	-6.02	117.69	121.90
26	BB	2222	C	C5-C4-N4	6.02	124.41	120.20
26	BB	2314	A	C6-N1-C2	6.02	122.21	118.60
26	BB	2470	G	C3'-C2'-C1'	-6.02	96.68	101.50
1	AA	195	A	C5-C6-N1	6.02	120.71	117.70
1	AA	222	C	C5-C4-N4	-6.02	115.99	120.20
1	AA	676	A	C6-N1-C2	6.02	122.21	118.60
1	AA	911	U	C5-C4-O4	-6.02	122.29	125.90
1	AA	1387	G	C5-C6-O6	-6.02	124.99	128.60
26	BB	304	U	C2-N3-C4	-6.02	123.39	127.00
26	BB	426	C	N1-C2-N3	-6.02	114.99	119.20
26	BB	690	G	C6-N1-C2	-6.02	121.49	125.10
26	BB	1924	C	C4'-C3'-C2'	-6.02	96.58	102.60
26	BB	2202	U	N3-C4-O4	6.02	123.61	119.40
26	BB	2512	C	N3-C2-O2	-6.02	117.69	121.90
26	BB	2534	A	C8-N9-C4	-6.02	103.39	105.80
26	BB	2684	U	C4'-C3'-C2'	-6.02	96.58	102.60
28	BD	101	ARG	NE-CZ-NH1	6.02	123.31	120.30
1	AA	322	C	C4-C5-C6	6.02	120.41	117.40
1	AA	872	A	N1-C2-N3	-6.02	126.29	129.30
26	BB	426	C	O4'-C1'-N1	6.02	113.01	108.20
26	BB	1711	A	C1'-O4'-C4'	6.02	114.71	109.90
26	BB	2368	C	C5'-C4'-O4'	6.02	116.32	109.10
1	AA	241	G	C4-C5-C6	6.01	122.41	118.80
1	AA	508	U	N3-C2-O2	-6.01	117.99	122.20
1	AA	1350	A	N7-C8-N9	6.01	116.81	113.80
7	AG	55	ARG	NE-CZ-NH2	-6.01	117.29	120.30
26	BB	35	G	C4-C5-N7	6.01	113.21	110.80
26	BB	37	C	N3-C4-C5	-6.01	119.49	121.90
26	BB	347	A	N3-C4-N9	6.01	132.21	127.40
26	BB	386	G	N9-C4-C5	6.01	107.81	105.40
26	BB	937	C	C6-N1-C2	-6.01	117.89	120.30
26	BB	2570	G	N3-C4-N9	6.01	129.61	126.00
37	BM	78	ARG	NE-CZ-NH2	6.01	123.31	120.30
1	AA	43	C	C5'-C4'-O4'	6.01	116.31	109.10
1	AA	78	A	N7-C8-N9	6.01	116.81	113.80
1	AA	105	G	C5-C6-O6	6.01	132.21	128.60
1	AA	495	A	C6-N1-C2	-6.01	114.99	118.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	674	G	N7-C8-N9	6.01	116.11	113.10
1	AA	709	U	C3'-C2'-C1'	6.01	106.31	101.50
1	AA	753	A	C4-C5-C6	6.01	120.01	117.00
20	AT	10	ARG	NE-CZ-NH1	6.01	123.31	120.30
25	BA	67	G	C6-C5-N7	-6.01	126.79	130.40
26	BB	184	C	P-O3'-C3'	6.01	126.92	119.70
26	BB	261	G	C4-C5-N7	6.01	113.20	110.80
26	BB	927	A	N9-C4-C5	6.01	108.20	105.80
26	BB	964	C	O4'-C1'-N1	6.01	113.01	108.20
26	BB	1004	U	C6-N1-C2	-6.01	117.39	121.00
26	BB	1101	U	N1-C2-N3	6.01	118.51	114.90
26	BB	1551	A	C2-N3-C4	6.01	113.61	110.60
26	BB	2455	G	C5-C6-O6	-6.01	124.99	128.60
26	BB	2630	G	N9-C4-C5	6.01	107.81	105.40
26	BB	2701	U	C1'-O4'-C4'	-6.01	105.09	109.90
26	BB	2729	G	O4'-C1'-N9	6.01	113.01	108.20
1	AA	510	A	N3-C4-C5	-6.01	122.59	126.80
1	AA	786	G	C6-C5-N7	-6.01	126.79	130.40
1	AA	1346	A	OP1-P-O3'	6.01	118.42	105.20
1	AA	1490	U	C4'-C3'-C2'	-6.01	96.59	102.60
26	BB	342	A	N1-C2-N3	-6.01	126.29	129.30
26	BB	520	G	C5'-C4'-O4'	6.01	116.31	109.10
26	BB	572	A	N7-C8-N9	-6.01	110.79	113.80
26	BB	1496	A	N9-C4-C5	6.01	108.20	105.80
26	BB	2349	G	C8-N9-C1'	6.01	134.81	127.00
26	BB	2403	C	N3-C4-C5	-6.01	119.50	121.90
26	BB	2532	G	P-O5'-C5'	6.01	130.52	120.90
26	BB	2781	A	C2-N3-C4	6.01	113.61	110.60
1	AA	36	C	C1'-O4'-C4'	6.01	114.71	109.90
1	AA	248	C	C4-C5-C6	-6.01	114.39	117.40
1	AA	1148	U	C5-C6-N1	-6.01	119.70	122.70
1	AA	1255	G	C2-N3-C4	6.01	114.91	111.90
2	AB	58	A	N1-C2-N3	6.01	132.31	129.30
3	AC	19	A	O4'-C1'-C2'	-6.01	99.79	105.80
4	AD	70	C	O4'-C4'-C3'	6.01	110.91	106.10
26	BB	70	G	N3-C4-N9	6.01	129.61	126.00
26	BB	228	C	C4-C5-C6	-6.01	114.39	117.40
26	BB	494	G	N9-C4-C5	-6.01	103.00	105.40
26	BB	692	C	N1-C2-N3	-6.01	114.99	119.20
26	BB	1037	G	N3-C2-N2	6.01	124.11	119.90
26	BB	1097	U	N3-C4-O4	6.01	123.61	119.40
26	BB	1584	U	P-O3'-C3'	-6.01	112.49	119.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1590	A	C5-C6-N6	6.01	128.51	123.70
26	BB	2566	A	C6-N1-C2	6.01	122.21	118.60
1	AA	212	G	N7-C8-N9	6.01	116.10	113.10
1	AA	505	G	O4'-C1'-C2'	6.01	113.00	107.60
1	AA	608	A	P-O3'-C3'	6.01	126.91	119.70
1	AA	999	C	C1'-O4'-C4'	6.01	114.71	109.90
1	AA	1305	G	C5-C6-N1	-6.01	108.50	111.50
26	BB	1060	U	C2-N1-C1'	6.01	124.91	117.70
26	BB	1079	C	C1'-O4'-C4'	-6.01	105.09	109.90
26	BB	1132	U	C5-C4-O4	-6.01	122.30	125.90
26	BB	1241	A	C4'-C3'-C2'	-6.01	96.59	102.60
26	BB	1984	G	C5-C6-N1	6.01	114.50	111.50
34	BJ	50	TYR	CD1-CG-CD2	6.01	124.51	117.90
55	B4	28	THR	CA-CB-OG1	6.01	121.61	109.00
1	AA	946	A	C5'-C4'-O4'	6.00	116.31	109.10
1	AA	1508	A	O4'-C1'-N9	6.00	113.00	108.20
26	BB	529	A	P-O3'-C3'	6.00	126.91	119.70
26	BB	1034	G	N9-C1'-C2'	-6.00	105.39	112.00
26	BB	1317	G	C5-N7-C8	6.00	107.30	104.30
26	BB	2412	A	O4'-C1'-N9	6.00	113.00	108.20
26	BB	2459	A	C5'-C4'-O4'	6.00	116.31	109.10
26	BB	2847	U	O4'-C1'-N1	6.00	113.00	108.20
1	AA	174	A	O5'-C5'-C4'	-6.00	100.29	111.70
1	AA	189	A	C2-N3-C4	6.00	113.60	110.60
1	AA	316	C	C6-N1-C2	-6.00	117.90	120.30
1	AA	461	A	C4-C5-N7	-6.00	107.70	110.70
1	AA	482	A	C3'-C2'-C1'	6.00	106.30	101.50
1	AA	658	C	O4'-C1'-N1	6.00	113.00	108.20
1	AA	1035	A	C4-C5-C6	-6.00	114.00	117.00
1	AA	1272	G	C5-N7-C8	-6.00	101.30	104.30
1	AA	1431	A	C6-N1-C2	6.00	122.20	118.60
2	AB	76	A	N7-C8-N9	6.00	116.80	113.80
26	BB	695	G	O4'-C1'-N9	6.00	113.00	108.20
26	BB	715	A	N9-C4-C5	6.00	108.20	105.80
26	BB	898	C	C6-N1-C2	6.00	122.70	120.30
26	BB	999	U	C4-C5-C6	6.00	123.30	119.70
26	BB	1897	G	C5'-C4'-O4'	6.00	116.31	109.10
26	BB	2132	U	N1-C2-N3	6.00	118.50	114.90
26	BB	2141	G	N3-C2-N2	-6.00	115.70	119.90
26	BB	2398	U	C2-N3-C4	-6.00	123.40	127.00
26	BB	2841	C	C4-C5-C6	6.00	120.40	117.40
34	BJ	5	GLN	CB-CG-CD	6.00	127.21	111.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	454	G	N3-C4-C5	-6.00	125.60	128.60
1	AA	698	G	P-O3'-C3'	6.00	126.90	119.70
1	AA	1091	U	C4-C5-C6	6.00	123.30	119.70
1	AA	1145	A	C6-C5-N7	6.00	136.50	132.30
26	BB	209	C	P-O3'-C3'	6.00	126.90	119.70
26	BB	348	A	N1-C2-N3	-6.00	126.30	129.30
26	BB	681	G	C5-N7-C8	6.00	107.30	104.30
26	BB	967	U	N1-C2-N3	6.00	118.50	114.90
26	BB	1016	G	C4-C5-N7	-6.00	108.40	110.80
26	BB	1034	G	C4-C5-C6	6.00	122.40	118.80
26	BB	1925	C	C6-N1-C2	6.00	122.70	120.30
26	BB	2198	A	C5'-C4'-C3'	-6.00	106.40	116.00
1	AA	220	G	N1-C2-N3	-6.00	120.30	123.90
25	BA	119	A	C4-C5-N7	6.00	113.70	110.70
26	BB	1037	G	C5'-C4'-C3'	6.00	125.60	116.00
26	BB	1125	G	N3-C4-C5	-6.00	125.60	128.60
26	BB	2019	A	C5-N7-C8	6.00	106.90	103.90
26	BB	2218	G	N3-C4-N9	6.00	129.60	126.00
1	AA	53	A	C4-C5-C6	6.00	120.00	117.00
1	AA	164	G	C8-N9-C4	-6.00	104.00	106.40
1	AA	424	G	C6-C5-N7	-6.00	126.80	130.40
1	AA	790	A	O4'-C1'-N9	6.00	113.00	108.20
1	AA	1153	G	C4-C5-C6	6.00	122.40	118.80
1	AA	1523	G	C5'-C4'-O4'	6.00	116.30	109.10
11	AK	110	MET	CG-SD-CE	6.00	109.80	100.20
26	BB	141	G	C6-N1-C2	-6.00	121.50	125.10
26	BB	861	A	C4-C5-N7	6.00	113.70	110.70
26	BB	1202	G	C4-C5-C6	6.00	122.40	118.80
26	BB	1332	G	C1'-O4'-C4'	-6.00	105.10	109.90
26	BB	1369	G	N1-C2-N2	6.00	121.60	116.20
26	BB	1514	G	O4'-C1'-N9	6.00	113.00	108.20
26	BB	1860	G	C2-N3-C4	6.00	114.90	111.90
26	BB	2056	G	N1-C2-N3	-6.00	120.30	123.90
26	BB	2243	U	C5'-C4'-O4'	6.00	116.30	109.10
26	BB	2523	G	P-O3'-C3'	6.00	126.90	119.70
53	B2	56	ARG	NE-CZ-NH1	6.00	123.30	120.30
1	AA	113	G	C5-C6-N1	6.00	114.50	111.50
1	AA	920	U	O4'-C1'-N1	6.00	113.00	108.20
1	AA	1398	A	C1'-O4'-C4'	-6.00	105.10	109.90
1	AA	1406	U	C4-C5-C6	-6.00	116.10	119.70
15	AO	113	ARG	NH1-CZ-NH2	-6.00	112.80	119.40
26	BB	254	G	P-O3'-C3'	6.00	126.90	119.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	274	C	N3-C4-C5	-6.00	119.50	121.90
26	BB	449	A	O4'-C1'-N9	6.00	113.00	108.20
26	BB	631	A	P-O3'-C3'	6.00	126.89	119.70
26	BB	919	U	C5-C6-N1	-6.00	119.70	122.70
26	BB	1009	A	O5'-C5'-C4'	-6.00	100.31	111.70
26	BB	1168	G	N3-C2-N2	6.00	124.10	119.90
26	BB	1530	G	C6-C5-N7	6.00	134.00	130.40
26	BB	1656	C	N1-C2-O2	6.00	122.50	118.90
26	BB	2264	C	C4-C5-C6	-6.00	114.40	117.40
26	BB	2518	A	O4'-C1'-N9	6.00	113.00	108.20
26	BB	2661	G	N9-C4-C5	6.00	107.80	105.40
43	BS	3	VAL	CG1-CB-CG2	-6.00	101.31	110.90
50	BZ	57	VAL	CG1-CB-CG2	-6.00	101.31	110.90
1	AA	894	G	C4-C5-C6	6.00	122.40	118.80
1	AA	921	U	N3-C4-C5	-6.00	111.00	114.60
26	BB	168	G	C4-C5-N7	-6.00	108.40	110.80
26	BB	1930	G	N3-C4-C5	-6.00	125.60	128.60
2	AB	29	G	C5-N7-C8	-5.99	101.30	104.30
26	BB	238	C	N3-C4-C5	-5.99	119.50	121.90
26	BB	335	C	N3-C2-O2	5.99	126.09	121.90
26	BB	458	G	O4'-C1'-N9	5.99	112.99	108.20
26	BB	1028	A	N9-C4-C5	-5.99	103.40	105.80
26	BB	1240	U	N3-C4-C5	-5.99	111.00	114.60
26	BB	1295	C	C5-C6-N1	-5.99	118.00	121.00
26	BB	1895	C	C5-C4-N4	5.99	124.40	120.20
26	BB	1945	G	C5-C6-O6	5.99	132.20	128.60
26	BB	2351	G	C6-C5-N7	-5.99	126.80	130.40
26	BB	2382	G	N1-C6-O6	5.99	123.50	119.90
26	BB	2800	A	N9-C1'-C2'	-5.99	105.41	112.00
1	AA	170	U	O5'-P-OP2	-5.99	100.31	105.70
26	BB	94	A	C4-C5-C6	-5.99	114.00	117.00
26	BB	327	G	C2-N3-C4	5.99	114.90	111.90
26	BB	788	A	N1-C2-N3	5.99	132.30	129.30
26	BB	1181	U	N3-C2-O2	-5.99	118.00	122.20
26	BB	2363	G	N3-C2-N2	-5.99	115.71	119.90
26	BB	2728	U	N3-C4-C5	5.99	118.19	114.60
26	BB	2784	U	C5-C6-N1	-5.99	119.70	122.70
1	AA	65	A	N9-C4-C5	-5.99	103.40	105.80
1	AA	286	C	C5-C4-N4	-5.99	116.01	120.20
1	AA	550	G	N3-C4-C5	-5.99	125.61	128.60
1	AA	1273	C	O4'-C1'-N1	5.99	112.99	108.20
17	AQ	8	ARG	NE-CZ-NH2	5.99	123.30	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BA	86	G	C5-N7-C8	-5.99	101.31	104.30
26	BB	19	A	C6-N1-C2	-5.99	115.01	118.60
26	BB	56	A	C4-C5-N7	5.99	113.69	110.70
26	BB	1111	A	O4'-C1'-N9	5.99	112.99	108.20
26	BB	1396	U	O4'-C1'-N1	-5.99	103.41	108.20
26	BB	1877	A	C4'-C3'-C2'	-5.99	96.61	102.60
26	BB	2035	G	C6-C5-N7	5.99	134.00	130.40
26	BB	2134	A	P-O3'-C3'	5.99	126.89	119.70
26	BB	2370	G	N3-C4-C5	5.99	131.60	128.60
26	BB	2452	C	O4'-C1'-N1	5.99	112.99	108.20
26	BB	2540	C	N3-C4-N4	5.99	122.19	118.00
26	BB	2652	C	N1-C2-N3	5.99	123.39	119.20
26	BB	2852	G	C6-C5-N7	-5.99	126.81	130.40
1	AA	437	U	N3-C4-O4	5.99	123.59	119.40
1	AA	751	U	N3-C4-O4	5.99	123.59	119.40
3	AC	16	A	N3-C4-N9	-5.99	122.61	127.40
19	AS	44	SER	N-CA-CB	-5.99	101.52	110.50
26	BB	38	A	C3'-C2'-C1'	5.99	106.29	101.50
26	BB	60	G	N1-C6-O6	5.99	123.49	119.90
26	BB	109	C	C4-C5-C6	-5.99	114.41	117.40
26	BB	309	A	C2-N3-C4	5.99	113.59	110.60
26	BB	652	U	C5-C4-O4	-5.99	122.31	125.90
26	BB	1288	G	C3'-C2'-C1'	5.99	106.29	101.50
26	BB	1414	C	C6-N1-C2	5.99	122.70	120.30
26	BB	1435	G	C1'-O4'-C4'	5.99	114.69	109.90
26	BB	1840	G	N1-C6-O6	5.99	123.49	119.90
26	BB	1963	U	P-O5'-C5'	5.99	130.48	120.90
26	BB	2642	G	O4'-C1'-N9	5.99	112.99	108.20
30	BF	35	TYR	CD1-CG-CD2	5.99	124.49	117.90
2	AB	15	A	C2-N3-C4	5.99	113.59	110.60
25	BA	108	A	C3'-C2'-C1'	-5.99	96.71	101.50
26	BB	756	A	N7-C8-N9	5.99	116.79	113.80
26	BB	1507	C	C2-N3-C4	5.99	122.89	119.90
26	BB	2429	G	C5-N7-C8	5.99	107.29	104.30
27	BC	204	ALA	N-CA-CB	-5.99	101.72	110.10
1	AA	21	G	N3-C2-N2	5.99	124.09	119.90
1	AA	41	G	C4'-C3'-C2'	-5.99	96.61	102.60
1	AA	69	G	C5-C6-O6	-5.99	125.01	128.60
1	AA	313	A	C2-N3-C4	5.99	113.59	110.60
1	AA	1060	U	C1'-O4'-C4'	5.99	114.69	109.90
1	AA	1065	U	N3-C2-O2	-5.99	118.01	122.20
1	AA	1139	G	N1-C2-N3	-5.99	120.31	123.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1269	A	C2-N3-C4	-5.99	107.61	110.60
1	AA	1333	A	C1'-O4'-C4'	5.99	114.69	109.90
25	BA	119	A	C3'-C2'-C1'	-5.99	96.71	101.50
26	BB	1458	U	N1-C2-N3	5.99	118.49	114.90
26	BB	2288	A	C6-N1-C2	5.99	122.19	118.60
26	BB	2370	G	C2-N3-C4	-5.99	108.91	111.90
26	BB	2392	A	N9-C4-C5	5.99	108.19	105.80
26	BB	2887	A	O5'-C5'-C4'	5.99	123.07	111.70
1	AA	271	C	N3-C4-C5	-5.98	119.51	121.90
1	AA	1172	C	C6-N1-C2	-5.98	117.91	120.30
26	BB	261	G	C2-N3-C4	5.98	114.89	111.90
26	BB	1272	A	C5-C6-N6	5.98	128.49	123.70
26	BB	1379	U	C5'-C4'-O4'	5.98	116.28	109.10
26	BB	1638	C	C4'-C3'-C2'	-5.98	96.62	102.60
26	BB	2112	G	C8-N9-C4	5.98	108.79	106.40
26	BB	2494	G	N9-C1'-C2'	-5.98	105.42	112.00
26	BB	2786	U	C6-N1-C2	-5.98	117.41	121.00
1	AA	65	A	C2-N3-C4	5.98	113.59	110.60
1	AA	321	A	N1-C6-N6	-5.98	115.01	118.60
1	AA	377	G	C4-C5-N7	-5.98	108.41	110.80
26	BB	825	A	O4'-C1'-N9	5.98	112.98	108.20
26	BB	1155	A	N9-C1'-C2'	-5.98	105.42	112.00
26	BB	1218	G	N9-C1'-C2'	-5.98	105.42	112.00
26	BB	1360	G	C4-C5-N7	5.98	113.19	110.80
26	BB	1697	G	C3'-C2'-C1'	-5.98	96.72	101.50
26	BB	2246	G	C6-N1-C2	-5.98	121.51	125.10
26	BB	2426	A	N7-C8-N9	5.98	116.79	113.80
26	BB	2551	C	C6-N1-C2	5.98	122.69	120.30
26	BB	2880	C	N3-C2-O2	-5.98	117.71	121.90
1	AA	1140	C	C2-N3-C4	5.98	122.89	119.90
25	BA	75	G	N7-C8-N9	-5.98	110.11	113.10
26	BB	109	C	C5-C6-N1	5.98	123.99	121.00
26	BB	436	C	O4'-C1'-N1	5.98	112.98	108.20
26	BB	963	U	N1-C2-N3	5.98	118.49	114.90
26	BB	1715	G	C5'-C4'-C3'	-5.98	106.43	116.00
26	BB	2053	G	C4'-C3'-C2'	-5.98	96.62	102.60
28	BD	174	ARG	CD-NE-CZ	5.98	131.97	123.60
1	AA	338	A	C5'-C4'-O4'	5.98	116.28	109.10
1	AA	617	G	N3-C2-N2	-5.98	115.72	119.90
1	AA	858	G	C8-N9-C4	-5.98	104.01	106.40
1	AA	951	G	N9-C4-C5	5.98	107.79	105.40
1	AA	1505	G	N3-C4-C5	-5.98	125.61	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	80	G	O5'-P-OP2	-5.98	100.32	105.70
26	BB	778	G	N3-C2-N2	5.98	124.08	119.90
26	BB	1259	G	C5-N7-C8	5.98	107.29	104.30
26	BB	1487	U	C1'-O4'-C4'	5.98	114.68	109.90
26	BB	2141	G	N1-C2-N2	5.98	121.58	116.20
1	AA	29	U	O5'-C5'-C4'	5.98	123.06	111.70
1	AA	734	G	C4'-C3'-C2'	5.98	108.58	102.60
1	AA	984	C	O4'-C1'-N1	5.98	112.98	108.20
1	AA	1427	C	C5'-C4'-O4'	5.98	116.27	109.10
3	AC	15	G	C3'-C2'-C1'	-5.98	96.72	101.50
26	BB	134	G	C4'-C3'-C2'	-5.98	96.62	102.60
26	BB	283	G	P-O3'-C3'	5.98	126.87	119.70
26	BB	476	G	C8-N9-C4	-5.98	104.01	106.40
26	BB	1033	U	C5-C6-N1	-5.98	119.71	122.70
26	BB	1857	G	N3-C4-C5	-5.98	125.61	128.60
26	BB	2311	A	C4'-C3'-C2'	-5.98	96.62	102.60
26	BB	2870	C	N1-C2-O2	5.98	122.49	118.90
1	AA	291	U	N1-C1'-C2'	-5.98	105.43	112.00
1	AA	753	A	C8-N9-C4	-5.98	103.41	105.80
23	AW	50	PHE	CB-CG-CD1	-5.98	116.62	120.80
26	BB	263	G	N3-C2-N2	-5.98	115.72	119.90
26	BB	2867	G	O4'-C1'-N9	5.98	112.98	108.20
1	AA	144	G	C2-N3-C4	5.97	114.89	111.90
1	AA	563	A	N1-C6-N6	5.97	122.19	118.60
1	AA	750	C	C4'-C3'-C2'	5.97	108.57	102.60
1	AA	827	U	C5-C4-O4	5.97	129.49	125.90
1	AA	1101	A	C5-C6-N1	5.97	120.69	117.70
1	AA	1265	C	C2-N1-C1'	-5.97	112.23	118.80
25	BA	12	C	N3-C2-O2	-5.97	117.72	121.90
26	BB	17	G	N3-C2-N2	-5.97	115.72	119.90
26	BB	136	G	C8-N9-C4	-5.97	104.01	106.40
26	BB	169	G	C2-N3-C4	5.97	114.89	111.90
26	BB	1438	U	O4'-C1'-N1	5.97	112.98	108.20
26	BB	1762	A	P-O3'-C3'	5.97	126.87	119.70
26	BB	1776	G	N3-C4-N9	5.97	129.59	126.00
26	BB	1893	C	C4-C5-C6	5.97	120.39	117.40
26	BB	2240	U	N1-C2-N3	5.97	118.48	114.90
26	BB	2903	U	C3'-C2'-C1'	5.97	106.28	101.50
1	AA	645	G	C5'-C4'-O4'	5.97	116.27	109.10
1	AA	828	U	C5-C4-O4	-5.97	122.32	125.90
1	AA	1020	G	C4-C5-C6	5.97	122.38	118.80
4	AD	25	U	N1-C1'-C2'	-5.97	105.43	112.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	AF	21	TRP	NE1-CE2-CZ2	5.97	136.97	130.40
25	BA	20	G	C6-C5-N7	5.97	133.98	130.40
26	BB	262	A	C5-C6-N6	-5.97	118.92	123.70
26	BB	1460	U	O4'-C1'-C2'	-5.97	99.83	105.80
26	BB	1465	G	N3-C4-C5	-5.97	125.61	128.60
26	BB	1487	U	O4'-C1'-C2'	-5.97	99.83	105.80
26	BB	1790	C	C4-C5-C6	5.97	120.39	117.40
26	BB	2432	A	C1'-O4'-C4'	-5.97	105.12	109.90
26	BB	2572	A	C5-N7-C8	-5.97	100.91	103.90
28	BD	121	ALA	O-C-N	5.97	132.25	122.70
43	BS	112	ALA	N-CA-CB	-5.97	101.74	110.10
1	AA	380	G	C5-C6-O6	-5.97	125.02	128.60
26	BB	232	G	C5-N7-C8	-5.97	101.31	104.30
26	BB	907	G	C8-N9-C4	-5.97	104.01	106.40
26	BB	949	G	C4'-C3'-O3'	5.97	124.94	113.00
26	BB	1910	G	C5-C6-O6	-5.97	125.02	128.60
26	BB	1998	A	N1-C6-N6	5.97	122.18	118.60
26	BB	2400	G	N3-C2-N2	-5.97	115.72	119.90
26	BB	2641	G	C4-C5-C6	5.97	122.38	118.80
1	AA	4	U	N1-C2-O2	5.97	126.98	122.80
1	AA	116	A	O4'-C1'-N9	5.97	112.98	108.20
1	AA	431	A	N9-C4-C5	5.97	108.19	105.80
1	AA	1015	G	N7-C8-N9	5.97	116.08	113.10
1	AA	1099	G	O4'-C1'-N9	5.97	112.97	108.20
1	AA	1422	G	N3-C4-C5	-5.97	125.62	128.60
1	AA	1540	U	C5'-C4'-O4'	5.97	116.26	109.10
3	AC	37	G	C5-C6-N1	5.97	114.48	111.50
25	BA	86	G	C3'-C2'-C1'	5.97	106.28	101.50
26	BB	358	U	C6-N1-C2	-5.97	117.42	121.00
26	BB	776	G	C4-C5-C6	5.97	122.38	118.80
26	BB	912	C	P-O3'-C3'	5.97	126.86	119.70
26	BB	1105	U	N3-C4-C5	5.97	118.18	114.60
26	BB	1581	G	C5-C6-N1	5.97	114.48	111.50
26	BB	1905	C	N3-C4-N4	-5.97	113.82	118.00
26	BB	1973	G	C5'-C4'-C3'	-5.97	106.45	116.00
26	BB	2469	A	P-O3'-C3'	5.97	126.86	119.70
26	BB	2474	U	C4-C5-C6	5.97	123.28	119.70
31	BG	122	ASP	CB-CG-OD1	-5.97	112.93	118.30
1	AA	33	A	C5-N7-C8	-5.97	100.92	103.90
1	AA	56	U	O4'-C1'-N1	5.97	112.97	108.20
1	AA	386	C	C5-C6-N1	-5.97	118.02	121.00
1	AA	1140	C	N1-C2-O2	5.97	122.48	118.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
12	AL	122	ARG	NE-CZ-NH1	5.97	123.28	120.30
26	BB	498	G	C2-N3-C4	5.97	114.88	111.90
26	BB	679	C	C4'-C3'-C2'	-5.97	96.63	102.60
26	BB	1422	G	C5-C6-O6	-5.97	125.02	128.60
26	BB	1890	A	C5'-C4'-O4'	5.97	116.26	109.10
26	BB	2307	G	P-O3'-C3'	5.97	126.86	119.70
26	BB	2711	A	N7-C8-N9	5.97	116.78	113.80
1	AA	41	G	N7-C8-N9	-5.97	110.12	113.10
1	AA	1320	C	C1'-O4'-C4'	-5.97	105.13	109.90
1	AA	1475	G	C1'-O4'-C4'	-5.97	105.13	109.90
25	BA	84	G	C5-C6-N1	5.97	114.48	111.50
26	BB	108	G	C4-C5-N7	-5.97	108.41	110.80
26	BB	660	C	C3'-C2'-C1'	5.97	106.27	101.50
26	BB	963	U	O4'-C1'-N1	5.97	112.97	108.20
26	BB	1021	A	C2-N3-C4	-5.97	107.62	110.60
26	BB	1241	A	C3'-C2'-C1'	5.97	106.27	101.50
26	BB	1274	A	C4-C5-C6	5.97	119.98	117.00
26	BB	1361	G	C5-N7-C8	-5.97	101.32	104.30
26	BB	1440	U	C6-N1-C2	-5.97	117.42	121.00
26	BB	1481	U	N3-C4-C5	-5.97	111.02	114.60
26	BB	1525	A	C6-N1-C2	5.97	122.18	118.60
26	BB	1983	G	N1-C2-N2	5.97	121.57	116.20
26	BB	2350	C	C2-N3-C4	-5.97	116.92	119.90
26	BB	2371	G	N3-C4-C5	-5.97	125.62	128.60
26	BB	2659	G	C2-N3-C4	5.97	114.88	111.90
1	AA	305	G	O4'-C1'-N9	5.96	112.97	108.20
1	AA	818	G	C6-C5-N7	5.96	133.98	130.40
1	AA	859	G	C5-C6-N1	5.96	114.48	111.50
1	AA	955	U	C2-N3-C4	-5.96	123.42	127.00
4	AD	23	G	N3-C4-N9	-5.96	122.42	126.00
25	BA	101	A	C5-C6-N1	5.96	120.68	117.70
26	BB	418	C	N3-C4-N4	5.96	122.17	118.00
26	BB	886	A	O4'-C1'-C2'	5.96	112.97	107.60
26	BB	1182	G	C6-C5-N7	-5.96	126.82	130.40
26	BB	2180	U	N1-C2-O2	-5.96	118.62	122.80
26	BB	2727	A	O5'-C5'-C4'	5.96	123.03	111.70
26	BB	2747	G	N3-C4-N9	5.96	129.58	126.00
26	BB	2813	A	N9-C1'-C2'	-5.96	105.44	112.00
1	AA	694	A	N9-C4-C5	5.96	108.19	105.80
1	AA	974	A	P-O3'-C3'	5.96	126.86	119.70
1	AA	1135	U	P-O3'-C3'	5.96	126.86	119.70
22	AV	67	GLY	O-C-N	-5.96	113.16	122.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	992	C	C2-N1-C1'	-5.96	112.24	118.80
26	BB	1706	C	O3'-P-O5'	-5.96	92.67	104.00
1	AA	743	A	C5-N7-C8	5.96	106.88	103.90
1	AA	864	A	N1-C2-N3	-5.96	126.32	129.30
1	AA	1000	A	O3'-P-O5'	-5.96	92.67	104.00
1	AA	1218	C	N3-C4-N4	-5.96	113.83	118.00
1	AA	1223	C	N3-C4-N4	5.96	122.17	118.00
1	AA	1430	A	C4-C5-C6	-5.96	114.02	117.00
26	BB	421	C	O4'-C4'-C3'	5.96	110.87	106.10
26	BB	673	C	C5-C4-N4	-5.96	116.03	120.20
26	BB	833	A	C4'-C3'-C2'	-5.96	96.64	102.60
26	BB	1148	U	N3-C2-O2	-5.96	118.03	122.20
26	BB	1192	G	N1-C2-N2	5.96	121.57	116.20
26	BB	1241	A	N1-C2-N3	5.96	132.28	129.30
26	BB	1371	G	C1'-O4'-C4'	-5.96	105.13	109.90
26	BB	1500	G	C5-N7-C8	-5.96	101.32	104.30
26	BB	2125	G	C1'-O4'-C4'	-5.96	105.13	109.90
26	BB	2301	C	C1'-O4'-C4'	-5.96	105.13	109.90
26	BB	2642	G	C4-C5-C6	5.96	122.38	118.80
1	AA	1102	A	C6-N1-C2	-5.96	115.02	118.60
3	AC	22	G	C3'-C2'-C1'	-5.96	96.73	101.50
26	BB	323	C	C5-C4-N4	-5.96	116.03	120.20
26	BB	2480	C	C6-N1-C2	5.96	122.68	120.30
26	BB	2841	C	N3-C4-N4	5.96	122.17	118.00
33	BI	47	PHE	CB-CG-CD2	-5.96	116.63	120.80
1	AA	254	G	C1'-O4'-C4'	-5.96	105.13	109.90
1	AA	394	G	C5-N7-C8	5.96	107.28	104.30
1	AA	763	G	C5-C6-O6	-5.96	125.02	128.60
1	AA	847	G	C8-N9-C4	-5.96	104.02	106.40
1	AA	1088	G	N1-C6-O6	-5.96	116.33	119.90
1	AA	1180	A	N1-C2-N3	5.96	132.28	129.30
1	AA	1301	U	O4'-C1'-N1	5.96	112.97	108.20
26	BB	124	G	N3-C2-N2	-5.96	115.73	119.90
26	BB	417	C	C5'-C4'-O4'	5.96	116.25	109.10
26	BB	1059	G	N9-C1'-C2'	-5.96	105.45	112.00
26	BB	1386	C	N1-C2-N3	-5.96	115.03	119.20
26	BB	1768	C	C2-N3-C4	5.96	122.88	119.90
26	BB	2062	A	C4-C5-N7	5.96	113.68	110.70
26	BB	2690	U	N1-C2-N3	5.96	118.47	114.90
26	BB	2724	U	N3-C2-O2	-5.96	118.03	122.20
1	AA	116	A	C5-N7-C8	5.96	106.88	103.90
1	AA	383	A	N9-C4-C5	-5.96	103.42	105.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	593	U	O4'-C1'-N1	5.96	112.97	108.20
1	AA	841	C	N1-C2-O2	5.96	122.47	118.90
1	AA	847	G	C4-C5-C6	5.96	122.37	118.80
1	AA	1014	A	N1-C6-N6	5.96	122.17	118.60
1	AA	1031	C	N1-C2-N3	-5.96	115.03	119.20
1	AA	1053	G	N1-C2-N3	-5.96	120.33	123.90
4	AD	57	C	N3-C4-C5	-5.96	119.52	121.90
13	AM	44	THR	O-C-N	5.96	132.23	122.70
25	BA	44	G	C4-C5-C6	5.96	122.37	118.80
25	BA	67	G	N3-C4-C5	-5.96	125.62	128.60
25	BA	97	C	C3'-C2'-C1'	5.96	106.27	101.50
25	BA	111	U	C4-C5-C6	-5.96	116.13	119.70
26	BB	521	U	C1'-O4'-C4'	-5.96	105.14	109.90
26	BB	820	A	N9-C1'-C2'	-5.96	105.45	112.00
26	BB	1460	U	O4'-C4'-C3'	5.96	110.86	106.10
26	BB	1496	A	C1'-O4'-C4'	5.96	114.67	109.90
26	BB	2009	A	N9-C4-C5	5.96	108.18	105.80
26	BB	2637	U	C6-N1-C2	-5.96	117.43	121.00
26	BB	2710	C	P-O5'-C5'	5.96	130.43	120.90
26	BB	2803	G	C5-C6-O6	-5.96	125.03	128.60
33	BI	116	ARG	NE-CZ-NH1	5.96	123.28	120.30
1	AA	149	A	C3'-C2'-C1'	5.96	106.26	101.50
1	AA	1337	G	O4'-C1'-N9	5.96	112.96	108.20
13	AM	75	ASP	CB-CG-OD1	-5.96	112.94	118.30
26	BB	554	U	C4-C5-C6	5.96	123.27	119.70
26	BB	788	A	C6-C5-N7	-5.96	128.13	132.30
26	BB	1190	G	N3-C2-N2	-5.96	115.73	119.90
26	BB	1288	G	C4-C5-N7	-5.96	108.42	110.80
26	BB	2276	G	N3-C4-C5	-5.96	125.62	128.60
26	BB	2741	A	N9-C4-C5	5.96	108.18	105.80
1	AA	28	A	C6-N1-C2	-5.95	115.03	118.60
1	AA	176	C	C4-C5-C6	5.95	120.38	117.40
1	AA	298	A	N1-C6-N6	5.95	122.17	118.60
1	AA	497	G	N9-C4-C5	5.95	107.78	105.40
1	AA	697	U	O4'-C1'-N1	5.95	112.96	108.20
26	BB	64	A	C4-C5-C6	5.95	119.98	117.00
26	BB	675	A	C6-C5-N7	-5.95	128.13	132.30
26	BB	1244	A	O4'-C1'-N9	5.95	112.96	108.20
26	BB	1284	A	N1-C2-N3	-5.95	126.32	129.30
26	BB	1361	G	N3-C4-N9	5.95	129.57	126.00
26	BB	1481	U	C6-N1-C2	-5.95	117.43	121.00
26	BB	1678	A	O4'-C1'-N9	5.95	112.96	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1876	A	C5'-C4'-O4'	5.95	116.24	109.10
26	BB	1922	G	C5'-C4'-O4'	5.95	116.24	109.10
26	BB	2574	G	C3'-C2'-C1'	5.95	106.26	101.50
1	AA	198	G	C8-N9-C4	-5.95	104.02	106.40
26	BB	2248	C	C1'-O4'-C4'	5.95	114.66	109.90
26	BB	2373	G	N1-C6-O6	-5.95	116.33	119.90
26	BB	2543	G	C6-C5-N7	-5.95	126.83	130.40
1	AA	302	G	N1-C2-N3	-5.95	120.33	123.90
1	AA	591	U	C2-N3-C4	-5.95	123.43	127.00
1	AA	851	G	N9-C4-C5	5.95	107.78	105.40
1	AA	917	G	C5'-C4'-C3'	-5.95	106.48	116.00
1	AA	923	A	P-O3'-C3'	5.95	126.84	119.70
1	AA	1308	U	N3-C4-C5	-5.95	111.03	114.60
3	AC	38	G	N9-C1'-C2'	-5.95	105.45	112.00
20	AT	36	PHE	CB-CG-CD2	-5.95	116.64	120.80
26	BB	111	A	C4'-C3'-C2'	-5.95	96.65	102.60
26	BB	389	G	C8-N9-C4	-5.95	104.02	106.40
26	BB	410	G	N3-C4-C5	-5.95	125.62	128.60
26	BB	495	G	C6-C5-N7	5.95	133.97	130.40
26	BB	1260	A	N1-C2-N3	-5.95	126.33	129.30
26	BB	1488	C	C2-N3-C4	-5.95	116.92	119.90
26	BB	1500	G	N7-C8-N9	5.95	116.08	113.10
26	BB	1540	G	C8-N9-C4	-5.95	104.02	106.40
26	BB	2373	G	C3'-C2'-C1'	-5.95	96.74	101.50
26	BB	2441	U	N3-C2-O2	-5.95	118.03	122.20
26	BB	2764	A	C4'-C3'-C2'	-5.95	96.65	102.60
41	BQ	31	THR	CA-CB-CG2	5.95	120.73	112.40
1	AA	111	G	C1'-O4'-C4'	5.95	114.66	109.90
1	AA	640	A	C5-C6-N6	-5.95	118.94	123.70
1	AA	1121	U	C6-N1-C2	-5.95	117.43	121.00
1	AA	1327	C	C3'-C2'-C1'	5.95	106.26	101.50
1	AA	1388	C	C5-C6-N1	-5.95	118.03	121.00
26	BB	190	A	C4'-C3'-C2'	-5.95	96.65	102.60
26	BB	751	A	O4'-C1'-N9	5.95	112.96	108.20
26	BB	1105	U	C2-N3-C4	-5.95	123.43	127.00
26	BB	1393	A	N1-C2-N3	5.95	132.27	129.30
26	BB	1922	G	N7-C8-N9	5.95	116.07	113.10
39	BO	68	PHE	CB-CG-CD2	-5.95	116.64	120.80
41	BQ	2	ASP	CB-CG-OD2	-5.95	112.95	118.30
4	AD	16	C	C1'-O4'-C4'	5.95	114.66	109.90
26	BB	1246	A	N1-C2-N3	-5.95	126.33	129.30
26	BB	1775	U	N1-C2-N3	5.95	118.47	114.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2032	G	O4'-C1'-N9	5.95	112.96	108.20
26	BB	2033	A	C5-N7-C8	5.95	106.87	103.90
26	BB	2901	C	N1-C2-O2	-5.95	115.33	118.90
1	AA	6	G	C5'-C4'-O4'	5.95	116.23	109.10
1	AA	269	C	N1-C2-O2	-5.95	115.33	118.90
1	AA	313	A	N9-C1'-C2'	-5.95	105.46	112.00
1	AA	855	U	O3'-P-O5'	5.95	115.30	104.00
1	AA	905	U	O4'-C1'-N1	5.95	112.96	108.20
1	AA	1405	G	C3'-C2'-C1'	-5.95	96.74	101.50
25	BA	65	U	O3'-P-O5'	5.95	115.30	104.00
26	BB	1068	G	O4'-C1'-N9	-5.95	103.44	108.20
26	BB	1452	G	O4'-C4'-C3'	5.95	110.86	106.10
26	BB	2049	G	C8-N9-C4	-5.95	104.02	106.40
26	BB	2429	G	C6-N1-C2	-5.95	121.53	125.10
26	BB	2435	A	N9-C1'-C2'	-5.95	105.46	112.00
26	BB	2531	A	C5-C6-N6	-5.95	118.94	123.70
26	BB	2799	A	C4'-C3'-C2'	-5.95	96.65	102.60
1	AA	627	G	N3-C2-N2	-5.94	115.74	119.90
1	AA	1086	U	C1'-O4'-C4'	5.94	114.66	109.90
1	AA	1180	A	N9-C1'-C2'	-5.94	105.46	112.00
1	AA	1288	A	N1-C6-N6	5.94	122.17	118.60
26	BB	328	U	P-O3'-C3'	5.94	126.83	119.70
26	BB	574	A	C5-N7-C8	-5.94	100.93	103.90
41	BQ	102	ARG	NE-CZ-NH2	5.94	123.27	120.30
1	AA	22	G	N1-C2-N3	-5.94	120.33	123.90
1	AA	68	G	C6-N1-C2	-5.94	121.53	125.10
1	AA	344	A	C2-N3-C4	-5.94	107.63	110.60
1	AA	651	C	C4'-C3'-C2'	-5.94	96.66	102.60
1	AA	727	G	N3-C4-N9	5.94	129.57	126.00
1	AA	1004	A	N7-C8-N9	5.94	116.77	113.80
10	AJ	72	VAL	CA-CB-CG2	5.94	119.81	110.90
26	BB	151	C	P-O3'-C3'	5.94	126.83	119.70
26	BB	289	G	C4'-C3'-C2'	-5.94	96.66	102.60
26	BB	415	A	C4-C5-C6	-5.94	114.03	117.00
26	BB	600	G	N1-C2-N2	-5.94	110.85	116.20
26	BB	750	A	C5'-C4'-C3'	-5.94	106.49	116.00
26	BB	892	A	O3'-P-O5'	-5.94	92.71	104.00
26	BB	976	G	C8-N9-C4	-5.94	104.02	106.40
26	BB	1023	U	N3-C4-O4	5.94	123.56	119.40
26	BB	1731	G	C5-C6-N1	5.94	114.47	111.50
26	BB	1733	G	C5'-C4'-O4'	5.94	116.23	109.10
26	BB	2376	A	C5-C6-N1	5.94	120.67	117.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2494	G	N3-C4-N9	5.94	129.56	126.00
1	AA	327	A	N7-C8-N9	5.94	116.77	113.80
1	AA	786	G	C5-C6-O6	5.94	132.16	128.60
1	AA	1070	U	O4'-C1'-N1	5.94	112.95	108.20
1	AA	1185	G	N3-C4-N9	5.94	129.56	126.00
1	AA	1454	G	C5-C6-O6	5.94	132.16	128.60
26	BB	648	G	C4'-C3'-C2'	-5.94	96.66	102.60
26	BB	807	U	O4'-C1'-N1	5.94	112.95	108.20
26	BB	1619	G	N1-C2-N3	-5.94	120.33	123.90
26	BB	1637	A	C4-C5-N7	-5.94	107.73	110.70
26	BB	2236	U	C5-C6-N1	-5.94	119.73	122.70
26	BB	2783	U	N3-C4-C5	-5.94	111.03	114.60
1	AA	653	U	C2-N3-C4	5.94	130.56	127.00
26	BB	473	G	C6-N1-C2	-5.94	121.54	125.10
26	BB	693	A	C2-N3-C4	5.94	113.57	110.60
26	BB	1895	C	N3-C2-O2	-5.94	117.74	121.90
26	BB	1985	C	C6-N1-C2	5.94	122.68	120.30
26	BB	2557	G	O4'-C1'-N9	5.94	112.95	108.20
1	AA	204	G	N3-C4-N9	5.94	129.56	126.00
1	AA	270	A	C8-N9-C4	-5.94	103.42	105.80
1	AA	399	G	P-O3'-C3'	5.94	126.83	119.70
1	AA	550	G	C4-C5-N7	-5.94	108.42	110.80
1	AA	552	U	O4'-C1'-N1	5.94	112.95	108.20
1	AA	752	G	N3-C2-N2	5.94	124.06	119.90
26	BB	414	C	N3-C4-C5	-5.94	119.53	121.90
26	BB	901	C	C5-C4-N4	-5.94	116.04	120.20
26	BB	1144	A	O4'-C1'-N9	5.94	112.95	108.20
26	BB	1172	C	P-O3'-C3'	5.94	126.82	119.70
26	BB	1988	G	C8-N9-C4	-5.94	104.03	106.40
26	BB	2287	A	C2-N3-C4	5.94	113.57	110.60
49	BY	55	ASP	CB-CG-OD1	5.94	123.64	118.30
56	B5	28	ARG	NE-CZ-NH1	5.94	123.27	120.30
1	AA	391	G	C5-C6-O6	-5.94	125.04	128.60
1	AA	489	C	C4-C5-C6	-5.94	114.43	117.40
1	AA	1072	G	C8-N9-C4	-5.94	104.03	106.40
1	AA	1257	A	C3'-C2'-C1'	5.94	106.25	101.50
26	BB	432	A	C2-N3-C4	5.94	113.57	110.60
26	BB	561	G	C4'-C3'-C2'	-5.94	96.66	102.60
26	BB	1039	A	C5'-C4'-O4'	5.94	116.22	109.10
26	BB	1186	G	C5-N7-C8	-5.94	101.33	104.30
26	BB	1227	G	C5-C6-O6	-5.94	125.04	128.60
26	BB	1372	U	C5'-C4'-O4'	5.94	116.22	109.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1428	C	C4-C5-C6	5.94	120.37	117.40
26	BB	1788	C	N3-C4-C5	5.94	124.27	121.90
1	AA	452	A	N9-C4-C5	5.93	108.17	105.80
1	AA	1018	G	C4-C5-C6	5.93	122.36	118.80
1	AA	1506	U	C4'-C3'-O3'	-5.93	96.94	109.40
26	BB	263	G	N9-C1'-C2'	-5.93	105.47	112.00
26	BB	344	A	N1-C2-N3	5.93	132.27	129.30
26	BB	370	G	O4'-C1'-N9	5.93	112.95	108.20
26	BB	797	G	C4-C5-N7	5.93	113.17	110.80
26	BB	1276	A	C4-C5-C6	5.93	119.97	117.00
26	BB	1526	C	C2-N3-C4	5.93	122.87	119.90
26	BB	1528	A	N1-C6-N6	-5.93	115.04	118.60
26	BB	2415	G	C5-C6-N1	5.93	114.47	111.50
26	BB	2541	A	C5-N7-C8	-5.93	100.93	103.90
1	AA	106	C	C4-C5-C6	-5.93	114.43	117.40
1	AA	185	U	N3-C4-O4	5.93	123.55	119.40
1	AA	621	A	C8-N9-C4	-5.93	103.43	105.80
1	AA	1021	A	C5'-C4'-C3'	-5.93	106.51	116.00
1	AA	1023	U	C5-C4-O4	-5.93	122.34	125.90
1	AA	1025	U	N1-C2-O2	5.93	126.95	122.80
1	AA	1192	C	C5'-C4'-O4'	5.93	116.22	109.10
1	AA	1256	A	C5-C6-N1	5.93	120.67	117.70
26	BB	94	A	N1-C2-N3	-5.93	126.33	129.30
26	BB	322	A	C2-N3-C4	-5.93	107.63	110.60
26	BB	493	G	C4-C5-N7	-5.93	108.43	110.80
26	BB	662	G	O5'-C5'-C4'	5.93	122.97	111.70
26	BB	1030	C	C2-N3-C4	5.93	122.87	119.90
26	BB	2543	G	O5'-P-OP2	-5.93	100.36	105.70
26	BB	2637	U	C5'-C4'-O4'	5.93	116.22	109.10
26	BB	2705	A	N3-C4-N9	-5.93	122.65	127.40
26	BB	2808	G	O4'-C1'-N9	5.93	112.95	108.20
26	BB	445	C	O4'-C1'-N1	5.93	112.94	108.20
26	BB	758	C	N1-C2-N3	-5.93	115.05	119.20
26	BB	1135	C	N3-C4-N4	-5.93	113.85	118.00
26	BB	2075	U	N1-C2-O2	-5.93	118.65	122.80
26	BB	2176	A	C3'-C2'-C1'	5.93	106.25	101.50
26	BB	2382	G	C8-N9-C4	-5.93	104.03	106.40
1	AA	78	A	C6-C5-N7	-5.93	128.15	132.30
1	AA	115	G	C4-C5-N7	-5.93	108.43	110.80
1	AA	309	A	O4'-C1'-N9	5.93	112.94	108.20
1	AA	898	G	C8-N9-C4	-5.93	104.03	106.40
1	AA	1346	A	N1-C2-N3	-5.93	126.33	129.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	AD	2	G	N1-C2-N3	-5.93	120.34	123.90
7	AG	114	ARG	NE-CZ-NH2	5.93	123.27	120.30
21	AU	42	ARG	CD-NE-CZ	5.93	131.90	123.60
26	BB	278	A	C6-N1-C2	5.93	122.16	118.60
26	BB	392	U	N3-C4-O4	5.93	123.55	119.40
26	BB	409	G	N9-C4-C5	5.93	107.77	105.40
26	BB	736	C	C4'-C3'-C2'	-5.93	96.67	102.60
26	BB	1396	U	C2-N3-C4	-5.93	123.44	127.00
26	BB	1488	C	C5-C6-N1	5.93	123.96	121.00
26	BB	1652	A	C3'-C2'-C1'	5.93	106.24	101.50
26	BB	2900	A	N7-C8-N9	-5.93	110.83	113.80
54	B3	21	LEU	CB-CG-CD2	-5.93	100.92	111.00
1	AA	32	A	P-O3'-C3'	5.93	126.81	119.70
1	AA	760	G	C5'-C4'-O4'	5.93	116.21	109.10
1	AA	773	G	C6-C5-N7	-5.93	126.84	130.40
2	AB	5	G	C6-C5-N7	-5.93	126.84	130.40
25	BA	4	C	N3-C4-N4	5.93	122.15	118.00
26	BB	188	G	N1-C6-O6	5.93	123.46	119.90
26	BB	471	A	C3'-C2'-C1'	-5.93	96.76	101.50
26	BB	530	G	C5-C6-N1	5.93	114.46	111.50
26	BB	2791	G	N9-C1'-C2'	-5.93	105.48	112.00
1	AA	1270	G	N3-C4-C5	-5.93	125.64	128.60
1	AA	1272	G	C6-N1-C2	-5.93	121.54	125.10
1	AA	1328	C	C5-C4-N4	-5.93	116.05	120.20
6	AF	164	THR	CA-CB-CG2	-5.93	104.10	112.40
26	BB	395	U	N3-C4-C5	5.93	118.16	114.60
26	BB	984	A	O4'-C1'-N9	5.93	112.94	108.20
26	BB	1229	C	O4'-C1'-C2'	5.93	112.94	107.60
26	BB	2289	G	C5'-C4'-O4'	5.93	116.21	109.10
26	BB	2543	G	C4-C5-C6	5.93	122.36	118.80
26	BB	2668	G	C5-C6-O6	5.93	132.16	128.60
26	BB	2811	G	N9-C4-C5	5.93	107.77	105.40
26	BB	2885	G	C4-C5-C6	5.93	122.36	118.80
1	AA	628	G	C8-N9-C1'	5.92	134.70	127.00
1	AA	1375	A	C6-N1-C2	-5.92	115.05	118.60
25	BA	75	G	N9-C1'-C2'	5.92	121.70	114.00
26	BB	14	A	N9-C4-C5	5.92	108.17	105.80
26	BB	2192	U	C6-N1-C2	-5.92	117.44	121.00
26	BB	2373	G	N3-C2-N2	-5.92	115.75	119.90
26	BB	2502	G	O4'-C1'-N9	-5.92	103.46	108.20
26	BB	2850	A	C4'-C3'-C2'	-5.92	96.68	102.60
26	BB	2856	A	C5-C6-N1	5.92	120.66	117.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1229	C	C4-C5-C6	5.92	120.36	117.40
26	BB	2143	C	C5-C4-N4	-5.92	116.05	120.20
26	BB	2673	G	C6-C5-N7	-5.92	126.85	130.40
1	AA	15	G	N3-C4-N9	-5.92	122.45	126.00
1	AA	22	G	N3-C4-C5	-5.92	125.64	128.60
1	AA	279	A	C5-C6-N1	5.92	120.66	117.70
1	AA	645	G	C5-C6-N1	5.92	114.46	111.50
1	AA	795	C	C4'-C3'-C2'	5.92	108.52	102.60
1	AA	1525	G	C8-N9-C4	-5.92	104.03	106.40
2	AB	1	A	N3-C4-C5	-5.92	122.66	126.80
7	AG	180	THR	O-C-N	-5.92	113.23	122.70
25	BA	56	G	N3-C4-N9	5.92	129.55	126.00
26	BB	211	C	C3'-C2'-C1'	5.92	106.24	101.50
26	BB	350	G	O4'-C1'-C2'	-5.92	99.88	105.80
26	BB	427	U	C4-C5-C6	5.92	123.25	119.70
26	BB	437	U	C3'-C2'-C1'	-5.92	96.76	101.50
26	BB	696	G	C5-N7-C8	5.92	107.26	104.30
26	BB	1262	A	C1'-O4'-C4'	5.92	114.64	109.90
26	BB	1377	G	C6-N1-C2	-5.92	121.55	125.10
26	BB	1599	U	N3-C4-C5	-5.92	111.05	114.60
26	BB	1795	C	C6-N1-C2	5.92	122.67	120.30
26	BB	2037	A	C5'-C4'-O4'	5.92	116.20	109.10
26	BB	2307	G	C6-C5-N7	-5.92	126.85	130.40
26	BB	2549	G	C5-C6-N1	5.92	114.46	111.50
26	BB	2646	C	O4'-C1'-N1	5.92	112.94	108.20
1	AA	8	A	O4'-C1'-C2'	-5.92	99.88	105.80
1	AA	118	U	N3-C2-O2	-5.92	118.06	122.20
1	AA	377	G	C8-N9-C4	-5.92	104.03	106.40
1	AA	923	A	C4-C5-C6	-5.92	114.04	117.00
25	BA	88	C	N1-C2-N3	-5.92	115.06	119.20
26	BB	178	G	C6-C5-N7	-5.92	126.85	130.40
26	BB	358	U	C3'-C2'-C1'	5.92	106.24	101.50
26	BB	1392	A	N3-C4-N9	5.92	132.14	127.40
46	BV	42	GLU	OE1-CD-OE2	5.92	130.40	123.30
1	AA	210	C	C5-C6-N1	5.92	123.96	121.00
1	AA	375	U	C4-C5-C6	5.92	123.25	119.70
1	AA	380	G	C1'-O4'-C4'	-5.92	105.17	109.90
1	AA	804	U	C5-C4-O4	5.92	129.45	125.90
1	AA	848	C	C5'-C4'-C3'	-5.92	106.53	116.00
1	AA	923	A	C4-C5-N7	5.92	113.66	110.70
1	AA	927	G	C5-C6-N1	5.92	114.46	111.50
1	AA	1120	C	N3-C2-O2	-5.92	117.76	121.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1133	G	C4'-C3'-C2'	-5.92	96.68	102.60
3	AC	57	C	P-O3'-C3'	5.92	126.80	119.70
26	BB	68	G	C5-C6-O6	-5.92	125.05	128.60
26	BB	97	C	N1-C2-O2	5.92	122.45	118.90
26	BB	217	A	C2-N3-C4	5.92	113.56	110.60
26	BB	245	G	N7-C8-N9	5.92	116.06	113.10
26	BB	592	A	C4-C5-N7	5.92	113.66	110.70
26	BB	604	G	C4-C5-C6	5.92	122.35	118.80
26	BB	805	G	P-O3'-C3'	5.92	126.80	119.70
26	BB	1002	G	N3-C4-C5	-5.92	125.64	128.60
26	BB	1383	A	N7-C8-N9	5.92	116.76	113.80
26	BB	1556	C	N3-C2-O2	-5.92	117.76	121.90
26	BB	1563	U	P-O3'-C3'	5.92	126.80	119.70
26	BB	2007	U	C1'-O4'-C4'	-5.92	105.17	109.90
32	BH	15	ASP	CB-CG-OD1	-5.92	112.97	118.30
1	AA	205	A	C5-C6-N6	-5.92	118.97	123.70
1	AA	546	A	C6-N1-C2	5.92	122.15	118.60
1	AA	635	A	C4-C5-C6	5.92	119.96	117.00
1	AA	670	G	C4-C5-N7	5.92	113.17	110.80
26	BB	48	G	N3-C4-C5	-5.92	125.64	128.60
26	BB	237	C	C5-C6-N1	-5.92	118.04	121.00
26	BB	677	A	N3-C4-N9	-5.92	122.67	127.40
26	BB	863	A	C2-N3-C4	5.92	113.56	110.60
26	BB	1239	G	C5-C6-O6	5.92	132.15	128.60
26	BB	1584	U	N3-C4-O4	5.92	123.54	119.40
26	BB	1733	G	C5-C6-O6	5.92	132.15	128.60
26	BB	2087	G	C6-N1-C2	-5.92	121.55	125.10
26	BB	2217	G	C6-N1-C2	-5.92	121.55	125.10
26	BB	2269	G	N1-C2-N2	5.92	121.53	116.20
1	AA	289	G	N3-C4-N9	5.92	129.55	126.00
1	AA	1179	A	N1-C6-N6	5.92	122.15	118.60
4	AD	22	A	C1'-O4'-C4'	-5.92	105.17	109.90
10	AJ	63	VAL	CG1-CB-CG2	-5.92	101.44	110.90
26	BB	275	C	N1-C2-O2	5.92	122.45	118.90
26	BB	318	C	C4'-C3'-C2'	-5.92	96.69	102.60
26	BB	381	G	C8-N9-C4	-5.92	104.03	106.40
26	BB	789	A	C6-C5-N7	-5.92	128.16	132.30
26	BB	1343	G	C4-C5-C6	5.92	122.35	118.80
26	BB	1844	C	C4'-C3'-C2'	-5.92	96.69	102.60
26	BB	1859	U	N1-C2-N3	5.92	118.45	114.90
26	BB	1933	G	O4'-C1'-C2'	-5.92	99.89	105.80
26	BB	2680	U	C6-N1-C2	-5.92	117.45	121.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	857	C	N3-C4-C5	5.91	124.27	121.90
1	AA	868	C	O4'-C1'-N1	5.91	112.93	108.20
1	AA	1132	C	N1-C1'-C2'	-5.91	105.50	112.00
26	BB	218	A	C2-N3-C4	5.91	113.56	110.60
26	BB	1138	G	N9-C4-C5	5.91	107.77	105.40
26	BB	1313	U	N1-C1'-C2'	5.91	121.69	114.00
26	BB	1776	G	O4'-C4'-C3'	5.91	110.83	106.10
26	BB	1943	U	P-O3'-C3'	5.91	126.80	119.70
26	BB	2072	C	N1-C2-O2	-5.91	115.35	118.90
26	BB	2508	G	N9-C1'-C2'	-5.91	105.50	112.00
26	BB	2731	G	C4-C5-N7	-5.91	108.43	110.80
1	AA	197	A	C3'-C2'-C1'	-5.91	96.77	101.50
1	AA	320	A	C5-N7-C8	-5.91	100.94	103.90
1	AA	574	A	N7-C8-N9	-5.91	110.84	113.80
3	AC	53	G	C5-N7-C8	5.91	107.26	104.30
26	BB	797	G	N7-C8-N9	5.91	116.06	113.10
26	BB	2167	U	C3'-C2'-C1'	-5.91	96.77	101.50
26	BB	2884	U	C6-N1-C2	5.91	124.55	121.00
1	AA	66	A	C8-N9-C4	-5.91	103.44	105.80
1	AA	532	A	C4'-C3'-C2'	5.91	108.51	102.60
1	AA	580	C	C4-C5-C6	5.91	120.36	117.40
1	AA	711	G	C6-C5-N7	-5.91	126.85	130.40
1	AA	976	G	O4'-C1'-N9	5.91	112.93	108.20
2	AB	67	G	N3-C4-C5	-5.91	125.64	128.60
4	AD	71	G	C4-C5-N7	-5.91	108.44	110.80
25	BA	78	A	C8-N9-C4	-5.91	103.44	105.80
26	BB	370	G	N1-C6-O6	-5.91	116.35	119.90
26	BB	373	U	C6-N1-C2	-5.91	117.45	121.00
26	BB	399	U	N3-C4-O4	5.91	123.54	119.40
26	BB	1499	C	C2-N3-C4	5.91	122.86	119.90
26	BB	1691	C	C6-N1-C2	-5.91	117.94	120.30
26	BB	2317	A	C2-N3-C4	-5.91	107.64	110.60
38	BN	59	ARG	NH1-CZ-NH2	-5.91	112.90	119.40
47	BW	93	ARG	NE-CZ-NH2	-5.91	117.34	120.30
1	AA	7	A	C3'-C2'-C1'	5.91	106.23	101.50
1	AA	594	U	C5-C6-N1	-5.91	119.75	122.70
1	AA	611	C	C5'-C4'-O4'	5.91	116.19	109.10
2	AB	60	U	N3-C4-C5	-5.91	111.06	114.60
26	BB	20	C	N3-C2-O2	-5.91	117.76	121.90
26	BB	761	A	O5'-C5'-C4'	-5.91	100.47	111.70
26	BB	881	G	N3-C4-C5	-5.91	125.65	128.60
26	BB	1186	G	C6-N1-C2	-5.91	121.56	125.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1210	G	C5-C6-O6	-5.91	125.06	128.60
26	BB	1238	G	N3-C4-N9	-5.91	122.45	126.00
26	BB	1297	C	C5-C4-N4	5.91	124.34	120.20
26	BB	1361	G	N7-C8-N9	5.91	116.06	113.10
26	BB	1418	G	N7-C8-N9	5.91	116.05	113.10
26	BB	1966	A	O5'-C5'-C4'	-5.91	100.47	111.70
26	BB	2081	U	C2-N3-C4	-5.91	123.45	127.00
26	BB	2120	G	C2-N3-C4	5.91	114.86	111.90
26	BB	2183	A	C4-C5-N7	-5.91	107.75	110.70
26	BB	2682	A	N1-C6-N6	-5.91	115.05	118.60
1	AA	1003	G	N1-C2-N3	-5.91	120.36	123.90
3	AC	44	U	C5'-C4'-C3'	-5.91	106.55	116.00
26	BB	407	G	N3-C4-C5	-5.91	125.65	128.60
26	BB	914	G	N9-C4-C5	-5.91	103.04	105.40
26	BB	1628	G	C1'-O4'-C4'	-5.91	105.17	109.90
26	BB	2013	A	C4-C5-C6	-5.91	114.05	117.00
26	BB	2502	G	C6-N1-C2	-5.91	121.56	125.10
26	BB	2672	U	C2-N3-C4	-5.91	123.46	127.00
1	AA	155	A	O4'-C1'-N9	5.91	112.92	108.20
1	AA	862	C	P-O3'-C3'	5.91	126.79	119.70
1	AA	1266	G	C5-N7-C8	5.91	107.25	104.30
1	AA	1322	C	N1-C2-N3	-5.91	115.07	119.20
2	AB	29	G	O5'-P-OP1	-5.91	100.39	105.70
4	AD	50	G	C8-N9-C1'	5.91	134.68	127.00
26	BB	479	A	C3'-C2'-C1'	5.91	106.22	101.50
26	BB	623	C	C1'-O4'-C4'	-5.91	105.17	109.90
26	BB	784	G	C8-N9-C1'	5.91	134.68	127.00
26	BB	984	A	C5'-C4'-O4'	5.91	116.19	109.10
26	BB	1033	U	O3'-P-O5'	-5.91	92.78	104.00
26	BB	1227	G	O4'-C1'-N9	5.91	112.92	108.20
26	BB	1661	G	C4-C5-N7	-5.91	108.44	110.80
26	BB	1787	A	O3'-P-O5'	-5.91	92.78	104.00
26	BB	2706	A	C5-C6-N1	-5.91	114.75	117.70
26	BB	2857	G	N1-C2-N2	5.91	121.52	116.20
2	AB	35	C	N1-C2-O2	5.90	122.44	118.90
26	BB	822	G	C6-N1-C2	5.90	128.64	125.10
26	BB	989	G	C5'-C4'-C3'	-5.90	106.55	116.00
26	BB	1466	U	P-O3'-C3'	5.90	126.78	119.70
26	BB	2325	G	N1-C6-O6	-5.90	116.36	119.90
26	BB	2768	U	O4'-C1'-N1	5.90	112.92	108.20
1	AA	173	U	N3-C4-O4	5.90	123.53	119.40
1	AA	918	A	C4-C5-N7	-5.90	107.75	110.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1417	G	C4-N9-C1'	5.90	134.17	126.50
10	AJ	159	ARG	NH1-CZ-NH2	-5.90	112.91	119.40
26	BB	390	U	N1-C1'-C2'	5.90	121.67	114.00
26	BB	1149	G	C2-N3-C4	5.90	114.85	111.90
26	BB	1798	U	C1'-O4'-C4'	-5.90	105.18	109.90
26	BB	1892	C	C3'-C2'-C1'	5.90	106.22	101.50
26	BB	2200	C	O4'-C1'-N1	5.90	112.92	108.20
26	BB	2226	C	N3-C2-O2	-5.90	117.77	121.90
26	BB	2680	U	N3-C2-O2	-5.90	118.07	122.20
1	AA	427	U	C5'-C4'-C3'	-5.90	106.56	116.00
1	AA	563	A	C6-C5-N7	5.90	136.43	132.30
1	AA	1450	U	C1'-O4'-C4'	5.90	114.62	109.90
26	BB	421	C	N3-C4-N4	5.90	122.13	118.00
26	BB	456	C	C4-C5-C6	-5.90	114.45	117.40
26	BB	1311	G	N1-C2-N3	-5.90	120.36	123.90
26	BB	1397	U	N1-C2-O2	5.90	126.93	122.80
26	BB	1929	G	C5-C6-O6	-5.90	125.06	128.60
26	BB	2135	A	C5-C6-N1	-5.90	114.75	117.70
26	BB	2330	G	C5-N7-C8	-5.90	101.35	104.30
26	BB	2747	G	N3-C4-C5	-5.90	125.65	128.60
1	AA	610	U	N3-C4-O4	5.90	123.53	119.40
1	AA	822	U	C2-N3-C4	-5.90	123.46	127.00
25	BA	115	A	C4-C5-N7	-5.90	107.75	110.70
26	BB	505	A	C4-C5-C6	5.90	119.95	117.00
26	BB	1187	G	N7-C8-N9	5.90	116.05	113.10
26	BB	1534	U	C2-N3-C4	-5.90	123.46	127.00
26	BB	1641	A	N9-C4-C5	5.90	108.16	105.80
26	BB	1644	C	N1-C2-O2	5.90	122.44	118.90
26	BB	1908	C	C3'-C2'-C1'	5.90	106.22	101.50
1	AA	302	G	N7-C8-N9	5.90	116.05	113.10
1	AA	1020	G	C8-N9-C4	-5.90	104.04	106.40
26	BB	688	U	C2-N3-C4	-5.90	123.46	127.00
26	BB	1078	U	P-O3'-C3'	5.90	126.78	119.70
26	BB	1275	A	C5-C6-N1	5.90	120.65	117.70
26	BB	1279	G	C5-N7-C8	-5.90	101.35	104.30
26	BB	2165	C	N3-C2-O2	-5.90	117.77	121.90
26	BB	2178	C	O4'-C1'-C2'	-5.90	99.90	105.80
26	BB	2599	G	C4-C5-N7	-5.90	108.44	110.80
28	BD	236	GLY	CA-C-O	-5.90	109.98	120.60
37	BM	52	VAL	CG1-CB-CG2	-5.90	101.46	110.90
55	B4	50	GLU	OE1-CD-OE2	5.90	130.38	123.30
8	AH	160	VAL	CG1-CB-CG2	-5.90	101.47	110.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	248	G	N7-C8-N9	5.90	116.05	113.10
26	BB	599	A	C4-C5-N7	-5.90	107.75	110.70
26	BB	625	G	N3-C2-N2	5.90	124.03	119.90
26	BB	1309	G	P-O3'-C3'	5.90	126.78	119.70
26	BB	2158	A	N3-C4-N9	-5.90	122.68	127.40
1	AA	86	G	N1-C6-O6	-5.89	116.36	119.90
1	AA	133	U	P-O3'-C3'	5.89	126.77	119.70
1	AA	361	G	N3-C4-N9	5.89	129.54	126.00
1	AA	1442	G	N7-C8-N9	5.89	116.05	113.10
26	BB	82	U	C4'-C3'-C2'	-5.89	96.70	102.60
26	BB	351	C	N3-C4-C5	-5.89	119.54	121.90
26	BB	428	A	O4'-C1'-N9	5.89	112.92	108.20
26	BB	463	G	C4-C5-C6	5.89	122.34	118.80
26	BB	653	U	N3-C2-O2	-5.89	118.07	122.20
26	BB	1148	U	C5'-C4'-C3'	-5.89	106.57	116.00
26	BB	1792	G	C8-N9-C1'	5.89	134.66	127.00
26	BB	2216	G	C2-N3-C4	5.89	114.85	111.90
26	BB	2683	C	C5-C6-N1	5.89	123.95	121.00
26	BB	2767	C	O4'-C1'-C2'	5.89	112.90	107.60
1	AA	255	G	C2-N3-C4	5.89	114.85	111.90
1	AA	555	U	C5'-C4'-C3'	-5.89	106.57	116.00
1	AA	968	A	N1-C2-N3	-5.89	126.35	129.30
4	AD	47	A	C5-C6-N1	5.89	120.65	117.70
26	BB	3	U	N1-C2-N3	5.89	118.44	114.90
26	BB	238	C	N1-C2-O2	5.89	122.44	118.90
26	BB	438	G	N9-C4-C5	5.89	107.76	105.40
26	BB	1166	G	N1-C2-N3	-5.89	120.36	123.90
26	BB	1188	U	O4'-C1'-N1	5.89	112.91	108.20
26	BB	1725	U	O4'-C1'-C2'	-5.89	99.91	105.80
26	BB	1757	A	C4'-C3'-C2'	-5.89	96.71	102.60
26	BB	1986	C	N3-C2-O2	-5.89	117.78	121.90
26	BB	2185	U	N3-C4-C5	-5.89	111.06	114.60
26	BB	2475	C	C5'-C4'-O4'	5.89	116.17	109.10
26	BB	2698	U	C1'-O4'-C4'	5.89	114.61	109.90
43	BS	69	ARG	NE-CZ-NH2	-5.89	117.35	120.30
1	AA	454	G	C8-N9-C4	-5.89	104.04	106.40
1	AA	1135	U	C4'-C3'-C2'	-5.89	96.71	102.60
4	AD	60	A	O4'-C4'-C3'	5.89	110.81	106.10
26	BB	462	C	N3-C4-C5	5.89	124.26	121.90
26	BB	1963	U	C6-N1-C2	-5.89	117.47	121.00
26	BB	2624	G	N3-C4-N9	5.89	129.53	126.00
51	B0	54	LYS	CB-CG-CD	5.89	126.92	111.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	572	A	C4-C5-C6	-5.89	114.06	117.00
1	AA	768	A	O4'-C1'-N9	5.89	112.91	108.20
26	BB	1275	A	C5'-C4'-O4'	5.89	116.17	109.10
26	BB	1429	G	N3-C4-C5	-5.89	125.66	128.60
26	BB	1429	G	O4'-C4'-C3'	5.89	110.81	106.10
26	BB	1610	A	O5'-C5'-C4'	5.89	122.89	111.70
26	BB	1631	G	O4'-C1'-N9	5.89	112.91	108.20
26	BB	1997	C	C4'-C3'-C2'	-5.89	96.71	102.60
26	BB	2346	A	C5'-C4'-C3'	-5.89	106.58	116.00
26	BB	2812	G	C1'-O4'-C4'	5.89	114.61	109.90
1	AA	476	U	N3-C2-O2	-5.89	118.08	122.20
1	AA	710	G	C5-C6-N1	5.89	114.44	111.50
26	BB	2442	C	C5-C6-N1	5.89	123.94	121.00
45	BU	76	VAL	CG1-CB-CG2	-5.89	101.48	110.90
1	AA	420	U	P-O3'-C3'	5.89	126.76	119.70
1	AA	993	G	C6-C5-N7	-5.89	126.87	130.40
1	AA	1094	G	P-O3'-C3'	5.89	126.76	119.70
1	AA	1141	C	O4'-C4'-C3'	5.89	110.81	106.10
1	AA	1369	C	C5'-C4'-O4'	5.89	116.16	109.10
1	AA	1521	C	C5-C6-N1	5.89	123.94	121.00
3	AC	44	U	C5-C6-N1	-5.89	119.76	122.70
4	AD	45	A	N7-C8-N9	-5.89	110.86	113.80
20	AT	47	ASP	CB-CG-OD1	-5.89	113.00	118.30
25	BA	20	G	C6-N1-C2	-5.89	121.57	125.10
26	BB	235	U	O4'-C1'-N1	5.89	112.91	108.20
26	BB	452	G	C8-N9-C4	-5.89	104.05	106.40
26	BB	519	U	C1'-O4'-C4'	5.89	114.61	109.90
26	BB	625	G	C4-N9-C1'	-5.89	118.85	126.50
26	BB	993	G	C5-C6-N1	-5.89	108.56	111.50
26	BB	1445	G	N9-C1'-C2'	-5.89	105.53	112.00
26	BB	1560	G	C6-C5-N7	-5.89	126.87	130.40
26	BB	2334	U	N1-C2-O2	5.89	126.92	122.80
26	BB	2340	A	O4'-C1'-C2'	-5.89	99.91	105.80
26	BB	2726	A	N7-C8-N9	5.89	116.74	113.80
1	AA	449	G	N1-C6-O6	5.88	123.43	119.90
1	AA	772	U	C6-N1-C2	-5.88	117.47	121.00
26	BB	41	C	C5-C6-N1	-5.88	118.06	121.00
26	BB	276	U	C6-N1-C2	-5.88	117.47	121.00
26	BB	741	U	C3'-C2'-C1'	-5.88	96.79	101.50
26	BB	857	G	C5-C6-O6	-5.88	125.07	128.60
26	BB	933	A	C4-C5-N7	-5.88	107.76	110.70
26	BB	1040	A	C2-N3-C4	5.88	113.54	110.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1068	G	C2-N3-C4	5.88	114.84	111.90
26	BB	1123	C	N1-C1'-C2'	-5.88	105.53	112.00
26	BB	1606	C	N3-C2-O2	-5.88	117.78	121.90
26	BB	2088	A	C1'-O4'-C4'	5.88	114.61	109.90
26	BB	2162	G	C6-C5-N7	-5.88	126.87	130.40
26	BB	2342	C	C4-C5-C6	5.88	120.34	117.40
26	BB	2353	G	N1-C2-N3	5.88	127.43	123.90
26	BB	2452	C	C2-N3-C4	5.88	122.84	119.90
1	AA	128	G	P-O3'-C3'	5.88	126.76	119.70
1	AA	576	C	C4-C5-C6	5.88	120.34	117.40
1	AA	1334	G	N7-C8-N9	5.88	116.04	113.10
26	BB	358	U	N3-C4-O4	5.88	123.52	119.40
26	BB	589	U	C2-N3-C4	-5.88	123.47	127.00
26	BB	1030	C	C5-C4-N4	5.88	124.32	120.20
26	BB	1070	A	N7-C8-N9	5.88	116.74	113.80
26	BB	1371	G	C8-N9-C1'	5.88	134.65	127.00
1	AA	573	A	N9-C4-C5	5.88	108.15	105.80
1	AA	955	U	N3-C4-O4	-5.88	115.28	119.40
1	AA	973	G	P-O3'-C3'	5.88	126.76	119.70
25	BA	13	G	N1-C2-N2	5.88	121.49	116.20
26	BB	6	A	O4'-C1'-C2'	5.88	112.89	107.60
26	BB	713	G	C6-N1-C2	-5.88	121.57	125.10
26	BB	786	C	C4-C5-C6	-5.88	114.46	117.40
26	BB	1101	U	C1'-O4'-C4'	-5.88	105.19	109.90
26	BB	1119	U	N3-C4-O4	5.88	123.52	119.40
26	BB	1263	U	C1'-O4'-C4'	5.88	114.61	109.90
26	BB	1855	U	C1'-O4'-C4'	5.88	114.61	109.90
26	BB	2214	C	C5'-C4'-O4'	5.88	116.16	109.10
26	BB	2295	C	C2-N3-C4	5.88	122.84	119.90
26	BB	2310	C	N1-C2-O2	5.88	122.43	118.90
26	BB	2423	U	C5-C4-O4	-5.88	122.37	125.90
26	BB	2444	G	C5-C6-N1	-5.88	108.56	111.50
26	BB	2714	G	O4'-C1'-N9	5.88	112.91	108.20
1	AA	327	A	C8-N9-C4	-5.88	103.45	105.80
1	AA	568	G	C6-N1-C2	5.88	128.63	125.10
1	AA	912	C	O3'-P-O5'	-5.88	92.83	104.00
1	AA	1292	G	N7-C8-N9	5.88	116.04	113.10
26	BB	2147	A	O4'-C1'-N9	5.88	112.90	108.20
1	AA	422	C	C5'-C4'-O4'	5.88	116.16	109.10
1	AA	833	G	N1-C2-N3	-5.88	120.37	123.90
1	AA	924	C	N3-C4-N4	5.88	122.12	118.00
1	AA	1111	A	P-O3'-C3'	5.88	126.75	119.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1176	A	C4-C5-C6	-5.88	114.06	117.00
9	AI	32	ALA	CB-CA-C	5.88	118.92	110.10
9	AI	74	LEU	CB-CG-CD2	5.88	120.99	111.00
22	AV	1	PRO	CA-N-CD	-5.88	103.27	111.50
26	BB	54	G	C1'-O4'-C4'	-5.88	105.20	109.90
26	BB	332	A	C4'-C3'-C2'	-5.88	96.72	102.60
26	BB	419	U	N3-C4-O4	-5.88	115.28	119.40
26	BB	969	G	N1-C6-O6	5.88	123.43	119.90
26	BB	1074	G	O4'-C1'-N9	5.88	112.90	108.20
26	BB	1320	C	N1-C2-O2	5.88	122.43	118.90
26	BB	1901	A	C4-C5-N7	-5.88	107.76	110.70
26	BB	1964	G	C4-C5-C6	-5.88	115.27	118.80
26	BB	2259	U	C2-N3-C4	-5.88	123.47	127.00
26	BB	2322	A	C5-C6-N6	-5.88	119.00	123.70
1	AA	142	G	C1'-O4'-C4'	5.88	114.60	109.90
1	AA	364	A	C4-C5-C6	-5.88	114.06	117.00
1	AA	631	C	O4'-C1'-N1	-5.88	103.50	108.20
1	AA	674	G	O4'-C1'-N9	5.88	112.90	108.20
1	AA	979	C	C4'-C3'-C2'	-5.88	96.72	102.60
1	AA	1046	A	C4'-C3'-C2'	-5.88	96.72	102.60
1	AA	1072	G	C8-N9-C1'	5.88	134.64	127.00
1	AA	1493	A	N9-C4-C5	5.88	108.15	105.80
4	AD	48	U	C3'-C2'-C1'	5.88	106.20	101.50
4	AD	62	C	C5'-C4'-O4'	5.88	116.15	109.10
26	BB	390	U	C5-C4-O4	5.88	129.43	125.90
26	BB	620	G	C3'-C2'-C1'	-5.88	96.80	101.50
26	BB	1137	G	N3-C2-N2	5.88	124.01	119.90
26	BB	1435	G	C5-C6-O6	-5.88	125.07	128.60
26	BB	2257	U	N3-C2-O2	-5.88	118.09	122.20
26	BB	2558	C	C5-C6-N1	5.88	123.94	121.00
26	BB	2883	A	O4'-C1'-N9	5.88	112.90	108.20
1	AA	1096	C	C3'-C2'-C1'	5.88	106.20	101.50
1	AA	1418	A	C2-N3-C4	-5.88	107.66	110.60
25	BA	2	G	C2-N3-C4	5.88	114.84	111.90
26	BB	1089	A	N1-C2-N3	5.88	132.24	129.30
1	AA	363	A	N1-C2-N3	5.87	132.24	129.30
1	AA	801	U	N3-C2-O2	-5.87	118.09	122.20
1	AA	1181	G	C6-N1-C2	-5.87	121.58	125.10
1	AA	1357	A	N9-C4-C5	5.87	108.15	105.80
3	AC	24	A	N9-C1'-C2'	-5.87	105.54	112.00
10	AJ	95	ARG	NE-CZ-NH2	-5.87	117.36	120.30
26	BB	29	U	N3-C2-O2	-5.87	118.09	122.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	317	G	N9-C1'-C2'	-5.87	105.54	112.00
26	BB	1049	C	C2'-C3'-O3'	5.87	123.10	113.70
26	BB	1121	C	C4-C5-C6	-5.87	114.46	117.40
26	BB	2014	A	C6-C5-N7	5.87	136.41	132.30
26	BB	2103	C	N3-C2-O2	-5.87	117.79	121.90
26	BB	2309	A	N7-C8-N9	5.87	116.74	113.80
26	BB	2454	G	O4'-C1'-N9	5.87	112.90	108.20
26	BB	2713	U	N1-C2-N3	5.87	118.42	114.90
26	BB	2755	C	O4'-C4'-C3'	-5.87	98.13	104.00
26	BB	2851	A	N7-C8-N9	-5.87	110.86	113.80
1	AA	1452	C	C3'-C2'-C1'	5.87	106.20	101.50
3	AC	35	G	N3-C4-C5	-5.87	125.66	128.60
26	BB	53	A	N9-C1'-C2'	-5.87	105.54	112.00
26	BB	472	A	N3-C4-C5	-5.87	122.69	126.80
26	BB	489	G	N3-C4-C5	-5.87	125.66	128.60
26	BB	650	C	N3-C4-N4	5.87	122.11	118.00
26	BB	1189	A	C6-N1-C2	5.87	122.12	118.60
26	BB	2141	G	N9-C4-C5	5.87	107.75	105.40
26	BB	2268	A	C6-C5-N7	5.87	136.41	132.30
26	BB	2661	G	O4'-C1'-N9	5.87	112.90	108.20
26	BB	2768	U	N3-C2-O2	-5.87	118.09	122.20
1	AA	559	A	P-O3'-C3'	5.87	126.74	119.70
1	AA	819	A	N1-C6-N6	5.87	122.12	118.60
1	AA	996	A	C5-C6-N6	-5.87	119.00	123.70
1	AA	1106	G	N9-C1'-C2'	-5.87	105.54	112.00
1	AA	1458	G	N1-C6-O6	-5.87	116.38	119.90
26	BB	543	G	N3-C4-N9	-5.87	122.48	126.00
26	BB	684	G	C2-N3-C4	5.87	114.83	111.90
26	BB	1637	A	C5-N7-C8	5.87	106.83	103.90
26	BB	1770	G	N3-C4-N9	5.87	129.52	126.00
26	BB	1877	A	C2-N3-C4	5.87	113.53	110.60
26	BB	2157	G	C3'-C2'-C1'	5.87	106.20	101.50
26	BB	2399	G	C4-C5-N7	-5.87	108.45	110.80
26	BB	2792	A	N3-C4-N9	5.87	132.10	127.40
1	AA	809	G	O4'-C4'-C3'	5.87	110.80	106.10
1	AA	829	G	C8-N9-C4	-5.87	104.05	106.40
1	AA	1145	A	C4-C5-N7	-5.87	107.77	110.70
1	AA	1226	C	C2'-C3'-O3'	5.87	123.09	113.70
26	BB	45	G	N9-C4-C5	-5.87	103.05	105.40
26	BB	787	C	O4'-C1'-N1	5.87	112.89	108.20
26	BB	838	C	C2-N3-C4	5.87	122.83	119.90
26	BB	1028	A	C3'-C2'-C1'	-5.87	96.81	101.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1215	G	C3'-C2'-C1'	-5.87	96.81	101.50
26	BB	2128	G	C4-N9-C1'	-5.87	118.87	126.50
26	BB	2486	C	C5'-C4'-O4'	5.87	116.14	109.10
1	AA	617	G	N9-C4-C5	5.87	107.75	105.40
4	AD	57	C	C4-C5-C6	5.87	120.33	117.40
26	BB	326	G	N1-C2-N2	5.87	121.48	116.20
26	BB	2094	A	O4'-C1'-N9	5.87	112.89	108.20
26	BB	2121	G	N3-C2-N2	5.87	124.01	119.90
26	BB	2497	A	C5'-C4'-O4'	-5.87	102.06	109.10
30	BF	61	ARG	NE-CZ-NH2	5.87	123.23	120.30
1	AA	11	G	N7-C8-N9	5.87	116.03	113.10
1	AA	385	C	P-O3'-C3'	5.87	126.74	119.70
1	AA	1027	C	O4'-C4'-C3'	5.87	110.79	106.10
1	AA	1423	G	C1'-O4'-C4'	5.87	114.59	109.90
5	AE	168	GLU	C-N-CA	5.87	136.36	121.70
16	AP	56	ARG	NE-CZ-NH1	5.87	123.23	120.30
26	BB	500	G	C5-C6-O6	5.87	132.12	128.60
26	BB	560	C	C5-C4-N4	-5.87	116.09	120.20
26	BB	1192	G	C6-N1-C2	5.87	128.62	125.10
26	BB	1318	U	C1'-O4'-C4'	-5.87	105.21	109.90
26	BB	1399	C	N3-C4-C5	5.87	124.25	121.90
26	BB	1576	U	C4'-C3'-C2'	-5.87	96.73	102.60
26	BB	2286	G	C8-N9-C4	-5.87	104.05	106.40
31	BG	174	PHE	CG-CD2-CE2	-5.87	114.35	120.80
1	AA	197	A	C1'-O4'-C4'	-5.86	105.21	109.90
1	AA	965	U	N1-C2-N3	5.86	118.42	114.90
1	AA	1235	U	C5-C4-O4	5.86	129.42	125.90
1	AA	1357	A	C5-N7-C8	5.86	106.83	103.90
3	AC	42	U	N3-C2-O2	-5.86	118.09	122.20
5	AE	15	PHE	CZ-CE2-CD2	-5.86	113.06	120.10
26	BB	34	U	C3'-C2'-C1'	5.86	106.19	101.50
26	BB	114	U	P-O3'-C3'	5.86	126.74	119.70
26	BB	378	C	N3-C4-C5	5.86	124.25	121.90
26	BB	466	A	N3-C4-C5	-5.86	122.70	126.80
26	BB	505	A	O4'-C1'-N9	5.86	112.89	108.20
26	BB	584	C	O4'-C1'-N1	5.86	112.89	108.20
26	BB	864	G	N9-C4-C5	5.86	107.75	105.40
26	BB	974	G	N7-C8-N9	5.86	116.03	113.10
26	BB	1290	C	O4'-C1'-N1	5.86	112.89	108.20
26	BB	1913	A	C8-N9-C4	-5.86	103.45	105.80
26	BB	2081	U	C5-C4-O4	5.86	129.42	125.90
26	BB	2398	U	C5-C6-N1	5.86	125.63	122.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2464	G	C5-N7-C8	-5.86	101.37	104.30
26	BB	2695	U	N1-C2-O2	5.86	126.91	122.80
1	AA	253	A	C4-C5-C6	-5.86	114.07	117.00
1	AA	1123	U	O4'-C1'-C2'	5.86	112.88	107.60
26	BB	356	G	N1-C6-O6	-5.86	116.38	119.90
26	BB	516	C	N1-C2-O2	5.86	122.42	118.90
26	BB	662	G	N9-C4-C5	5.86	107.75	105.40
26	BB	1109	C	C2-N3-C4	-5.86	116.97	119.90
26	BB	1358	G	N3-C4-C5	-5.86	125.67	128.60
26	BB	1682	G	N1-C2-N3	-5.86	120.38	123.90
26	BB	1867	G	N9-C4-C5	5.86	107.75	105.40
26	BB	2311	A	P-O3'-C3'	5.86	126.73	119.70
26	BB	2594	C	C5-C6-N1	-5.86	118.07	121.00
26	BB	2897	U	O3'-P-O5'	5.86	115.14	104.00
1	AA	323	U	N3-C4-C5	-5.86	111.08	114.60
1	AA	863	U	C4'-C3'-C2'	-5.86	96.74	102.60
1	AA	896	C	N1-C2-O2	5.86	122.42	118.90
1	AA	1155	A	C1'-O4'-C4'	-5.86	105.21	109.90
1	AA	1297	G	N1-C6-O6	5.86	123.42	119.90
1	AA	1372	U	C1'-O4'-C4'	-5.86	105.21	109.90
2	AB	30	G	O4'-C1'-N9	5.86	112.89	108.20
2	AB	68	C	C4'-C3'-C2'	-5.86	96.74	102.60
26	BB	473	G	N3-C4-N9	5.86	129.52	126.00
26	BB	671	C	C3'-C2'-C1'	-5.86	96.81	101.50
26	BB	820	A	C4-C5-N7	-5.86	107.77	110.70
26	BB	1033	U	C3'-C2'-C1'	-5.86	96.81	101.50
26	BB	1183	U	O4'-C4'-C3'	5.86	110.79	106.10
26	BB	1496	A	O4'-C4'-C3'	-5.86	98.14	104.00
46	BV	80	TRP	CD1-NE1-CE2	5.86	114.27	109.00
1	AA	164	G	C6-N1-C2	-5.86	121.58	125.10
1	AA	196	A	N9-C4-C5	-5.86	103.46	105.80
1	AA	501	C	C3'-C2'-C1'	5.86	106.19	101.50
1	AA	1080	A	N1-C2-N3	-5.86	126.37	129.30
1	AA	1110	A	C6-N1-C2	5.86	122.12	118.60
1	AA	1198	G	N3-C4-N9	5.86	129.51	126.00
2	AB	27	C	C4-C5-C6	-5.86	114.47	117.40
26	BB	171	U	N3-C2-O2	-5.86	118.10	122.20
26	BB	337	C	C5-C6-N1	5.86	123.93	121.00
26	BB	492	A	C2-N3-C4	5.86	113.53	110.60
26	BB	2263	C	C4'-C3'-C2'	-5.86	96.74	102.60
1	AA	933	G	C6-C5-N7	-5.86	126.89	130.40
1	AA	1054	C	N3-C4-N4	5.86	122.10	118.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	258	G	C5-C6-O6	5.86	132.12	128.60
26	BB	428	A	N9-C4-C5	5.86	108.14	105.80
26	BB	598	U	O4'-C1'-N1	5.86	112.89	108.20
26	BB	868	U	C2-N1-C1'	-5.86	110.67	117.70
26	BB	1250	G	C6-N1-C2	-5.86	121.59	125.10
26	BB	1622	G	C6-C5-N7	-5.86	126.89	130.40
26	BB	1868	C	O5'-C5'-C4'	-5.86	100.57	111.70
26	BB	1925	C	O4'-C1'-C2'	-5.86	99.94	105.80
26	BB	2039	U	N3-C4-C5	-5.86	111.08	114.60
26	BB	2686	G	N9-C4-C5	5.86	107.74	105.40
36	BL	125	TYR	CB-CG-CD1	-5.86	117.49	121.00
1	AA	121	U	O4'-C1'-C2'	-5.86	99.94	105.80
1	AA	313	A	O4'-C1'-N9	5.86	112.88	108.20
1	AA	603	U	O4'-C1'-N1	5.86	112.88	108.20
1	AA	898	G	N7-C8-N9	5.86	116.03	113.10
1	AA	993	G	C5-N7-C8	-5.86	101.37	104.30
1	AA	1097	C	C3'-C2'-C1'	5.86	106.19	101.50
1	AA	1421	G	C4'-C3'-C2'	-5.86	96.75	102.60
2	AB	71	C	C5'-C4'-C3'	-5.86	106.63	116.00
25	BA	62	C	N3-C4-C5	-5.86	119.56	121.90
26	BB	53	A	C6-C5-N7	5.86	136.40	132.30
26	BB	248	G	C4-C5-C6	5.86	122.31	118.80
26	BB	335	C	O4'-C4'-C3'	5.86	110.78	106.10
26	BB	373	U	C3'-C2'-C1'	-5.86	96.82	101.50
26	BB	388	G	C5-C6-O6	-5.86	125.09	128.60
26	BB	735	A	N7-C8-N9	5.86	116.73	113.80
26	BB	858	G	C8-N9-C4	5.86	108.74	106.40
26	BB	903	C	C2'-C3'-O3'	5.86	123.07	113.70
26	BB	1628	G	N3-C4-N9	5.86	129.51	126.00
26	BB	2279	G	C5-C6-N1	5.86	114.43	111.50
26	BB	2787	C	N3-C2-O2	-5.86	117.80	121.90
26	BB	2852	G	C5-N7-C8	-5.86	101.37	104.30
41	BQ	27	VAL	CG1-CB-CG2	5.86	120.27	110.90
1	AA	563	A	C6-N1-C2	-5.85	115.09	118.60
1	AA	653	U	N3-C4-C5	-5.85	111.09	114.60
3	AC	38	G	N1-C2-N2	5.85	121.47	116.20
23	AW	28	ARG	CD-NE-CZ	5.85	131.80	123.60
26	BB	177	G	N1-C6-O6	5.85	123.41	119.90
26	BB	324	A	N9-C1'-C2'	-5.85	105.56	112.00
26	BB	444	C	C4-C5-C6	-5.85	114.47	117.40
26	BB	576	U	C4-C5-C6	5.85	123.21	119.70
26	BB	1238	G	C5'-C4'-O4'	5.85	116.12	109.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1311	G	N3-C4-C5	-5.85	125.67	128.60
26	BB	1343	G	N1-C2-N2	5.85	121.47	116.20
26	BB	1496	A	C5-N7-C8	-5.85	100.97	103.90
26	BB	1687	G	C6-N1-C2	-5.85	121.59	125.10
1	AA	62	U	P-O3'-C3'	5.85	126.72	119.70
1	AA	107	G	O4'-C1'-N9	5.85	112.88	108.20
1	AA	401	C	C5-C6-N1	5.85	123.93	121.00
25	BA	24	G	N3-C2-N2	5.85	124.00	119.90
26	BB	1332	G	C6-N1-C2	-5.85	121.59	125.10
26	BB	1427	A	P-O3'-C3'	5.85	126.72	119.70
26	BB	1958	C	C6-N1-C2	5.85	122.64	120.30
26	BB	2328	A	C4-C5-N7	-5.85	107.77	110.70
26	BB	2421	G	N3-C4-C5	-5.85	125.67	128.60
26	BB	2462	C	C1'-O4'-C4'	-5.85	105.22	109.90
31	BG	176	PHE	CB-CG-CD1	-5.85	116.70	120.80
1	AA	676	A	N1-C6-N6	5.85	122.11	118.60
1	AA	1275	A	N7-C8-N9	5.85	116.72	113.80
26	BB	28	A	O3'-P-O5'	-5.85	92.88	104.00
26	BB	875	G	N3-C2-N2	-5.85	115.80	119.90
26	BB	1675	C	C4-C5-C6	-5.85	114.47	117.40
26	BB	2587	A	C8-N9-C4	-5.85	103.46	105.80
26	BB	2744	G	N9-C4-C5	5.85	107.74	105.40
26	BB	2843	G	O4'-C1'-N9	5.85	112.88	108.20
1	AA	31	G	N1-C2-N3	5.85	127.41	123.90
1	AA	588	G	N3-C2-N2	5.85	124.00	119.90
1	AA	685	G	C4'-C3'-C2'	-5.85	96.75	102.60
1	AA	1189	U	O4'-C1'-N1	5.85	112.88	108.20
1	AA	1461	G	C6-C5-N7	-5.85	126.89	130.40
4	AD	12	G	C6-N1-C2	-5.85	121.59	125.10
4	AD	67	C	O4'-C1'-N1	5.85	112.88	108.20
9	AI	123	ASP	CB-CG-OD1	-5.85	113.03	118.30
26	BB	361	G	C2-N3-C4	5.85	114.83	111.90
26	BB	852	U	C5-C4-O4	5.85	129.41	125.90
26	BB	1984	G	N1-C6-O6	-5.85	116.39	119.90
26	BB	2553	G	C4-C5-C6	-5.85	115.29	118.80
26	BB	2878	U	C6-N1-C2	-5.85	117.49	121.00
1	AA	446	G	C5-C6-O6	-5.85	125.09	128.60
1	AA	763	G	C5'-C4'-O4'	5.85	116.12	109.10
1	AA	1239	A	C5-C6-N1	5.85	120.62	117.70
1	AA	1352	C	P-O3'-C3'	5.85	126.72	119.70
2	AB	29	G	C2-N3-C4	5.85	114.82	111.90
4	AD	1	C	O4'-C1'-N1	5.85	112.88	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	60	G	N3-C4-C5	-5.85	125.68	128.60
26	BB	1007	C	N3-C2-O2	-5.85	117.81	121.90
26	BB	1236	G	C5'-C4'-O4'	5.85	116.12	109.10
26	BB	1770	G	N1-C2-N3	-5.85	120.39	123.90
26	BB	1972	G	N1-C6-O6	-5.85	116.39	119.90
26	BB	2207	C	C6-N1-C2	5.85	122.64	120.30
26	BB	2368	C	N3-C4-C5	-5.85	119.56	121.90
1	AA	315	A	C3'-C2'-C1'	-5.85	96.82	101.50
1	AA	510	A	C5'-C4'-C3'	-5.85	106.65	116.00
1	AA	801	U	C1'-O4'-C4'	5.85	114.58	109.90
1	AA	1277	C	O4'-C1'-N1	5.85	112.88	108.20
26	BB	7	G	N1-C2-N3	5.85	127.41	123.90
26	BB	1884	G	O4'-C1'-N9	5.85	112.88	108.20
26	BB	2712	C	N1-C2-O2	5.85	122.41	118.90
1	AA	1198	G	C5-N7-C8	5.84	107.22	104.30
1	AA	1312	G	N7-C8-N9	5.84	116.02	113.10
26	BB	122	G	C5'-C4'-O4'	5.84	116.11	109.10
26	BB	226	A	C2-N3-C4	5.84	113.52	110.60
26	BB	1124	G	N3-C4-C5	-5.84	125.68	128.60
26	BB	1504	A	C6-C5-N7	-5.84	128.21	132.30
26	BB	1588	G	N7-C8-N9	5.84	116.02	113.10
26	BB	2029	G	C4-C5-N7	-5.84	108.46	110.80
26	BB	2073	C	C3'-C2'-C1'	-5.84	96.83	101.50
26	BB	2291	U	C5-C4-O4	-5.84	122.39	125.90
26	BB	2389	G	C8-N9-C1'	5.84	134.60	127.00
32	BH	162	ARG	NE-CZ-NH1	-5.84	117.38	120.30
1	AA	1339	A	C5-C6-N1	5.84	120.62	117.70
1	AA	1379	G	N9-C1'-C2'	-5.84	105.57	112.00
26	BB	236	C	C1'-O4'-C4'	5.84	114.58	109.90
26	BB	1024	G	N7-C8-N9	5.84	116.02	113.10
26	BB	2043	C	C5'-C4'-C3'	-5.84	106.65	116.00
26	BB	2244	U	C5-C6-N1	-5.84	119.78	122.70
1	AA	646	G	N7-C8-N9	5.84	116.02	113.10
1	AA	1018	G	N3-C4-N9	5.84	129.50	126.00
1	AA	1193	G	C5-C6-N1	5.84	114.42	111.50
26	BB	195	A	O4'-C4'-C3'	5.84	110.77	106.10
26	BB	770	G	N1-C6-O6	-5.84	116.39	119.90
26	BB	1448	G	N9-C1'-C2'	-5.84	105.57	112.00
26	BB	1571	A	O4'-C1'-C2'	-5.84	99.96	105.80
26	BB	1955	U	C2-N3-C4	-5.84	123.50	127.00
26	BB	2102	G	C8-N9-C1'	5.84	134.59	127.00
26	BB	2526	G	N3-C4-N9	5.84	129.50	126.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2829	A	P-O3'-C3'	5.84	126.71	119.70
1	AA	59	A	C5-C6-N1	5.84	120.62	117.70
1	AA	169	C	O4'-C1'-N1	5.84	112.87	108.20
1	AA	349	A	N1-C2-N3	-5.84	126.38	129.30
1	AA	887	G	N1-C2-N3	5.84	127.40	123.90
5	AE	31	PHE	CB-CG-CD2	-5.84	116.71	120.80
21	AU	24	ASP	CB-CG-OD2	-5.84	113.04	118.30
26	BB	925	A	C5'-C4'-C3'	-5.84	106.66	116.00
26	BB	936	A	N3-C4-C5	-5.84	122.71	126.80
26	BB	1475	G	C6-N1-C2	-5.84	121.60	125.10
26	BB	1841	U	C5'-C4'-O4'	5.84	116.11	109.10
26	BB	1932	A	C2-N3-C4	-5.84	107.68	110.60
26	BB	2463	C	C3'-C2'-C1'	-5.84	96.83	101.50
26	BB	2810	A	C8-N9-C4	-5.84	103.46	105.80
1	AA	377	G	O4'-C1'-N9	5.84	112.87	108.20
1	AA	590	U	C6-N1-C2	5.84	124.50	121.00
1	AA	1509	C	C4'-C3'-C2'	-5.84	96.76	102.60
26	BB	367	G	C5'-C4'-C3'	-5.84	106.66	116.00
26	BB	543	G	C5-C6-O6	-5.84	125.10	128.60
26	BB	554	U	C4'-C3'-C2'	-5.84	96.76	102.60
26	BB	1126	A	N9-C4-C5	-5.84	103.47	105.80
26	BB	1300	G	C8-N9-C4	5.84	108.73	106.40
26	BB	1603	A	N1-C2-N3	5.84	132.22	129.30
26	BB	1657	U	C2-N3-C4	-5.84	123.50	127.00
26	BB	2046	G	C5-N7-C8	5.84	107.22	104.30
26	BB	2330	G	C4'-C3'-C2'	-5.84	96.76	102.60
26	BB	2666	C	N1-C2-O2	5.84	122.40	118.90
1	AA	244	U	N1-C2-O2	5.84	126.89	122.80
1	AA	384	G	C6-C5-N7	-5.84	126.90	130.40
1	AA	584	G	O4'-C1'-N9	5.84	112.87	108.20
1	AA	589	U	C1'-O4'-C4'	-5.84	105.23	109.90
1	AA	741	G	C5-C6-N1	5.84	114.42	111.50
1	AA	797	C	C3'-C2'-C1'	-5.84	96.83	101.50
1	AA	841	C	C6-N1-C2	-5.84	117.97	120.30
1	AA	903	G	C3'-C2'-C1'	-5.84	96.83	101.50
1	AA	1155	A	C5-C6-N1	-5.84	114.78	117.70
1	AA	1234	C	OP1-P-OP2	-5.84	110.84	119.60
1	AA	1261	A	C4-C5-C6	5.84	119.92	117.00
2	AB	57	G	N7-C8-N9	5.84	116.02	113.10
6	AF	7	ASN	CA-C-O	-5.84	107.84	120.10
26	BB	427	U	C2-N1-C1'	5.84	124.70	117.70
26	BB	511	U	N3-C4-O4	-5.84	115.31	119.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	551	G	C8-N9-C4	-5.84	104.06	106.40
26	BB	903	C	C4-C5-C6	5.84	120.32	117.40
26	BB	1003	G	C5-C6-O6	-5.84	125.10	128.60
26	BB	1270	C	P-O3'-C3'	5.84	126.70	119.70
26	BB	1877	A	N9-C4-C5	5.84	108.13	105.80
26	BB	2191	A	C6-N1-C2	-5.84	115.10	118.60
26	BB	2485	G	N9-C1'-C2'	-5.84	105.58	112.00
30	BF	158	PHE	CB-CG-CD2	-5.84	116.71	120.80
1	AA	355	C	N3-C4-N4	5.83	122.08	118.00
1	AA	497	G	C5-C6-O6	-5.83	125.10	128.60
1	AA	1089	G	C6-N1-C2	-5.83	121.60	125.10
2	AB	53	G	C3'-C2'-C1'	5.83	106.17	101.50
2	AB	53	G	C6-C5-N7	5.83	133.90	130.40
4	AD	10	G	C6-C5-N7	5.83	133.90	130.40
26	BB	1898	U	P-O5'-C5'	5.83	130.24	120.90
26	BB	2049	G	C4-C5-C6	-5.83	115.30	118.80
26	BB	2869	G	O5'-C5'-C4'	-5.83	100.61	111.70
1	AA	16	A	N1-C2-N3	5.83	132.22	129.30
1	AA	168	G	C5'-C4'-O4'	5.83	116.10	109.10
1	AA	175	C	C5-C6-N1	5.83	123.92	121.00
1	AA	195	A	C5'-C4'-O4'	5.83	116.10	109.10
1	AA	238	A	C5-C6-N1	5.83	120.62	117.70
1	AA	750	C	C3'-C2'-C1'	-5.83	96.83	101.50
1	AA	1441	A	C4-C5-N7	5.83	113.62	110.70
1	AA	1464	U	C1'-O4'-C4'	-5.83	105.23	109.90
2	AB	23	A	N7-C8-N9	5.83	116.72	113.80
3	AC	59	A	C6-C5-N7	5.83	136.38	132.30
4	AD	73	A	N1-C2-N3	-5.83	126.38	129.30
10	AJ	93	VAL	CA-CB-CG1	5.83	119.65	110.90
26	BB	41	C	O4'-C1'-N1	5.83	112.87	108.20
26	BB	49	A	N3-C4-C5	-5.83	122.72	126.80
26	BB	241	A	C5-C6-N1	5.83	120.62	117.70
26	BB	274	C	N1-C2-O2	5.83	122.40	118.90
26	BB	389	G	N9-C1'-C2'	5.83	121.58	114.00
26	BB	682	G	N3-C4-C5	-5.83	125.68	128.60
26	BB	972	A	N7-C8-N9	5.83	116.72	113.80
26	BB	1819	A	C5-N7-C8	-5.83	100.98	103.90
1	AA	301	G	N3-C2-N2	5.83	123.98	119.90
1	AA	766	A	N9-C4-C5	-5.83	103.47	105.80
1	AA	791	G	C5-C6-O6	-5.83	125.10	128.60
1	AA	888	G	N9-C4-C5	5.83	107.73	105.40
1	AA	1150	A	C4-C5-C6	-5.83	114.08	117.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1388	C	C3'-C2'-C1'	5.83	106.17	101.50
26	BB	2	G	C5-C6-N1	5.83	114.42	111.50
26	BB	217	A	C4-C5-N7	-5.83	107.78	110.70
26	BB	569	U	C3'-C2'-C1'	5.83	106.17	101.50
26	BB	1870	C	C4-C5-C6	-5.83	114.48	117.40
26	BB	1989	G	N9-C1'-C2'	-5.83	105.58	112.00
26	BB	2844	G	O4'-C1'-N9	5.83	112.87	108.20
1	AA	80	A	C6-C5-N7	-5.83	128.22	132.30
1	AA	951	G	C2-N3-C4	5.83	114.81	111.90
1	AA	958	A	C2-N3-C4	-5.83	107.69	110.60
1	AA	1130	A	N7-C8-N9	-5.83	110.89	113.80
2	AB	4	G	N3-C4-C5	-5.83	125.69	128.60
3	AC	48	C	C4-C5-C6	-5.83	114.48	117.40
26	BB	766	U	N3-C4-O4	-5.83	115.32	119.40
26	BB	1387	A	C5-N7-C8	5.83	106.81	103.90
26	BB	1739	A	N3-C4-C5	-5.83	122.72	126.80
1	AA	3	A	O4'-C1'-N9	5.83	112.86	108.20
1	AA	639	G	C5-N7-C8	5.83	107.22	104.30
2	AB	21	A	P-O3'-C3'	5.83	126.69	119.70
26	BB	469	G	N3-C4-C5	-5.83	125.69	128.60
26	BB	478	A	C3'-C2'-C1'	5.83	106.16	101.50
26	BB	938	G	C2-N3-C4	5.83	114.81	111.90
26	BB	941	A	O4'-C1'-N9	5.83	112.86	108.20
26	BB	1069	A	C6-C5-N7	-5.83	128.22	132.30
26	BB	1645	G	C5-C6-O6	-5.83	125.10	128.60
26	BB	1659	G	C8-N9-C4	-5.83	104.07	106.40
26	BB	1781	U	C1'-O4'-C4'	5.83	114.56	109.90
26	BB	2124	G	C2-N3-C4	5.83	114.81	111.90
26	BB	2184	A	O4'-C1'-N9	5.83	112.86	108.20
26	BB	2579	C	N3-C4-C5	5.83	124.23	121.90
31	BG	147	ARG	CD-NE-CZ	5.83	131.76	123.60
32	BH	94	ARG	NE-CZ-NH2	5.83	123.21	120.30
1	AA	1165	U	C1'-O4'-C4'	5.83	114.56	109.90
26	BB	452	G	N3-C4-C5	-5.83	125.69	128.60
26	BB	637	A	C5'-C4'-C3'	-5.83	106.68	116.00
26	BB	2483	C	C4-C5-C6	-5.83	114.49	117.40
31	BG	129	MET	CB-CA-C	5.83	122.05	110.40
1	AA	130	A	C1'-O4'-C4'	5.83	114.56	109.90
1	AA	137	U	C1'-O4'-C4'	5.83	114.56	109.90
1	AA	255	G	C5'-C4'-O4'	5.83	116.09	109.10
1	AA	413	G	C4-C5-N7	-5.83	108.47	110.80
1	AA	1188	A	C2-N3-C4	5.83	113.51	110.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1236	A	C4-C5-N7	5.83	113.61	110.70
1	AA	1376	U	C4'-C3'-C2'	5.83	108.43	102.60
26	BB	880	G	C8-N9-C1'	5.83	134.57	127.00
26	BB	981	A	C5'-C4'-O4'	5.83	116.09	109.10
26	BB	983	A	C5-C6-N1	-5.83	114.79	117.70
26	BB	1011	G	C6-N1-C2	-5.83	121.60	125.10
26	BB	1782	U	O4'-C1'-N1	5.83	112.86	108.20
26	BB	1819	A	C6-C5-N7	-5.83	128.22	132.30
26	BB	2032	G	P-O3'-C3'	5.83	126.69	119.70
26	BB	2794	C	C4-C5-C6	-5.83	114.49	117.40
29	BE	33	ARG	NE-CZ-NH1	-5.83	117.39	120.30
1	AA	38	G	O4'-C1'-N9	-5.82	103.54	108.20
1	AA	186	C	C6-N1-C2	-5.82	117.97	120.30
1	AA	1120	C	O4'-C1'-N1	5.82	112.86	108.20
1	AA	1294	G	N7-C8-N9	5.82	116.01	113.10
11	AK	116	ARG	NE-CZ-NH2	-5.82	117.39	120.30
16	AP	105	ALA	N-CA-C	5.82	126.72	111.00
26	BB	241	A	C5-N7-C8	5.82	106.81	103.90
26	BB	408	G	C8-N9-C4	-5.82	104.07	106.40
26	BB	908	C	P-O3'-C3'	5.82	126.69	119.70
26	BB	2201	G	C4-N9-C1'	5.82	134.07	126.50
26	BB	2465	C	C5-C4-N4	-5.82	116.12	120.20
26	BB	2614	A	O4'-C4'-C3'	5.82	110.76	106.10
26	BB	2662	A	N1-C6-N6	-5.82	115.11	118.60
26	BB	2787	C	N3-C4-N4	-5.82	113.92	118.00
1	AA	89	U	C5-C6-N1	-5.82	119.79	122.70
1	AA	109	A	N9-C1'-C2'	-5.82	105.60	112.00
26	BB	1517	G	C6-C5-N7	-5.82	126.91	130.40
26	BB	1980	G	N7-C8-N9	5.82	116.01	113.10
1	AA	776	G	N9-C4-C5	5.82	107.73	105.40
1	AA	1512	U	C2'-C3'-O3'	5.82	123.01	113.70
4	AD	42	C	C6-N1-C2	-5.82	117.97	120.30
4	AD	61	U	P-O5'-C5'	5.82	130.21	120.90
26	BB	59	U	O3'-P-O5'	-5.82	92.94	104.00
26	BB	231	A	C5-C6-N6	-5.82	119.04	123.70
26	BB	269	C	N1-C2-O2	5.82	122.39	118.90
26	BB	389	G	N9-C4-C5	5.82	107.73	105.40
26	BB	1587	G	C4'-C3'-C2'	-5.82	96.78	102.60
26	BB	2034	U	C6-N1-C2	-5.82	117.51	121.00
1	AA	730	G	N3-C2-N2	-5.82	115.83	119.90
26	BB	244	A	C6-C5-N7	5.82	136.37	132.30
26	BB	542	C	C2-N1-C1'	-5.82	112.40	118.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	796	C	N1-C2-O2	5.82	122.39	118.90
26	BB	1686	C	C3'-C2'-C1'	5.82	106.16	101.50
26	BB	1846	G	N3-C2-N2	-5.82	115.83	119.90
26	BB	2049	G	N1-C6-O6	-5.82	116.41	119.90
1	AA	127	G	C4-C5-C6	5.82	122.29	118.80
1	AA	957	U	N3-C2-O2	-5.82	118.13	122.20
1	AA	1535	C	C2-N1-C1'	5.82	125.20	118.80
26	BB	148	U	N1-C2-O2	-5.82	118.73	122.80
26	BB	1793	C	C4'-C3'-C2'	-5.82	96.78	102.60
26	BB	1810	A	C1'-O4'-C4'	5.82	114.55	109.90
26	BB	2312	U	N3-C4-O4	-5.82	115.33	119.40
26	BB	2614	A	C5'-C4'-O4'	5.82	116.08	109.10
26	BB	2697	G	C3'-C2'-C1'	-5.82	96.85	101.50
26	BB	2719	G	N9-C4-C5	5.82	107.73	105.40
1	AA	508	U	C4-C5-C6	5.82	123.19	119.70
1	AA	718	A	C4-C5-C6	-5.82	114.09	117.00
1	AA	819	A	C5-N7-C8	-5.82	100.99	103.90
26	BB	362	A	C6-N1-C2	-5.82	115.11	118.60
26	BB	787	C	N3-C4-N4	5.82	122.07	118.00
26	BB	1326	U	C5'-C4'-C3'	-5.82	106.70	116.00
26	BB	1351	C	P-O3'-C3'	5.82	126.68	119.70
26	BB	1787	A	N9-C1'-C2'	5.82	121.56	114.00
26	BB	2009	A	N9-C1'-C2'	-5.82	105.60	112.00
26	BB	2147	A	P-O5'-C5'	5.82	130.20	120.90
26	BB	2473	U	C5-C4-O4	-5.82	122.41	125.90
26	BB	2588	G	N7-C8-N9	5.82	116.01	113.10
1	AA	243	A	O4'-C4'-C3'	-5.81	98.19	104.00
4	AD	43	G	N1-C6-O6	5.81	123.39	119.90
26	BB	211	C	C1'-O4'-C4'	5.81	114.55	109.90
26	BB	1304	A	C5-N7-C8	-5.81	100.99	103.90
26	BB	1653	G	C6-N1-C2	-5.81	121.61	125.10
26	BB	1827	U	C5-C6-N1	-5.81	119.79	122.70
26	BB	2073	C	O4'-C1'-N1	5.81	112.85	108.20
26	BB	2506	U	O4'-C1'-N1	5.81	112.85	108.20
26	BB	2737	G	C5'-C4'-O4'	5.81	116.08	109.10
1	AA	16	A	N9-C4-C5	-5.81	103.47	105.80
1	AA	170	U	N3-C4-O4	5.81	123.47	119.40
1	AA	1329	A	C4'-C3'-C2'	-5.81	96.79	102.60
2	AB	36	A	C4'-C3'-C2'	-5.81	96.79	102.60
26	BB	212	G	C3'-C2'-C1'	5.81	106.15	101.50
26	BB	294	A	O4'-C1'-N9	5.81	112.85	108.20
26	BB	608	A	N1-C6-N6	5.81	122.09	118.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2139	U	C6-N1-C2	-5.81	117.51	121.00
26	BB	2155	U	C1'-O4'-C4'	5.81	114.55	109.90
26	BB	2240	U	O4'-C1'-N1	5.81	112.85	108.20
26	BB	2381	A	C4'-C3'-C2'	-5.81	96.79	102.60
1	AA	323	U	C5'-C4'-O4'	5.81	116.07	109.10
4	AD	59	A	C5-C6-N1	-5.81	114.79	117.70
26	BB	416	U	N1-C2-O2	5.81	126.87	122.80
26	BB	468	G	C3'-C2'-C1'	5.81	106.15	101.50
26	BB	1983	G	C4-C5-N7	-5.81	108.48	110.80
26	BB	2152	G	N3-C2-N2	5.81	123.97	119.90
1	AA	557	G	C3'-C2'-C1'	-5.81	96.85	101.50
3	AC	38	G	C5-C6-O6	5.81	132.09	128.60
26	BB	54	G	C6-N1-C2	-5.81	121.61	125.10
26	BB	110	G	N1-C2-N3	-5.81	120.42	123.90
26	BB	113	U	N1-C2-O2	5.81	126.87	122.80
26	BB	236	C	C4-C5-C6	-5.81	114.50	117.40
26	BB	255	A	C5-C6-N6	-5.81	119.05	123.70
26	BB	268	C	O4'-C1'-N1	5.81	112.85	108.20
26	BB	749	A	C4-C5-C6	-5.81	114.10	117.00
26	BB	1002	G	N9-C4-C5	5.81	107.72	105.40
26	BB	1447	C	C5'-C4'-O4'	5.81	116.07	109.10
26	BB	1585	C	C6-N1-C2	-5.81	117.98	120.30
26	BB	2325	G	C4-C5-C6	5.81	122.28	118.80
26	BB	2783	U	O4'-C1'-N1	5.81	112.85	108.20
30	BF	178	VAL	CG1-CB-CG2	-5.81	101.61	110.90
1	AA	406	G	N3-C2-N2	-5.81	115.83	119.90
1	AA	864	A	C8-N9-C4	-5.81	103.48	105.80
1	AA	945	G	N3-C2-N2	-5.81	115.83	119.90
8	AH	97	PRO	N-CD-CG	5.81	111.91	103.20
25	BA	71	C	C5-C6-N1	-5.81	118.10	121.00
26	BB	52	A	C3'-C2'-C1'	-5.81	96.85	101.50
26	BB	157	C	C1'-O4'-C4'	5.81	114.55	109.90
26	BB	420	C	C5-C6-N1	5.81	123.90	121.00
26	BB	469	G	N1-C2-N2	-5.81	110.97	116.20
26	BB	533	G	C6-C5-N7	-5.81	126.92	130.40
26	BB	996	A	O5'-C5'-C4'	5.81	122.73	111.70
26	BB	1178	C	N1-C1'-C2'	-5.81	105.61	112.00
26	BB	1206	G	N3-C4-C5	-5.81	125.70	128.60
26	BB	1308	A	C3'-C2'-C1'	5.81	106.14	101.50
26	BB	1317	G	C2-N3-C4	5.81	114.80	111.90
26	BB	1628	G	C2-N3-C4	5.81	114.80	111.90
26	BB	1998	A	N9-C1'-C2'	-5.81	105.61	112.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2826	A	C5'-C4'-O4'	5.81	116.07	109.10
28	BD	202	ARG	NE-CZ-NH2	-5.81	117.40	120.30
34	BJ	137	ARG	CD-NE-CZ	5.81	131.73	123.60
1	AA	686	U	C6-N1-C2	-5.81	117.52	121.00
1	AA	1158	C	N1-C2-N3	-5.81	115.14	119.20
1	AA	1286	U	C5'-C4'-O4'	5.81	116.07	109.10
4	AD	13	C	C6-N1-C2	-5.81	117.98	120.30
25	BA	44	G	N1-C2-N3	5.81	127.38	123.90
26	BB	377	G	C8-N9-C4	-5.81	104.08	106.40
26	BB	1011	G	C8-N9-C4	-5.81	104.08	106.40
26	BB	1492	G	N3-C2-N2	5.81	123.96	119.90
26	BB	1830	C	P-O3'-C3'	5.81	126.67	119.70
26	BB	2097	A	C5'-C4'-O4'	5.81	116.07	109.10
1	AA	324	G	C4'-C3'-C2'	-5.80	96.80	102.60
1	AA	722	G	C4-C5-N7	-5.80	108.48	110.80
1	AA	733	G	C2-N3-C4	5.80	114.80	111.90
17	AQ	68	ARG	NE-CZ-NH2	-5.80	117.40	120.30
25	BA	4	C	N1-C2-O2	5.80	122.38	118.90
26	BB	35	G	N1-C6-O6	5.80	123.38	119.90
26	BB	337	C	N1-C2-O2	5.80	122.38	118.90
26	BB	860	U	P-O3'-C3'	5.80	126.67	119.70
26	BB	874	G	C5-C6-O6	-5.80	125.12	128.60
26	BB	945	A	C1'-O4'-C4'	-5.80	105.26	109.90
26	BB	1262	A	C8-N9-C4	-5.80	103.48	105.80
26	BB	1515	A	N9-C4-C5	5.80	108.12	105.80
26	BB	1588	G	O4'-C4'-C3'	-5.80	98.19	104.00
26	BB	1603	A	C6-N1-C2	-5.80	115.12	118.60
26	BB	1910	G	C4-C5-N7	-5.80	108.48	110.80
26	BB	1925	C	C2-N1-C1'	-5.80	112.41	118.80
26	BB	2086	U	N3-C4-O4	5.80	123.46	119.40
26	BB	2493	U	C5-C6-N1	-5.80	119.80	122.70
26	BB	2544	G	O3'-P-O5'	5.80	115.03	104.00
29	BE	98	VAL	CA-CB-CG2	5.80	119.61	110.90
1	AA	1300	G	O4'-C1'-N9	-5.80	103.56	108.20
26	BB	873	C	O3'-P-O5'	-5.80	92.97	104.00
26	BB	1308	A	C1'-O4'-C4'	5.80	114.54	109.90
26	BB	1655	A	N9-C4-C5	-5.80	103.48	105.80
26	BB	2650	U	N1-C2-O2	-5.80	118.74	122.80
1	AA	171	A	C4-C5-C6	-5.80	114.10	117.00
1	AA	322	C	O4'-C1'-N1	5.80	112.84	108.20
1	AA	458	U	C1'-O4'-C4'	-5.80	105.26	109.90
1	AA	867	G	N9-C1'-C2'	-5.80	105.62	112.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1067	A	P-O3'-C3'	5.80	126.66	119.70
1	AA	1535	C	N3-C2-O2	-5.80	117.84	121.90
25	BA	65	U	C4'-C3'-C2'	-5.80	96.80	102.60
26	BB	376	G	C4-C5-N7	-5.80	108.48	110.80
26	BB	577	G	C5-C6-N1	5.80	114.40	111.50
26	BB	1095	A	C2-N3-C4	5.80	113.50	110.60
26	BB	1109	C	C3'-C2'-C1'	5.80	106.14	101.50
26	BB	1237	A	C5-C6-N1	5.80	120.60	117.70
26	BB	1283	G	C8-N9-C1'	5.80	134.54	127.00
26	BB	2091	C	N3-C4-N4	5.80	122.06	118.00
26	BB	2196	C	C5-C6-N1	5.80	123.90	121.00
26	BB	2236	U	O4'-C1'-N1	5.80	112.84	108.20
26	BB	2533	U	N1-C2-O2	-5.80	118.74	122.80
26	BB	2595	G	C5-N7-C8	-5.80	101.40	104.30
26	BB	2769	U	N3-C4-O4	5.80	123.46	119.40
26	BB	2881	U	C5-C6-N1	-5.80	119.80	122.70
41	BQ	9	ARG	CD-NE-CZ	5.80	131.72	123.60
46	BV	25	GLU	OE1-CD-OE2	5.80	130.26	123.30
1	AA	934	C	O4'-C1'-C2'	-5.80	100.00	105.80
1	AA	985	C	N3-C4-N4	5.80	122.06	118.00
1	AA	1235	U	N1-C1'-C2'	-5.80	105.62	112.00
1	AA	1237	C	N1-C2-O2	5.80	122.38	118.90
24	AX	61	ARG	NH1-CZ-NH2	-5.80	113.02	119.40
26	BB	313	G	C3'-C2'-C1'	5.80	106.14	101.50
26	BB	789	A	N1-C6-N6	5.80	122.08	118.60
26	BB	1145	C	P-O3'-C3'	5.80	126.66	119.70
26	BB	2311	A	O5'-C5'-C4'	-5.80	100.68	111.70
26	BB	2326	C	N3-C4-N4	5.80	122.06	118.00
26	BB	2403	C	C4'-C3'-C2'	-5.80	96.80	102.60
1	AA	1461	G	C6-N1-C2	-5.80	121.62	125.10
25	BA	27	C	C6-N1-C2	-5.80	117.98	120.30
26	BB	112	U	C5-C4-O4	-5.80	122.42	125.90
26	BB	658	U	C4-C5-C6	5.80	123.18	119.70
26	BB	1691	C	N3-C2-O2	-5.80	117.84	121.90
26	BB	2390	U	C2-N3-C4	-5.80	123.52	127.00
39	BO	81	ARG	NE-CZ-NH2	-5.80	117.40	120.30
1	AA	43	C	N3-C4-C5	5.80	124.22	121.90
1	AA	209	U	C1'-O4'-C4'	-5.80	105.26	109.90
1	AA	540	G	C5-C6-N1	5.80	114.40	111.50
1	AA	949	A	N7-C8-N9	-5.80	110.90	113.80
2	AB	50	G	N1-C2-N3	-5.80	120.42	123.90
26	BB	380	G	C5'-C4'-O4'	5.80	116.06	109.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	936	A	C5'-C4'-C3'	-5.80	106.72	116.00
26	BB	1080	A	N1-C2-N3	-5.80	126.40	129.30
26	BB	1113	U	C6-N1-C2	-5.80	117.52	121.00
26	BB	1157	G	N1-C2-N3	5.80	127.38	123.90
26	BB	1235	G	C4'-C3'-C2'	-5.80	96.80	102.60
26	BB	2237	G	C8-N9-C4	-5.80	104.08	106.40
26	BB	2412	A	C5-C6-N1	5.80	120.60	117.70
35	BK	64	ARG	NH1-CZ-NH2	-5.80	113.02	119.40
38	BN	2	ARG	NE-CZ-NH1	5.80	123.20	120.30
43	BS	50	ARG	NH1-CZ-NH2	-5.80	113.02	119.40
1	AA	68	G	O4'-C1'-N9	5.79	112.84	108.20
1	AA	173	U	P-O3'-C3'	5.79	126.65	119.70
1	AA	676	A	C8-N9-C4	-5.79	103.48	105.80
26	BB	54	G	N1-C2-N2	5.79	121.42	116.20
26	BB	1037	G	C2-N3-C4	5.79	114.80	111.90
26	BB	1315	C	OP1-P-OP2	5.79	128.29	119.60
26	BB	1415	U	C6-N1-C2	-5.79	117.52	121.00
26	BB	1633	G	N1-C2-N3	-5.79	120.42	123.90
26	BB	2820	A	C1'-O4'-C4'	-5.79	105.26	109.90
1	AA	310	G	C5-N7-C8	5.79	107.20	104.30
1	AA	421	U	N3-C2-O2	-5.79	118.14	122.20
1	AA	811	C	N3-C4-C5	-5.79	119.58	121.90
1	AA	979	C	C4-C5-C6	5.79	120.30	117.40
1	AA	1170	A	N3-C4-C5	-5.79	122.74	126.80
1	AA	1175	G	C5'-C4'-C3'	-5.79	106.73	116.00
1	AA	1175	G	O4'-C1'-N9	5.79	112.83	108.20
14	AN	85	VAL	CA-CB-CG2	5.79	119.59	110.90
26	BB	38	A	N1-C6-N6	-5.79	115.12	118.60
26	BB	45	G	C8-N9-C4	5.79	108.72	106.40
26	BB	375	G	N7-C8-N9	5.79	116.00	113.10
26	BB	1374	G	N3-C4-N9	5.79	129.48	126.00
26	BB	1897	G	N1-C2-N3	5.79	127.38	123.90
26	BB	2022	U	C4'-C3'-C2'	-5.79	96.81	102.60
26	BB	2213	U	OP1-P-O3'	5.79	117.94	105.20
26	BB	2741	A	P-O3'-C3'	5.79	126.65	119.70
1	AA	268	U	C4-C5-C6	5.79	123.17	119.70
1	AA	632	U	O5'-P-OP1	5.79	117.65	110.70
1	AA	810	C	C4'-C3'-C2'	-5.79	96.81	102.60
1	AA	843	U	N1-C2-N3	5.79	118.38	114.90
1	AA	1121	U	C5-C6-N1	5.79	125.59	122.70
26	BB	114	U	N3-C2-O2	-5.79	118.15	122.20
26	BB	645	C	O4'-C4'-C3'	5.79	110.73	106.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	777	G	C4-C5-N7	-5.79	108.48	110.80
26	BB	904	G	C6-C5-N7	-5.79	126.92	130.40
26	BB	1155	A	C5-N7-C8	-5.79	101.00	103.90
26	BB	1389	G	C3'-C2'-C1'	-5.79	96.87	101.50
26	BB	1785	A	N1-C6-N6	-5.79	115.12	118.60
26	BB	1795	C	N1-C2-N3	-5.79	115.15	119.20
26	BB	2010	G	N7-C8-N9	-5.79	110.20	113.10
26	BB	2389	G	N3-C2-N2	-5.79	115.85	119.90
26	BB	2578	G	N3-C4-N9	5.79	129.47	126.00
26	BB	1398	C	C5-C6-N1	-5.79	118.11	121.00
26	BB	1500	G	N3-C4-C5	-5.79	125.70	128.60
26	BB	2585	U	P-O3'-C3'	5.79	126.65	119.70
26	BB	2852	G	C8-N9-C4	5.79	108.72	106.40
1	AA	69	G	P-O3'-C3'	5.79	126.65	119.70
1	AA	230	G	C4-C5-C6	5.79	122.27	118.80
1	AA	462	G	C5'-C4'-C3'	-5.79	106.74	116.00
1	AA	1050	G	O4'-C4'-C3'	5.79	110.73	106.10
1	AA	1270	G	N3-C4-N9	5.79	129.47	126.00
25	BA	93	C	N1-C2-N3	5.79	123.25	119.20
26	BB	432	A	C3'-C2'-C1'	5.79	106.13	101.50
26	BB	547	A	C2-N3-C4	5.79	113.49	110.60
26	BB	843	G	N9-C4-C5	5.79	107.72	105.40
26	BB	1054	A	C5-N7-C8	5.79	106.79	103.90
26	BB	1099	G	N3-C4-N9	5.79	129.47	126.00
26	BB	1367	A	P-O3'-C3'	5.79	126.65	119.70
26	BB	1381	G	C8-N9-C1'	5.79	134.53	127.00
26	BB	2225	A	C6-C5-N7	-5.79	128.25	132.30
26	BB	2835	A	C4-C5-N7	5.79	113.59	110.70
26	BB	2837	A	C6-N1-C2	-5.79	115.13	118.60
26	BB	2863	C	N1-C2-N3	-5.79	115.15	119.20
30	BF	40	ARG	NE-CZ-NH2	-5.79	117.41	120.30
44	BT	92	TRP	CE2-CD2-CG	5.79	111.93	107.30
1	AA	191	G	N1-C6-O6	5.79	123.37	119.90
1	AA	1215	G	C4-C5-C6	5.79	122.27	118.80
1	AA	1335	U	O4'-C4'-C3'	5.79	110.73	106.10
26	BB	315	G	C4-C5-C6	5.79	122.27	118.80
26	BB	592	A	N3-C4-C5	5.79	130.85	126.80
26	BB	1718	G	C8-N9-C4	-5.79	104.08	106.40
26	BB	2201	G	C5-N7-C8	-5.79	101.41	104.30
26	BB	2468	A	O3'-P-O5'	-5.79	93.00	104.00
26	BB	2550	G	N1-C6-O6	-5.79	116.43	119.90
34	BJ	45	ARG	NE-CZ-NH2	-5.79	117.41	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	375	U	N3-C2-O2	-5.79	118.15	122.20
1	AA	596	A	C8-N9-C4	-5.79	103.49	105.80
1	AA	896	C	C1'-O4'-C4'	-5.79	105.27	109.90
1	AA	1186	G	C6-N1-C2	5.79	128.57	125.10
1	AA	1418	A	N1-C6-N6	-5.79	115.13	118.60
25	BA	73	A	O4'-C1'-N9	-5.79	103.57	108.20
26	BB	45	G	N3-C4-C5	-5.79	125.71	128.60
26	BB	289	G	C3'-C2'-C1'	5.79	106.13	101.50
26	BB	814	C	N3-C4-N4	5.79	122.05	118.00
26	BB	921	C	C1'-O4'-C4'	-5.79	105.27	109.90
26	BB	927	A	N7-C8-N9	5.79	116.69	113.80
26	BB	1240	U	C6-N1-C2	-5.79	117.53	121.00
26	BB	1281	G	N1-C6-O6	5.79	123.37	119.90
26	BB	1570	A	N1-C2-N3	-5.79	126.41	129.30
26	BB	2303	G	C4-C5-N7	5.79	113.11	110.80
26	BB	2399	G	C1'-O4'-C4'	-5.79	105.27	109.90
26	BB	2706	A	C5-N7-C8	-5.79	101.01	103.90
26	BB	2822	G	C2-N3-C4	5.79	114.79	111.90
29	BE	151	THR	CA-CB-CG2	5.79	120.50	112.40
1	AA	151	A	C1'-O4'-C4'	5.78	114.53	109.90
1	AA	186	C	N3-C2-O2	-5.78	117.85	121.90
1	AA	357	G	C5-N7-C8	5.78	107.19	104.30
1	AA	810	C	N3-C4-N4	5.78	122.05	118.00
4	AD	4	G	N3-C2-N2	-5.78	115.85	119.90
26	BB	242	G	C6-C5-N7	5.78	133.87	130.40
26	BB	563	A	C5'-C4'-C3'	-5.78	106.75	116.00
26	BB	684	G	N1-C2-N3	-5.78	120.43	123.90
26	BB	828	U	C4-C5-C6	5.78	123.17	119.70
26	BB	989	G	C4-C5-C6	5.78	122.27	118.80
26	BB	1281	G	O4'-C1'-N9	5.78	112.83	108.20
1	AA	242	G	N3-C4-C5	-5.78	125.71	128.60
1	AA	907	A	C5'-C4'-O4'	5.78	116.04	109.10
1	AA	1156	G	N9-C4-C5	5.78	107.71	105.40
26	BB	266	G	N3-C2-N2	-5.78	115.85	119.90
26	BB	1078	U	N3-C2-O2	-5.78	118.15	122.20
26	BB	1679	A	C8-N9-C4	-5.78	103.49	105.80
26	BB	2648	G	C6-N1-C2	5.78	128.57	125.10
26	BB	2778	A	P-O3'-C3'	5.78	126.64	119.70
43	BS	44	TYR	CB-CG-CD1	-5.78	117.53	121.00
1	AA	475	C	C4'-C3'-C2'	-5.78	96.82	102.60
1	AA	597	G	C4-C5-N7	-5.78	108.49	110.80
1	AA	857	C	N1-C2-O2	5.78	122.37	118.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1197	A	C5-C6-N1	5.78	120.59	117.70
1	AA	1403	C	C2-N3-C4	5.78	122.79	119.90
3	AC	14	G	N3-C2-N2	5.78	123.95	119.90
4	AD	27	G	C5'-C4'-C3'	-5.78	106.75	116.00
26	BB	23	G	N1-C2-N3	-5.78	120.43	123.90
26	BB	42	A	C5-C6-N6	5.78	128.32	123.70
26	BB	1360	G	N1-C2-N2	-5.78	111.00	116.20
26	BB	1513	U	N3-C4-O4	5.78	123.45	119.40
26	BB	1592	C	O4'-C1'-N1	5.78	112.82	108.20
26	BB	2110	G	N3-C2-N2	-5.78	115.85	119.90
26	BB	2545	G	N1-C2-N2	-5.78	111.00	116.20
26	BB	2743	U	C6-N1-C2	5.78	124.47	121.00
37	BM	59	LYS	CB-CA-C	5.78	121.96	110.40
41	BQ	81	ARG	NE-CZ-NH2	-5.78	117.41	120.30
1	AA	416	G	N1-C2-N2	5.78	121.40	116.20
25	BA	29	A	C8-N9-C4	-5.78	103.49	105.80
26	BB	86	G	C5-C6-O6	-5.78	125.13	128.60
26	BB	513	A	O4'-C1'-N9	5.78	112.82	108.20
26	BB	797	G	C3'-C2'-C1'	5.78	106.12	101.50
26	BB	877	A	O4'-C1'-N9	5.78	112.82	108.20
26	BB	1925	C	N1-C2-N3	-5.78	115.16	119.20
26	BB	2518	A	C3'-C2'-C1'	5.78	106.12	101.50
39	BO	44	ARG	NE-CZ-NH1	5.78	123.19	120.30
1	AA	130	A	N7-C8-N9	5.78	116.69	113.80
1	AA	425	G	N3-C2-N2	-5.78	115.86	119.90
1	AA	1015	G	C4'-C3'-C2'	-5.78	96.82	102.60
1	AA	1159	U	N1-C2-N3	5.78	118.37	114.90
1	AA	1422	G	N9-C1'-C2'	-5.78	105.64	112.00
1	AA	1510	C	C5'-C4'-O4'	5.78	116.03	109.10
4	AD	70	C	C4-C5-C6	-5.78	114.51	117.40
13	AM	27	GLU	OE1-CD-OE2	5.78	130.23	123.30
26	BB	195	A	N7-C8-N9	-5.78	110.91	113.80
26	BB	230	G	C4-C5-N7	5.78	113.11	110.80
26	BB	659	G	N9-C1'-C2'	-5.78	105.64	112.00
26	BB	1574	C	N1-C2-O2	5.78	122.37	118.90
26	BB	1628	G	C5-C6-O6	-5.78	125.13	128.60
26	BB	2763	G	C3'-C2'-C1'	5.78	106.12	101.50
1	AA	356	A	C4-C5-C6	-5.78	114.11	117.00
1	AA	385	C	C3'-C2'-C1'	-5.78	96.88	101.50
1	AA	480	U	C5'-C4'-C3'	-5.78	106.76	116.00
1	AA	717	U	P-O3'-C3'	5.78	126.63	119.70
1	AA	796	C	C5-C6-N1	-5.78	118.11	121.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1187	G	C6-C5-N7	-5.78	126.94	130.40
1	AA	1442	G	N9-C4-C5	-5.78	103.09	105.40
26	BB	172	A	P-O3'-C3'	5.78	126.63	119.70
26	BB	243	U	O4'-C1'-N1	5.78	112.82	108.20
26	BB	312	G	N3-C4-N9	5.78	129.47	126.00
26	BB	339	U	C2-N3-C4	-5.78	123.53	127.00
26	BB	379	G	N9-C4-C5	-5.78	103.09	105.40
26	BB	1212	G	C5-C6-O6	5.78	132.07	128.60
26	BB	1404	C	C6-N1-C2	5.78	122.61	120.30
26	BB	1655	A	C6-N1-C2	-5.78	115.13	118.60
26	BB	1937	A	C8-N9-C4	5.78	108.11	105.80
26	BB	2513	A	C5-C6-N1	5.78	120.59	117.70
26	BB	2750	A	C3'-C2'-C1'	-5.78	96.88	101.50
34	BJ	55	ARG	CD-NE-CZ	5.78	131.69	123.60
43	BS	46	TYR	CZ-CE2-CD2	5.78	125.00	119.80
45	BU	92	ARG	NE-CZ-NH1	5.78	123.19	120.30
1	AA	41	G	C5-C6-N1	5.77	114.39	111.50
1	AA	863	U	C5'-C4'-O4'	5.77	116.03	109.10
1	AA	1182	G	P-O3'-C3'	5.77	126.63	119.70
1	AA	1260	G	C5'-C4'-O4'	5.77	116.03	109.10
1	AA	1301	U	C6-N1-C2	-5.77	117.54	121.00
1	AA	1488	G	N1-C6-O6	5.77	123.36	119.90
26	BB	258	G	N7-C8-N9	5.77	115.99	113.10
26	BB	715	A	O4'-C1'-C2'	-5.77	100.03	105.80
26	BB	858	G	O4'-C1'-N9	5.77	112.82	108.20
26	BB	1359	A	C4-C5-C6	5.77	119.89	117.00
1	AA	82	G	C1'-O4'-C4'	-5.77	105.28	109.90
1	AA	174	A	N9-C4-C5	5.77	108.11	105.80
1	AA	664	G	C1'-O4'-C4'	-5.77	105.28	109.90
1	AA	1054	C	P-O3'-C3'	5.77	126.63	119.70
1	AA	1211	U	N1-C2-O2	-5.77	118.76	122.80
25	BA	10	G	C5-C6-O6	5.77	132.06	128.60
26	BB	99	U	C3'-C2'-C1'	-5.77	96.88	101.50
26	BB	498	G	N9-C1'-C2'	-5.77	105.65	112.00
26	BB	542	C	C5-C6-N1	5.77	123.89	121.00
26	BB	881	G	N3-C4-N9	5.77	129.46	126.00
26	BB	1235	G	C6-N1-C2	-5.77	121.64	125.10
26	BB	1625	C	N1-C2-O2	5.77	122.36	118.90
26	BB	1723	G	N3-C4-N9	5.77	129.46	126.00
26	BB	2148	G	O4'-C1'-N9	5.77	112.82	108.20
26	BB	2305	U	C5-C4-O4	-5.77	122.44	125.90
26	BB	2577	A	N1-C6-N6	-5.77	115.14	118.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	670	G	C6-C5-N7	-5.77	126.94	130.40
1	AA	828	U	C4-C5-C6	-5.77	116.24	119.70
26	BB	2800	A	O4'-C4'-C3'	5.77	110.72	106.10
1	AA	115	G	P-O3'-C3'	5.77	126.62	119.70
1	AA	132	C	C2-N3-C4	-5.77	117.02	119.90
1	AA	170	U	C5'-C4'-O4'	5.77	116.02	109.10
1	AA	1284	C	O4'-C1'-C2'	-5.77	100.03	105.80
1	AA	1486	G	C5-N7-C8	-5.77	101.42	104.30
4	AD	38	A	O4'-C1'-N9	5.77	112.81	108.20
26	BB	176	A	C2-N3-C4	5.77	113.48	110.60
26	BB	329	G	C5-C6-O6	5.77	132.06	128.60
26	BB	430	A	C5-C6-N6	-5.77	119.08	123.70
26	BB	677	A	C5-N7-C8	5.77	106.78	103.90
26	BB	2063	C	N3-C4-C5	-5.77	119.59	121.90
26	BB	2410	G	P-O3'-C3'	5.77	126.62	119.70
26	BB	2549	G	C5-N7-C8	-5.77	101.42	104.30
26	BB	2613	U	C4'-C3'-C2'	-5.77	96.83	102.60
26	BB	2870	C	C4'-C3'-C2'	-5.77	96.83	102.60
49	BY	9	THR	CA-CB-CG2	5.77	120.48	112.40
1	AA	68	G	C8-N9-C4	-5.77	104.09	106.40
1	AA	218	U	N3-C4-C5	5.77	118.06	114.60
1	AA	620	C	C4-C5-C6	5.77	120.28	117.40
1	AA	636	U	O4'-C1'-N1	5.77	112.81	108.20
1	AA	766	A	C2-N3-C4	-5.77	107.72	110.60
1	AA	766	A	C5'-C4'-O4'	5.77	116.02	109.10
1	AA	874	G	C3'-C2'-C1'	-5.77	96.89	101.50
1	AA	903	G	C5-C6-O6	-5.77	125.14	128.60
1	AA	1155	A	O4'-C1'-C2'	5.77	112.79	107.60
1	AA	1531	A	C8-N9-C4	5.77	108.11	105.80
26	BB	33	C	C2-N3-C4	-5.77	117.02	119.90
26	BB	644	A	C6-N1-C2	-5.77	115.14	118.60
26	BB	794	A	C6-N1-C2	-5.77	115.14	118.60
26	BB	1304	A	N3-C4-C5	5.77	130.84	126.80
26	BB	1754	A	C4-C5-C6	-5.77	114.12	117.00
26	BB	2170	A	C2-N3-C4	5.77	113.48	110.60
26	BB	2293	G	N3-C4-C5	-5.77	125.72	128.60
1	AA	414	A	C4-C5-C6	-5.77	114.12	117.00
1	AA	944	G	N9-C1'-C2'	-5.77	105.66	112.00
2	AB	38	A	C2-N3-C4	5.77	113.48	110.60
12	AL	63	TYR	CD1-CG-CD2	5.77	124.24	117.90
26	BB	1155	A	O4'-C1'-N9	-5.77	103.59	108.20
26	BB	1262	A	C5-N7-C8	5.77	106.78	103.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1339	G	P-O3'-C3'	5.77	126.62	119.70
26	BB	1573	G	N7-C8-N9	-5.77	110.22	113.10
26	BB	1856	U	C5-C4-O4	5.77	129.36	125.90
26	BB	1879	C	C4'-C3'-C2'	-5.77	96.83	102.60
26	BB	2003	A	N1-C6-N6	-5.77	115.14	118.60
26	BB	2434	A	N3-C4-C5	-5.77	122.76	126.80
26	BB	2463	C	C4-C5-C6	-5.77	114.52	117.40
1	AA	698	G	C4-C5-C6	5.76	122.26	118.80
1	AA	1280	A	C8-N9-C4	-5.76	103.49	105.80
1	AA	1358	U	N3-C2-O2	-5.76	118.17	122.20
2	AB	10	G	N3-C4-N9	5.76	129.46	126.00
16	AP	106	ARG	CD-NE-CZ	5.76	131.67	123.60
26	BB	135	U	N3-C4-O4	5.76	123.44	119.40
26	BB	574	A	N1-C6-N6	-5.76	115.14	118.60
26	BB	1161	C	C5'-C4'-O4'	5.76	116.02	109.10
26	BB	1760	C	C5-C4-N4	-5.76	116.17	120.20
26	BB	2415	G	C4'-C3'-C2'	-5.76	96.83	102.60
26	BB	2422	C	N1-C2-N3	-5.76	115.16	119.20
26	BB	2557	G	N1-C6-O6	5.76	123.36	119.90
26	BB	2649	C	C4-C5-C6	-5.76	114.52	117.40
1	AA	309	A	N9-C4-C5	5.76	108.11	105.80
1	AA	461	A	C3'-C2'-C1'	5.76	106.11	101.50
1	AA	733	G	C5-C6-N1	5.76	114.38	111.50
26	BB	326	G	O4'-C1'-N9	5.76	112.81	108.20
26	BB	539	G	N9-C1'-C2'	-5.76	105.66	112.00
26	BB	1223	G	N3-C4-C5	-5.76	125.72	128.60
26	BB	2167	U	O4'-C1'-C2'	5.76	112.79	107.60
1	AA	53	A	C4-C5-N7	-5.76	107.82	110.70
1	AA	388	G	P-O3'-C3'	5.76	126.61	119.70
1	AA	545	C	C4-C5-C6	5.76	120.28	117.40
1	AA	648	A	C2-N3-C4	-5.76	107.72	110.60
1	AA	664	G	N1-C6-O6	5.76	123.36	119.90
1	AA	689	C	C5-C6-N1	-5.76	118.12	121.00
1	AA	1011	C	C6-N1-C2	5.76	122.61	120.30
1	AA	1081	A	C5-C6-N1	5.76	120.58	117.70
2	AB	70	C	C5-C6-N1	5.76	123.88	121.00
9	AI	44	ARG	NE-CZ-NH1	5.76	123.18	120.30
10	AJ	17	PHE	CB-CG-CD2	5.76	124.83	120.80
26	BB	631	A	C3'-C2'-C1'	5.76	106.11	101.50
26	BB	858	G	N9-C4-C5	-5.76	103.10	105.40
26	BB	1214	A	C5-C6-N6	5.76	128.31	123.70
26	BB	1407	G	C4'-C3'-C2'	-5.76	96.84	102.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1595	C	C6-N1-C1'	5.76	127.71	120.80
26	BB	2192	U	C5-C4-O4	-5.76	122.44	125.90
26	BB	2293	G	C5-N7-C8	5.76	107.18	104.30
26	BB	2632	A	C8-N9-C4	-5.76	103.50	105.80
33	BI	93	SER	C-N-CA	5.76	136.10	121.70
1	AA	43	C	C2-N3-C4	-5.76	117.02	119.90
1	AA	57	G	P-O3'-C3'	5.76	126.61	119.70
1	AA	87	C	N3-C4-N4	5.76	122.03	118.00
1	AA	487	A	C6-C5-N7	-5.76	128.27	132.30
1	AA	963	G	N9-C4-C5	5.76	107.70	105.40
1	AA	1048	G	N3-C2-N2	5.76	123.93	119.90
1	AA	1087	G	O4'-C1'-N9	5.76	112.81	108.20
1	AA	1100	C	N1-C2-O2	5.76	122.36	118.90
1	AA	1350	A	N1-C2-N3	-5.76	126.42	129.30
1	AA	1515	G	C6-N1-C2	-5.76	121.64	125.10
26	BB	261	G	C5-N7-C8	-5.76	101.42	104.30
26	BB	642	U	C3'-C2'-C1'	-5.76	96.89	101.50
26	BB	769	U	O5'-C5'-C4'	5.76	122.64	111.70
26	BB	831	G	N3-C4-N9	5.76	129.46	126.00
26	BB	903	C	N3-C4-C5	-5.76	119.60	121.90
26	BB	1016	G	C8-N9-C1'	5.76	134.49	127.00
26	BB	1230	A	C2-N3-C4	5.76	113.48	110.60
26	BB	1398	C	N3-C2-O2	-5.76	117.87	121.90
26	BB	1423	G	N7-C8-N9	5.76	115.98	113.10
26	BB	1533	C	C3'-C2'-C1'	5.76	106.11	101.50
26	BB	1728	C	C3'-C2'-C1'	5.76	106.11	101.50
1	AA	857	C	N3-C4-N4	5.76	122.03	118.00
1	AA	1177	G	O4'-C4'-C3'	5.76	110.71	106.10
4	AD	58	A	C5-C6-N6	5.76	128.31	123.70
26	BB	422	A	C5-C6-N1	5.76	120.58	117.70
26	BB	1314	C	C4-C5-C6	5.76	120.28	117.40
26	BB	1435	G	N3-C4-C5	-5.76	125.72	128.60
1	AA	29	U	C4-C5-C6	5.76	123.15	119.70
4	AD	54	G	C5-N7-C8	5.76	107.18	104.30
26	BB	798	G	N1-C6-O6	5.76	123.35	119.90
26	BB	862	G	N9-C4-C5	5.76	107.70	105.40
26	BB	1633	G	C5-N7-C8	5.76	107.18	104.30
26	BB	1754	A	C1'-O4'-C4'	5.76	114.50	109.90
26	BB	1847	A	N7-C8-N9	5.76	116.68	113.80
26	BB	2136	G	N1-C2-N3	-5.76	120.45	123.90
26	BB	2461	A	N3-C4-C5	-5.76	122.77	126.80
26	BB	2523	G	C4-C5-C6	5.76	122.25	118.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2597	G	C4-C5-N7	-5.76	108.50	110.80
1	AA	178	C	C2-N3-C4	5.75	122.78	119.90
1	AA	374	A	N9-C4-C5	5.75	108.10	105.80
1	AA	706	A	O4'-C1'-C2'	-5.75	100.05	105.80
1	AA	1326	U	C6-N1-C2	-5.75	117.55	121.00
2	AB	38	A	N7-C8-N9	5.75	116.68	113.80
26	BB	485	C	N1-C2-O2	5.75	122.35	118.90
26	BB	1023	U	N1-C2-N3	5.75	118.35	114.90
26	BB	1216	G	N1-C2-N3	-5.75	120.45	123.90
26	BB	2091	C	O4'-C1'-N1	5.75	112.80	108.20
26	BB	2235	G	C4-C5-N7	-5.75	108.50	110.80
26	BB	2256	G	N1-C6-O6	5.75	123.35	119.90
26	BB	2262	U	P-O3'-C3'	5.75	126.61	119.70
26	BB	2860	A	N7-C8-N9	5.75	116.68	113.80
29	BE	22	ILE	CA-CB-CG1	5.75	121.93	111.00
1	AA	418	C	C2-N3-C4	-5.75	117.02	119.90
1	AA	1066	C	C3'-C2'-C1'	5.75	106.10	101.50
1	AA	1318	A	C3'-C2'-C1'	5.75	106.10	101.50
1	AA	1387	G	C5-C6-N1	5.75	114.38	111.50
1	AA	1410	A	C4-C5-C6	5.75	119.88	117.00
1	AA	1429	A	C3'-C2'-C1'	-5.75	96.90	101.50
1	AA	1458	G	O4'-C4'-C3'	5.75	110.70	106.10
26	BB	74	A	C5-C6-N1	5.75	120.58	117.70
26	BB	591	U	O4'-C1'-N1	5.75	112.80	108.20
26	BB	878	A	N1-C6-N6	5.75	122.05	118.60
26	BB	1427	A	C6-N1-C2	5.75	122.05	118.60
26	BB	1797	G	C8-N9-C4	-5.75	104.10	106.40
26	BB	1977	A	C4-C5-C6	-5.75	114.12	117.00
26	BB	2437	G	C4'-C3'-C2'	-5.75	96.85	102.60
1	AA	315	A	C2-N3-C4	5.75	113.47	110.60
1	AA	627	G	C4'-C3'-C2'	-5.75	96.85	102.60
1	AA	647	C	N3-C2-O2	-5.75	117.87	121.90
1	AA	771	G	O4'-C1'-N9	5.75	112.80	108.20
1	AA	820	U	N3-C4-O4	5.75	123.43	119.40
1	AA	1210	C	N1-C2-O2	5.75	122.35	118.90
1	AA	1431	A	C2-N3-C4	5.75	113.48	110.60
1	AA	1482	G	N1-C6-O6	5.75	123.35	119.90
26	BB	201	C	C6-N1-C1'	5.75	127.70	120.80
26	BB	219	A	C5'-C4'-C3'	-5.75	106.80	116.00
26	BB	242	G	C1'-O4'-C4'	-5.75	105.30	109.90
26	BB	303	G	C6-N1-C2	5.75	128.55	125.10
26	BB	545	U	C5-C6-N1	-5.75	119.82	122.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	618	G	N1-C6-O6	-5.75	116.45	119.90
26	BB	676	A	C8-N9-C4	-5.75	103.50	105.80
26	BB	1273	U	C5'-C4'-C3'	-5.75	106.80	116.00
26	BB	1646	C	N3-C4-N4	5.75	122.03	118.00
26	BB	1767	G	C5-C6-N1	5.75	114.38	111.50
26	BB	2753	A	N1-C6-N6	5.75	122.05	118.60
1	AA	1525	G	P-O3'-C3'	5.75	126.60	119.70
25	BA	95	U	P-O3'-C3'	5.75	126.60	119.70
26	BB	801	G	C8-N9-C4	-5.75	104.10	106.40
26	BB	1135	C	P-O3'-C3'	5.75	126.60	119.70
26	BB	1632	A	C5-C6-N1	-5.75	114.83	117.70
26	BB	1652	A	N1-C2-N3	-5.75	126.42	129.30
1	AA	845	A	C5'-C4'-O4'	5.75	116.00	109.10
1	AA	1241	G	N3-C4-C5	-5.75	125.73	128.60
1	AA	1385	G	N1-C2-N2	5.75	121.37	116.20
25	BA	93	C	N3-C2-O2	-5.75	117.88	121.90
26	BB	547	A	C8-N9-C4	5.75	108.10	105.80
26	BB	671	C	N3-C4-C5	5.75	124.20	121.90
26	BB	673	C	C4'-C3'-C2'	-5.75	96.85	102.60
26	BB	755	U	C5'-C4'-O4'	5.75	116.00	109.10
26	BB	816	C	C5-C4-N4	5.75	124.22	120.20
26	BB	1343	G	N9-C4-C5	5.75	107.70	105.40
26	BB	1427	A	N1-C2-N3	-5.75	126.42	129.30
26	BB	1841	U	C1'-O4'-C4'	-5.75	105.30	109.90
26	BB	1869	G	C5-N7-C8	-5.75	101.43	104.30
26	BB	2763	G	N1-C2-N2	-5.75	111.03	116.20
1	AA	236	A	C5-N7-C8	5.75	106.77	103.90
1	AA	301	G	C5-C6-N1	-5.75	108.63	111.50
1	AA	350	G	C5-C6-O6	5.75	132.05	128.60
2	AB	48	U	N1-C2-N3	-5.75	111.45	114.90
26	BB	178	G	N9-C1'-C2'	-5.75	105.68	112.00
26	BB	228	C	C5-C4-N4	-5.75	116.18	120.20
26	BB	328	U	N3-C2-O2	-5.75	118.18	122.20
26	BB	707	G	C5-C6-O6	5.75	132.05	128.60
26	BB	881	G	C5-C6-N1	5.75	114.37	111.50
26	BB	987	C	C5-C6-N1	5.75	123.87	121.00
26	BB	1445	G	C5-N7-C8	-5.75	101.43	104.30
26	BB	1539	U	C3'-C2'-C1'	5.75	106.10	101.50
26	BB	2821	A	P-O3'-C3'	5.75	126.59	119.70
1	AA	116	A	N1-C6-N6	-5.75	115.15	118.60
1	AA	378	G	C5-C6-O6	5.75	132.05	128.60
1	AA	937	A	C6-C5-N7	-5.75	128.28	132.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1205	U	N3-C4-C5	5.75	118.05	114.60
1	AA	1292	G	C5'-C4'-O4'	5.75	115.99	109.10
26	BB	279	A	C1'-O4'-C4'	-5.75	105.30	109.90
26	BB	1032	A	N7-C8-N9	5.75	116.67	113.80
26	BB	1072	C	C5'-C4'-O4'	5.75	116.00	109.10
26	BB	1103	A	P-O3'-C3'	5.75	126.59	119.70
26	BB	2437	G	N1-C2-N3	5.75	127.35	123.90
1	AA	375	U	N3-C4-C5	-5.74	111.15	114.60
1	AA	393	A	N3-C4-C5	-5.74	122.78	126.80
1	AA	425	G	N9-C1'-C2'	-5.74	105.68	112.00
1	AA	598	U	O4'-C1'-C2'	5.74	112.77	107.60
1	AA	851	G	N3-C4-C5	-5.74	125.73	128.60
1	AA	910	C	C2-N3-C4	5.74	122.77	119.90
1	AA	974	A	N9-C1'-C2'	5.74	121.47	114.00
1	AA	1009	U	C4'-C3'-C2'	-5.74	96.86	102.60
1	AA	1416	G	C2-N3-C4	5.74	114.77	111.90
4	AD	29	C	C4-C5-C6	-5.74	114.53	117.40
25	BA	86	G	O4'-C4'-C3'	5.74	110.69	106.10
26	BB	125	A	C5-N7-C8	-5.74	101.03	103.90
26	BB	362	A	C1'-O4'-C4'	-5.74	105.31	109.90
26	BB	563	A	C1'-O4'-C4'	-5.74	105.31	109.90
26	BB	858	G	N1-C2-N3	5.74	127.35	123.90
26	BB	1398	C	O4'-C4'-C3'	5.74	110.69	106.10
26	BB	1500	G	N3-C4-N9	5.74	129.45	126.00
26	BB	1661	G	N9-C1'-C2'	-5.74	105.68	112.00
26	BB	2017	U	C5'-C4'-O4'	5.74	115.99	109.10
26	BB	2436	G	C5-C6-N1	-5.74	108.63	111.50
26	BB	2655	G	C5-N7-C8	5.74	107.17	104.30
26	BB	2661	G	N7-C8-N9	5.74	115.97	113.10
30	BF	60	TRP	CZ3-CH2-CZ2	-5.74	114.71	121.60
1	AA	6	G	C6-C5-N7	-5.74	126.95	130.40
1	AA	562	U	O4'-C1'-C2'	5.74	112.77	107.60
1	AA	582	C	C4'-C3'-C2'	-5.74	96.86	102.60
1	AA	888	G	C5-N7-C8	5.74	107.17	104.30
19	AS	70	ARG	NE-CZ-NH2	-5.74	117.43	120.30
26	BB	198	C	C6-N1-C2	-5.74	118.00	120.30
26	BB	724	U	C2-N3-C4	-5.74	123.56	127.00
26	BB	1551	A	C5-N7-C8	-5.74	101.03	103.90
26	BB	2415	G	N1-C6-O6	-5.74	116.45	119.90
1	AA	119	A	O4'-C1'-N9	5.74	112.79	108.20
1	AA	587	G	N3-C4-C5	-5.74	125.73	128.60
1	AA	852	G	P-O3'-C3'	5.74	126.59	119.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1004	A	C4'-C3'-C2'	-5.74	96.86	102.60
3	AC	44	U	C4-C5-C6	5.74	123.14	119.70
26	BB	567	U	C5-C4-O4	-5.74	122.46	125.90
26	BB	813	U	C5-C6-N1	-5.74	119.83	122.70
26	BB	1034	G	C2-N3-C4	-5.74	109.03	111.90
26	BB	1120	G	N9-C4-C5	5.74	107.70	105.40
26	BB	1220	G	N1-C2-N2	-5.74	111.03	116.20
26	BB	1223	G	O4'-C1'-N9	5.74	112.79	108.20
26	BB	1239	G	C5-C6-N1	-5.74	108.63	111.50
26	BB	1844	C	C1'-O4'-C4'	-5.74	105.31	109.90
26	BB	2009	A	OP1-P-O3'	5.74	117.83	105.20
26	BB	2047	C	C2-N3-C4	-5.74	117.03	119.90
26	BB	2323	G	C5-C6-O6	-5.74	125.16	128.60
26	BB	2451	A	C5'-C4'-C3'	-5.74	106.81	116.00
26	BB	2493	U	C1'-O4'-C4'	-5.74	105.31	109.90
1	AA	86	G	O4'-C4'-C3'	-5.74	98.26	104.00
1	AA	786	G	N9-C4-C5	-5.74	103.10	105.40
6	AF	21	TRP	CH2-CZ2-CE2	5.74	123.14	117.40
26	BB	719	C	N1-C2-O2	-5.74	115.46	118.90
26	BB	841	G	C5-N7-C8	-5.74	101.43	104.30
26	BB	1829	A	C2-N3-C4	5.74	113.47	110.60
26	BB	2225	A	C5'-C4'-O4'	5.74	115.99	109.10
26	BB	2489	U	C5-C4-O4	-5.74	122.46	125.90
26	BB	2603	G	C2-N3-C4	5.74	114.77	111.90
26	BB	2867	G	N7-C8-N9	5.74	115.97	113.10
26	BB	2903	U	C4'-C3'-C2'	-5.74	96.86	102.60
29	BE	125	TRP	NE1-CE2-CD2	-5.74	101.56	107.30
29	BE	128	ARG	CD-NE-CZ	5.74	131.63	123.60
1	AA	354	G	N7-C8-N9	5.74	115.97	113.10
4	AD	41	C	O4'-C1'-N1	5.74	112.79	108.20
26	BB	137	U	N1-C1'-C2'	-5.74	105.69	112.00
26	BB	1401	G	C5-C6-O6	5.74	132.04	128.60
26	BB	1771	C	OP2-P-O3'	5.74	117.82	105.20
26	BB	1981	A	C3'-C2'-C1'	5.74	106.09	101.50
1	AA	1245	C	C2-N3-C4	5.74	122.77	119.90
25	BA	12	C	P-O3'-C3'	5.74	126.58	119.70
26	BB	187	G	C8-N9-C4	-5.74	104.11	106.40
26	BB	195	A	C4-C5-C6	-5.74	114.13	117.00
26	BB	489	G	N9-C4-C5	5.74	107.69	105.40
26	BB	662	G	C5'-C4'-O4'	5.74	115.98	109.10
26	BB	776	G	N7-C8-N9	5.74	115.97	113.10
26	BB	857	G	C8-N9-C4	-5.74	104.11	106.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1581	G	O4'-C4'-C3'	5.74	110.69	106.10
26	BB	2019	A	C5-C6-N1	-5.74	114.83	117.70
26	BB	2710	C	P-O3'-C3'	5.74	126.58	119.70
1	AA	468	A	O4'-C4'-C3'	5.73	110.69	106.10
1	AA	616	G	O4'-C1'-N9	-5.73	103.61	108.20
1	AA	1414	U	C2-N3-C4	-5.73	123.56	127.00
1	AA	1445	U	C4'-C3'-C2'	5.73	108.33	102.60
25	BA	82	U	O4'-C1'-N1	5.73	112.79	108.20
26	BB	485	C	N3-C2-O2	-5.73	117.89	121.90
26	BB	771	G	O5'-C5'-C4'	5.73	122.59	111.70
1	AA	302	G	C4-C5-N7	5.73	113.09	110.80
1	AA	496	A	C4'-C3'-C2'	-5.73	96.87	102.60
1	AA	496	A	C4-C5-C6	-5.73	114.13	117.00
1	AA	690	G	N3-C4-N9	5.73	129.44	126.00
26	BB	255	A	C5'-C4'-O4'	5.73	115.98	109.10
26	BB	431	U	N3-C2-O2	-5.73	118.19	122.20
26	BB	535	G	O4'-C1'-N9	5.73	112.79	108.20
26	BB	610	C	C2-N3-C4	5.73	122.77	119.90
26	BB	725	G	N1-C6-O6	-5.73	116.46	119.90
26	BB	785	G	N1-C6-O6	-5.73	116.46	119.90
26	BB	1243	C	C4'-C3'-C2'	-5.73	96.87	102.60
26	BB	1360	G	C5-N7-C8	-5.73	101.43	104.30
26	BB	1515	A	O4'-C1'-N9	5.73	112.79	108.20
26	BB	1600	C	C5'-C4'-O4'	5.73	115.98	109.10
26	BB	1703	G	C8-N9-C4	-5.73	104.11	106.40
26	BB	1903	G	N3-C4-N9	5.73	129.44	126.00
26	BB	2067	G	C2-N3-C4	5.73	114.77	111.90
26	BB	2101	A	C6-N1-C2	-5.73	115.16	118.60
26	BB	2451	A	C6-C5-N7	-5.73	128.29	132.30
26	BB	2458	G	C5-C6-N1	5.73	114.37	111.50
26	BB	2617	U	P-O3'-C3'	5.73	126.58	119.70
26	BB	2659	G	C3'-C2'-C1'	-5.73	96.92	101.50
47	BW	7	ASP	CB-CG-OD1	-5.73	113.14	118.30
1	AA	80	A	C6-N1-C2	-5.73	115.16	118.60
1	AA	603	U	N1-C2-N3	5.73	118.34	114.90
1	AA	892	A	C1'-O4'-C4'	-5.73	105.32	109.90
1	AA	1013	G	C6-C5-N7	5.73	133.84	130.40
1	AA	1059	C	N1-C2-N3	5.73	123.21	119.20
1	AA	1223	C	C5'-C4'-O4'	5.73	115.98	109.10
25	BA	29	A	C4-C5-N7	5.73	113.56	110.70
26	BB	160	A	N7-C8-N9	-5.73	110.93	113.80
26	BB	323	C	N1-C2-O2	5.73	122.34	118.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	509	C	C5-C6-N1	5.73	123.86	121.00
26	BB	603	A	C4-C5-C6	-5.73	114.13	117.00
26	BB	1395	A	C6-N1-C2	5.73	122.04	118.60
26	BB	1567	G	P-O3'-C3'	5.73	126.58	119.70
26	BB	1700	A	N1-C2-N3	5.73	132.17	129.30
26	BB	1961	C	N3-C2-O2	-5.73	117.89	121.90
26	BB	2127	G	C1'-O4'-C4'	-5.73	105.31	109.90
26	BB	2288	A	N7-C8-N9	-5.73	110.94	113.80
26	BB	2390	U	N3-C4-C5	5.73	118.04	114.60
26	BB	2424	C	C4-C5-C6	-5.73	114.53	117.40
26	BB	2688	G	C5-C6-N1	-5.73	108.64	111.50
26	BB	2711	A	C1'-O4'-C4'	-5.73	105.32	109.90
26	BB	2825	G	N3-C4-C5	-5.73	125.73	128.60
1	AA	86	G	C4-N9-C1'	-5.73	119.05	126.50
1	AA	795	C	N3-C4-C5	-5.73	119.61	121.90
25	BA	46	A	C5'-C4'-C3'	5.73	125.17	116.00
26	BB	260	G	C5-C6-N1	5.73	114.36	111.50
26	BB	1483	G	C5'-C4'-O4'	-5.73	102.22	109.10
1	AA	40	C	N1-C1'-C2'	-5.73	105.70	112.00
1	AA	193	C	C4'-C3'-C2'	-5.73	96.87	102.60
1	AA	373	A	C5'-C4'-O4'	5.73	115.97	109.10
1	AA	767	A	N7-C8-N9	5.73	116.66	113.80
1	AA	1223	C	C5'-C4'-C3'	-5.73	106.83	116.00
1	AA	1303	C	N1-C1'-C2'	-5.73	105.70	112.00
20	AT	65	PRO	N-CA-CB	5.73	110.17	103.30
26	BB	439	A	C5-N7-C8	-5.73	101.04	103.90
26	BB	792	A	C2-N3-C4	5.73	113.46	110.60
26	BB	1185	G	C5-C6-N1	5.73	114.36	111.50
26	BB	1384	A	C5-C6-N1	-5.73	114.84	117.70
26	BB	1610	A	O4'-C1'-C2'	5.73	112.75	107.60
26	BB	1937	A	O4'-C4'-C3'	5.73	110.68	106.10
26	BB	2032	G	C5'-C4'-O4'	5.73	115.97	109.10
26	BB	2493	U	O4'-C1'-N1	5.73	112.78	108.20
26	BB	2759	G	O4'-C4'-C3'	-5.73	98.27	104.00
46	BV	40	LYS	C-N-CA	5.73	136.02	121.70
1	AA	313	A	C4-C5-C6	-5.73	114.14	117.00
1	AA	532	A	C5'-C4'-O4'	5.73	115.97	109.10
1	AA	1037	C	N3-C4-C5	5.73	124.19	121.90
1	AA	1163	A	N7-C8-N9	-5.73	110.94	113.80
1	AA	1240	U	N3-C4-O4	-5.73	115.39	119.40
1	AA	1512	U	C4-C5-C6	5.73	123.14	119.70
7	AG	69	ARG	NE-CZ-NH1	5.73	123.16	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	602	A	N9-C4-C5	5.73	108.09	105.80
26	BB	713	G	N1-C6-O6	5.73	123.34	119.90
26	BB	1968	G	C6-C5-N7	-5.73	126.96	130.40
38	BN	50	PHE	CB-CG-CD1	-5.73	116.79	120.80
1	AA	85	U	C2-N1-C1'	5.72	124.57	117.70
1	AA	98	A	N7-C8-N9	-5.72	110.94	113.80
1	AA	468	A	C5-C6-N1	-5.72	114.84	117.70
1	AA	700	G	N1-C6-O6	-5.72	116.47	119.90
1	AA	726	C	C3'-C2'-C1'	5.72	106.08	101.50
1	AA	1226	C	C4-C5-C6	-5.72	114.54	117.40
1	AA	1319	A	O5'-C5'-C4'	5.72	122.58	111.70
3	AC	47	C	P-O3'-C3'	5.72	126.57	119.70
20	AT	61	ARG	NH1-CZ-NH2	-5.72	113.10	119.40
26	BB	1	G	C6-N1-C2	-5.72	121.67	125.10
26	BB	100	U	C5-C6-N1	-5.72	119.84	122.70
26	BB	358	U	P-O3'-C3'	5.72	126.57	119.70
26	BB	358	U	C2-N3-C4	-5.72	123.57	127.00
26	BB	461	C	O3'-P-O5'	-5.72	93.12	104.00
26	BB	466	A	N1-C2-N3	-5.72	126.44	129.30
26	BB	513	A	C6-C5-N7	5.72	136.31	132.30
26	BB	638	G	C2-N3-C4	5.72	114.76	111.90
26	BB	976	G	C4-C5-C6	5.72	122.23	118.80
26	BB	1151	A	N3-C4-N9	-5.72	122.82	127.40
26	BB	1587	G	O4'-C1'-N9	5.72	112.78	108.20
26	BB	1801	A	N7-C8-N9	-5.72	110.94	113.80
26	BB	1949	G	N9-C4-C5	5.72	107.69	105.40
26	BB	2044	C	C5'-C4'-O4'	5.72	115.97	109.10
26	BB	2376	A	C8-N9-C4	-5.72	103.51	105.80
1	AA	132	C	C5-C6-N1	-5.72	118.14	121.00
1	AA	134	G	C5-N7-C8	5.72	107.16	104.30
1	AA	213	G	C5'-C4'-O4'	5.72	115.97	109.10
1	AA	604	G	N3-C2-N2	-5.72	115.89	119.90
1	AA	1494	G	C5-N7-C8	-5.72	101.44	104.30
2	AB	64	U	N1-C1'-C2'	5.72	121.44	114.00
3	AC	37	G	C5'-C4'-O4'	5.72	115.97	109.10
26	BB	288	U	C5'-C4'-C3'	5.72	125.16	116.00
26	BB	542	C	N3-C4-C5	5.72	124.19	121.90
26	BB	1534	U	N3-C2-O2	-5.72	118.19	122.20
26	BB	1935	G	C5-C6-O6	5.72	132.03	128.60
26	BB	1963	U	N3-C4-O4	5.72	123.41	119.40
26	BB	2061	G	P-O3'-C3'	5.72	126.57	119.70
26	BB	2157	G	C6-C5-N7	5.72	133.83	130.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2183	A	C5-C6-N1	5.72	120.56	117.70
26	BB	2678	C	C6-N1-C2	-5.72	118.01	120.30
26	BB	2866	U	N3-C2-O2	-5.72	118.19	122.20
1	AA	53	A	C5-C6-N1	-5.72	114.84	117.70
1	AA	1357	A	C4-C5-N7	-5.72	107.84	110.70
1	AA	1482	G	N3-C4-C5	5.72	131.46	128.60
20	AT	72	TRP	CE2-CD2-CE3	-5.72	111.83	118.70
26	BB	1037	G	N1-C2-N3	-5.72	120.47	123.90
26	BB	1282	U	P-O3'-C3'	5.72	126.57	119.70
26	BB	1878	G	N7-C8-N9	5.72	115.96	113.10
26	BB	1887	C	C5'-C4'-O4'	5.72	115.97	109.10
26	BB	2133	G	C4-C5-C6	5.72	122.23	118.80
1	AA	503	C	C5-C6-N1	5.72	123.86	121.00
1	AA	550	G	N1-C6-O6	5.72	123.33	119.90
1	AA	814	A	C4-C5-N7	5.72	113.56	110.70
1	AA	1034	G	N1-C2-N3	-5.72	120.47	123.90
4	AD	31	G	C5'-C4'-O4'	5.72	115.96	109.10
25	BA	9	G	N1-C2-N2	5.72	121.35	116.20
25	BA	24	G	C6-C5-N7	5.72	133.83	130.40
26	BB	649	G	C5'-C4'-C3'	-5.72	106.85	116.00
26	BB	1729	U	N1-C2-N3	5.72	118.33	114.90
26	BB	2012	G	C5-C6-N1	-5.72	108.64	111.50
26	BB	2323	G	C3'-C2'-C1'	5.72	106.08	101.50
26	BB	2535	G	N1-C6-O6	5.72	123.33	119.90
26	BB	2868	A	C3'-C2'-C1'	5.72	106.08	101.50
26	BB	542	C	N1-C2-O2	5.72	122.33	118.90
26	BB	1291	C	N1-C2-O2	5.72	122.33	118.90
26	BB	1352	U	C2-N3-C4	-5.72	123.57	127.00
26	BB	1405	U	C5'-C4'-O4'	5.72	115.96	109.10
26	BB	1649	G	N3-C2-N2	5.72	123.90	119.90
26	BB	2284	A	C5-C6-N6	-5.72	119.12	123.70
26	BB	2793	C	C2-N3-C4	5.72	122.76	119.90
26	BB	2830	C	C2-N3-C4	5.72	122.76	119.90
28	BD	166	ARG	NE-CZ-NH2	-5.72	117.44	120.30
1	AA	198	G	N9-C4-C5	5.72	107.69	105.40
1	AA	335	C	N3-C4-N4	5.72	122.00	118.00
1	AA	369	G	N3-C2-N2	5.72	123.90	119.90
1	AA	445	G	C3'-C2'-C1'	5.72	106.07	101.50
1	AA	681	A	N7-C8-N9	5.72	116.66	113.80
1	AA	730	G	C5-C6-O6	-5.72	125.17	128.60
1	AA	779	C	C4-C5-C6	-5.72	114.54	117.40
1	AA	812	G	C8-N9-C4	5.72	108.69	106.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	AD	2	G	N1-C6-O6	-5.72	116.47	119.90
26	BB	136	G	N9-C1'-C2'	-5.72	105.71	112.00
26	BB	279	A	C5-N7-C8	-5.72	101.04	103.90
26	BB	585	G	C6-C5-N7	-5.72	126.97	130.40
26	BB	930	G	C4-C5-C6	5.72	122.23	118.80
26	BB	1517	G	C3'-C2'-C1'	5.72	106.07	101.50
26	BB	1615	C	O3'-P-O5'	-5.72	93.14	104.00
26	BB	1872	A	C5-N7-C8	5.72	106.76	103.90
26	BB	2060	A	N1-C2-N3	-5.72	126.44	129.30
26	BB	2181	U	C2-N3-C4	-5.72	123.57	127.00
26	BB	2281	A	C5'-C4'-O4'	5.72	115.96	109.10
26	BB	2809	A	C4'-C3'-C2'	-5.72	96.88	102.60
1	AA	7	A	O4'-C4'-C3'	5.71	110.67	106.10
1	AA	183	C	N3-C4-C5	-5.71	119.61	121.90
1	AA	274	A	C4-C5-N7	-5.71	107.84	110.70
1	AA	311	C	O5'-P-OP1	-5.71	100.56	105.70
1	AA	368	U	C4-C5-C6	5.71	123.13	119.70
1	AA	660	C	C4-C5-C6	-5.71	114.54	117.40
1	AA	716	A	C4'-C3'-C2'	-5.71	96.89	102.60
1	AA	1061	G	N3-C4-N9	5.71	129.43	126.00
1	AA	1373	G	C8-N9-C4	-5.71	104.11	106.40
1	AA	1541	U	C6-N1-C2	-5.71	117.57	121.00
26	BB	464	U	C4-C5-C6	5.71	123.13	119.70
26	BB	621	A	C5-N7-C8	-5.71	101.04	103.90
26	BB	698	C	C2-N3-C4	-5.71	117.04	119.90
26	BB	704	G	N7-C8-N9	-5.71	110.24	113.10
26	BB	728	G	O4'-C1'-N9	5.71	112.77	108.20
26	BB	928	A	C2-N3-C4	5.71	113.46	110.60
26	BB	1333	G	C5-C6-N1	5.71	114.36	111.50
26	BB	1702	G	C3'-C2'-C1'	-5.71	96.93	101.50
26	BB	1744	A	C1'-O4'-C4'	-5.71	105.33	109.90
26	BB	1968	G	N1-C6-O6	-5.71	116.47	119.90
26	BB	2047	C	N3-C4-C5	-5.71	119.61	121.90
26	BB	2410	G	C5-N7-C8	-5.71	101.44	104.30
1	AA	583	A	C4-C5-N7	-5.71	107.84	110.70
1	AA	1115	U	N3-C4-C5	5.71	118.03	114.60
25	BA	104	A	N1-C6-N6	-5.71	115.17	118.60
26	BB	1846	G	O5'-P-OP2	-5.71	100.56	105.70
1	AA	735	C	C4'-C3'-C2'	-5.71	96.89	102.60
1	AA	1003	G	C4'-C3'-C2'	-5.71	96.89	102.60
25	BA	118	C	C4'-C3'-C2'	-5.71	96.89	102.60
26	BB	630	G	N9-C4-C5	5.71	107.69	105.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1145	C	O4'-C1'-N1	5.71	112.77	108.20
26	BB	1279	G	O4'-C1'-N9	5.71	112.77	108.20
26	BB	1367	A	C3'-C2'-C1'	-5.71	96.93	101.50
26	BB	1569	A	C6-C5-N7	5.71	136.30	132.30
26	BB	1845	G	C6-N1-C2	-5.71	121.67	125.10
26	BB	1893	C	O4'-C1'-N1	5.71	112.77	108.20
26	BB	2574	G	O4'-C1'-N9	5.71	112.77	108.20
40	BP	90	ARG	NH1-CZ-NH2	-5.71	113.12	119.40
43	BS	50	ARG	NE-CZ-NH2	5.71	123.16	120.30
1	AA	75	G	C8-N9-C4	-5.71	104.12	106.40
1	AA	640	A	O4'-C1'-N9	-5.71	103.63	108.20
1	AA	980	C	O5'-C5'-C4'	5.71	122.55	111.70
26	BB	97	C	OP1-P-OP2	-5.71	111.03	119.60
26	BB	1083	U	P-O3'-C3'	5.71	126.55	119.70
26	BB	1455	G	N3-C4-N9	5.71	129.43	126.00
26	BB	1736	U	C2-N3-C4	-5.71	123.57	127.00
26	BB	2732	G	C5-C6-N1	5.71	114.36	111.50
1	AA	484	G	C4-C5-N7	-5.71	108.52	110.80
1	AA	963	G	P-O5'-C5'	5.71	130.03	120.90
1	AA	1087	G	N7-C8-N9	5.71	115.95	113.10
1	AA	1278	G	C5'-C4'-O4'	5.71	115.95	109.10
1	AA	1390	U	C4'-C3'-C2'	-5.71	96.89	102.60
1	AA	1524	C	P-O3'-C3'	5.71	126.55	119.70
3	AC	35	G	O4'-C1'-N9	5.71	112.77	108.20
26	BB	48	G	C5'-C4'-O4'	5.71	115.95	109.10
26	BB	59	U	C6-N1-C2	-5.71	117.58	121.00
26	BB	308	G	N9-C4-C5	5.71	107.68	105.40
26	BB	367	G	N3-C4-N9	5.71	129.43	126.00
26	BB	944	C	C6-N1-C2	-5.71	118.02	120.30
26	BB	958	U	C2-N3-C4	-5.71	123.58	127.00
26	BB	976	G	C5-C6-N1	-5.71	108.65	111.50
26	BB	983	A	C4-C5-C6	5.71	119.85	117.00
26	BB	1094	U	C5-C4-O4	5.71	129.32	125.90
26	BB	1451	C	C5-C6-N1	5.71	123.85	121.00
26	BB	1483	G	C6-C5-N7	-5.71	126.97	130.40
26	BB	1791	A	C6-N1-C2	5.71	122.03	118.60
26	BB	1820	U	C4-C5-C6	5.71	123.12	119.70
26	BB	1933	G	C6-C5-N7	-5.71	126.97	130.40
26	BB	2120	G	C5'-C4'-O4'	5.71	115.95	109.10
26	BB	2341	G	C5-C6-O6	-5.71	125.17	128.60
26	BB	2361	G	C2-N3-C4	5.71	114.75	111.90
26	BB	2576	G	C6-C5-N7	-5.71	126.97	130.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2846	G	C4-C5-C6	5.71	122.23	118.80
34	BJ	68	PHE	CB-CG-CD2	-5.71	116.80	120.80
1	AA	308	C	N3-C2-O2	-5.71	117.91	121.90
1	AA	897	C	N3-C4-N4	5.71	122.00	118.00
1	AA	1139	G	N3-C2-N2	5.71	123.89	119.90
1	AA	1190	G	N1-C2-N3	-5.71	120.48	123.90
2	AB	14	A	C5'-C4'-C3'	-5.71	106.87	116.00
2	AB	66	C	O4'-C1'-N1	5.71	112.77	108.20
14	AN	52	ARG	NE-CZ-NH1	5.71	123.15	120.30
26	BB	285	G	N1-C2-N2	5.71	121.34	116.20
26	BB	729	G	N1-C6-O6	-5.71	116.48	119.90
26	BB	828	U	C4'-C3'-C2'	-5.71	96.89	102.60
26	BB	964	C	P-O3'-C3'	5.71	126.55	119.70
26	BB	1315	C	N3-C4-C5	5.71	124.18	121.90
26	BB	1380	G	N3-C4-N9	5.71	129.42	126.00
26	BB	1424	G	N7-C8-N9	5.71	115.95	113.10
26	BB	2032	G	C4-C5-C6	5.71	122.22	118.80
26	BB	2068	U	N1-C2-O2	-5.71	118.81	122.80
26	BB	2661	G	C5'-C4'-O4'	5.71	115.95	109.10
37	BM	35	VAL	CG1-CB-CG2	-5.71	101.77	110.90
1	AA	571	U	C5-C6-N1	-5.71	119.85	122.70
1	AA	947	G	P-O3'-C3'	5.71	126.55	119.70
26	BB	471	A	C5-C6-N1	5.71	120.55	117.70
26	BB	490	C	N3-C4-C5	-5.71	119.62	121.90
26	BB	668	A	C5'-C4'-O4'	5.71	115.95	109.10
26	BB	1473	G	C5'-C4'-O4'	5.71	115.95	109.10
26	BB	1682	G	N3-C4-N9	5.71	129.42	126.00
26	BB	1689	A	N3-C4-C5	-5.71	122.81	126.80
26	BB	1728	C	C4-C5-C6	5.71	120.25	117.40
26	BB	2084	C	C5-C4-N4	-5.71	116.21	120.20
26	BB	2100	G	N9-C4-C5	5.71	107.68	105.40
1	AA	94	G	C5'-C4'-C3'	-5.70	106.87	116.00
1	AA	419	C	C2-N3-C4	-5.70	117.05	119.90
1	AA	898	G	C4'-C3'-C2'	-5.70	96.90	102.60
1	AA	1435	G	C4'-C3'-C2'	-5.70	96.90	102.60
4	AD	20	G	C2-N3-C4	5.70	114.75	111.90
4	AD	44	A	C3'-C2'-C1'	-5.70	96.94	101.50
26	BB	304	U	N3-C4-C5	5.70	118.02	114.60
26	BB	307	G	P-O3'-C3'	5.70	126.54	119.70
26	BB	507	A	N1-C2-N3	-5.70	126.45	129.30
26	BB	530	G	N7-C8-N9	5.70	115.95	113.10
26	BB	638	G	N9-C4-C5	5.70	107.68	105.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1156	A	N3-C4-C5	-5.70	122.81	126.80
26	BB	1541	C	C5-C4-N4	5.70	124.19	120.20
26	BB	1580	A	C4'-C3'-C2'	-5.70	96.90	102.60
26	BB	1656	C	P-O3'-C3'	5.70	126.54	119.70
26	BB	2093	G	C1'-O4'-C4'	-5.70	105.34	109.90
1	AA	26	A	O4'-C1'-N9	-5.70	103.64	108.20
1	AA	1090	U	C4'-C3'-C2'	-5.70	96.90	102.60
25	BA	21	G	C8-N9-C4	-5.70	104.12	106.40
26	BB	412	A	N7-C8-N9	5.70	116.65	113.80
26	BB	579	G	N1-C2-N3	-5.70	120.48	123.90
26	BB	812	C	C5-C6-N1	5.70	123.85	121.00
26	BB	1410	G	C5'-C4'-O4'	5.70	115.94	109.10
26	BB	1457	U	O3'-P-O5'	-5.70	93.17	104.00
26	BB	2037	A	C2-N3-C4	5.70	113.45	110.60
26	BB	2059	A	N1-C6-N6	-5.70	115.18	118.60
26	BB	2222	C	P-O3'-C3'	5.70	126.54	119.70
26	BB	2864	G	C4-C5-N7	-5.70	108.52	110.80
1	AA	7	A	C5'-C4'-C3'	-5.70	106.88	116.00
1	AA	102	G	N9-C4-C5	5.70	107.68	105.40
1	AA	108	G	N1-C2-N3	-5.70	120.48	123.90
1	AA	390	U	N1-C2-O2	-5.70	118.81	122.80
1	AA	585	G	N1-C2-N3	-5.70	120.48	123.90
1	AA	953	G	C8-N9-C4	-5.70	104.12	106.40
1	AA	1105	A	P-O3'-C3'	5.70	126.54	119.70
1	AA	1181	G	N3-C2-N2	-5.70	115.91	119.90
16	AP	76	ILE	CB-CA-C	5.70	123.00	111.60
26	BB	254	G	C2-N3-C4	5.70	114.75	111.90
26	BB	278	A	N7-C8-N9	5.70	116.65	113.80
26	BB	800	A	P-O3'-C3'	5.70	126.54	119.70
26	BB	1431	A	C5-N7-C8	-5.70	101.05	103.90
26	BB	1594	U	C4-C5-C6	5.70	123.12	119.70
26	BB	2429	G	C5-C6-N1	5.70	114.35	111.50
26	BB	2532	G	C8-N9-C4	5.70	108.68	106.40
26	BB	2801	G	C1'-O4'-C4'	5.70	114.46	109.90
26	BB	2895	G	C1'-O4'-C4'	-5.70	105.34	109.90
1	AA	110	C	C6-N1-C2	5.70	122.58	120.30
1	AA	270	A	C6-C5-N7	5.70	136.29	132.30
1	AA	746	A	C4-C5-N7	-5.70	107.85	110.70
1	AA	1112	C	N3-C4-N4	5.70	121.99	118.00
1	AA	1302	C	O3'-P-O5'	-5.70	93.17	104.00
2	AB	52	A	N1-C6-N6	-5.70	115.18	118.60
4	AD	15	G	C6-C5-N7	5.70	133.82	130.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	58	G	N1-C2-N2	5.70	121.33	116.20
26	BB	68	G	C2-N3-C4	-5.70	109.05	111.90
26	BB	397	U	C5-C4-O4	5.70	129.32	125.90
26	BB	804	A	P-O3'-C3'	5.70	126.54	119.70
26	BB	928	A	N3-C4-N9	5.70	131.96	127.40
26	BB	1058	U	O4'-C1'-N1	5.70	112.76	108.20
26	BB	1144	A	N9-C4-C5	-5.70	103.52	105.80
26	BB	1721	G	C3'-C2'-C1'	-5.70	96.94	101.50
26	BB	1984	G	C5-N7-C8	-5.70	101.45	104.30
26	BB	2235	G	C3'-C2'-C1'	5.70	106.06	101.50
26	BB	2425	A	P-O3'-C3'	5.70	126.54	119.70
26	BB	2466	C	N1-C2-O2	5.70	122.32	118.90
26	BB	2471	A	P-O3'-C3'	5.70	126.54	119.70
26	BB	2596	U	C5'-C4'-C3'	-5.70	106.88	116.00
26	BB	2690	U	N3-C2-O2	-5.70	118.21	122.20
26	BB	2896	C	N1-C2-O2	5.70	122.32	118.90
24	AX	52	VAL	CG1-CB-CG2	-5.70	101.78	110.90
26	BB	917	A	C2-N3-C4	5.70	113.45	110.60
26	BB	1058	U	C5'-C4'-C3'	-5.70	106.89	116.00
26	BB	1920	C	C5-C6-N1	5.70	123.85	121.00
1	AA	505	G	C6-C5-N7	-5.70	126.98	130.40
1	AA	514	C	N3-C4-N4	5.70	121.99	118.00
1	AA	669	G	C6-N1-C2	-5.70	121.68	125.10
1	AA	676	A	C5'-C4'-C3'	-5.70	106.89	116.00
1	AA	738	C	N3-C2-O2	-5.70	117.91	121.90
1	AA	1512	U	C5-C6-N1	-5.70	119.85	122.70
26	BB	33	C	C4-C5-C6	-5.70	114.55	117.40
26	BB	240	C	C2-N3-C4	5.70	122.75	119.90
26	BB	756	A	C4'-C3'-C2'	-5.70	96.90	102.60
26	BB	911	A	C6-N1-C2	-5.70	115.18	118.60
26	BB	1161	C	C5-C4-N4	-5.70	116.21	120.20
26	BB	1869	G	C1'-O4'-C4'	-5.70	105.34	109.90
26	BB	2076	U	P-O3'-C3'	5.70	126.53	119.70
26	BB	2357	G	C4'-C3'-C2'	-5.70	96.91	102.60
31	BG	94	ARG	NE-CZ-NH1	5.70	123.15	120.30
1	AA	38	G	O5'-P-OP1	-5.69	100.58	105.70
1	AA	351	G	C6-N1-C2	-5.69	121.68	125.10
1	AA	665	A	C4-C5-N7	-5.69	107.85	110.70
1	AA	697	U	C5-C6-N1	-5.69	119.85	122.70
1	AA	1028	C	O4'-C1'-N1	5.69	112.75	108.20
25	BA	9	G	C3'-C2'-C1'	5.69	106.06	101.50
26	BB	387	U	N3-C2-O2	-5.69	118.21	122.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	501	A	C2-N3-C4	-5.69	107.75	110.60
26	BB	1479	G	C6-N1-C2	-5.69	121.68	125.10
26	BB	1729	U	P-O3'-C3'	5.69	126.53	119.70
26	BB	1753	G	O4'-C1'-N9	5.69	112.75	108.20
26	BB	1856	U	C2-N3-C4	5.69	130.42	127.00
26	BB	2053	G	C6-C5-N7	-5.69	126.98	130.40
26	BB	2305	U	N3-C4-O4	5.69	123.39	119.40
26	BB	2771	C	N1-C1'-C2'	-5.69	105.74	112.00
48	BX	31	TYR	CG-CD1-CE1	-5.69	116.74	121.30
1	AA	74	A	N3-C4-N9	5.69	131.95	127.40
1	AA	305	G	C4-N9-C1'	-5.69	119.10	126.50
1	AA	505	G	C1'-O4'-C4'	-5.69	105.35	109.90
1	AA	777	A	C4-C5-N7	-5.69	107.85	110.70
1	AA	1228	C	O4'-C1'-N1	5.69	112.75	108.20
2	AB	36	A	C3'-C2'-C1'	5.69	106.05	101.50
3	AC	40	G	N9-C4-C5	5.69	107.68	105.40
4	AD	34	U	C5'-C4'-O4'	5.69	115.93	109.10
26	BB	277	G	N9-C4-C5	-5.69	103.12	105.40
26	BB	382	A	O4'-C1'-N9	5.69	112.75	108.20
26	BB	393	C	OP1-P-OP2	5.69	128.14	119.60
26	BB	635	C	C3'-C2'-C1'	-5.69	96.94	101.50
26	BB	772	C	C3'-C2'-C1'	5.69	106.05	101.50
26	BB	813	U	N1-C1'-C2'	-5.69	105.74	112.00
26	BB	2501	C	N3-C4-C5	-5.69	119.62	121.90
43	BS	10	ARG	NH1-CZ-NH2	-5.69	113.14	119.40
1	AA	401	C	N3-C4-N4	5.69	121.98	118.00
1	AA	1180	A	C5'-C4'-O4'	5.69	115.93	109.10
1	AA	1338	G	C3'-C2'-C1'	-5.69	96.95	101.50
25	BA	77	U	C2-N3-C4	-5.69	123.58	127.00
26	BB	182	A	O4'-C4'-C3'	5.69	110.65	106.10
26	BB	336	C	N3-C4-N4	5.69	121.98	118.00
26	BB	544	C	C4-C5-C6	5.69	120.25	117.40
26	BB	1596	A	C2-N3-C4	5.69	113.44	110.60
26	BB	1943	U	N3-C4-C5	-5.69	111.19	114.60
1	AA	494	G	C2-N3-C4	5.69	114.75	111.90
1	AA	986	U	N3-C4-C5	-5.69	111.19	114.60
1	AA	1252	A	C1'-O4'-C4'	-5.69	105.35	109.90
2	AB	30	G	C4-C5-N7	5.69	113.08	110.80
3	AC	38	G	O4'-C1'-N9	5.69	112.75	108.20
26	BB	61	C	O4'-C1'-N1	5.69	112.75	108.20
26	BB	1118	C	C5'-C4'-O4'	5.69	115.93	109.10
26	BB	1982	U	C4-C5-C6	-5.69	116.29	119.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	198	G	C4-C5-C6	5.69	122.21	118.80
1	AA	478	A	C5-N7-C8	-5.69	101.06	103.90
1	AA	480	U	O4'-C1'-N1	5.69	112.75	108.20
1	AA	766	A	N7-C8-N9	5.69	116.64	113.80
3	AC	14	G	C8-N9-C1'	5.69	134.39	127.00
13	AM	37	ARG	NE-CZ-NH1	-5.69	117.46	120.30
26	BB	139	U	C2-N3-C4	-5.69	123.59	127.00
26	BB	323	C	C5'-C4'-C3'	-5.69	106.90	116.00
26	BB	907	G	O4'-C1'-N9	5.69	112.75	108.20
26	BB	1225	G	P-O3'-C3'	5.69	126.53	119.70
26	BB	1530	G	N3-C4-N9	5.69	129.41	126.00
26	BB	1701	A	C1'-O4'-C4'	5.69	114.45	109.90
26	BB	2093	G	O4'-C1'-N9	5.69	112.75	108.20
26	BB	2529	G	C4'-C3'-C2'	-5.69	96.91	102.60
26	BB	2797	U	N3-C4-C5	5.69	118.01	114.60
31	BG	145	VAL	CA-CB-CG2	5.69	119.43	110.90
1	AA	208	U	N3-C4-C5	-5.69	111.19	114.60
1	AA	604	G	C2-N3-C4	5.69	114.74	111.90
1	AA	712	A	N1-C6-N6	5.69	122.01	118.60
1	AA	815	A	N9-C4-C5	5.69	108.07	105.80
1	AA	1038	C	O4'-C1'-N1	5.69	112.75	108.20
1	AA	1190	G	N9-C1'-C2'	-5.69	105.75	112.00
24	AX	54	ARG	NH1-CZ-NH2	-5.69	113.14	119.40
26	BB	224	U	C5'-C4'-O4'	5.69	115.92	109.10
26	BB	817	C	N3-C4-C5	-5.69	119.63	121.90
1	AA	16	A	N3-C4-N9	5.68	131.95	127.40
1	AA	680	C	N3-C2-O2	-5.68	117.92	121.90
1	AA	813	U	C4-C5-C6	5.68	123.11	119.70
1	AA	1023	U	O4'-C1'-N1	5.68	112.75	108.20
1	AA	1150	A	C2-N3-C4	5.68	113.44	110.60
1	AA	1163	A	N1-C6-N6	5.68	122.01	118.60
1	AA	1187	G	N9-C1'-C2'	-5.68	105.75	112.00
1	AA	1240	U	N3-C2-O2	-5.68	118.22	122.20
1	AA	1336	C	C1'-O4'-C4'	-5.68	105.35	109.90
1	AA	1383	C	N1-C1'-C2'	-5.68	105.75	112.00
26	BB	676	A	C6-C5-N7	-5.68	128.32	132.30
26	BB	1017	G	N7-C8-N9	-5.68	110.26	113.10
26	BB	1036	G	N3-C4-N9	5.68	129.41	126.00
26	BB	1088	A	N1-C2-N3	-5.68	126.46	129.30
26	BB	1140	C	C4-C5-C6	5.68	120.24	117.40
26	BB	2022	U	N3-C2-O2	-5.68	118.22	122.20
26	BB	2479	U	N1-C2-O2	5.68	126.78	122.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2529	G	C5-C6-O6	5.68	132.01	128.60
1	AA	7	A	C8-N9-C4	-5.68	103.53	105.80
1	AA	163	C	C2-N3-C4	5.68	122.74	119.90
1	AA	238	A	O4'-C1'-N9	5.68	112.75	108.20
1	AA	451	A	N3-C4-C5	5.68	130.78	126.80
2	AB	30	G	P-O3'-C3'	5.68	126.52	119.70
4	AD	73	A	O5'-P-OP2	-5.68	100.59	105.70
7	AG	167	PRO	N-CD-CG	5.68	111.72	103.20
25	BA	116	G	N9-C1'-C2'	-5.68	105.75	112.00
26	BB	152	A	C6-C5-N7	-5.68	128.32	132.30
26	BB	300	A	O3'-P-O5'	5.68	114.80	104.00
26	BB	306	U	C5-C4-O4	5.68	129.31	125.90
26	BB	503	A	C6-N1-C2	-5.68	115.19	118.60
26	BB	665	U	O4'-C4'-C3'	5.68	110.64	106.10
26	BB	1615	C	N3-C4-N4	5.68	121.98	118.00
26	BB	1645	G	O4'-C1'-N9	5.68	112.75	108.20
26	BB	2380	C	C6-N1-C2	5.68	122.57	120.30
26	BB	2491	U	O4'-C1'-C2'	-5.68	100.12	105.80
17	AQ	48	GLN	CB-CA-C	5.68	121.76	110.40
26	BB	263	G	N3-C4-N9	-5.68	122.59	126.00
26	BB	294	A	C1'-O4'-C4'	-5.68	105.36	109.90
26	BB	1159	U	C5'-C4'-C3'	-5.68	106.91	116.00
26	BB	1467	U	N1-C2-O2	5.68	126.78	122.80
26	BB	1587	G	C6-C5-N7	5.68	133.81	130.40
1	AA	171	A	O3'-P-O5'	-5.68	93.21	104.00
1	AA	191	G	C5-C6-O6	-5.68	125.19	128.60
1	AA	294	U	N1-C1'-C2'	-5.68	105.75	112.00
1	AA	468	A	C4'-C3'-C2'	-5.68	96.92	102.60
1	AA	490	C	N3-C4-C5	5.68	124.17	121.90
1	AA	499	A	C3'-C2'-C1'	-5.68	96.96	101.50
1	AA	715	A	O4'-C1'-N9	5.68	112.74	108.20
1	AA	1045	C	C5-C4-N4	-5.68	116.22	120.20
1	AA	1392	G	N3-C4-N9	5.68	129.41	126.00
21	AU	2	ARG	CD-NE-CZ	5.68	131.55	123.60
25	BA	74	U	N1-C2-N3	5.68	118.31	114.90
26	BB	154	U	P-O5'-C5'	5.68	129.99	120.90
26	BB	390	U	C6-N1-C2	-5.68	117.59	121.00
26	BB	891	G	C4-N9-C1'	-5.68	119.12	126.50
26	BB	1510	G	C3'-C2'-C1'	-5.68	96.96	101.50
26	BB	1742	U	C5-C4-O4	-5.68	122.49	125.90
26	BB	2257	U	C5-C6-N1	-5.68	119.86	122.70
26	BB	2599	G	C8-N9-C4	-5.68	104.13	106.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2673	G	O4'-C1'-N9	5.68	112.74	108.20
1	AA	877	G	C8-N9-C1'	5.68	134.38	127.00
1	AA	1419	G	C5'-C4'-O4'	5.68	115.91	109.10
1	AA	1525	G	N1-C2-N2	5.68	121.31	116.20
3	AC	51	C	N1-C2-O2	-5.68	115.49	118.90
26	BB	797	G	N9-C1'-C2'	-5.68	105.75	112.00
26	BB	1059	G	C3'-C2'-C1'	-5.68	96.96	101.50
26	BB	1079	C	C4'-C3'-O3'	5.68	124.36	113.00
26	BB	1912	A	N9-C4-C5	5.68	108.07	105.80
26	BB	2078	C	N3-C4-C5	-5.68	119.63	121.90
26	BB	2274	A	N1-C6-N6	-5.68	115.19	118.60
1	AA	304	U	O4'-C1'-N1	5.68	112.74	108.20
1	AA	1170	A	O5'-P-OP2	-5.68	100.59	105.70
1	AA	1415	G	N1-C2-N3	-5.68	120.49	123.90
26	BB	338	G	C5-N7-C8	5.68	107.14	104.30
26	BB	717	C	C4-C5-C6	-5.68	114.56	117.40
26	BB	913	U	C5-C4-O4	-5.68	122.49	125.90
26	BB	1918	A	C4-C5-C6	5.68	119.84	117.00
26	BB	2375	G	N9-C1'-C2'	-5.68	105.76	112.00
26	BB	2823	A	C5-N7-C8	5.68	106.74	103.90
1	AA	1216	A	C5-C6-N6	-5.67	119.16	123.70
4	AD	4	G	C5-N7-C8	-5.67	101.46	104.30
21	AU	72	ARG	NE-CZ-NH1	5.67	123.14	120.30
26	BB	42	A	C5'-C4'-O4'	5.67	115.91	109.10
26	BB	200	U	C1'-O4'-C4'	5.67	114.44	109.90
26	BB	422	A	N1-C2-N3	-5.67	126.46	129.30
26	BB	604	G	N3-C4-N9	5.67	129.41	126.00
26	BB	978	G	O4'-C4'-C3'	-5.67	98.33	104.00
26	BB	1003	G	O4'-C1'-N9	5.67	112.74	108.20
26	BB	1310	G	N3-C2-N2	5.67	123.87	119.90
26	BB	1389	G	C4-C5-C6	5.67	122.20	118.80
26	BB	1444	G	C5-N7-C8	5.67	107.14	104.30
26	BB	2172	U	C6-N1-C2	5.67	124.41	121.00
26	BB	2262	U	C5'-C4'-O4'	5.67	115.91	109.10
26	BB	2286	G	C1'-O4'-C4'	-5.67	105.36	109.90
26	BB	2624	G	C5-C6-O6	-5.67	125.19	128.60
26	BB	2791	G	N1-C6-O6	-5.67	116.50	119.90
31	BG	176	PHE	CB-CG-CD2	5.67	124.77	120.80
1	AA	1037	C	C5-C6-N1	-5.67	118.16	121.00
1	AA	1145	A	C2-N3-C4	5.67	113.44	110.60
1	AA	1291	U	C2-N3-C4	5.67	130.40	127.00
1	AA	1316	G	C3'-C2'-C1'	5.67	106.04	101.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	AB	3	G	C5-N7-C8	5.67	107.14	104.30
25	BA	114	C	O4'-C4'-C3'	-5.67	98.33	104.00
26	BB	171	U	C4'-C3'-C2'	-5.67	96.93	102.60
26	BB	1125	G	C5-N7-C8	5.67	107.14	104.30
26	BB	1676	A	N1-C2-N3	5.67	132.14	129.30
26	BB	2168	G	N7-C8-N9	5.67	115.94	113.10
28	BD	88	ALA	CB-CA-C	-5.67	101.59	110.10
1	AA	76	G	C4'-C3'-C2'	-5.67	96.93	102.60
1	AA	126	G	C8-N9-C1'	5.67	134.37	127.00
1	AA	798	U	C6-N1-C2	5.67	124.40	121.00
1	AA	858	G	O4'-C1'-N9	5.67	112.74	108.20
1	AA	883	C	P-O5'-C5'	5.67	129.98	120.90
1	AA	1049	U	N3-C4-O4	5.67	123.37	119.40
1	AA	1373	G	C6-C5-N7	-5.67	127.00	130.40
26	BB	74	A	C4-C5-N7	5.67	113.53	110.70
26	BB	505	A	C4-C5-N7	-5.67	107.86	110.70
26	BB	818	G	N7-C8-N9	5.67	115.94	113.10
26	BB	911	A	C4'-C3'-C2'	-5.67	96.93	102.60
26	BB	1360	G	O4'-C1'-N9	5.67	112.74	108.20
26	BB	2094	A	C4'-C3'-O3'	-5.67	97.49	109.40
26	BB	2275	C	P-O3'-C3'	5.67	126.51	119.70
26	BB	2313	C	C5-C4-N4	-5.67	116.23	120.20
1	AA	45	G	C4-C5-C6	5.67	122.20	118.80
1	AA	800	G	C2-N3-C4	5.67	114.73	111.90
1	AA	1067	A	N7-C8-N9	5.67	116.64	113.80
1	AA	1376	U	O4'-C1'-N1	5.67	112.74	108.20
26	BB	342	A	N9-C4-C5	5.67	108.07	105.80
26	BB	731	C	O4'-C4'-C3'	5.67	110.64	106.10
26	BB	753	A	C1'-O4'-C4'	-5.67	105.36	109.90
26	BB	1090	A	P-O3'-C3'	5.67	126.50	119.70
26	BB	1298	C	O4'-C1'-C2'	5.67	112.70	107.60
26	BB	2303	G	C5'-C4'-O4'	5.67	115.90	109.10
26	BB	2668	G	N1-C6-O6	-5.67	116.50	119.90
26	BB	2883	A	N9-C4-C5	5.67	108.07	105.80
1	AA	2	A	N3-C4-N9	5.67	131.94	127.40
1	AA	11	G	P-O3'-C3'	5.67	126.50	119.70
1	AA	303	A	C6-C5-N7	5.67	136.27	132.30
1	AA	898	G	C3'-C2'-C1'	5.67	106.03	101.50
1	AA	917	G	N3-C2-N2	5.67	123.87	119.90
1	AA	935	A	N7-C8-N9	-5.67	110.97	113.80
13	AM	58	ASN	CB-CA-C	5.67	121.74	110.40
15	AO	36	VAL	CA-CB-CG1	5.67	119.40	110.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	477	A	O4'-C4'-C3'	5.67	110.64	106.10
26	BB	514	A	O5'-P-OP1	5.67	117.50	110.70
26	BB	653	U	C2-N3-C4	-5.67	123.60	127.00
26	BB	859	G	C5-C6-N1	5.67	114.33	111.50
26	BB	920	A	C3'-C2'-C1'	-5.67	96.97	101.50
26	BB	1363	C	C5-C4-N4	-5.67	116.23	120.20
26	BB	1419	A	C5'-C4'-C3'	-5.67	106.93	116.00
26	BB	1990	C	C2-N3-C4	5.67	122.73	119.90
26	BB	2143	C	C3'-C2'-C1'	5.67	106.03	101.50
26	BB	2306	C	O4'-C1'-N1	5.67	112.73	108.20
26	BB	2417	C	C5-C4-N4	5.67	124.17	120.20
26	BB	2441	U	C4'-C3'-C2'	-5.67	96.93	102.60
26	BB	2624	G	C4-N9-C1'	-5.67	119.13	126.50
1	AA	44	A	C5'-C4'-O4'	5.67	115.90	109.10
1	AA	327	A	C3'-C2'-C1'	-5.67	96.97	101.50
1	AA	397	A	N1-C6-N6	-5.67	115.20	118.60
1	AA	1071	C	C2-N3-C4	-5.67	117.07	119.90
2	AB	9	A	P-O3'-C3'	5.67	126.50	119.70
4	AD	6	G	C4-C5-C6	-5.67	115.40	118.80
12	AL	121	ARG	CD-NE-CZ	5.67	131.53	123.60
23	AW	73	ARG	O-C-N	5.67	131.77	122.70
25	BA	11	C	N3-C4-C5	-5.67	119.63	121.90
26	BB	730	A	C5-N7-C8	-5.67	101.07	103.90
26	BB	855	G	N7-C8-N9	-5.67	110.27	113.10
26	BB	890	C	C4-C5-C6	5.67	120.23	117.40
26	BB	1177	G	C4-C5-C6	5.67	122.20	118.80
26	BB	1522	A	C6-C5-N7	5.67	136.27	132.30
26	BB	1821	A	C5-N7-C8	-5.67	101.07	103.90
26	BB	1991	U	O3'-P-O5'	5.67	114.77	104.00
26	BB	2206	C	N1-C2-N3	-5.67	115.23	119.20
26	BB	2219	U	N1-C1'-C2'	-5.67	105.77	112.00
26	BB	2320	U	C5'-C4'-O4'	5.67	115.90	109.10
26	BB	2686	G	C5-N7-C8	5.67	107.13	104.30
26	BB	2814	A	C1'-O4'-C4'	-5.67	105.37	109.90
36	BL	4	PHE	CB-CG-CD2	-5.67	116.83	120.80
37	BM	76	VAL	CA-CB-CG2	5.67	119.40	110.90
1	AA	1047	G	N3-C2-N2	-5.67	115.93	119.90
1	AA	1091	U	C5'-C4'-O4'	5.67	115.90	109.10
4	AD	40	C	C5-C6-N1	5.67	123.83	121.00
26	BB	2134	A	C4-C5-C6	-5.67	114.17	117.00
26	BB	2595	G	C5'-C4'-C3'	-5.67	106.94	116.00
1	AA	734	G	C5-C6-N1	-5.66	108.67	111.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1165	U	C4-C5-C6	5.66	123.10	119.70
1	AA	1418	A	C5'-C4'-O4'	5.66	115.89	109.10
26	BB	61	C	C4'-C3'-C2'	-5.66	96.94	102.60
26	BB	64	A	C5-C6-N1	-5.66	114.87	117.70
26	BB	135	U	C5-C4-O4	-5.66	122.50	125.90
26	BB	265	A	O4'-C1'-N9	5.66	112.73	108.20
26	BB	1514	G	C4-C5-N7	-5.66	108.53	110.80
26	BB	2119	A	N1-C2-N3	-5.66	126.47	129.30
26	BB	2266	A	N1-C2-N3	-5.66	126.47	129.30
26	BB	2355	G	C6-C5-N7	-5.66	127.00	130.40
26	BB	2662	A	C2-N3-C4	-5.66	107.77	110.60
26	BB	2715	C	N1-C2-O2	-5.66	115.50	118.90
1	AA	64	G	N3-C4-N9	-5.66	122.60	126.00
1	AA	926	G	C5-N7-C8	-5.66	101.47	104.30
1	AA	1399	C	C4'-C3'-C2'	-5.66	96.94	102.60
26	BB	1367	A	O4'-C1'-C2'	5.66	112.70	107.60
1	AA	189	A	C4'-C3'-C2'	-5.66	96.94	102.60
1	AA	234	C	C6-N1-C2	5.66	122.56	120.30
1	AA	442	G	C5-C6-N1	5.66	114.33	111.50
1	AA	890	G	C6-C5-N7	-5.66	127.00	130.40
1	AA	1083	U	C3'-C2'-C1'	5.66	106.03	101.50
1	AA	1169	A	N9-C4-C5	-5.66	103.54	105.80
1	AA	1431	A	C5-C6-N6	5.66	128.23	123.70
26	BB	489	G	C2-N3-C4	-5.66	109.07	111.90
26	BB	576	U	C5'-C4'-O4'	5.66	115.89	109.10
26	BB	981	A	C4-C5-C6	5.66	119.83	117.00
26	BB	1004	U	C4'-C3'-C2'	-5.66	96.94	102.60
26	BB	1041	G	N3-C2-N2	5.66	123.86	119.90
26	BB	1345	C	C6-N1-C2	-5.66	118.04	120.30
26	BB	1870	C	N1-C2-O2	5.66	122.30	118.90
26	BB	1948	G	C1'-O4'-C4'	-5.66	105.37	109.90
26	BB	2262	U	C5-C4-O4	-5.66	122.50	125.90
26	BB	2775	G	N3-C2-N2	-5.66	115.94	119.90
1	AA	306	A	C5-C6-N6	-5.66	119.17	123.70
1	AA	685	G	C5-C6-O6	-5.66	125.20	128.60
1	AA	755	G	C1'-O4'-C4'	-5.66	105.37	109.90
1	AA	1100	C	C4'-C3'-C2'	-5.66	96.94	102.60
1	AA	1404	C	C3'-C2'-C1'	-5.66	96.97	101.50
26	BB	633	A	C8-N9-C4	-5.66	103.54	105.80
26	BB	844	A	N9-C4-C5	5.66	108.06	105.80
26	BB	975	A	C6-C5-N7	5.66	136.26	132.30
26	BB	1055	G	C4-N9-C1'	-5.66	119.14	126.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1150	C	C4'-C3'-C2'	5.66	108.26	102.60
26	BB	1537	G	N9-C4-C5	-5.66	103.14	105.40
26	BB	1908	C	C5-C6-N1	5.66	123.83	121.00
26	BB	1913	A	C6-C5-N7	5.66	136.26	132.30
26	BB	1938	A	C5-C6-N6	5.66	128.23	123.70
26	BB	2058	A	C5'-C4'-O4'	5.66	115.89	109.10
26	BB	2642	G	C6-C5-N7	-5.66	127.00	130.40
1	AA	691	G	C4-C5-C6	5.66	122.19	118.80
26	BB	221	A	N1-C2-N3	-5.66	126.47	129.30
26	BB	450	G	N7-C8-N9	5.66	115.93	113.10
26	BB	1543	G	P-O3'-C3'	5.66	126.49	119.70
26	BB	1681	G	N1-C6-O6	-5.66	116.51	119.90
26	BB	2189	U	N1-C1'-C2'	-5.66	105.78	112.00
26	BB	2298	A	N7-C8-N9	-5.66	110.97	113.80
26	BB	2305	U	C1'-O4'-C4'	-5.66	105.37	109.90
1	AA	9	G	N7-C8-N9	-5.66	110.27	113.10
1	AA	725	G	N1-C2-N3	5.66	127.29	123.90
1	AA	728	A	O4'-C4'-C3'	5.66	110.62	106.10
1	AA	861	G	C4'-C3'-C2'	-5.66	96.94	102.60
1	AA	926	G	C6-N1-C2	-5.66	121.71	125.10
1	AA	1374	A	C2-N3-C4	5.66	113.43	110.60
26	BB	40	U	C5-C6-N1	5.66	125.53	122.70
26	BB	296	U	O4'-C1'-N1	5.66	112.72	108.20
26	BB	314	C	C3'-C2'-C1'	-5.66	96.98	101.50
26	BB	464	U	O4'-C1'-N1	5.66	112.72	108.20
26	BB	707	G	C5'-C4'-O4'	5.66	115.89	109.10
26	BB	1017	G	C1'-O4'-C4'	-5.66	105.38	109.90
26	BB	1033	U	C5'-C4'-O4'	5.66	115.89	109.10
26	BB	1329	U	C5-C6-N1	-5.66	119.87	122.70
26	BB	1483	G	N1-C6-O6	-5.66	116.51	119.90
26	BB	1486	U	N1-C2-O2	5.66	126.76	122.80
26	BB	1666	G	C4-C5-N7	-5.66	108.54	110.80
26	BB	1780	A	N1-C2-N3	-5.66	126.47	129.30
26	BB	2353	G	O4'-C1'-N9	5.66	112.72	108.20
26	BB	2866	U	O4'-C1'-N1	5.66	112.72	108.20
31	BG	67	THR	CA-CB-OG1	5.66	120.88	109.00
1	AA	254	G	N3-C4-C5	-5.65	125.77	128.60
1	AA	445	G	N1-C2-N2	5.65	121.29	116.20
1	AA	547	A	N1-C2-N3	-5.65	126.47	129.30
1	AA	726	C	C6-N1-C2	5.65	122.56	120.30
1	AA	847	G	N9-C1'-C2'	-5.65	105.78	112.00
26	BB	251	A	N3-C4-C5	5.65	130.76	126.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	465	G	C8-N9-C4	-5.65	104.14	106.40
26	BB	627	A	C4-C5-C6	-5.65	114.17	117.00
26	BB	2172	U	N3-C4-O4	-5.65	115.44	119.40
1	AA	96	U	P-O3'-C3'	5.65	126.48	119.70
1	AA	506	G	N3-C4-C5	-5.65	125.77	128.60
1	AA	634	C	N3-C2-O2	-5.65	117.94	121.90
1	AA	1214	C	P-O3'-C3'	5.65	126.48	119.70
1	AA	1247	U	N3-C4-O4	5.65	123.36	119.40
2	AB	33	U	N3-C2-O2	-5.65	118.24	122.20
2	AB	47	U	C5-C6-N1	-5.65	119.87	122.70
4	AD	62	C	N3-C2-O2	-5.65	117.94	121.90
26	BB	195	A	C5'-C4'-O4'	5.65	115.88	109.10
26	BB	352	A	C5-C6-N1	5.65	120.53	117.70
26	BB	797	G	C5'-C4'-C3'	-5.65	106.96	116.00
26	BB	872	U	C1'-O4'-C4'	-5.65	105.38	109.90
26	BB	1000	A	C3'-C2'-C1'	5.65	106.02	101.50
26	BB	1239	G	N3-C2-N2	-5.65	115.94	119.90
26	BB	1267	U	N3-C4-O4	5.65	123.36	119.40
26	BB	1469	A	O4'-C1'-N9	5.65	112.72	108.20
26	BB	1797	G	C4-C5-N7	5.65	113.06	110.80
26	BB	2056	G	N3-C4-C5	-5.65	125.77	128.60
26	BB	2586	U	C5'-C4'-C3'	-5.65	106.95	116.00
26	BB	2593	U	O4'-C1'-N1	5.65	112.72	108.20
26	BB	2698	U	C2-N1-C1'	-5.65	110.92	117.70
26	BB	2740	A	O4'-C1'-N9	5.65	112.72	108.20
26	BB	2850	A	C3'-C2'-C1'	5.65	106.02	101.50
1	AA	74	A	N9-C4-C5	-5.65	103.54	105.80
1	AA	294	U	O4'-C1'-N1	5.65	112.72	108.20
1	AA	301	G	C4-C5-N7	-5.65	108.54	110.80
1	AA	479	U	N1-C2-O2	5.65	126.75	122.80
1	AA	1037	C	C4'-C3'-C2'	-5.65	96.95	102.60
25	BA	69	G	C5'-C4'-O4'	5.65	115.88	109.10
26	BB	73	A	N3-C4-N9	-5.65	122.88	127.40
26	BB	914	G	C1'-O4'-C4'	-5.65	105.38	109.90
26	BB	1480	C	O4'-C1'-N1	5.65	112.72	108.20
26	BB	1648	U	C5'-C4'-C3'	-5.65	106.96	116.00
26	BB	1725	U	O4'-C1'-N1	5.65	112.72	108.20
26	BB	2166	U	C3'-C2'-C1'	5.65	106.02	101.50
26	BB	2299	U	C4-C5-C6	5.65	123.09	119.70
26	BB	2775	G	C3'-C2'-C1'	5.65	106.02	101.50
26	BB	2865	U	O4'-C1'-C2'	5.65	112.69	107.60
1	AA	699	C	N3-C4-N4	5.65	121.95	118.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1538	C	C1'-O4'-C4'	-5.65	105.38	109.90
2	AB	15	A	C6-C5-N7	-5.65	128.35	132.30
2	AB	63	C	N1-C2-O2	5.65	122.29	118.90
2	AB	75	C	C4-C5-C6	5.65	120.22	117.40
26	BB	83	A	O4'-C1'-N9	5.65	112.72	108.20
26	BB	1075	C	O4'-C1'-N1	5.65	112.72	108.20
26	BB	1446	C	C1'-O4'-C4'	5.65	114.42	109.90
26	BB	1660	G	N7-C8-N9	5.65	115.92	113.10
26	BB	2233	U	N1-C2-N3	5.65	118.29	114.90
26	BB	2640	G	C2-N3-C4	5.65	114.72	111.90
26	BB	2699	C	C5'-C4'-C3'	5.65	125.04	116.00
26	BB	2796	U	C4'-C3'-C2'	-5.65	96.95	102.60
1	AA	450	G	N7-C8-N9	5.65	115.92	113.10
1	AA	620	C	C4'-C3'-C2'	-5.65	96.95	102.60
1	AA	624	C	N3-C4-N4	5.65	121.95	118.00
1	AA	1092	A	C5'-C4'-O4'	5.65	115.88	109.10
1	AA	1094	G	C4'-C3'-C2'	-5.65	96.95	102.60
25	BA	106	G	C4-C5-C6	5.65	122.19	118.80
26	BB	29	U	O4'-C1'-N1	5.65	112.72	108.20
26	BB	166	U	N1-C2-O2	-5.65	118.85	122.80
26	BB	264	C	P-O3'-C3'	5.65	126.48	119.70
26	BB	491	G	C8-N9-C4	-5.65	104.14	106.40
26	BB	833	A	C8-N9-C4	-5.65	103.54	105.80
26	BB	1146	C	N3-C4-C5	-5.65	119.64	121.90
26	BB	1500	G	N1-C2-N3	5.65	127.29	123.90
26	BB	1620	G	C6-N1-C2	-5.65	121.71	125.10
26	BB	1874	C	C2-N1-C1'	5.65	125.01	118.80
26	BB	2015	A	C5-C6-N1	-5.65	114.88	117.70
26	BB	2144	G	C4'-C3'-C2'	5.65	108.25	102.60
26	BB	2236	U	C2-N3-C4	-5.65	123.61	127.00
26	BB	2513	A	C4'-C3'-C2'	5.65	108.25	102.60
26	BB	2786	U	N3-C4-O4	5.65	123.35	119.40
1	AA	406	G	C5-C6-N1	-5.65	108.68	111.50
1	AA	720	C	C4'-C3'-C2'	-5.65	96.95	102.60
1	AA	778	G	N9-C4-C5	5.65	107.66	105.40
2	AB	7	G	N3-C4-C5	-5.65	125.78	128.60
26	BB	1536	C	C6-N1-C2	-5.65	118.04	120.30
26	BB	2125	G	C6-C5-N7	5.65	133.79	130.40
26	BB	2659	G	C5-C6-O6	-5.65	125.21	128.60
53	B2	50	ASP	CB-CG-OD2	-5.65	113.22	118.30
1	AA	734	G	C8-N9-C4	-5.64	104.14	106.40
1	AA	866	C	N1-C1'-C2'	-5.64	105.79	112.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1010	U	C3'-C2'-C1'	5.64	106.02	101.50
1	AA	1261	A	C5'-C4'-O4'	5.64	115.87	109.10
1	AA	1345	U	C6-N1-C2	-5.64	117.61	121.00
1	AA	1417	G	N3-C4-C5	-5.64	125.78	128.60
25	BA	42	C	O4'-C1'-N1	-5.64	103.68	108.20
25	BA	112	G	C6-C5-N7	-5.64	127.01	130.40
26	BB	724	U	C4-C5-C6	5.64	123.09	119.70
26	BB	938	G	C8-N9-C4	-5.64	104.14	106.40
26	BB	1794	A	C5'-C4'-O4'	5.64	115.87	109.10
26	BB	2107	G	C5'-C4'-O4'	5.64	115.87	109.10
26	BB	2144	G	C6-N1-C2	-5.64	121.71	125.10
26	BB	2223	G	N1-C2-N2	5.64	121.28	116.20
26	BB	2345	G	C4-C5-C6	5.64	122.19	118.80
26	BB	2375	G	C6-C5-N7	-5.64	127.01	130.40
26	BB	2561	U	C4'-C3'-C2'	-5.64	96.96	102.60
26	BB	2586	U	C2-N3-C4	-5.64	123.61	127.00
26	BB	2775	G	N7-C8-N9	5.64	115.92	113.10
1	AA	216	U	N1-C2-N3	5.64	118.28	114.90
1	AA	541	G	N1-C2-N3	-5.64	120.52	123.90
1	AA	673	A	C4-C5-N7	-5.64	107.88	110.70
1	AA	1019	A	C2-N3-C4	5.64	113.42	110.60
1	AA	1184	G	C2-N3-C4	5.64	114.72	111.90
1	AA	1367	C	N1-C1'-C2'	-5.64	105.79	112.00
1	AA	1454	G	N3-C4-C5	-5.64	125.78	128.60
1	AA	1478	U	C2-N3-C4	-5.64	123.61	127.00
2	AB	19	G	C4-C5-C6	5.64	122.19	118.80
21	AU	18	GLN	CA-CB-CG	5.64	125.81	113.40
25	BA	27	C	C5-C6-N1	5.64	123.82	121.00
26	BB	54	G	N9-C4-C5	5.64	107.66	105.40
26	BB	60	G	C8-N9-C4	-5.64	104.14	106.40
26	BB	294	A	C5'-C4'-O4'	5.64	115.87	109.10
26	BB	455	C	O3'-P-O5'	5.64	114.72	104.00
26	BB	856	G	C6-N1-C2	-5.64	121.71	125.10
26	BB	1097	U	C5-C4-O4	-5.64	122.51	125.90
26	BB	1148	U	C3'-C2'-C1'	-5.64	96.99	101.50
26	BB	1300	G	N3-C2-N2	5.64	123.85	119.90
26	BB	1625	C	C5-C6-N1	-5.64	118.18	121.00
26	BB	2559	C	P-O3'-C3'	5.64	126.47	119.70
1	AA	1198	G	N9-C4-C5	-5.64	103.14	105.40
25	BA	76	G	C6-C5-N7	-5.64	127.02	130.40
26	BB	350	G	N9-C4-C5	5.64	107.66	105.40
26	BB	1276	A	N1-C2-N3	-5.64	126.48	129.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2331	G	C2-N3-C4	-5.64	109.08	111.90
26	BB	2483	C	C5-C6-N1	5.64	123.82	121.00
26	BB	2899	A	C4-C5-N7	-5.64	107.88	110.70
30	BF	117	ARG	CD-NE-CZ	5.64	131.50	123.60
1	AA	361	G	P-O3'-C3'	5.64	126.47	119.70
1	AA	645	G	N1-C6-O6	-5.64	116.52	119.90
1	AA	1103	C	N1-C2-O2	5.64	122.28	118.90
1	AA	1202	U	C4'-C3'-C2'	-5.64	96.96	102.60
3	AC	26	U	C5'-C4'-O4'	5.64	115.87	109.10
17	AQ	60	ARG	NE-CZ-NH1	5.64	123.12	120.30
20	AT	42	LYS	CA-CB-CG	5.64	125.81	113.40
26	BB	690	G	C5-N7-C8	-5.64	101.48	104.30
26	BB	815	C	N3-C4-N4	5.64	121.95	118.00
26	BB	2014	A	C3'-C2'-C1'	-5.64	96.99	101.50
26	BB	2110	G	C6-N1-C2	-5.64	121.72	125.10
26	BB	2182	U	C4-C5-C6	5.64	123.08	119.70
26	BB	2710	C	C2-N3-C4	5.64	122.72	119.90
1	AA	1	A	P-O3'-C3'	5.64	126.47	119.70
1	AA	61	G	N1-C2-N3	-5.64	120.52	123.90
1	AA	469	C	C5'-C4'-O4'	5.64	115.87	109.10
1	AA	792	A	C8-N9-C4	5.64	108.06	105.80
26	BB	1473	G	C1'-O4'-C4'	-5.64	105.39	109.90
26	BB	1738	G	C5-C6-N1	5.64	114.32	111.50
26	BB	2756	U	O4'-C1'-C2'	-5.64	100.16	105.80
1	AA	626	G	C3'-C2'-C1'	5.64	106.01	101.50
1	AA	1084	G	N3-C4-N9	5.64	129.38	126.00
1	AA	1124	G	C5-C6-O6	5.64	131.98	128.60
1	AA	1185	G	C5-N7-C8	-5.64	101.48	104.30
1	AA	1405	G	N7-C8-N9	-5.64	110.28	113.10
1	AA	1500	A	N7-C8-N9	-5.64	110.98	113.80
26	BB	214	G	C5-C6-O6	-5.64	125.22	128.60
26	BB	316	C	N3-C4-C5	-5.64	119.64	121.90
26	BB	602	A	C8-N9-C4	-5.64	103.55	105.80
26	BB	673	C	C5-C6-N1	-5.64	118.18	121.00
26	BB	733	G	O3'-P-O5'	-5.64	93.29	104.00
26	BB	733	G	C4'-C3'-C2'	-5.64	96.96	102.60
26	BB	740	C	C2-N3-C4	-5.64	117.08	119.90
26	BB	869	G	C4'-C3'-C2'	-5.64	96.96	102.60
26	BB	1875	G	N1-C2-N2	5.64	121.27	116.20
26	BB	2394	C	N3-C2-O2	5.64	125.84	121.90
26	BB	2486	C	N3-C2-O2	-5.64	117.95	121.90
26	BB	2735	G	C5-C6-O6	-5.64	125.22	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2825	G	O4'-C1'-N9	5.64	112.71	108.20
45	BU	109	ASP	CB-CG-OD2	-5.64	113.23	118.30
1	AA	299	G	N1-C2-N3	-5.63	120.52	123.90
1	AA	352	C	C5-C6-N1	-5.63	118.18	121.00
1	AA	551	U	O4'-C1'-N1	5.63	112.71	108.20
1	AA	572	A	O4'-C1'-N9	-5.63	103.69	108.20
1	AA	588	G	C5-N7-C8	-5.63	101.48	104.30
1	AA	1440	U	N3-C4-O4	5.63	123.34	119.40
2	AB	14	A	C6-C5-N7	5.63	136.24	132.30
25	BA	104	A	C1'-O4'-C4'	-5.63	105.39	109.90
26	BB	149	A	C5-C6-N1	-5.63	114.88	117.70
26	BB	265	A	C4-C5-N7	-5.63	107.88	110.70
26	BB	275	C	C5'-C4'-O4'	5.63	115.86	109.10
26	BB	1282	U	C2-N3-C4	-5.63	123.62	127.00
26	BB	1448	G	C5'-C4'-O4'	5.63	115.86	109.10
26	BB	1506	U	N3-C4-C5	-5.63	111.22	114.60
26	BB	1821	A	C5-C6-N6	-5.63	119.19	123.70
26	BB	2818	U	N1-C2-O2	-5.63	118.86	122.80
28	BD	213	ARG	NE-CZ-NH2	-5.63	117.48	120.30
57	B6	29	ARG	NE-CZ-NH2	5.63	123.12	120.30
1	AA	429	U	C5-C4-O4	5.63	129.28	125.90
1	AA	600	A	O4'-C1'-N9	5.63	112.71	108.20
1	AA	737	C	C5-C4-N4	5.63	124.14	120.20
1	AA	1147	C	C4'-C3'-C2'	-5.63	96.97	102.60
3	AC	59	A	N9-C4-C5	5.63	108.05	105.80
4	AD	71	G	N1-C2-N3	-5.63	120.52	123.90
26	BB	73	A	O3'-P-O5'	-5.63	93.30	104.00
26	BB	123	G	C2-N3-C4	5.63	114.72	111.90
26	BB	2296	U	N3-C4-O4	5.63	123.34	119.40
1	AA	381	C	N1-C2-N3	5.63	123.14	119.20
1	AA	415	A	O4'-C1'-N9	5.63	112.70	108.20
1	AA	1465	A	OP2-P-O3'	5.63	117.59	105.20
3	AC	33	A	C1'-O4'-C4'	5.63	114.41	109.90
26	BB	772	C	N1-C2-N3	5.63	123.14	119.20
26	BB	845	A	C8-N9-C4	5.63	108.05	105.80
26	BB	969	G	C8-N9-C4	-5.63	104.15	106.40
26	BB	1092	C	N3-C4-N4	-5.63	114.06	118.00
26	BB	1590	A	C4'-C3'-C2'	-5.63	96.97	102.60
26	BB	1593	A	C5-C6-N6	5.63	128.21	123.70
26	BB	1927	A	C4-C5-N7	-5.63	107.88	110.70
26	BB	1981	A	C5'-C4'-O4'	5.63	115.86	109.10
26	BB	2203	U	C6-N1-C1'	-5.63	113.32	121.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2886	A	N3-C4-C5	5.63	130.74	126.80
1	AA	518	C	N1-C2-O2	5.63	122.28	118.90
1	AA	627	G	N3-C4-N9	-5.63	122.62	126.00
1	AA	630	A	C4-C5-C6	5.63	119.81	117.00
1	AA	1202	U	N1-C1'-C2'	-5.63	105.81	112.00
26	BB	576	U	N3-C4-O4	5.63	123.34	119.40
26	BB	1014	A	N9-C4-C5	5.63	108.05	105.80
26	BB	1416	G	C4-N9-C1'	-5.63	119.18	126.50
26	BB	1456	G	N3-C4-N9	5.63	129.38	126.00
26	BB	1860	G	C6-C5-N7	-5.63	127.02	130.40
26	BB	2296	U	P-O5'-C5'	5.63	129.91	120.90
26	BB	2654	A	C2-N3-C4	-5.63	107.78	110.60
31	BG	17	THR	CA-CB-CG2	5.63	120.28	112.40
35	BK	63	ASP	CB-CG-OD1	-5.63	113.23	118.30
1	AA	325	A	C1'-O4'-C4'	-5.63	105.40	109.90
1	AA	695	A	C5'-C4'-O4'	5.63	115.85	109.10
1	AA	764	C	C4'-C3'-C2'	-5.63	96.97	102.60
1	AA	939	G	N1-C2-N2	5.63	121.27	116.20
1	AA	1171	A	C3'-C2'-C1'	-5.63	97.00	101.50
1	AA	1353	G	N1-C2-N2	-5.63	111.13	116.20
10	AJ	54	GLY	O-C-N	5.63	131.71	122.70
26	BB	68	G	C6-N1-C2	-5.63	121.72	125.10
26	BB	97	C	C4-C5-C6	-5.63	114.58	117.40
26	BB	250	G	C5'-C4'-O4'	5.63	115.85	109.10
26	BB	629	G	C5'-C4'-C3'	-5.63	106.99	116.00
26	BB	1106	G	C6-N1-C2	-5.63	121.72	125.10
26	BB	1663	G	C5-C6-N1	5.63	114.31	111.50
26	BB	2446	G	N3-C2-N2	5.63	123.84	119.90
26	BB	2564	A	C1'-O4'-C4'	-5.63	105.40	109.90
26	BB	2813	A	N1-C6-N6	-5.63	115.22	118.60
47	BW	54	PRO	N-CA-CB	5.63	110.05	103.30
1	AA	987	G	N9-C4-C5	-5.63	103.15	105.40
1	AA	1032	G	C5-C6-O6	5.63	131.97	128.60
1	AA	1131	G	N1-C6-O6	-5.63	116.52	119.90
1	AA	1198	G	C5-C6-O6	-5.63	125.22	128.60
1	AA	1239	A	C3'-C2'-C1'	5.63	106.00	101.50
1	AA	1331	G	C5-C6-O6	5.63	131.98	128.60
3	AC	19	A	C4-C5-C6	-5.63	114.19	117.00
26	BB	254	G	C5-N7-C8	5.63	107.11	104.30
26	BB	494	G	C5'-C4'-O4'	5.63	115.85	109.10
26	BB	758	C	N3-C4-N4	5.63	121.94	118.00
26	BB	1148	U	C5'-C4'-O4'	5.63	115.85	109.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1247	A	C6-C5-N7	5.63	136.24	132.30
26	BB	1967	C	C5'-C4'-C3'	-5.63	107.00	116.00
26	BB	2023	C	N3-C2-O2	5.63	125.84	121.90
26	BB	2311	A	N1-C6-N6	5.63	121.98	118.60
26	BB	2428	G	O4'-C4'-C3'	5.63	110.60	106.10
28	BD	12	ARG	CD-NE-CZ	5.63	131.48	123.60
1	AA	255	G	C6-C5-N7	5.62	133.78	130.40
1	AA	588	G	N9-C4-C5	5.62	107.65	105.40
2	AB	15	A	N9-C4-C5	-5.62	103.55	105.80
2	AB	64	U	N3-C4-O4	5.62	123.34	119.40
26	BB	472	A	O5'-P-OP2	-5.62	100.64	105.70
26	BB	878	A	C5-C6-N1	-5.62	114.89	117.70
26	BB	1571	A	C6-N1-C2	-5.62	115.22	118.60
26	BB	2570	G	C2'-C3'-O3'	5.62	122.70	113.70
28	BD	86	ARG	CD-NE-CZ	5.62	131.47	123.60
32	BH	50	THR	O-C-N	5.62	131.70	122.70
38	BN	60	ARG	NE-CZ-NH1	5.62	123.11	120.30
1	AA	181	A	C2-N3-C4	5.62	113.41	110.60
1	AA	326	G	C2-N3-C4	5.62	114.71	111.90
1	AA	477	C	O4'-C1'-N1	5.62	112.70	108.20
1	AA	663	A	C2-N3-C4	-5.62	107.79	110.60
1	AA	1148	U	C5'-C4'-O4'	5.62	115.85	109.10
4	AD	35	C	P-O3'-C3'	5.62	126.45	119.70
23	AW	50	PHE	CB-CG-CD2	5.62	124.74	120.80
25	BA	18	G	N3-C2-N2	-5.62	115.96	119.90
26	BB	581	C	C4-C5-C6	-5.62	114.59	117.40
26	BB	965	C	N1-C2-N3	5.62	123.14	119.20
26	BB	973	A	C4'-C3'-C2'	-5.62	96.98	102.60
26	BB	1077	A	N1-C2-N3	5.62	132.11	129.30
26	BB	1370	C	C4'-C3'-C2'	-5.62	96.98	102.60
26	BB	1401	G	C4'-C3'-C2'	-5.62	96.98	102.60
26	BB	1899	A	N9-C4-C5	5.62	108.05	105.80
26	BB	2178	C	C5-C6-N1	5.62	123.81	121.00
26	BB	2585	U	C3'-C2'-C1'	5.62	106.00	101.50
26	BB	2864	G	N9-C1'-C2'	-5.62	105.81	112.00
1	AA	556	C	N3-C2-O2	-5.62	117.97	121.90
1	AA	617	G	OP1-P-OP2	-5.62	111.17	119.60
1	AA	1000	A	C5-N7-C8	-5.62	101.09	103.90
1	AA	1364	U	C4'-C3'-C2'	-5.62	96.98	102.60
1	AA	1415	G	C3'-C2'-C1'	5.62	106.00	101.50
1	AA	1510	C	C3'-C2'-C1'	-5.62	97.00	101.50
26	BB	178	G	N9-C4-C5	-5.62	103.15	105.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	250	G	C5-C6-N1	5.62	114.31	111.50
26	BB	659	G	N9-C4-C5	5.62	107.65	105.40
26	BB	860	U	N1-C2-O2	5.62	126.73	122.80
26	BB	918	A	C5-C6-N6	-5.62	119.20	123.70
26	BB	1133	A	C1'-O4'-C4'	-5.62	105.40	109.90
26	BB	1268	A	C5'-C4'-O4'	5.62	115.84	109.10
26	BB	2488	G	N7-C8-N9	5.62	115.91	113.10
1	AA	93	U	N3-C4-O4	5.62	123.33	119.40
1	AA	798	U	C5-C6-N1	-5.62	119.89	122.70
1	AA	844	G	N9-C4-C5	5.62	107.65	105.40
1	AA	1299	A	N1-C6-N6	5.62	121.97	118.60
26	BB	772	C	C1'-O4'-C4'	5.62	114.40	109.90
26	BB	2432	A	N1-C6-N6	-5.62	115.23	118.60
26	BB	2599	G	N1-C2-N2	5.62	121.26	116.20
1	AA	17	U	C1'-O4'-C4'	-5.62	105.41	109.90
1	AA	122	G	C2'-C3'-O3'	5.62	122.69	113.70
1	AA	496	A	C5'-C4'-O4'	5.62	115.84	109.10
1	AA	761	G	C6-C5-N7	-5.62	127.03	130.40
1	AA	1363	A	C5-C6-N1	-5.62	114.89	117.70
1	AA	1529	G	C2-N3-C4	5.62	114.71	111.90
1	AA	1531	A	P-O5'-C5'	5.62	129.89	120.90
1	AA	1542	A	C8-N9-C4	-5.62	103.55	105.80
2	AB	75	C	N1-C2-O2	5.62	122.27	118.90
4	AD	5	G	C4'-C3'-C2'	-5.62	96.98	102.60
25	BA	54	G	C3'-C2'-C1'	5.62	106.00	101.50
26	BB	257	C	N3-C2-O2	-5.62	117.97	121.90
26	BB	533	G	C6-N1-C2	-5.62	121.73	125.10
26	BB	700	G	C6-C5-N7	-5.62	127.03	130.40
26	BB	776	G	C6-C5-N7	-5.62	127.03	130.40
26	BB	1663	G	C5-C6-O6	-5.62	125.23	128.60
26	BB	2244	U	C1'-O4'-C4'	-5.62	105.41	109.90
26	BB	2660	A	C4-C5-N7	5.62	113.51	110.70
26	BB	2837	A	N1-C2-N3	5.62	132.11	129.30
1	AA	1190	G	C6-N1-C2	-5.62	121.73	125.10
1	AA	1324	A	C2-N3-C4	-5.62	107.79	110.60
2	AB	65	C	P-O3'-C3'	5.62	126.44	119.70
25	BA	94	A	N7-C8-N9	5.62	116.61	113.80
26	BB	300	A	C1'-O4'-C4'	-5.62	105.41	109.90
26	BB	382	A	C6-C5-N7	5.62	136.23	132.30
26	BB	995	C	C2-N3-C4	-5.62	117.09	119.90
26	BB	1031	G	C5-C6-O6	-5.62	125.23	128.60
26	BB	1102	C	C1'-O4'-C4'	-5.62	105.41	109.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1558	C	N3-C4-C5	-5.62	119.65	121.90
1	AA	176	C	C5-C6-N1	-5.62	118.19	121.00
1	AA	231	U	C5-C6-N1	-5.62	119.89	122.70
1	AA	320	A	N9-C4-C5	-5.62	103.55	105.80
1	AA	505	G	C3'-C2'-C1'	-5.62	97.01	101.50
1	AA	546	A	C5-C6-N6	5.62	128.19	123.70
1	AA	642	A	N9-C4-C5	-5.62	103.55	105.80
1	AA	946	A	N3-C4-C5	-5.62	122.87	126.80
1	AA	1119	C	O4'-C1'-N1	5.62	112.69	108.20
1	AA	1194	U	C5'-C4'-O4'	5.62	115.84	109.10
1	AA	1334	G	C5-C6-O6	-5.62	125.23	128.60
1	AA	1389	C	P-O3'-C3'	5.62	126.44	119.70
2	AB	2	G	C5'-C4'-O4'	5.62	115.84	109.10
3	AC	37	G	N1-C2-N3	-5.62	120.53	123.90
4	AD	47	A	N7-C8-N9	-5.62	110.99	113.80
4	AD	74	A	O5'-C5'-C4'	-5.62	101.03	111.70
16	AP	24	VAL	CA-CB-CG1	5.62	119.32	110.90
25	BA	9	G	C5-C6-N1	5.62	114.31	111.50
26	BB	590	A	C5-N7-C8	-5.62	101.09	103.90
26	BB	803	U	C4-C5-C6	5.62	123.07	119.70
26	BB	1278	C	N1-C2-N3	-5.62	115.27	119.20
26	BB	1704	C	N1-C2-N3	-5.62	115.27	119.20
26	BB	1928	A	O4'-C1'-N9	-5.62	103.71	108.20
26	BB	2051	A	C4-C5-C6	-5.62	114.19	117.00
26	BB	2186	G	C5'-C4'-O4'	5.62	115.84	109.10
26	BB	2402	U	C5-C6-N1	5.62	125.51	122.70
26	BB	2462	C	C2-N1-C1'	-5.62	112.62	118.80
26	BB	2760	C	O4'-C1'-N1	5.62	112.69	108.20
1	AA	78	A	O4'-C1'-N9	5.61	112.69	108.20
1	AA	498	A	C5-C6-N1	5.61	120.51	117.70
1	AA	508	U	C5'-C4'-C3'	-5.61	107.02	116.00
1	AA	1030	U	O4'-C1'-N1	5.61	112.69	108.20
1	AA	1319	A	O5'-P-OP2	-5.61	100.65	105.70
2	AB	41	C	C6-N1-C1'	5.61	127.54	120.80
9	AI	24	ARG	NH1-CZ-NH2	-5.61	113.22	119.40
20	AT	22	VAL	CA-CB-CG1	-5.61	102.48	110.90
26	BB	6	A	C3'-C2'-C1'	-5.61	97.01	101.50
26	BB	512	G	O4'-C1'-N9	5.61	112.69	108.20
26	BB	663	G	C5-C6-N1	5.61	114.31	111.50
26	BB	1055	G	C5'-C4'-C3'	-5.61	107.02	116.00
26	BB	1621	U	N1-C2-O2	5.61	126.73	122.80
26	BB	2763	G	C2-N3-C4	-5.61	109.09	111.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2798	U	N1-C2-O2	-5.61	118.87	122.80
26	BB	2887	A	C4-C5-N7	-5.61	107.89	110.70
1	AA	344	A	C8-N9-C4	-5.61	103.56	105.80
1	AA	345	C	C5'-C4'-C3'	-5.61	107.02	116.00
1	AA	555	U	N3-C2-O2	-5.61	118.27	122.20
26	BB	76	C	C6-N1-C2	-5.61	118.06	120.30
26	BB	114	U	C6-N1-C2	-5.61	117.63	121.00
26	BB	549	G	N9-C4-C5	5.61	107.64	105.40
26	BB	590	A	C8-N9-C4	-5.61	103.56	105.80
26	BB	994	C	O4'-C1'-N1	5.61	112.69	108.20
26	BB	1040	A	C6-C5-N7	5.61	136.23	132.30
26	BB	2406	A	N9-C4-C5	5.61	108.05	105.80
1	AA	174	A	C4-C5-N7	-5.61	107.89	110.70
1	AA	673	A	C3'-C2'-C1'	5.61	105.99	101.50
18	AR	77	TYR	CB-CG-CD2	-5.61	117.63	121.00
25	BA	35	C	C2'-C3'-O3'	5.61	122.68	113.70
26	BB	278	A	N1-C2-N3	-5.61	126.50	129.30
26	BB	354	A	C4-C5-C6	5.61	119.81	117.00
26	BB	401	A	N9-C1'-C2'	-5.61	105.83	112.00
26	BB	595	C	O4'-C1'-C2'	-5.61	100.19	105.80
26	BB	1267	U	O5'-C5'-C4'	-5.61	101.04	111.70
26	BB	1307	A	O4'-C1'-N9	5.61	112.69	108.20
26	BB	1430	G	C8-N9-C4	5.61	108.64	106.40
26	BB	1587	G	P-O5'-C5'	5.61	129.88	120.90
26	BB	2114	A	O4'-C4'-C3'	5.61	110.59	106.10
26	BB	2795	C	C5-C6-N1	5.61	123.81	121.00
29	BE	119	ALA	C-N-CA	5.61	134.08	122.30
1	AA	67	C	N3-C4-C5	5.61	124.14	121.90
1	AA	240	G	N7-C8-N9	5.61	115.90	113.10
1	AA	481	G	C6-C5-N7	-5.61	127.03	130.40
1	AA	558	G	N1-C2-N2	5.61	121.25	116.20
1	AA	861	G	C2-N3-C4	5.61	114.70	111.90
1	AA	996	A	N3-C4-N9	5.61	131.89	127.40
2	AB	11	U	C5-C4-O4	-5.61	122.53	125.90
26	BB	496	G	N3-C2-N2	-5.61	115.97	119.90
26	BB	529	A	C3'-C2'-C1'	-5.61	97.01	101.50
26	BB	936	A	C5-C6-N1	5.61	120.50	117.70
26	BB	1672	A	N9-C1'-C2'	-5.61	105.83	112.00
26	BB	1856	U	O4'-C1'-C2'	5.61	112.65	107.60
26	BB	2309	A	P-O3'-C3'	5.61	126.43	119.70
26	BB	2655	G	C6-C5-N7	5.61	133.76	130.40
1	AA	276	G	P-O3'-C3'	5.61	126.43	119.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	376	G	C2-N3-C4	5.61	114.70	111.90
1	AA	428	G	N1-C2-N3	-5.61	120.53	123.90
1	AA	456	A	C4-C5-N7	-5.61	107.90	110.70
1	AA	457	G	C5'-C4'-O4'	5.61	115.83	109.10
1	AA	584	G	N3-C2-N2	-5.61	115.97	119.90
1	AA	801	U	O4'-C1'-C2'	-5.61	100.19	105.80
1	AA	997	U	C6-N1-C2	5.61	124.36	121.00
1	AA	1374	A	P-O3'-C3'	5.61	126.43	119.70
26	BB	56	A	C4'-C3'-C2'	5.61	108.21	102.60
26	BB	609	A	N9-C4-C5	-5.61	103.56	105.80
26	BB	839	U	P-O3'-C3'	5.61	126.43	119.70
26	BB	1137	G	N3-C4-N9	-5.61	122.64	126.00
26	BB	1867	G	N9-C1'-C2'	-5.61	105.83	112.00
26	BB	2071	A	C1'-O4'-C4'	-5.61	105.41	109.90
26	BB	2375	G	N3-C4-C5	-5.61	125.80	128.60
26	BB	2681	C	N3-C2-O2	-5.61	117.97	121.90
1	AA	332	G	N1-C2-N3	5.61	127.26	123.90
1	AA	737	C	N3-C2-O2	-5.61	117.98	121.90
1	AA	1234	C	N1-C2-O2	5.61	122.26	118.90
1	AA	1497	G	C5'-C4'-O4'	5.61	115.83	109.10
26	BB	1142	A	C2'-C3'-O3'	5.61	122.67	113.70
26	BB	1530	G	N3-C4-C5	-5.61	125.80	128.60
26	BB	2373	G	C5'-C4'-C3'	5.61	124.97	116.00
1	AA	542	G	C4-N9-C1'	-5.60	119.21	126.50
1	AA	609	A	C5'-C4'-O4'	5.60	115.83	109.10
1	AA	1264	U	C4-C5-C6	5.60	123.06	119.70
3	AC	53	G	P-O3'-C3'	5.60	126.42	119.70
26	BB	8	C	N1-C1'-C2'	-5.60	105.84	112.00
26	BB	1138	G	N3-C4-C5	-5.60	125.80	128.60
26	BB	1597	A	C5'-C4'-C3'	-5.60	107.03	116.00
26	BB	1642	G	N7-C8-N9	5.60	115.90	113.10
26	BB	2397	G	C4-C5-N7	-5.60	108.56	110.80
26	BB	2420	C	N3-C4-C5	-5.60	119.66	121.90
44	BT	78	ARG	NH1-CZ-NH2	-5.60	113.24	119.40
1	AA	184	G	N7-C8-N9	5.60	115.90	113.10
1	AA	196	A	C4'-C3'-O3'	5.60	124.20	113.00
1	AA	630	A	C4'-C3'-C2'	-5.60	97.00	102.60
1	AA	651	C	C1'-O4'-C4'	-5.60	105.42	109.90
1	AA	696	A	N1-C6-N6	-5.60	115.24	118.60
26	BB	287	G	P-O3'-C3'	5.60	126.42	119.70
26	BB	296	U	N1-C2-N3	5.60	118.26	114.90
26	BB	425	G	N1-C6-O6	-5.60	116.54	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	513	A	O4'-C4'-C3'	5.60	110.58	106.10
26	BB	711	G	N3-C4-C5	-5.60	125.80	128.60
26	BB	1000	A	N3-C4-C5	-5.60	122.88	126.80
26	BB	1537	G	C4-C5-C6	-5.60	115.44	118.80
26	BB	1804	C	C5-C6-N1	5.60	123.80	121.00
26	BB	2016	U	C4-C5-C6	-5.60	116.34	119.70
26	BB	2195	U	C4'-C3'-C2'	-5.60	97.00	102.60
1	AA	64	G	C4-C5-N7	-5.60	108.56	110.80
1	AA	608	A	N9-C1'-C2'	-5.60	105.84	112.00
23	AW	79	THR	CA-CB-CG2	5.60	120.24	112.40
26	BB	114	U	C2'-C3'-O3'	5.60	122.66	113.70
26	BB	1105	U	C6-N1-C2	5.60	124.36	121.00
26	BB	1585	C	P-O5'-C5'	5.60	129.86	120.90
26	BB	2726	A	O4'-C1'-N9	5.60	112.68	108.20
26	BB	2846	G	C2-N3-C4	5.60	114.70	111.90
1	AA	283	U	N3-C2-O2	-5.60	118.28	122.20
1	AA	581	G	N7-C8-N9	5.60	115.90	113.10
1	AA	639	G	P-O3'-C3'	5.60	126.42	119.70
1	AA	848	C	N3-C2-O2	-5.60	117.98	121.90
1	AA	1031	C	C5'-C4'-C3'	-5.60	107.04	116.00
1	AA	1129	C	C5'-C4'-C3'	5.60	124.96	116.00
3	AC	35	G	N3-C4-N9	5.60	129.36	126.00
25	BA	72	G	N3-C4-N9	-5.60	122.64	126.00
26	BB	34	U	C2-N3-C4	-5.60	123.64	127.00
26	BB	339	U	C1'-O4'-C4'	5.60	114.38	109.90
26	BB	355	U	N1-C2-N3	5.60	118.26	114.90
26	BB	621	A	C5-C6-N6	5.60	128.18	123.70
26	BB	1001	A	N9-C4-C5	-5.60	103.56	105.80
26	BB	1031	G	C4'-C3'-C2'	-5.60	97.00	102.60
26	BB	1275	A	N7-C8-N9	5.60	116.60	113.80
26	BB	2195	U	C5-C6-N1	-5.60	119.90	122.70
26	BB	2214	C	O4'-C1'-C2'	-5.60	100.20	105.80
26	BB	2294	G	C5-C6-O6	-5.60	125.24	128.60
26	BB	2299	U	C6-N1-C2	-5.60	117.64	121.00
1	AA	198	G	C5'-C4'-O4'	5.60	115.82	109.10
1	AA	270	A	P-O3'-C3'	5.60	126.42	119.70
1	AA	668	G	C8-N9-C4	-5.60	104.16	106.40
1	AA	884	U	N3-C2-O2	-5.60	118.28	122.20
1	AA	935	A	O4'-C1'-C2'	-5.60	100.20	105.80
1	AA	1469	C	C6-N1-C2	5.60	122.54	120.30
9	AI	41	ASP	CB-CG-OD1	-5.60	113.26	118.30
26	BB	856	G	C1'-O4'-C4'	-5.60	105.42	109.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	930	G	C6-N1-C2	-5.60	121.74	125.10
26	BB	1085	A	C6-N1-C2	5.60	121.96	118.60
26	BB	1673	G	O3'-P-O5'	5.60	114.64	104.00
26	BB	2002	G	C6-N1-C2	-5.60	121.74	125.10
26	BB	2599	G	N9-C4-C5	5.60	107.64	105.40
26	BB	2638	G	C2-N3-C4	5.60	114.70	111.90
26	BB	2644	G	N1-C6-O6	-5.60	116.54	119.90
1	AA	713	G	C4-C5-C6	5.60	122.16	118.80
1	AA	1373	G	O5'-P-OP2	-5.60	100.66	105.70
21	AU	13	THR	CA-CB-CG2	5.60	120.23	112.40
25	BA	77	U	C5'-C4'-O4'	5.60	115.81	109.10
26	BB	700	G	C3'-C2'-C1'	-5.60	97.02	101.50
26	BB	1328	A	O4'-C4'-C3'	5.60	110.58	106.10
26	BB	2554	U	N3-C2-O2	-5.60	118.28	122.20
1	AA	470	C	C3'-C2'-C1'	5.59	105.97	101.50
1	AA	542	G	N9-C4-C5	-5.59	103.16	105.40
1	AA	575	G	N1-C2-N3	-5.59	120.54	123.90
1	AA	585	G	P-O3'-C3'	-5.59	112.99	119.70
1	AA	730	G	N1-C2-N2	5.59	121.23	116.20
1	AA	821	G	N3-C4-N9	5.59	129.36	126.00
1	AA	861	G	C4-C5-N7	5.59	113.04	110.80
1	AA	958	A	O4'-C4'-C3'	5.59	110.58	106.10
4	AD	39	A	C5-C6-N1	5.59	120.50	117.70
20	AT	33	TYR	CA-CB-CG	5.59	124.03	113.40
25	BA	107	G	C6-C5-N7	-5.59	127.04	130.40
26	BB	39	G	N1-C2-N3	5.59	127.26	123.90
26	BB	116	C	C2-N3-C4	-5.59	117.10	119.90
26	BB	312	G	N9-C4-C5	-5.59	103.16	105.40
26	BB	1378	A	N9-C4-C5	5.59	108.04	105.80
26	BB	1511	G	N7-C8-N9	5.59	115.90	113.10
26	BB	2370	G	C3'-C2'-C1'	-5.59	97.02	101.50
26	BB	2478	A	C5'-C4'-O4'	5.59	115.81	109.10
26	BB	2585	U	N3-C2-O2	-5.59	118.28	122.20
26	BB	2633	G	C4-C5-C6	5.59	122.16	118.80
29	BE	196	ALA	N-CA-CB	-5.59	102.27	110.10
1	AA	371	A	C6-N1-C2	5.59	121.96	118.60
1	AA	565	U	C6-N1-C2	-5.59	117.64	121.00
14	AN	71	ASP	CB-CG-OD1	-5.59	113.27	118.30
26	BB	350	G	N7-C8-N9	5.59	115.90	113.10
26	BB	444	C	N3-C4-C5	-5.59	119.66	121.90
26	BB	630	G	N3-C2-N2	-5.59	115.98	119.90
26	BB	827	U	C6-N1-C2	-5.59	117.64	121.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1090	A	O4'-C1'-N9	5.59	112.67	108.20
26	BB	1362	C	C4-C5-C6	-5.59	114.60	117.40
26	BB	1609	A	O4'-C4'-C3'	5.59	110.58	106.10
26	BB	2020	A	C6-N1-C2	5.59	121.96	118.60
1	AA	3	A	N3-C4-C5	5.59	130.71	126.80
1	AA	135	C	P-O3'-C3'	5.59	126.41	119.70
1	AA	945	G	C5-N7-C8	-5.59	101.50	104.30
4	AD	50	G	C3'-C2'-C1'	5.59	105.97	101.50
4	AD	61	U	C2-N3-C4	-5.59	123.64	127.00
26	BB	863	A	N9-C1'-C2'	-5.59	105.85	112.00
26	BB	1486	U	C3'-C2'-C1'	5.59	105.97	101.50
26	BB	1651	G	N9-C4-C5	5.59	107.64	105.40
26	BB	1717	A	C5-N7-C8	5.59	106.70	103.90
26	BB	1782	U	O4'-C4'-C3'	5.59	110.57	106.10
26	BB	1826	G	N3-C4-C5	-5.59	125.81	128.60
26	BB	1984	G	N7-C8-N9	5.59	115.90	113.10
26	BB	2097	A	O4'-C1'-N9	5.59	112.67	108.20
26	BB	2301	C	C2'-C3'-O3'	5.59	122.65	113.70
35	BK	120	ASP	CB-CG-OD2	-5.59	113.27	118.30
1	AA	769	G	C6-N1-C2	-5.59	121.75	125.10
1	AA	812	G	N9-C4-C5	-5.59	103.16	105.40
1	AA	964	A	C8-N9-C4	-5.59	103.56	105.80
1	AA	1306	A	N7-C8-N9	5.59	116.59	113.80
1	AA	1327	C	N1-C2-O2	5.59	122.25	118.90
1	AA	1377	A	O3'-P-O5'	-5.59	93.38	104.00
25	BA	62	C	C1'-O4'-C4'	5.59	114.37	109.90
26	BB	430	A	C4-C5-C6	-5.59	114.20	117.00
26	BB	601	C	P-O3'-C3'	5.59	126.41	119.70
26	BB	603	A	C5'-C4'-O4'	5.59	115.81	109.10
26	BB	727	A	C3'-C2'-C1'	-5.59	97.03	101.50
26	BB	2618	G	C6-N1-C2	-5.59	121.75	125.10
26	BB	2656	U	C5-C4-O4	-5.59	122.55	125.90
26	BB	2670	A	C3'-C2'-C1'	5.59	105.97	101.50
31	BG	145	VAL	CG1-CB-CG2	-5.59	101.96	110.90
49	BY	59	PHE	CG-CD2-CE2	-5.59	114.65	120.80
1	AA	511	C	N3-C4-N4	5.59	121.91	118.00
1	AA	1295	U	C5'-C4'-O4'	5.59	115.81	109.10
1	AA	1399	C	C3'-C2'-C1'	5.59	105.97	101.50
2	AB	68	C	C3'-C2'-C1'	-5.59	97.03	101.50
26	BB	300	A	C8-N9-C4	-5.59	103.56	105.80
26	BB	437	U	O4'-C1'-N1	5.59	112.67	108.20
26	BB	805	G	O3'-P-O5'	5.59	114.62	104.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1233	C	C6-N1-C2	5.59	122.53	120.30
26	BB	1377	G	C5'-C4'-O4'	5.59	115.81	109.10
26	BB	1436	G	N3-C4-N9	-5.59	122.65	126.00
26	BB	1817	G	C4-C5-N7	5.59	113.03	110.80
26	BB	1932	A	C5'-C4'-O4'	5.59	115.81	109.10
26	BB	2815	C	C3'-C2'-C1'	5.59	105.97	101.50
29	BE	87	GLY	O-C-N	5.59	131.64	122.70
1	AA	15	G	N1-C6-O6	5.59	123.25	119.90
1	AA	31	G	N3-C4-N9	-5.59	122.65	126.00
1	AA	560	A	C4-C5-N7	-5.59	107.91	110.70
1	AA	933	G	C3'-C2'-C1'	5.59	105.97	101.50
1	AA	1384	C	C5-C4-N4	-5.59	116.29	120.20
2	AB	19	G	C8-N9-C4	-5.59	104.17	106.40
4	AD	40	C	C4-C5-C6	5.59	120.19	117.40
4	AD	73	A	P-O3'-C3'	5.59	126.40	119.70
26	BB	369	U	N3-C2-O2	-5.59	118.29	122.20
26	BB	401	A	C5-C6-N6	-5.59	119.23	123.70
26	BB	532	A	C5-C6-N1	5.59	120.49	117.70
26	BB	819	A	C5-N7-C8	5.59	106.69	103.90
26	BB	917	A	C6-N1-C2	5.59	121.95	118.60
26	BB	1359	A	C2-N3-C4	-5.59	107.81	110.60
26	BB	2399	G	N1-C2-N3	-5.59	120.55	123.90
26	BB	2613	U	O4'-C1'-N1	5.59	112.67	108.20
26	BB	2717	C	C4-C5-C6	-5.59	114.61	117.40
26	BB	2873	A	N7-C8-N9	-5.59	111.01	113.80
30	BF	109	LEU	CB-CG-CD1	-5.59	101.50	111.00
1	AA	833	G	C8-N9-C4	5.58	108.63	106.40
1	AA	968	A	O3'-P-O5'	-5.58	93.39	104.00
1	AA	1359	C	O3'-P-O5'	-5.58	93.39	104.00
1	AA	1444	U	C5-C4-O4	-5.58	122.55	125.90
1	AA	1472	U	C5-C6-N1	-5.58	119.91	122.70
26	BB	396	G	C5-N7-C8	5.58	107.09	104.30
26	BB	651	G	C6-N1-C2	-5.58	121.75	125.10
26	BB	755	U	O4'-C1'-N1	5.58	112.67	108.20
26	BB	1060	U	C5-C4-O4	-5.58	122.55	125.90
26	BB	1278	C	C1'-O4'-C4'	-5.58	105.43	109.90
26	BB	1346	G	C5-C6-O6	5.58	131.95	128.60
26	BB	1579	A	C3'-C2'-C1'	-5.58	97.03	101.50
26	BB	1950	G	N1-C6-O6	-5.58	116.55	119.90
26	BB	2699	C	C6-N1-C2	-5.58	118.07	120.30
1	AA	91	U	C5'-C4'-O4'	5.58	115.80	109.10
1	AA	308	C	C1'-O4'-C4'	5.58	114.37	109.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	577	G	C6-N1-C2	-5.58	121.75	125.10
1	AA	858	G	C4-C5-C6	5.58	122.15	118.80
1	AA	883	C	N1-C2-O2	5.58	122.25	118.90
4	AD	59	A	C1'-O4'-C4'	5.58	114.37	109.90
26	BB	633	A	N9-C1'-C2'	-5.58	105.86	112.00
26	BB	668	A	C2-N3-C4	5.58	113.39	110.60
26	BB	744	U	C4'-C3'-C2'	-5.58	97.02	102.60
26	BB	874	G	C6-N1-C2	-5.58	121.75	125.10
26	BB	1243	C	P-O3'-C3'	5.58	126.40	119.70
26	BB	1266	G	C4-C5-C6	5.58	122.15	118.80
26	BB	2032	G	N9-C1'-C2'	5.58	121.26	114.00
26	BB	2769	U	C2-N3-C4	5.58	130.35	127.00
1	AA	319	G	C5'-C4'-O4'	5.58	115.80	109.10
1	AA	377	G	C4'-C3'-C2'	-5.58	97.02	102.60
1	AA	574	A	N1-C2-N3	-5.58	126.51	129.30
1	AA	596	A	N7-C8-N9	5.58	116.59	113.80
1	AA	622	A	C5-C6-N6	5.58	128.16	123.70
1	AA	1079	G	C5'-C4'-O4'	5.58	115.80	109.10
4	AD	11	A	C3'-C2'-C1'	-5.58	97.03	101.50
25	BA	56	G	C4-C5-N7	-5.58	108.57	110.80
26	BB	58	G	C4-C5-C6	-5.58	115.45	118.80
26	BB	78	U	O4'-C1'-N1	5.58	112.67	108.20
26	BB	431	U	N1-C1'-C2'	-5.58	105.86	112.00
26	BB	769	U	N3-C4-O4	-5.58	115.49	119.40
26	BB	847	U	OP2-P-O3'	5.58	117.48	105.20
26	BB	1035	U	C1'-O4'-C4'	-5.58	105.44	109.90
26	BB	1113	U	C5-C6-N1	5.58	125.49	122.70
26	BB	1253	A	C8-N9-C4	-5.58	103.57	105.80
26	BB	1433	A	C1'-O4'-C4'	-5.58	105.44	109.90
26	BB	2469	A	N1-C6-N6	-5.58	115.25	118.60
26	BB	2832	U	P-O3'-C3'	5.58	126.40	119.70
26	BB	2835	A	C5-N7-C8	-5.58	101.11	103.90
31	BG	6	TYR	CB-CG-CD2	-5.58	117.65	121.00
49	BY	42	THR	CA-CB-CG2	5.58	120.22	112.40
1	AA	674	G	C5-C6-O6	5.58	131.95	128.60
1	AA	859	G	N1-C2-N3	-5.58	120.55	123.90
26	BB	164	C	C5-C4-N4	-5.58	116.29	120.20
26	BB	544	C	N3-C2-O2	-5.58	117.99	121.90
26	BB	1225	G	C1'-O4'-C4'	-5.58	105.44	109.90
26	BB	1536	C	C4'-C3'-C2'	-5.58	97.02	102.60
26	BB	2168	G	C4-C5-N7	5.58	113.03	110.80
26	BB	2377	A	C3'-C2'-C1'	5.58	105.96	101.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2630	G	C4-C5-N7	-5.58	108.57	110.80
39	BO	75	GLU	N-CA-CB	-5.58	100.56	110.60
1	AA	346	G	O3'-P-O5'	5.58	114.60	104.00
1	AA	928	G	N1-C6-O6	5.58	123.25	119.90
4	AD	68	C	N1-C1'-C2'	-5.58	105.86	112.00
25	BA	73	A	C1'-O4'-C4'	-5.58	105.44	109.90
26	BB	24	G	N3-C2-N2	5.58	123.80	119.90
26	BB	193	U	N3-C4-O4	-5.58	115.50	119.40
26	BB	263	G	N1-C6-O6	-5.58	116.55	119.90
26	BB	399	U	O4'-C1'-C2'	5.58	112.62	107.60
26	BB	410	G	C5-C6-N1	5.58	114.29	111.50
26	BB	426	C	C5-C6-N1	5.58	123.79	121.00
26	BB	625	G	C2-N3-C4	5.58	114.69	111.90
26	BB	891	G	C5-N7-C8	5.58	107.09	104.30
26	BB	1399	C	C5-C4-N4	-5.58	116.30	120.20
26	BB	1847	A	C8-N9-C4	-5.58	103.57	105.80
26	BB	2341	G	C5-N7-C8	5.58	107.09	104.30
26	BB	2392	A	C4-C5-C6	5.58	119.79	117.00
1	AA	916	U	N1-C2-N3	5.58	118.25	114.90
1	AA	1405	G	N3-C4-N9	-5.58	122.65	126.00
26	BB	354	A	C8-N9-C4	-5.58	103.57	105.80
26	BB	2494	G	C8-N9-C1'	5.58	134.25	127.00
1	AA	255	G	C5-C6-N1	5.58	114.29	111.50
1	AA	874	G	C8-N9-C4	-5.58	104.17	106.40
1	AA	1064	G	C5-N7-C8	5.58	107.09	104.30
1	AA	1089	G	C5-C6-N1	5.58	114.29	111.50
1	AA	1101	A	N3-C4-N9	-5.58	122.94	127.40
1	AA	1111	A	C6-N1-C2	-5.58	115.25	118.60
1	AA	1312	G	C8-N9-C4	-5.58	104.17	106.40
3	AC	41	A	P-O3'-C3'	5.58	126.39	119.70
13	AM	79	PRO	N-CD-CG	5.58	111.56	103.20
26	BB	811	U	C5'-C4'-O4'	-5.58	102.41	109.10
26	BB	1142	A	C4-C5-C6	5.58	119.79	117.00
26	BB	1274	A	C6-C5-N7	-5.58	128.40	132.30
26	BB	2104	C	C6-N1-C2	-5.58	118.07	120.30
26	BB	2125	G	N7-C8-N9	-5.58	110.31	113.10
26	BB	2178	C	C3'-C2'-C1'	5.58	105.96	101.50
26	BB	2736	A	C4'-C3'-C2'	-5.58	97.03	102.60
26	BB	2796	U	C1'-O4'-C4'	-5.58	105.44	109.90
46	BV	79	ASP	CB-CG-OD2	-5.58	113.28	118.30
1	AA	468	A	C1'-O4'-C4'	-5.57	105.44	109.90
1	AA	470	C	N1-C2-O2	5.57	122.24	118.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1033	G	C5-C6-O6	5.57	131.94	128.60
1	AA	1117	A	C6-N1-C2	-5.57	115.26	118.60
1	AA	1531	A	C1'-O4'-C4'	-5.57	105.44	109.90
2	AB	5	G	C4-C5-C6	5.57	122.14	118.80
26	BB	183	C	N3-C4-N4	5.57	121.90	118.00
26	BB	283	G	C3'-C2'-C1'	-5.57	97.04	101.50
26	BB	529	A	O4'-C1'-N9	5.57	112.66	108.20
26	BB	624	C	O4'-C1'-N1	5.57	112.66	108.20
26	BB	676	A	C1'-O4'-C4'	5.57	114.36	109.90
26	BB	819	A	N7-C8-N9	-5.57	111.01	113.80
26	BB	839	U	C5'-C4'-C3'	-5.57	107.08	116.00
26	BB	1129	A	N9-C1'-C2'	5.57	121.25	114.00
26	BB	1214	A	C6-N1-C2	5.57	121.94	118.60
26	BB	1236	G	N3-C4-N9	-5.57	122.66	126.00
26	BB	1515	A	C5-C6-N6	5.57	128.16	123.70
26	BB	1874	C	N3-C4-C5	-5.57	119.67	121.90
26	BB	2381	A	C5-C6-N1	5.57	120.49	117.70
26	BB	2472	G	C4-C5-N7	-5.57	108.57	110.80
41	BQ	69	ASP	CB-CG-OD1	-5.57	113.28	118.30
1	AA	481	G	C4-C5-C6	5.57	122.14	118.80
1	AA	904	U	N1-C1'-C2'	-5.57	105.87	112.00
26	BB	295	G	C4-C5-N7	-5.57	108.57	110.80
26	BB	1348	C	O4'-C1'-N1	5.57	112.66	108.20
26	BB	1612	C	C4'-C3'-C2'	-5.57	97.03	102.60
26	BB	1978	A	C4-C5-N7	-5.57	107.91	110.70
26	BB	2211	A	O5'-C5'-C4'	5.57	122.29	111.70
26	BB	2319	G	C1'-O4'-C4'	-5.57	105.44	109.90
26	BB	2779	U	C5-C4-O4	-5.57	122.56	125.90
1	AA	841	C	N1-C1'-C2'	5.57	121.24	114.00
1	AA	1230	C	N3-C2-O2	-5.57	118.00	121.90
1	AA	1448	C	C2-N3-C4	5.57	122.69	119.90
2	AB	26	A	N1-C6-N6	5.57	121.94	118.60
11	AK	113	ARG	NE-CZ-NH2	-5.57	117.51	120.30
25	BA	7	G	C2-N3-C4	5.57	114.69	111.90
26	BB	454	A	N1-C6-N6	-5.57	115.26	118.60
26	BB	767	U	N3-C4-C5	5.57	117.94	114.60
26	BB	1084	A	C3'-C2'-C1'	5.57	105.96	101.50
26	BB	1348	C	N3-C2-O2	-5.57	118.00	121.90
26	BB	1684	G	P-O3'-C3'	5.57	126.39	119.70
26	BB	2794	C	C5'-C4'-O4'	5.57	115.78	109.10
32	BH	103	ASN	C-N-CA	5.57	135.63	121.70
1	AA	799	G	O4'-C1'-N9	5.57	112.66	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	910	C	N3-C4-N4	5.57	121.90	118.00
26	BB	2335	A	C5'-C4'-O4'	5.57	115.78	109.10
1	AA	135	C	N3-C2-O2	-5.57	118.00	121.90
1	AA	142	G	C5'-C4'-O4'	5.57	115.78	109.10
1	AA	151	A	N1-C6-N6	-5.57	115.26	118.60
1	AA	336	A	N3-C4-C5	-5.57	122.90	126.80
1	AA	374	A	N9-C1'-C2'	-5.57	105.88	112.00
1	AA	609	A	C5-N7-C8	-5.57	101.12	103.90
1	AA	618	C	C6-N1-C2	5.57	122.53	120.30
1	AA	833	G	C6-C5-N7	-5.57	127.06	130.40
1	AA	978	A	N7-C8-N9	-5.57	111.02	113.80
1	AA	1072	G	C1'-O4'-C4'	5.57	114.35	109.90
1	AA	1436	U	O4'-C1'-N1	5.57	112.66	108.20
2	AB	48	U	N3-C4-O4	-5.57	115.50	119.40
26	BB	124	G	O4'-C4'-C3'	-5.57	98.43	104.00
26	BB	742	A	N1-C2-N3	-5.57	126.52	129.30
26	BB	800	A	C4'-C3'-C2'	5.57	108.17	102.60
26	BB	809	G	C3'-C2'-C1'	-5.57	97.05	101.50
26	BB	933	A	C8-N9-C4	-5.57	103.57	105.80
26	BB	1002	G	C6-N1-C2	-5.57	121.76	125.10
26	BB	1677	A	C8-N9-C4	5.57	108.03	105.80
26	BB	1876	A	C1'-O4'-C4'	5.57	114.35	109.90
26	BB	2207	C	C3'-C2'-C1'	-5.57	97.05	101.50
26	BB	2395	C	N3-C2-O2	-5.57	118.00	121.90
26	BB	2451	A	C1'-O4'-C4'	-5.57	105.44	109.90
26	BB	2558	C	P-O5'-C5'	5.57	129.81	120.90
26	BB	2801	G	C8-N9-C4	-5.57	104.17	106.40
1	AA	19	A	O4'-C1'-N9	5.57	112.65	108.20
1	AA	464	U	O4'-C1'-N1	5.57	112.65	108.20
1	AA	645	G	C8-N9-C4	5.57	108.63	106.40
1	AA	752	G	C8-N9-C4	-5.57	104.17	106.40
1	AA	840	C	C5-C4-N4	5.57	124.10	120.20
1	AA	1325	C	C5-C6-N1	-5.57	118.22	121.00
1	AA	1532	U	C5'-C4'-C3'	-5.57	107.09	116.00
4	AD	23	G	N9-C4-C5	5.57	107.63	105.40
26	BB	43	G	P-O3'-C3'	5.57	126.38	119.70
26	BB	83	A	N9-C4-C5	-5.57	103.57	105.80
26	BB	240	C	C4-C5-C6	5.57	120.18	117.40
26	BB	478	A	N3-C4-C5	5.57	130.70	126.80
26	BB	963	U	C1'-O4'-C4'	-5.57	105.45	109.90
26	BB	1047	G	C5'-C4'-O4'	5.57	115.78	109.10
26	BB	1191	G	N9-C1'-C2'	-5.57	105.88	112.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1626	A	C5-C6-N6	5.57	128.15	123.70
26	BB	2064	C	N1-C2-O2	5.57	122.24	118.90
26	BB	2225	A	C5-C6-N1	-5.57	114.92	117.70
26	BB	2333	A	C4'-C3'-C2'	-5.57	97.03	102.60
26	BB	2781	A	C5'-C4'-O4'	5.57	115.78	109.10
26	BB	2816	G	N1-C6-O6	-5.57	116.56	119.90
1	AA	599	C	C3'-C2'-C1'	5.56	105.95	101.50
1	AA	1189	U	O5'-P-OP2	-5.56	100.69	105.70
1	AA	1522	U	N1-C2-O2	5.56	126.69	122.80
6	AF	200	TRP	NE1-CE2-CZ2	5.56	136.52	130.40
8	AH	156	ARG	NE-CZ-NH1	5.56	123.08	120.30
15	AO	37	TYR	CG-CD2-CE2	-5.56	116.85	121.30
26	BB	214	G	C2-N3-C4	5.56	114.68	111.90
26	BB	388	G	C8-N9-C4	-5.56	104.17	106.40
26	BB	1320	C	C1'-O4'-C4'	-5.56	105.45	109.90
26	BB	1525	A	N9-C1'-C2'	-5.56	105.88	112.00
1	AA	242	G	C5-N7-C8	-5.56	101.52	104.30
1	AA	616	G	N1-C2-N2	5.56	121.21	116.20
1	AA	788	U	C5-C6-N1	5.56	125.48	122.70
1	AA	976	G	C1'-O4'-C4'	5.56	114.35	109.90
1	AA	1242	G	C3'-C2'-C1'	5.56	105.95	101.50
1	AA	1261	A	C5-C6-N6	-5.56	119.25	123.70
3	AC	26	U	N1-C2-N3	5.56	118.24	114.90
10	AJ	90	VAL	CA-CB-CG1	-5.56	102.56	110.90
25	BA	24	G	P-O3'-C3'	5.56	126.37	119.70
26	BB	171	U	O4'-C1'-C2'	-5.56	100.24	105.80
26	BB	629	G	C5-C6-N1	5.56	114.28	111.50
26	BB	1091	G	C8-N9-C4	-5.56	104.17	106.40
26	BB	1229	C	C5'-C4'-C3'	-5.56	107.10	116.00
26	BB	1509	A	C6-N1-C2	-5.56	115.26	118.60
26	BB	1666	G	N3-C2-N2	5.56	123.79	119.90
26	BB	1695	G	N7-C8-N9	5.56	115.88	113.10
26	BB	1972	G	N3-C4-N9	5.56	129.34	126.00
26	BB	2053	G	C4-C5-C6	5.56	122.14	118.80
26	BB	2363	G	C4-C5-C6	5.56	122.14	118.80
26	BB	2431	U	C4'-C3'-C2'	-5.56	97.04	102.60
26	BB	2818	U	C4-C5-C6	5.56	123.04	119.70
26	BB	2825	G	N3-C4-N9	5.56	129.34	126.00
26	BB	2864	G	C6-N1-C2	-5.56	121.76	125.10
45	BU	75	PHE	CB-CG-CD2	-5.56	116.91	120.80
26	BB	943	A	C5-C6-N1	-5.56	114.92	117.70
26	BB	1036	G	N1-C6-O6	-5.56	116.56	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1673	G	O4'-C4'-C3'	5.56	110.55	106.10
26	BB	1922	G	C6-N1-C2	-5.56	121.76	125.10
26	BB	2337	G	O4'-C1'-N9	5.56	112.65	108.20
1	AA	9	G	O5'-P-OP2	-5.56	100.70	105.70
1	AA	195	A	C3'-C2'-C1'	5.56	105.95	101.50
1	AA	361	G	C4-C5-C6	5.56	122.14	118.80
1	AA	781	A	C4-C5-N7	-5.56	107.92	110.70
1	AA	1313	U	C5-C4-O4	-5.56	122.56	125.90
4	AD	53	G	C5-N7-C8	5.56	107.08	104.30
6	AF	145	ALA	CB-CA-C	5.56	118.44	110.10
25	BA	73	A	P-O3'-C3'	5.56	126.37	119.70
26	BB	239	C	O4'-C4'-C3'	5.56	110.55	106.10
26	BB	273	G	N9-C4-C5	5.56	107.62	105.40
26	BB	330	A	C5'-C4'-O4'	5.56	115.77	109.10
26	BB	544	C	N1-C2-O2	5.56	122.24	118.90
26	BB	695	G	C4-C5-N7	5.56	113.02	110.80
26	BB	800	A	C5-C6-N6	5.56	128.15	123.70
26	BB	1785	A	C5'-C4'-O4'	5.56	115.77	109.10
26	BB	1914	C	O4'-C1'-N1	5.56	112.65	108.20
26	BB	1921	G	C6-C5-N7	-5.56	127.06	130.40
26	BB	1970	A	C4-C5-N7	-5.56	107.92	110.70
26	BB	2812	G	N1-C2-N3	-5.56	120.56	123.90
1	AA	453	G	N9-C1'-C2'	-5.56	105.89	112.00
1	AA	1458	G	N3-C2-N2	-5.56	116.01	119.90
1	AA	1502	A	C4'-C3'-C2'	-5.56	97.04	102.60
3	AC	30	U	P-O3'-C3'	5.56	126.37	119.70
4	AD	9	G	C5-C6-N1	5.56	114.28	111.50
26	BB	173	A	N7-C8-N9	5.56	116.58	113.80
26	BB	577	G	C1'-O4'-C4'	5.56	114.35	109.90
26	BB	750	A	C3'-C2'-C1'	5.56	105.95	101.50
26	BB	1014	A	C5-C6-N6	-5.56	119.25	123.70
26	BB	1421	G	C4-C5-C6	-5.56	115.47	118.80
26	BB	1507	C	N3-C2-O2	-5.56	118.01	121.90
26	BB	1761	C	O4'-C1'-N1	5.56	112.65	108.20
26	BB	2084	C	C5-C6-N1	5.56	123.78	121.00
26	BB	2086	U	C5-C6-N1	-5.56	119.92	122.70
26	BB	2307	G	N9-C4-C5	-5.56	103.18	105.40
1	AA	635	A	O4'-C1'-N9	5.56	112.64	108.20
1	AA	665	A	C3'-C2'-C1'	-5.56	97.06	101.50
26	BB	355	U	N1-C2-O2	5.56	126.69	122.80
26	BB	724	U	N1-C2-N3	5.56	118.23	114.90
26	BB	1614	A	P-O3'-C3'	5.56	126.37	119.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2232	C	O4'-C1'-C2'	-5.56	100.24	105.80
1	AA	56	U	C6-N1-C2	-5.55	117.67	121.00
26	BB	156	A	N3-C4-C5	-5.55	122.91	126.80
26	BB	281	C	N3-C2-O2	-5.55	118.01	121.90
26	BB	303	G	P-O3'-C3'	5.55	126.36	119.70
26	BB	915	C	N3-C4-C5	5.55	124.12	121.90
26	BB	1505	A	C5-C6-N1	5.55	120.48	117.70
26	BB	1525	A	C5-C6-N1	-5.55	114.92	117.70
26	BB	1623	G	O4'-C1'-N9	5.55	112.64	108.20
26	BB	1739	A	C8-N9-C4	-5.55	103.58	105.80
26	BB	2446	G	O4'-C1'-C2'	5.55	112.60	107.60
1	AA	422	C	N3-C2-O2	5.55	125.79	121.90
1	AA	542	G	C5'-C4'-C3'	-5.55	107.11	116.00
1	AA	1058	G	C4-C5-N7	-5.55	108.58	110.80
3	AC	33	A	C5-C6-N6	-5.55	119.26	123.70
3	AC	45	G	C6-C5-N7	-5.55	127.07	130.40
26	BB	154	U	C4'-C3'-C2'	-5.55	97.05	102.60
26	BB	309	A	N9-C4-C5	5.55	108.02	105.80
26	BB	670	A	C5'-C4'-O4'	-5.55	102.44	109.10
26	BB	946	C	N3-C4-N4	5.55	121.89	118.00
26	BB	2067	G	C4-C5-N7	-5.55	108.58	110.80
1	AA	97	G	C6-C5-N7	-5.55	127.07	130.40
1	AA	148	G	C4-C5-C6	5.55	122.13	118.80
1	AA	387	U	N3-C4-O4	5.55	123.29	119.40
2	AB	10	G	C3'-C2'-C1'	5.55	105.94	101.50
16	AP	2	ARG	CD-NE-CZ	5.55	131.37	123.60
25	BA	27	C	C2-N3-C4	5.55	122.68	119.90
25	BA	108	A	C4'-C3'-C2'	5.55	108.15	102.60
26	BB	636	G	C3'-C2'-C1'	5.55	105.94	101.50
26	BB	788	A	N7-C8-N9	5.55	116.58	113.80
26	BB	888	C	C5-C4-N4	5.55	124.09	120.20
26	BB	1025	G	C5-C6-N1	5.55	114.28	111.50
26	BB	1497	U	N3-C2-O2	-5.55	118.31	122.20
26	BB	1574	C	C6-N1-C2	-5.55	118.08	120.30
26	BB	1695	G	C3'-C2'-C1'	5.55	105.94	101.50
26	BB	1988	G	O4'-C1'-N9	5.55	112.64	108.20
26	BB	2553	G	C5-C6-N1	5.55	114.28	111.50
26	BB	2560	A	C5-C6-N6	-5.55	119.26	123.70
26	BB	2577	A	C6-N1-C2	-5.55	115.27	118.60
34	BJ	54	VAL	CA-CB-CG2	5.55	119.23	110.90
1	AA	30	U	N3-C4-C5	5.55	117.93	114.60
1	AA	362	G	N3-C2-N2	5.55	123.78	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	432	A	O4'-C1'-N9	5.55	112.64	108.20
1	AA	643	C	C5-C6-N1	-5.55	118.22	121.00
1	AA	1533	C	C5-C4-N4	5.55	124.08	120.20
26	BB	420	C	N1-C2-N3	5.55	123.08	119.20
26	BB	840	C	C4-C5-C6	-5.55	114.63	117.40
26	BB	1011	G	O4'-C1'-N9	5.55	112.64	108.20
26	BB	1204	A	N3-C4-C5	-5.55	122.92	126.80
26	BB	1816	C	C5'-C4'-C3'	-5.55	107.12	116.00
26	BB	1956	U	N3-C4-O4	5.55	123.28	119.40
26	BB	2225	A	N3-C4-C5	-5.55	122.92	126.80
26	BB	2481	G	C4-N9-C1'	5.55	133.71	126.50
26	BB	2578	G	C5-C6-O6	-5.55	125.27	128.60
26	BB	2602	A	C6-C5-N7	-5.55	128.42	132.30
1	AA	251	G	O3'-P-O5'	-5.55	93.46	104.00
1	AA	706	A	C1'-O4'-C4'	5.55	114.34	109.90
1	AA	1316	G	N3-C4-C5	-5.55	125.83	128.60
10	AJ	98	LEU	CB-CG-CD1	-5.55	101.57	111.00
26	BB	468	G	N9-C4-C5	5.55	107.62	105.40
26	BB	704	G	C6-N1-C2	-5.55	121.77	125.10
26	BB	901	C	C6-N1-C2	5.55	122.52	120.30
26	BB	1081	U	P-O5'-C5'	5.55	129.78	120.90
26	BB	1838	C	N1-C2-O2	5.55	122.23	118.90
26	BB	1928	A	OP1-P-OP2	-5.55	111.28	119.60
26	BB	2397	G	C8-N9-C4	-5.55	104.18	106.40
29	BE	22	ILE	CG1-CB-CG2	-5.55	99.19	111.40
1	AA	1160	G	N9-C4-C5	5.55	107.62	105.40
1	AA	1448	C	C4-C5-C6	5.55	120.17	117.40
3	AC	26	U	O4'-C1'-C2'	-5.55	100.25	105.80
3	AC	31	U	N1-C2-O2	5.55	126.68	122.80
25	BA	79	G	C1'-O4'-C4'	-5.55	105.46	109.90
26	BB	203	A	C4-C5-C6	-5.55	114.23	117.00
26	BB	834	G	C2-N3-C4	5.55	114.67	111.90
26	BB	925	A	C2-N3-C4	-5.55	107.83	110.60
26	BB	1473	G	O4'-C1'-N9	-5.55	103.76	108.20
26	BB	1889	A	N1-C2-N3	5.55	132.07	129.30
26	BB	1953	A	C4'-C3'-C2'	-5.55	97.05	102.60
26	BB	2625	G	C5-C6-O6	-5.55	125.27	128.60
39	BO	6	ARG	NE-CZ-NH2	-5.55	117.53	120.30
1	AA	766	A	O4'-C1'-N9	5.54	112.64	108.20
9	AI	47	LEU	CB-CG-CD1	-5.54	101.57	111.00
26	BB	58	G	C5'-C4'-O4'	5.54	115.75	109.10
26	BB	124	G	C4-C5-N7	-5.54	108.58	110.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	619	G	C4-C5-N7	-5.54	108.58	110.80
26	BB	1603	A	C4-C5-C6	-5.54	114.23	117.00
26	BB	2158	A	C4-C5-N7	-5.54	107.93	110.70
29	BE	34	VAL	CA-CB-CG2	5.54	119.22	110.90
1	AA	260	G	C6-N1-C2	-5.54	121.77	125.10
1	AA	384	G	C4'-C3'-C2'	-5.54	97.06	102.60
1	AA	411	A	O4'-C4'-C3'	5.54	110.53	106.10
1	AA	1100	C	N3-C2-O2	-5.54	118.02	121.90
1	AA	1300	G	C4-N9-C1'	-5.54	119.29	126.50
1	AA	1388	C	C5'-C4'-O4'	5.54	115.75	109.10
1	AA	1392	G	N3-C4-C5	-5.54	125.83	128.60
2	AB	18	G	N9-C1'-C2'	5.54	121.20	114.00
2	AB	41	C	C4-C5-C6	5.54	120.17	117.40
11	AK	76	ARG	CD-NE-CZ	5.54	131.36	123.60
25	BA	38	C	N3-C4-C5	-5.54	119.68	121.90
26	BB	537	G	N9-C1'-C2'	-5.54	105.90	112.00
26	BB	613	A	P-O5'-C5'	5.54	129.77	120.90
26	BB	795	C	N3-C4-C5	5.54	124.12	121.90
26	BB	1551	A	N1-C2-N3	-5.54	126.53	129.30
26	BB	1925	C	C1'-O4'-C4'	5.54	114.33	109.90
26	BB	1977	A	N1-C2-N3	5.54	132.07	129.30
26	BB	2318	G	N1-C2-N3	-5.54	120.57	123.90
26	BB	2408	U	C4-C5-C6	5.54	123.03	119.70
1	AA	160	A	C5-N7-C8	-5.54	101.13	103.90
1	AA	299	G	N3-C2-N2	5.54	123.78	119.90
1	AA	667	G	N3-C4-C5	-5.54	125.83	128.60
1	AA	1080	A	C3'-C2'-C1'	5.54	105.93	101.50
1	AA	1406	U	N1-C2-N3	5.54	118.22	114.90
1	AA	1439	G	C4-C5-N7	-5.54	108.58	110.80
26	BB	116	C	C4'-C3'-C2'	-5.54	97.06	102.60
26	BB	352	A	C3'-C2'-C1'	5.54	105.93	101.50
26	BB	947	A	C5-C6-N1	-5.54	114.93	117.70
26	BB	1003	G	C4-C5-N7	5.54	113.02	110.80
26	BB	1084	A	O5'-C5'-C4'	-5.54	101.17	111.70
26	BB	1127	A	C4-C5-N7	-5.54	107.93	110.70
26	BB	1267	U	N3-C4-C5	-5.54	111.28	114.60
26	BB	1828	G	C5'-C4'-O4'	-5.54	102.45	109.10
26	BB	1966	A	C8-N9-C4	-5.54	103.58	105.80
26	BB	2269	G	N7-C8-N9	-5.54	110.33	113.10
26	BB	2386	A	N1-C6-N6	-5.54	115.28	118.60
26	BB	2693	G	C4'-C3'-C2'	-5.54	97.06	102.60
28	BD	180	MET	CB-CA-C	5.54	121.48	110.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	388	G	C5-C6-N1	5.54	114.27	111.50
1	AA	1240	U	O4'-C1'-C2'	-5.54	100.26	105.80
26	BB	245	G	N1-C6-O6	5.54	123.22	119.90
26	BB	540	C	O4'-C1'-N1	5.54	112.63	108.20
26	BB	1062	G	N7-C8-N9	5.54	115.87	113.10
26	BB	1319	C	C2-N3-C4	-5.54	117.13	119.90
26	BB	1496	A	C6-C5-N7	-5.54	128.42	132.30
26	BB	1734	G	C4-C5-N7	-5.54	108.58	110.80
26	BB	1824	G	N9-C4-C5	5.54	107.62	105.40
49	BY	39	GLN	CA-CB-CG	5.54	125.59	113.40
1	AA	748	G	N9-C4-C5	5.54	107.61	105.40
1	AA	1367	C	C5'-C4'-C3'	-5.54	107.14	116.00
26	BB	116	C	C6-N1-C2	5.54	122.52	120.30
26	BB	217	A	O4'-C4'-C3'	5.54	110.53	106.10
26	BB	572	A	C3'-C2'-C1'	5.54	105.93	101.50
26	BB	721	A	N1-C2-N3	5.54	132.07	129.30
26	BB	772	C	C2-N1-C1'	-5.54	112.71	118.80
26	BB	1233	C	N1-C2-N3	-5.54	115.32	119.20
26	BB	1304	A	C2-N3-C4	-5.54	107.83	110.60
26	BB	1385	A	C5'-C4'-O4'	-5.54	102.45	109.10
26	BB	1499	C	C5'-C4'-O4'	5.54	115.75	109.10
26	BB	1739	A	C5'-C4'-O4'	5.54	115.75	109.10
26	BB	1925	C	C5'-C4'-C3'	5.54	124.86	116.00
26	BB	2310	C	N3-C4-N4	5.54	121.88	118.00
26	BB	2405	G	N1-C2-N3	-5.54	120.58	123.90
26	BB	2518	A	C6-C5-N7	5.54	136.18	132.30
26	BB	2551	C	C5-C6-N1	-5.54	118.23	121.00
28	BD	160	TYR	CB-CG-CD2	5.54	124.32	121.00
1	AA	544	G	C4-C5-C6	5.54	122.12	118.80
1	AA	1000	A	C5-C6-N6	-5.54	119.27	123.70
1	AA	1177	G	C3'-C2'-C1'	5.54	105.93	101.50
25	BA	15	A	N7-C8-N9	5.54	116.57	113.80
26	BB	2474	U	C6-N1-C2	5.54	124.32	121.00
26	BB	2573	C	C6-N1-C2	-5.54	118.08	120.30
28	BD	211	ARG	NE-CZ-NH1	-5.54	117.53	120.30
1	AA	628	G	N3-C4-C5	-5.54	125.83	128.60
1	AA	1263	C	C3'-C2'-C1'	5.54	105.93	101.50
1	AA	1279	G	P-O3'-C3'	5.54	126.34	119.70
1	AA	1309	G	O4'-C1'-N9	5.54	112.63	108.20
1	AA	1494	G	N1-C2-N3	5.54	127.22	123.90
4	AD	2	G	C6-C5-N7	-5.54	127.08	130.40
4	AD	41	C	N3-C4-C5	-5.54	119.69	121.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	71	A	O4'-C4'-C3'	5.54	110.53	106.10
26	BB	251	A	C4'-C3'-C2'	-5.54	97.06	102.60
26	BB	784	G	C1'-O4'-C4'	-5.54	105.47	109.90
26	BB	1040	A	C4-C5-C6	-5.54	114.23	117.00
26	BB	1142	A	C4-C5-N7	-5.54	107.93	110.70
26	BB	1178	C	P-O3'-C3'	5.54	126.34	119.70
26	BB	1403	A	O4'-C1'-N9	5.54	112.63	108.20
26	BB	1517	G	O4'-C1'-N9	5.54	112.63	108.20
26	BB	1615	C	C1'-O4'-C4'	-5.54	105.47	109.90
26	BB	1868	C	C5'-C4'-O4'	5.54	115.74	109.10
26	BB	1890	A	C4'-C3'-O3'	5.54	124.07	113.00
26	BB	2265	U	N1-C1'-C2'	-5.54	105.91	112.00
26	BB	2711	A	P-O3'-C3'	5.54	126.34	119.70
46	BV	55	VAL	CG1-CB-CG2	-5.54	102.04	110.90
1	AA	355	C	C5-C6-N1	-5.53	118.23	121.00
1	AA	695	A	N7-C8-N9	-5.53	111.03	113.80
1	AA	742	G	C4-N9-C1'	-5.53	119.31	126.50
1	AA	773	G	C1'-O4'-C4'	-5.53	105.47	109.90
4	AD	60	A	N1-C2-N3	5.53	132.07	129.30
26	BB	57	C	O4'-C1'-C2'	-5.53	100.27	105.80
26	BB	160	A	N9-C4-C5	-5.53	103.59	105.80
26	BB	277	G	C5-N7-C8	-5.53	101.53	104.30
26	BB	314	C	P-O3'-C3'	5.53	126.34	119.70
26	BB	611	C	P-O3'-C3'	5.53	126.34	119.70
26	BB	627	A	O3'-P-O5'	-5.53	93.48	104.00
26	BB	642	U	O4'-C1'-N1	5.53	112.63	108.20
26	BB	831	G	O5'-C5'-C4'	5.53	122.22	111.70
26	BB	856	G	N7-C8-N9	5.53	115.87	113.10
26	BB	923	G	C3'-C2'-C1'	5.53	105.93	101.50
26	BB	1793	C	N3-C4-C5	-5.53	119.69	121.90
26	BB	1818	U	C5-C4-O4	-5.53	122.58	125.90
26	BB	1852	U	C4'-C3'-C2'	-5.53	97.07	102.60
26	BB	1854	A	C5'-C4'-O4'	5.53	115.74	109.10
26	BB	1888	G	N9-C4-C5	5.53	107.61	105.40
26	BB	2280	G	C5-N7-C8	-5.53	101.53	104.30
26	BB	2543	G	C5'-C4'-C3'	-5.53	107.15	116.00
43	BS	23	TYR	CA-CB-CG	5.53	123.91	113.40
1	AA	907	A	C8-N9-C4	5.53	108.01	105.80
1	AA	1029	U	O3'-P-O5'	-5.53	93.49	104.00
2	AB	52	A	O4'-C1'-C2'	-5.53	100.27	105.80
9	AI	86	ARG	NE-CZ-NH2	5.53	123.07	120.30
26	BB	427	U	C6-N1-C2	-5.53	117.68	121.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1082	U	C4'-C3'-C2'	-5.53	97.07	102.60
26	BB	2828	G	C5'-C4'-O4'	5.53	115.74	109.10
1	AA	32	A	C4-C5-C6	-5.53	114.23	117.00
1	AA	329	A	N1-C2-N3	-5.53	126.53	129.30
1	AA	498	A	O4'-C1'-N9	5.53	112.62	108.20
1	AA	684	U	N3-C4-C5	5.53	117.92	114.60
1	AA	838	G	N3-C4-C5	5.53	131.37	128.60
1	AA	975	A	P-O3'-C3'	5.53	126.34	119.70
1	AA	1172	C	C4'-C3'-C2'	-5.53	97.07	102.60
1	AA	1203	C	C2-N3-C4	-5.53	117.14	119.90
1	AA	1275	A	C3'-C2'-C1'	-5.53	97.08	101.50
3	AC	16	A	N7-C8-N9	5.53	116.56	113.80
26	BB	226	A	C3'-C2'-C1'	5.53	105.92	101.50
26	BB	564	C	C5'-C4'-C3'	-5.53	107.15	116.00
26	BB	629	G	C4'-C3'-C2'	-5.53	97.07	102.60
26	BB	794	A	N3-C4-N9	5.53	131.82	127.40
26	BB	916	G	C5-C6-O6	-5.53	125.28	128.60
26	BB	1401	G	C5-N7-C8	-5.53	101.53	104.30
26	BB	1649	G	C2-N3-C4	-5.53	109.14	111.90
26	BB	1667	G	C2-N3-C4	5.53	114.67	111.90
26	BB	1815	A	N9-C1'-C2'	-5.53	105.92	112.00
26	BB	2117	A	O4'-C4'-C3'	5.53	110.52	106.10
26	BB	2174	C	O4'-C1'-N1	5.53	112.62	108.20
26	BB	2205	A	N1-C2-N3	-5.53	126.53	129.30
26	BB	2308	G	O4'-C1'-C2'	5.53	112.58	107.60
26	BB	2484	G	N9-C4-C5	5.53	107.61	105.40
26	BB	2529	G	N1-C6-O6	-5.53	116.58	119.90
26	BB	2571	U	P-O3'-C3'	5.53	126.34	119.70
1	AA	1039	G	N1-C2-N3	-5.53	120.58	123.90
9	AI	133	GLU	OE1-CD-OE2	5.53	129.94	123.30
14	AN	92	ARG	CD-NE-CZ	5.53	131.34	123.60
26	BB	93	G	C8-N9-C1'	5.53	134.19	127.00
26	BB	377	G	N1-C6-O6	-5.53	116.58	119.90
26	BB	402	A	C5-N7-C8	-5.53	101.14	103.90
26	BB	1610	A	N9-C1'-C2'	-5.53	105.92	112.00
26	BB	1861	G	C5-N7-C8	5.53	107.06	104.30
1	AA	288	A	C5-C6-N6	5.53	128.12	123.70
1	AA	733	G	N9-C4-C5	5.53	107.61	105.40
1	AA	940	C	C5'-C4'-O4'	5.53	115.73	109.10
4	AD	68	C	C5-C4-N4	5.53	124.07	120.20
26	BB	137	U	N3-C4-O4	5.53	123.27	119.40
26	BB	579	G	N1-C6-O6	-5.53	116.58	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	915	C	N1-C2-O2	5.53	122.22	118.90
26	BB	1041	G	C8-N9-C4	-5.53	104.19	106.40
26	BB	1064	C	N3-C4-C5	5.53	124.11	121.90
26	BB	1419	A	C4'-C3'-C2'	-5.53	97.07	102.60
26	BB	1576	U	C5-C6-N1	5.53	125.46	122.70
26	BB	1620	G	C2-N3-C4	5.53	114.66	111.90
26	BB	1655	A	C4-C5-C6	-5.53	114.24	117.00
26	BB	2321	U	O4'-C4'-C3'	5.53	110.52	106.10
26	BB	2529	G	O4'-C1'-N9	-5.53	103.78	108.20
26	BB	2859	G	O4'-C1'-C2'	-5.53	100.27	105.80
53	B2	59	ARG	CD-NE-CZ	5.53	131.34	123.60
1	AA	306	A	O5'-C5'-C4'	5.53	122.20	111.70
1	AA	538	G	C6-N1-C2	-5.53	121.78	125.10
1	AA	765	G	C3'-C2'-C1'	5.53	105.92	101.50
1	AA	942	G	N9-C4-C5	5.53	107.61	105.40
1	AA	1310	G	C4'-C3'-O3'	5.53	124.05	113.00
8	AH	20	VAL	CG1-CB-CG2	5.53	119.74	110.90
25	BA	8	C	C4-C5-C6	-5.53	114.64	117.40
26	BB	930	G	C4'-C3'-C2'	-5.53	97.07	102.60
26	BB	1193	G	C5-N7-C8	-5.53	101.54	104.30
26	BB	1612	C	O4'-C1'-N1	5.53	112.62	108.20
26	BB	1718	G	N9-C4-C5	5.53	107.61	105.40
26	BB	2293	G	C5'-C4'-O4'	5.53	115.73	109.10
26	BB	2500	U	O5'-C5'-C4'	5.53	122.20	111.70
26	BB	2518	A	C2-N3-C4	5.53	113.36	110.60
26	BB	2691	C	N1-C1'-C2'	-5.53	105.92	112.00
26	BB	2708	G	C4-C5-C6	-5.53	115.48	118.80
26	BB	2858	C	P-O3'-C3'	5.53	126.33	119.70
1	AA	617	G	C6-N1-C2	-5.52	121.78	125.10
1	AA	706	A	C5'-C4'-O4'	5.52	115.73	109.10
1	AA	1181	G	N3-C4-C5	-5.52	125.84	128.60
2	AB	21	A	N1-C6-N6	5.52	121.92	118.60
3	AC	29	G	C4-C5-N7	-5.52	108.59	110.80
25	BA	57	A	N9-C1'-C2'	5.52	121.18	114.00
26	BB	591	U	N1-C2-N3	5.52	118.22	114.90
26	BB	818	G	N3-C4-N9	5.52	129.31	126.00
26	BB	2114	A	O5'-C5'-C4'	-5.52	101.20	111.70
1	AA	81	A	N9-C4-C5	-5.52	103.59	105.80
1	AA	657	U	C6-N1-C2	5.52	124.31	121.00
1	AA	787	A	P-O3'-C3'	5.52	126.33	119.70
1	AA	953	G	N9-C4-C5	5.52	107.61	105.40
4	AD	76	C	C6-N1-C2	-5.52	118.09	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	4	U	C2-N3-C4	-5.52	123.69	127.00
26	BB	17	G	C5'-C4'-O4'	5.52	115.73	109.10
26	BB	82	U	C5-C4-O4	-5.52	122.59	125.90
26	BB	142	A	O4'-C1'-N9	5.52	112.62	108.20
26	BB	375	G	N3-C4-N9	5.52	129.31	126.00
26	BB	579	G	N3-C4-N9	5.52	129.31	126.00
26	BB	653	U	C6-N1-C2	5.52	124.31	121.00
26	BB	770	G	N9-C4-C5	-5.52	103.19	105.40
26	BB	1054	A	C1'-O4'-C4'	5.52	114.32	109.90
26	BB	1091	G	C1'-O4'-C4'	-5.52	105.48	109.90
26	BB	1121	C	C1'-O4'-C4'	-5.52	105.48	109.90
26	BB	1193	G	N1-C6-O6	5.52	123.21	119.90
26	BB	1377	G	C8-N9-C1'	5.52	134.18	127.00
26	BB	1656	C	C4-C5-C6	-5.52	114.64	117.40
26	BB	1732	C	C6-N1-C2	-5.52	118.09	120.30
26	BB	2035	G	N3-C4-N9	-5.52	122.69	126.00
26	BB	2517	C	C2-N1-C1'	-5.52	112.72	118.80
26	BB	2559	C	C4-C5-C6	-5.52	114.64	117.40
37	BM	11	ALA	N-CA-CB	-5.52	102.37	110.10
1	AA	1291	U	C5-C4-O4	5.52	129.21	125.90
4	AD	23	G	N1-C2-N2	5.52	121.17	116.20
26	BB	1081	U	N1-C2-O2	5.52	126.66	122.80
26	BB	1095	A	C6-N1-C2	5.52	121.91	118.60
26	BB	1396	U	C5-C4-O4	-5.52	122.59	125.90
26	BB	1574	C	C5'-C4'-O4'	5.52	115.73	109.10
26	BB	1817	G	C5-C6-O6	5.52	131.91	128.60
26	BB	2167	U	C1'-O4'-C4'	-5.52	105.48	109.90
26	BB	2398	U	C5-C4-O4	-5.52	122.59	125.90
26	BB	2811	G	C3'-C2'-C1'	5.52	105.92	101.50
1	AA	303	A	N9-C4-C5	5.52	108.01	105.80
1	AA	439	U	N3-C2-O2	-5.52	118.34	122.20
1	AA	629	A	C3'-C2'-C1'	5.52	105.92	101.50
1	AA	847	G	N3-C4-N9	5.52	129.31	126.00
1	AA	1044	A	C5-C6-N6	-5.52	119.28	123.70
1	AA	1409	C	C4-C5-C6	5.52	120.16	117.40
24	AX	32	ARG	NE-CZ-NH1	5.52	123.06	120.30
24	AX	34	ARG	NE-CZ-NH2	-5.52	117.54	120.30
25	BA	61	G	O4'-C1'-N9	5.52	112.62	108.20
26	BB	726	G	O3'-P-O5'	-5.52	93.51	104.00
26	BB	1100	C	C4'-C3'-C2'	-5.52	97.08	102.60
26	BB	1459	G	C4'-C3'-C2'	-5.52	97.08	102.60
26	BB	1714	U	C1'-O4'-C4'	-5.52	105.48	109.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1800	C	O3'-P-O5'	-5.52	93.51	104.00
26	BB	1895	C	N3-C4-C5	-5.52	119.69	121.90
26	BB	1975	G	N1-C2-N3	5.52	127.21	123.90
26	BB	2122	U	N3-C4-C5	5.52	117.91	114.60
26	BB	2194	U	C4-C5-C6	5.52	123.01	119.70
26	BB	2507	C	C5'-C4'-O4'	5.52	115.72	109.10
26	BB	2663	G	C5-C6-N1	5.52	114.26	111.50
1	AA	251	G	C4'-C3'-C2'	5.52	108.12	102.60
1	AA	415	A	C5-N7-C8	5.52	106.66	103.90
1	AA	1238	A	O4'-C1'-C2'	5.52	112.57	107.60
26	BB	12	U	C5-C6-N1	-5.52	119.94	122.70
26	BB	14	A	C4-C5-N7	-5.52	107.94	110.70
26	BB	386	G	C8-N9-C1'	5.52	134.17	127.00
26	BB	557	C	C5-C6-N1	-5.52	118.24	121.00
26	BB	591	U	N1-C2-O2	5.52	126.66	122.80
26	BB	790	U	C4'-C3'-C2'	-5.52	97.08	102.60
26	BB	1110	G	C8-N9-C4	-5.52	104.19	106.40
26	BB	1192	G	P-O3'-C3'	5.52	126.32	119.70
26	BB	1473	G	C4-C5-N7	-5.52	108.59	110.80
26	BB	2694	G	N1-C2-N2	5.52	121.17	116.20
26	BB	2740	A	N1-C6-N6	5.52	121.91	118.60
1	AA	141	G	C4-N9-C1'	-5.52	119.33	126.50
1	AA	478	A	C6-N1-C2	-5.52	115.29	118.60
1	AA	773	G	C6-N1-C2	-5.52	121.79	125.10
1	AA	867	G	C4'-C3'-C2'	-5.52	97.08	102.60
1	AA	1119	C	C4'-C3'-C2'	-5.52	97.08	102.60
4	AD	52	C	N1-C1'-C2'	-5.52	105.93	112.00
6	AF	231	ARG	NE-CZ-NH1	-5.52	117.54	120.30
25	BA	23	G	C5-C6-O6	-5.52	125.29	128.60
26	BB	896	A	C6-C5-N7	5.52	136.16	132.30
26	BB	2259	U	N3-C2-O2	-5.52	118.34	122.20
34	BJ	68	PHE	CD1-CG-CD2	5.52	125.47	118.30
1	AA	121	U	C4'-C3'-C2'	-5.51	97.08	102.60
1	AA	400	C	C5-C6-N1	5.51	123.76	121.00
1	AA	401	C	N3-C2-O2	5.51	125.76	121.90
1	AA	453	G	O4'-C1'-N9	5.51	112.61	108.20
1	AA	851	G	C6-C5-N7	5.51	133.71	130.40
1	AA	1096	C	N3-C2-O2	-5.51	118.04	121.90
7	AG	170	LEU	CB-CA-C	5.51	120.68	110.20
11	AK	54	THR	CA-CB-CG2	5.51	120.12	112.40
12	AL	28	VAL	CA-CB-CG2	-5.51	102.63	110.90
26	BB	385	C	C2-N3-C4	5.51	122.66	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	395	U	C5-C4-O4	-5.51	122.59	125.90
26	BB	961	C	N3-C4-C5	-5.51	119.69	121.90
26	BB	1128	G	C6-C5-N7	-5.51	127.09	130.40
26	BB	1631	G	C5'-C4'-O4'	5.51	115.72	109.10
26	BB	1825	U	C5-C4-O4	-5.51	122.59	125.90
26	BB	1829	A	O4'-C1'-N9	5.51	112.61	108.20
26	BB	1875	G	OP1-P-O3'	5.51	117.33	105.20
26	BB	2051	A	P-O3'-C3'	5.51	126.32	119.70
26	BB	2303	G	O4'-C1'-N9	5.51	112.61	108.20
26	BB	2467	C	OP1-P-O3'	5.51	117.33	105.20
26	BB	2626	C	C4-C5-C6	-5.51	114.64	117.40
52	B1	52	PHE	CB-CG-CD1	-5.51	116.94	120.80
1	AA	58	C	C3'-C2'-C1'	5.51	105.91	101.50
1	AA	303	A	C2-N3-C4	5.51	113.36	110.60
1	AA	462	G	N3-C2-N2	-5.51	116.04	119.90
1	AA	682	G	C2'-C3'-O3'	5.51	122.52	113.70
1	AA	793	U	N3-C2-O2	-5.51	118.34	122.20
1	AA	1002	G	N1-C6-O6	-5.51	116.59	119.90
1	AA	1482	G	C6-N1-C2	-5.51	121.79	125.10
26	BB	396	G	C8-N9-C4	-5.51	104.19	106.40
26	BB	1208	C	C5-C6-N1	5.51	123.76	121.00
26	BB	1573	G	N3-C4-C5	-5.51	125.84	128.60
26	BB	1700	A	C3'-C2'-C1'	-5.51	97.09	101.50
26	BB	1931	U	N1-C2-N3	5.51	118.21	114.90
26	BB	2190	G	C5-C6-O6	-5.51	125.29	128.60
26	BB	2209	G	C5-C6-N1	5.51	114.26	111.50
39	BO	49	ALA	CB-CA-C	5.51	118.37	110.10
42	BR	30	TRP	CG-CD2-CE3	5.51	138.86	133.90
1	AA	11	G	C4-C5-C6	5.51	122.11	118.80
1	AA	279	A	N1-C2-N3	-5.51	126.54	129.30
1	AA	381	C	O4'-C1'-C2'	-5.51	100.29	105.80
1	AA	482	A	C5-N7-C8	5.51	106.66	103.90
1	AA	736	C	O4'-C1'-N1	5.51	112.61	108.20
1	AA	1325	C	N1-C2-N3	5.51	123.06	119.20
1	AA	1327	C	C4'-C3'-C2'	-5.51	97.09	102.60
1	AA	1434	A	N9-C1'-C2'	-5.51	105.94	112.00
26	BB	983	A	C3'-C2'-C1'	5.51	105.91	101.50
26	BB	1062	G	C6-C5-N7	-5.51	127.09	130.40
26	BB	1206	G	C2-N3-C4	5.51	114.66	111.90
26	BB	1637	A	N9-C4-C5	5.51	108.00	105.80
26	BB	1643	G	C4'-C3'-C2'	-5.51	97.09	102.60
26	BB	1906	G	N7-C8-N9	-5.51	110.34	113.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2105	U	C5-C4-O4	5.51	129.21	125.90
26	BB	2313	C	N3-C4-N4	5.51	121.86	118.00
26	BB	2458	G	N9-C4-C5	5.51	107.61	105.40
26	BB	2485	G	C2-N3-C4	5.51	114.66	111.90
26	BB	2873	A	C4-C5-C6	5.51	119.76	117.00
1	AA	348	G	C6-N1-C2	-5.51	121.79	125.10
1	AA	350	G	N1-C2-N2	5.51	121.16	116.20
1	AA	473	U	C5-C6-N1	-5.51	119.95	122.70
1	AA	761	G	C3'-C2'-C1'	5.51	105.91	101.50
1	AA	1134	G	P-O3'-C3'	5.51	126.31	119.70
21	AU	28	LEU	CB-CG-CD1	-5.51	101.64	111.00
26	BB	31	C	N1-C2-O2	5.51	122.21	118.90
26	BB	130	C	N1-C2-N3	5.51	123.06	119.20
26	BB	157	C	C2-N3-C4	5.51	122.66	119.90
26	BB	324	A	C5-C6-N6	5.51	128.11	123.70
26	BB	482	A	N1-C6-N6	-5.51	115.29	118.60
26	BB	555	G	C5-C6-O6	-5.51	125.29	128.60
26	BB	1409	U	C5-C4-O4	-5.51	122.59	125.90
26	BB	1605	C	C5-C4-N4	-5.51	116.34	120.20
26	BB	1712	U	N3-C4-O4	-5.51	115.54	119.40
26	BB	1723	G	O4'-C1'-N9	5.51	112.61	108.20
26	BB	1891	G	C2-N3-C4	5.51	114.66	111.90
26	BB	2156	G	O4'-C4'-C3'	5.51	110.51	106.10
26	BB	2164	C	N3-C4-N4	-5.51	114.14	118.00
26	BB	2607	G	N7-C8-N9	5.51	115.85	113.10
1	AA	679	C	C5-C4-N4	-5.51	116.34	120.20
1	AA	1300	G	N3-C2-N2	-5.51	116.04	119.90
26	BB	479	A	C2-N3-C4	-5.51	107.85	110.60
26	BB	668	A	N1-C6-N6	-5.51	115.30	118.60
26	BB	984	A	C6-N1-C2	5.51	121.91	118.60
26	BB	1779	U	C5-C4-O4	-5.51	122.59	125.90
26	BB	2683	C	N3-C4-N4	-5.51	114.14	118.00
45	BU	8	ARG	NE-CZ-NH2	-5.51	117.55	120.30
1	AA	334	C	N1-C2-O2	5.51	122.20	118.90
1	AA	400	C	C4-C5-C6	-5.51	114.65	117.40
1	AA	982	U	P-O3'-C3'	5.51	126.31	119.70
1	AA	999	C	C5'-C4'-O4'	5.51	115.71	109.10
1	AA	1121	U	N1-C2-O2	5.51	126.65	122.80
1	AA	1270	G	C2'-C3'-O3'	5.51	122.51	113.70
1	AA	1305	G	P-O3'-C3'	5.51	126.31	119.70
2	AB	14	A	N7-C8-N9	5.51	116.55	113.80
3	AC	41	A	C3'-C2'-C1'	5.51	105.91	101.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BA	92	C	C6-N1-C2	-5.51	118.10	120.30
26	BB	70	G	C4'-C3'-C2'	-5.51	97.09	102.60
26	BB	227	A	C5'-C4'-O4'	5.51	115.71	109.10
26	BB	673	C	C4-C5-C6	5.51	120.15	117.40
26	BB	753	A	N3-C4-N9	5.51	131.81	127.40
26	BB	1134	A	O5'-P-OP1	-5.51	100.74	105.70
26	BB	1410	G	N9-C1'-C2'	-5.51	105.94	112.00
26	BB	1910	G	O4'-C4'-C3'	5.51	110.50	106.10
26	BB	2274	A	C5-C6-N1	5.51	120.45	117.70
26	BB	2444	G	C4'-C3'-C2'	-5.51	97.09	102.60
26	BB	2700	A	C3'-C2'-C1'	5.51	105.91	101.50
49	BY	22	VAL	CA-CB-CG1	5.51	119.16	110.90
1	AA	275	G	C2-N3-C4	-5.50	109.15	111.90
1	AA	1528	U	N3-C2-O2	-5.50	118.35	122.20
3	AC	55	A	O3'-P-O5'	5.50	114.46	104.00
26	BB	238	C	N1-C1'-C2'	-5.50	105.94	112.00
26	BB	253	C	N3-C4-N4	5.50	121.85	118.00
26	BB	613	A	N1-C2-N3	-5.50	126.55	129.30
26	BB	1138	G	N7-C8-N9	5.50	115.85	113.10
26	BB	1144	A	N3-C4-C5	-5.50	122.95	126.80
26	BB	1595	C	C5-C6-N1	5.50	123.75	121.00
1	AA	113	G	N3-C4-C5	-5.50	125.85	128.60
1	AA	125	U	O4'-C1'-N1	5.50	112.60	108.20
1	AA	400	C	C2-N3-C4	5.50	122.65	119.90
1	AA	544	G	C3'-C2'-C1'	5.50	105.90	101.50
1	AA	628	G	C4'-C3'-C2'	-5.50	97.10	102.60
1	AA	872	A	C4'-C3'-C2'	-5.50	97.10	102.60
1	AA	997	U	C4'-C3'-C2'	-5.50	97.10	102.60
1	AA	1182	G	O4'-C4'-C3'	-5.50	98.50	104.00
2	AB	53	G	C5'-C4'-C3'	-5.50	107.19	116.00
4	AD	28	U	O4'-C1'-N1	5.50	112.60	108.20
26	BB	42	A	O4'-C1'-N9	5.50	112.60	108.20
26	BB	477	A	C3'-C2'-C1'	5.50	105.90	101.50
26	BB	697	G	N3-C2-N2	5.50	123.75	119.90
26	BB	765	C	N3-C4-N4	5.50	121.85	118.00
26	BB	903	C	C4'-C3'-C2'	-5.50	97.10	102.60
26	BB	1056	G	N1-C2-N2	5.50	121.15	116.20
26	BB	1256	G	N7-C8-N9	5.50	115.85	113.10
26	BB	1432	G	C5-N7-C8	-5.50	101.55	104.30
26	BB	1779	U	C5-C6-N1	-5.50	119.95	122.70
26	BB	2135	A	C4-C5-C6	5.50	119.75	117.00
26	BB	2155	U	C3'-C2'-C1'	5.50	105.90	101.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
31	BG	21	TYR	CB-CG-CD2	-5.50	117.70	121.00
1	AA	260	G	C2-N3-C4	5.50	114.65	111.90
1	AA	514	C	C5'-C4'-O4'	5.50	115.70	109.10
1	AA	1158	C	C6-N1-C1'	-5.50	114.20	120.80
1	AA	1166	G	C5-C6-O6	5.50	131.90	128.60
11	AK	64	TYR	CB-CG-CD2	-5.50	117.70	121.00
26	BB	31	C	C5-C4-N4	-5.50	116.35	120.20
26	BB	121	G	C3'-C2'-C1'	-5.50	97.10	101.50
26	BB	228	C	C6-N1-C2	-5.50	118.10	120.30
26	BB	252	G	N3-C4-C5	-5.50	125.85	128.60
26	BB	277	G	N9-C1'-C2'	-5.50	105.95	112.00
26	BB	309	A	N1-C2-N3	-5.50	126.55	129.30
26	BB	439	A	O4'-C1'-C2'	5.50	112.55	107.60
26	BB	1123	C	P-O3'-C3'	5.50	126.30	119.70
26	BB	1271	G	C5-C6-N1	5.50	114.25	111.50
26	BB	1504	A	N1-C6-N6	5.50	121.90	118.60
26	BB	1876	A	C2-N3-C4	5.50	113.35	110.60
26	BB	2549	G	N1-C2-N3	-5.50	120.60	123.90
26	BB	2633	G	N1-C6-O6	-5.50	116.60	119.90
26	BB	2694	G	N7-C8-N9	5.50	115.85	113.10
32	BH	93	TYR	N-CA-CB	-5.50	100.70	110.60
49	BY	1	ALA	CB-CA-C	5.50	118.35	110.10
52	B1	38	GLU	OE1-CD-OE2	5.50	129.90	123.30
54	B3	24	VAL	CA-CB-CG2	-5.50	102.65	110.90
1	AA	121	U	C5-C4-O4	5.50	129.20	125.90
1	AA	165	G	N1-C6-O6	-5.50	116.60	119.90
1	AA	392	C	C2-N3-C4	5.50	122.65	119.90
1	AA	399	G	C5'-C4'-C3'	5.50	124.80	116.00
26	BB	151	C	C2-N3-C4	5.50	122.65	119.90
26	BB	1128	G	C4-C5-C6	5.50	122.10	118.80
26	BB	1884	G	C5-C6-N1	-5.50	108.75	111.50
26	BB	2755	C	C1'-O4'-C4'	5.50	114.30	109.90
1	AA	71	A	C1'-O4'-C4'	-5.50	105.50	109.90
1	AA	325	A	C4-C5-C6	-5.50	114.25	117.00
1	AA	821	G	C4'-C3'-C2'	-5.50	97.10	102.60
1	AA	1054	C	N1-C2-O2	5.50	122.20	118.90
4	AD	23	G	O4'-C1'-N9	5.50	112.60	108.20
13	AM	55	PRO	CA-N-CD	-5.50	103.80	111.50
26	BB	57	C	O4'-C1'-N1	5.50	112.60	108.20
26	BB	205	G	C5-N7-C8	5.50	107.05	104.30
26	BB	367	G	N1-C2-N2	5.50	121.15	116.20
26	BB	475	C	C4'-C3'-C2'	-5.50	97.10	102.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	629	G	C3'-C2'-C1'	5.50	105.90	101.50
26	BB	979	A	C8-N9-C1'	5.50	137.60	127.70
26	BB	1239	G	O4'-C1'-N9	5.50	112.60	108.20
26	BB	1370	C	O4'-C4'-C3'	5.50	110.50	106.10
26	BB	1472	C	C5'-C4'-C3'	-5.50	107.20	116.00
26	BB	1595	C	C4'-C3'-C2'	-5.50	97.10	102.60
26	BB	1768	C	N3-C4-N4	5.50	121.85	118.00
26	BB	1920	C	N1-C1'-C2'	-5.50	105.95	112.00
26	BB	1975	G	C6-N1-C2	-5.50	121.80	125.10
26	BB	2004	G	N9-C1'-C2'	-5.50	105.95	112.00
26	BB	2724	U	N1-C2-N3	5.50	118.20	114.90
1	AA	5	U	C6-N1-C1'	-5.50	113.50	121.20
1	AA	220	G	C4-N9-C1'	-5.50	119.36	126.50
1	AA	282	A	C5-C6-N1	-5.50	114.95	117.70
1	AA	983	A	N9-C4-C5	5.50	108.00	105.80
1	AA	1106	G	O4'-C1'-C2'	5.50	112.55	107.60
1	AA	1274	A	C5-C6-N1	-5.50	114.95	117.70
1	AA	1297	G	C2-N3-C4	5.50	114.65	111.90
1	AA	1494	G	C5'-C4'-C3'	-5.50	107.20	116.00
25	BA	79	G	C4-C5-C6	-5.50	115.50	118.80
26	BB	33	C	N3-C4-N4	5.50	121.85	118.00
26	BB	539	G	C8-N9-C4	-5.50	104.20	106.40
26	BB	604	G	N3-C2-N2	-5.50	116.05	119.90
26	BB	890	C	C3'-C2'-C1'	-5.50	97.10	101.50
26	BB	1750	G	C4'-C3'-C2'	5.50	108.10	102.60
26	BB	1816	C	N1-C2-N3	5.50	123.05	119.20
26	BB	1901	A	C4'-C3'-C2'	-5.50	97.10	102.60
26	BB	2509	G	C6-N1-C2	-5.50	121.80	125.10
26	BB	2709	G	C4-C5-C6	5.50	122.10	118.80
1	AA	868	C	C5-C6-N1	-5.50	118.25	121.00
1	AA	1448	C	O5'-C5'-C4'	-5.50	101.26	111.70
25	BA	29	A	C5-C6-N6	-5.50	119.30	123.70
26	BB	725	G	C8-N9-C4	-5.50	104.20	106.40
26	BB	1308	A	C5-C6-N6	-5.50	119.30	123.70
26	BB	1564	C	N3-C2-O2	-5.50	118.05	121.90
26	BB	1880	U	N1-C2-N3	5.50	118.20	114.90
26	BB	2315	G	C3'-C2'-C1'	5.50	105.90	101.50
26	BB	2329	U	N3-C2-O2	-5.50	118.35	122.20
1	AA	35	G	N3-C2-N2	5.49	123.75	119.90
1	AA	226	G	C2-N3-C4	5.49	114.65	111.90
1	AA	324	G	C2-N3-C4	-5.49	109.15	111.90
1	AA	861	G	O3'-P-O5'	5.49	114.44	104.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	895	G	C3'-C2'-C1'	-5.49	97.11	101.50
1	AA	1028	C	C5'-C4'-O4'	5.49	115.69	109.10
1	AA	1213	A	N1-C2-N3	-5.49	126.55	129.30
1	AA	1251	A	N9-C1'-C2'	-5.49	105.96	112.00
26	BB	171	U	C4-C5-C6	5.49	123.00	119.70
26	BB	570	G	C5'-C4'-C3'	-5.49	107.21	116.00
26	BB	972	A	C5-N7-C8	-5.49	101.15	103.90
26	BB	1356	G	C5-C6-N1	5.49	114.25	111.50
26	BB	2237	G	N3-C4-C5	-5.49	125.85	128.60
26	BB	2641	G	C6-N1-C2	-5.49	121.80	125.10
26	BB	2700	A	C8-N9-C4	-5.49	103.60	105.80
26	BB	2733	A	C2-N3-C4	5.49	113.35	110.60
26	BB	2879	A	N1-C6-N6	-5.49	115.30	118.60
1	AA	128	G	C2'-C3'-O3'	5.49	122.49	113.70
1	AA	1072	G	N1-C2-N3	-5.49	120.61	123.90
1	AA	1204	A	C2-N3-C4	-5.49	107.85	110.60
1	AA	1393	U	C5-C4-O4	-5.49	122.61	125.90
26	BB	684	G	N3-C4-N9	5.49	129.29	126.00
26	BB	735	A	C6-C5-N7	5.49	136.14	132.30
26	BB	1968	G	N7-C8-N9	5.49	115.85	113.10
26	BB	2604	U	N3-C4-O4	5.49	123.25	119.40
26	BB	2755	C	C2-N1-C1'	5.49	124.84	118.80
1	AA	186	C	C2-N3-C4	5.49	122.65	119.90
1	AA	695	A	O5'-P-OP1	-5.49	100.76	105.70
1	AA	1176	A	C4-C5-N7	5.49	113.44	110.70
1	AA	1281	C	N3-C4-C5	-5.49	119.70	121.90
26	BB	172	A	C4-C5-N7	5.49	113.45	110.70
26	BB	360	U	N3-C2-O2	-5.49	118.36	122.20
26	BB	412	A	C5-C6-N1	5.49	120.44	117.70
26	BB	484	C	C4'-C3'-C2'	-5.49	97.11	102.60
26	BB	689	A	C8-N9-C4	-5.49	103.60	105.80
26	BB	759	G	N9-C4-C5	-5.49	103.20	105.40
26	BB	1544	A	C4'-C3'-C2'	-5.49	97.11	102.60
26	BB	1921	G	N9-C1'-C2'	-5.49	105.96	112.00
26	BB	2257	U	C3'-C2'-C1'	5.49	105.89	101.50
26	BB	2711	A	C5'-C4'-O4'	5.49	115.69	109.10
43	BS	47	ARG	NE-CZ-NH1	5.49	123.05	120.30
1	AA	312	C	C5-C6-N1	5.49	123.74	121.00
1	AA	639	G	N3-C2-N2	-5.49	116.06	119.90
1	AA	827	U	N3-C4-O4	-5.49	115.56	119.40
1	AA	994	A	N3-C4-N9	5.49	131.79	127.40
1	AA	1237	C	C6-N1-C1'	5.49	127.39	120.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	AD	10	G	N7-C8-N9	5.49	115.84	113.10
4	AD	17	C	O4'-C1'-N1	5.49	112.59	108.20
26	BB	66	C	C5-C4-N4	-5.49	116.36	120.20
26	BB	295	G	C4-C5-C6	5.49	122.09	118.80
26	BB	333	G	C5'-C4'-O4'	5.49	115.69	109.10
26	BB	451	U	C4-C5-C6	5.49	122.99	119.70
26	BB	589	U	O4'-C1'-N1	5.49	112.59	108.20
26	BB	645	C	N1-C2-N3	-5.49	115.36	119.20
26	BB	926	G	C5-N7-C8	-5.49	101.56	104.30
26	BB	1000	A	C2-N3-C4	5.49	113.34	110.60
26	BB	1285	A	C4-C5-N7	-5.49	107.96	110.70
26	BB	1288	G	O4'-C1'-C2'	-5.49	100.31	105.80
26	BB	1553	A	C2-N3-C4	5.49	113.34	110.60
26	BB	2165	C	C5-C6-N1	-5.49	118.25	121.00
26	BB	2347	C	C4'-C3'-C2'	-5.49	97.11	102.60
26	BB	2553	G	O4'-C1'-N9	5.49	112.59	108.20
26	BB	2576	G	N1-C2-N3	-5.49	120.61	123.90
27	BC	194	VAL	CA-CB-CG2	5.49	119.13	110.90
1	AA	1233	G	C5-C6-O6	-5.49	125.31	128.60
26	BB	150	U	C5-C4-O4	5.49	129.19	125.90
26	BB	858	G	C5-C6-N1	5.49	114.24	111.50
26	BB	1220	G	N1-C6-O6	-5.49	116.61	119.90
26	BB	1977	A	P-O3'-C3'	5.49	126.28	119.70
26	BB	2410	G	C8-N9-C4	-5.49	104.20	106.40
26	BB	2434	A	C1'-O4'-C4'	-5.49	105.51	109.90
33	BI	29	PHE	CB-CG-CD1	-5.49	116.96	120.80
1	AA	199	A	C2-N3-C4	-5.49	107.86	110.60
1	AA	576	C	N3-C2-O2	5.49	125.74	121.90
1	AA	626	G	O4'-C1'-N9	5.49	112.59	108.20
1	AA	963	G	C2-N3-C4	5.49	114.64	111.90
1	AA	1075	U	N3-C4-C5	5.49	117.89	114.60
2	AB	53	G	N7-C8-N9	-5.49	110.36	113.10
26	BB	3	U	C4-C5-C6	5.49	122.99	119.70
26	BB	29	U	C5'-C4'-O4'	5.49	115.68	109.10
26	BB	215	G	N3-C2-N2	5.49	123.74	119.90
26	BB	218	A	C5-N7-C8	5.49	106.64	103.90
26	BB	282	A	N7-C8-N9	5.49	116.54	113.80
26	BB	446	G	C2-N3-C4	-5.49	109.16	111.90
26	BB	479	A	C1'-O4'-C4'	5.49	114.29	109.90
26	BB	529	A	O3'-P-O5'	-5.49	93.58	104.00
26	BB	600	G	C2-N3-C4	-5.49	109.16	111.90
26	BB	633	A	O4'-C1'-N9	5.49	112.59	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	712	G	N1-C2-N3	-5.49	120.61	123.90
26	BB	820	A	C2-N3-C4	-5.49	107.86	110.60
26	BB	1167	C	N1-C1'-C2'	-5.49	105.97	112.00
26	BB	1179	G	C5-C6-N1	5.49	114.24	111.50
26	BB	1356	G	N9-C1'-C2'	-5.49	105.97	112.00
26	BB	1703	G	C6-C5-N7	5.49	133.69	130.40
26	BB	2223	G	C4-C5-N7	5.49	112.99	110.80
26	BB	2324	U	C2-N1-C1'	-5.49	111.12	117.70
26	BB	2509	G	C5'-C4'-O4'	5.49	115.68	109.10
26	BB	2871	U	C4-C5-C6	-5.49	116.41	119.70
1	AA	1287	A	C3'-C2'-C1'	-5.48	97.11	101.50
26	BB	196	A	P-O3'-C3'	5.48	126.28	119.70
26	BB	1337	G	C4-C5-N7	-5.48	108.61	110.80
26	BB	2585	U	N1-C2-N3	5.48	118.19	114.90
26	BB	2652	C	C5-C6-N1	5.48	123.74	121.00
1	AA	117	G	C6-N1-C2	-5.48	121.81	125.10
1	AA	730	G	N9-C4-C5	5.48	107.59	105.40
1	AA	1073	U	N3-C4-C5	-5.48	111.31	114.60
1	AA	1327	C	C6-N1-C2	5.48	122.49	120.30
1	AA	1503	A	C3'-C2'-C1'	-5.48	97.11	101.50
4	AD	35	C	C2-N3-C4	5.48	122.64	119.90
25	BA	107	G	C2-N3-C4	5.48	114.64	111.90
26	BB	59	U	O4'-C1'-N1	5.48	112.58	108.20
26	BB	330	A	O4'-C1'-N9	5.48	112.58	108.20
26	BB	670	A	N7-C8-N9	-5.48	111.06	113.80
26	BB	705	A	C5-C6-N6	-5.48	119.31	123.70
26	BB	1227	G	N1-C2-N3	5.48	127.19	123.90
26	BB	1237	A	N7-C8-N9	5.48	116.54	113.80
26	BB	1459	G	N9-C4-C5	5.48	107.59	105.40
26	BB	1552	A	C4-C5-C6	-5.48	114.26	117.00
26	BB	2340	A	N9-C1'-C2'	-5.48	105.97	112.00
26	BB	2629	U	N3-C2-O2	-5.48	118.36	122.20
26	BB	2640	G	N1-C2-N2	5.48	121.13	116.20
26	BB	2653	U	C4-C5-C6	5.48	122.99	119.70
26	BB	2757	A	C5-N7-C8	5.48	106.64	103.90
26	BB	2841	C	O4'-C4'-C3'	5.48	110.49	106.10
45	BU	14	ALA	N-CA-CB	-5.48	102.43	110.10
49	BY	44	PHE	CB-CG-CD1	-5.48	116.96	120.80
1	AA	37	U	C2-N3-C4	-5.48	123.71	127.00
1	AA	106	C	C5'-C4'-C3'	5.48	124.77	116.00
1	AA	211	G	C5-N7-C8	5.48	107.04	104.30
1	AA	465	A	C4-C5-C6	5.48	119.74	117.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	739	C	N1-C2-O2	5.48	122.19	118.90
4	AD	13	C	P-O3'-C3'	5.48	126.28	119.70
11	AK	97	GLY	O-C-N	5.48	131.47	122.70
26	BB	182	A	C4'-C3'-C2'	-5.48	97.12	102.60
26	BB	656	G	N1-C2-N2	5.48	121.13	116.20
26	BB	657	U	C4-C5-C6	5.48	122.99	119.70
26	BB	1101	U	C4-C5-C6	5.48	122.99	119.70
26	BB	1383	A	N9-C4-C5	5.48	107.99	105.80
26	BB	1522	A	C8-N9-C4	-5.48	103.61	105.80
26	BB	1571	A	P-O3'-C3'	5.48	126.28	119.70
26	BB	1839	G	N1-C2-N2	-5.48	111.27	116.20
26	BB	2233	U	C5'-C4'-O4'	5.48	115.68	109.10
26	BB	2497	A	N3-C4-N9	-5.48	123.02	127.40
26	BB	2576	G	N7-C8-N9	5.48	115.84	113.10
26	BB	2585	U	C2-N3-C4	-5.48	123.71	127.00
26	BB	2675	A	C5'-C4'-O4'	5.48	115.68	109.10
1	AA	254	G	N9-C4-C5	5.48	107.59	105.40
1	AA	699	C	C5'-C4'-C3'	-5.48	107.23	116.00
1	AA	748	G	C5-C6-N1	5.48	114.24	111.50
1	AA	1446	A	O4'-C1'-C2'	-5.48	100.32	105.80
26	BB	805	G	C2'-C3'-O3'	5.48	122.47	113.70
26	BB	1063	G	N3-C4-C5	-5.48	125.86	128.60
26	BB	1977	A	C5-C6-N1	5.48	120.44	117.70
26	BB	2387	U	N1-C2-O2	5.48	126.64	122.80
26	BB	2651	C	N3-C4-C5	5.48	124.09	121.90
42	BR	61	ARG	CD-NE-CZ	5.48	131.27	123.60
1	AA	9	G	N1-C2-N2	5.48	121.13	116.20
1	AA	11	G	C2-N3-C4	5.48	114.64	111.90
1	AA	351	G	N1-C2-N3	-5.48	120.61	123.90
1	AA	600	A	C3'-C2'-C1'	-5.48	97.12	101.50
1	AA	803	G	C4-C5-C6	5.48	122.09	118.80
1	AA	1394	A	C6-N1-C2	5.48	121.89	118.60
2	AB	40	C	N1-C2-O2	5.48	122.19	118.90
7	AG	96	ARG	NE-CZ-NH2	5.48	123.04	120.30
25	BA	69	G	N9-C4-C5	5.48	107.59	105.40
25	BA	70	C	C6-N1-C2	-5.48	118.11	120.30
26	BB	327	G	N3-C2-N2	5.48	123.73	119.90
26	BB	766	U	N1-C2-N3	5.48	118.19	114.90
26	BB	1219	U	C6-N1-C2	-5.48	117.71	121.00
26	BB	1535	A	C3'-C2'-C1'	5.48	105.88	101.50
26	BB	1637	A	C5-C6-N1	-5.48	114.96	117.70
26	BB	1956	U	N1-C1'-C2'	-5.48	105.97	112.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2110	G	P-O3'-C3'	5.48	126.27	119.70
26	BB	2158	A	C6-N1-C2	-5.48	115.31	118.60
26	BB	2686	G	N7-C8-N9	-5.48	110.36	113.10
1	AA	58	C	C5'-C4'-C3'	-5.48	107.24	116.00
26	BB	2821	A	N7-C8-N9	5.48	116.54	113.80
1	AA	8	A	C2-N3-C4	-5.47	107.86	110.60
1	AA	146	G	C4'-C3'-C2'	-5.47	97.12	102.60
1	AA	1175	G	C4-C5-C6	5.47	122.08	118.80
4	AD	41	C	C2-N3-C4	5.47	122.64	119.90
4	AD	44	A	C5'-C4'-C3'	-5.47	107.24	116.00
7	AG	159	GLU	OE1-CD-OE2	5.47	129.87	123.30
26	BB	386	G	C4-N9-C1'	-5.47	119.38	126.50
26	BB	708	G	N1-C2-N2	5.47	121.13	116.20
26	BB	750	A	N9-C4-C5	-5.47	103.61	105.80
26	BB	750	A	O5'-P-OP2	-5.47	100.77	105.70
26	BB	861	A	C6-N1-C2	5.47	121.89	118.60
26	BB	1935	G	N9-C1'-C2'	-5.47	105.98	112.00
26	BB	2046	G	N9-C1'-C2'	-5.47	105.98	112.00
26	BB	2302	U	O4'-C4'-C3'	-5.47	98.53	104.00
26	BB	2894	G	N1-C2-N2	5.47	121.13	116.20
31	BG	44	ALA	CB-CA-C	5.47	118.31	110.10
42	BR	70	GLU	OE1-CD-OE2	5.47	129.87	123.30
1	AA	15	G	C8-N9-C4	-5.47	104.21	106.40
1	AA	442	G	C8-N9-C1'	5.47	134.12	127.00
1	AA	1064	G	O4'-C1'-N9	5.47	112.58	108.20
1	AA	1072	G	P-O3'-C3'	5.47	126.27	119.70
1	AA	1111	A	C3'-C2'-C1'	5.47	105.88	101.50
1	AA	1210	C	C5-C6-N1	-5.47	118.26	121.00
1	AA	1466	C	C3'-C2'-C1'	5.47	105.88	101.50
4	AD	5	G	C4-C5-N7	5.47	112.99	110.80
25	BA	74	U	O4'-C1'-N1	5.47	112.58	108.20
26	BB	22	C	C5'-C4'-C3'	-5.47	107.24	116.00
26	BB	131	A	N7-C8-N9	5.47	116.54	113.80
26	BB	165	A	N1-C2-N3	-5.47	126.56	129.30
26	BB	476	G	C6-N1-C2	-5.47	121.82	125.10
26	BB	801	G	C6-N1-C2	-5.47	121.82	125.10
26	BB	833	A	C5-N7-C8	-5.47	101.16	103.90
26	BB	935	C	N3-C4-N4	5.47	121.83	118.00
26	BB	1450	G	C8-N9-C4	-5.47	104.21	106.40
26	BB	1682	G	C5'-C4'-C3'	-5.47	107.24	116.00
26	BB	1776	G	C5'-C4'-C3'	-5.47	107.24	116.00
26	BB	2274	A	C6-N1-C2	-5.47	115.32	118.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2102	G	N9-C4-C5	5.47	107.59	105.40
26	BB	2772	C	P-O3'-C3'	5.47	126.27	119.70
1	AA	55	A	N7-C8-N9	5.47	116.53	113.80
1	AA	105	G	N3-C4-N9	-5.47	122.72	126.00
1	AA	365	U	O4'-C1'-N1	5.47	112.58	108.20
1	AA	525	C	C6-N1-C2	-5.47	118.11	120.30
1	AA	1486	G	C6-C5-N7	-5.47	127.12	130.40
2	AB	12	U	N3-C4-O4	5.47	123.23	119.40
9	AI	42	TRP	CG-CD2-CE3	-5.47	128.98	133.90
25	BA	109	A	C4-C5-N7	-5.47	107.97	110.70
26	BB	53	A	O4'-C1'-N9	5.47	112.58	108.20
26	BB	447	A	P-O3'-C3'	5.47	126.26	119.70
26	BB	528	A	O4'-C1'-N9	5.47	112.58	108.20
26	BB	689	A	C1'-O4'-C4'	-5.47	105.52	109.90
26	BB	1419	A	C8-N9-C4	-5.47	103.61	105.80
26	BB	1616	A	C4-C5-N7	5.47	113.44	110.70
26	BB	1810	A	C4-C5-C6	5.47	119.73	117.00
26	BB	1979	U	N1-C2-O2	5.47	126.63	122.80
26	BB	2341	G	N7-C8-N9	5.47	115.83	113.10
26	BB	2540	C	O4'-C1'-N1	5.47	112.58	108.20
1	AA	269	C	C5'-C4'-O4'	5.47	115.66	109.10
1	AA	464	U	C5-C6-N1	-5.47	119.97	122.70
26	BB	71	A	N9-C4-C5	-5.47	103.61	105.80
26	BB	1168	G	C5-N7-C8	-5.47	101.57	104.30
26	BB	1522	A	N1-C2-N3	-5.47	126.57	129.30
26	BB	1977	A	N9-C1'-C2'	-5.47	105.98	112.00
26	BB	2420	C	C1'-O4'-C4'	-5.47	105.53	109.90
26	BB	2839	G	N3-C4-C5	-5.47	125.87	128.60
1	AA	107	G	N9-C4-C5	5.47	107.59	105.40
1	AA	191	G	O4'-C1'-N9	5.47	112.57	108.20
1	AA	323	U	N1-C2-N3	5.47	118.18	114.90
1	AA	448	A	N1-C2-N3	-5.47	126.57	129.30
1	AA	775	G	C5'-C4'-O4'	5.47	115.66	109.10
1	AA	1389	C	C3'-C2'-C1'	5.47	105.87	101.50
14	AN	92	ARG	NE-CZ-NH1	5.47	123.03	120.30
26	BB	919	U	N3-C4-O4	5.47	123.23	119.40
26	BB	953	G	C2-N3-C4	-5.47	109.17	111.90
26	BB	979	A	N3-C4-C5	-5.47	122.97	126.80
26	BB	1169	A	C5-C6-N6	-5.47	119.33	123.70
26	BB	1212	G	O4'-C1'-C2'	5.47	112.52	107.60
26	BB	1247	A	C4-C5-N7	-5.47	107.97	110.70
26	BB	1607	C	N1-C2-O2	5.47	122.18	118.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2246	G	N3-C4-C5	-5.47	125.87	128.60
26	BB	2770	G	C8-N9-C4	-5.47	104.21	106.40
26	BB	2808	G	C2-N3-C4	5.47	114.63	111.90
1	AA	226	G	N7-C8-N9	5.46	115.83	113.10
1	AA	292	G	N3-C4-N9	5.46	129.28	126.00
1	AA	694	A	C5-C6-N1	5.46	120.43	117.70
1	AA	921	U	C6-N1-C2	-5.46	117.72	121.00
1	AA	943	U	P-O5'-C5'	-5.46	112.16	120.90
1	AA	1166	G	C5-C6-N1	-5.46	108.77	111.50
1	AA	1360	A	O4'-C1'-C2'	5.46	112.52	107.60
1	AA	1441	A	C1'-O4'-C4'	-5.46	105.53	109.90
2	AB	7	G	C5'-C4'-O4'	5.46	115.66	109.10
3	AC	16	A	C6-C5-N7	5.46	136.12	132.30
25	BA	33	G	P-O3'-C3'	-5.46	113.14	119.70
25	BA	108	A	C6-C5-N7	5.46	136.13	132.30
26	BB	106	C	C4'-C3'-C2'	-5.46	97.14	102.60
26	BB	237	C	C1'-O4'-C4'	5.46	114.27	109.90
26	BB	304	U	N3-C2-O2	-5.46	118.38	122.20
26	BB	381	G	C4'-C3'-C2'	-5.46	97.14	102.60
26	BB	672	C	N1-C1'-C2'	-5.46	105.99	112.00
26	BB	697	G	N7-C8-N9	5.46	115.83	113.10
26	BB	981	A	C6-N1-C2	-5.46	115.32	118.60
26	BB	1596	A	C6-C5-N7	5.46	136.12	132.30
26	BB	1758	U	O4'-C1'-N1	5.46	112.57	108.20
26	BB	1934	C	C3'-C2'-C1'	-5.46	97.13	101.50
26	BB	1986	C	N1-C1'-C2'	-5.46	105.99	112.00
26	BB	2008	C	C1'-O4'-C4'	5.46	114.27	109.90
26	BB	2435	A	C3'-C2'-C1'	5.46	105.87	101.50
26	BB	2481	G	C5-N7-C8	-5.46	101.57	104.30
26	BB	2845	U	C5-C6-N1	-5.46	119.97	122.70
26	BB	2896	C	C5-C6-N1	5.46	123.73	121.00
32	BH	34	ARG	CA-CB-CG	5.46	125.42	113.40
1	AA	363	A	C5-C6-N6	-5.46	119.33	123.70
1	AA	775	G	O4'-C4'-C3'	5.46	110.47	106.10
1	AA	1040	U	N1-C2-O2	5.46	126.62	122.80
26	BB	133	U	N1-C2-N3	5.46	118.18	114.90
26	BB	843	G	C5'-C4'-O4'	5.46	115.66	109.10
26	BB	1223	G	C5'-C4'-C3'	-5.46	107.26	116.00
26	BB	2153	C	P-O3'-C3'	5.46	126.26	119.70
26	BB	2506	U	O5'-P-OP1	5.46	117.26	110.70
26	BB	2718	G	C4-C5-C6	5.46	122.08	118.80
26	BB	2762	C	C4'-C3'-C2'	-5.46	97.14	102.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	33	A	N1-C6-N6	5.46	121.88	118.60
1	AA	141	G	O4'-C1'-N9	5.46	112.57	108.20
1	AA	256	U	N1-C2-O2	5.46	126.62	122.80
1	AA	275	G	P-O5'-C5'	5.46	129.64	120.90
1	AA	548	G	C5-C6-N1	-5.46	108.77	111.50
1	AA	851	G	P-O3'-C3'	5.46	126.25	119.70
1	AA	1297	G	C3'-C2'-C1'	-5.46	97.13	101.50
4	AD	12	G	N7-C8-N9	5.46	115.83	113.10
25	BA	36	C	O5'-C5'-C4'	-5.46	101.32	111.70
26	BB	587	C	C4'-C3'-C2'	5.46	108.06	102.60
26	BB	986	C	C5'-C4'-O4'	5.46	115.65	109.10
26	BB	1163	G	C1'-O4'-C4'	-5.46	105.53	109.90
26	BB	1218	G	O4'-C1'-N9	5.46	112.57	108.20
26	BB	1902	C	C4'-C3'-C2'	5.46	108.06	102.60
26	BB	2016	U	N3-C2-O2	-5.46	118.38	122.20
26	BB	2238	G	N1-C2-N2	-5.46	111.28	116.20
26	BB	2299	U	C5-C6-N1	-5.46	119.97	122.70
26	BB	2339	C	C2-N1-C1'	-5.46	112.79	118.80
26	BB	2381	A	C4-C5-C6	-5.46	114.27	117.00
26	BB	2623	G	C4'-C3'-C2'	-5.46	97.14	102.60
26	BB	2834	G	N3-C4-N9	5.46	129.28	126.00
48	BX	38	LEU	CB-CG-CD1	5.46	120.28	111.00
1	AA	267	C	N1-C1'-C2'	-5.46	105.99	112.00
26	BB	1051	G	C2-N3-C4	5.46	114.63	111.90
26	BB	1324	G	C2-N3-C4	-5.46	109.17	111.90
26	BB	1990	C	O4'-C1'-N1	5.46	112.57	108.20
1	AA	92	U	C3'-C2'-C1'	-5.46	97.13	101.50
1	AA	560	A	O4'-C1'-C2'	-5.46	100.34	105.80
1	AA	616	G	N3-C4-C5	-5.46	125.87	128.60
1	AA	656	G	N3-C4-C5	-5.46	125.87	128.60
1	AA	717	U	C1'-O4'-C4'	-5.46	105.53	109.90
1	AA	1025	U	C4'-C3'-C2'	5.46	108.06	102.60
1	AA	1038	C	C2-N1-C1'	-5.46	112.80	118.80
1	AA	1290	G	N3-C4-C5	-5.46	125.87	128.60
1	AA	1473	G	C6-N1-C2	-5.46	121.83	125.10
3	AC	21	U	C1'-O4'-C4'	-5.46	105.53	109.90
26	BB	240	C	C1'-O4'-C4'	5.46	114.27	109.90
26	BB	650	C	O4'-C1'-N1	5.46	112.57	108.20
26	BB	721	A	C4-C5-N7	-5.46	107.97	110.70
26	BB	1162	G	C5-N7-C8	-5.46	101.57	104.30
26	BB	1238	G	N7-C8-N9	5.46	115.83	113.10
26	BB	1488	C	N3-C2-O2	-5.46	118.08	121.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1578	U	O3'-P-O5'	5.46	114.37	104.00
26	BB	1739	A	C5'-C4'-C3'	-5.46	107.27	116.00
26	BB	1809	A	C8-N9-C4	-5.46	103.62	105.80
26	BB	1924	C	N3-C4-C5	5.46	124.08	121.90
26	BB	2079	U	N1-C1'-C2'	-5.46	106.00	112.00
26	BB	2359	C	C5-C4-N4	5.46	124.02	120.20
26	BB	2573	C	N3-C4-C5	-5.46	119.72	121.90
26	BB	2788	C	C4'-C3'-C2'	-5.46	97.14	102.60
1	AA	484	G	C4'-C3'-C2'	5.46	108.06	102.60
1	AA	557	G	N9-C1'-C2'	-5.46	106.00	112.00
1	AA	846	G	O5'-C5'-C4'	5.46	122.07	111.70
1	AA	1053	G	N9-C1'-C2'	5.46	121.09	114.00
1	AA	1494	G	N1-C2-N2	-5.46	111.29	116.20
2	AB	25	C	O4'-C1'-N1	5.46	112.57	108.20
6	AF	183	TYR	CB-CG-CD2	5.46	124.27	121.00
25	BA	63	C	N3-C4-C5	-5.46	119.72	121.90
26	BB	173	A	N1-C2-N3	5.46	132.03	129.30
26	BB	225	C	C2-N3-C4	5.46	122.63	119.90
26	BB	701	G	O4'-C1'-N9	-5.46	103.83	108.20
26	BB	703	U	N3-C4-C5	-5.46	111.33	114.60
26	BB	1666	G	C1'-O4'-C4'	-5.46	105.53	109.90
26	BB	1685	C	N3-C4-C5	-5.46	119.72	121.90
26	BB	1688	U	C4'-C3'-C2'	-5.46	97.14	102.60
26	BB	1903	G	C8-N9-C4	-5.46	104.22	106.40
26	BB	2727	A	C5-C6-N1	-5.46	114.97	117.70
26	BB	2742	G	C4'-C3'-C2'	-5.46	97.14	102.60
42	BR	42	PHE	CB-CG-CD2	-5.46	116.98	120.80
47	BW	82	VAL	CG1-CB-CG2	-5.46	102.17	110.90
1	AA	567	G	C4-C5-C6	5.46	122.07	118.80
1	AA	606	G	O5'-C5'-C4'	5.46	122.06	111.70
1	AA	938	A	N9-C4-C5	5.46	107.98	105.80
1	AA	971	G	OP1-P-OP2	-5.46	111.42	119.60
25	BA	39	A	O4'-C1'-N9	-5.46	103.84	108.20
26	BB	237	C	N1-C2-N3	5.46	123.02	119.20
26	BB	582	A	C5-N7-C8	-5.46	101.17	103.90
26	BB	1516	G	N3-C4-C5	-5.46	125.87	128.60
26	BB	1788	C	N1-C1'-C2'	-5.46	106.00	112.00
26	BB	2371	G	P-O3'-C3'	5.46	126.25	119.70
28	BD	174	ARG	NE-CZ-NH1	5.46	123.03	120.30
1	AA	149	A	N9-C1'-C2'	-5.45	106.00	112.00
1	AA	152	A	C2-N3-C4	5.45	113.33	110.60
1	AA	387	U	N1-C2-O2	-5.45	118.98	122.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	536	C	O4'-C1'-N1	5.45	112.56	108.20
1	AA	800	G	C4'-C3'-O3'	5.45	123.91	113.00
1	AA	813	U	C1'-O4'-C4'	-5.45	105.54	109.90
1	AA	1143	G	N3-C4-N9	-5.45	122.73	126.00
4	AD	11	A	C4-C5-C6	5.45	119.73	117.00
25	BA	96	G	C5'-C4'-O4'	5.45	115.64	109.10
26	BB	1441	G	C6-N1-C2	-5.45	121.83	125.10
26	BB	1474	U	C3'-C2'-C1'	5.45	105.86	101.50
26	BB	1534	U	N1-C2-N3	5.45	118.17	114.90
26	BB	1950	G	O4'-C1'-N9	5.45	112.56	108.20
26	BB	1956	U	C3'-C2'-C1'	5.45	105.86	101.50
26	BB	2732	G	O4'-C1'-N9	5.45	112.56	108.20
26	BB	2836	U	N3-C4-O4	5.45	123.22	119.40
45	BU	22	ASP	CB-CG-OD2	5.45	123.21	118.30
1	AA	743	A	C8-N9-C4	-5.45	103.62	105.80
1	AA	972	C	C6-N1-C2	-5.45	118.12	120.30
1	AA	1191	A	C6-C5-N7	5.45	136.12	132.30
26	BB	216	A	N3-C4-C5	-5.45	122.98	126.80
26	BB	1027	A	C5-C6-N1	5.45	120.43	117.70
26	BB	2123	G	C6-N1-C2	-5.45	121.83	125.10
1	AA	10	A	C6-C5-N7	5.45	136.12	132.30
1	AA	301	G	N3-C4-N9	5.45	129.27	126.00
1	AA	354	G	C5-N7-C8	-5.45	101.58	104.30
1	AA	378	G	N1-C2-N3	-5.45	120.63	123.90
1	AA	661	G	C6-C5-N7	5.45	133.67	130.40
1	AA	664	G	N3-C4-C5	-5.45	125.87	128.60
1	AA	816	A	C5'-C4'-O4'	5.45	115.64	109.10
1	AA	940	C	N3-C4-C5	5.45	124.08	121.90
1	AA	944	G	O4'-C1'-N9	5.45	112.56	108.20
1	AA	1383	C	N1-C2-N3	-5.45	115.39	119.20
2	AB	41	C	N3-C2-O2	-5.45	118.08	121.90
26	BB	100	U	N3-C4-C5	5.45	117.87	114.60
26	BB	242	G	C8-N9-C1'	5.45	134.09	127.00
26	BB	998	C	C2'-C3'-O3'	5.45	122.42	113.70
26	BB	1892	C	C5'-C4'-O4'	5.45	115.64	109.10
26	BB	2124	G	C5'-C4'-O4'	5.45	115.64	109.10
26	BB	2490	G	C5'-C4'-C3'	5.45	124.72	116.00
26	BB	2546	U	C2-N1-C1'	5.45	124.24	117.70
26	BB	2623	G	C6-N1-C2	-5.45	121.83	125.10
26	BB	2895	G	C5-C6-N1	5.45	114.22	111.50
30	BF	91	ASP	CB-CG-OD2	5.45	123.21	118.30
1	AA	269	C	P-O3'-C3'	5.45	126.24	119.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	386	C	C1'-O4'-C4'	5.45	114.26	109.90
1	AA	476	U	N3-C4-O4	5.45	123.21	119.40
1	AA	1104	G	C4'-C3'-C2'	-5.45	97.15	102.60
1	AA	1421	G	N1-C2-N2	5.45	121.10	116.20
26	BB	47	C	C4-C5-C6	-5.45	114.67	117.40
26	BB	107	G	C2-N3-C4	5.45	114.62	111.90
26	BB	465	G	N1-C2-N3	5.45	127.17	123.90
26	BB	540	C	N1-C2-O2	5.45	122.17	118.90
26	BB	572	A	N3-C4-C5	5.45	130.61	126.80
26	BB	606	U	C3'-C2'-C1'	-5.45	97.14	101.50
26	BB	797	G	N1-C6-O6	-5.45	116.63	119.90
26	BB	1042	G	C5-C6-O6	-5.45	125.33	128.60
26	BB	1058	U	N1-C2-O2	5.45	126.61	122.80
26	BB	1086	A	C4-C5-C6	-5.45	114.28	117.00
26	BB	1674	G	N1-C2-N3	-5.45	120.63	123.90
26	BB	1727	C	C4-C5-C6	-5.45	114.68	117.40
26	BB	2012	G	C4-C5-N7	-5.45	108.62	110.80
26	BB	2022	U	P-O3'-C3'	-5.45	113.16	119.70
26	BB	2190	G	C4'-C3'-C2'	-5.45	97.15	102.60
26	BB	2683	C	C4-C5-C6	-5.45	114.68	117.40
26	BB	2787	C	N1-C1'-C2'	-5.45	106.01	112.00
28	BD	83	ASP	CB-CG-OD2	5.45	123.20	118.30
1	AA	186	C	C5-C4-N4	5.45	124.01	120.20
1	AA	267	C	C4-C5-C6	5.45	120.12	117.40
1	AA	551	U	N1-C2-O2	-5.45	118.99	122.80
1	AA	622	A	N9-C1'-C2'	-5.45	106.01	112.00
1	AA	1360	A	N9-C1'-C2'	-5.45	106.01	112.00
2	AB	29	G	C1'-O4'-C4'	5.45	114.26	109.90
4	AD	34	U	C6-N1-C2	-5.45	117.73	121.00
25	BA	18	G	C4-C5-C6	5.45	122.07	118.80
26	BB	868	U	N3-C4-O4	5.45	123.21	119.40
26	BB	1086	A	N1-C2-N3	5.45	132.02	129.30
26	BB	2627	G	N3-C2-N2	-5.45	116.09	119.90
1	AA	20	U	N3-C2-O2	-5.45	118.39	122.20
1	AA	755	G	C6-C5-N7	-5.45	127.13	130.40
18	AR	63	ARG	NE-CZ-NH1	-5.45	117.58	120.30
26	BB	577	G	C8-N9-C4	5.45	108.58	106.40
26	BB	945	A	N7-C8-N9	5.45	116.52	113.80
26	BB	1234	U	N3-C4-C5	5.45	117.87	114.60
26	BB	1383	A	C3'-C2'-C1'	5.45	105.86	101.50
26	BB	1441	G	C5'-C4'-C3'	-5.45	107.29	116.00
26	BB	1585	C	O4'-C4'-C3'	5.45	110.46	106.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2069	7MG	P-O3'-C3'	5.45	126.23	119.70
26	BB	2199	A	C4-C5-N7	5.45	113.42	110.70
26	BB	2206	C	C2-N3-C4	5.45	122.62	119.90
26	BB	2576	G	C2-N3-C4	5.45	114.62	111.90
26	BB	2658	C	N3-C4-N4	5.45	121.81	118.00
1	AA	147	G	N1-C2-N3	-5.44	120.63	123.90
1	AA	382	A	C8-N9-C4	-5.44	103.62	105.80
1	AA	1478	U	C1'-O4'-C4'	-5.44	105.55	109.90
26	BB	43	G	C5-C6-O6	-5.44	125.33	128.60
26	BB	337	C	N3-C2-O2	-5.44	118.09	121.90
26	BB	1004	U	O4'-C1'-C2'	-5.44	100.36	105.80
26	BB	1458	U	C4-C5-C6	5.44	122.97	119.70
26	BB	1573	G	N1-C2-N2	-5.44	111.30	116.20
26	BB	1836	C	C4'-C3'-C2'	-5.44	97.16	102.60
26	BB	2777	G	N7-C8-N9	5.44	115.82	113.10
1	AA	158	G	N1-C6-O6	-5.44	116.63	119.90
1	AA	240	G	N3-C2-N2	-5.44	116.09	119.90
1	AA	697	U	C4-C5-C6	5.44	122.97	119.70
1	AA	823	C	C4-C5-C6	5.44	120.12	117.40
1	AA	837	U	C5-C4-O4	5.44	129.17	125.90
1	AA	1058	G	C5-N7-C8	5.44	107.02	104.30
2	AB	70	C	N1-C2-O2	5.44	122.17	118.90
4	AD	30	G	N3-C2-N2	5.44	123.71	119.90
26	BB	32	C	C6-N1-C2	5.44	122.48	120.30
26	BB	107	G	N3-C4-C5	-5.44	125.88	128.60
26	BB	179	C	C4-C5-C6	5.44	120.12	117.40
26	BB	846	U	C1'-O4'-C4'	-5.44	105.55	109.90
26	BB	1281	G	C8-N9-C4	-5.44	104.22	106.40
26	BB	1344	U	N3-C4-O4	-5.44	115.59	119.40
26	BB	1568	G	C4-C5-C6	5.44	122.06	118.80
26	BB	1934	C	N1-C1'-C2'	-5.44	106.01	112.00
26	BB	1971	U	N1-C2-O2	5.44	126.61	122.80
26	BB	2162	G	C4-C5-N7	5.44	112.98	110.80
26	BB	2304	G	C1'-O4'-C4'	-5.44	105.55	109.90
26	BB	2353	G	N7-C8-N9	-5.44	110.38	113.10
27	BC	44	VAL	CG1-CB-CG2	-5.44	102.19	110.90
1	AA	4	U	C5-C4-O4	-5.44	122.64	125.90
1	AA	241	G	P-O3'-C3'	5.44	126.23	119.70
1	AA	408	A	C6-C5-N7	5.44	136.11	132.30
1	AA	1135	U	C3'-C2'-C1'	5.44	105.85	101.50
1	AA	1154	G	N9-C1'-C2'	-5.44	106.02	112.00
1	AA	1323	G	C1'-O4'-C4'	-5.44	105.55	109.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	AG	153	ARG	CD-NE-CZ	5.44	131.22	123.60
25	BA	44	G	C4-N9-C1'	-5.44	119.43	126.50
25	BA	60	C	C4-C5-C6	-5.44	114.68	117.40
26	BB	52	A	P-O3'-C3'	5.44	126.23	119.70
26	BB	845	A	N7-C8-N9	-5.44	111.08	113.80
26	BB	890	C	N1-C2-N3	-5.44	115.39	119.20
26	BB	992	C	O5'-C5'-C4'	-5.44	101.36	111.70
26	BB	1445	G	N1-C2-N2	-5.44	111.30	116.20
26	BB	1774	C	C5-C6-N1	5.44	123.72	121.00
26	BB	1842	G	P-O3'-C3'	5.44	126.23	119.70
26	BB	2168	G	O3'-P-O5'	5.44	114.34	104.00
26	BB	2324	U	C6-N1-C2	-5.44	117.73	121.00
26	BB	2520	C	C2-N1-C1'	-5.44	112.81	118.80
26	BB	2872	A	N9-C4-C5	5.44	107.98	105.80
42	BR	38	ARG	NE-CZ-NH1	-5.44	117.58	120.30
1	AA	128	G	O4'-C4'-C3'	-5.44	98.56	104.00
1	AA	1098	C	O4'-C1'-N1	5.44	112.55	108.20
26	BB	444	C	C1'-O4'-C4'	-5.44	105.55	109.90
26	BB	642	U	O5'-C5'-C4'	-5.44	101.37	111.70
26	BB	888	C	N1-C2-O2	5.44	122.16	118.90
26	BB	1204	A	N9-C1'-C2'	-5.44	106.02	112.00
49	BY	23	LYS	CB-CA-C	5.44	121.28	110.40
1	AA	28	A	C3'-C2'-C1'	-5.44	97.15	101.50
1	AA	362	G	C5-C6-O6	-5.44	125.34	128.60
1	AA	578	C	C5-C6-N1	5.44	123.72	121.00
1	AA	599	C	C6-N1-C2	-5.44	118.12	120.30
1	AA	1323	G	P-O5'-C5'	5.44	129.60	120.90
1	AA	1455	G	C8-N9-C1'	5.44	134.07	127.00
2	AB	73	G	C4-C5-C6	5.44	122.06	118.80
5	AE	82	ALA	N-CA-CB	-5.44	102.49	110.10
6	AF	172	VAL	CA-CB-CG2	5.44	119.06	110.90
22	AV	79	TYR	CB-CG-CD2	5.44	124.26	121.00
25	BA	23	G	C6-C5-N7	5.44	133.66	130.40
26	BB	157	C	P-O3'-C3'	5.44	126.22	119.70
26	BB	199	A	N1-C6-N6	-5.44	115.34	118.60
26	BB	291	G	N1-C6-O6	5.44	123.16	119.90
26	BB	370	G	N7-C8-N9	5.44	115.82	113.10
26	BB	592	A	N3-C4-N9	-5.44	123.05	127.40
26	BB	909	A	N9-C4-C5	5.44	107.97	105.80
26	BB	1021	A	N1-C2-N3	5.44	132.02	129.30
26	BB	1220	G	C1'-O4'-C4'	-5.44	105.55	109.90
26	BB	1334	G	C4-C5-N7	-5.44	108.62	110.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1413	A	C3'-C2'-C1'	5.44	105.85	101.50
26	BB	1447	C	N3-C4-C5	-5.44	119.72	121.90
26	BB	1641	A	C2-N3-C4	-5.44	107.88	110.60
26	BB	1747	U	C2-N3-C4	-5.44	123.74	127.00
26	BB	2142	A	C5-N7-C8	5.44	106.62	103.90
26	BB	2378	A	N1-C6-N6	5.44	121.86	118.60
26	BB	2835	A	N9-C4-C5	5.44	107.97	105.80
38	BN	60	ARG	NH1-CZ-NH2	-5.44	113.42	119.40
1	AA	551	U	C4-C5-C6	5.44	122.96	119.70
1	AA	620	C	N1-C2-O2	5.44	122.16	118.90
1	AA	727	G	N3-C4-C5	-5.44	125.88	128.60
26	BB	26	G	C4-C5-N7	-5.44	108.63	110.80
26	BB	1020	A	C5-N7-C8	-5.44	101.18	103.90
26	BB	1646	C	N3-C4-C5	-5.44	119.73	121.90
1	AA	311	C	C3'-C2'-C1'	-5.43	97.15	101.50
1	AA	1033	G	N1-C6-O6	-5.43	116.64	119.90
1	AA	1375	A	N1-C2-N3	5.43	132.02	129.30
4	AD	15	G	N9-C4-C5	5.43	107.57	105.40
26	BB	67	U	C4-C5-C6	-5.43	116.44	119.70
26	BB	146	A	C2-N3-C4	5.43	113.32	110.60
26	BB	201	C	N3-C4-N4	5.43	121.80	118.00
26	BB	581	C	C4'-C3'-C2'	-5.43	97.17	102.60
26	BB	726	G	C5'-C4'-O4'	5.43	115.62	109.10
26	BB	910	A	C3'-C2'-C1'	-5.43	97.15	101.50
26	BB	970	U	C5-C4-O4	-5.43	122.64	125.90
26	BB	1085	A	C5'-C4'-O4'	5.43	115.62	109.10
26	BB	1933	G	C6-N1-C2	5.43	128.36	125.10
26	BB	2876	G	N1-C2-N2	5.43	121.09	116.20
26	BB	2894	G	C4-C5-C6	-5.43	115.54	118.80
1	AA	11	G	N3-C4-N9	5.43	129.26	126.00
1	AA	461	A	O4'-C4'-C3'	5.43	110.45	106.10
1	AA	522	C	C3'-C2'-C1'	5.43	105.85	101.50
1	AA	615	G	O4'-C4'-C3'	5.43	110.45	106.10
1	AA	1461	G	C5'-C4'-O4'	5.43	115.62	109.10
2	AB	58	A	C4-C5-N7	5.43	113.42	110.70
3	AC	22	G	C4'-C3'-C2'	-5.43	97.17	102.60
25	BA	44	G	N1-C2-N2	-5.43	111.31	116.20
26	BB	176	A	O4'-C4'-C3'	-5.43	98.57	104.00
26	BB	892	A	C4'-C3'-C2'	-5.43	97.17	102.60
26	BB	1635	A	C5'-C4'-C3'	-5.43	107.31	116.00
26	BB	1812	U	N3-C2-O2	-5.43	118.40	122.20
26	BB	1936	A	C2-N3-C4	-5.43	107.88	110.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1956	U	C6-N1-C2	-5.43	117.74	121.00
26	BB	2159	G	C5-N7-C8	-5.43	101.58	104.30
26	BB	2244	U	C5-C4-O4	5.43	129.16	125.90
26	BB	2260	C	C4-C5-C6	5.43	120.12	117.40
26	BB	2667	C	C5'-C4'-O4'	5.43	115.62	109.10
1	AA	246	A	N7-C8-N9	-5.43	111.08	113.80
1	AA	313	A	C5-C6-N1	5.43	120.42	117.70
1	AA	959	A	C4-C5-N7	-5.43	107.98	110.70
1	AA	1136	C	N3-C4-C5	-5.43	119.73	121.90
1	AA	1255	G	N1-C2-N3	-5.43	120.64	123.90
1	AA	1336	C	C2-N1-C1'	5.43	124.77	118.80
26	BB	538	A	O4'-C4'-C3'	5.43	110.44	106.10
26	BB	942	G	C4'-C3'-C2'	-5.43	97.17	102.60
26	BB	1482	G	C5-C6-O6	-5.43	125.34	128.60
26	BB	1661	G	C5-C6-O6	-5.43	125.34	128.60
26	BB	2648	G	O5'-P-OP2	-5.43	100.81	105.70
26	BB	2809	A	N3-C4-C5	-5.43	123.00	126.80
26	BB	2871	U	N3-C4-O4	-5.43	115.60	119.40
40	BP	125	ALA	N-CA-CB	5.43	117.70	110.10
1	AA	510	A	C4-C5-C6	5.43	119.72	117.00
1	AA	571	U	C5'-C4'-O4'	5.43	115.62	109.10
1	AA	1329	A	N7-C8-N9	5.43	116.52	113.80
1	AA	1430	A	O4'-C1'-N9	5.43	112.54	108.20
26	BB	290	U	O4'-C1'-N1	5.43	112.54	108.20
26	BB	676	A	C3'-C2'-C1'	5.43	105.84	101.50
26	BB	855	G	C5-C6-O6	-5.43	125.34	128.60
26	BB	1198	U	C2-N3-C4	-5.43	123.74	127.00
26	BB	1307	A	C4-C5-C6	-5.43	114.28	117.00
26	BB	1444	G	C4'-C3'-C2'	-5.43	97.17	102.60
26	BB	1660	G	O4'-C1'-N9	5.43	112.54	108.20
26	BB	1823	G	N3-C4-N9	5.43	129.26	126.00
26	BB	2170	A	C5-C6-N6	-5.43	119.36	123.70
26	BB	2570	G	N7-C8-N9	-5.43	110.39	113.10
26	BB	2647	U	C3'-C2'-C1'	5.43	105.84	101.50
26	BB	2760	C	O5'-C5'-C4'	5.43	122.02	111.70
1	AA	125	U	C2-N3-C4	5.43	130.26	127.00
1	AA	842	U	C4-C5-C6	-5.43	116.44	119.70
1	AA	953	G	C6-N1-C2	-5.43	121.84	125.10
1	AA	1517	G	N7-C8-N9	5.43	115.81	113.10
26	BB	354	A	N3-C4-C5	-5.43	123.00	126.80
26	BB	671	C	C5'-C4'-O4'	5.43	115.61	109.10
26	BB	813	U	C5-C4-O4	-5.43	122.64	125.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1020	A	C5-C6-N1	5.43	120.41	117.70
26	BB	1693	U	C4-C5-C6	5.43	122.96	119.70
26	BB	1951	U	O4'-C1'-N1	5.43	112.54	108.20
26	BB	2040	G	C3'-C2'-C1'	5.43	105.84	101.50
26	BB	2156	G	C4-C5-C6	5.43	122.06	118.80
26	BB	2167	U	C2-N3-C4	-5.43	123.74	127.00
26	BB	2482	A	C2'-C3'-O3'	5.43	122.39	113.70
1	AA	767	A	C2-N3-C4	5.43	113.31	110.60
1	AA	844	G	C4-C5-N7	-5.43	108.63	110.80
1	AA	1014	A	C4'-C3'-C2'	-5.43	97.17	102.60
1	AA	1034	G	N1-C2-N2	5.43	121.08	116.20
1	AA	1196	A	C8-N9-C4	-5.43	103.63	105.80
1	AA	1450	U	N1-C2-O2	5.43	126.60	122.80
26	BB	108	G	N1-C6-O6	-5.43	116.64	119.90
26	BB	333	G	C1'-O4'-C4'	-5.43	105.56	109.90
26	BB	536	G	C6-C5-N7	5.43	133.66	130.40
26	BB	598	U	N3-C4-C5	-5.43	111.34	114.60
26	BB	669	G	O4'-C1'-N9	5.43	112.54	108.20
26	BB	981	A	O4'-C4'-C3'	5.43	110.44	106.10
26	BB	1147	A	O4'-C1'-N9	5.43	112.54	108.20
26	BB	1174	U	O4'-C1'-C2'	5.43	112.48	107.60
26	BB	1819	A	N1-C2-N3	-5.43	126.59	129.30
26	BB	1821	A	N9-C4-C5	5.43	107.97	105.80
26	BB	2182	U	N3-C2-O2	-5.43	118.40	122.20
26	BB	2245	U	C2-N3-C4	-5.43	123.75	127.00
26	BB	2325	G	N3-C4-N9	5.43	129.25	126.00
26	BB	2537	U	O4'-C1'-N1	5.43	112.54	108.20
26	BB	2735	G	N1-C2-N2	5.43	121.08	116.20
26	BB	2862	G	P-O3'-C3'	5.43	126.21	119.70
1	AA	321	A	N7-C8-N9	5.42	116.51	113.80
1	AA	688	G	C6-C5-N7	5.42	133.66	130.40
1	AA	898	G	N3-C4-C5	-5.42	125.89	128.60
1	AA	1204	A	C8-N9-C4	5.42	107.97	105.80
1	AA	1419	G	N1-C2-N2	-5.42	111.32	116.20
1	AA	1529	G	C4-C5-C6	5.42	122.06	118.80
26	BB	194	G	C4-C5-N7	-5.42	108.63	110.80
26	BB	320	A	N1-C6-N6	-5.42	115.34	118.60
26	BB	373	U	N3-C2-O2	-5.42	118.40	122.20
26	BB	701	G	C2-N3-C4	5.42	114.61	111.90
26	BB	1038	G	N3-C2-N2	5.42	123.70	119.90
26	BB	1537	G	C5-C6-O6	-5.42	125.34	128.60
26	BB	1619	G	O4'-C1'-N9	5.42	112.54	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1686	C	N1-C2-N3	5.42	123.00	119.20
26	BB	1872	A	N3-C4-N9	-5.42	123.06	127.40
26	BB	2111	U	C5-C6-N1	-5.42	119.99	122.70
26	BB	2561	U	C5'-C4'-O4'	5.42	115.61	109.10
1	AA	24	U	C3'-C2'-C1'	5.42	105.84	101.50
1	AA	1037	C	O4'-C4'-C3'	5.42	110.44	106.10
26	BB	223	A	O3'-P-O5'	-5.42	93.70	104.00
26	BB	1633	G	C5-C6-O6	-5.42	125.35	128.60
26	BB	2081	U	N1-C2-O2	5.42	126.60	122.80
26	BB	2300	C	C5'-C4'-O4'	5.42	115.61	109.10
1	AA	460	A	C8-N9-C4	-5.42	103.63	105.80
1	AA	640	A	O4'-C1'-C2'	5.42	112.48	107.60
1	AA	723	U	N3-C2-O2	-5.42	118.41	122.20
1	AA	818	G	N1-C2-N3	-5.42	120.65	123.90
1	AA	879	C	C1'-O4'-C4'	-5.42	105.56	109.90
1	AA	1042	A	N1-C6-N6	-5.42	115.35	118.60
1	AA	1088	G	C4'-C3'-C2'	-5.42	97.18	102.60
1	AA	1343	G	C6-N1-C2	-5.42	121.85	125.10
3	AC	50	U	C2-N3-C4	-5.42	123.75	127.00
26	BB	138	U	N1-C2-O2	-5.42	119.01	122.80
26	BB	294	A	C5-N7-C8	5.42	106.61	103.90
26	BB	709	U	N3-C4-C5	-5.42	111.35	114.60
26	BB	1149	G	C1'-O4'-C4'	-5.42	105.56	109.90
26	BB	1286	A	N1-C6-N6	-5.42	115.35	118.60
26	BB	1506	U	C5'-C4'-O4'	5.42	115.61	109.10
26	BB	1936	A	C5-C6-N1	5.42	120.41	117.70
26	BB	1988	G	C3'-C2'-C1'	-5.42	97.16	101.50
26	BB	2054	A	O3'-P-O5'	5.42	114.30	104.00
26	BB	2066	C	N1-C2-N3	5.42	123.00	119.20
1	AA	226	G	C4-C5-C6	-5.42	115.55	118.80
1	AA	696	A	O5'-P-OP1	-5.42	100.82	105.70
1	AA	1322	C	O4'-C1'-N1	-5.42	103.86	108.20
1	AA	1392	G	N1-C6-O6	5.42	123.15	119.90
5	AE	240	GLU	OE1-CD-OE2	5.42	129.80	123.30
25	BA	41	G	C3'-C2'-C1'	-5.42	97.16	101.50
26	BB	90	U	N1-C2-O2	5.42	126.59	122.80
26	BB	144	A	C4'-C3'-C2'	-5.42	97.18	102.60
26	BB	383	C	N1-C2-O2	5.42	122.15	118.90
26	BB	622	G	N7-C8-N9	-5.42	110.39	113.10
26	BB	1075	C	O4'-C4'-C3'	5.42	110.44	106.10
26	BB	1128	G	N7-C8-N9	-5.42	110.39	113.10
26	BB	1204	A	P-O3'-C3'	5.42	126.20	119.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1209	U	N1-C2-O2	5.42	126.59	122.80
28	BD	2	VAL	CA-CB-CG2	5.42	119.03	110.90
1	AA	39	G	C8-N9-C4	-5.42	104.23	106.40
1	AA	454	G	N7-C8-N9	5.42	115.81	113.10
1	AA	575	G	C4-C5-C6	5.42	122.05	118.80
1	AA	596	A	C4'-C3'-C2'	-5.42	97.18	102.60
1	AA	691	G	C5-N7-C8	5.42	107.01	104.30
1	AA	877	G	O5'-C5'-C4'	5.42	121.99	111.70
1	AA	1417	G	N9-C4-C5	5.42	107.57	105.40
1	AA	1492	A	C5'-C4'-C3'	-5.42	107.33	116.00
2	AB	21	A	C5-N7-C8	-5.42	101.19	103.90
2	AB	29	G	C5-C6-O6	5.42	131.85	128.60
9	AI	91	ARG	NH1-CZ-NH2	-5.42	113.44	119.40
25	BA	100	G	C5'-C4'-O4'	5.42	115.60	109.10
26	BB	628	G	C4-C5-C6	5.42	122.05	118.80
26	BB	641	U	O4'-C1'-N1	-5.42	103.86	108.20
26	BB	655	A	C4'-C3'-C2'	-5.42	97.18	102.60
26	BB	969	G	C5'-C4'-O4'	5.42	115.60	109.10
26	BB	1207	C	O4'-C1'-N1	5.42	112.53	108.20
26	BB	1317	G	N3-C4-N9	5.42	129.25	126.00
26	BB	1374	G	N9-C1'-C2'	-5.42	106.04	112.00
26	BB	1631	G	N3-C2-N2	5.42	123.69	119.90
26	BB	1856	U	O3'-P-O5'	5.42	114.30	104.00
26	BB	2097	A	C4-C5-N7	5.42	113.41	110.70
26	BB	2282	G	C4-C5-N7	-5.42	108.63	110.80
26	BB	2653	U	C5-C6-N1	-5.42	119.99	122.70
26	BB	2846	G	N1-C2-N3	-5.42	120.65	123.90
52	B1	50	VAL	CA-CB-CG2	5.42	119.03	110.90
1	AA	68	G	C5'-C4'-O4'	5.42	115.60	109.10
1	AA	72	A	C5'-C4'-O4'	5.42	115.60	109.10
1	AA	148	G	N7-C8-N9	5.42	115.81	113.10
1	AA	492	C	C4'-C3'-C2'	-5.42	97.18	102.60
1	AA	606	G	N1-C6-O6	5.42	123.15	119.90
25	BA	41	G	O5'-C5'-C4'	-5.42	101.41	111.70
25	BA	81	G	P-O3'-C3'	5.42	126.20	119.70
26	BB	693	A	C3'-C2'-C1'	5.42	105.83	101.50
26	BB	706	A	O4'-C1'-N9	5.42	112.53	108.20
26	BB	917	A	C1'-O4'-C4'	5.42	114.23	109.90
26	BB	1812	U	P-O3'-C3'	5.42	126.20	119.70
26	BB	2125	G	C5-C6-N1	5.42	114.21	111.50
26	BB	2218	G	N1-C2-N2	5.42	121.07	116.20
26	BB	2371	G	C5'-C4'-O4'	5.42	115.60	109.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2386	A	N3-C4-N9	-5.42	123.07	127.40
26	BB	2666	C	N3-C4-N4	-5.42	114.21	118.00
1	AA	385	C	C4'-C3'-O3'	-5.42	98.03	109.40
26	BB	776	G	C5-C6-N1	-5.42	108.79	111.50
26	BB	1971	U	C2-N1-C1'	5.42	124.20	117.70
26	BB	2431	U	C4-C5-C6	5.42	122.95	119.70
1	AA	377	G	N3-C2-N2	-5.41	116.11	119.90
1	AA	409	U	N1-C2-N3	5.41	118.15	114.90
1	AA	452	A	C8-N9-C4	-5.41	103.63	105.80
1	AA	606	G	N3-C4-N9	5.41	129.25	126.00
1	AA	1459	G	N3-C4-C5	-5.41	125.89	128.60
26	BB	345	A	N9-C4-C5	-5.41	103.64	105.80
26	BB	837	C	C2-N3-C4	-5.41	117.19	119.90
26	BB	849	A	N1-C2-N3	5.41	132.01	129.30
26	BB	1113	U	O4'-C1'-N1	5.41	112.53	108.20
26	BB	1203	U	C4-C5-C6	5.41	122.95	119.70
26	BB	1284	A	C1'-O4'-C4'	-5.41	105.57	109.90
26	BB	1414	C	N3-C4-N4	5.41	121.79	118.00
26	BB	1608	A	C8-N9-C4	5.41	107.97	105.80
26	BB	1696	G	C4'-C3'-C2'	-5.41	97.19	102.60
26	BB	1796	U	O4'-C1'-N1	5.41	112.53	108.20
26	BB	1868	C	O4'-C1'-N1	5.41	112.53	108.20
26	BB	1910	G	C5-N7-C8	5.41	107.01	104.30
26	BB	1968	G	C8-N9-C4	-5.41	104.23	106.40
26	BB	1997	C	C6-N1-C2	-5.41	118.13	120.30
26	BB	2384	U	P-O5'-C5'	5.41	129.56	120.90
1	AA	118	U	C4'-C3'-C2'	-5.41	97.19	102.60
1	AA	872	A	C5-C6-N1	-5.41	114.99	117.70
1	AA	1377	A	C5'-C4'-C3'	5.41	124.66	116.00
25	BA	53	A	N9-C4-C5	5.41	107.97	105.80
26	BB	1266	G	N3-C4-N9	5.41	129.25	126.00
26	BB	1458	U	C2-N1-C1'	5.41	124.19	117.70
26	BB	2502	G	C4-C5-C6	-5.41	115.55	118.80
26	BB	2544	G	C5-N7-C8	-5.41	101.59	104.30
26	BB	2879	A	C3'-C2'-C1'	5.41	105.83	101.50
32	BH	101	VAL	CA-CB-CG1	5.41	119.02	110.90
1	AA	60	A	C5-N7-C8	-5.41	101.19	103.90
1	AA	404	G	C3'-C2'-C1'	-5.41	97.17	101.50
1	AA	643	C	C2-N1-C1'	-5.41	112.85	118.80
1	AA	717	U	N3-C4-C5	-5.41	111.35	114.60
1	AA	760	G	C6-N1-C2	-5.41	121.85	125.10
1	AA	1034	G	C1'-O4'-C4'	5.41	114.23	109.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1391	U	N1-C2-O2	5.41	126.59	122.80
7	AG	53	GLN	CB-CA-C	5.41	121.22	110.40
25	BA	27	C	N1-C2-O2	5.41	122.15	118.90
26	BB	76	C	C4-C5-C6	-5.41	114.69	117.40
26	BB	410	G	N3-C4-N9	5.41	129.25	126.00
26	BB	743	A	C4'-C3'-C2'	-5.41	97.19	102.60
26	BB	1031	G	N3-C2-N2	5.41	123.69	119.90
26	BB	1821	A	C6-N1-C2	-5.41	115.35	118.60
26	BB	2042	A	C8-N9-C4	-5.41	103.64	105.80
26	BB	2158	A	C4-C5-C6	-5.41	114.30	117.00
26	BB	2774	C	N1-C2-O2	5.41	122.15	118.90
26	BB	2862	G	C4-C5-N7	5.41	112.96	110.80
37	BM	32	TYR	CB-CG-CD2	-5.41	117.75	121.00
58	B7	8	LYS	CA-CB-CG	5.41	125.30	113.40
1	AA	36	C	P-O3'-C3'	5.41	126.19	119.70
1	AA	445	G	C6-N1-C2	-5.41	121.85	125.10
1	AA	1434	A	C5'-C4'-C3'	-5.41	107.35	116.00
3	AC	40	G	C4-C5-N7	-5.41	108.64	110.80
4	AD	31	G	N1-C2-N3	-5.41	120.65	123.90
26	BB	109	C	O4'-C1'-C2'	5.41	112.47	107.60
26	BB	725	G	P-O3'-C3'	5.41	126.19	119.70
26	BB	967	U	O4'-C4'-C3'	-5.41	98.59	104.00
26	BB	1068	G	N3-C4-C5	-5.41	125.90	128.60
26	BB	1154	G	C4'-C3'-C2'	-5.41	97.19	102.60
26	BB	1996	C	N3-C4-C5	-5.41	119.74	121.90
26	BB	2026	U	O4'-C1'-N1	5.41	112.53	108.20
26	BB	2382	G	C5-C6-N1	5.41	114.20	111.50
26	BB	2778	A	O4'-C1'-C2'	-5.41	100.39	105.80
1	AA	111	G	N3-C4-C5	-5.41	125.90	128.60
1	AA	625	U	N3-C4-O4	-5.41	115.61	119.40
1	AA	1276	G	C5'-C4'-O4'	5.41	115.59	109.10
26	BB	232	G	C5-C6-N1	5.41	114.20	111.50
26	BB	930	G	C4-N9-C1'	-5.41	119.47	126.50
26	BB	1007	C	N1-C1'-C2'	-5.41	106.05	112.00
26	BB	1311	G	N1-C2-N2	5.41	121.07	116.20
26	BB	1390	U	N3-C4-C5	-5.41	111.36	114.60
26	BB	1483	G	O4'-C1'-N9	5.41	112.53	108.20
26	BB	1584	U	C5'-C4'-C3'	-5.41	107.35	116.00
26	BB	2122	U	C2'-C3'-O3'	5.41	122.35	113.70
1	AA	268	U	N1-C2-O2	-5.41	119.02	122.80
1	AA	535	A	O4'-C1'-N9	-5.41	103.88	108.20
1	AA	826	C	N3-C2-O2	-5.41	118.12	121.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	903	G	C2-N3-C4	5.41	114.60	111.90
1	AA	952	U	N3-C4-C5	5.41	117.84	114.60
26	BB	161	A	P-O3'-C3'	5.41	126.19	119.70
26	BB	465	G	C5-N7-C8	5.41	107.00	104.30
26	BB	919	U	C2-N3-C4	-5.41	123.76	127.00
26	BB	1255	U	N1-C2-N3	5.41	118.14	114.90
26	BB	1305	C	N3-C4-C5	5.41	124.06	121.90
26	BB	1454	C	O4'-C4'-C3'	5.41	110.42	106.10
26	BB	1749	A	C3'-C2'-C1'	5.41	105.83	101.50
26	BB	2131	U	C6-N1-C2	-5.41	117.76	121.00
26	BB	2562	U	C5-C4-O4	-5.41	122.66	125.90
26	BB	2769	U	O4'-C4'-C3'	5.41	110.42	106.10
26	BB	2864	G	N3-C4-C5	-5.41	125.90	128.60
33	BI	63	ALA	O-C-N	-5.41	114.05	122.70
1	AA	1077	G	C6-N1-C2	-5.40	121.86	125.10
1	AA	1150	A	C8-N9-C4	5.40	107.96	105.80
1	AA	1486	G	C8-N9-C4	-5.40	104.24	106.40
1	AA	1520	C	N3-C4-C5	-5.40	119.74	121.90
4	AD	20	G	C5-C6-O6	-5.40	125.36	128.60
26	BB	289	G	P-O3'-C3'	5.40	126.19	119.70
26	BB	327	G	C4-N9-C1'	-5.40	119.47	126.50
26	BB	1055	G	C5'-C4'-O4'	5.40	115.58	109.10
26	BB	1334	G	N3-C4-C5	-5.40	125.90	128.60
26	BB	1408	G	O4'-C4'-C3'	-5.40	98.60	104.00
26	BB	2484	G	C1'-O4'-C4'	5.40	114.22	109.90
1	AA	111	G	O4'-C1'-C2'	-5.40	100.40	105.80
1	AA	1020	G	C8-N9-C1'	5.40	134.02	127.00
1	AA	1466	C	P-O5'-C5'	5.40	129.54	120.90
2	AB	59	G	N3-C4-N9	5.40	129.24	126.00
4	AD	5	G	C5'-C4'-C3'	-5.40	107.36	116.00
26	BB	571	U	P-O3'-C3'	5.40	126.18	119.70
26	BB	578	G	C8-N9-C4	-5.40	104.24	106.40
26	BB	643	A	C2-N3-C4	-5.40	107.90	110.60
26	BB	655	A	O4'-C4'-C3'	5.40	110.42	106.10
26	BB	676	A	O4'-C1'-N9	5.40	112.52	108.20
26	BB	1068	G	C5'-C4'-C3'	-5.40	107.36	116.00
26	BB	1274	A	P-O5'-C5'	5.40	129.54	120.90
26	BB	1462	C	C5-C6-N1	-5.40	118.30	121.00
26	BB	1564	C	N3-C4-N4	5.40	121.78	118.00
26	BB	2526	G	C4-C5-C6	5.40	122.04	118.80
26	BB	2526	G	C4-C5-N7	5.40	112.96	110.80
26	BB	2791	G	N1-C2-N3	-5.40	120.66	123.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2814	A	C5-C6-N6	-5.40	119.38	123.70
33	BI	37	VAL	CG1-CB-CG2	-5.40	102.25	110.90
1	AA	36	C	N3-C2-O2	-5.40	118.12	121.90
1	AA	196	A	O4'-C4'-C3'	5.40	110.42	106.10
1	AA	392	C	C4-C5-C6	-5.40	114.70	117.40
1	AA	519	C	O5'-C5'-C4'	-5.40	101.44	111.70
1	AA	577	G	N3-C4-C5	5.40	131.30	128.60
1	AA	716	A	C5-C6-N6	5.40	128.02	123.70
1	AA	869	G	C1'-O4'-C4'	5.40	114.22	109.90
1	AA	987	G	C2'-C3'-O3'	5.40	122.34	113.70
15	AO	53	ARG	NH1-CZ-NH2	5.40	125.34	119.40
26	BB	78	U	C4-C5-C6	5.40	122.94	119.70
26	BB	474	G	C5-C6-O6	-5.40	125.36	128.60
26	BB	731	C	C4'-C3'-C2'	-5.40	97.20	102.60
26	BB	781	A	N1-C6-N6	-5.40	115.36	118.60
26	BB	1051	G	C1'-O4'-C4'	5.40	114.22	109.90
26	BB	1163	G	C6-C5-N7	-5.40	127.16	130.40
26	BB	1187	G	C4-C5-N7	-5.40	108.64	110.80
26	BB	1266	G	O4'-C1'-N9	5.40	112.52	108.20
26	BB	1472	C	C5-C4-N4	5.40	123.98	120.20
26	BB	1805	A	N3-C4-C5	5.40	130.58	126.80
26	BB	1909	C	C5-C4-N4	-5.40	116.42	120.20
26	BB	2128	G	P-O3'-C3'	5.40	126.18	119.70
26	BB	2162	G	N7-C8-N9	5.40	115.80	113.10
26	BB	2353	G	C5'-C4'-O4'	5.40	115.58	109.10
26	BB	2371	G	N9-C4-C5	5.40	107.56	105.40
26	BB	2550	G	C4-C5-C6	5.40	122.04	118.80
26	BB	2785	C	N1-C2-O2	5.40	122.14	118.90
1	AA	1061	G	C5'-C4'-C3'	-5.40	107.36	116.00
4	AD	54	G	N3-C4-C5	-5.40	125.90	128.60
26	BB	81	G	C2-N3-C4	5.40	114.60	111.90
26	BB	316	C	O3'-P-O5'	-5.40	93.74	104.00
26	BB	1119	U	C2-N3-C4	-5.40	123.76	127.00
26	BB	1486	U	N3-C4-O4	5.40	123.18	119.40
26	BB	1847	A	C4-C5-C6	-5.40	114.30	117.00
26	BB	2004	G	N7-C8-N9	5.40	115.80	113.10
26	BB	2249	U	N1-C1'-C2'	-5.40	106.06	112.00
1	AA	234	C	OP1-P-OP2	5.40	127.70	119.60
1	AA	496	A	N7-C8-N9	5.40	116.50	113.80
1	AA	548	G	N9-C4-C5	5.40	107.56	105.40
1	AA	798	U	C2'-C3'-O3'	5.40	122.33	113.70
1	AA	958	A	O4'-C1'-N9	5.40	112.52	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1165	U	C6-N1-C2	5.40	124.24	121.00
1	AA	1279	G	C2-N3-C4	-5.40	109.20	111.90
2	AB	34	C	C5'-C4'-C3'	-5.40	107.36	116.00
3	AC	18	A	C3'-C2'-C1'	5.40	105.82	101.50
4	AD	59	A	O4'-C1'-C2'	-5.40	100.40	105.80
25	BA	67	G	P-O3'-C3'	5.40	126.18	119.70
26	BB	153	U	C6-N1-C2	-5.40	117.76	121.00
26	BB	170	U	N3-C4-O4	5.40	123.18	119.40
26	BB	751	A	N1-C2-N3	-5.40	126.60	129.30
26	BB	801	G	N3-C4-C5	-5.40	125.90	128.60
26	BB	1050	A	C5-C6-N1	5.40	120.40	117.70
26	BB	1088	A	C4-C5-N7	-5.40	108.00	110.70
26	BB	1226	A	N1-C6-N6	5.40	121.84	118.60
26	BB	1309	G	N1-C6-O6	-5.40	116.66	119.90
26	BB	1395	A	C8-N9-C4	5.40	107.96	105.80
26	BB	2331	G	C6-C5-N7	-5.40	127.16	130.40
26	BB	2365	G	P-O5'-C5'	5.40	129.54	120.90
26	BB	2443	C	N1-C1'-C2'	-5.40	106.06	112.00
32	BH	11	PRO	CA-N-CD	-5.40	103.94	111.50
35	BK	77	VAL	CA-CB-CG2	-5.40	102.80	110.90
48	BX	55	GLU	OE1-CD-OE2	-5.40	116.82	123.30
1	AA	1054	C	C2-N3-C4	5.40	122.60	119.90
1	AA	1088	G	C5-C6-O6	-5.40	125.36	128.60
1	AA	1438	G	C5'-C4'-O4'	5.40	115.58	109.10
1	AA	1447	A	O4'-C4'-C3'	5.40	110.42	106.10
1	AA	1526	G	C2-N3-C4	5.40	114.60	111.90
4	AD	35	C	N3-C2-O2	-5.40	118.12	121.90
26	BB	1975	G	C8-N9-C4	-5.40	104.24	106.40
26	BB	2462	C	C4'-C3'-O3'	5.40	123.79	113.00
26	BB	2808	G	C4-C5-N7	-5.40	108.64	110.80
1	AA	276	G	N3-C4-N9	5.39	129.24	126.00
1	AA	303	A	C4-C5-N7	-5.39	108.00	110.70
1	AA	384	G	N9-C4-C5	5.39	107.56	105.40
1	AA	394	G	C1'-O4'-C4'	-5.39	105.58	109.90
1	AA	447	G	N3-C2-N2	5.39	123.68	119.90
1	AA	483	C	N3-C4-N4	5.39	121.78	118.00
1	AA	530	G	C5-N7-C8	5.39	107.00	104.30
1	AA	671	G	N1-C2-N3	5.39	127.14	123.90
1	AA	799	G	N1-C2-N3	5.39	127.14	123.90
1	AA	1025	U	C6-N1-C2	-5.39	117.76	121.00
1	AA	1041	G	N9-C1'-C2'	-5.39	106.07	112.00
4	AD	31	G	C2-N3-C4	5.39	114.60	111.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	AD	75	C	C6-N1-C2	5.39	122.46	120.30
26	BB	125	A	O4'-C1'-N9	5.39	112.52	108.20
26	BB	160	A	C1'-O4'-C4'	-5.39	105.58	109.90
26	BB	372	G	N9-C4-C5	5.39	107.56	105.40
26	BB	408	G	C5'-C4'-O4'	5.39	115.57	109.10
26	BB	913	U	C1'-O4'-C4'	-5.39	105.58	109.90
26	BB	1686	C	N3-C4-N4	5.39	121.78	118.00
26	BB	2032	G	C6-N1-C2	-5.39	121.86	125.10
26	BB	2239	G	C5-C6-N1	5.39	114.20	111.50
26	BB	2617	U	C5-C4-O4	-5.39	122.66	125.90
26	BB	2737	G	C2-N3-C4	-5.39	109.20	111.90
26	BB	2747	G	C2-N3-C4	5.39	114.60	111.90
26	BB	2845	U	O4'-C1'-C2'	-5.39	100.41	105.80
36	BL	19	ASP	CB-CG-OD2	-5.39	113.44	118.30
1	AA	154	U	C5-C6-N1	-5.39	120.00	122.70
1	AA	306	A	C2-N3-C4	5.39	113.30	110.60
1	AA	499	A	C5-N7-C8	5.39	106.60	103.90
1	AA	511	C	N3-C2-O2	-5.39	118.12	121.90
1	AA	654	G	N1-C6-O6	-5.39	116.67	119.90
1	AA	912	C	N3-C2-O2	-5.39	118.13	121.90
1	AA	1126	U	C1'-O4'-C4'	5.39	114.21	109.90
1	AA	1141	C	C4-C5-C6	-5.39	114.70	117.40
1	AA	1429	A	N9-C4-C5	5.39	107.96	105.80
1	AA	1470	U	N1-C2-N3	5.39	118.14	114.90
1	AA	1491	G	N1-C6-O6	-5.39	116.67	119.90
26	BB	273	G	C4-C5-C6	5.39	122.03	118.80
26	BB	345	A	C8-N9-C4	5.39	107.96	105.80
26	BB	405	U	C5-C6-N1	-5.39	120.00	122.70
26	BB	474	G	C5-C6-N1	5.39	114.20	111.50
26	BB	630	G	C4'-C3'-C2'	-5.39	97.21	102.60
26	BB	757	G	N9-C4-C5	5.39	107.56	105.40
26	BB	979	A	C3'-C2'-C1'	-5.39	97.19	101.50
26	BB	1378	A	N3-C4-C5	-5.39	123.03	126.80
26	BB	1391	U	O4'-C1'-N1	5.39	112.52	108.20
26	BB	1862	G	C5-N7-C8	5.39	107.00	104.30
26	BB	1912	A	C2-N3-C4	-5.39	107.90	110.60
26	BB	2581	G	N1-C2-N2	5.39	121.05	116.20
26	BB	2860	A	N1-C6-N6	5.39	121.84	118.60
1	AA	251	G	C6-N1-C2	-5.39	121.86	125.10
1	AA	1055	A	N1-C6-N6	5.39	121.83	118.60
25	BA	79	G	C2-N3-C4	5.39	114.60	111.90
26	BB	780	G	N1-C2-N2	-5.39	111.35	116.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	950	G	N9-C4-C5	5.39	107.56	105.40
26	BB	1689	A	N1-C6-N6	5.39	121.83	118.60
26	BB	2256	G	C4-C5-N7	5.39	112.96	110.80
26	BB	2357	G	C5-N7-C8	5.39	107.00	104.30
26	BB	2727	A	C4-C5-C6	5.39	119.69	117.00
33	BI	116	ARG	CD-NE-CZ	5.39	131.15	123.60
1	AA	37	U	C5'-C4'-O4'	5.39	115.57	109.10
1	AA	215	C	N3-C4-C5	-5.39	119.74	121.90
1	AA	1138	G	C1'-O4'-C4'	-5.39	105.59	109.90
1	AA	1502	A	C8-N9-C1'	-5.39	118.00	127.70
24	AX	5	VAL	CA-CB-CG2	5.39	118.98	110.90
26	BB	179	C	N1-C1'-C2'	-5.39	106.07	112.00
26	BB	212	G	C6-N1-C2	5.39	128.33	125.10
26	BB	533	G	C5'-C4'-C3'	-5.39	107.38	116.00
26	BB	1277	G	C6-C5-N7	-5.39	127.17	130.40
26	BB	1279	G	N1-C6-O6	5.39	123.13	119.90
26	BB	1474	U	C5'-C4'-O4'	5.39	115.57	109.10
26	BB	1543	G	O4'-C1'-N9	5.39	112.51	108.20
26	BB	2009	A	N3-C4-C5	-5.39	123.03	126.80
26	BB	2237	G	C4-C5-N7	-5.39	108.64	110.80
26	BB	2265	U	C5'-C4'-O4'	5.39	115.57	109.10
26	BB	2364	C	C5'-C4'-O4'	5.39	115.57	109.10
27	BC	9	ARG	NH1-CZ-NH2	5.39	125.33	119.40
1	AA	289	G	N1-C2-N2	5.39	121.05	116.20
1	AA	482	A	N7-C8-N9	-5.39	111.11	113.80
1	AA	789	U	C3'-C2'-C1'	5.39	105.81	101.50
1	AA	1116	U	C4'-C3'-C2'	-5.39	97.21	102.60
3	AC	27	A	N1-C6-N6	5.39	121.83	118.60
26	BB	614	A	C6-N1-C2	5.39	121.83	118.60
26	BB	1815	A	C5-N7-C8	-5.39	101.21	103.90
26	BB	2073	C	O4'-C4'-C3'	-5.39	98.61	104.00
26	BB	2203	U	N1-C2-N3	-5.39	111.67	114.90
31	BG	70	ARG	NH1-CZ-NH2	-5.39	113.47	119.40
1	AA	26	A	N3-C4-C5	-5.39	123.03	126.80
1	AA	334	C	N1-C2-N3	-5.39	115.43	119.20
1	AA	789	U	C5'-C4'-O4'	5.39	115.56	109.10
1	AA	1093	A	C2-N3-C4	5.39	113.29	110.60
1	AA	1323	G	C2-N3-C4	5.39	114.59	111.90
4	AD	34	U	C2-N3-C4	-5.39	123.77	127.00
26	BB	58	G	N7-C8-N9	5.39	115.79	113.10
26	BB	87	U	C5'-C4'-O4'	5.39	115.56	109.10
26	BB	108	G	C5-C6-N1	-5.39	108.81	111.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	769	U	C1'-O4'-C4'	5.39	114.21	109.90
26	BB	1110	G	C5'-C4'-C3'	-5.39	107.38	116.00
26	BB	1333	G	C5-N7-C8	5.39	106.99	104.30
26	BB	1699	G	OP2-P-O3'	5.39	117.05	105.20
26	BB	1819	A	N7-C8-N9	5.39	116.49	113.80
26	BB	1961	C	C6-N1-C2	-5.39	118.14	120.30
26	BB	2169	A	C1'-O4'-C4'	5.39	114.21	109.90
26	BB	2221	G	C8-N9-C4	-5.39	104.25	106.40
26	BB	2309	A	P-O5'-C5'	5.39	129.52	120.90
28	BD	131	MET	CG-SD-CE	-5.39	91.58	100.20
32	BH	38	ASP	CB-CG-OD2	-5.39	113.45	118.30
36	BL	16	TYR	CG-CD2-CE2	-5.39	116.99	121.30
42	BR	46	VAL	CA-CB-CG1	5.39	118.98	110.90
1	AA	77	A	C5'-C4'-O4'	5.38	115.56	109.10
1	AA	293	G	C3'-C2'-C1'	-5.38	97.19	101.50
1	AA	913	A	C6-N1-C2	-5.38	115.37	118.60
1	AA	1326	U	C4'-C3'-C2'	5.38	107.98	102.60
1	AA	1393	U	C3'-C2'-C1'	5.38	105.81	101.50
25	BA	36	C	C5'-C4'-C3'	5.38	124.62	116.00
26	BB	86	G	C5'-C4'-O4'	5.38	115.56	109.10
26	BB	177	G	N7-C8-N9	-5.38	110.41	113.10
26	BB	580	U	C6-N1-C2	5.38	124.23	121.00
26	BB	945	A	C8-N9-C4	-5.38	103.65	105.80
26	BB	1157	G	O4'-C1'-N9	5.38	112.51	108.20
26	BB	1189	A	C4-C5-N7	-5.38	108.01	110.70
26	BB	1381	G	O4'-C4'-C3'	5.38	110.41	106.10
26	BB	1754	A	C8-N9-C4	5.38	107.95	105.80
26	BB	2742	G	C6-N1-C2	-5.38	121.87	125.10
26	BB	2760	C	N1-C2-O2	5.38	122.13	118.90
1	AA	331	G	C8-N9-C1'	5.38	134.00	127.00
1	AA	1164	G	P-O3'-C3'	5.38	126.16	119.70
1	AA	1296	C	C5'-C4'-C3'	-5.38	107.39	116.00
26	BB	389	G	C5'-C4'-C3'	-5.38	107.39	116.00
26	BB	1026	G	N3-C2-N2	5.38	123.67	119.90
26	BB	1966	A	O4'-C1'-C2'	5.38	112.44	107.60
26	BB	2202	U	C5-C6-N1	-5.38	120.01	122.70
26	BB	2334	U	C5-C4-O4	5.38	129.13	125.90
26	BB	2477	U	N1-C1'-C2'	5.38	121.00	114.00
26	BB	2578	G	N3-C4-C5	-5.38	125.91	128.60
38	BN	48	ARG	NE-CZ-NH1	-5.38	117.61	120.30
1	AA	13	U	N1-C1'-C2'	5.38	121.00	114.00
1	AA	134	G	C8-N9-C4	-5.38	104.25	106.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	173	U	N1-C1'-C2'	5.38	121.00	114.00
1	AA	186	C	N1-C2-O2	5.38	122.13	118.90
8	AH	28	ARG	NE-CZ-NH2	-5.38	117.61	120.30
25	BA	92	C	C4'-C3'-C2'	-5.38	97.22	102.60
25	BA	94	A	C4-C5-N7	5.38	113.39	110.70
26	BB	198	C	N3-C4-C5	5.38	124.05	121.90
26	BB	264	C	C2-N3-C4	-5.38	117.21	119.90
26	BB	452	G	O4'-C1'-C2'	-5.38	100.42	105.80
26	BB	709	U	P-O3'-C3'	5.38	126.16	119.70
26	BB	1146	C	C2-N1-C1'	5.38	124.72	118.80
26	BB	1389	G	O4'-C1'-C2'	5.38	112.44	107.60
26	BB	1514	G	C3'-C2'-C1'	-5.38	97.19	101.50
26	BB	1769	U	C4-C5-C6	5.38	122.93	119.70
26	BB	2087	G	N9-C4-C5	5.38	107.55	105.40
26	BB	2145	C	N1-C2-O2	5.38	122.13	118.90
1	AA	75	G	N3-C4-C5	-5.38	125.91	128.60
1	AA	491	G	N9-C1'-C2'	-5.38	106.08	112.00
1	AA	786	G	C5-C6-N1	-5.38	108.81	111.50
1	AA	972	C	C1'-O4'-C4'	5.38	114.20	109.90
4	AD	16	C	N3-C4-N4	5.38	121.77	118.00
15	AO	109	ARG	NE-CZ-NH1	5.38	122.99	120.30
26	BB	1277	G	N1-C2-N2	5.38	121.04	116.20
26	BB	1529	G	N3-C4-C5	-5.38	125.91	128.60
26	BB	1741	C	C3'-C2'-C1'	5.38	105.80	101.50
26	BB	2027	G	N3-C2-N2	5.38	123.67	119.90
26	BB	2219	U	C3'-C2'-C1'	5.38	105.80	101.50
26	BB	2408	U	C1'-O4'-C4'	5.38	114.20	109.90
26	BB	2679	A	C3'-C2'-C1'	5.38	105.80	101.50
1	AA	612	C	C2-N3-C4	5.38	122.59	119.90
1	AA	762	U	N1-C1'-C2'	-5.38	106.08	112.00
1	AA	859	G	N3-C4-C5	-5.38	125.91	128.60
1	AA	983	A	C3'-C2'-C1'	-5.38	97.20	101.50
1	AA	1019	A	C4-C5-N7	-5.38	108.01	110.70
1	AA	1179	A	N3-C4-N9	5.38	131.70	127.40
25	BA	10	G	C5'-C4'-O4'	5.38	115.55	109.10
25	BA	22	U	N3-C4-C5	-5.38	111.37	114.60
25	BA	58	A	C2-N3-C4	-5.38	107.91	110.60
25	BA	61	G	C5-N7-C8	-5.38	101.61	104.30
26	BB	700	G	N9-C4-C5	-5.38	103.25	105.40
26	BB	1753	G	P-O3'-C3'	5.38	126.15	119.70
26	BB	2230	G	C4'-C3'-C2'	-5.38	97.22	102.60
26	BB	2574	G	C5-N7-C8	-5.38	101.61	104.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2620	C	C4'-C3'-C2'	-5.38	97.22	102.60
26	BB	2667	C	O4'-C1'-C2'	-5.38	100.42	105.80
26	BB	2704	C	N3-C4-C5	-5.38	119.75	121.90
26	BB	2824	C	N1-C2-N3	-5.38	115.44	119.20
1	AA	196	A	C4-C5-N7	5.38	113.39	110.70
1	AA	201	G	C8-N9-C1'	5.38	133.99	127.00
1	AA	228	A	O4'-C4'-C3'	5.38	110.40	106.10
1	AA	756	C	C5-C4-N4	-5.38	116.44	120.20
1	AA	1066	C	O5'-C5'-C4'	5.38	121.92	111.70
1	AA	1110	A	C8-N9-C4	-5.38	103.65	105.80
1	AA	1153	G	C5-C6-N1	-5.38	108.81	111.50
1	AA	1186	G	N1-C2-N2	5.38	121.04	116.20
6	AF	155	ARG	CD-NE-CZ	5.38	131.13	123.60
21	AU	12	PHE	CG-CD1-CE1	-5.38	114.89	120.80
25	BA	56	G	O4'-C4'-C3'	5.38	110.40	106.10
25	BA	63	C	C1'-O4'-C4'	5.38	114.20	109.90
25	BA	104	A	O5'-C5'-C4'	-5.38	101.48	111.70
26	BB	241	A	N3-C4-N9	-5.38	123.10	127.40
26	BB	332	A	C3'-C2'-C1'	5.38	105.80	101.50
26	BB	514	A	C5'-C4'-C3'	-5.38	107.40	116.00
26	BB	871	U	C5-C6-N1	-5.38	120.01	122.70
26	BB	906	U	C2-N3-C4	-5.38	123.77	127.00
26	BB	1079	C	C5-C4-N4	-5.38	116.44	120.20
26	BB	1117	C	C6-N1-C2	-5.38	118.15	120.30
26	BB	1597	A	C5-C6-N6	5.38	128.00	123.70
26	BB	1634	A	C8-N9-C4	-5.38	103.65	105.80
26	BB	2201	G	N3-C4-N9	-5.38	122.77	126.00
26	BB	2616	C	C5'-C4'-C3'	5.38	124.60	116.00
35	BK	107	GLU	OE1-CD-OE2	5.38	129.75	123.30
40	BP	91	ALA	N-CA-CB	5.38	117.63	110.10
1	AA	143	A	C3'-C2'-C1'	-5.38	97.20	101.50
1	AA	542	G	C8-N9-C1'	5.38	133.99	127.00
1	AA	893	C	N3-C2-O2	-5.38	118.14	121.90
1	AA	1321	U	C5'-C4'-O4'	-5.38	102.65	109.10
1	AA	1446	A	N7-C8-N9	-5.38	111.11	113.80
3	AC	51	C	C1'-O4'-C4'	-5.38	105.60	109.90
26	BB	963	U	C2-N3-C4	-5.38	123.78	127.00
26	BB	1261	C	N3-C4-C5	-5.38	119.75	121.90
26	BB	1300	G	P-O5'-C5'	5.38	129.50	120.90
26	BB	2656	U	N3-C2-O2	-5.38	118.44	122.20
50	BZ	36	ARG	NE-CZ-NH1	-5.38	117.61	120.30
1	AA	233	C	N3-C2-O2	-5.37	118.14	121.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	823	C	N3-C4-C5	-5.37	119.75	121.90
1	AA	1398	A	P-O3'-C3'	5.37	126.15	119.70
4	AD	71	G	N9-C1'-C2'	-5.37	106.09	112.00
9	AI	109	ARG	NH1-CZ-NH2	-5.37	113.49	119.40
26	BB	361	G	N7-C8-N9	5.37	115.79	113.10
26	BB	925	A	C5-C6-N1	5.37	120.39	117.70
26	BB	1310	G	C3'-C2'-C1'	5.37	105.80	101.50
26	BB	1987	A	O4'-C1'-N9	5.37	112.50	108.20
26	BB	1988	G	C4-C5-C6	5.37	122.02	118.80
26	BB	2153	C	C5'-C4'-O4'	-5.37	102.65	109.10
26	BB	2289	G	C5-C6-N1	5.37	114.19	111.50
26	BB	2889	C	O4'-C1'-N1	5.37	112.50	108.20
40	BP	4	ARG	NE-CZ-NH1	-5.37	117.61	120.30
43	BS	26	ALA	N-CA-CB	-5.37	102.58	110.10
1	AA	300	A	N3-C4-C5	-5.37	123.04	126.80
1	AA	348	G	C2-N3-C4	5.37	114.59	111.90
1	AA	360	G	C6-C5-N7	-5.37	127.18	130.40
1	AA	583	A	C2-N3-C4	-5.37	107.91	110.60
1	AA	651	C	N1-C2-N3	-5.37	115.44	119.20
1	AA	756	C	C4-C5-C6	-5.37	114.71	117.40
1	AA	1242	G	P-O3'-C3'	5.37	126.14	119.70
26	BB	99	U	C2-N1-C1'	5.37	124.15	117.70
26	BB	1333	G	C8-N9-C4	5.37	108.55	106.40
26	BB	1671	U	N1-C1'-C2'	-5.37	106.09	112.00
26	BB	2215	C	O4'-C4'-C3'	-5.37	98.63	104.00
26	BB	2570	G	C4-C5-N7	5.37	112.95	110.80
26	BB	2641	G	OP2-P-O3'	5.37	117.02	105.20
26	BB	2857	G	C3'-C2'-C1'	-5.37	97.20	101.50
36	BL	48	VAL	CA-CB-CG2	5.37	118.96	110.90
48	BX	84	PRO	O-C-N	5.37	131.29	122.70
1	AA	524	G	C5-C6-O6	5.37	131.82	128.60
26	BB	872	U	P-O5'-C5'	5.37	129.49	120.90
26	BB	1545	A	C1'-O4'-C4'	-5.37	105.60	109.90
26	BB	1985	C	N3-C2-O2	-5.37	118.14	121.90
26	BB	2558	C	C2-N3-C4	5.37	122.58	119.90
1	AA	393	A	O5'-P-OP2	-5.37	100.87	105.70
1	AA	424	G	O4'-C1'-N9	5.37	112.49	108.20
4	AD	25	U	C4-C5-C6	5.37	122.92	119.70
26	BB	430	A	C5-N7-C8	-5.37	101.22	103.90
26	BB	433	C	C4'-C3'-C2'	5.37	107.97	102.60
26	BB	625	G	C5-N7-C8	5.37	106.98	104.30
26	BB	1339	G	C5-C6-N1	5.37	114.18	111.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1897	G	N3-C4-N9	5.37	129.22	126.00
26	BB	2183	A	P-O5'-C5'	5.37	129.49	120.90
26	BB	2196	C	N1-C2-O2	5.37	122.12	118.90
26	BB	2436	G	C3'-C2'-C1'	-5.37	97.20	101.50
26	BB	2669	G	N1-C2-N3	-5.37	120.68	123.90
28	BD	220	ARG	NE-CZ-NH2	-5.37	117.62	120.30
55	B4	20	TYR	CB-CG-CD2	-5.37	117.78	121.00
1	AA	788	U	C1'-O4'-C4'	5.37	114.19	109.90
1	AA	1179	A	C2-N3-C4	5.37	113.28	110.60
1	AA	1287	A	O3'-P-O5'	5.37	114.20	104.00
25	BA	51	G	C5-C6-O6	-5.37	125.38	128.60
26	BB	344	A	C8-N9-C4	5.37	107.95	105.80
26	BB	495	G	O5'-P-OP1	5.37	117.14	110.70
26	BB	1018	U	O4'-C4'-C3'	5.37	110.39	106.10
26	BB	1102	C	C4-C5-C6	-5.37	114.72	117.40
26	BB	1666	G	N3-C4-C5	-5.37	125.92	128.60
26	BB	2808	G	N3-C4-N9	-5.37	122.78	126.00
50	BZ	42	GLU	C-N-CA	5.37	135.12	121.70
1	AA	87	C	N1-C2-N3	5.37	122.96	119.20
1	AA	502	A	C6-N1-C2	5.37	121.82	118.60
1	AA	506	G	O4'-C1'-N9	5.37	112.49	108.20
1	AA	668	G	N1-C6-O6	-5.37	116.68	119.90
1	AA	1028	C	C3'-C2'-C1'	5.37	105.79	101.50
1	AA	1035	A	C1'-O4'-C4'	-5.37	105.61	109.90
1	AA	1157	A	C6-C5-N7	5.37	136.06	132.30
1	AA	1211	U	P-O3'-C3'	5.37	126.14	119.70
1	AA	1272	G	C4'-C3'-C2'	-5.37	97.23	102.60
1	AA	1287	A	C5-C6-N1	-5.37	115.02	117.70
2	AB	36	A	C1'-O4'-C4'	-5.37	105.61	109.90
4	AD	13	C	O4'-C4'-C3'	5.37	110.39	106.10
25	BA	22	U	C6-N1-C2	-5.37	117.78	121.00
25	BA	98	G	N3-C4-N9	5.37	129.22	126.00
26	BB	1005	C	C1'-O4'-C4'	5.37	114.19	109.90
26	BB	1111	A	C4-C5-C6	-5.37	114.32	117.00
26	BB	1164	C	N1-C1'-C2'	-5.37	106.10	112.00
26	BB	1450	G	C4-C5-C6	5.37	122.02	118.80
26	BB	1896	G	C5'-C4'-O4'	5.37	115.54	109.10
26	BB	2691	C	C3'-C2'-C1'	5.37	105.79	101.50
32	BH	169	ARG	CD-NE-CZ	5.37	131.11	123.60
50	BZ	47	THR	CA-CB-CG2	5.37	119.91	112.40
1	AA	279	A	C5-C6-N6	-5.36	119.41	123.70
1	AA	399	G	N1-C2-N3	5.36	127.12	123.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	468	A	C5'-C4'-C3'	-5.36	107.42	116.00
1	AA	474	G	C6-C5-N7	-5.36	127.18	130.40
1	AA	786	G	C5-N7-C8	-5.36	101.62	104.30
1	AA	1145	A	N1-C6-N6	-5.36	115.38	118.60
1	AA	1277	C	N3-C4-N4	-5.36	114.25	118.00
1	AA	1429	A	N1-C6-N6	5.36	121.82	118.60
6	AF	126	ARG	CD-NE-CZ	5.36	131.11	123.60
26	BB	901	C	N3-C4-C5	-5.36	119.75	121.90
26	BB	1047	G	N3-C4-C5	-5.36	125.92	128.60
26	BB	2386	A	C2-N3-C4	-5.36	107.92	110.60
30	BF	86	ALA	O-C-N	5.36	131.28	122.70
56	B5	19	ARG	CD-NE-CZ	5.36	131.11	123.60
1	AA	59	A	O4'-C4'-C3'	5.36	110.39	106.10
1	AA	1344	C	N1-C2-O2	5.36	122.12	118.90
26	BB	398	C	N3-C2-O2	-5.36	118.15	121.90
26	BB	518	G	O4'-C1'-N9	5.36	112.49	108.20
26	BB	1161	C	C2-N3-C4	5.36	122.58	119.90
26	BB	1759	A	C5'-C4'-C3'	5.36	124.58	116.00
26	BB	2037	A	C4-C5-C6	5.36	119.68	117.00
1	AA	306	A	N3-C4-N9	-5.36	123.11	127.40
1	AA	920	U	O4'-C4'-C3'	-5.36	98.64	104.00
1	AA	994	A	N9-C4-C5	-5.36	103.66	105.80
1	AA	1238	A	O5'-P-OP1	-5.36	100.88	105.70
1	AA	1301	U	C2-N3-C4	-5.36	123.78	127.00
26	BB	300	A	C2-N3-C4	5.36	113.28	110.60
26	BB	623	C	C6-N1-C1'	-5.36	114.37	120.80
26	BB	703	U	P-O3'-C3'	5.36	126.13	119.70
26	BB	899	A	N3-C4-N9	-5.36	123.11	127.40
26	BB	1127	A	C5-N7-C8	5.36	106.58	103.90
26	BB	1307	A	C2-N3-C4	5.36	113.28	110.60
26	BB	1455	G	C6-N1-C2	-5.36	121.88	125.10
26	BB	1718	G	O4'-C4'-C3'	5.36	110.39	106.10
26	BB	2158	A	N1-C2-N3	5.36	131.98	129.30
26	BB	2224	G	C4-C5-C6	5.36	122.02	118.80
26	BB	2435	A	C5-C6-N1	5.36	120.38	117.70
26	BB	2443	C	C1'-O4'-C4'	-5.36	105.61	109.90
26	BB	2472	G	O4'-C1'-N9	-5.36	103.91	108.20
26	BB	2620	C	C5'-C4'-O4'	5.36	115.53	109.10
26	BB	2722	G	N3-C4-C5	-5.36	125.92	128.60
26	BB	2888	C	C5-C4-N4	-5.36	116.45	120.20
1	AA	490	C	C5'-C4'-O4'	5.36	115.53	109.10
1	AA	1463	U	N1-C2-N3	5.36	118.12	114.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
23	AW	23	ARG	NE-CZ-NH2	-5.36	117.62	120.30
26	BB	861	A	C5-C6-N6	-5.36	119.41	123.70
26	BB	2140	G	C8-N9-C4	5.36	108.54	106.40
26	BB	2169	A	C5-C6-N1	5.36	120.38	117.70
26	BB	2791	G	N1-C2-N2	5.36	121.02	116.20
1	AA	166	U	C2-N3-C4	-5.36	123.79	127.00
4	AD	45	A	C5-N7-C8	5.36	106.58	103.90
4	AD	71	G	C6-C5-N7	-5.36	127.19	130.40
6	AF	51	VAL	CB-CA-C	-5.36	101.22	111.40
25	BA	28	C	C2-N3-C4	-5.36	117.22	119.90
26	BB	398	C	C4'-C3'-C2'	-5.36	97.24	102.60
26	BB	575	A	O4'-C1'-C2'	5.36	112.42	107.60
26	BB	810	U	N3-C2-O2	-5.36	118.45	122.20
26	BB	824	U	N1-C2-N3	5.36	118.11	114.90
26	BB	909	A	C1'-O4'-C4'	5.36	114.19	109.90
26	BB	1406	U	C5-C4-O4	-5.36	122.69	125.90
26	BB	1555	G	N7-C8-N9	-5.36	110.42	113.10
26	BB	1765	U	C3'-C2'-C1'	5.36	105.79	101.50
26	BB	1813	G	C5-C6-N1	5.36	114.18	111.50
26	BB	2298	A	C3'-C2'-C1'	-5.36	97.21	101.50
26	BB	2657	A	N1-C6-N6	5.36	121.81	118.60
28	BD	228	ASP	CB-CG-OD1	-5.36	113.48	118.30
29	BE	181	ASP	CB-CG-OD1	-5.36	113.48	118.30
1	AA	245	U	O4'-C1'-N1	5.36	112.48	108.20
1	AA	694	A	C5-N7-C8	5.36	106.58	103.90
1	AA	699	C	N3-C2-O2	-5.36	118.15	121.90
1	AA	872	A	C5-N7-C8	-5.36	101.22	103.90
1	AA	936	C	N3-C4-N4	5.36	121.75	118.00
1	AA	1246	A	C4-C5-C6	5.36	119.68	117.00
2	AB	53	G	N9-C4-C5	5.36	107.54	105.40
26	BB	165	A	C2-N3-C4	5.36	113.28	110.60
26	BB	498	G	C3'-C2'-C1'	5.36	105.78	101.50
26	BB	798	G	C5-C6-O6	-5.36	125.39	128.60
26	BB	923	G	C5-C6-O6	-5.36	125.39	128.60
26	BB	1318	U	O4'-C1'-N1	5.36	112.48	108.20
26	BB	1363	C	C4-C5-C6	5.36	120.08	117.40
26	BB	1364	G	N1-C2-N2	5.36	121.02	116.20
26	BB	1753	G	N9-C4-C5	5.36	107.54	105.40
26	BB	1889	A	C3'-C2'-C1'	-5.36	97.22	101.50
26	BB	2075	U	P-O5'-C5'	5.36	129.47	120.90
26	BB	2241	A	C5-N7-C8	-5.36	101.22	103.90
26	BB	2244	U	O4'-C1'-C2'	5.36	112.42	107.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2301	C	C5-C6-N1	5.36	123.68	121.00
26	BB	2314	A	C1'-O4'-C4'	-5.36	105.62	109.90
26	BB	2336	A	C3'-C2'-C1'	5.36	105.78	101.50
26	BB	2507	C	N3-C4-N4	5.36	121.75	118.00
26	BB	2546	U	C5-C4-O4	-5.36	122.69	125.90
26	BB	2850	A	O5'-C5'-C4'	-5.36	101.52	111.70
1	AA	624	C	O4'-C1'-N1	5.35	112.48	108.20
1	AA	642	A	C5-C6-N1	5.35	120.38	117.70
26	BB	1242	U	N3-C4-C5	5.35	117.81	114.60
26	BB	1364	G	C6-N1-C2	5.35	128.31	125.10
26	BB	1586	A	C5-N7-C8	5.35	106.58	103.90
26	BB	1639	C	C4-C5-C6	-5.35	114.72	117.40
26	BB	2328	A	C4-C5-C6	5.35	119.68	117.00
38	BN	64	PHE	CB-CG-CD1	5.35	124.55	120.80
1	AA	15	G	C6-C5-N7	-5.35	127.19	130.40
1	AA	413	G	N3-C4-N9	-5.35	122.79	126.00
1	AA	491	G	C5'-C4'-O4'	5.35	115.52	109.10
1	AA	722	G	O4'-C4'-C3'	-5.35	98.65	104.00
1	AA	1379	G	C8-N9-C1'	5.35	133.96	127.00
25	BA	46	A	N9-C4-C5	-5.35	103.66	105.80
26	BB	43	G	C6-C5-N7	-5.35	127.19	130.40
26	BB	242	G	C4-C5-C6	-5.35	115.59	118.80
26	BB	334	C	C4-C5-C6	-5.35	114.72	117.40
26	BB	555	G	C5-C6-N1	5.35	114.18	111.50
26	BB	673	C	N3-C4-C5	-5.35	119.76	121.90
26	BB	776	G	N1-C2-N3	-5.35	120.69	123.90
26	BB	1016	G	N3-C4-C5	-5.35	125.92	128.60
26	BB	1022	G	C4'-C3'-C2'	-5.35	97.25	102.60
26	BB	1280	G	P-O3'-C3'	5.35	126.12	119.70
26	BB	1743	G	C2-N3-C4	5.35	114.58	111.90
26	BB	1759	A	OP1-P-O3'	5.35	116.98	105.20
26	BB	1804	C	O4'-C1'-N1	5.35	112.48	108.20
26	BB	1938	A	C8-N9-C4	-5.35	103.66	105.80
32	BH	51	PHE	CZ-CE2-CD2	5.35	126.52	120.10
48	BX	92	VAL	CA-CB-CG1	5.35	118.93	110.90
56	B5	9	VAL	CA-CB-CG1	5.35	118.93	110.90
1	AA	2	A	P-O3'-C3'	5.35	126.12	119.70
1	AA	1290	G	O4'-C1'-N9	5.35	112.48	108.20
1	AA	1293	C	C3'-C2'-C1'	-5.35	97.22	101.50
1	AA	1368	A	C4-C5-N7	5.35	113.38	110.70
1	AA	1537	U	N3-C4-C5	5.35	117.81	114.60
3	AC	21	U	N1-C2-O2	5.35	126.55	122.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	480	A	N1-C2-N3	5.35	131.97	129.30
26	BB	654	A	C5'-C4'-C3'	5.35	124.56	116.00
26	BB	725	G	C4-C5-C6	5.35	122.01	118.80
26	BB	776	G	C5-N7-C8	-5.35	101.62	104.30
26	BB	843	G	C6-C5-N7	-5.35	127.19	130.40
1	AA	593	U	C1'-O4'-C4'	5.35	114.18	109.90
1	AA	669	G	N1-C2-N2	5.35	121.02	116.20
1	AA	840	C	C2'-C3'-O3'	5.35	122.26	113.70
1	AA	889	A	C6-N1-C2	-5.35	115.39	118.60
1	AA	1052	U	C4-C5-C6	5.35	122.91	119.70
1	AA	1206	G	N1-C2-N2	-5.35	111.39	116.20
1	AA	1466	C	C2-N3-C4	5.35	122.58	119.90
26	BB	565	C	C1'-O4'-C4'	-5.35	105.62	109.90
26	BB	1232	G	N9-C1'-C2'	-5.35	106.12	112.00
26	BB	1842	G	N3-C2-N2	5.35	123.64	119.90
26	BB	1955	U	N3-C4-C5	5.35	117.81	114.60
26	BB	2154	A	C1'-O4'-C4'	-5.35	105.62	109.90
26	BB	2428	G	P-O3'-C3'	5.35	126.12	119.70
26	BB	2589	A	N9-C4-C5	5.35	107.94	105.80
1	AA	86	G	C4'-C3'-C2'	5.35	107.95	102.60
1	AA	895	G	N9-C1'-C2'	-5.35	106.12	112.00
1	AA	1000	A	N7-C8-N9	5.35	116.47	113.80
26	BB	8	C	N3-C2-O2	-5.35	118.16	121.90
26	BB	78	U	C5-C6-N1	-5.35	120.03	122.70
26	BB	83	A	C4-C5-N7	5.35	113.37	110.70
26	BB	233	A	N7-C8-N9	5.35	116.47	113.80
26	BB	278	A	C5-C6-N6	5.35	127.98	123.70
26	BB	500	G	C6-C5-N7	-5.35	127.19	130.40
26	BB	576	U	N3-C4-C5	-5.35	111.39	114.60
26	BB	862	G	C2'-C3'-O3'	5.35	122.26	113.70
26	BB	1132	U	N3-C4-O4	5.35	123.14	119.40
26	BB	1457	U	C5'-C4'-O4'	5.35	115.52	109.10
26	BB	1467	U	O4'-C1'-N1	5.35	112.48	108.20
26	BB	1811	G	O4'-C1'-N9	5.35	112.48	108.20
26	BB	2018	G	C5'-C4'-O4'	5.35	115.52	109.10
26	BB	2049	G	C4'-C3'-C2'	-5.35	97.25	102.60
26	BB	2058	A	N1-C6-N6	-5.35	115.39	118.60
26	BB	2067	G	N7-C8-N9	5.35	115.77	113.10
26	BB	2337	G	C4'-C3'-C2'	-5.35	97.25	102.60
1	AA	351	G	C5-N7-C8	-5.35	101.63	104.30
1	AA	442	G	P-O3'-C3'	5.35	126.11	119.70
1	AA	528	C	C2'-C3'-O3'	5.35	122.25	113.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	524	G	P-O3'-C3'	5.35	126.11	119.70
26	BB	654	A	N1-C6-N6	-5.35	115.39	118.60
26	BB	1544	A	N3-C4-C5	-5.35	123.06	126.80
26	BB	1946	U	N3-C4-O4	5.35	123.14	119.40
26	BB	1956	U	C4'-C3'-C2'	-5.35	97.25	102.60
26	BB	2065	C	C3'-C2'-C1'	-5.35	97.22	101.50
26	BB	2846	G	N3-C2-N2	5.35	123.64	119.90
1	AA	32	A	O3'-P-O5'	5.34	114.15	104.00
1	AA	152	A	C1'-O4'-C4'	-5.34	105.62	109.90
1	AA	176	C	N1-C2-O2	-5.34	115.69	118.90
1	AA	493	A	C5'-C4'-O4'	5.34	115.51	109.10
1	AA	512	U	C4-C5-C6	5.34	122.91	119.70
1	AA	642	A	C4-C5-N7	5.34	113.37	110.70
1	AA	647	C	N3-C4-C5	-5.34	119.76	121.90
1	AA	1466	C	C6-N1-C1'	-5.34	114.39	120.80
8	AH	44	ARG	NE-CZ-NH2	-5.34	117.63	120.30
26	BB	59	U	P-O3'-C3'	5.34	126.11	119.70
26	BB	136	G	N3-C4-C5	-5.34	125.93	128.60
26	BB	325	G	C5'-C4'-C3'	-5.34	107.45	116.00
26	BB	549	G	N3-C2-N2	-5.34	116.16	119.90
26	BB	971	G	C5-C6-N1	5.34	114.17	111.50
26	BB	1084	A	C4-C5-C6	5.34	119.67	117.00
26	BB	1120	G	C4-C5-N7	-5.34	108.66	110.80
26	BB	1139	G	C6-C5-N7	-5.34	127.19	130.40
26	BB	1291	C	N3-C2-O2	-5.34	118.16	121.90
26	BB	1834	U	C2-N3-C4	-5.34	123.79	127.00
26	BB	1919	A	C4-C5-N7	-5.34	108.03	110.70
26	BB	1977	A	N7-C8-N9	5.34	116.47	113.80
26	BB	2007	U	C5-C6-N1	-5.34	120.03	122.70
26	BB	2325	G	N9-C4-C5	5.34	107.54	105.40
26	BB	2721	A	N3-C4-C5	-5.34	123.06	126.80
41	BQ	111	ARG	NE-CZ-NH2	-5.34	117.63	120.30
1	AA	99	C	C4'-C3'-C2'	-5.34	97.26	102.60
1	AA	489	C	C2-N3-C4	5.34	122.57	119.90
1	AA	1136	C	N1-C2-O2	5.34	122.11	118.90
1	AA	1138	G	N1-C6-O6	5.34	123.11	119.90
1	AA	1239	A	C4'-C3'-C2'	-5.34	97.26	102.60
26	BB	1637	A	N1-C2-N3	5.34	131.97	129.30
26	BB	2098	U	N3-C4-O4	-5.34	115.66	119.40
26	BB	2121	G	C6-C5-N7	-5.34	127.19	130.40
26	BB	2211	A	C2-N3-C4	5.34	113.27	110.60
26	BB	2327	A	N1-C2-N3	-5.34	126.63	129.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
46	BV	12	ARG	NE-CZ-NH2	-5.34	117.63	120.30
1	AA	447	G	O4'-C1'-N9	5.34	112.47	108.20
1	AA	1220	G	C8-N9-C1'	5.34	133.94	127.00
1	AA	1510	C	C4'-C3'-C2'	-5.34	97.26	102.60
25	BA	25	U	C2-N1-C1'	5.34	124.11	117.70
25	BA	88	C	N3-C2-O2	-5.34	118.16	121.90
26	BB	257	C	N1-C2-O2	5.34	122.11	118.90
26	BB	693	A	C4-C5-C6	-5.34	114.33	117.00
26	BB	869	G	C5-N7-C8	-5.34	101.63	104.30
26	BB	946	C	C2-N3-C4	-5.34	117.23	119.90
26	BB	1060	U	N1-C2-O2	-5.34	119.06	122.80
26	BB	1288	G	N9-C4-C5	5.34	107.54	105.40
26	BB	2472	G	N1-C6-O6	5.34	123.11	119.90
26	BB	2541	A	C6-N1-C2	5.34	121.81	118.60
26	BB	2562	U	N1-C2-O2	-5.34	119.06	122.80
26	BB	2665	A	C6-N1-C2	-5.34	115.40	118.60
26	BB	2694	G	N9-C4-C5	5.34	107.54	105.40
26	BB	2729	G	N9-C1'-C2'	-5.34	106.12	112.00
26	BB	2741	A	C8-N9-C4	-5.34	103.66	105.80
26	BB	2885	G	N3-C4-C5	-5.34	125.93	128.60
1	AA	236	A	O4'-C1'-N9	5.34	112.47	108.20
1	AA	405	U	N3-C2-O2	-5.34	118.46	122.20
1	AA	491	G	C1'-O4'-C4'	-5.34	105.63	109.90
1	AA	760	G	O5'-C5'-C4'	5.34	121.84	111.70
1	AA	813	U	N1-C2-N3	5.34	118.10	114.90
1	AA	1013	G	O4'-C4'-C3'	5.34	110.37	106.10
1	AA	1156	G	C5'-C4'-O4'	5.34	115.51	109.10
1	AA	1395	C	N3-C2-O2	-5.34	118.16	121.90
25	BA	73	A	N9-C1'-C2'	-5.34	106.13	112.00
25	BA	76	G	C5-N7-C8	-5.34	101.63	104.30
26	BB	342	A	C3'-C2'-C1'	-5.34	97.23	101.50
26	BB	713	G	N9-C4-C5	5.34	107.54	105.40
26	BB	1633	G	O4'-C4'-C3'	5.34	110.37	106.10
26	BB	1677	A	N3-C4-C5	-5.34	123.06	126.80
26	BB	1691	C	O4'-C1'-N1	5.34	112.47	108.20
26	BB	1867	G	C4-C5-C6	5.34	122.00	118.80
26	BB	2518	A	O4'-C4'-C3'	5.34	110.37	106.10
1	AA	600	A	C8-N9-C4	-5.34	103.67	105.80
26	BB	28	A	C8-N9-C4	-5.34	103.67	105.80
26	BB	385	C	O4'-C4'-C3'	5.34	110.37	106.10
26	BB	535	G	C2-N3-C4	5.34	114.57	111.90
26	BB	699	A	N1-C2-N3	-5.34	126.63	129.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1640	A	O4'-C1'-N9	5.34	112.47	108.20
26	BB	1724	G	C5-C6-N1	-5.34	108.83	111.50
26	BB	1760	C	N1-C2-N3	-5.34	115.46	119.20
26	BB	1807	G	N1-C2-N2	5.34	121.00	116.20
1	AA	225	C	C6-N1-C2	-5.34	118.17	120.30
1	AA	467	U	O4'-C1'-N1	5.34	112.47	108.20
1	AA	507	C	N3-C4-C5	5.34	124.03	121.90
1	AA	522	C	N3-C4-C5	-5.34	119.77	121.90
1	AA	821	G	C5'-C4'-O4'	5.34	115.50	109.10
1	AA	977	A	C4-C5-N7	-5.34	108.03	110.70
2	AB	22	G	P-O3'-C3'	5.34	126.10	119.70
26	BB	44	A	C5-N7-C8	-5.34	101.23	103.90
26	BB	574	A	C5-C6-N1	5.34	120.37	117.70
26	BB	741	U	C5'-C4'-O4'	5.34	115.50	109.10
26	BB	820	A	P-O3'-C3'	5.34	126.10	119.70
26	BB	911	A	C2-N3-C4	-5.34	107.93	110.60
26	BB	956	G	C6-N1-C2	-5.34	121.90	125.10
26	BB	1314	C	P-O3'-C3'	5.34	126.10	119.70
26	BB	2040	G	N7-C8-N9	5.34	115.77	113.10
26	BB	2172	U	O4'-C4'-C3'	5.34	110.37	106.10
26	BB	2443	C	C5'-C4'-C3'	-5.34	107.46	116.00
26	BB	2443	C	N3-C4-N4	5.34	121.73	118.00
26	BB	2654	A	C8-N9-C4	-5.34	103.67	105.80
26	BB	2725	A	C5'-C4'-C3'	-5.34	107.46	116.00
26	BB	2770	G	N1-C2-N3	5.34	127.10	123.90
53	B2	49	ARG	NH1-CZ-NH2	-5.34	113.53	119.40
1	AA	36	C	O4'-C1'-C2'	-5.33	100.47	105.80
1	AA	199	A	C5'-C4'-O4'	5.33	115.50	109.10
1	AA	557	G	C5-C6-N1	-5.33	108.83	111.50
1	AA	632	U	O3'-P-O5'	-5.33	93.86	104.00
1	AA	1137	C	C5-C6-N1	5.33	123.67	121.00
1	AA	1254	A	N9-C4-C5	5.33	107.93	105.80
1	AA	1468	A	N9-C1'-C2'	-5.33	106.13	112.00
25	BA	120	U	N1-C2-N3	5.33	118.10	114.90
26	BB	134	G	C8-N9-C4	-5.33	104.27	106.40
26	BB	648	G	C4-C5-C6	5.33	122.00	118.80
26	BB	1493	C	C5-C4-N4	5.33	123.93	120.20
26	BB	1494	A	O4'-C4'-C3'	-5.33	98.67	104.00
26	BB	1771	C	C1'-O4'-C4'	5.33	114.17	109.90
26	BB	1862	G	O4'-C4'-C3'	-5.33	98.67	104.00
26	BB	2156	G	N1-C6-O6	5.33	123.10	119.90
1	AA	314	C	N3-C4-C5	-5.33	119.77	121.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	391	G	C4'-C3'-C2'	-5.33	97.27	102.60
25	BA	89	U	C5'-C4'-C3'	-5.33	107.47	116.00
26	BB	227	A	N9-C1'-C2'	5.33	120.93	114.00
26	BB	435	C	P-O5'-C5'	5.33	129.44	120.90
26	BB	621	A	C6-C5-N7	5.33	136.03	132.30
26	BB	663	G	N9-C4-C5	5.33	107.53	105.40
26	BB	866	A	N7-C8-N9	-5.33	111.13	113.80
26	BB	1030	C	P-O3'-C3'	5.33	126.10	119.70
26	BB	1107	G	C4'-C3'-C2'	-5.33	97.27	102.60
26	BB	1255	U	C2-N3-C4	-5.33	123.80	127.00
26	BB	1349	C	C4'-C3'-C2'	-5.33	97.27	102.60
26	BB	1531	C	C5-C6-N1	-5.33	118.33	121.00
26	BB	1536	C	C1'-O4'-C4'	-5.33	105.63	109.90
26	BB	1656	C	O4'-C4'-C3'	-5.33	98.67	104.00
26	BB	1681	G	C5'-C4'-C3'	5.33	124.53	116.00
26	BB	2053	G	C5-C6-N1	5.33	114.17	111.50
26	BB	2264	C	N3-C4-C5	5.33	124.03	121.90
26	BB	2554	U	O4'-C1'-N1	5.33	112.47	108.20
26	BB	2723	C	C6-N1-C1'	5.33	127.20	120.80
1	AA	18	C	N1-C1'-C2'	-5.33	106.14	112.00
1	AA	51	A	C2'-C3'-O3'	5.33	122.23	113.70
1	AA	365	U	C2-N3-C4	-5.33	123.80	127.00
1	AA	459	A	C5-C6-N1	5.33	120.37	117.70
1	AA	476	U	O5'-C5'-C4'	-5.33	101.57	111.70
1	AA	710	G	C4-C5-N7	-5.33	108.67	110.80
4	AD	46	G	P-O5'-C5'	5.33	129.43	120.90
26	BB	15	G	C8-N9-C4	-5.33	104.27	106.40
26	BB	425	G	C4'-C3'-C2'	-5.33	97.27	102.60
26	BB	1025	G	C5-C6-O6	-5.33	125.40	128.60
26	BB	1679	A	C3'-C2'-C1'	5.33	105.77	101.50
26	BB	1977	A	C8-N9-C4	-5.33	103.67	105.80
26	BB	2141	G	C4-C5-C6	5.33	122.00	118.80
26	BB	2389	G	C4-N9-C1'	-5.33	119.57	126.50
26	BB	2567	G	N3-C4-C5	5.33	131.27	128.60
26	BB	2610	C	N3-C4-C5	5.33	124.03	121.90
26	BB	2786	U	N3-C2-O2	-5.33	118.47	122.20
1	AA	372	C	C5-C4-N4	5.33	123.93	120.20
1	AA	955	U	C5'-C4'-C3'	5.33	124.53	116.00
6	AF	21	TRP	CZ3-CH2-CZ2	-5.33	115.20	121.60
26	BB	336	C	C6-N1-C1'	5.33	127.20	120.80
26	BB	1186	G	O4'-C1'-N9	5.33	112.46	108.20
26	BB	1832	C	N3-C2-O2	-5.33	118.17	121.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2267	A	C6-C5-N7	5.33	136.03	132.30
1	AA	213	G	C8-N9-C4	-5.33	104.27	106.40
1	AA	414	A	C5-C6-N1	5.33	120.36	117.70
1	AA	548	G	P-O5'-C5'	5.33	129.43	120.90
1	AA	593	U	C3'-C2'-C1'	5.33	105.76	101.50
1	AA	613	C	C2-N3-C4	5.33	122.56	119.90
1	AA	824	G	C5-C6-O6	-5.33	125.40	128.60
1	AA	1128	C	N3-C4-N4	5.33	121.73	118.00
26	BB	353	C	N1-C2-O2	5.33	122.10	118.90
26	BB	442	G	N3-C4-N9	5.33	129.20	126.00
26	BB	754	U	C5-C6-N1	-5.33	120.04	122.70
26	BB	978	G	C2-N3-C4	5.33	114.56	111.90
26	BB	1076	C	C4'-C3'-O3'	5.33	123.66	113.00
26	BB	1730	C	N3-C4-C5	-5.33	119.77	121.90
26	BB	2873	A	C4-C5-N7	-5.33	108.04	110.70
1	AA	17	U	C5-C4-O4	5.33	129.10	125.90
1	AA	1209	C	P-O3'-C3'	5.33	126.09	119.70
26	BB	112	U	O4'-C1'-C2'	5.33	112.39	107.60
26	BB	341	C	C1'-O4'-C4'	5.33	114.16	109.90
26	BB	524	G	C5'-C4'-O4'	5.33	115.49	109.10
26	BB	621	A	C1'-O4'-C4'	5.33	114.16	109.90
26	BB	1399	C	O4'-C4'-C3'	5.33	110.36	106.10
1	AA	4	U	N3-C2-O2	-5.33	118.47	122.20
1	AA	62	U	C2-N3-C4	-5.33	123.81	127.00
1	AA	412	A	N9-C1'-C2'	-5.33	106.14	112.00
1	AA	506	G	OP2-P-O3'	5.33	116.92	105.20
1	AA	639	G	C1'-O4'-C4'	5.33	114.16	109.90
1	AA	660	C	C5'-C4'-C3'	-5.33	107.48	116.00
1	AA	686	U	C5'-C4'-C3'	-5.33	107.48	116.00
1	AA	780	A	N3-C4-C5	-5.33	123.07	126.80
1	AA	816	A	N7-C8-N9	5.33	116.46	113.80
1	AA	852	G	C4'-C3'-C2'	-5.33	97.28	102.60
1	AA	897	C	C3'-C2'-C1'	-5.33	97.24	101.50
1	AA	1171	A	N9-C4-C5	5.33	107.93	105.80
1	AA	1201	A	C6-N1-C2	-5.33	115.41	118.60
2	AB	5	G	N1-C6-O6	-5.33	116.70	119.90
20	AT	72	TRP	NE1-CE2-CD2	-5.33	101.97	107.30
26	BB	102	U	N3-C2-O2	-5.33	118.47	122.20
26	BB	254	G	N3-C4-N9	5.33	129.19	126.00
26	BB	303	G	C8-N9-C4	-5.33	104.27	106.40
26	BB	314	C	C6-N1-C2	-5.33	118.17	120.30
26	BB	819	A	C5-C6-N6	-5.33	119.44	123.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	990	A	N1-C2-N3	5.33	131.96	129.30
26	BB	1017	G	C6-C5-N7	5.33	133.60	130.40
26	BB	1142	A	C2-N3-C4	-5.33	107.94	110.60
26	BB	1522	A	C3'-C2'-C1'	5.33	105.76	101.50
26	BB	1736	U	O4'-C1'-N1	5.33	112.46	108.20
26	BB	1888	G	C1'-O4'-C4'	-5.33	105.64	109.90
26	BB	2013	A	C4-C5-N7	-5.33	108.04	110.70
26	BB	2179	C	N3-C4-C5	-5.33	119.77	121.90
26	BB	2226	C	N3-C4-N4	-5.33	114.27	118.00
26	BB	2289	G	O4'-C4'-C3'	5.33	110.36	106.10
26	BB	2296	U	N1-C2-O2	5.33	126.53	122.80
26	BB	2620	C	C5-C6-N1	-5.33	118.34	121.00
26	BB	2673	G	C5'-C4'-C3'	-5.33	107.48	116.00
44	BT	11	GLN	CB-CG-CD	5.33	125.44	111.60
1	AA	389	A	N1-C2-N3	-5.32	126.64	129.30
1	AA	661	G	C5-C6-N1	5.32	114.16	111.50
1	AA	1024	G	O4'-C1'-N9	-5.32	103.94	108.20
1	AA	1385	G	C4-C5-N7	-5.32	108.67	110.80
1	AA	1482	G	N1-C2-N3	5.32	127.09	123.90
25	BA	52	A	C3'-C2'-C1'	-5.32	97.24	101.50
26	BB	882	G	C5-N7-C8	-5.32	101.64	104.30
26	BB	971	G	C5'-C4'-O4'	5.32	115.49	109.10
26	BB	1420	A	N1-C2-N3	5.32	131.96	129.30
26	BB	2287	A	C3'-C2'-C1'	5.32	105.76	101.50
26	BB	2661	G	C5-C6-N1	5.32	114.16	111.50
26	BB	2808	G	C6-C5-N7	-5.32	127.21	130.40
26	BB	2861	U	C5'-C4'-O4'	5.32	115.49	109.10
26	BB	2868	A	C6-N1-C2	5.32	121.79	118.60
1	AA	540	G	C5-C6-O6	-5.32	125.41	128.60
1	AA	1248	A	C6-C5-N7	5.32	136.03	132.30
26	BB	1425	G	N3-C2-N2	-5.32	116.17	119.90
26	BB	1881	C	C3'-C2'-C1'	5.32	105.76	101.50
26	BB	2047	C	N1-C2-O2	5.32	122.09	118.90
26	BB	2074	U	C5-C6-N1	-5.32	120.04	122.70
26	BB	2595	G	N1-C2-N2	5.32	120.99	116.20
26	BB	2840	C	N3-C4-C5	5.32	124.03	121.90
1	AA	185	U	N1-C1'-C2'	-5.32	106.15	112.00
1	AA	1378	C	C4-C5-C6	-5.32	114.74	117.40
3	AC	23	C	C5-C6-N1	5.32	123.66	121.00
25	BA	83	G	C1'-O4'-C4'	5.32	114.16	109.90
26	BB	628	G	N1-C2-N2	-5.32	111.41	116.20
26	BB	651	G	C8-N9-C4	-5.32	104.27	106.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	844	A	N1-C2-N3	-5.32	126.64	129.30
26	BB	1229	C	N3-C2-O2	-5.32	118.17	121.90
26	BB	1298	C	C6-N1-C2	5.32	122.43	120.30
26	BB	1356	G	N3-C2-N2	-5.32	116.17	119.90
26	BB	1670	C	O4'-C1'-N1	5.32	112.46	108.20
26	BB	1973	G	N1-C6-O6	5.32	123.09	119.90
26	BB	2038	G	N1-C2-N2	5.32	120.99	116.20
26	BB	2236	U	C2'-C3'-O3'	5.32	122.21	113.70
26	BB	2819	G	C5'-C4'-O4'	5.32	115.48	109.10
48	BX	19	ARG	CD-NE-CZ	5.32	131.05	123.60
48	BX	66	ASP	CB-CG-OD2	-5.32	113.51	118.30
1	AA	543	U	N1-C1'-C2'	-5.32	106.15	112.00
1	AA	713	G	N1-C2-N3	-5.32	120.71	123.90
1	AA	868	C	C4'-C3'-C2'	-5.32	97.28	102.60
1	AA	1440	U	C4'-C3'-C2'	-5.32	97.28	102.60
1	AA	1541	U	O4'-C4'-C3'	-5.32	98.68	104.00
19	AS	66	THR	CA-CB-CG2	-5.32	104.95	112.40
25	BA	8	C	N1-C2-O2	5.32	122.09	118.90
26	BB	266	G	O4'-C4'-C3'	-5.32	98.68	104.00
26	BB	472	A	O3'-P-O5'	-5.32	93.89	104.00
26	BB	905	A	C5-C6-N6	-5.32	119.44	123.70
26	BB	1877	A	C6-N1-C2	-5.32	115.41	118.60
26	BB	2080	A	N3-C4-N9	-5.32	123.14	127.40
26	BB	2868	A	C5'-C4'-C3'	5.32	124.51	116.00
1	AA	39	G	O4'-C1'-N9	5.32	112.45	108.20
1	AA	139	A	C6-C5-N7	-5.32	128.58	132.30
1	AA	414	A	C6-N1-C2	5.32	121.79	118.60
1	AA	473	U	O3'-P-O5'	-5.32	93.90	104.00
1	AA	481	G	C4'-C3'-C2'	5.32	107.92	102.60
1	AA	520	A	C2'-C3'-O3'	5.32	122.21	113.70
1	AA	701	U	N3-C4-C5	5.32	117.79	114.60
1	AA	1144	G	O4'-C1'-N9	5.32	112.45	108.20
1	AA	1227	A	N1-C6-N6	5.32	121.79	118.60
1	AA	1269	A	C4'-C3'-C2'	-5.32	97.28	102.60
1	AA	1322	C	C6-N1-C1'	-5.32	114.42	120.80
1	AA	1356	G	N1-C2-N3	5.32	127.09	123.90
3	AC	24	A	C5-C6-N1	5.32	120.36	117.70
26	BB	111	A	C8-N9-C4	5.32	107.93	105.80
26	BB	386	G	C5'-C4'-O4'	-5.32	102.72	109.10
26	BB	564	C	O4'-C1'-C2'	5.32	112.39	107.60
26	BB	701	G	C5'-C4'-O4'	5.32	115.48	109.10
26	BB	783	A	C3'-C2'-C1'	-5.32	97.25	101.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	787	C	C4'-C3'-C2'	-5.32	97.28	102.60
26	BB	965	C	O4'-C1'-N1	5.32	112.45	108.20
26	BB	1060	U	N3-C4-O4	5.32	123.12	119.40
26	BB	1307	A	N1-C6-N6	-5.32	115.41	118.60
26	BB	1529	G	O4'-C1'-N9	5.32	112.45	108.20
26	BB	1566	A	N1-C2-N3	-5.32	126.64	129.30
26	BB	1625	C	C6-N1-C2	5.32	122.43	120.30
26	BB	1723	G	O4'-C1'-C2'	5.32	112.39	107.60
26	BB	1806	C	C1'-O4'-C4'	5.32	114.15	109.90
26	BB	2135	A	N7-C8-N9	-5.32	111.14	113.80
26	BB	2146	C	C5-C4-N4	5.32	123.92	120.20
26	BB	2421	G	C8-N9-C4	-5.32	104.27	106.40
26	BB	2533	U	C2-N3-C4	-5.32	123.81	127.00
32	BH	152	ARG	CD-NE-CZ	5.32	131.04	123.60
1	AA	330	C	C2-N3-C4	5.32	122.56	119.90
1	AA	551	U	C5-C6-N1	-5.32	120.04	122.70
1	AA	903	G	O4'-C1'-N9	5.32	112.45	108.20
1	AA	1046	A	N3-C4-C5	-5.32	123.08	126.80
1	AA	1380	U	N1-C2-N3	5.32	118.09	114.90
1	AA	1488	G	N9-C1'-C2'	-5.32	106.15	112.00
26	BB	369	U	C5-C4-O4	5.32	129.09	125.90
26	BB	538	A	C1'-O4'-C4'	-5.32	105.65	109.90
26	BB	705	A	N9-C4-C5	5.32	107.93	105.80
26	BB	890	C	N3-C4-C5	-5.32	119.77	121.90
26	BB	894	U	P-O3'-C3'	5.32	126.08	119.70
26	BB	1052	C	C5-C4-N4	5.32	123.92	120.20
26	BB	1565	C	C5-C6-N1	5.32	123.66	121.00
26	BB	1870	C	C5-C6-N1	5.32	123.66	121.00
26	BB	1899	A	P-O3'-C3'	5.32	126.08	119.70
26	BB	2145	C	C1'-O4'-C4'	5.32	114.15	109.90
26	BB	2486	C	N3-C4-N4	5.32	121.72	118.00
26	BB	2607	G	O4'-C1'-N9	5.32	112.45	108.20
26	BB	2876	G	O5'-P-OP2	-5.32	100.92	105.70
26	BB	2890	G	C6-C5-N7	-5.32	127.21	130.40
1	AA	326	G	C5-C6-N1	5.31	114.16	111.50
1	AA	852	G	C3'-C2'-C1'	5.31	105.75	101.50
1	AA	888	G	P-O3'-C3'	5.31	126.08	119.70
1	AA	1231	G	C6-C5-N7	5.31	133.59	130.40
1	AA	1264	U	C4'-C3'-C2'	-5.31	97.29	102.60
26	BB	233	A	C5-N7-C8	-5.31	101.24	103.90
26	BB	563	A	C5-C6-N6	5.31	127.95	123.70
26	BB	772	C	C5'-C4'-O4'	5.31	115.48	109.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1491	G	C6-C5-N7	-5.31	127.21	130.40
26	BB	2050	C	O4'-C1'-C2'	-5.31	100.49	105.80
26	BB	2140	G	O4'-C4'-C3'	5.31	110.35	106.10
26	BB	2576	G	C4-C5-C6	5.31	121.99	118.80
1	AA	265	G	C4-C5-N7	5.31	112.92	110.80
1	AA	735	C	N1-C2-N3	5.31	122.92	119.20
1	AA	965	U	C4'-C3'-C2'	-5.31	97.29	102.60
1	AA	1362	A	C6-N1-C2	-5.31	115.41	118.60
1	AA	1448	C	C5'-C4'-C3'	-5.31	107.50	116.00
1	AA	1483	A	C5-C6-N6	-5.31	119.45	123.70
2	AB	2	G	N7-C8-N9	5.31	115.76	113.10
9	AI	114	ASP	CB-CG-OD1	-5.31	113.52	118.30
15	AO	11	ARG	NE-CZ-NH1	5.31	122.96	120.30
25	BA	85	G	N3-C4-C5	-5.31	125.94	128.60
26	BB	194	G	C6-N1-C2	-5.31	121.91	125.10
26	BB	495	G	C4-C5-N7	-5.31	108.67	110.80
26	BB	1473	G	P-O3'-C3'	5.31	126.08	119.70
26	BB	1613	G	N3-C2-N2	5.31	123.62	119.90
26	BB	1828	G	N9-C4-C5	-5.31	103.28	105.40
26	BB	1866	A	C2-N3-C4	5.31	113.26	110.60
26	BB	2339	C	C5-C6-N1	-5.31	118.34	121.00
28	BD	136	VAL	CB-CA-C	5.31	121.49	111.40
32	BH	7	PRO	N-CA-CB	5.31	109.68	103.30
32	BH	32	LEU	CB-CG-CD2	-5.31	101.97	111.00
1	AA	493	A	N3-C4-N9	-5.31	123.15	127.40
1	AA	658	C	C1'-O4'-C4'	5.31	114.15	109.90
1	AA	685	G	C2-N3-C4	5.31	114.56	111.90
1	AA	841	C	C2-N3-C4	5.31	122.56	119.90
1	AA	979	C	C2'-C3'-O3'	5.31	122.20	113.70
26	BB	175	G	C6-C5-N7	-5.31	127.21	130.40
26	BB	443	A	C6-N1-C2	5.31	121.79	118.60
26	BB	1002	G	C4'-C3'-C2'	-5.31	97.29	102.60
26	BB	1478	G	N1-C2-N2	5.31	120.98	116.20
26	BB	2501	C	C4-C5-C6	5.31	120.06	117.40
26	BB	2534	A	N9-C1'-C2'	-5.31	106.16	112.00
1	AA	812	G	N1-C2-N3	5.31	127.08	123.90
1	AA	964	A	N7-C8-N9	5.31	116.45	113.80
1	AA	1204	A	C6-C5-N7	5.31	136.02	132.30
2	AB	70	C	C6-N1-C2	-5.31	118.18	120.30
17	AQ	63	CYS	CA-CB-SG	-5.31	104.44	114.00
26	BB	439	A	N1-C2-N3	5.31	131.96	129.30
26	BB	717	C	C4'-C3'-C2'	-5.31	97.29	102.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1037	G	C4-C5-N7	-5.31	108.68	110.80
26	BB	1349	C	C4-C5-C6	5.31	120.06	117.40
26	BB	1577	C	N1-C1'-C2'	5.31	120.90	114.00
26	BB	1634	A	O4'-C1'-C2'	5.31	112.38	107.60
26	BB	1841	U	N3-C4-O4	-5.31	115.68	119.40
36	BL	15	TRP	CA-CB-CG	5.31	123.79	113.70
1	AA	116	A	OP2-P-O3'	5.31	116.88	105.20
1	AA	619	U	C2-N3-C4	-5.31	123.82	127.00
1	AA	1403	C	O4'-C1'-N1	5.31	112.45	108.20
2	AB	23	A	C1'-O4'-C4'	-5.31	105.65	109.90
25	BA	49	C	N1-C1'-C2'	-5.31	106.16	112.00
26	BB	744	U	N3-C4-O4	5.31	123.12	119.40
26	BB	786	C	N1-C2-O2	5.31	122.08	118.90
26	BB	855	G	C4-N9-C1'	-5.31	119.60	126.50
26	BB	1192	G	N9-C4-C5	5.31	107.52	105.40
26	BB	1536	C	C5-C4-N4	5.31	123.92	120.20
26	BB	1996	C	C5-C4-N4	-5.31	116.48	120.20
26	BB	2290	G	O4'-C4'-C3'	5.31	110.34	106.10
26	BB	2517	C	P-O3'-C3'	5.31	126.07	119.70
26	BB	2718	G	N3-C2-N2	5.31	123.61	119.90
42	BR	52	ARG	NE-CZ-NH1	5.31	122.95	120.30
1	AA	974	A	O5'-P-OP2	-5.31	100.92	105.70
1	AA	1042	A	C5'-C4'-O4'	5.31	115.47	109.10
1	AA	1263	C	C5-C6-N1	5.31	123.65	121.00
1	AA	1278	G	N1-C2-N2	-5.31	111.42	116.20
2	AB	5	G	C5-C6-O6	5.31	131.78	128.60
8	AH	149	PRO	N-CA-CB	5.31	109.67	103.30
26	BB	420	C	C1'-O4'-C4'	5.31	114.14	109.90
26	BB	691	C	N3-C4-C5	5.31	124.02	121.90
26	BB	1224	U	C5-C4-O4	5.31	129.08	125.90
26	BB	1420	A	C4'-C3'-C2'	-5.31	97.29	102.60
26	BB	2195	U	C3'-C2'-C1'	5.31	105.74	101.50
26	BB	2388	A	P-O5'-C5'	-5.31	112.41	120.90
26	BB	2636	C	C5'-C4'-C3'	-5.31	107.51	116.00
1	AA	189	A	N1-C2-N3	-5.30	126.65	129.30
1	AA	193	C	N1-C2-O2	5.30	122.08	118.90
1	AA	470	C	C5-C6-N1	5.30	123.65	121.00
1	AA	581	G	C2'-C3'-O3'	5.30	122.19	113.70
1	AA	895	G	C4-C5-C6	5.30	121.98	118.80
1	AA	932	C	N3-C4-C5	-5.30	119.78	121.90
1	AA	1250	A	C5-N7-C8	-5.30	101.25	103.90
1	AA	1255	G	C5-C6-O6	-5.30	125.42	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1328	C	N1-C2-O2	5.30	122.08	118.90
1	AA	1355	G	C4-C5-N7	5.30	112.92	110.80
1	AA	1403	C	N3-C4-N4	5.30	121.71	118.00
1	AA	1411	C	C3'-C2'-C1'	-5.30	97.26	101.50
1	AA	1425	U	C3'-C2'-C1'	5.30	105.74	101.50
3	AC	38	G	N1-C6-O6	-5.30	116.72	119.90
25	BA	67	G	N1-C2-N3	5.30	127.08	123.90
26	BB	136	G	O5'-C5'-C4'	5.30	121.78	111.70
26	BB	571	U	C3'-C2'-C1'	5.30	105.74	101.50
26	BB	1078	U	C2-N1-C1'	-5.30	111.33	117.70
26	BB	1467	U	C4-C5-C6	5.30	122.88	119.70
26	BB	1539	U	C4'-C3'-C2'	-5.30	97.30	102.60
26	BB	1588	G	O4'-C1'-N9	5.30	112.44	108.20
26	BB	1592	C	N3-C4-C5	-5.30	119.78	121.90
26	BB	1687	G	C4'-C3'-C2'	-5.30	97.30	102.60
26	BB	1957	C	N1-C2-O2	5.30	122.08	118.90
26	BB	1978	A	C5-C6-N6	5.30	127.94	123.70
26	BB	2763	G	C4-C5-N7	5.30	112.92	110.80
36	BL	53	TYR	CD1-CE1-CZ	5.30	124.57	119.80
43	BS	35	PHE	CB-CG-CD2	5.30	124.51	120.80
1	AA	113	G	N7-C8-N9	5.30	115.75	113.10
1	AA	881	G	N3-C4-N9	5.30	129.18	126.00
1	AA	1070	U	C2-N3-C4	-5.30	123.82	127.00
1	AA	1132	C	C4'-C3'-C2'	-5.30	97.30	102.60
3	AC	51	C	P-O3'-C3'	5.30	126.06	119.70
6	AF	183	TYR	CG-CD1-CE1	5.30	125.54	121.30
15	AO	82	ARG	CB-CA-C	5.30	121.01	110.40
26	BB	1418	G	C5-C6-O6	-5.30	125.42	128.60
1	AA	307	C	C1'-O4'-C4'	5.30	114.14	109.90
1	AA	466	A	OP1-P-OP2	-5.30	111.65	119.60
1	AA	536	C	C5'-C4'-O4'	5.30	115.46	109.10
1	AA	738	C	N3-C4-C5	5.30	124.02	121.90
1	AA	759	A	C5-N7-C8	-5.30	101.25	103.90
1	AA	1205	U	N1-C2-N3	5.30	118.08	114.90
4	AD	59	A	C4-C5-N7	-5.30	108.05	110.70
5	AE	152	ASP	CB-CG-OD1	-5.30	113.53	118.30
12	AL	37	TYR	CB-CG-CD2	5.30	124.18	121.00
25	BA	89	U	N3-C2-O2	-5.30	118.49	122.20
26	BB	553	G	C2-N3-C4	5.30	114.55	111.90
26	BB	743	A	O5'-P-OP1	-5.30	100.93	105.70
26	BB	774	G	N3-C2-N2	5.30	123.61	119.90
26	BB	996	A	C4-C5-C6	-5.30	114.35	117.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1265	A	C4'-C3'-C2'	5.30	107.90	102.60
26	BB	1889	A	N9-C4-C5	5.30	107.92	105.80
26	BB	2356	U	N1-C1'-C2'	-5.30	106.17	112.00
1	AA	61	G	C3'-C2'-C1'	-5.30	97.26	101.50
1	AA	900	A	O4'-C1'-N9	-5.30	103.96	108.20
1	AA	936	C	C2-N3-C4	5.30	122.55	119.90
1	AA	1285	A	N9-C4-C5	-5.30	103.68	105.80
1	AA	1298	U	C5-C4-O4	-5.30	122.72	125.90
1	AA	1406	U	O4'-C1'-N1	5.30	112.44	108.20
2	AB	43	G	C2-N3-C4	5.30	114.55	111.90
26	BB	481	G	C5-C6-N1	5.30	114.15	111.50
26	BB	644	A	C2-N3-C4	5.30	113.25	110.60
26	BB	711	G	N3-C2-N2	-5.30	116.19	119.90
26	BB	749	A	C4-C5-N7	5.30	113.35	110.70
26	BB	1147	A	C5-N7-C8	5.30	106.55	103.90
26	BB	1163	G	N3-C4-C5	-5.30	125.95	128.60
26	BB	1165	A	C5-C6-N6	-5.30	119.46	123.70
26	BB	1842	G	N7-C8-N9	5.30	115.75	113.10
26	BB	1889	A	C5'-C4'-O4'	5.30	115.46	109.10
26	BB	1912	A	O4'-C1'-N9	5.30	112.44	108.20
26	BB	2057	G	O4'-C1'-C2'	5.30	112.37	107.60
26	BB	2422	C	P-O3'-C3'	5.30	126.06	119.70
26	BB	2479	U	O3'-P-O5'	-5.30	93.93	104.00
1	AA	427	U	OP1-P-O3'	5.30	116.86	105.20
1	AA	721	G	P-O3'-C3'	5.30	126.06	119.70
1	AA	971	G	C4-C5-N7	-5.30	108.68	110.80
1	AA	1159	U	N1-C2-O2	-5.30	119.09	122.80
1	AA	1508	A	N9-C1'-C2'	5.30	120.89	114.00
25	BA	79	G	C6-N1-C2	-5.30	121.92	125.10
26	BB	551	G	C4-C5-N7	-5.30	108.68	110.80
26	BB	1623	G	N1-C6-O6	-5.30	116.72	119.90
26	BB	2879	A	N9-C4-C5	5.30	107.92	105.80
1	AA	166	U	C1'-O4'-C4'	-5.30	105.66	109.90
1	AA	548	G	C5-N7-C8	5.30	106.95	104.30
1	AA	621	A	C1'-O4'-C4'	5.30	114.14	109.90
1	AA	732	C	N3-C4-C5	-5.30	119.78	121.90
1	AA	798	U	N1-C2-N3	-5.30	111.72	114.90
1	AA	968	A	N9-C4-C5	5.30	107.92	105.80
1	AA	1219	A	C2-N3-C4	5.30	113.25	110.60
1	AA	1531	A	N3-C4-N9	5.30	131.64	127.40
3	AC	45	G	N9-C4-C5	5.30	107.52	105.40
8	AH	150	GLU	O-C-N	5.30	131.17	122.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	363	G	O4'-C1'-N9	5.30	112.44	108.20
26	BB	1020	A	C5'-C4'-C3'	-5.30	107.52	116.00
26	BB	1687	G	O4'-C4'-C3'	5.30	110.34	106.10
26	BB	2086	U	N1-C2-O2	-5.30	119.09	122.80
26	BB	2333	A	O4'-C1'-N9	5.30	112.44	108.20
26	BB	2772	C	N3-C4-N4	-5.30	114.29	118.00
26	BB	2803	G	C5-C6-N1	5.30	114.15	111.50
26	BB	2842	G	C4-C5-N7	5.30	112.92	110.80
26	BB	2842	G	C6-N1-C2	5.30	128.28	125.10
26	BB	2886	A	C4-C5-N7	5.30	113.35	110.70
28	BD	97	ASP	CB-CA-C	5.30	120.99	110.40
42	BR	50	ARG	NE-CZ-NH1	5.30	122.95	120.30
1	AA	414	A	C1'-O4'-C4'	-5.29	105.66	109.90
1	AA	930	C	C5'-C4'-O4'	5.29	115.45	109.10
26	BB	125	A	C4-C5-C6	5.29	119.65	117.00
26	BB	162	U	C5-C6-N1	-5.29	120.05	122.70
26	BB	509	C	O5'-P-OP2	-5.29	100.94	105.70
26	BB	909	A	P-O3'-C3'	5.29	126.06	119.70
26	BB	1172	C	N3-C4-C5	-5.29	119.78	121.90
26	BB	2096	C	C5-C4-N4	-5.29	116.49	120.20
26	BB	2217	G	C1'-O4'-C4'	5.29	114.14	109.90
26	BB	2342	C	C5'-C4'-O4'	5.29	115.45	109.10
26	BB	2453	A	N1-C6-N6	-5.29	115.42	118.60
1	AA	72	A	C6-C5-N7	5.29	136.00	132.30
1	AA	590	U	O5'-P-OP2	-5.29	100.94	105.70
1	AA	725	G	C6-N1-C2	-5.29	121.92	125.10
1	AA	1005	A	O4'-C4'-C3'	5.29	110.33	106.10
1	AA	1056	U	C3'-C2'-C1'	5.29	105.73	101.50
1	AA	1240	U	N1-C2-O2	5.29	126.50	122.80
1	AA	1338	G	C6-N1-C2	-5.29	121.92	125.10
1	AA	1500	A	C8-N9-C4	5.29	107.92	105.80
16	AP	41	ASP	CB-CG-OD2	5.29	123.06	118.30
26	BB	77	G	C6-N1-C2	-5.29	121.92	125.10
26	BB	268	C	N3-C2-O2	-5.29	118.19	121.90
26	BB	531	C	N3-C4-C5	5.29	124.02	121.90
26	BB	597	G	O3'-P-O5'	-5.29	93.94	104.00
26	BB	736	C	O4'-C1'-N1	5.29	112.44	108.20
26	BB	783	A	C4'-C3'-C2'	5.29	107.89	102.60
26	BB	898	C	N3-C4-N4	5.29	121.71	118.00
26	BB	1101	U	N1-C1'-C2'	-5.29	106.18	112.00
26	BB	1189	A	N1-C6-N6	-5.29	115.42	118.60
26	BB	1234	U	C3'-C2'-C1'	-5.29	97.27	101.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1286	A	C8-N9-C4	-5.29	103.68	105.80
26	BB	1317	G	C4-C5-C6	5.29	121.98	118.80
26	BB	1342	A	C2-N3-C4	-5.29	107.95	110.60
26	BB	1445	G	C3'-C2'-C1'	5.29	105.73	101.50
26	BB	1566	A	O4'-C4'-C3'	5.29	110.33	106.10
26	BB	1899	A	O3'-P-O5'	5.29	114.06	104.00
26	BB	2444	G	C5-C6-O6	-5.29	125.42	128.60
26	BB	2472	G	N9-C4-C5	5.29	107.52	105.40
26	BB	2746	U	C4'-C3'-C2'	-5.29	97.31	102.60
1	AA	177	G	C5-C6-O6	5.29	131.77	128.60
1	AA	366	A	C5-C6-N1	5.29	120.35	117.70
1	AA	417	G	C4-C5-N7	5.29	112.92	110.80
1	AA	546	A	C6-C5-N7	5.29	136.00	132.30
1	AA	597	G	C4'-C3'-C2'	-5.29	97.31	102.60
1	AA	797	C	C5-C6-N1	-5.29	118.35	121.00
26	BB	139	U	C2-N1-C1'	5.29	124.05	117.70
26	BB	799	G	C1'-O4'-C4'	5.29	114.13	109.90
26	BB	1052	C	N3-C4-N4	-5.29	114.30	118.00
26	BB	1510	G	C5'-C4'-O4'	5.29	115.45	109.10
26	BB	1736	U	N1-C2-N3	5.29	118.07	114.90
26	BB	1747	U	C4-C5-C6	5.29	122.88	119.70
26	BB	1843	C	C4-C5-C6	5.29	120.05	117.40
26	BB	2061	G	C6-N1-C2	-5.29	121.92	125.10
26	BB	2212	A	C4'-C3'-C2'	-5.29	97.31	102.60
26	BB	2383	G	C4'-C3'-C2'	-5.29	97.31	102.60
26	BB	2705	A	C8-N9-C4	-5.29	103.68	105.80
26	BB	2734	A	C5-N7-C8	5.29	106.55	103.90
1	AA	655	A	N9-C4-C5	5.29	107.92	105.80
1	AA	817	C	N3-C4-C5	-5.29	119.78	121.90
1	AA	1360	A	N3-C4-C5	-5.29	123.10	126.80
25	BA	12	C	C6-N1-C2	-5.29	118.18	120.30
26	BB	2471	A	N1-C2-N3	-5.29	126.66	129.30
1	AA	40	C	C5'-C4'-O4'	5.29	115.44	109.10
1	AA	447	G	C4-C5-N7	-5.29	108.68	110.80
1	AA	864	A	C5-N7-C8	-5.29	101.25	103.90
1	AA	1008	U	C4-C5-C6	5.29	122.87	119.70
1	AA	1170	A	C8-N9-C4	-5.29	103.69	105.80
15	AO	98	ARG	NH1-CZ-NH2	-5.29	113.58	119.40
23	AW	37	ALA	CB-CA-C	5.29	118.03	110.10
26	BB	349	U	N3-C4-C5	-5.29	111.43	114.60
26	BB	684	G	O5'-C5'-C4'	5.29	121.75	111.70
26	BB	731	C	C3'-C2'-C1'	5.29	105.73	101.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	869	G	O4'-C1'-C2'	5.29	112.36	107.60
26	BB	873	C	P-O3'-C3'	5.29	126.05	119.70
26	BB	1475	G	C5-C6-N1	5.29	114.14	111.50
26	BB	1562	U	C5-C6-N1	-5.29	120.06	122.70
26	BB	1986	C	N1-C2-O2	5.29	122.07	118.90
26	BB	2208	C	O4'-C1'-N1	5.29	112.43	108.20
26	BB	2408	U	C5'-C4'-O4'	5.29	115.45	109.10
26	BB	2460	U	O4'-C1'-C2'	-5.29	100.51	105.80
38	BN	110	VAL	CG1-CB-CG2	-5.29	102.44	110.90
1	AA	92	U	C1'-O4'-C4'	-5.29	105.67	109.90
1	AA	1185	G	O4'-C1'-N9	5.29	112.43	108.20
2	AB	44	G	C8-N9-C1'	5.29	133.87	127.00
26	BB	553	G	N9-C1'-C2'	-5.29	106.18	112.00
26	BB	566	U	N1-C2-N3	5.29	118.07	114.90
26	BB	939	G	C2-N3-C4	5.29	114.54	111.90
26	BB	956	G	C4-N9-C1'	-5.29	119.63	126.50
26	BB	1271	G	C4-C5-N7	-5.29	108.69	110.80
26	BB	1342	A	N1-C6-N6	5.29	121.77	118.60
26	BB	1900	A	C5-C6-N6	-5.29	119.47	123.70
26	BB	2545	G	N1-C6-O6	-5.29	116.73	119.90
1	AA	53	A	C5-N7-C8	5.29	106.54	103.90
1	AA	144	G	C4-C5-N7	5.29	112.92	110.80
1	AA	215	C	C6-N1-C1'	5.29	127.14	120.80
1	AA	700	G	N3-C4-C5	-5.29	125.96	128.60
1	AA	1201	A	C4-C5-C6	-5.29	114.36	117.00
1	AA	1344	C	C2'-C3'-O3'	5.29	122.16	113.70
1	AA	1355	G	C5-C6-N1	5.29	114.14	111.50
1	AA	1370	G	C6-N1-C2	-5.29	121.93	125.10
12	AL	129	ARG	CB-CG-CD	5.29	125.34	111.60
25	BA	109	A	C8-N9-C4	-5.29	103.69	105.80
26	BB	21	A	C4'-C3'-C2'	5.29	107.89	102.60
26	BB	600	G	C5'-C4'-O4'	5.29	115.44	109.10
26	BB	1282	U	N1-C2-O2	5.29	126.50	122.80
26	BB	1303	G	C4-C5-N7	-5.29	108.69	110.80
26	BB	2022	U	C3'-C2'-C1'	5.29	105.73	101.50
26	BB	2184	A	O5'-P-OP2	-5.29	100.94	105.70
26	BB	2667	C	C1'-O4'-C4'	5.29	114.13	109.90
26	BB	2766	A	C8-N9-C4	-5.29	103.69	105.80
33	BI	25	TYR	CG-CD2-CE2	-5.29	117.07	121.30
1	AA	114	U	O4'-C4'-C3'	-5.28	98.72	104.00
1	AA	207	C	P-O5'-C5'	5.28	129.35	120.90
1	AA	314	C	P-O3'-C3'	5.28	126.04	119.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	363	A	C5-N7-C8	-5.28	101.26	103.90
1	AA	617	G	C5-C6-O6	-5.28	125.43	128.60
1	AA	736	C	N3-C4-C5	-5.28	119.79	121.90
1	AA	813	U	C4'-C3'-C2'	-5.28	97.32	102.60
1	AA	970	C	C5'-C4'-C3'	-5.28	107.55	116.00
26	BB	325	G	C5-C6-N1	5.28	114.14	111.50
26	BB	709	U	C6-N1-C2	-5.28	117.83	121.00
26	BB	817	C	C5-C6-N1	5.28	123.64	121.00
26	BB	943	A	C5'-C4'-O4'	5.28	115.44	109.10
26	BB	1521	G	C8-N9-C1'	5.28	133.87	127.00
26	BB	1761	C	C2-N3-C4	5.28	122.54	119.90
26	BB	2097	A	C5-C6-N6	5.28	127.93	123.70
26	BB	2255	G	N9-C4-C5	5.28	107.51	105.40
26	BB	2369	A	O4'-C1'-N9	5.28	112.43	108.20
26	BB	2400	G	C5'-C4'-O4'	5.28	115.44	109.10
26	BB	2485	G	C4'-C3'-C2'	-5.28	97.32	102.60
26	BB	2811	G	C6-C5-N7	5.28	133.57	130.40
1	AA	8	A	N9-C4-C5	-5.28	103.69	105.80
1	AA	505	G	N9-C1'-C2'	-5.28	106.19	112.00
1	AA	747	A	C5-C6-N1	5.28	120.34	117.70
1	AA	1528	U	C1'-O4'-C4'	-5.28	105.67	109.90
3	AC	31	U	O4'-C1'-N1	-5.28	103.97	108.20
22	AV	60	PHE	CB-CG-CD2	5.28	124.50	120.80
24	AX	27	VAL	CG1-CB-CG2	-5.28	102.45	110.90
25	BA	31	C	N1-C2-N3	5.28	122.90	119.20
26	BB	400	G	N3-C4-C5	-5.28	125.96	128.60
26	BB	529	A	N1-C6-N6	5.28	121.77	118.60
26	BB	818	G	P-O3'-C3'	5.28	126.04	119.70
26	BB	905	A	N1-C6-N6	5.28	121.77	118.60
26	BB	1271	G	N9-C1'-C2'	-5.28	106.19	112.00
26	BB	1416	G	N7-C8-N9	-5.28	110.46	113.10
26	BB	1528	A	C4-C5-N7	-5.28	108.06	110.70
26	BB	1950	G	C1'-O4'-C4'	-5.28	105.67	109.90
1	AA	299	G	O4'-C4'-C3'	5.28	110.33	106.10
1	AA	678	U	N3-C2-O2	-5.28	118.50	122.20
1	AA	845	A	N9-C4-C5	-5.28	103.69	105.80
1	AA	900	A	C5-C6-N6	-5.28	119.48	123.70
1	AA	964	A	N9-C4-C5	5.28	107.91	105.80
1	AA	1095	U	N1-C2-O2	5.28	126.50	122.80
1	AA	1141	C	N1-C1'-C2'	-5.28	106.19	112.00
1	AA	1178	G	N7-C8-N9	-5.28	110.46	113.10
3	AC	24	A	C4-C5-C6	-5.28	114.36	117.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	AG	62	ARG	NE-CZ-NH2	-5.28	117.66	120.30
12	AL	126	PHE	CB-CG-CD2	5.28	124.50	120.80
17	AQ	80	ARG	NE-CZ-NH1	5.28	122.94	120.30
25	BA	60	C	C6-N1-C2	-5.28	118.19	120.30
26	BB	1930	G	C6-N1-C2	-5.28	121.93	125.10
1	AA	208	U	P-O3'-C3'	5.28	126.03	119.70
1	AA	667	G	C6-C5-N7	-5.28	127.23	130.40
7	AG	50	TYR	CG-CD1-CE1	-5.28	117.08	121.30
26	BB	265	A	C4'-C3'-C2'	-5.28	97.32	102.60
26	BB	837	C	C1'-O4'-C4'	-5.28	105.68	109.90
26	BB	1089	A	C4-C5-N7	-5.28	108.06	110.70
26	BB	1322	A	C5-C6-N6	-5.28	119.48	123.70
26	BB	1366	A	N3-C4-C5	-5.28	123.11	126.80
26	BB	1371	G	O4'-C4'-C3'	5.28	110.32	106.10
26	BB	1728	C	N1-C2-O2	5.28	122.07	118.90
26	BB	2721	A	C5'-C4'-O4'	5.28	115.44	109.10
29	BE	13	ARG	NH1-CZ-NH2	5.28	125.21	119.40
1	AA	84	U	N3-C2-O2	-5.28	118.51	122.20
1	AA	107	G	N9-C1'-C2'	-5.28	106.19	112.00
1	AA	921	U	C5'-C4'-O4'	-5.28	102.77	109.10
1	AA	926	G	O3'-P-O5'	5.28	114.03	104.00
1	AA	979	C	C2-N3-C4	-5.28	117.26	119.90
1	AA	1300	G	N1-C6-O6	-5.28	116.73	119.90
6	AF	178	ARG	CB-CA-C	5.28	120.95	110.40
17	AQ	38	GLU	OE1-CD-OE2	5.28	129.63	123.30
26	BB	489	G	O4'-C1'-N9	5.28	112.42	108.20
26	BB	514	A	C2-N3-C4	-5.28	107.96	110.60
26	BB	539	G	C5-N7-C8	5.28	106.94	104.30
26	BB	570	G	C6-N1-C2	5.28	128.27	125.10
26	BB	755	U	N3-C4-C5	-5.28	111.43	114.60
26	BB	844	A	C4'-C3'-C2'	-5.28	97.32	102.60
26	BB	986	C	C2-N3-C4	5.28	122.54	119.90
26	BB	1017	G	N9-C1'-C2'	-5.28	106.19	112.00
26	BB	1296	G	C4-C5-N7	-5.28	108.69	110.80
26	BB	1318	U	N1-C1'-C2'	-5.28	106.20	112.00
26	BB	1561	C	O4'-C1'-N1	5.28	112.42	108.20
26	BB	1856	U	O4'-C1'-N1	5.28	112.42	108.20
26	BB	2058	A	N9-C4-C5	-5.28	103.69	105.80
26	BB	2347	C	C6-N1-C2	-5.28	118.19	120.30
47	BW	17	ASP	CB-CG-OD2	5.28	123.05	118.30
1	AA	171	A	C4-C5-N7	5.28	113.34	110.70
1	AA	478	A	N3-C4-C5	-5.28	123.11	126.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	650	G	N3-C4-C5	-5.28	125.96	128.60
1	AA	1120	C	C5-C6-N1	5.28	123.64	121.00
1	AA	1146	A	P-O3'-C3'	5.28	126.03	119.70
1	AA	1520	C	C1'-O4'-C4'	5.28	114.12	109.90
21	AU	19	GLU	N-CA-CB	-5.28	101.10	110.60
25	BA	52	A	C1'-O4'-C4'	-5.28	105.68	109.90
26	BB	37	C	C5'-C4'-C3'	-5.28	107.56	116.00
26	BB	309	A	C5-C6-N1	-5.28	115.06	117.70
26	BB	947	A	P-O5'-C5'	5.28	129.34	120.90
26	BB	1032	A	C5-C6-N6	5.28	127.92	123.70
26	BB	1159	U	C5-C4-O4	-5.28	122.73	125.90
26	BB	1568	G	N3-C4-N9	5.28	129.17	126.00
26	BB	2206	C	N1-C2-O2	5.28	122.06	118.90
26	BB	2364	C	O4'-C1'-N1	5.28	112.42	108.20
26	BB	2385	C	N3-C4-N4	-5.28	114.31	118.00
48	BX	72	VAL	CG1-CB-CG2	-5.28	102.46	110.90
55	B4	11	VAL	CB-CA-C	5.28	121.42	111.40
1	AA	673	A	C5-N7-C8	5.27	106.54	103.90
1	AA	949	A	C4-C5-N7	-5.27	108.06	110.70
26	BB	558	U	C4-C5-C6	5.27	122.86	119.70
26	BB	1166	G	C5'-C4'-O4'	5.27	115.43	109.10
26	BB	1862	G	C2-N3-C4	5.27	114.54	111.90
26	BB	1982	U	C5-C6-N1	5.27	125.34	122.70
26	BB	2160	C	O4'-C1'-N1	5.27	112.42	108.20
26	BB	2765	A	P-O3'-C3'	5.27	126.03	119.70
1	AA	172	A	C5-N7-C8	5.27	106.54	103.90
1	AA	294	U	C3'-C2'-C1'	-5.27	97.28	101.50
1	AA	771	G	C4-C5-N7	-5.27	108.69	110.80
1	AA	1154	G	C3'-C2'-C1'	5.27	105.72	101.50
1	AA	1540	U	O4'-C1'-N1	5.27	112.42	108.20
2	AB	45	U	N3-C2-O2	-5.27	118.51	122.20
24	AX	20	ARG	CA-CB-CG	5.27	125.00	113.40
25	BA	15	A	C5-C6-N1	5.27	120.34	117.70
25	BA	87	U	C3'-C2'-C1'	5.27	105.72	101.50
26	BB	167	A	C5-C6-N1	-5.27	115.06	117.70
26	BB	1099	G	O4'-C1'-N9	5.27	112.42	108.20
26	BB	1793	C	C5-C6-N1	5.27	123.64	121.00
26	BB	2083	G	C4'-C3'-C2'	-5.27	97.33	102.60
26	BB	2452	C	C4-C5-C6	-5.27	114.76	117.40
26	BB	2903	U	N1-C2-N3	5.27	118.06	114.90
1	AA	1259	C	C5-C4-N4	-5.27	116.51	120.20
1	AA	1264	U	O4'-C1'-N1	5.27	112.42	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1391	U	P-O5'-C5'	5.27	129.33	120.90
1	AA	1421	G	C1'-O4'-C4'	-5.27	105.68	109.90
2	AB	51	G	N1-C2-N3	-5.27	120.74	123.90
26	BB	309	A	N7-C8-N9	-5.27	111.17	113.80
26	BB	315	G	N3-C4-N9	-5.27	122.84	126.00
26	BB	465	G	C4-C5-N7	-5.27	108.69	110.80
26	BB	950	G	O5'-C5'-C4'	5.27	121.72	111.70
26	BB	1160	G	N9-C1'-C2'	-5.27	106.20	112.00
26	BB	1647	U	C4'-C3'-C2'	-5.27	97.33	102.60
26	BB	1652	A	O4'-C4'-C3'	5.27	110.32	106.10
1	AA	189	A	C6-C5-N7	5.27	135.99	132.30
1	AA	529	G	C5-N7-C8	5.27	106.93	104.30
1	AA	567	G	C4'-C3'-C2'	5.27	107.87	102.60
1	AA	618	C	C5'-C4'-O4'	5.27	115.42	109.10
1	AA	911	U	N3-C4-O4	5.27	123.09	119.40
1	AA	943	U	N3-C4-O4	5.27	123.09	119.40
1	AA	1077	G	C5-C6-N1	5.27	114.14	111.50
1	AA	1138	G	N3-C4-C5	-5.27	125.97	128.60
1	AA	1416	G	C8-N9-C4	-5.27	104.29	106.40
2	AB	39	A	N7-C8-N9	-5.27	111.17	113.80
26	BB	470	A	O4'-C4'-C3'	-5.27	98.73	104.00
26	BB	1163	G	C6-N1-C2	5.27	128.26	125.10
26	BB	1177	G	C6-C5-N7	-5.27	127.24	130.40
26	BB	1738	G	C5-C6-O6	-5.27	125.44	128.60
26	BB	1871	A	C3'-C2'-C1'	-5.27	97.28	101.50
26	BB	2530	A	C3'-C2'-C1'	5.27	105.72	101.50
26	BB	2545	G	N9-C1'-C2'	-5.27	106.20	112.00
26	BB	2560	A	C5'-C4'-C3'	5.27	124.43	116.00
29	BE	37	VAL	CG1-CB-CG2	-5.27	102.47	110.90
51	B0	39	GLN	CA-CB-CG	5.27	124.99	113.40
1	AA	219	U	C4'-C3'-C2'	-5.27	97.33	102.60
1	AA	302	G	C6-C5-N7	-5.27	127.24	130.40
1	AA	334	C	P-O3'-C3'	5.27	126.02	119.70
1	AA	1078	U	C5'-C4'-C3'	-5.27	107.57	116.00
25	BA	63	C	C5-C4-N4	-5.27	116.51	120.20
26	BB	27	G	C6-N1-C2	5.27	128.26	125.10
26	BB	48	G	C1'-O4'-C4'	-5.27	105.69	109.90
26	BB	183	C	C5-C4-N4	-5.27	116.51	120.20
26	BB	333	G	C5-C6-N1	5.27	114.13	111.50
26	BB	534	U	C5'-C4'-O4'	5.27	115.42	109.10
26	BB	548	G	C5-N7-C8	5.27	106.93	104.30
26	BB	740	C	O4'-C1'-C2'	-5.27	100.53	105.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1054	A	C4'-C3'-C2'	-5.27	97.33	102.60
26	BB	1283	G	C5-C6-N1	-5.27	108.87	111.50
26	BB	1779	U	O5'-P-OP2	-5.27	100.96	105.70
26	BB	1949	G	N1-C2-N2	5.27	120.94	116.20
26	BB	2153	C	P-O5'-C5'	5.27	129.33	120.90
26	BB	2236	U	N3-C2-O2	-5.27	118.51	122.20
26	BB	2237	G	C6-N1-C2	-5.27	121.94	125.10
26	BB	2599	G	N3-C4-N9	-5.27	122.84	126.00
26	BB	2766	A	C5-N7-C8	-5.27	101.27	103.90
26	BB	2777	G	O4'-C1'-C2'	-5.27	100.53	105.80
26	BB	2805	C	N3-C4-C5	-5.27	119.79	121.90
1	AA	399	G	N9-C4-C5	-5.27	103.29	105.40
1	AA	1085	U	C1'-O4'-C4'	-5.27	105.69	109.90
3	AC	20	G	C8-N9-C4	-5.27	104.29	106.40
11	AK	121	GLY	O-C-N	5.27	132.15	123.20
26	BB	829	A	N9-C4-C5	5.27	107.91	105.80
26	BB	1057	A	O4'-C1'-N9	-5.27	103.99	108.20
26	BB	1198	U	C1'-O4'-C4'	5.27	114.11	109.90
26	BB	1400	U	N3-C2-O2	-5.27	118.51	122.20
26	BB	1433	A	C6-N1-C2	5.27	121.76	118.60
26	BB	1957	C	C1'-O4'-C4'	5.27	114.11	109.90
26	BB	2100	G	C5'-C4'-O4'	5.27	115.42	109.10
26	BB	2327	A	C4-C5-N7	5.27	113.33	110.70
26	BB	2827	C	C2-N1-C1'	5.27	124.59	118.80
1	AA	215	C	C4'-C3'-O3'	5.26	123.53	113.00
1	AA	559	A	C2-N3-C4	5.26	113.23	110.60
1	AA	596	A	C1'-O4'-C4'	-5.26	105.69	109.90
1	AA	664	G	C4-C5-C6	5.26	121.96	118.80
1	AA	701	U	C2-N3-C4	-5.26	123.84	127.00
1	AA	802	A	C1'-O4'-C4'	5.26	114.11	109.90
1	AA	867	G	C8-N9-C4	-5.26	104.29	106.40
1	AA	1508	A	C2'-C3'-O3'	5.26	122.12	113.70
1	AA	1525	G	C2'-C3'-O3'	5.26	122.12	113.70
3	AC	37	G	N9-C1'-C2'	-5.26	106.21	112.00
5	AE	114	LYS	N-CA-CB	-5.26	101.12	110.60
26	BB	119	A	O4'-C4'-C3'	5.26	110.31	106.10
26	BB	458	G	C1'-O4'-C4'	-5.26	105.69	109.90
26	BB	751	A	C5'-C4'-O4'	5.26	115.42	109.10
26	BB	969	G	P-O3'-C3'	5.26	126.02	119.70
26	BB	1245	G	C4-N9-C1'	-5.26	119.66	126.50
26	BB	1251	C	N1-C1'-C2'	5.26	120.84	114.00
26	BB	1461	C	C5-C4-N4	-5.26	116.52	120.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2154	A	N7-C8-N9	5.26	116.43	113.80
26	BB	2758	A	N1-C2-N3	5.26	131.93	129.30
31	BG	76	PHE	CB-CG-CD2	5.26	124.48	120.80
34	BJ	95	PHE	CB-CG-CD2	-5.26	117.11	120.80
36	BL	15	TRP	CG-CD2-CE3	5.26	138.64	133.90
1	AA	467	U	O4'-C4'-C3'	-5.26	98.74	104.00
1	AA	591	U	C6-N1-C2	-5.26	117.84	121.00
1	AA	717	U	C4'-C3'-C2'	-5.26	97.34	102.60
1	AA	973	G	N3-C2-N2	5.26	123.58	119.90
1	AA	1282	C	C5-C6-N1	5.26	123.63	121.00
26	BB	713	G	O4'-C4'-C3'	5.26	110.31	106.10
26	BB	1112	G	C4-C5-N7	5.26	112.91	110.80
26	BB	2010	G	N3-C4-N9	5.26	129.16	126.00
26	BB	2170	A	C4-C5-N7	5.26	113.33	110.70
26	BB	2172	U	N1-C2-N3	-5.26	111.74	114.90
26	BB	2558	C	C5'-C4'-O4'	5.26	115.42	109.10
26	BB	2617	U	C6-N1-C2	-5.26	117.84	121.00
32	BH	78	VAL	CA-CB-CG1	5.26	118.80	110.90
1	AA	263	A	C5-C6-N6	-5.26	119.49	123.70
1	AA	540	G	C1'-O4'-C4'	5.26	114.11	109.90
1	AA	603	U	N1-C2-O2	-5.26	119.12	122.80
1	AA	679	C	O4'-C1'-N1	5.26	112.41	108.20
1	AA	743	A	C5'-C4'-O4'	5.26	115.42	109.10
1	AA	1502	A	OP1-P-OP2	5.26	127.49	119.60
2	AB	14	A	O4'-C1'-N9	5.26	112.41	108.20
4	AD	5	G	N1-C6-O6	-5.26	116.74	119.90
4	AD	38	A	C5-C6-N1	-5.26	115.07	117.70
11	AK	104	SER	N-CA-CB	-5.26	102.61	110.50
12	AL	112	ARG	NE-CZ-NH1	5.26	122.93	120.30
26	BB	130	C	C5-C4-N4	-5.26	116.52	120.20
26	BB	524	G	C4-C5-C6	5.26	121.96	118.80
26	BB	542	C	O5'-C5'-C4'	5.26	121.69	111.70
26	BB	888	C	C4-C5-C6	-5.26	114.77	117.40
26	BB	1351	C	N3-C4-N4	-5.26	114.32	118.00
26	BB	2083	G	N3-C4-C5	-5.26	125.97	128.60
26	BB	2208	C	C4'-C3'-C2'	-5.26	97.34	102.60
26	BB	2319	G	C5-C6-O6	5.26	131.76	128.60
26	BB	2475	C	O4'-C1'-N1	5.26	112.41	108.20
26	BB	2761	A	C5-N7-C8	-5.26	101.27	103.90
26	BB	2896	C	C2-N3-C4	5.26	122.53	119.90
1	AA	224	U	C5-C6-N1	5.26	125.33	122.70
1	AA	572	A	C5-C6-N6	-5.26	119.49	123.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	613	C	O4'-C1'-N1	5.26	112.41	108.20
1	AA	1466	C	N1-C2-N3	-5.26	115.52	119.20
1	AA	1524	C	P-O5'-C5'	5.26	129.31	120.90
26	BB	186	G	N3-C4-C5	-5.26	125.97	128.60
26	BB	614	A	C4-C5-C6	-5.26	114.37	117.00
26	BB	618	G	O4'-C4'-C3'	5.26	110.31	106.10
26	BB	723	C	C4-C5-C6	-5.26	114.77	117.40
26	BB	1238	G	N9-C1'-C2'	-5.26	106.21	112.00
26	BB	1379	U	C2-N3-C4	-5.26	123.84	127.00
26	BB	1657	U	O4'-C1'-N1	5.26	112.41	108.20
26	BB	1771	C	N3-C2-O2	-5.26	118.22	121.90
26	BB	1918	A	C2-N3-C4	5.26	113.23	110.60
26	BB	1928	A	C5'-C4'-O4'	5.26	115.41	109.10
26	BB	2266	A	C4-C5-C6	-5.26	114.37	117.00
26	BB	2336	A	C2'-C3'-O3'	5.26	122.11	113.70
26	BB	2569	G	C5-N7-C8	-5.26	101.67	104.30
26	BB	2659	G	O4'-C1'-C2'	5.26	112.33	107.60
47	BW	88	ASP	CB-CG-OD2	-5.26	113.57	118.30
1	AA	192	A	N9-C4-C5	5.26	107.90	105.80
1	AA	690	G	C8-N9-C4	-5.26	104.30	106.40
1	AA	1418	A	C4-C5-N7	-5.26	108.07	110.70
1	AA	1501	C	C4'-C3'-C2'	5.26	107.86	102.60
15	AO	61	GLU	N-CA-CB	-5.26	101.14	110.60
26	BB	1087	G	N1-C6-O6	-5.26	116.75	119.90
26	BB	1838	C	C4-C5-C6	5.26	120.03	117.40
26	BB	2339	C	C3'-C2'-C1'	5.26	105.71	101.50
26	BB	2433	A	O4'-C1'-N9	5.26	112.41	108.20
26	BB	2648	G	P-O3'-C3'	5.26	126.01	119.70
26	BB	2765	A	C5'-C4'-O4'	5.26	115.41	109.10
48	BX	70	ILE	CB-CA-C	5.26	122.12	111.60
1	AA	233	C	C5-C6-N1	-5.26	118.37	121.00
1	AA	392	C	N1-C2-N3	-5.26	115.52	119.20
1	AA	593	U	C4'-C3'-C2'	-5.26	97.34	102.60
1	AA	879	C	C5-C4-N4	-5.26	116.52	120.20
1	AA	924	C	N1-C2-O2	5.26	122.05	118.90
1	AA	1000	A	C6-N1-C2	-5.26	115.45	118.60
1	AA	1012	A	C4-C5-C6	-5.26	114.37	117.00
1	AA	1179	A	N3-C4-C5	-5.26	123.12	126.80
1	AA	1343	G	C4-C5-C6	5.26	121.95	118.80
1	AA	1534	A	C8-N9-C4	-5.26	103.70	105.80
3	AC	19	A	C5-C6-N6	-5.26	119.50	123.70
4	AD	37	U	C4'-C3'-C2'	-5.26	97.34	102.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	395	U	C5-C6-N1	-5.26	120.07	122.70
26	BB	416	U	C4-C5-C6	5.26	122.85	119.70
26	BB	425	G	N3-C2-N2	-5.26	116.22	119.90
26	BB	526	A	C5-C6-N6	5.26	127.91	123.70
26	BB	1628	G	N3-C4-C5	-5.26	125.97	128.60
26	BB	1643	G	O4'-C4'-C3'	5.26	110.31	106.10
26	BB	1680	U	N3-C4-O4	5.26	123.08	119.40
26	BB	2326	C	N1-C2-O2	5.26	122.05	118.90
26	BB	2432	A	O4'-C1'-N9	5.26	112.41	108.20
26	BB	2490	G	O5'-P-OP1	-5.26	100.97	105.70
26	BB	2520	C	C5'-C4'-O4'	5.26	115.41	109.10
1	AA	1162	C	C6-N1-C2	-5.25	118.20	120.30
1	AA	1188	A	C5-N7-C8	-5.25	101.27	103.90
26	BB	363	G	N9-C4-C5	5.25	107.50	105.40
26	BB	1278	C	N3-C2-O2	-5.25	118.22	121.90
26	BB	2299	U	P-O3'-C3'	-5.25	113.39	119.70
1	AA	1	A	O4'-C4'-C3'	5.25	110.30	106.10
1	AA	16	A	C3'-C2'-C1'	-5.25	97.30	101.50
1	AA	641	U	O4'-C4'-C3'	5.25	110.30	106.10
1	AA	775	G	N1-C2-N2	5.25	120.93	116.20
1	AA	825	A	N3-C4-C5	-5.25	123.12	126.80
1	AA	1249	C	C6-N1-C2	-5.25	118.20	120.30
1	AA	1273	C	C5-C6-N1	-5.25	118.37	121.00
26	BB	30	G	C5-C6-O6	-5.25	125.45	128.60
26	BB	31	C	C2'-C3'-O3'	5.25	122.11	113.70
26	BB	205	G	C6-C5-N7	-5.25	127.25	130.40
26	BB	249	C	C4-C5-C6	-5.25	114.77	117.40
26	BB	295	G	N7-C8-N9	5.25	115.73	113.10
26	BB	347	A	C5'-C4'-O4'	5.25	115.40	109.10
26	BB	438	G	N9-C1'-C2'	-5.25	106.22	112.00
26	BB	507	A	C4-C5-N7	5.25	113.33	110.70
26	BB	767	U	C5'-C4'-O4'	5.25	115.40	109.10
26	BB	774	G	C6-C5-N7	5.25	133.55	130.40
26	BB	1525	A	C4-C5-C6	5.25	119.63	117.00
26	BB	2162	G	N3-C4-C5	-5.25	125.97	128.60
26	BB	2249	U	N3-C4-C5	-5.25	111.45	114.60
26	BB	2399	G	C6-N1-C2	5.25	128.25	125.10
1	AA	89	U	N1-C1'-C2'	-5.25	106.22	112.00
1	AA	391	G	N9-C4-C5	-5.25	103.30	105.40
1	AA	808	C	C5'-C4'-O4'	-5.25	102.80	109.10
1	AA	903	G	N3-C2-N2	-5.25	116.22	119.90
1	AA	953	G	C5-N7-C8	5.25	106.92	104.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1225	A	C5'-C4'-O4'	5.25	115.40	109.10
1	AA	1517	G	N9-C4-C5	5.25	107.50	105.40
26	BB	532	A	N1-C6-N6	-5.25	115.45	118.60
26	BB	762	U	C5'-C4'-C3'	-5.25	107.60	116.00
26	BB	1024	G	C5'-C4'-O4'	5.25	115.40	109.10
26	BB	1095	A	N7-C8-N9	-5.25	111.17	113.80
26	BB	1468	U	C5-C4-O4	-5.25	122.75	125.90
26	BB	1756	G	O4'-C1'-N9	5.25	112.40	108.20
26	BB	1815	A	C5'-C4'-O4'	-5.25	102.80	109.10
26	BB	2025	C	C5'-C4'-C3'	-5.25	107.60	116.00
26	BB	2092	U	N1-C2-N3	5.25	118.05	114.90
26	BB	2340	A	N1-C2-N3	-5.25	126.67	129.30
26	BB	2551	C	C5'-C4'-C3'	-5.25	107.60	116.00
26	BB	2618	G	N9-C4-C5	5.25	107.50	105.40
26	BB	2625	G	N7-C8-N9	5.25	115.73	113.10
26	BB	2692	G	N3-C4-N9	5.25	129.15	126.00
26	BB	2793	C	O4'-C4'-C3'	5.25	110.30	106.10
1	AA	802	A	N9-C4-C5	-5.25	103.70	105.80
1	AA	805	C	C2'-C3'-O3'	5.25	122.10	113.70
1	AA	960	U	C2-N1-C1'	5.25	124.00	117.70
26	BB	1728	C	C5-C6-N1	-5.25	118.38	121.00
26	BB	1840	G	C6-N1-C2	-5.25	121.95	125.10
26	BB	2249	U	N1-C2-N3	5.25	118.05	114.90
26	BB	2428	G	C6-C5-N7	-5.25	127.25	130.40
26	BB	2476	A	P-O3'-C3'	5.25	126.00	119.70
26	BB	2711	A	C5-C6-N1	5.25	120.33	117.70
1	AA	1419	G	N7-C8-N9	-5.25	110.48	113.10
2	AB	1	A	N7-C8-N9	5.25	116.42	113.80
7	AG	114	ARG	CD-NE-CZ	5.25	130.95	123.60
25	BA	66	A	C6-N1-C2	5.25	121.75	118.60
26	BB	42	A	P-O3'-C3'	5.25	126.00	119.70
26	BB	76	C	P-O3'-C3'	5.25	126.00	119.70
26	BB	174	U	N1-C2-O2	5.25	126.47	122.80
26	BB	246	C	C4-C5-C6	-5.25	114.78	117.40
26	BB	250	G	C4-N9-C1'	-5.25	119.68	126.50
26	BB	348	A	N1-C6-N6	-5.25	115.45	118.60
26	BB	447	A	C2-N3-C4	-5.25	107.98	110.60
26	BB	909	A	C5-C6-N1	5.25	120.33	117.70
26	BB	1501	G	C2-N3-C4	5.25	114.53	111.90
26	BB	1663	G	C6-C5-N7	5.25	133.55	130.40
26	BB	2165	C	O4'-C1'-N1	5.25	112.40	108.20
26	BB	2171	A	C1'-O4'-C4'	-5.25	105.70	109.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2242	G	P-O3'-C3'	5.25	126.00	119.70
26	BB	2331	G	N9-C1'-C2'	-5.25	106.23	112.00
26	BB	2376	A	N3-C4-C5	-5.25	123.13	126.80
26	BB	2515	C	OP2-P-O3'	5.25	116.75	105.20
26	BB	2860	A	C5-C6-N6	-5.25	119.50	123.70
26	BB	2888	C	C5'-C4'-C3'	-5.25	107.60	116.00
29	BE	180	VAL	CA-CB-CG1	5.25	118.77	110.90
37	BM	79	PHE	CB-CG-CD1	5.25	124.47	120.80
47	BW	70	ALA	CB-CA-C	5.25	117.97	110.10
1	AA	362	G	C6-C5-N7	-5.25	127.25	130.40
1	AA	728	A	N3-C4-C5	-5.25	123.13	126.80
1	AA	859	G	N1-C6-O6	-5.25	116.75	119.90
1	AA	1425	U	N3-C2-O2	-5.25	118.53	122.20
4	AD	20	G	N1-C2-N2	5.25	120.92	116.20
14	AN	126	ARG	NE-CZ-NH1	5.25	122.92	120.30
26	BB	36	G	C5-C6-O6	-5.25	125.45	128.60
26	BB	212	G	C5-C6-O6	-5.25	125.45	128.60
26	BB	659	G	P-O3'-C3'	5.25	126.00	119.70
26	BB	724	U	N3-C2-O2	-5.25	118.53	122.20
26	BB	973	A	N9-C4-C5	5.25	107.90	105.80
26	BB	995	C	C1'-O4'-C4'	-5.25	105.70	109.90
26	BB	1379	U	C3'-C2'-C1'	5.25	105.70	101.50
26	BB	1626	A	C2'-C3'-O3'	5.25	122.09	113.70
26	BB	2085	U	P-O3'-C3'	5.25	126.00	119.70
26	BB	2349	G	N1-C2-N2	-5.25	111.48	116.20
26	BB	2409	G	N1-C2-N3	-5.25	120.75	123.90
26	BB	2536	G	C5-N7-C8	5.25	106.92	104.30
26	BB	2550	G	C2-N3-C4	-5.25	109.28	111.90
26	BB	2686	G	O4'-C1'-N9	5.25	112.40	108.20
39	BO	9	PHE	CB-CG-CD1	-5.25	117.13	120.80
40	BP	51	LEU	CB-CG-CD2	5.25	119.92	111.00
1	AA	118	U	C1'-O4'-C4'	-5.25	105.70	109.90
1	AA	416	G	N3-C2-N2	-5.25	116.23	119.90
1	AA	703	G	N3-C4-N9	-5.25	122.85	126.00
1	AA	871	U	N3-C2-O2	-5.25	118.53	122.20
26	BB	456	C	C5-C6-N1	5.25	123.62	121.00
26	BB	555	G	C6-N1-C2	-5.25	121.95	125.10
26	BB	1187	G	C5-C6-O6	-5.25	125.45	128.60
26	BB	1305	C	O4'-C1'-N1	5.25	112.40	108.20
26	BB	1779	U	N1-C2-N3	5.25	118.05	114.90
26	BB	2341	G	C5'-C4'-O4'	5.25	115.39	109.10
1	AA	154	U	P-O3'-C3'	5.24	125.99	119.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	575	G	C5-C6-N1	-5.24	108.88	111.50
1	AA	928	G	C6-C5-N7	-5.24	127.25	130.40
2	AB	3	G	C2-N3-C4	5.24	114.52	111.90
25	BA	25	U	P-O3'-C3'	5.24	125.99	119.70
25	BA	29	A	N7-C8-N9	5.24	116.42	113.80
25	BA	54	G	C8-N9-C4	-5.24	104.30	106.40
25	BA	59	A	N9-C1'-C2'	-5.24	106.23	112.00
26	BB	68	G	N7-C8-N9	-5.24	110.48	113.10
26	BB	300	A	O5'-P-OP2	-5.24	100.98	105.70
26	BB	1385	A	O4'-C1'-C2'	-5.24	100.56	105.80
26	BB	1556	C	O4'-C1'-N1	5.24	112.39	108.20
26	BB	1654	A	C5'-C4'-O4'	5.24	115.39	109.10
26	BB	2031	A	C5'-C4'-O4'	5.24	115.39	109.10
26	BB	2120	G	O3'-P-O5'	-5.24	94.04	104.00
26	BB	2524	G	C5'-C4'-O4'	5.24	115.39	109.10
26	BB	2538	C	C4-C5-C6	5.24	120.02	117.40
26	BB	2558	C	N1-C2-O2	5.24	122.05	118.90
46	BV	77	ARG	NE-CZ-NH1	-5.24	117.68	120.30
1	AA	835	U	C5-C6-N1	-5.24	120.08	122.70
1	AA	1155	A	C4-C5-N7	-5.24	108.08	110.70
26	BB	319	G	N3-C2-N2	5.24	123.57	119.90
26	BB	609	A	N1-C6-N6	-5.24	115.45	118.60
26	BB	883	G	C2'-C3'-O3'	5.24	122.09	113.70
26	BB	1418	G	C3'-C2'-C1'	-5.24	97.31	101.50
26	BB	2037	A	C1'-O4'-C4'	5.24	114.09	109.90
26	BB	2175	C	C3'-C2'-C1'	5.24	105.69	101.50
26	BB	2505	G	O4'-C1'-C2'	-5.24	100.56	105.80
1	AA	103	U	O5'-C5'-C4'	5.24	121.66	111.70
1	AA	147	G	N1-C2-N2	5.24	120.92	116.20
1	AA	321	A	O4'-C1'-N9	5.24	112.39	108.20
1	AA	789	U	N3-C4-O4	5.24	123.07	119.40
1	AA	1208	C	C6-N1-C2	-5.24	118.20	120.30
1	AA	1305	G	C4-C5-C6	5.24	121.94	118.80
1	AA	1305	G	N9-C4-C5	5.24	107.50	105.40
2	AB	65	C	C5-C4-N4	5.24	123.87	120.20
11	AK	64	TYR	CG-CD1-CE1	-5.24	117.11	121.30
26	BB	167	A	C3'-C2'-C1'	5.24	105.69	101.50
26	BB	505	A	C5-C6-N1	-5.24	115.08	117.70
26	BB	697	G	C5-N7-C8	-5.24	101.68	104.30
26	BB	875	G	O4'-C1'-N9	-5.24	104.01	108.20
26	BB	1199	U	C5-C6-N1	-5.24	120.08	122.70
26	BB	1951	U	C6-N1-C2	-5.24	117.86	121.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1991	U	O4'-C4'-C3'	-5.24	98.76	104.00
26	BB	2266	A	C6-N1-C2	5.24	121.74	118.60
26	BB	2521	C	C1'-O4'-C4'	-5.24	105.71	109.90
26	BB	2637	U	N1-C2-N3	-5.24	111.76	114.90
30	BF	177	PRO	N-CA-CB	5.24	109.59	103.30
1	AA	45	G	N1-C6-O6	-5.24	116.76	119.90
1	AA	272	C	C5-C4-N4	-5.24	116.53	120.20
1	AA	1133	G	C3'-C2'-C1'	5.24	105.69	101.50
2	AB	33	U	C6-N1-C2	5.24	124.14	121.00
2	AB	68	C	C6-N1-C1'	5.24	127.09	120.80
14	AN	68	ARG	NE-CZ-NH2	-5.24	117.68	120.30
25	BA	13	G	N1-C6-O6	-5.24	116.76	119.90
26	BB	38	A	C4'-C3'-C2'	-5.24	97.36	102.60
26	BB	600	G	C6-N1-C2	-5.24	121.96	125.10
26	BB	686	U	C6-N1-C1'	-5.24	113.87	121.20
26	BB	795	C	C2-N3-C4	-5.24	117.28	119.90
26	BB	1059	G	C6-C5-N7	-5.24	127.26	130.40
26	BB	1674	G	C3'-C2'-C1'	5.24	105.69	101.50
26	BB	1807	G	C4-N9-C1'	5.24	133.31	126.50
26	BB	2242	G	N1-C6-O6	5.24	123.04	119.90
26	BB	2376	A	O4'-C1'-N9	-5.24	104.01	108.20
26	BB	2408	U	P-O3'-C3'	5.24	125.99	119.70
26	BB	2617	U	N3-C4-O4	5.24	123.07	119.40
1	AA	134	G	C5-C6-O6	5.24	131.74	128.60
1	AA	341	C	C4'-C3'-O3'	5.24	123.47	113.00
1	AA	1233	G	N3-C4-C5	-5.24	125.98	128.60
1	AA	1234	C	C5-C6-N1	5.24	123.62	121.00
1	AA	1423	G	C5-C6-N1	-5.24	108.88	111.50
2	AB	14	A	C1'-O4'-C4'	5.24	114.09	109.90
17	AQ	93	PRO	N-CD-CG	5.24	111.06	103.20
25	BA	5	U	C3'-C2'-C1'	5.24	105.69	101.50
25	BA	47	C	C5-C6-N1	-5.24	118.38	121.00
26	BB	273	G	N3-C2-N2	-5.24	116.23	119.90
26	BB	379	G	C4'-C3'-C2'	-5.24	97.36	102.60
26	BB	947	A	C5-N7-C8	-5.24	101.28	103.90
26	BB	2299	U	N1-C2-N3	5.24	118.04	114.90
26	BB	2522	U	N3-C2-O2	-5.24	118.53	122.20
26	BB	2654	A	N3-C4-N9	-5.24	123.21	127.40
50	BZ	45	PHE	CB-CG-CD1	-5.24	117.13	120.80
1	AA	1	A	N3-C4-C5	-5.24	123.14	126.80
1	AA	361	G	N7-C8-N9	5.24	115.72	113.10
1	AA	841	C	N3-C4-N4	5.24	121.67	118.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	864	A	C4-C5-N7	5.24	113.32	110.70
1	AA	1300	G	N3-C4-C5	-5.24	125.98	128.60
2	AB	11	U	N1-C2-O2	5.24	126.47	122.80
4	AD	73	A	C2-N3-C4	5.24	113.22	110.60
25	BA	64	G	C3'-C2'-C1'	5.24	105.69	101.50
26	BB	11	C	O5'-P-OP2	-5.24	100.99	105.70
26	BB	177	G	C8-N9-C1'	-5.24	120.19	127.00
26	BB	296	U	C5'-C4'-C3'	-5.24	107.62	116.00
26	BB	351	C	C5-C6-N1	5.24	123.62	121.00
26	BB	421	C	C4'-C3'-C2'	-5.24	97.36	102.60
26	BB	498	G	C6-N1-C2	-5.24	121.96	125.10
26	BB	549	G	C2-N3-C4	5.24	114.52	111.90
26	BB	1182	G	P-O3'-C3'	5.24	125.98	119.70
26	BB	1544	A	N7-C8-N9	-5.24	111.18	113.80
26	BB	1613	G	N7-C8-N9	5.24	115.72	113.10
26	BB	2364	C	P-O3'-C3'	5.24	125.98	119.70
26	BB	2456	C	N3-C2-O2	5.24	125.56	121.90
26	BB	2493	U	O3'-P-O5'	-5.24	94.05	104.00
1	AA	330	C	C1'-O4'-C4'	-5.23	105.71	109.90
1	AA	407	U	N1-C2-O2	5.23	126.46	122.80
1	AA	877	G	C4-C5-N7	-5.23	108.71	110.80
26	BB	245	G	P-O3'-C3'	5.23	125.98	119.70
26	BB	909	A	C5-N7-C8	5.23	106.52	103.90
26	BB	1080	A	N3-C4-C5	5.23	130.46	126.80
26	BB	1485	U	C5'-C4'-O4'	5.23	115.38	109.10
26	BB	1731	G	N3-C4-N9	5.23	129.14	126.00
48	BX	79	ARG	CA-CB-CG	-5.23	101.88	113.40
1	AA	175	C	N1-C1'-C2'	-5.23	106.25	112.00
1	AA	288	A	C1'-O4'-C4'	5.23	114.09	109.90
1	AA	362	G	N1-C6-O6	5.23	123.04	119.90
1	AA	400	C	N1-C2-N3	-5.23	115.54	119.20
1	AA	639	G	C6-C5-N7	5.23	133.54	130.40
1	AA	1317	C	P-O3'-C3'	5.23	125.98	119.70
1	AA	1433	A	C5-N7-C8	-5.23	101.28	103.90
7	AG	134	TYR	CA-CB-CG	5.23	123.34	113.40
25	BA	61	G	O4'-C4'-C3'	5.23	110.29	106.10
26	BB	236	C	N3-C4-C5	5.23	123.99	121.90
26	BB	748	G	N9-C4-C5	5.23	107.49	105.40
26	BB	816	C	N1-C2-O2	5.23	122.04	118.90
26	BB	879	G	C2-N3-C4	-5.23	109.28	111.90
26	BB	919	U	C5-C4-O4	-5.23	122.76	125.90
26	BB	1204	A	C3'-C2'-C1'	-5.23	97.31	101.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1223	G	C5'-C4'-O4'	5.23	115.38	109.10
26	BB	1640	A	C5-N7-C8	-5.23	101.28	103.90
26	BB	2317	A	N3-C4-N9	-5.23	123.21	127.40
26	BB	2413	G	O4'-C4'-C3'	5.23	110.29	106.10
26	BB	2632	A	C5-N7-C8	5.23	106.52	103.90
26	BB	2749	A	C5-N7-C8	5.23	106.52	103.90
26	BB	2777	G	P-O3'-C3'	5.23	125.98	119.70
26	BB	2821	A	C4-C5-C6	5.23	119.62	117.00
52	B1	15	ARG	CB-CG-CD	5.23	125.20	111.60
1	AA	26	A	N1-C2-N3	5.23	131.91	129.30
1	AA	257	G	C5-C6-O6	-5.23	125.46	128.60
1	AA	313	A	N1-C6-N6	-5.23	115.46	118.60
1	AA	482	A	O4'-C1'-C2'	-5.23	100.57	105.80
1	AA	1270	G	C5-C6-N1	5.23	114.11	111.50
1	AA	1412	C	O4'-C1'-N1	5.23	112.38	108.20
1	AA	1499	A	N9-C4-C5	5.23	107.89	105.80
11	AK	12	ARG	CD-NE-CZ	5.23	130.92	123.60
26	BB	460	A	C4'-C3'-C2'	-5.23	97.37	102.60
26	BB	517	C	C2-N3-C4	5.23	122.52	119.90
26	BB	983	A	P-O3'-C3'	5.23	125.98	119.70
26	BB	1076	C	C4-C5-C6	-5.23	114.78	117.40
26	BB	1421	G	C4'-C3'-C2'	-5.23	97.37	102.60
26	BB	1682	G	C1'-O4'-C4'	-5.23	105.72	109.90
26	BB	1860	G	N1-C2-N3	-5.23	120.76	123.90
26	BB	2072	C	C3'-C2'-C1'	5.23	105.69	101.50
26	BB	2262	U	P-O5'-C5'	-5.23	112.53	120.90
26	BB	2452	C	C5-C4-N4	-5.23	116.54	120.20
26	BB	2478	A	C4'-C3'-C2'	-5.23	97.37	102.60
26	BB	2592	G	C4-C5-N7	-5.23	108.71	110.80
1	AA	1209	C	C2-N3-C4	-5.23	117.28	119.90
1	AA	1360	A	C5-N7-C8	-5.23	101.29	103.90
1	AA	1382	C	N3-C2-O2	-5.23	118.24	121.90
1	AA	1384	C	N1-C2-O2	5.23	122.04	118.90
2	AB	21	A	C4-C5-C6	-5.23	114.39	117.00
25	BA	9	G	N1-C6-O6	-5.23	116.76	119.90
26	BB	1393	A	C3'-C2'-C1'	-5.23	97.32	101.50
1	AA	242	G	C6-N1-C2	-5.23	121.96	125.10
1	AA	684	U	C3'-C2'-C1'	-5.23	97.32	101.50
1	AA	688	G	O4'-C4'-C3'	5.23	110.28	106.10
1	AA	869	G	N3-C4-C5	-5.23	125.99	128.60
1	AA	1068	G	N1-C6-O6	5.23	123.04	119.90
2	AB	60	U	C5'-C4'-O4'	5.23	115.37	109.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	AC	50	U	C4'-C3'-C2'	-5.23	97.37	102.60
10	AJ	153	TYR	CB-CG-CD1	5.23	124.14	121.00
23	AW	62	ALA	N-CA-CB	-5.23	102.78	110.10
26	BB	494	G	C1'-O4'-C4'	5.23	114.08	109.90
26	BB	968	C	C4'-C3'-C2'	-5.23	97.37	102.60
26	BB	1370	C	C1'-O4'-C4'	-5.23	105.72	109.90
26	BB	1918	A	O4'-C1'-N9	5.23	112.38	108.20
26	BB	2079	U	N3-C4-O4	5.23	123.06	119.40
26	BB	2432	A	C3'-C2'-C1'	-5.23	97.32	101.50
26	BB	2588	G	P-O3'-C3'	5.23	125.97	119.70
26	BB	2661	G	C6-N1-C2	-5.23	121.96	125.10
2	AB	14	A	C4-C5-C6	-5.23	114.39	117.00
26	BB	30	G	C5'-C4'-O4'	5.23	115.37	109.10
26	BB	385	C	P-O5'-C5'	5.23	129.26	120.90
26	BB	448	U	N3-C2-O2	-5.23	118.54	122.20
26	BB	1212	G	N1-C6-O6	-5.23	116.76	119.90
26	BB	1285	A	C5'-C4'-O4'	5.23	115.37	109.10
26	BB	1984	G	N3-C4-C5	-5.23	125.99	128.60
26	BB	2107	G	N7-C8-N9	5.23	115.71	113.10
1	AA	172	A	N7-C8-N9	-5.22	111.19	113.80
1	AA	1243	C	C2-N3-C4	5.22	122.51	119.90
1	AA	1478	U	C5-C4-O4	-5.22	122.77	125.90
1	AA	1535	C	C5-C4-N4	5.22	123.86	120.20
26	BB	136	G	C2-N3-C4	5.22	114.51	111.90
26	BB	218	A	C5'-C4'-C3'	-5.22	107.64	116.00
26	BB	260	G	C5'-C4'-C3'	-5.22	107.64	116.00
26	BB	700	G	N7-C8-N9	-5.22	110.49	113.10
26	BB	706	A	C2-N3-C4	5.22	113.21	110.60
26	BB	854	C	N1-C2-O2	5.22	122.03	118.90
26	BB	874	G	C5'-C4'-C3'	5.22	124.36	116.00
26	BB	942	G	N3-C2-N2	-5.22	116.24	119.90
26	BB	1157	G	N3-C2-N2	-5.22	116.24	119.90
26	BB	1426	G	N3-C4-C5	-5.22	125.99	128.60
26	BB	1663	G	O4'-C1'-N9	5.22	112.38	108.20
26	BB	1992	G	N1-C2-N2	5.22	120.90	116.20
26	BB	2604	U	O5'-C5'-C4'	-5.22	101.77	111.70
27	BC	178	VAL	CA-CB-CG1	5.22	118.74	110.90
1	AA	591	U	C4-C5-C6	5.22	122.83	119.70
1	AA	682	G	C5-N7-C8	-5.22	101.69	104.30
1	AA	1057	G	C8-N9-C1'	5.22	133.79	127.00
1	AA	1441	A	N3-C4-C5	5.22	130.46	126.80
1	AA	1511	G	C4'-C3'-C2'	5.22	107.82	102.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	AH	53	ARG	N-CA-CB	-5.22	101.20	110.60
19	AS	39	PHE	CB-CG-CD2	5.22	124.46	120.80
26	BB	187	G	N1-C2-N3	-5.22	120.77	123.90
26	BB	243	U	C5'-C4'-O4'	5.22	115.37	109.10
26	BB	1141	U	C4'-C3'-C2'	-5.22	97.38	102.60
26	BB	1282	U	N1-C2-N3	5.22	118.03	114.90
26	BB	1724	G	C4-C5-C6	5.22	121.93	118.80
26	BB	1900	A	N7-C8-N9	-5.22	111.19	113.80
26	BB	1935	G	N1-C2-N2	5.22	120.90	116.20
26	BB	1974	C	C2'-C3'-O3'	5.22	122.06	113.70
26	BB	2633	G	C5-C6-O6	5.22	131.73	128.60
26	BB	2660	A	P-O3'-C3'	5.22	125.97	119.70
30	BF	152	GLU	O-C-N	5.22	131.06	122.70
48	BX	8	VAL	CA-CB-CG2	5.22	118.73	110.90
16	AP	42	VAL	CG1-CB-CG2	5.22	119.25	110.90
26	BB	961	C	C1'-O4'-C4'	-5.22	105.72	109.90
26	BB	1048	A	O3'-P-O5'	-5.22	94.08	104.00
26	BB	1258	U	C2-N3-C4	-5.22	123.87	127.00
26	BB	1416	G	C8-N9-C4	5.22	108.49	106.40
26	BB	1882	U	C5'-C4'-O4'	5.22	115.36	109.10
26	BB	2780	G	N3-C4-N9	5.22	129.13	126.00
26	BB	2828	G	N3-C4-N9	5.22	129.13	126.00
26	BB	2838	G	C2-N3-C4	5.22	114.51	111.90
1	AA	228	A	C4-C5-N7	-5.22	108.09	110.70
1	AA	654	G	N1-C2-N2	5.22	120.90	116.20
1	AA	844	G	C8-N9-C4	-5.22	104.31	106.40
1	AA	1342	C	C6-N1-C2	-5.22	118.21	120.30
25	BA	105	G	N9-C1'-C2'	-5.22	106.26	112.00
26	BB	51	G	C8-N9-C4	-5.22	104.31	106.40
26	BB	187	G	O4'-C1'-N9	5.22	112.38	108.20
26	BB	586	A	C6-N1-C2	-5.22	115.47	118.60
26	BB	721	A	C5-N7-C8	-5.22	101.29	103.90
26	BB	1300	G	C6-N1-C2	5.22	128.23	125.10
26	BB	1603	A	O5'-P-OP2	-5.22	101.00	105.70
26	BB	1839	G	N1-C6-O6	5.22	123.03	119.90
26	BB	2193	G	N9-C1'-C2'	-5.22	106.26	112.00
26	BB	2241	A	N3-C4-C5	5.22	130.45	126.80
26	BB	2422	C	C2-N3-C4	5.22	122.51	119.90
26	BB	2501	C	C4'-C3'-O3'	5.22	123.44	113.00
26	BB	2904	U	N3-C2-O2	-5.22	118.55	122.20
29	BE	79	LEU	CB-CG-CD2	5.22	119.87	111.00
36	BL	53	TYR	CG-CD1-CE1	-5.22	117.12	121.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	98	A	N9-C1'-C2'	-5.22	106.26	112.00
26	BB	328	U	N1-C2-N3	5.22	118.03	114.90
26	BB	945	A	O4'-C1'-N9	5.22	112.37	108.20
26	BB	1442	U	N1-C2-N3	5.22	118.03	114.90
26	BB	2199	A	C5'-C4'-O4'	5.22	115.36	109.10
26	BB	2304	G	C5'-C4'-C3'	5.22	124.35	116.00
26	BB	2715	C	C3'-C2'-C1'	5.22	105.67	101.50
26	BB	2792	A	N3-C4-C5	-5.22	123.15	126.80
26	BB	2853	C	C5'-C4'-O4'	5.22	115.36	109.10
1	AA	135	C	C3'-C2'-C1'	-5.22	97.33	101.50
1	AA	1143	G	N7-C8-N9	5.22	115.71	113.10
1	AA	1263	C	N3-C4-N4	5.22	121.65	118.00
2	AB	35	C	P-O3'-C3'	5.22	125.96	119.70
4	AD	65	G	C6-N1-C2	5.22	128.23	125.10
25	BA	79	G	N7-C8-N9	5.22	115.71	113.10
26	BB	26	G	C5-C6-N1	5.22	114.11	111.50
26	BB	89	A	C4'-C3'-C2'	-5.22	97.38	102.60
26	BB	171	U	C6-N1-C2	-5.22	117.87	121.00
26	BB	329	G	C1'-O4'-C4'	5.22	114.07	109.90
26	BB	369	U	C4'-C3'-C2'	-5.22	97.38	102.60
26	BB	568	U	OP1-P-OP2	-5.22	111.78	119.60
26	BB	960	A	N7-C8-N9	-5.22	111.19	113.80
26	BB	962	G	C2'-C3'-O3'	5.22	122.05	113.70
26	BB	983	A	O4'-C1'-N9	5.22	112.37	108.20
26	BB	1136	G	C8-N9-C1'	5.22	133.78	127.00
26	BB	1376	C	C2-N3-C4	5.22	122.51	119.90
26	BB	1596	A	N1-C2-N3	-5.22	126.69	129.30
26	BB	1783	A	C3'-C2'-C1'	-5.22	97.33	101.50
26	BB	2049	G	C6-C5-N7	5.22	133.53	130.40
26	BB	2055	C	O4'-C1'-C2'	5.22	112.30	107.60
26	BB	2319	G	C5-C6-N1	-5.22	108.89	111.50
26	BB	2324	U	C6-N1-C1'	5.22	128.50	121.20
26	BB	2666	C	C6-N1-C1'	-5.22	114.54	120.80
28	BD	141	HIS	CA-CB-CG	5.22	122.47	113.60
30	BF	92	HIS	CA-CB-CG	5.22	122.47	113.60
1	AA	952	U	N1-C2-O2	-5.21	119.15	122.80
1	AA	970	C	C4'-C3'-O3'	5.21	123.43	113.00
1	AA	1308	U	N1-C2-N3	5.21	118.03	114.90
6	AF	149	LYS	CB-CG-CD	5.21	125.16	111.60
25	BA	35	C	C6-N1-C2	5.21	122.39	120.30
25	BA	41	G	C1'-O4'-C4'	-5.21	105.73	109.90
26	BB	190	A	C4-C5-C6	-5.21	114.39	117.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	636	G	N9-C4-C5	-5.21	103.31	105.40
26	BB	860	U	C2-N3-C4	-5.21	123.87	127.00
26	BB	1268	A	C5-C6-N1	5.21	120.31	117.70
26	BB	1388	G	C5-C6-O6	-5.21	125.47	128.60
26	BB	1438	U	N1-C2-O2	-5.21	119.15	122.80
26	BB	1869	G	C2-N3-C4	-5.21	109.29	111.90
26	BB	2166	U	C5-C6-N1	-5.21	120.09	122.70
26	BB	2189	U	N1-C2-N3	5.21	118.03	114.90
26	BB	2507	C	C4-C5-C6	5.21	120.01	117.40
26	BB	2657	A	C8-N9-C4	5.21	107.89	105.80
26	BB	2702	G	N3-C4-N9	5.21	129.13	126.00
26	BB	2821	A	N3-C4-C5	-5.21	123.15	126.80
1	AA	300	A	C4-C5-C6	5.21	119.61	117.00
1	AA	1108	G	C5-C6-O6	-5.21	125.47	128.60
1	AA	1333	A	N7-C8-N9	5.21	116.41	113.80
2	AB	12	U	N1-C2-O2	5.21	126.45	122.80
7	AG	187	ARG	NE-CZ-NH2	-5.21	117.69	120.30
11	AK	89	ASP	CB-CG-OD2	-5.21	113.61	118.30
25	BA	19	C	N3-C4-N4	5.21	121.65	118.00
26	BB	52	A	O5'-P-OP1	5.21	116.95	110.70
26	BB	629	G	C8-N9-C1'	5.21	133.78	127.00
26	BB	1143	A	C8-N9-C4	-5.21	103.72	105.80
26	BB	1596	A	C4-C5-N7	-5.21	108.09	110.70
1	AA	22	G	C6-C5-N7	-5.21	127.27	130.40
1	AA	104	G	P-O5'-C5'	5.21	129.24	120.90
1	AA	266	G	O3'-P-O5'	5.21	113.90	104.00
1	AA	577	G	C5-C6-O6	-5.21	125.47	128.60
1	AA	693	G	C2-N3-C4	5.21	114.51	111.90
1	AA	1205	U	O4'-C1'-N1	5.21	112.37	108.20
2	AB	33	U	C5'-C4'-O4'	5.21	115.35	109.10
25	BA	38	C	O4'-C1'-N1	5.21	112.37	108.20
26	BB	78	U	P-O5'-C5'	5.21	129.24	120.90
26	BB	83	A	C8-N9-C4	5.21	107.89	105.80
26	BB	680	C	N3-C2-O2	-5.21	118.25	121.90
26	BB	730	A	N9-C4-C5	5.21	107.88	105.80
26	BB	907	G	C5-C6-O6	5.21	131.73	128.60
26	BB	1259	G	O4'-C1'-C2'	5.21	112.29	107.60
26	BB	2001	C	N1-C2-O2	-5.21	115.77	118.90
26	BB	2207	C	C2-N1-C1'	-5.21	113.07	118.80
26	BB	2253	G	C8-N9-C4	-5.21	104.31	106.40
26	BB	2572	A	C4-C5-N7	5.21	113.31	110.70
26	BB	2623	G	C5-C6-N1	5.21	114.11	111.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
31	BG	21	TYR	CB-CG-CD1	5.21	124.13	121.00
49	BY	4	LYS	C-N-CA	5.21	134.73	121.70
1	AA	395	C	N1-C2-N3	5.21	122.85	119.20
1	AA	773	G	C8-N9-C1'	5.21	133.77	127.00
1	AA	1489	G	O4'-C1'-N9	5.21	112.37	108.20
26	BB	939	G	O4'-C1'-N9	5.21	112.37	108.20
26	BB	1704	C	C5-C6-N1	5.21	123.61	121.00
26	BB	2160	C	C5-C4-N4	-5.21	116.55	120.20
26	BB	2867	G	O4'-C4'-C3'	5.21	110.27	106.10
26	BB	2873	A	O4'-C1'-C2'	-5.21	100.59	105.80
30	BF	162	ARG	CD-NE-CZ	5.21	130.90	123.60
42	BR	30	TRP	CZ3-CH2-CZ2	-5.21	115.35	121.60
1	AA	229	U	N1-C2-O2	-5.21	119.15	122.80
1	AA	873	A	C6-C5-N7	-5.21	128.65	132.30
1	AA	910	C	O3'-P-O5'	5.21	113.90	104.00
1	AA	1136	C	O4'-C1'-C2'	-5.21	100.59	105.80
1	AA	1270	G	C6-N1-C2	-5.21	121.97	125.10
1	AA	1280	A	C6-N1-C2	-5.21	115.47	118.60
1	AA	1302	C	C2'-C3'-O3'	5.21	122.03	113.70
1	AA	1322	C	C6-N1-C2	5.21	122.38	120.30
1	AA	1427	C	C5-C4-N4	5.21	123.85	120.20
13	AM	91	ASP	CB-CG-OD2	-5.21	113.61	118.30
25	BA	34	A	C4'-C3'-O3'	5.21	123.42	113.00
25	BA	79	G	N3-C2-N2	-5.21	116.25	119.90
26	BB	262	A	N3-C4-N9	-5.21	123.23	127.40
26	BB	324	A	C6-C5-N7	5.21	135.94	132.30
26	BB	552	U	C2-N1-C1'	5.21	123.95	117.70
26	BB	779	U	O4'-C1'-N1	5.21	112.37	108.20
26	BB	1018	U	C4-C5-C6	5.21	122.83	119.70
26	BB	1445	G	N9-C4-C5	-5.21	103.32	105.40
26	BB	1559	U	N3-C4-O4	5.21	123.05	119.40
26	BB	1579	A	N1-C2-N3	-5.21	126.70	129.30
26	BB	1684	G	C6-N1-C2	-5.21	121.97	125.10
26	BB	1789	A	C5'-C4'-C3'	-5.21	107.67	116.00
26	BB	1830	C	C2-N1-C1'	-5.21	113.07	118.80
26	BB	2326	C	N1-C2-N3	-5.21	115.55	119.20
26	BB	2327	A	C2-N3-C4	5.21	113.20	110.60
26	BB	2588	G	N9-C1'-C2'	-5.21	106.27	112.00
26	BB	2761	A	C4-C5-N7	5.21	113.30	110.70
26	BB	2875	C	C4-C5-C6	-5.21	114.80	117.40
26	BB	2889	C	N3-C4-C5	-5.21	119.82	121.90
29	BE	170	VAL	CA-CB-CG1	5.21	118.71	110.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
39	BO	64	TRP	CE3-CZ3-CH2	-5.21	115.47	121.20
1	AA	716	A	C4-C5-N7	-5.21	108.10	110.70
26	BB	150	U	N1-C2-N3	5.21	118.02	114.90
26	BB	397	U	O4'-C1'-N1	5.21	112.36	108.20
26	BB	1148	U	N1-C1'-C2'	-5.21	106.27	112.00
26	BB	1196	C	C5-C4-N4	-5.21	116.56	120.20
26	BB	1322	A	C6-C5-N7	5.21	135.94	132.30
26	BB	1340	U	C4'-C3'-C2'	-5.21	97.39	102.60
26	BB	1826	G	O4'-C1'-C2'	5.21	112.29	107.60
26	BB	1901	A	C5-N7-C8	5.21	106.50	103.90
26	BB	2157	G	C5-C6-O6	5.21	131.72	128.60
26	BB	2193	G	O4'-C1'-N9	5.21	112.36	108.20
26	BB	2199	A	C5-N7-C8	-5.21	101.30	103.90
26	BB	2531	A	N1-C6-N6	5.21	121.72	118.60
30	BF	191	ASP	CB-CG-OD2	-5.21	113.61	118.30
39	BO	55	ARG	NE-CZ-NH2	-5.21	117.70	120.30
1	AA	172	A	C3'-C2'-C1'	5.21	105.66	101.50
1	AA	530	G	P-O3'-C3'	5.21	125.95	119.70
1	AA	684	U	N1-C2-N3	5.21	118.02	114.90
1	AA	1181	G	OP1-P-O3'	5.21	116.65	105.20
2	AB	19	G	C5'-C4'-O4'	5.21	115.35	109.10
26	BB	622	G	C5'-C4'-O4'	5.21	115.35	109.10
26	BB	1202	G	C6-C5-N7	-5.21	127.28	130.40
26	BB	1817	G	C2-N3-C4	5.21	114.50	111.90
43	BS	23	TYR	CG-CD1-CE1	-5.21	117.14	121.30
1	AA	556	C	N3-C4-N4	5.20	121.64	118.00
1	AA	917	G	C3'-C2'-C1'	5.20	105.66	101.50
1	AA	1257	A	N7-C8-N9	-5.20	111.20	113.80
3	AC	28	U	N3-C2-O2	-5.20	118.56	122.20
3	AC	38	G	N3-C4-N9	5.20	129.12	126.00
3	AC	41	A	N3-C4-N9	5.20	131.56	127.40
3	AC	58	C	N1-C2-O2	5.20	122.02	118.90
4	AD	39	A	O4'-C1'-N9	5.20	112.36	108.20
25	BA	111	U	P-O3'-C3'	5.20	125.94	119.70
26	BB	221	A	N1-C6-N6	5.20	121.72	118.60
26	BB	375	G	P-O3'-C3'	5.20	125.94	119.70
26	BB	750	A	O4'-C4'-C3'	5.20	110.26	106.10
26	BB	1833	C	N3-C4-C5	5.20	123.98	121.90
1	AA	446	G	N9-C1'-C2'	-5.20	106.28	112.00
1	AA	498	A	N1-C6-N6	-5.20	115.48	118.60
1	AA	640	A	C6-N1-C2	-5.20	115.48	118.60
1	AA	1540	U	N3-C2-O2	-5.20	118.56	122.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	197	A	N7-C8-N9	5.20	116.40	113.80
26	BB	874	G	C2-N3-C4	5.20	114.50	111.90
26	BB	1042	G	O4'-C4'-C3'	5.20	110.26	106.10
26	BB	1397	U	C2-N3-C4	5.20	130.12	127.00
26	BB	1667	G	C6-N1-C2	5.20	128.22	125.10
26	BB	2241	A	N9-C4-C5	-5.20	103.72	105.80
33	BI	103	VAL	CA-CB-CG2	5.20	118.70	110.90
1	AA	210	C	N3-C4-C5	5.20	123.98	121.90
1	AA	997	U	N3-C4-O4	-5.20	115.76	119.40
1	AA	1136	C	C5-C4-N4	5.20	123.84	120.20
1	AA	1244	G	N9-C4-C5	5.20	107.48	105.40
2	AB	43	G	C6-N1-C2	-5.20	121.98	125.10
6	AF	116	ALA	N-CA-CB	-5.20	102.82	110.10
26	BB	110	G	C1'-O4'-C4'	-5.20	105.74	109.90
26	BB	1227	G	N3-C4-C5	-5.20	126.00	128.60
26	BB	1334	G	C8-N9-C1'	5.20	133.76	127.00
26	BB	1667	G	N9-C1'-C2'	-5.20	106.28	112.00
26	BB	1785	A	O4'-C1'-N9	5.20	112.36	108.20
26	BB	2113	U	N3-C4-C5	5.20	117.72	114.60
26	BB	2170	A	C8-N9-C4	-5.20	103.72	105.80
26	BB	2216	G	C5-C6-N1	5.20	114.10	111.50
26	BB	2653	U	N3-C4-C5	-5.20	111.48	114.60
31	BG	177	ARG	NE-CZ-NH2	5.20	122.90	120.30
46	BV	18	GLU	CB-CA-C	5.20	120.80	110.40
1	AA	35	G	C5-C6-O6	5.20	131.72	128.60
1	AA	586	C	N3-C2-O2	-5.20	118.26	121.90
1	AA	774	G	C4-C5-C6	5.20	121.92	118.80
1	AA	848	C	O4'-C4'-C3'	5.20	110.26	106.10
1	AA	850	U	C5'-C4'-O4'	5.20	115.34	109.10
1	AA	890	G	P-O3'-C3'	5.20	125.94	119.70
1	AA	916	U	C2-N3-C4	-5.20	123.88	127.00
1	AA	1147	C	C5-C6-N1	-5.20	118.40	121.00
1	AA	1241	G	P-O5'-C5'	5.20	129.22	120.90
1	AA	1365	G	C1'-O4'-C4'	5.20	114.06	109.90
4	AD	75	C	N1-C2-N3	-5.20	115.56	119.20
26	BB	820	A	C5'-C4'-O4'	5.20	115.34	109.10
26	BB	1027	A	O4'-C4'-C3'	-5.20	98.80	104.00
26	BB	2043	C	P-O5'-C5'	5.20	129.22	120.90
26	BB	2658	C	O4'-C1'-N1	5.20	112.36	108.20
1	AA	82	G	C5-N7-C8	-5.20	101.70	104.30
1	AA	127	G	N3-C4-N9	5.20	129.12	126.00
26	BB	141	G	C2-N3-C4	5.20	114.50	111.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	247	G	O4'-C1'-C2'	-5.20	100.60	105.80
26	BB	831	G	C3'-C2'-C1'	-5.20	97.34	101.50
26	BB	1734	G	N9-C1'-C2'	-5.20	106.28	112.00
26	BB	2367	G	C4-C5-N7	-5.20	108.72	110.80
26	BB	2637	U	C4'-C3'-C2'	-5.20	97.40	102.60
26	BB	2723	C	C3'-C2'-C1'	5.20	105.66	101.50
26	BB	2796	U	C5-C6-N1	-5.20	120.10	122.70
1	AA	127	G	C5-C6-N1	-5.20	108.90	111.50
1	AA	157	U	O3'-P-O5'	-5.20	94.13	104.00
1	AA	243	A	C1'-O4'-C4'	-5.20	105.74	109.90
1	AA	615	G	O4'-C1'-C2'	5.20	112.28	107.60
1	AA	747	A	C5-N7-C8	-5.20	101.30	103.90
1	AA	920	U	C5'-C4'-O4'	5.20	115.33	109.10
1	AA	1232	U	C4'-C3'-C2'	-5.20	97.40	102.60
1	AA	1400	C	C2-N3-C4	5.20	122.50	119.90
1	AA	1520	C	C4'-C3'-C2'	-5.20	97.40	102.60
4	AD	32	G	N3-C2-N2	5.20	123.54	119.90
26	BB	354	A	N1-C6-N6	5.20	121.72	118.60
26	BB	389	G	C5-N7-C8	5.20	106.90	104.30
26	BB	570	G	C4-C5-N7	-5.20	108.72	110.80
26	BB	576	U	N1-C1'-C2'	5.20	120.75	114.00
26	BB	758	C	O4'-C1'-N1	5.20	112.36	108.20
26	BB	856	G	N9-C4-C5	5.20	107.48	105.40
26	BB	871	U	C4-C5-C6	5.20	122.82	119.70
26	BB	1828	G	N3-C4-N9	5.20	129.12	126.00
26	BB	2218	G	C3'-C2'-C1'	5.20	105.66	101.50
26	BB	2485	G	N1-C6-O6	-5.20	116.78	119.90
26	BB	2512	C	C4'-C3'-C2'	-5.20	97.40	102.60
26	BB	2682	A	C6-N1-C2	-5.20	115.48	118.60
26	BB	2818	U	N3-C4-C5	-5.20	111.48	114.60
1	AA	401	C	C6-N1-C2	5.19	122.38	120.30
1	AA	459	A	O4'-C1'-N9	5.19	112.36	108.20
1	AA	510	A	O4'-C4'-C3'	5.19	110.25	106.10
1	AA	1214	C	C4-C5-C6	-5.19	114.80	117.40
2	AB	3	G	C5'-C4'-O4'	5.19	115.33	109.10
14	AN	17	ASP	CB-CG-OD2	-5.19	113.62	118.30
26	BB	61	C	C2-N1-C1'	-5.19	113.09	118.80
26	BB	416	U	C5-C6-N1	-5.19	120.10	122.70
26	BB	2392	A	C3'-C2'-C1'	-5.19	97.34	101.50
26	BB	2640	G	OP2-P-O3'	5.19	116.63	105.20
26	BB	2648	G	C4-C5-N7	-5.19	108.72	110.80
1	AA	528	C	P-O3'-C3'	5.19	125.93	119.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1195	C	C3'-C2'-C1'	5.19	105.65	101.50
1	AA	1326	U	N1-C1'-C2'	-5.19	106.29	112.00
1	AA	1524	C	N1-C2-O2	-5.19	115.78	118.90
25	BA	5	U	N1-C1'-C2'	-5.19	106.29	112.00
26	BB	18	U	N1-C2-O2	-5.19	119.17	122.80
26	BB	325	G	C6-N1-C2	-5.19	121.98	125.10
26	BB	368	A	N1-C2-N3	5.19	131.90	129.30
26	BB	845	A	C5-N7-C8	5.19	106.50	103.90
26	BB	924	G	N3-C4-N9	5.19	129.12	126.00
26	BB	1036	G	C4-C5-C6	-5.19	115.69	118.80
26	BB	1036	G	C8-N9-C1'	5.19	133.75	127.00
26	BB	1217	U	C6-N1-C2	-5.19	117.88	121.00
26	BB	1373	A	O4'-C4'-C3'	-5.19	98.81	104.00
26	BB	1388	G	N3-C4-N9	5.19	129.12	126.00
26	BB	2134	A	N1-C2-N3	-5.19	126.70	129.30
26	BB	2546	U	N3-C4-O4	5.19	123.03	119.40
26	BB	2617	U	C2-N1-C1'	-5.19	111.47	117.70
26	BB	2728	U	O4'-C1'-N1	5.19	112.35	108.20
1	AA	55	A	C5-N7-C8	-5.19	101.31	103.90
1	AA	174	A	N1-C6-N6	-5.19	115.48	118.60
1	AA	582	C	P-O3'-C3'	5.19	125.93	119.70
1	AA	847	G	C4'-C3'-C2'	-5.19	97.41	102.60
1	AA	1127	G	C5-C6-O6	-5.19	125.49	128.60
1	AA	1459	G	N9-C4-C5	5.19	107.48	105.40
3	AC	16	A	C2-N3-C4	-5.19	108.00	110.60
6	AF	41	TYR	CD1-CG-CD2	5.19	123.61	117.90
26	BB	321	U	O4'-C1'-C2'	-5.19	100.61	105.80
26	BB	526	A	C5'-C4'-O4'	5.19	115.33	109.10
26	BB	528	A	N1-C6-N6	-5.19	115.48	118.60
26	BB	547	A	N7-C8-N9	-5.19	111.20	113.80
26	BB	559	G	N3-C4-N9	5.19	129.12	126.00
26	BB	1011	G	C5-C6-N1	5.19	114.10	111.50
26	BB	1215	G	N7-C8-N9	-5.19	110.50	113.10
26	BB	1337	G	C4-C5-C6	5.19	121.91	118.80
26	BB	1511	G	C6-C5-N7	5.19	133.51	130.40
26	BB	2181	U	N3-C2-O2	-5.19	118.57	122.20
26	BB	2238	G	C5-C6-O6	5.19	131.72	128.60
26	BB	2722	G	N1-C2-N2	5.19	120.87	116.20
32	BH	32	LEU	CB-CG-CD1	5.19	119.82	111.00
45	BU	99	ARG	NE-CZ-NH2	5.19	122.89	120.30
1	AA	259	G	C5'-C4'-C3'	5.19	124.30	116.00
1	AA	585	G	C5-C6-N1	5.19	114.09	111.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1111	A	N7-C8-N9	5.19	116.39	113.80
1	AA	1254	A	C2-N3-C4	5.19	113.19	110.60
1	AA	1292	G	C2-N3-C4	5.19	114.50	111.90
25	BA	111	U	C6-N1-C2	5.19	124.11	121.00
26	BB	2	G	C3'-C2'-C1'	-5.19	97.35	101.50
26	BB	512	G	C8-N9-C1'	5.19	133.75	127.00
26	BB	974	G	N1-C2-N2	5.19	120.87	116.20
26	BB	1537	G	C4-C5-N7	5.19	112.88	110.80
26	BB	2578	G	C8-N9-C4	-5.19	104.33	106.40
1	AA	330	C	N1-C2-N3	-5.19	115.57	119.20
1	AA	402	G	N3-C4-N9	5.19	129.11	126.00
1	AA	661	G	N7-C8-N9	-5.19	110.51	113.10
1	AA	838	G	C1'-O4'-C4'	-5.19	105.75	109.90
1	AA	1046	A	C8-N9-C4	-5.19	103.72	105.80
1	AA	1065	U	C2-N3-C4	-5.19	123.89	127.00
1	AA	1223	C	N3-C2-O2	-5.19	118.27	121.90
1	AA	1231	G	C1'-O4'-C4'	-5.19	105.75	109.90
1	AA	1365	G	N3-C4-C5	5.19	131.19	128.60
1	AA	1454	G	N1-C2-N2	5.19	120.87	116.20
2	AB	22	G	N9-C1'-C2'	-5.19	106.29	112.00
3	AC	16	A	N1-C2-N3	5.19	131.89	129.30
14	AN	51	PHE	CB-CG-CD1	5.19	124.43	120.80
15	AO	45	ASN	N-CA-CB	-5.19	101.26	110.60
25	BA	72	G	C5'-C4'-O4'	5.19	115.32	109.10
25	BA	113	C	C5-C4-N4	-5.19	116.57	120.20
26	BB	493	G	C6-N1-C2	-5.19	121.99	125.10
26	BB	1071	G	C4-C5-N7	-5.19	108.72	110.80
26	BB	1091	G	C5-N7-C8	5.19	106.89	104.30
26	BB	1447	C	N1-C2-N3	-5.19	115.57	119.20
26	BB	1560	G	O4'-C4'-C3'	5.19	110.25	106.10
26	BB	1734	G	C4'-C3'-C2'	-5.19	97.41	102.60
26	BB	2006	C	C4'-C3'-C2'	-5.19	97.41	102.60
26	BB	2302	U	N3-C4-C5	-5.19	111.49	114.60
26	BB	2335	A	C8-N9-C4	-5.19	103.72	105.80
26	BB	2435	A	N7-C8-N9	-5.19	111.21	113.80
26	BB	2796	U	O4'-C4'-C3'	5.19	110.25	106.10
1	AA	432	A	N1-C6-N6	-5.19	115.49	118.60
1	AA	1408	A	N9-C1'-C2'	-5.19	106.30	112.00
1	AA	1537	U	N1-C2-O2	5.19	126.43	122.80
2	AB	58	A	C2-N3-C4	-5.19	108.01	110.60
25	BA	89	U	N3-C4-C5	5.19	117.71	114.60
26	BB	202	U	N1-C2-N3	5.19	118.01	114.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	238	C	O4'-C1'-N1	5.19	112.35	108.20
1	AA	622	A	C4-C5-C6	-5.18	114.41	117.00
1	AA	654	G	C4-C5-N7	-5.18	108.73	110.80
1	AA	1027	C	N3-C4-N4	5.18	121.63	118.00
1	AA	1158	C	C2-N1-C1'	5.18	124.50	118.80
2	AB	58	A	C5-C6-N1	-5.18	115.11	117.70
26	BB	312	G	N3-C4-C5	-5.18	126.01	128.60
26	BB	808	G	C3'-C2'-C1'	5.18	105.65	101.50
26	BB	881	G	O4'-C1'-N9	5.18	112.35	108.20
26	BB	984	A	N1-C2-N3	-5.18	126.71	129.30
26	BB	1474	U	P-O3'-C3'	5.18	125.92	119.70
26	BB	1714	U	O5'-C5'-C4'	5.18	121.55	111.70
26	BB	2191	A	C3'-C2'-C1'	-5.18	97.35	101.50
26	BB	2554	U	N1-C2-N3	5.18	118.01	114.90
26	BB	2895	G	C5'-C4'-O4'	5.18	115.32	109.10
1	AA	185	U	C3'-C2'-C1'	-5.18	97.35	101.50
1	AA	939	G	N1-C2-N3	-5.18	120.79	123.90
1	AA	957	U	N1-C2-O2	5.18	126.43	122.80
1	AA	1416	G	C3'-C2'-C1'	-5.18	97.35	101.50
1	AA	1455	G	O3'-P-O5'	-5.18	94.15	104.00
1	AA	1493	A	C6-N1-C2	5.18	121.71	118.60
2	AB	4	G	C2-N3-C4	5.18	114.49	111.90
2	AB	50	G	C5-N7-C8	-5.18	101.71	104.30
2	AB	72	U	P-O3'-C3'	5.18	125.92	119.70
13	AM	16	ARG	CD-NE-CZ	5.18	130.86	123.60
15	AO	59	GLY	CA-C-O	-5.18	111.27	120.60
25	BA	28	C	C5-C4-N4	-5.18	116.57	120.20
25	BA	62	C	C4-C5-C6	5.18	119.99	117.40
26	BB	159	G	N9-C1'-C2'	-5.18	106.30	112.00
26	BB	774	G	C4'-C3'-C2'	-5.18	97.42	102.60
26	BB	1016	G	N3-C2-N2	5.18	123.53	119.90
26	BB	1282	U	C4-C5-C6	5.18	122.81	119.70
26	BB	1377	G	C4-N9-C1'	-5.18	119.76	126.50
26	BB	1387	A	C4-C5-N7	-5.18	108.11	110.70
26	BB	1764	C	N1-C2-N3	-5.18	115.57	119.20
26	BB	1781	U	C4'-C3'-O3'	-5.18	98.52	109.40
26	BB	1947	C	C4'-C3'-C2'	-5.18	97.42	102.60
26	BB	2157	G	N7-C8-N9	5.18	115.69	113.10
26	BB	2361	G	C5'-C4'-C3'	5.18	124.29	116.00
26	BB	2461	A	C4-C5-N7	-5.18	108.11	110.70
26	BB	2566	A	O4'-C1'-N9	5.18	112.35	108.20
26	BB	2903	U	C2-N3-C4	-5.18	123.89	127.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
47	BW	102	ILE	CB-CA-C	5.18	121.97	111.60
1	AA	68	G	C6-C5-N7	-5.18	127.29	130.40
1	AA	886	G	C3'-C2'-C1'	5.18	105.64	101.50
1	AA	908	A	O4'-C4'-C3'	-5.18	98.82	104.00
1	AA	1213	A	C4-C5-N7	5.18	113.29	110.70
8	AH	156	ARG	CD-NE-CZ	5.18	130.85	123.60
26	BB	478	A	N9-C4-C5	5.18	107.87	105.80
26	BB	697	G	N3-C4-N9	-5.18	122.89	126.00
26	BB	1254	A	C6-N1-C2	5.18	121.71	118.60
26	BB	1543	G	C2-N3-C4	5.18	114.49	111.90
26	BB	2319	G	C8-N9-C4	-5.18	104.33	106.40
26	BB	2383	G	N1-C2-N2	-5.18	111.54	116.20
26	BB	2874	C	C5'-C4'-O4'	5.18	115.32	109.10
1	AA	38	G	C4-C5-C6	5.18	121.91	118.80
1	AA	359	G	C5-N7-C8	5.18	106.89	104.30
1	AA	491	G	C8-N9-C4	-5.18	104.33	106.40
1	AA	533	A	C5-N7-C8	-5.18	101.31	103.90
1	AA	887	G	C6-N1-C2	-5.18	121.99	125.10
1	AA	922	G	C6-C5-N7	-5.18	127.29	130.40
1	AA	1106	G	C1'-O4'-C4'	-5.18	105.76	109.90
1	AA	1271	A	P-O3'-C3'	5.18	125.92	119.70
1	AA	1371	G	N1-C2-N3	-5.18	120.79	123.90
1	AA	1515	G	N1-C2-N2	5.18	120.86	116.20
26	BB	60	G	C6-N1-C2	5.18	128.21	125.10
26	BB	188	G	C8-N9-C4	-5.18	104.33	106.40
26	BB	218	A	N1-C2-N3	-5.18	126.71	129.30
26	BB	445	C	C2-N1-C1'	-5.18	113.10	118.80
26	BB	597	G	C6-N1-C2	-5.18	121.99	125.10
26	BB	1209	U	C4'-C3'-C2'	-5.18	97.42	102.60
26	BB	1239	G	N9-C4-C5	5.18	107.47	105.40
26	BB	1286	A	O4'-C1'-N9	5.18	112.34	108.20
26	BB	1907	G	C6-C5-N7	-5.18	127.29	130.40
26	BB	2238	G	C2-N3-C4	-5.18	109.31	111.90
26	BB	2571	U	C6-N1-C2	-5.18	117.89	121.00
26	BB	2628	C	N1-C2-N3	-5.18	115.57	119.20
31	BG	114	ARG	NE-CZ-NH2	-5.18	117.71	120.30
41	BQ	94	ARG	CD-NE-CZ	5.18	130.85	123.60
1	AA	973	G	N9-C1'-C2'	5.18	120.73	114.00
1	AA	1211	U	C4'-C3'-C2'	5.18	107.78	102.60
1	AA	1287	A	C4'-C3'-C2'	-5.18	97.42	102.60
1	AA	1464	U	C5-C6-N1	-5.18	120.11	122.70
1	AA	1468	A	C4'-C3'-C2'	5.18	107.78	102.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	322	A	N1-C2-N3	5.18	131.89	129.30
26	BB	553	G	O4'-C1'-N9	5.18	112.34	108.20
26	BB	662	G	C6-N1-C2	-5.18	121.99	125.10
26	BB	1032	A	C8-N9-C4	-5.18	103.73	105.80
26	BB	1065	U	C4'-C3'-C2'	5.18	107.78	102.60
26	BB	1191	G	N3-C4-N9	5.18	129.11	126.00
26	BB	2062	A	C4'-C3'-C2'	-5.18	97.42	102.60
26	BB	2363	G	N1-C2-N3	5.18	127.01	123.90
1	AA	200	G	C5-N7-C8	5.18	106.89	104.30
1	AA	202	G	N3-C4-N9	-5.18	122.89	126.00
1	AA	422	C	O4'-C4'-C3'	5.18	110.24	106.10
1	AA	899	C	C4-C5-C6	5.18	119.99	117.40
1	AA	1083	U	C5'-C4'-C3'	-5.18	107.72	116.00
1	AA	1184	G	C5'-C4'-O4'	5.18	115.31	109.10
1	AA	1239	A	C2-N3-C4	5.18	113.19	110.60
1	AA	1294	G	C5-N7-C8	-5.18	101.71	104.30
1	AA	1392	G	C5-C6-O6	-5.18	125.49	128.60
1	AA	1500	A	C6-C5-N7	5.18	135.92	132.30
4	AD	20	G	C4-C5-N7	5.18	112.87	110.80
25	BA	54	G	N1-C2-N3	5.18	127.01	123.90
25	BA	64	G	C5'-C4'-C3'	-5.18	107.72	116.00
26	BB	14	A	C3'-C2'-C1'	5.18	105.64	101.50
26	BB	352	A	C6-N1-C2	-5.18	115.49	118.60
26	BB	383	C	O4'-C4'-C3'	5.18	110.24	106.10
26	BB	493	G	O4'-C1'-C2'	5.18	112.26	107.60
26	BB	544	C	C5-C4-N4	-5.18	116.58	120.20
26	BB	1173	U	O4'-C1'-N1	5.18	112.34	108.20
26	BB	1302	A	N1-C6-N6	-5.18	115.49	118.60
26	BB	1785	A	C4'-C3'-C2'	-5.18	97.42	102.60
26	BB	2298	A	C6-N1-C2	-5.18	115.49	118.60
26	BB	2465	C	N1-C2-O2	5.18	122.01	118.90
26	BB	2476	A	O4'-C1'-C2'	-5.18	100.62	105.80
26	BB	2661	G	C8-N9-C4	-5.18	104.33	106.40
26	BB	2827	C	C5-C6-N1	5.18	123.59	121.00
26	BB	2862	G	C1'-O4'-C4'	5.18	114.04	109.90
29	BE	13	ARG	CB-CA-C	5.18	120.75	110.40
1	AA	248	C	C6-N1-C2	5.17	122.37	120.30
1	AA	292	G	N1-C6-O6	5.17	123.00	119.90
1	AA	510	A	C4'-C3'-C2'	-5.17	97.42	102.60
1	AA	534	U	C5-C6-N1	-5.17	120.11	122.70
1	AA	559	A	C5'-C4'-C3'	-5.17	107.72	116.00
1	AA	768	A	C4-C5-C6	-5.17	114.41	117.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	AH	70	MET	O-C-N	5.17	130.98	122.70
26	BB	15	G	C3'-C2'-C1'	-5.17	97.36	101.50
26	BB	90	U	C2-N1-C1'	-5.17	111.49	117.70
26	BB	439	A	C1'-O4'-C4'	-5.17	105.76	109.90
26	BB	440	C	C5'-C4'-O4'	5.17	115.31	109.10
26	BB	1047	G	P-O3'-C3'	5.17	125.91	119.70
26	BB	1112	G	N9-C4-C5	-5.17	103.33	105.40
26	BB	1195	G	C4-C5-N7	-5.17	108.73	110.80
26	BB	1197	G	O5'-C5'-C4'	-5.17	101.87	111.70
26	BB	1347	A	N7-C8-N9	5.17	116.39	113.80
26	BB	1505	A	C4'-C3'-C2'	-5.17	97.43	102.60
26	BB	1597	A	N1-C6-N6	-5.17	115.50	118.60
26	BB	2011	U	N3-C2-O2	-5.17	118.58	122.20
26	BB	2312	U	P-O3'-C3'	5.17	125.91	119.70
26	BB	2607	G	C4-C5-N7	5.17	112.87	110.80
31	BG	29	ARG	CD-NE-CZ	5.17	130.84	123.60
35	BK	113	ALA	CB-CA-C	-5.17	102.34	110.10
1	AA	191	G	C4'-C3'-C2'	-5.17	97.43	102.60
1	AA	381	C	C2-N1-C1'	5.17	124.49	118.80
1	AA	756	C	C5-C6-N1	5.17	123.59	121.00
26	BB	1173	U	C2'-C3'-O3'	5.17	121.98	113.70
26	BB	2567	G	C1'-O4'-C4'	-5.17	105.76	109.90
26	BB	2891	U	N3-C4-C5	-5.17	111.50	114.60
1	AA	278	G	C5'-C4'-O4'	5.17	115.31	109.10
1	AA	297	G	N1-C2-N3	5.17	127.00	123.90
1	AA	314	C	C1'-O4'-C4'	5.17	114.04	109.90
1	AA	393	A	C1'-O4'-C4'	5.17	114.04	109.90
1	AA	782	A	N1-C6-N6	-5.17	115.50	118.60
1	AA	923	A	C5-C6-N1	5.17	120.29	117.70
1	AA	1113	C	C5'-C4'-C3'	5.17	124.28	116.00
1	AA	1181	G	C5'-C4'-C3'	-5.17	107.73	116.00
4	AD	3	C	N1-C2-O2	5.17	122.00	118.90
6	AF	21	TRP	CD1-NE1-CE2	5.17	113.65	109.00
22	AV	85	ASP	O-C-N	5.17	130.98	122.70
26	BB	54	G	N3-C4-C5	-5.17	126.01	128.60
26	BB	490	C	N1-C1'-C2'	5.17	120.72	114.00
26	BB	563	A	N1-C2-N3	5.17	131.89	129.30
26	BB	1499	C	C4-C5-C6	-5.17	114.81	117.40
26	BB	1669	A	C6-N1-C2	-5.17	115.50	118.60
26	BB	2098	U	N3-C2-O2	5.17	125.82	122.20
26	BB	2277	G	C3'-C2'-C1'	-5.17	97.36	101.50
26	BB	2311	A	C5-C6-N1	-5.17	115.11	117.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2474	U	C6-N1-C1'	-5.17	113.96	121.20
26	BB	2502	G	O4'-C4'-C3'	5.17	110.24	106.10
26	BB	2591	C	O5'-P-OP2	-5.17	101.05	105.70
26	BB	2681	C	C5'-C4'-C3'	-5.17	107.73	116.00
1	AA	180	U	C2-N3-C4	-5.17	123.90	127.00
1	AA	496	A	C6-N1-C2	-5.17	115.50	118.60
1	AA	1315	U	N3-C4-O4	5.17	123.02	119.40
1	AA	1521	C	C4-C5-C6	-5.17	114.81	117.40
25	BA	76	G	O5'-P-OP1	-5.17	101.05	105.70
26	BB	656	G	C4-N9-C1'	-5.17	119.78	126.50
26	BB	797	G	C1'-O4'-C4'	-5.17	105.76	109.90
26	BB	856	G	C8-N9-C4	-5.17	104.33	106.40
26	BB	1573	G	C2-N3-C4	5.17	114.48	111.90
26	BB	2306	C	N3-C2-O2	-5.17	118.28	121.90
26	BB	2598	A	C5-C6-N6	-5.17	119.56	123.70
31	BG	41	GLU	CB-CA-C	5.17	120.74	110.40
1	AA	165	G	C5-N7-C8	-5.17	101.72	104.30
1	AA	300	A	C5'-C4'-O4'	5.17	115.30	109.10
1	AA	446	G	C6-N1-C2	-5.17	122.00	125.10
1	AA	721	G	C4-C5-N7	5.17	112.87	110.80
1	AA	831	A	O4'-C4'-C3'	5.17	110.23	106.10
1	AA	859	G	N1-C2-N2	5.17	120.85	116.20
1	AA	928	G	C4'-C3'-C2'	-5.17	97.43	102.60
1	AA	1154	G	O4'-C1'-C2'	-5.17	100.63	105.80
1	AA	1351	U	C5-C6-N1	5.17	125.28	122.70
1	AA	1530	G	C3'-C2'-C1'	5.17	105.63	101.50
3	AC	51	C	C4-C5-C6	5.17	119.98	117.40
7	AG	169	TRP	CB-CG-CD1	-5.17	120.28	127.00
26	BB	113	U	C1'-O4'-C4'	5.17	114.03	109.90
26	BB	452	G	N3-C2-N2	5.17	123.52	119.90
26	BB	530	G	N3-C4-C5	-5.17	126.02	128.60
26	BB	647	G	C5-N7-C8	-5.17	101.72	104.30
26	BB	821	A	C6-N1-C2	-5.17	115.50	118.60
26	BB	1447	C	N1-C2-O2	5.17	122.00	118.90
26	BB	2133	G	C5-C6-O6	5.17	131.70	128.60
1	AA	1054	C	C5'-C4'-O4'	5.17	115.30	109.10
1	AA	1244	G	C6-N1-C2	-5.17	122.00	125.10
1	AA	1396	A	C4-C5-C6	-5.17	114.42	117.00
2	AB	12	U	C5-C4-O4	-5.17	122.80	125.90
4	AD	15	G	N1-C6-O6	-5.17	116.80	119.90
4	AD	32	G	N7-C8-N9	5.17	115.68	113.10
10	AJ	17	PHE	CZ-CE2-CD2	-5.17	113.90	120.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BA	87	U	N1-C2-N3	5.17	118.00	114.90
26	BB	97	C	N1-C1'-C2'	-5.17	106.32	112.00
26	BB	205	G	C8-N9-C1'	5.17	133.72	127.00
26	BB	206	U	N3-C4-C5	5.17	117.70	114.60
26	BB	261	G	C6-N1-C2	-5.17	122.00	125.10
26	BB	377	G	O3'-P-O5'	5.17	113.81	104.00
26	BB	616	A	C5-C6-N6	-5.17	119.57	123.70
26	BB	757	G	C5-C6-N1	5.17	114.08	111.50
26	BB	912	C	N1-C2-O2	-5.17	115.80	118.90
26	BB	940	G	N1-C6-O6	-5.17	116.80	119.90
26	BB	1145	C	N3-C4-N4	5.17	121.62	118.00
26	BB	1298	C	C5-C4-N4	-5.17	116.58	120.20
26	BB	1358	G	N3-C2-N2	5.17	123.52	119.90
26	BB	1766	G	C5-C6-N1	-5.17	108.92	111.50
26	BB	1811	G	C3'-C2'-C1'	-5.17	97.37	101.50
26	BB	2447	G	N3-C2-N2	-5.17	116.28	119.90
26	BB	2596	U	N1-C2-O2	5.17	126.42	122.80
26	BB	2709	G	C5-C6-O6	-5.17	125.50	128.60
26	BB	2811	G	N1-C6-O6	-5.17	116.80	119.90
12	AL	73	GLY	CA-C-O	-5.17	111.30	120.60
26	BB	121	G	N9-C4-C5	5.17	107.47	105.40
26	BB	180	G	N7-C8-N9	5.17	115.68	113.10
26	BB	477	A	C2-N3-C4	5.17	113.18	110.60
26	BB	1062	G	C5-N7-C8	-5.17	101.72	104.30
26	BB	1331	G	N1-C6-O6	5.17	123.00	119.90
26	BB	1662	U	C5-C6-N1	-5.17	120.12	122.70
26	BB	1784	A	P-O3'-C3'	5.17	125.90	119.70
1	AA	728	A	C5-N7-C8	5.16	106.48	103.90
1	AA	829	G	N7-C8-N9	5.16	115.68	113.10
26	BB	185	G	C6-N1-C2	-5.16	122.00	125.10
26	BB	251	A	C5-C6-N6	-5.16	119.57	123.70
26	BB	788	A	C5'-C4'-O4'	5.16	115.30	109.10
26	BB	821	A	P-O3'-C3'	5.16	125.90	119.70
26	BB	1041	G	C4-C5-C6	5.16	121.90	118.80
26	BB	1062	G	N1-C2-N3	-5.16	120.80	123.90
26	BB	1626	A	C8-N9-C4	-5.16	103.73	105.80
26	BB	1679	A	O5'-P-OP2	-5.16	101.05	105.70
26	BB	2077	A	C5-C6-N6	5.16	127.83	123.70
26	BB	2397	G	C5-C6-O6	-5.16	125.50	128.60
1	AA	592	G	N1-C2-N3	-5.16	120.80	123.90
1	AA	994	A	N3-C4-C5	-5.16	123.19	126.80
17	AQ	30	ILE	CG1-CB-CG2	-5.16	100.04	111.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	406	G	C8-N9-C1'	5.16	133.71	127.00
26	BB	919	U	C5'-C4'-O4'	5.16	115.29	109.10
26	BB	1143	A	N7-C8-N9	5.16	116.38	113.80
26	BB	1985	C	C5-C4-N4	-5.16	116.59	120.20
26	BB	2421	G	O4'-C1'-N9	5.16	112.33	108.20
26	BB	2484	G	C6-C5-N7	-5.16	127.30	130.40
46	BV	10	VAL	CG1-CB-CG2	-5.16	102.64	110.90
1	AA	89	U	C2-N3-C4	-5.16	123.90	127.00
1	AA	303	A	C5'-C4'-C3'	-5.16	107.74	116.00
1	AA	318	G	N3-C2-N2	5.16	123.51	119.90
1	AA	702	A	O3'-P-O5'	5.16	113.80	104.00
1	AA	742	G	N9-C4-C5	5.16	107.47	105.40
3	AC	38	G	C5'-C4'-O4'	5.16	115.29	109.10
25	BA	46	A	C5-C6-N1	5.16	120.28	117.70
25	BA	54	G	C8-N9-C1'	5.16	133.71	127.00
26	BB	255	A	C4-C5-N7	5.16	113.28	110.70
26	BB	313	G	N3-C4-C5	-5.16	126.02	128.60
26	BB	377	G	C4-C5-C6	5.16	121.90	118.80
26	BB	1022	G	O4'-C4'-C3'	5.16	110.23	106.10
26	BB	1881	C	O5'-P-OP1	-5.16	101.06	105.70
26	BB	1991	U	C6-N1-C2	5.16	124.10	121.00
26	BB	2277	G	C6-N1-C2	-5.16	122.00	125.10
26	BB	2281	A	C4'-C3'-C2'	-5.16	97.44	102.60
1	AA	138	G	O4'-C1'-N9	5.16	112.33	108.20
1	AA	235	C	N1-C2-O2	5.16	122.00	118.90
1	AA	269	C	N3-C2-O2	5.16	125.51	121.90
1	AA	1140	C	C1'-O4'-C4'	5.16	114.03	109.90
25	BA	71	C	N3-C2-O2	5.16	125.51	121.90
25	BA	73	A	N9-C4-C5	5.16	107.86	105.80
26	BB	40	U	C6-N1-C2	-5.16	117.91	121.00
26	BB	335	C	C4'-C3'-C2'	-5.16	97.44	102.60
26	BB	618	G	C8-N9-C1'	5.16	133.71	127.00
26	BB	1111	A	C2-N3-C4	-5.16	108.02	110.60
26	BB	1144	A	C2-N3-C4	5.16	113.18	110.60
26	BB	1505	A	N3-C4-C5	5.16	130.41	126.80
26	BB	1755	A	C8-N9-C4	-5.16	103.74	105.80
26	BB	1802	A	C4'-C3'-C2'	-5.16	97.44	102.60
26	BB	2096	C	C6-N1-C2	-5.16	118.24	120.30
26	BB	2100	G	C3'-C2'-C1'	5.16	105.63	101.50
26	BB	2664	G	C6-C5-N7	-5.16	127.31	130.40
26	BB	2801	G	C6-N1-C2	-5.16	122.00	125.10
38	BN	91	ASP	CB-CG-OD2	-5.16	113.66	118.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	975	A	O4'-C1'-N9	5.16	112.33	108.20
1	AA	1200	C	C6-N1-C2	-5.16	118.24	120.30
1	AA	1368	A	C6-C5-N7	5.16	135.91	132.30
26	BB	206	U	N1-C1'-C2'	-5.16	106.33	112.00
26	BB	455	C	N3-C4-N4	-5.16	114.39	118.00
26	BB	551	G	O4'-C4'-C3'	-5.16	98.84	104.00
26	BB	831	G	N7-C8-N9	-5.16	110.52	113.10
26	BB	929	U	O4'-C1'-N1	5.16	112.33	108.20
1	AA	194	C	C5-C6-N1	-5.16	118.42	121.00
1	AA	411	A	C5-N7-C8	-5.16	101.32	103.90
1	AA	559	A	C4-C5-N7	-5.16	108.12	110.70
1	AA	652	U	C1'-O4'-C4'	-5.16	105.78	109.90
1	AA	856	C	C6-N1-C2	-5.16	118.24	120.30
1	AA	1016	A	N7-C8-N9	5.16	116.38	113.80
1	AA	1094	G	C8-N9-C1'	5.16	133.70	127.00
1	AA	1168	U	C6-N1-C2	-5.16	117.91	121.00
1	AA	1262	C	C5-C4-N4	-5.16	116.59	120.20
26	BB	65	U	C4'-C3'-C2'	-5.16	97.44	102.60
26	BB	110	G	C2-N3-C4	5.16	114.48	111.90
26	BB	799	G	C5-C6-N1	-5.16	108.92	111.50
26	BB	896	A	N7-C8-N9	5.16	116.38	113.80
26	BB	1156	A	C3'-C2'-C1'	5.16	105.62	101.50
26	BB	1588	G	N1-C2-N3	5.16	126.99	123.90
26	BB	1764	C	C5'-C4'-O4'	5.16	115.29	109.10
26	BB	1799	G	P-O3'-C3'	5.16	125.89	119.70
26	BB	2005	A	C3'-C2'-C1'	5.16	105.62	101.50
26	BB	2231	U	C5'-C4'-C3'	-5.16	107.75	116.00
26	BB	2348	U	C4'-C3'-C2'	-5.16	97.44	102.60
26	BB	2594	C	C6-N1-C2	5.16	122.36	120.30
26	BB	2827	C	C1'-O4'-C4'	-5.16	105.78	109.90
1	AA	724	G	C2-N3-C4	5.15	114.48	111.90
1	AA	781	A	C8-N9-C4	5.15	107.86	105.80
1	AA	1010	U	C2-N3-C4	-5.15	123.91	127.00
1	AA	1320	C	C4-C5-C6	-5.15	114.82	117.40
1	AA	1443	C	P-O3'-C3'	5.15	125.89	119.70
1	AA	1505	G	C1'-O4'-C4'	5.15	114.02	109.90
21	AU	6	ARG	CB-CA-C	5.15	120.71	110.40
26	BB	494	G	P-O3'-C3'	5.15	125.88	119.70
26	BB	932	U	C6-N1-C1'	-5.15	113.98	121.20
26	BB	1030	C	C5-C6-N1	5.15	123.58	121.00
26	BB	1316	U	P-O3'-C3'	5.15	125.89	119.70
26	BB	1875	G	C6-N1-C2	-5.15	122.01	125.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2114	A	N3-C4-N9	5.15	131.52	127.40
1	AA	1	A	C2-N3-C4	5.15	113.18	110.60
1	AA	240	G	C3'-C2'-C1'	-5.15	97.38	101.50
1	AA	441	A	N9-C1'-C2'	-5.15	106.33	112.00
1	AA	849	G	N3-C4-C5	-5.15	126.02	128.60
1	AA	942	G	C6-N1-C2	5.15	128.19	125.10
2	AB	2	G	C8-N9-C4	-5.15	104.34	106.40
2	AB	56	C	C4-C5-C6	-5.15	114.82	117.40
4	AD	38	A	P-O3'-C3'	5.15	125.88	119.70
26	BB	221	A	C5-C6-N6	-5.15	119.58	123.70
26	BB	316	C	O4'-C1'-N1	5.15	112.32	108.20
26	BB	653	U	N1-C2-O2	5.15	126.41	122.80
26	BB	748	G	C2-N3-C4	5.15	114.48	111.90
26	BB	779	U	P-O3'-C3'	5.15	125.88	119.70
26	BB	1091	G	C4'-C3'-C2'	5.15	107.75	102.60
26	BB	1493	C	C3'-C2'-C1'	-5.15	97.38	101.50
26	BB	1899	A	O4'-C1'-N9	5.15	112.32	108.20
26	BB	1943	U	C5'-C4'-O4'	5.15	115.28	109.10
26	BB	1982	U	C5'-C4'-C3'	-5.15	107.76	116.00
26	BB	2584	U	N1-C2-N3	-5.15	111.81	114.90
26	BB	2763	G	N3-C4-C5	-5.15	126.02	128.60
1	AA	60	A	C4-C5-C6	-5.15	114.42	117.00
1	AA	354	G	O5'-P-OP2	-5.15	101.06	105.70
1	AA	359	G	C6-N1-C2	-5.15	122.01	125.10
1	AA	360	G	C2-N3-C4	5.15	114.48	111.90
1	AA	431	A	C4-C5-N7	-5.15	108.12	110.70
1	AA	447	G	N3-C4-C5	-5.15	126.02	128.60
1	AA	1216	A	N1-C6-N6	5.15	121.69	118.60
1	AA	1406	U	N3-C4-C5	5.15	117.69	114.60
2	AB	27	C	N1-C2-N3	-5.15	115.59	119.20
4	AD	41	C	N1-C2-O2	5.15	121.99	118.90
12	AL	65	THR	CA-CB-CG2	-5.15	105.19	112.40
26	BB	408	G	O4'-C4'-C3'	5.15	110.22	106.10
26	BB	448	U	C4-C5-C6	5.15	122.79	119.70
26	BB	571	U	N1-C2-N3	5.15	117.99	114.90
26	BB	688	U	C5'-C4'-O4'	-5.15	102.92	109.10
26	BB	776	G	O4'-C1'-N9	5.15	112.32	108.20
26	BB	864	G	C2-N3-C4	5.15	114.48	111.90
26	BB	1110	G	O5'-P-OP2	-5.15	101.06	105.70
26	BB	1145	C	N3-C2-O2	-5.15	118.30	121.90
26	BB	1242	U	O3'-P-O5'	-5.15	94.22	104.00
26	BB	1419	A	C4-C5-N7	5.15	113.28	110.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1763	G	N3-C4-N9	-5.15	122.91	126.00
26	BB	2171	A	N1-C2-N3	-5.15	126.72	129.30
26	BB	2240	U	C6-N1-C2	-5.15	117.91	121.00
26	BB	2384	U	N1-C2-O2	5.15	126.41	122.80
26	BB	2554	U	O3'-P-O5'	5.15	113.78	104.00
26	BB	2679	A	C4-C5-N7	-5.15	108.12	110.70
32	BH	108	PHE	CB-CG-CD1	-5.15	117.19	120.80
1	AA	211	G	C5-C6-N1	-5.15	108.93	111.50
1	AA	1343	G	N3-C2-N2	-5.15	116.30	119.90
1	AA	1476	A	N7-C8-N9	-5.15	111.23	113.80
26	BB	1337	G	C5-C6-O6	-5.15	125.51	128.60
26	BB	2089	C	C6-N1-C2	-5.15	118.24	120.30
26	BB	2417	C	C4'-C3'-C2'	-5.15	97.45	102.60
26	BB	2813	A	N1-C2-N3	-5.15	126.73	129.30
35	BK	114	ALA	N-CA-CB	-5.15	102.89	110.10
1	AA	33	A	C6-N1-C2	-5.15	115.51	118.60
1	AA	142	G	C8-N9-C4	-5.15	104.34	106.40
1	AA	294	U	C1'-O4'-C4'	-5.15	105.78	109.90
1	AA	538	G	C4-C5-C6	5.15	121.89	118.80
1	AA	932	C	C5-C6-N1	-5.15	118.43	121.00
1	AA	945	G	C4-C5-N7	5.15	112.86	110.80
1	AA	1165	U	C5'-C4'-C3'	-5.15	107.76	116.00
1	AA	1251	A	C6-N1-C2	5.15	121.69	118.60
1	AA	1343	G	C4'-C3'-C2'	-5.15	97.45	102.60
1	AA	1492	A	C5-C6-N6	5.15	127.82	123.70
7	AG	21	LYS	CB-CA-C	5.15	120.69	110.40
25	BA	42	C	C2-N1-C1'	-5.15	113.14	118.80
26	BB	617	G	C4-C5-N7	-5.15	108.74	110.80
26	BB	688	U	C1'-O4'-C4'	-5.15	105.78	109.90
26	BB	781	A	C5-N7-C8	-5.15	101.33	103.90
26	BB	931	U	O3'-P-O5'	-5.15	94.22	104.00
26	BB	1367	A	C2-N3-C4	5.15	113.17	110.60
26	BB	1651	G	C4-C5-N7	-5.15	108.74	110.80
26	BB	2444	G	C5'-C4'-C3'	-5.15	107.77	116.00
26	BB	2450	A	C6-N1-C2	-5.15	115.51	118.60
26	BB	2497	A	C3'-C2'-C1'	5.15	105.62	101.50
26	BB	2608	G	N3-C4-N9	-5.15	122.91	126.00
50	BZ	21	LEU	CB-CG-CD2	5.15	119.75	111.00
1	AA	684	U	N1-C2-O2	-5.15	119.20	122.80
1	AA	1109	C	C5-C4-N4	5.15	123.80	120.20
4	AD	45	A	C4-C5-N7	-5.15	108.13	110.70
6	AF	137	VAL	CA-CB-CG1	-5.15	103.18	110.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	483	A	O4'-C1'-N9	5.15	112.32	108.20
26	BB	554	U	C5-C4-O4	5.15	128.99	125.90
26	BB	1102	C	O4'-C1'-N1	5.15	112.32	108.20
26	BB	1358	G	C5-C6-N1	-5.15	108.93	111.50
44	BT	92	TRP	CG-CD2-CE3	-5.15	129.27	133.90
1	AA	108	G	C2-N3-C4	5.14	114.47	111.90
1	AA	511	C	O3'-P-O5'	-5.14	94.23	104.00
1	AA	661	G	C4-C5-N7	-5.14	108.74	110.80
1	AA	1335	U	P-O3'-C3'	5.14	125.88	119.70
3	AC	21	U	C3'-C2'-C1'	5.14	105.62	101.50
3	AC	58	C	C6-N1-C2	-5.14	118.24	120.30
26	BB	73	A	N1-C2-N3	-5.14	126.73	129.30
26	BB	271	G	N3-C4-N9	-5.14	122.91	126.00
26	BB	410	G	C1'-O4'-C4'	-5.14	105.78	109.90
26	BB	537	G	P-O3'-C3'	5.14	125.87	119.70
26	BB	663	G	C5-N7-C8	5.14	106.87	104.30
26	BB	663	G	C6-C5-N7	5.14	133.49	130.40
26	BB	706	A	C5-N7-C8	5.14	106.47	103.90
26	BB	722	A	N1-C6-N6	5.14	121.69	118.60
26	BB	732	C	C4'-C3'-C2'	-5.14	97.46	102.60
26	BB	843	G	C5-C6-O6	-5.14	125.51	128.60
26	BB	1058	U	N3-C4-C5	-5.14	111.51	114.60
26	BB	1339	G	C6-N1-C2	-5.14	122.01	125.10
26	BB	1395	A	C2-N3-C4	5.14	113.17	110.60
26	BB	2136	G	P-O5'-C5'	5.14	129.13	120.90
26	BB	2553	G	N3-C2-N2	5.14	123.50	119.90
26	BB	2609	U	C5'-C4'-O4'	-5.14	102.93	109.10
27	BC	15	VAL	CA-CB-CG2	5.14	118.62	110.90
40	BP	21	PHE	CB-CG-CD2	5.14	124.40	120.80
1	AA	29	U	O4'-C4'-C3'	5.14	110.21	106.10
1	AA	698	G	C6-N1-C2	5.14	128.19	125.10
1	AA	1034	G	O4'-C1'-N9	5.14	112.31	108.20
1	AA	1297	G	C5-C6-O6	-5.14	125.52	128.60
25	BA	2	G	C4'-C3'-C2'	-5.14	97.46	102.60
26	BB	35	G	C5-C6-O6	-5.14	125.51	128.60
26	BB	221	A	C5'-C4'-O4'	5.14	115.27	109.10
26	BB	337	C	C2'-C3'-O3'	5.14	121.93	113.70
26	BB	705	A	N7-C8-N9	5.14	116.37	113.80
26	BB	1089	A	C1'-O4'-C4'	5.14	114.02	109.90
26	BB	1099	G	C1'-O4'-C4'	-5.14	105.79	109.90
26	BB	1382	G	C3'-C2'-C1'	5.14	105.61	101.50
26	BB	1864	U	C5-C4-O4	-5.14	122.81	125.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1907	G	N9-C1'-C2'	-5.14	106.34	112.00
26	BB	2264	C	O4'-C1'-N1	5.14	112.31	108.20
26	BB	2373	G	N9-C4-C5	5.14	107.46	105.40
26	BB	2494	G	C5-C6-N1	-5.14	108.93	111.50
26	BB	2756	U	N3-C2-O2	-5.14	118.60	122.20
26	BB	2865	U	C5'-C4'-C3'	-5.14	107.77	116.00
26	BB	2879	A	P-O3'-C3'	5.14	125.87	119.70
1	AA	341	C	C5'-C4'-O4'	5.14	115.27	109.10
1	AA	1132	C	C5-C6-N1	5.14	123.57	121.00
1	AA	1173	U	N3-C2-O2	5.14	125.80	122.20
1	AA	1303	C	C3'-C2'-C1'	5.14	105.61	101.50
1	AA	1309	G	N9-C1'-C2'	-5.14	106.34	112.00
21	AU	47	ARG	NE-CZ-NH2	5.14	122.87	120.30
25	BA	13	G	O4'-C1'-N9	-5.14	104.09	108.20
26	BB	1484	U	C5'-C4'-O4'	5.14	115.27	109.10
26	BB	2241	A	N1-C2-N3	-5.14	126.73	129.30
26	BB	2510	C	C5-C4-N4	-5.14	116.60	120.20
26	BB	2653	U	O4'-C1'-N1	5.14	112.31	108.20
26	BB	2782	G	C5-N7-C8	5.14	106.87	104.30
48	BX	34	LYS	CB-CA-C	5.14	120.68	110.40
1	AA	162	A	C2-N3-C4	5.14	113.17	110.60
1	AA	298	A	C4'-C3'-C2'	-5.14	97.46	102.60
1	AA	652	U	C6-N1-C2	-5.14	117.92	121.00
1	AA	1430	A	N9-C1'-C2'	-5.14	106.35	112.00
2	AB	35	C	C4'-C3'-C2'	5.14	107.74	102.60
26	BB	118	A	N1-C2-N3	-5.14	126.73	129.30
26	BB	298	G	N3-C4-N9	-5.14	122.92	126.00
26	BB	472	A	OP2-P-O3'	5.14	116.51	105.20
26	BB	1123	C	O4'-C1'-N1	5.14	112.31	108.20
26	BB	1134	A	C8-N9-C4	5.14	107.86	105.80
26	BB	1260	A	O4'-C4'-C3'	5.14	110.21	106.10
26	BB	1263	U	N1-C2-N3	5.14	117.98	114.90
26	BB	1459	G	C5-C6-N1	5.14	114.07	111.50
26	BB	1617	C	O4'-C1'-N1	5.14	112.31	108.20
27	BC	213	SER	CB-CA-C	5.14	119.87	110.10
1	AA	74	A	C8-N9-C4	5.14	107.86	105.80
1	AA	143	A	O4'-C1'-C2'	5.14	112.22	107.60
1	AA	232	G	N1-C2-N2	-5.14	111.58	116.20
1	AA	954	G	C5-C6-O6	-5.14	125.52	128.60
1	AA	996	A	N9-C1'-C2'	-5.14	106.35	112.00
1	AA	1461	G	N3-C4-C5	-5.14	126.03	128.60
26	BB	214	G	N1-C2-N2	5.14	120.82	116.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	358	U	N1-C2-N3	5.14	117.98	114.90
26	BB	831	G	C5'-C4'-C3'	-5.14	107.78	116.00
26	BB	1520	U	C4-C5-C6	5.14	122.78	119.70
26	BB	1820	U	P-O3'-C3'	5.14	125.86	119.70
26	BB	1971	U	C5'-C4'-O4'	5.14	115.27	109.10
26	BB	2250	G	O4'-C1'-C2'	5.14	112.22	107.60
1	AA	20	U	O5'-C5'-C4'	-5.14	101.94	111.70
1	AA	741	G	N9-C4-C5	5.14	107.45	105.40
1	AA	784	A	O4'-C4'-C3'	5.14	110.21	106.10
1	AA	809	G	N3-C4-C5	-5.14	126.03	128.60
1	AA	1430	A	C6-C5-N7	5.14	135.90	132.30
6	AF	17	TRP	CB-CG-CD2	5.14	133.28	126.60
10	AJ	1	PRO	N-CD-CG	5.14	110.90	103.20
15	AO	11	ARG	NE-CZ-NH2	-5.14	117.73	120.30
26	BB	44	A	C1'-O4'-C4'	-5.14	105.79	109.90
26	BB	131	A	O5'-P-OP1	-5.14	101.08	105.70
26	BB	204	A	C5-C6-N6	-5.14	119.59	123.70
26	BB	356	G	C4'-C3'-C2'	-5.14	97.46	102.60
26	BB	424	G	C6-C5-N7	5.14	133.48	130.40
26	BB	449	A	C6-N1-C2	-5.14	115.52	118.60
26	BB	851	C	C3'-C2'-C1'	5.14	105.61	101.50
26	BB	888	C	C4'-C3'-C2'	-5.14	97.46	102.60
26	BB	1168	G	C4-C5-N7	5.14	112.86	110.80
26	BB	1253	A	C3'-C2'-C1'	5.14	105.61	101.50
26	BB	1415	U	C4-C5-C6	5.14	122.78	119.70
26	BB	1639	C	C3'-C2'-C1'	5.14	105.61	101.50
26	BB	1661	G	N1-C6-O6	5.14	122.98	119.90
26	BB	1832	C	C2-N3-C4	5.14	122.47	119.90
26	BB	1927	A	P-O3'-C3'	5.14	125.86	119.70
26	BB	2345	G	C6-C5-N7	-5.14	127.32	130.40
26	BB	2693	G	N1-C2-N3	5.14	126.98	123.90
26	BB	2749	A	C3'-C2'-C1'	5.14	105.61	101.50
26	BB	2836	U	N3-C2-O2	-5.14	118.61	122.20
26	BB	2862	G	C5-C6-N1	-5.14	108.93	111.50
1	AA	51	A	C5'-C4'-O4'	5.13	115.26	109.10
1	AA	122	G	C5'-C4'-O4'	5.13	115.26	109.10
1	AA	168	G	N7-C8-N9	5.13	115.67	113.10
1	AA	179	A	N1-C2-N3	-5.13	126.73	129.30
1	AA	637	C	C5-C6-N1	-5.13	118.43	121.00
1	AA	915	A	C5-C6-N1	5.13	120.27	117.70
25	BA	89	U	O3'-P-O5'	-5.13	94.24	104.00
26	BB	10	A	C5-C6-N1	-5.13	115.13	117.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	379	G	C5-C6-N1	5.13	114.07	111.50
26	BB	1133	A	C6-C5-N7	5.13	135.89	132.30
26	BB	1155	A	C8-N9-C4	-5.13	103.75	105.80
26	BB	1269	A	O5'-C5'-C4'	-5.13	101.94	111.70
26	BB	1741	C	C1'-O4'-C4'	-5.13	105.79	109.90
26	BB	1905	C	N3-C4-C5	5.13	123.95	121.90
26	BB	1997	C	C5'-C4'-O4'	5.13	115.26	109.10
26	BB	2049	G	N3-C4-N9	-5.13	122.92	126.00
26	BB	2866	U	C3'-C2'-C1'	-5.13	97.39	101.50
36	BL	120	ARG	NE-CZ-NH1	-5.13	117.73	120.30
45	BU	20	VAL	CA-CB-CG1	-5.13	103.20	110.90
25	BA	118	C	N3-C4-C5	-5.13	119.85	121.90
26	BB	377	G	N1-C2-N2	-5.13	111.58	116.20
26	BB	654	A	C4'-C3'-C2'	5.13	107.73	102.60
26	BB	1007	C	C4-C5-C6	5.13	119.97	117.40
26	BB	1709	U	C4'-C3'-C2'	-5.13	97.47	102.60
26	BB	1858	A	C8-N9-C4	5.13	107.85	105.80
26	BB	2890	G	C2-N3-C4	5.13	114.47	111.90
1	AA	181	A	C1'-O4'-C4'	-5.13	105.80	109.90
1	AA	210	C	C4'-C3'-C2'	-5.13	97.47	102.60
1	AA	259	G	N7-C8-N9	5.13	115.67	113.10
1	AA	361	G	C2-N3-C4	5.13	114.47	111.90
1	AA	373	A	O4'-C4'-C3'	-5.13	98.87	104.00
1	AA	407	U	C3'-C2'-C1'	-5.13	97.39	101.50
1	AA	990	C	O4'-C1'-C2'	-5.13	100.67	105.80
1	AA	1243	C	C6-N1-C2	5.13	122.35	120.30
2	AB	72	U	C5-C6-N1	-5.13	120.14	122.70
14	AN	43	TRP	CZ3-CH2-CZ2	-5.13	115.44	121.60
25	BA	98	G	C4-C5-C6	5.13	121.88	118.80
26	BB	5	A	O4'-C1'-N9	5.13	112.31	108.20
26	BB	90	U	C5'-C4'-O4'	5.13	115.26	109.10
26	BB	172	A	N9-C1'-C2'	-5.13	106.35	112.00
26	BB	290	U	C1'-O4'-C4'	5.13	114.01	109.90
26	BB	401	A	C5'-C4'-O4'	5.13	115.26	109.10
26	BB	511	U	C4'-C3'-C2'	-5.13	97.47	102.60
26	BB	841	G	C4'-C3'-C2'	-5.13	97.47	102.60
26	BB	860	U	N1-C1'-C2'	-5.13	106.36	112.00
26	BB	1069	A	C3'-C2'-C1'	-5.13	97.39	101.50
26	BB	1143	A	C4-C5-N7	5.13	113.27	110.70
26	BB	1662	U	N1-C1'-C2'	-5.13	106.36	112.00
26	BB	1784	A	C8-N9-C4	-5.13	103.75	105.80
26	BB	2179	C	N1-C2-O2	5.13	121.98	118.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2394	C	N1-C2-O2	-5.13	115.82	118.90
26	BB	2616	C	N1-C2-O2	-5.13	115.82	118.90
26	BB	2738	A	C1'-O4'-C4'	5.13	114.00	109.90
36	BL	124	VAL	CA-CB-CG2	5.13	118.60	110.90
1	AA	747	A	C6-N1-C2	-5.13	115.52	118.60
26	BB	180	G	C2'-C3'-O3'	5.13	121.91	113.70
26	BB	1288	G	C5-N7-C8	5.13	106.86	104.30
26	BB	1471	G	C4'-C3'-C2'	5.13	107.73	102.60
26	BB	2508	G	N3-C4-N9	5.13	129.08	126.00
26	BB	2876	G	C4-C5-C6	5.13	121.88	118.80
1	AA	185	U	C1'-O4'-C4'	-5.13	105.80	109.90
1	AA	276	G	N7-C8-N9	5.13	115.67	113.10
1	AA	295	C	O4'-C4'-C3'	-5.13	98.87	104.00
1	AA	804	U	O5'-P-OP1	-5.13	101.08	105.70
1	AA	1382	C	O4'-C1'-N1	5.13	112.30	108.20
3	AC	13	A	C4'-C3'-C2'	5.13	107.73	102.60
3	AC	53	G	C4-C5-N7	-5.13	108.75	110.80
8	AH	47	PHE	CG-CD2-CE2	-5.13	115.16	120.80
26	BB	253	C	C5-C6-N1	5.13	123.56	121.00
26	BB	253	C	C6-N1-C2	-5.13	118.25	120.30
26	BB	397	U	C1'-O4'-C4'	-5.13	105.80	109.90
26	BB	567	U	N3-C4-O4	5.13	122.99	119.40
26	BB	702	U	N3-C4-O4	5.13	122.99	119.40
26	BB	1033	U	C6-N1-C2	-5.13	117.92	121.00
26	BB	1072	C	C5-C6-N1	5.13	123.56	121.00
26	BB	1132	U	C6-N1-C2	5.13	124.08	121.00
26	BB	1549	A	N9-C1'-C2'	-5.13	106.36	112.00
26	BB	1763	G	C5-C6-N1	-5.13	108.94	111.50
26	BB	1767	G	C6-C5-N7	-5.13	127.32	130.40
26	BB	2057	G	N3-C2-N2	5.13	123.49	119.90
26	BB	2252	G	C5-C6-N1	5.13	114.06	111.50
26	BB	2271	G	N1-C6-O6	-5.13	116.82	119.90
26	BB	2381	A	N9-C4-C5	5.13	107.85	105.80
26	BB	2766	A	N7-C8-N9	5.13	116.36	113.80
1	AA	42	G	C5-N7-C8	5.13	106.86	104.30
1	AA	184	G	C6-N1-C2	-5.13	122.02	125.10
1	AA	249	U	C5-C4-O4	5.13	128.98	125.90
1	AA	285	C	C2-N3-C4	5.13	122.46	119.90
1	AA	662	U	N3-C4-C5	-5.13	111.53	114.60
1	AA	865	A	C2-N3-C4	5.13	113.16	110.60
1	AA	1450	U	C4-C5-C6	5.13	122.78	119.70
25	BA	48	U	C4-C5-C6	5.13	122.78	119.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	366	C	O4'-C1'-N1	5.13	112.30	108.20
26	BB	442	G	C4-C5-C6	5.13	121.88	118.80
26	BB	537	G	C2-N3-C4	5.13	114.46	111.90
26	BB	1128	G	C5'-C4'-O4'	5.13	115.25	109.10
26	BB	1224	U	N3-C4-O4	-5.13	115.81	119.40
26	BB	1253	A	N1-C2-N3	5.13	131.86	129.30
26	BB	1682	G	C5-N7-C8	5.13	106.86	104.30
26	BB	1799	G	C4-C5-N7	-5.13	108.75	110.80
26	BB	2235	G	O4'-C4'-C3'	5.13	110.20	106.10
26	BB	2371	G	C3'-C2'-C1'	-5.13	97.40	101.50
26	BB	2621	G	C2-N3-C4	5.13	114.46	111.90
26	BB	2760	C	N3-C4-N4	5.13	121.59	118.00
26	BB	2893	A	C5-N7-C8	5.13	106.46	103.90
1	AA	85	U	C3'-C2'-C1'	-5.12	97.40	101.50
1	AA	492	C	O4'-C4'-C3'	5.12	110.20	106.10
1	AA	718	A	C6-C5-N7	5.12	135.89	132.30
1	AA	729	A	C2-N3-C4	-5.12	108.04	110.60
26	BB	811	U	C6-N1-C2	-5.12	117.92	121.00
26	BB	1052	C	C5-C6-N1	-5.12	118.44	121.00
26	BB	1507	C	C5-C6-N1	5.12	123.56	121.00
26	BB	1777	U	N1-C2-N3	5.12	117.97	114.90
26	BB	2017	U	N3-C4-C5	-5.12	111.53	114.60
26	BB	2419	U	C5-C6-N1	-5.12	120.14	122.70
1	AA	103	U	N3-C4-O4	-5.12	115.81	119.40
1	AA	543	U	C1'-O4'-C4'	-5.12	105.80	109.90
1	AA	589	U	C6-N1-C2	-5.12	117.93	121.00
1	AA	1122	U	N1-C2-O2	-5.12	119.21	122.80
1	AA	1377	A	C5-C6-N1	-5.12	115.14	117.70
1	AA	1473	G	N3-C4-C5	-5.12	126.04	128.60
4	AD	34	U	N1-C2-O2	5.12	126.39	122.80
25	BA	112	G	N9-C4-C5	5.12	107.45	105.40
26	BB	240	C	C4'-C3'-C2'	5.12	107.72	102.60
26	BB	292	U	N3-C4-O4	-5.12	115.81	119.40
26	BB	319	G	C2-N3-C4	5.12	114.46	111.90
26	BB	448	U	N3-C4-O4	5.12	122.99	119.40
26	BB	484	C	O4'-C1'-N1	5.12	112.30	108.20
26	BB	603	A	C8-N9-C4	-5.12	103.75	105.80
26	BB	663	G	C5-C6-O6	-5.12	125.53	128.60
26	BB	815	C	C3'-C2'-C1'	5.12	105.60	101.50
26	BB	1225	G	C8-N9-C4	-5.12	104.35	106.40
26	BB	1439	A	C5-N7-C8	5.12	106.46	103.90
26	BB	1556	C	P-O5'-C5'	5.12	129.10	120.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1629	U	N3-C2-O2	-5.12	118.61	122.20
26	BB	1920	C	C5'-C4'-O4'	5.12	115.25	109.10
26	BB	2072	C	P-O5'-C5'	5.12	129.10	120.90
26	BB	2848	G	O4'-C1'-N9	5.12	112.30	108.20
1	AA	105	G	C5-N7-C8	-5.12	101.74	104.30
1	AA	128	G	C1'-O4'-C4'	5.12	114.00	109.90
1	AA	195	A	N1-C6-N6	-5.12	115.53	118.60
1	AA	228	A	C4-C5-C6	5.12	119.56	117.00
1	AA	285	C	C5-C6-N1	5.12	123.56	121.00
1	AA	380	G	P-O3'-C3'	5.12	125.85	119.70
1	AA	398	U	C2-N3-C4	-5.12	123.93	127.00
1	AA	428	G	C4-C5-C6	5.12	121.87	118.80
1	AA	1102	A	N1-C6-N6	-5.12	115.53	118.60
1	AA	1415	G	C1'-O4'-C4'	5.12	114.00	109.90
1	AA	1453	G	C3'-C2'-C1'	5.12	105.60	101.50
25	BA	120	U	C3'-C2'-C1'	5.12	105.60	101.50
26	BB	33	C	C4'-C3'-C2'	-5.12	97.48	102.60
26	BB	109	C	C5'-C4'-O4'	5.12	115.25	109.10
26	BB	222	A	N7-C8-N9	-5.12	111.24	113.80
26	BB	933	A	C8-N9-C1'	5.12	136.92	127.70
26	BB	1470	A	O4'-C1'-N9	-5.12	104.10	108.20
26	BB	1941	C	O4'-C1'-N1	5.12	112.30	108.20
26	BB	2187	U	C6-N1-C2	5.12	124.07	121.00
26	BB	2201	G	C5-C6-N1	5.12	114.06	111.50
26	BB	2269	G	O4'-C1'-C2'	-5.12	100.68	105.80
26	BB	2429	G	N9-C1'-C2'	5.12	120.66	114.00
26	BB	2871	U	C3'-C2'-C1'	-5.12	97.40	101.50
26	BB	2893	A	C6-C5-N7	5.12	135.88	132.30
27	BC	41	SER	N-CA-CB	-5.12	102.82	110.50
34	BJ	41	ARG	NE-CZ-NH2	-5.12	117.74	120.30
1	AA	174	A	N3-C4-C5	-5.12	123.22	126.80
1	AA	181	A	O4'-C1'-C2'	-5.12	100.68	105.80
1	AA	199	A	C6-N1-C2	5.12	121.67	118.60
1	AA	632	U	C2'-C3'-O3'	5.12	121.89	113.70
1	AA	645	G	C4-N9-C1'	-5.12	119.84	126.50
1	AA	702	A	N1-C6-N6	-5.12	115.53	118.60
1	AA	801	U	C5-C6-N1	-5.12	120.14	122.70
21	AU	42	ARG	NE-CZ-NH1	-5.12	117.74	120.30
26	BB	169	G	C3'-C2'-C1'	-5.12	97.40	101.50
26	BB	1084	A	C2-N3-C4	5.12	113.16	110.60
26	BB	1717	A	C4-C5-C6	5.12	119.56	117.00
26	BB	2377	A	N1-C6-N6	-5.12	115.53	118.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2669	G	N1-C6-O6	5.12	122.97	119.90
34	BJ	7	LYS	N-CA-CB	-5.12	101.38	110.60
38	BN	2	ARG	CD-NE-CZ	5.12	130.77	123.60
1	AA	413	G	C4-C5-C6	5.12	121.87	118.80
1	AA	460	A	P-O5'-C5'	5.12	129.09	120.90
1	AA	482	A	C5'-C4'-O4'	5.12	115.24	109.10
1	AA	810	C	N1-C2-O2	5.12	121.97	118.90
1	AA	1130	A	C6-N1-C2	-5.12	115.53	118.60
1	AA	1462	C	C5-C4-N4	-5.12	116.62	120.20
12	AL	112	ARG	NE-CZ-NH2	5.12	122.86	120.30
26	BB	179	C	C5-C4-N4	-5.12	116.62	120.20
26	BB	340	A	O4'-C1'-N9	5.12	112.30	108.20
26	BB	378	C	C5'-C4'-O4'	5.12	115.24	109.10
26	BB	451	U	O4'-C1'-C2'	-5.12	100.68	105.80
26	BB	474	G	N1-C2-N2	-5.12	111.59	116.20
26	BB	963	U	N1-C2-O2	-5.12	119.22	122.80
26	BB	974	G	C3'-C2'-C1'	5.12	105.59	101.50
26	BB	1049	C	C3'-C2'-C1'	5.12	105.59	101.50
26	BB	1180	U	C4'-C3'-C2'	-5.12	97.48	102.60
26	BB	1219	U	N3-C4-O4	5.12	122.98	119.40
26	BB	1469	A	C4-C5-C6	-5.12	114.44	117.00
26	BB	1490	A	C4-C5-N7	-5.12	108.14	110.70
26	BB	2212	A	O4'-C1'-C2'	-5.12	100.68	105.80
26	BB	2365	G	C5-N7-C8	5.12	106.86	104.30
26	BB	2512	C	OP1-P-O3'	5.12	116.46	105.20
26	BB	2663	G	P-O3'-C3'	5.12	125.84	119.70
1	AA	220	G	C5-C6-N1	5.12	114.06	111.50
1	AA	301	G	C2-N3-C4	5.12	114.46	111.90
1	AA	732	C	C3'-C2'-C1'	5.12	105.59	101.50
1	AA	1187	G	C4'-C3'-C2'	-5.12	97.48	102.60
1	AA	1391	U	N3-C4-C5	-5.12	111.53	114.60
2	AB	4	G	N3-C2-N2	-5.12	116.32	119.90
2	AB	47	U	N3-C4-O4	-5.12	115.82	119.40
3	AC	27	A	N1-C2-N3	5.12	131.86	129.30
3	AC	44	U	N3-C2-O2	-5.12	118.62	122.20
26	BB	132	G	C6-N1-C2	-5.12	122.03	125.10
26	BB	549	G	O4'-C1'-N9	5.12	112.29	108.20
26	BB	971	G	N3-C4-N9	5.12	129.07	126.00
26	BB	1272	A	C6-N1-C2	5.12	121.67	118.60
26	BB	1978	A	C2-N3-C4	5.12	113.16	110.60
26	BB	2239	G	C4-N9-C1'	5.12	133.15	126.50
26	BB	2674	G	C3'-C2'-C1'	-5.12	97.41	101.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	274	A	C2-N3-C4	-5.12	108.04	110.60
1	AA	563	A	N3-C4-C5	-5.12	123.22	126.80
1	AA	617	G	C4-C5-N7	-5.12	108.75	110.80
1	AA	978	A	C2'-C3'-O3'	5.12	121.89	113.70
1	AA	981	U	O5'-P-OP1	5.12	116.84	110.70
1	AA	986	U	C5'-C4'-C3'	-5.12	107.82	116.00
1	AA	1297	G	C4-C5-C6	5.12	121.87	118.80
4	AD	42	C	N3-C4-N4	5.12	121.58	118.00
26	BB	25	U	N3-C4-O4	5.12	122.98	119.40
26	BB	254	G	O4'-C1'-N9	5.12	112.29	108.20
26	BB	347	A	C3'-C2'-C1'	-5.12	97.41	101.50
26	BB	1185	G	C1'-O4'-C4'	-5.12	105.81	109.90
26	BB	1261	C	C5-C6-N1	5.12	123.56	121.00
26	BB	1819	A	C3'-C2'-C1'	5.12	105.59	101.50
26	BB	2019	A	C5'-C4'-O4'	5.12	115.24	109.10
26	BB	2118	U	P-O3'-C3'	5.12	125.84	119.70
26	BB	2126	A	C1'-O4'-C4'	5.12	113.99	109.90
26	BB	2290	G	C4'-C3'-O3'	5.12	123.23	113.00
26	BB	2421	G	C4-C5-N7	-5.12	108.75	110.80
26	BB	2421	G	N7-C8-N9	5.12	115.66	113.10
26	BB	2553	G	C6-C5-N7	5.12	133.47	130.40
26	BB	2754	U	C1'-O4'-C4'	5.12	113.99	109.90
26	BB	2790	U	O4'-C1'-C2'	-5.12	100.68	105.80
56	B5	35	ARG	NE-CZ-NH1	5.12	122.86	120.30
58	B7	2	LYS	O-C-N	-5.12	114.52	122.70
1	AA	175	C	N1-C2-O2	5.11	121.97	118.90
1	AA	374	A	N1-C2-N3	5.11	131.86	129.30
1	AA	498	A	N7-C8-N9	5.11	116.36	113.80
1	AA	671	G	C4-C5-N7	-5.11	108.75	110.80
1	AA	700	G	C5-C6-N1	5.11	114.06	111.50
1	AA	741	G	N1-C6-O6	-5.11	116.83	119.90
1	AA	1167	A	O4'-C1'-N9	5.11	112.29	108.20
1	AA	1300	G	C5-C6-O6	-5.11	125.53	128.60
1	AA	1475	G	C8-N9-C4	-5.11	104.36	106.40
25	BA	58	A	C6-N1-C2	5.11	121.67	118.60
26	BB	443	A	N9-C4-C5	5.11	107.85	105.80
26	BB	468	G	O4'-C1'-N9	5.11	112.29	108.20
26	BB	469	G	O4'-C4'-C3'	5.11	110.19	106.10
26	BB	470	A	C2-N3-C4	5.11	113.16	110.60
26	BB	1054	A	N3-C4-N9	-5.11	123.31	127.40
26	BB	1460	U	O3'-P-O5'	5.11	113.72	104.00
26	BB	1500	G	C4-N9-C1'	-5.11	119.85	126.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1631	G	C4-C5-C6	5.11	121.87	118.80
26	BB	1750	G	O4'-C1'-N9	5.11	112.29	108.20
26	BB	1953	A	C5-N7-C8	-5.11	101.34	103.90
1	AA	1084	G	N3-C4-C5	-5.11	126.04	128.60
26	BB	148	U	O4'-C1'-N1	5.11	112.29	108.20
26	BB	190	A	C6-N1-C2	-5.11	115.53	118.60
26	BB	825	A	C5'-C4'-C3'	-5.11	107.82	116.00
26	BB	918	A	C3'-C2'-C1'	5.11	105.59	101.50
26	BB	2901	C	C1'-O4'-C4'	5.11	113.99	109.90
1	AA	71	A	C5-C6-N1	5.11	120.25	117.70
1	AA	377	G	C3'-C2'-C1'	5.11	105.59	101.50
1	AA	458	U	C2-N1-C1'	-5.11	111.57	117.70
1	AA	603	U	N1-C1'-C2'	-5.11	106.38	112.00
1	AA	637	C	C5'-C4'-O4'	5.11	115.23	109.10
1	AA	795	C	N1-C2-N3	5.11	122.78	119.20
1	AA	881	G	C4-C5-C6	5.11	121.87	118.80
1	AA	894	G	N3-C2-N2	-5.11	116.32	119.90
1	AA	902	G	N9-C4-C5	-5.11	103.36	105.40
1	AA	1040	U	C5-C6-N1	-5.11	120.14	122.70
1	AA	1294	G	C5'-C4'-C3'	-5.11	107.82	116.00
2	AB	27	C	C5'-C4'-O4'	5.11	115.23	109.10
25	BA	79	G	C5-C6-O6	-5.11	125.53	128.60
26	BB	108	G	OP1-P-O3'	5.11	116.44	105.20
26	BB	520	G	P-O3'-C3'	5.11	125.83	119.70
26	BB	575	A	N1-C2-N3	-5.11	126.74	129.30
26	BB	704	G	C4-C5-C6	-5.11	115.73	118.80
26	BB	1306	C	C6-N1-C2	5.11	122.34	120.30
26	BB	1369	G	N1-C6-O6	5.11	122.97	119.90
26	BB	1540	G	N1-C2-N2	5.11	120.80	116.20
26	BB	1587	G	C4-C5-N7	-5.11	108.76	110.80
26	BB	2075	U	N1-C1'-C2'	-5.11	106.38	112.00
26	BB	2278	A	N3-C4-C5	-5.11	123.22	126.80
26	BB	2349	G	O5'-P-OP2	5.11	116.83	110.70
26	BB	2389	G	OP1-P-O3'	5.11	116.44	105.20
26	BB	2432	A	C2'-C3'-O3'	5.11	121.88	113.70
26	BB	2434	A	C6-N1-C2	-5.11	115.53	118.60
26	BB	2531	A	N7-C8-N9	5.11	116.36	113.80
26	BB	2535	G	C1'-O4'-C4'	5.11	113.99	109.90
26	BB	2606	C	C2-N3-C4	5.11	122.45	119.90
1	AA	659	U	N3-C4-O4	-5.11	115.82	119.40
1	AA	972	C	N3-C4-N4	5.11	121.58	118.00
1	AA	1401	G	C1'-O4'-C4'	5.11	113.99	109.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	28	A	O4'-C1'-N9	5.11	112.29	108.20
26	BB	252	G	N9-C4-C5	5.11	107.44	105.40
26	BB	355	U	C6-N1-C2	-5.11	117.94	121.00
26	BB	918	A	C8-N9-C4	-5.11	103.76	105.80
26	BB	1336	A	C4-C5-C6	-5.11	114.44	117.00
26	BB	1784	A	N7-C8-N9	5.11	116.35	113.80
26	BB	1832	C	P-O3'-C3'	5.11	125.83	119.70
26	BB	2280	G	N7-C8-N9	5.11	115.66	113.10
26	BB	2474	U	C5-C4-O4	-5.11	122.83	125.90
26	BB	2486	C	N1-C2-O2	5.11	121.97	118.90
26	BB	2715	C	N1-C2-N3	5.11	122.78	119.20
26	BB	2872	A	C4-C5-C6	-5.11	114.44	117.00
43	BS	33	VAL	CG1-CB-CG2	-5.11	102.73	110.90
1	AA	145	G	C6-C5-N7	5.11	133.47	130.40
1	AA	255	G	N1-C6-O6	-5.11	116.84	119.90
1	AA	891	U	N1-C2-N3	5.11	117.97	114.90
1	AA	1406	U	N3-C2-O2	-5.11	118.62	122.20
2	AB	56	C	P-O3'-C3'	5.11	125.83	119.70
3	AC	39	U	C5'-C4'-O4'	5.11	115.23	109.10
4	AD	34	U	N1-C2-N3	5.11	117.96	114.90
26	BB	369	U	P-O3'-C3'	5.11	125.83	119.70
26	BB	382	A	P-O3'-C3'	5.11	125.83	119.70
26	BB	532	A	C4-C5-N7	-5.11	108.15	110.70
26	BB	540	C	C5'-C4'-O4'	-5.11	102.97	109.10
26	BB	775	G	C5'-C4'-O4'	5.11	115.23	109.10
26	BB	831	G	N3-C4-C5	-5.11	126.05	128.60
26	BB	1133	A	N3-C4-C5	-5.11	123.22	126.80
26	BB	1249	U	N1-C1'-C2'	-5.11	106.38	112.00
26	BB	1578	U	C5'-C4'-C3'	-5.11	107.83	116.00
26	BB	1777	U	N3-C2-O2	-5.11	118.62	122.20
26	BB	2156	G	O4'-C1'-N9	5.11	112.29	108.20
26	BB	2513	A	O4'-C4'-C3'	-5.11	98.89	104.00
1	AA	68	G	N1-C2-N3	5.11	126.96	123.90
1	AA	104	G	O4'-C1'-N9	5.11	112.28	108.20
1	AA	129	A	C4'-C3'-C2'	-5.11	97.49	102.60
1	AA	351	G	N3-C4-C5	-5.11	126.05	128.60
1	AA	468	A	C2-N3-C4	-5.11	108.05	110.60
1	AA	604	G	C5'-C4'-C3'	-5.11	107.83	116.00
1	AA	829	G	C5-C6-O6	5.11	131.66	128.60
1	AA	1389	C	C5'-C4'-O4'	5.11	115.23	109.10
20	AT	37	ILE	CG1-CB-CG2	5.11	122.63	111.40
26	BB	693	A	C5-C6-N6	-5.11	119.62	123.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1276	A	C6-N1-C2	5.11	121.66	118.60
26	BB	1319	C	C3'-C2'-C1'	5.11	105.58	101.50
26	BB	1445	G	C4'-C3'-C2'	-5.11	97.49	102.60
26	BB	1534	U	C2'-C3'-O3'	5.11	121.87	113.70
26	BB	1679	A	N3-C4-C5	-5.11	123.23	126.80
26	BB	1710	G	N3-C2-N2	5.11	123.47	119.90
26	BB	1861	G	C4'-C3'-C2'	-5.11	97.50	102.60
26	BB	2168	G	C5-C6-O6	-5.11	125.54	128.60
26	BB	2209	G	C1'-O4'-C4'	-5.11	105.82	109.90
26	BB	2326	C	C3'-C2'-C1'	5.11	105.58	101.50
26	BB	2583	G	O4'-C4'-C3'	5.11	110.18	106.10
26	BB	2689	U	N3-C2-O2	-5.11	118.63	122.20
26	BB	2742	G	C3'-C2'-C1'	5.11	105.58	101.50
39	BO	7	THR	CA-CB-CG2	5.11	119.55	112.40
1	AA	199	A	C4'-C3'-C2'	-5.10	97.50	102.60
1	AA	714	G	C4-C5-N7	5.10	112.84	110.80
5	AE	113	LEU	CB-CG-CD1	5.10	119.68	111.00
19	AS	80	LYS	C-N-CA	5.10	134.46	121.70
26	BB	91	A	C2-N3-C4	5.10	113.15	110.60
26	BB	317	G	C4-C5-N7	-5.10	108.76	110.80
26	BB	1178	C	N3-C2-O2	-5.10	118.33	121.90
26	BB	1349	C	C5-C4-N4	5.10	123.77	120.20
26	BB	1382	G	N3-C4-N9	5.10	129.06	126.00
26	BB	1601	G	C5-N7-C8	5.10	106.85	104.30
26	BB	2045	C	C6-N1-C1'	-5.10	114.67	120.80
1	AA	48	C	C5-C6-N1	5.10	123.55	121.00
1	AA	379	C	N3-C4-N4	5.10	121.57	118.00
1	AA	399	G	N3-C4-C5	5.10	131.15	128.60
1	AA	629	A	N9-C4-C5	5.10	107.84	105.80
1	AA	1014	A	C3'-C2'-C1'	5.10	105.58	101.50
1	AA	1229	A	O5'-P-OP2	-5.10	101.11	105.70
26	BB	45	G	N7-C8-N9	-5.10	110.55	113.10
26	BB	120	U	C2-N3-C4	-5.10	123.94	127.00
26	BB	332	A	N3-C4-C5	5.10	130.37	126.80
26	BB	404	A	N3-C4-N9	5.10	131.48	127.40
26	BB	487	C	C6-N1-C2	5.10	122.34	120.30
26	BB	542	C	C2-N3-C4	-5.10	117.35	119.90
26	BB	908	C	C4-C5-C6	-5.10	114.85	117.40
26	BB	1187	G	C4-C5-C6	5.10	121.86	118.80
26	BB	1194	A	P-O3'-C3'	5.10	125.82	119.70
26	BB	1473	G	N7-C8-N9	5.10	115.65	113.10
26	BB	1577	C	C5'-C4'-C3'	5.10	124.16	116.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2314	A	N1-C2-N3	-5.10	126.75	129.30
26	BB	2333	A	C1'-O4'-C4'	-5.10	105.82	109.90
26	BB	2452	C	C6-N1-C1'	5.10	126.92	120.80
26	BB	2860	A	N3-C4-C5	-5.10	123.23	126.80
1	AA	15	G	C5-C6-O6	-5.10	125.54	128.60
1	AA	377	G	C4-C5-C6	5.10	121.86	118.80
26	BB	449	A	N9-C4-C5	5.10	107.84	105.80
26	BB	904	G	C5'-C4'-O4'	5.10	115.22	109.10
26	BB	1051	G	O3'-P-O5'	-5.10	94.31	104.00
26	BB	1234	U	N3-C2-O2	-5.10	118.63	122.20
26	BB	1494	A	N1-C6-N6	5.10	121.66	118.60
26	BB	1857	G	C2-N3-C4	5.10	114.45	111.90
26	BB	2194	U	C2-N3-C4	-5.10	123.94	127.00
26	BB	2899	A	N3-C4-N9	5.10	131.48	127.40
42	BR	80	VAL	CG1-CB-CG2	-5.10	102.74	110.90
1	AA	74	A	C2-N3-C4	5.10	113.15	110.60
1	AA	97	G	C4'-C3'-C2'	-5.10	97.50	102.60
1	AA	276	G	C4-C5-C6	5.10	121.86	118.80
1	AA	341	C	N1-C2-O2	5.10	121.96	118.90
1	AA	471	U	O5'-P-OP1	5.10	116.82	110.70
1	AA	1160	G	C3'-C2'-C1'	-5.10	97.42	101.50
1	AA	1423	G	O4'-C1'-C2'	-5.10	100.70	105.80
4	AD	36	A	N1-C6-N6	5.10	121.66	118.60
26	BB	384	A	C1'-O4'-C4'	5.10	113.98	109.90
26	BB	572	A	C5-N7-C8	5.10	106.45	103.90
26	BB	631	A	O5'-C5'-C4'	-5.10	102.01	111.70
26	BB	632	A	N7-C8-N9	5.10	116.35	113.80
26	BB	853	C	N3-C4-N4	5.10	121.57	118.00
26	BB	1227	G	C3'-C2'-C1'	-5.10	97.42	101.50
26	BB	1278	C	C2-N3-C4	5.10	122.45	119.90
26	BB	1599	U	C5-C6-N1	-5.10	120.15	122.70
26	BB	1719	G	N3-C4-N9	5.10	129.06	126.00
26	BB	1886	U	N3-C4-O4	5.10	122.97	119.40
26	BB	1947	C	N3-C2-O2	-5.10	118.33	121.90
26	BB	1980	G	C2-N3-C4	5.10	114.45	111.90
26	BB	1981	A	C6-C5-N7	5.10	135.87	132.30
26	BB	2216	G	N9-C4-C5	5.10	107.44	105.40
26	BB	2391	G	N1-C2-N3	5.10	126.96	123.90
26	BB	2414	G	C3'-C2'-C1'	-5.10	97.42	101.50
1	AA	80	A	N7-C8-N9	5.10	116.35	113.80
1	AA	213	G	N7-C8-N9	5.10	115.65	113.10
1	AA	555	U	C5'-C4'-O4'	5.10	115.22	109.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	666	G	N3-C2-N2	-5.10	116.33	119.90
1	AA	1173	U	N1-C2-O2	-5.10	119.23	122.80
1	AA	1202	U	C4-C5-C6	5.10	122.76	119.70
1	AA	1256	A	N7-C8-N9	-5.10	111.25	113.80
1	AA	1423	G	OP1-P-OP2	-5.10	111.95	119.60
1	AA	1444	U	P-O3'-C3'	5.10	125.82	119.70
1	AA	1524	C	C5-C6-N1	5.10	123.55	121.00
1	AA	1525	G	O4'-C1'-C2'	-5.10	100.70	105.80
5	AE	125	PHE	CG-CD1-CE1	-5.10	115.19	120.80
12	AL	124	PRO	CA-N-CD	-5.10	104.36	111.50
25	BA	91	C	C5'-C4'-O4'	5.10	115.22	109.10
25	BA	104	A	C3'-C2'-C1'	5.10	105.58	101.50
26	BB	610	C	C1'-O4'-C4'	5.10	113.98	109.90
26	BB	644	A	O3'-P-O5'	5.10	113.68	104.00
26	BB	1109	C	N3-C2-O2	-5.10	118.33	121.90
26	BB	1201	U	N3-C4-C5	-5.10	111.54	114.60
26	BB	1283	G	C5-C6-O6	-5.10	125.54	128.60
26	BB	1424	G	C5-N7-C8	-5.10	101.75	104.30
26	BB	1714	U	N3-C4-O4	-5.10	115.83	119.40
26	BB	1776	G	N1-C2-N2	-5.10	111.61	116.20
26	BB	1819	A	C8-N9-C4	-5.10	103.76	105.80
26	BB	1848	A	N9-C1'-C2'	-5.10	106.39	112.00
26	BB	2296	U	O4'-C1'-N1	5.10	112.28	108.20
26	BB	2376	A	C4-C5-C6	-5.10	114.45	117.00
26	BB	2579	C	N3-C4-N4	-5.10	114.43	118.00
26	BB	2699	C	P-O3'-C3'	5.10	125.82	119.70
26	BB	2757	A	C5'-C4'-O4'	5.10	115.22	109.10
26	BB	2785	C	C6-N1-C2	5.10	122.34	120.30
30	BF	35	TYR	CD1-CE1-CZ	-5.10	115.21	119.80
40	BP	109	PRO	N-CA-CB	5.10	109.42	103.30
1	AA	233	C	C3'-C2'-C1'	5.10	105.58	101.50
1	AA	350	G	N9-C1'-C2'	-5.10	106.39	112.00
1	AA	1123	U	C2-N3-C4	-5.10	123.94	127.00
1	AA	1234	C	O4'-C1'-N1	5.10	112.28	108.20
26	BB	290	U	C5'-C4'-C3'	-5.10	107.85	116.00
26	BB	907	G	C5-C6-N1	-5.10	108.95	111.50
26	BB	1469	A	C4'-C3'-C2'	-5.10	97.50	102.60
26	BB	1610	A	C5'-C4'-O4'	5.10	115.22	109.10
26	BB	1664	A	O4'-C4'-C3'	5.10	110.18	106.10
26	BB	2027	G	C5-C6-O6	-5.10	125.54	128.60
26	BB	2284	A	C6-N1-C2	5.10	121.66	118.60
26	BB	2473	U	N1-C1'-C2'	5.10	120.62	114.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2477	U	O4'-C4'-C3'	5.10	110.18	106.10
1	AA	49	U	O4'-C1'-N1	5.09	112.28	108.20
1	AA	165	G	N7-C8-N9	5.09	115.65	113.10
1	AA	281	G	O4'-C4'-C3'	5.09	110.18	106.10
1	AA	306	A	O4'-C1'-N9	5.09	112.28	108.20
1	AA	328	C	C6-N1-C1'	-5.09	114.69	120.80
1	AA	445	G	C5-C6-N1	5.09	114.05	111.50
1	AA	597	G	C2-N3-C4	5.09	114.45	111.90
1	AA	734	G	N1-C6-O6	5.09	122.96	119.90
4	AD	75	C	C4-C5-C6	-5.09	114.85	117.40
9	AI	42	TRP	NE1-CE2-CZ2	5.09	136.00	130.40
26	BB	103	A	C1'-O4'-C4'	5.09	113.97	109.90
26	BB	110	G	C4'-C3'-C2'	-5.09	97.51	102.60
26	BB	239	C	P-O3'-C3'	5.09	125.81	119.70
26	BB	279	A	C2-N3-C4	5.09	113.15	110.60
26	BB	376	G	C5-C6-N1	-5.09	108.95	111.50
26	BB	907	G	C6-C5-N7	-5.09	127.34	130.40
26	BB	915	C	N3-C2-O2	-5.09	118.33	121.90
26	BB	1096	A	O3'-P-O5'	-5.09	94.32	104.00
26	BB	1960	A	O4'-C1'-N9	-5.09	104.12	108.20
26	BB	2405	G	O4'-C1'-C2'	5.09	112.19	107.60
26	BB	2593	U	C6-N1-C2	5.09	124.06	121.00
36	BL	104	ALA	CB-CA-C	5.09	117.74	110.10
38	BN	116	VAL	C-N-CA	5.09	134.44	121.70
1	AA	604	G	N1-C2-N2	5.09	120.78	116.20
1	AA	1289	A	C6-N1-C2	-5.09	115.54	118.60
26	BB	1948	G	N1-C2-N3	-5.09	120.84	123.90
26	BB	1992	G	C4-C5-C6	5.09	121.86	118.80
26	BB	2018	G	C4-C5-N7	-5.09	108.76	110.80
26	BB	2729	G	C6-C5-N7	-5.09	127.34	130.40
26	BB	2810	A	C5-C6-N1	5.09	120.25	117.70
1	AA	122	G	O4'-C1'-N9	5.09	112.27	108.20
1	AA	229	U	C6-N1-C2	-5.09	117.94	121.00
1	AA	1022	A	N3-C4-C5	-5.09	123.24	126.80
1	AA	1113	C	N3-C4-C5	5.09	123.94	121.90
1	AA	1263	C	C5-C4-N4	-5.09	116.64	120.20
1	AA	1428	A	P-O3'-C3'	5.09	125.81	119.70
1	AA	1468	A	N7-C8-N9	-5.09	111.25	113.80
25	BA	51	G	N3-C4-N9	5.09	129.06	126.00
26	BB	159	G	N1-C2-N3	-5.09	120.84	123.90
26	BB	664	G	C1'-O4'-C4'	-5.09	105.83	109.90
26	BB	912	C	OP1-P-OP2	-5.09	111.96	119.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	947	A	C1'-O4'-C4'	5.09	113.97	109.90
26	BB	1619	G	C8-N9-C4	-5.09	104.36	106.40
26	BB	1756	G	N9-C4-C5	5.09	107.44	105.40
26	BB	1802	A	N7-C8-N9	5.09	116.35	113.80
26	BB	1920	C	N3-C2-O2	5.09	125.46	121.90
26	BB	2278	A	N1-C2-N3	5.09	131.84	129.30
26	BB	2431	U	N3-C4-O4	5.09	122.97	119.40
26	BB	2579	C	N3-C2-O2	5.09	125.46	121.90
1	AA	648	A	C3'-C2'-C1'	-5.09	97.43	101.50
26	BB	118	A	C4'-C3'-C2'	-5.09	97.51	102.60
26	BB	821	A	C5-N7-C8	-5.09	101.36	103.90
26	BB	944	C	P-O3'-C3'	5.09	125.81	119.70
26	BB	1136	G	N3-C2-N2	-5.09	116.34	119.90
26	BB	1155	A	C4'-C3'-C2'	-5.09	97.51	102.60
26	BB	1179	G	N3-C4-N9	-5.09	122.95	126.00
26	BB	1234	U	O4'-C1'-C2'	5.09	112.18	107.60
26	BB	1440	U	O5'-P-OP2	-5.09	101.12	105.70
26	BB	1709	U	N3-C2-O2	-5.09	118.64	122.20
26	BB	1934	C	P-O3'-C3'	5.09	125.81	119.70
26	BB	2533	U	C4-C5-C6	5.09	122.75	119.70
26	BB	2547	A	O4'-C1'-C2'	5.09	112.18	107.60
27	BC	41	SER	CB-CA-C	5.09	119.77	110.10
31	BG	95	MET	CA-CB-CG	5.09	121.95	113.30
1	AA	312	C	C4'-C3'-C2'	-5.09	97.51	102.60
1	AA	317	U	N1-C2-N3	5.09	117.95	114.90
1	AA	510	A	N7-C8-N9	5.09	116.34	113.80
26	BB	362	A	C5-C6-N1	5.09	120.24	117.70
26	BB	505	A	N9-C1'-C2'	-5.09	106.40	112.00
26	BB	1034	G	N7-C8-N9	5.09	115.64	113.10
26	BB	1177	G	N1-C2-N3	5.09	126.95	123.90
26	BB	2388	A	C3'-C2'-C1'	-5.09	97.43	101.50
26	BB	2866	U	C5'-C4'-C3'	-5.09	107.86	116.00
1	AA	284	C	N1-C2-N3	-5.09	115.64	119.20
1	AA	512	U	O5'-C5'-C4'	-5.09	102.04	111.70
1	AA	934	C	C1'-O4'-C4'	-5.09	105.83	109.90
1	AA	1209	C	N3-C4-N4	5.09	121.56	118.00
7	AG	106	PHE	CB-CG-CD1	5.09	124.36	120.80
20	AT	25	GLU	CA-CB-CG	5.09	124.59	113.40
26	BB	173	A	C6-C5-N7	5.09	135.86	132.30
26	BB	503	A	OP1-P-O3'	5.09	116.39	105.20
26	BB	682	G	O4'-C1'-N9	5.09	112.27	108.20
26	BB	864	G	N1-C6-O6	5.09	122.95	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	934	U	N3-C4-C5	-5.09	111.55	114.60
26	BB	985	C	C5-C4-N4	-5.09	116.64	120.20
26	BB	1129	A	N1-C2-N3	-5.09	126.76	129.30
26	BB	1457	U	C5-C4-O4	5.09	128.95	125.90
26	BB	2389	G	C3'-C2'-C1'	5.09	105.57	101.50
26	BB	2890	G	C5-N7-C8	-5.09	101.76	104.30
27	BC	162	ARG	NE-CZ-NH1	-5.09	117.76	120.30
34	BJ	152	ARG	NE-CZ-NH2	-5.09	117.76	120.30
1	AA	184	G	C8-N9-C1'	5.08	133.61	127.00
1	AA	519	C	N3-C4-C5	5.08	123.93	121.90
1	AA	874	G	C6-N1-C2	-5.08	122.05	125.10
1	AA	1128	C	P-O3'-C3'	5.08	125.80	119.70
1	AA	1426	G	C4'-C3'-C2'	-5.08	97.52	102.60
4	AD	1	C	O3'-P-O5'	-5.08	94.34	104.00
26	BB	79	C	N3-C4-N4	-5.08	114.44	118.00
26	BB	671	C	C4-C5-C6	-5.08	114.86	117.40
26	BB	1165	A	N1-C6-N6	5.08	121.65	118.60
26	BB	1330	C	C1'-O4'-C4'	5.08	113.97	109.90
26	BB	1770	G	C6-C5-N7	-5.08	127.35	130.40
26	BB	1903	G	N1-C6-O6	5.08	122.95	119.90
26	BB	2048	G	C5-C6-O6	-5.08	125.55	128.60
26	BB	2834	G	C5-N7-C8	-5.08	101.76	104.30
56	B5	43	THR	CA-CB-CG2	5.08	119.52	112.40
1	AA	12	U	P-O3'-C3'	5.08	125.80	119.70
1	AA	182	A	N9-C4-C5	-5.08	103.77	105.80
1	AA	1228	C	C4-C5-C6	5.08	119.94	117.40
1	AA	1529	G	C4-C5-N7	-5.08	108.77	110.80
3	AC	41	A	N3-C4-C5	-5.08	123.24	126.80
26	BB	24	G	N9-C4-C5	-5.08	103.37	105.40
26	BB	614	A	C2-N3-C4	5.08	113.14	110.60
26	BB	949	G	N3-C4-C5	-5.08	126.06	128.60
26	BB	1170	C	N1-C1'-C2'	-5.08	106.41	112.00
26	BB	1347	A	C2-N3-C4	-5.08	108.06	110.60
26	BB	1697	G	N3-C4-C5	-5.08	126.06	128.60
26	BB	1884	G	C6-C5-N7	-5.08	127.35	130.40
26	BB	2159	G	O4'-C1'-N9	5.08	112.27	108.20
26	BB	2389	G	C5-C6-O6	-5.08	125.55	128.60
26	BB	2392	A	N7-C8-N9	5.08	116.34	113.80
26	BB	2530	A	N9-C4-C5	-5.08	103.77	105.80
26	BB	2737	G	N1-C6-O6	5.08	122.95	119.90
42	BR	1	SER	O-C-N	5.08	130.83	122.70
1	AA	82	G	C2-N3-C4	5.08	114.44	111.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	321	A	C4'-C3'-C2'	-5.08	97.52	102.60
1	AA	356	A	C5'-C4'-O4'	5.08	115.20	109.10
1	AA	481	G	N1-C6-O6	-5.08	116.85	119.90
1	AA	638	U	C6-N1-C2	-5.08	117.95	121.00
1	AA	672	U	N1-C2-O2	-5.08	119.24	122.80
1	AA	1021	A	C4'-C3'-C2'	-5.08	97.52	102.60
1	AA	1378	C	O4'-C1'-C2'	-5.08	100.72	105.80
1	AA	1472	U	C5'-C4'-C3'	5.08	124.13	116.00
18	AR	72	LYS	CB-CA-C	5.08	120.56	110.40
21	AU	4	PHE	CB-CG-CD2	-5.08	117.24	120.80
26	BB	349	U	C5'-C4'-O4'	5.08	115.20	109.10
26	BB	529	A	O4'-C4'-C3'	-5.08	98.92	104.00
26	BB	640	C	C5-C4-N4	-5.08	116.64	120.20
26	BB	662	G	C5'-C4'-C3'	-5.08	107.87	116.00
26	BB	715	A	C6-C5-N7	5.08	135.86	132.30
26	BB	1103	A	C6-N1-C2	-5.08	115.55	118.60
26	BB	1613	G	C2-N3-C4	-5.08	109.36	111.90
26	BB	1724	G	C8-N9-C1'	5.08	133.60	127.00
26	BB	1994	C	N1-C1'-C2'	-5.08	106.41	112.00
26	BB	2051	A	C5-C6-N1	5.08	120.24	117.70
26	BB	2311	A	C4-C5-N7	5.08	113.24	110.70
26	BB	2613	U	C1'-O4'-C4'	-5.08	105.83	109.90
26	BB	2625	G	C4-N9-C1'	-5.08	119.89	126.50
26	BB	2713	U	P-O3'-C3'	5.08	125.80	119.70
26	BB	2765	A	C5-N7-C8	-5.08	101.36	103.90
26	BB	2823	A	C3'-C2'-C1'	5.08	105.56	101.50
1	AA	119	A	O4'-C1'-C2'	-5.08	100.72	105.80
1	AA	769	G	N1-C6-O6	-5.08	116.85	119.90
1	AA	808	C	C4-C5-C6	5.08	119.94	117.40
2	AB	55	PSU	P-O3'-C3'	5.08	125.80	119.70
16	AP	56	ARG	CB-CG-CD	5.08	124.81	111.60
26	BB	21	A	C5-N7-C8	-5.08	101.36	103.90
26	BB	1031	G	N1-C6-O6	5.08	122.95	119.90
26	BB	1389	G	N7-C8-N9	5.08	115.64	113.10
26	BB	1394	U	C5-C4-O4	-5.08	122.85	125.90
26	BB	1588	G	C4'-C3'-C2'	5.08	107.68	102.60
1	AA	707	U	N3-C4-O4	-5.08	115.84	119.40
1	AA	734	G	N3-C4-N9	5.08	129.05	126.00
1	AA	1094	G	C2'-C3'-O3'	5.08	121.83	113.70
1	AA	1386	G	N1-C2-N3	-5.08	120.85	123.90
6	AF	167	TYR	CZ-CE2-CD2	-5.08	115.23	119.80
26	BB	66	C	N3-C2-O2	-5.08	118.34	121.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	172	A	N1-C6-N6	5.08	121.65	118.60
26	BB	403	U	O4'-C4'-C3'	5.08	110.16	106.10
26	BB	586	A	C5-N7-C8	5.08	106.44	103.90
26	BB	835	C	N3-C4-C5	-5.08	119.87	121.90
26	BB	1408	G	N1-C2-N3	-5.08	120.85	123.90
26	BB	1525	A	O4'-C1'-N9	5.08	112.26	108.20
26	BB	1740	G	C5-N7-C8	-5.08	101.76	104.30
26	BB	1910	G	C5'-C4'-O4'	-5.08	103.01	109.10
26	BB	2025	C	C4-C5-C6	5.08	119.94	117.40
26	BB	2814	A	P-O5'-C5'	5.08	129.03	120.90
1	AA	81	A	N1-C2-N3	5.08	131.84	129.30
1	AA	1104	G	N1-C2-N3	-5.08	120.85	123.90
1	AA	1458	G	N9-C1'-C2'	-5.08	106.42	112.00
2	AB	75	C	C2-N1-C1'	5.08	124.39	118.80
4	AD	46	G	C5'-C4'-O4'	5.08	115.19	109.10
26	BB	210	C	P-O3'-C3'	5.08	125.79	119.70
26	BB	1056	G	C5-C6-O6	-5.08	125.55	128.60
26	BB	1224	U	N3-C2-O2	-5.08	118.65	122.20
26	BB	1785	A	C6-N1-C2	-5.08	115.55	118.60
26	BB	2080	A	O4'-C1'-N9	5.08	112.26	108.20
26	BB	2548	U	N3-C2-O2	-5.08	118.65	122.20
1	AA	31	G	C2-N3-C4	-5.08	109.36	111.90
1	AA	137	U	C3'-C2'-C1'	5.08	105.56	101.50
1	AA	289	G	C6-C5-N7	-5.08	127.36	130.40
1	AA	372	C	P-O3'-C3'	5.08	125.79	119.70
1	AA	988	G	N9-C4-C5	-5.08	103.37	105.40
1	AA	1219	A	O3'-P-O5'	5.08	113.64	104.00
1	AA	1370	G	C4'-C3'-C2'	-5.08	97.53	102.60
1	AA	1421	G	C8-N9-C4	-5.08	104.37	106.40
1	AA	1466	C	O4'-C1'-C2'	-5.08	100.72	105.80
26	BB	261	G	C5-C6-O6	-5.08	125.56	128.60
26	BB	285	G	C6-N1-C2	-5.08	122.05	125.10
26	BB	764	A	C8-N9-C4	-5.08	103.77	105.80
26	BB	984	A	O5'-P-OP1	-5.08	101.13	105.70
26	BB	1089	A	C8-N9-C4	5.08	107.83	105.80
26	BB	1112	G	C6-N1-C2	-5.08	122.06	125.10
26	BB	1320	C	C4'-C3'-O3'	-5.08	98.74	109.40
26	BB	1453	A	N7-C8-N9	5.08	116.34	113.80
26	BB	1817	G	C5-C6-N1	-5.08	108.96	111.50
26	BB	1854	A	C5-C6-N6	-5.08	119.64	123.70
26	BB	2007	U	N3-C4-O4	-5.08	115.85	119.40
26	BB	2091	C	N1-C1'-C2'	-5.08	106.42	112.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2490	G	C3'-C2'-C1'	5.08	105.56	101.50
26	BB	2796	U	C4-C5-C6	5.08	122.75	119.70
26	BB	2842	G	O5'-C5'-C4'	-5.08	102.06	111.70
1	AA	250	A	N1-C2-N3	5.07	131.84	129.30
1	AA	505	G	N3-C4-N9	5.07	129.04	126.00
1	AA	576	C	C6-N1-C2	5.07	122.33	120.30
1	AA	655	A	N9-C1'-C2'	-5.07	106.42	112.00
1	AA	776	G	N3-C4-N9	-5.07	122.95	126.00
1	AA	1108	G	N1-C2-N3	-5.07	120.86	123.90
1	AA	1242	G	C4'-C3'-C2'	-5.07	97.53	102.60
1	AA	1296	C	C1'-O4'-C4'	5.07	113.96	109.90
4	AD	68	C	C5-C6-N1	5.07	123.54	121.00
24	AX	18	PHE	CG-CD1-CE1	-5.07	115.22	120.80
26	BB	212	G	C4-C5-C6	-5.07	115.76	118.80
26	BB	497	A	C3'-C2'-C1'	-5.07	97.44	101.50
26	BB	886	A	C8-N9-C4	-5.07	103.77	105.80
26	BB	895	U	C5'-C4'-C3'	-5.07	107.88	116.00
26	BB	1037	G	OP1-P-OP2	-5.07	111.99	119.60
26	BB	1863	G	C2-N3-C4	5.07	114.44	111.90
26	BB	2025	C	C6-N1-C2	-5.07	118.27	120.30
26	BB	2077	A	N9-C4-C5	-5.07	103.77	105.80
26	BB	2359	C	N1-C2-O2	5.07	121.94	118.90
26	BB	2522	U	C6-N1-C2	-5.07	117.96	121.00
2	AB	76	A	C5-N7-C8	-5.07	101.36	103.90
26	BB	1236	G	O5'-C5'-C4'	5.07	121.34	111.70
26	BB	2142	A	N9-C4-C5	-5.07	103.77	105.80
26	BB	2201	G	C4'-C3'-C2'	5.07	107.67	102.60
26	BB	2437	G	N3-C2-N2	-5.07	116.35	119.90
26	BB	2452	C	N3-C4-N4	5.07	121.55	118.00
26	BB	2508	G	C4-C5-N7	5.07	112.83	110.80
1	AA	265	G	N3-C4-C5	-5.07	126.06	128.60
1	AA	314	C	N1-C1'-C2'	-5.07	106.42	112.00
1	AA	665	A	C4-C5-C6	-5.07	114.47	117.00
1	AA	1171	A	N1-C6-N6	-5.07	115.56	118.60
1	AA	1276	G	C8-N9-C4	-5.07	104.37	106.40
4	AD	70	C	N1-C2-N3	-5.07	115.65	119.20
6	AF	17	TRP	CZ3-CH2-CZ2	-5.07	115.52	121.60
9	AI	91	ARG	NE-CZ-NH1	5.07	122.83	120.30
21	AU	28	LEU	CB-CG-CD2	5.07	119.62	111.00
25	BA	35	C	C5'-C4'-O4'	5.07	115.18	109.10
26	BB	529	A	C5-N7-C8	5.07	106.44	103.90
26	BB	578	G	N3-C4-N9	5.07	129.04	126.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	664	G	N1-C2-N2	5.07	120.76	116.20
26	BB	766	U	C6-N1-C2	-5.07	117.96	121.00
26	BB	890	C	C5-C4-N4	-5.07	116.65	120.20
26	BB	986	C	N3-C4-N4	5.07	121.55	118.00
26	BB	1256	G	N1-C2-N3	5.07	126.94	123.90
26	BB	1616	A	N3-C4-N9	5.07	131.46	127.40
26	BB	2199	A	N9-C1'-C2'	-5.07	106.42	112.00
26	BB	2531	A	O4'-C1'-N9	5.07	112.26	108.20
26	BB	2677	G	C5'-C4'-O4'	-5.07	103.02	109.10
1	AA	228	A	C8-N9-C4	-5.07	103.77	105.80
1	AA	876	C	C6-N1-C2	-5.07	118.27	120.30
4	AD	64	G	C5-N7-C8	5.07	106.83	104.30
20	AT	72	TRP	CE2-CD2-CG	5.07	111.36	107.30
21	AU	12	PHE	CB-CG-CD2	-5.07	117.25	120.80
26	BB	1467	U	O5'-P-OP1	5.07	116.78	110.70
26	BB	1485	U	C3'-C2'-C1'	5.07	105.56	101.50
1	AA	102	G	C6-N1-C2	-5.07	122.06	125.10
1	AA	115	G	C1'-O4'-C4'	-5.07	105.85	109.90
1	AA	223	A	C4-C5-N7	-5.07	108.17	110.70
1	AA	635	A	C6-C5-N7	-5.07	128.75	132.30
1	AA	919	A	N1-C2-N3	5.07	131.83	129.30
6	AF	171	ARG	NE-CZ-NH1	5.07	122.83	120.30
26	BB	874	G	C1'-O4'-C4'	-5.07	105.85	109.90
26	BB	1334	G	C4-C5-C6	5.07	121.84	118.80
26	BB	1375	U	C3'-C2'-C1'	-5.07	97.45	101.50
26	BB	1418	G	C5-C6-N1	5.07	114.03	111.50
26	BB	1463	C	C5'-C4'-O4'	5.07	115.18	109.10
26	BB	1487	U	N3-C2-O2	-5.07	118.65	122.20
26	BB	2219	U	C4-C5-C6	5.07	122.74	119.70
26	BB	2380	C	C6-N1-C1'	5.07	126.88	120.80
26	BB	2391	G	C4'-C3'-C2'	-5.07	97.53	102.60
26	BB	2397	G	C4-C5-C6	5.07	121.84	118.80
26	BB	2563	U	C6-N1-C2	-5.07	117.96	121.00
26	BB	2749	A	N9-C1'-C2'	-5.07	106.42	112.00
27	BC	48	LEU	CB-CG-CD1	-5.07	102.39	111.00
1	AA	433	G	C5'-C4'-C3'	-5.07	107.89	116.00
1	AA	862	C	C4-C5-C6	-5.07	114.87	117.40
1	AA	1266	G	P-O3'-C3'	5.07	125.78	119.70
14	AN	43	TRP	NE1-CE2-CD2	-5.07	102.23	107.30
26	BB	575	A	C6-C5-N7	-5.07	128.75	132.30
26	BB	595	C	C4-C5-C6	-5.07	114.87	117.40
26	BB	652	U	C4-C5-C6	-5.07	116.66	119.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	935	C	C5'-C4'-O4'	5.07	115.18	109.10
26	BB	1355	G	C4-C5-C6	5.07	121.84	118.80
26	BB	1412	U	O4'-C4'-C3'	-5.07	98.93	104.00
26	BB	1814	G	C6-C5-N7	-5.07	127.36	130.40
26	BB	1905	C	C5'-C4'-C3'	-5.07	107.89	116.00
1	AA	52	C	N3-C4-N4	-5.06	114.45	118.00
1	AA	271	C	N1-C2-N3	-5.06	115.66	119.20
1	AA	360	G	N1-C2-N2	5.06	120.76	116.20
1	AA	632	U	N1-C1'-C2'	5.06	120.58	114.00
1	AA	825	A	N1-C2-N3	-5.06	126.77	129.30
1	AA	874	G	C1'-O4'-C4'	5.06	113.95	109.90
1	AA	1246	A	O4'-C1'-N9	5.06	112.25	108.20
4	AD	5	G	C4'-C3'-O3'	5.06	123.13	113.00
26	BB	1037	G	C8-N9-C1'	5.06	133.58	127.00
26	BB	1151	A	C4-C5-C6	-5.06	114.47	117.00
26	BB	2303	G	C5-N7-C8	-5.06	101.77	104.30
26	BB	2356	U	C4-C5-C6	5.06	122.74	119.70
26	BB	2407	A	P-O3'-C3'	5.06	125.78	119.70
1	AA	54	C	P-O3'-C3'	5.06	125.78	119.70
1	AA	265	G	N9-C1'-C2'	-5.06	106.43	112.00
1	AA	394	G	C5-C6-N1	-5.06	108.97	111.50
1	AA	626	G	N3-C4-N9	5.06	129.04	126.00
1	AA	674	G	C5-C6-N1	-5.06	108.97	111.50
1	AA	836	G	N3-C2-N2	-5.06	116.36	119.90
1	AA	1024	G	N7-C8-N9	5.06	115.63	113.10
1	AA	1036	A	C3'-C2'-C1'	5.06	105.55	101.50
1	AA	1144	G	C4-C5-C6	5.06	121.84	118.80
25	BA	33	G	C5'-C4'-C3'	-5.06	107.90	116.00
26	BB	188	G	N9-C4-C5	5.06	107.42	105.40
26	BB	311	A	C5-C6-N6	5.06	127.75	123.70
26	BB	686	U	N1-C1'-C2'	-5.06	106.43	112.00
26	BB	1370	C	C3'-C2'-C1'	5.06	105.55	101.50
26	BB	1372	U	C6-N1-C2	-5.06	117.96	121.00
26	BB	1503	A	C5'-C4'-O4'	5.06	115.17	109.10
26	BB	1684	G	C2-N3-C4	5.06	114.43	111.90
26	BB	1902	C	C2-N3-C4	-5.06	117.37	119.90
26	BB	2055	C	C3'-C2'-C1'	-5.06	97.45	101.50
26	BB	2577	A	N3-C4-N9	5.06	131.45	127.40
26	BB	2630	G	C2'-C3'-O3'	5.06	121.80	113.70
1	AA	271	C	N3-C4-N4	5.06	121.54	118.00
1	AA	380	G	O4'-C1'-N9	5.06	112.25	108.20
1	AA	623	C	P-O3'-C3'	5.06	125.77	119.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	693	G	O4'-C1'-N9	5.06	112.25	108.20
1	AA	750	C	C5'-C4'-O4'	5.06	115.17	109.10
1	AA	1155	A	C5-N7-C8	5.06	106.43	103.90
7	AG	103	ARG	NE-CZ-NH1	5.06	122.83	120.30
10	AJ	68	VAL	CA-CB-CG2	5.06	118.49	110.90
26	BB	1715	G	C5-C6-N1	5.06	114.03	111.50
26	BB	2278	A	N3-C4-N9	5.06	131.45	127.40
26	BB	2392	A	O4'-C1'-N9	5.06	112.25	108.20
26	BB	2446	G	C2-N3-C4	5.06	114.43	111.90
1	AA	265	G	N3-C4-N9	5.06	129.04	126.00
1	AA	356	A	C6-C5-N7	5.06	135.84	132.30
1	AA	368	U	C5-C6-N1	-5.06	120.17	122.70
1	AA	775	G	OP1-P-O3'	5.06	116.33	105.20
1	AA	1167	A	C4'-C3'-O3'	5.06	123.12	113.00
1	AA	1375	A	C2-N3-C4	5.06	113.13	110.60
5	AE	125	PHE	CB-CG-CD1	-5.06	117.26	120.80
25	BA	111	U	C4'-C3'-C2'	-5.06	97.54	102.60
26	BB	192	C	O4'-C4'-C3'	-5.06	98.94	104.00
26	BB	369	U	N3-C4-O4	-5.06	115.86	119.40
26	BB	445	C	C4-C5-C6	-5.06	114.87	117.40
26	BB	510	C	N1-C2-O2	5.06	121.94	118.90
26	BB	655	A	C5'-C4'-C3'	-5.06	107.91	116.00
26	BB	836	G	C4'-C3'-C2'	-5.06	97.54	102.60
26	BB	1137	G	C8-N9-C1'	5.06	133.58	127.00
26	BB	1394	U	C5-C6-N1	5.06	125.23	122.70
26	BB	1987	A	C5-C6-N1	5.06	120.23	117.70
26	BB	2582	G	N1-C6-O6	5.06	122.94	119.90
26	BB	2634	A	C6-N1-C2	5.06	121.64	118.60
26	BB	2675	A	N1-C2-N3	-5.06	126.77	129.30
26	BB	2699	C	N3-C4-N4	5.06	121.54	118.00
26	BB	2782	G	N7-C8-N9	-5.06	110.57	113.10
26	BB	2842	G	C5'-C4'-C3'	-5.06	107.91	116.00
26	BB	2876	G	C2-N3-C4	5.06	114.43	111.90
53	B2	49	ARG	NE-CZ-NH2	5.06	122.83	120.30
1	AA	17	U	C6-N1-C2	-5.06	117.97	121.00
1	AA	161	A	N7-C8-N9	5.06	116.33	113.80
1	AA	822	U	C3'-C2'-C1'	5.06	105.55	101.50
1	AA	1176	A	C3'-C2'-C1'	5.06	105.55	101.50
1	AA	1470	U	P-O3'-C3'	5.06	125.77	119.70
25	BA	7	G	N9-C4-C5	5.06	107.42	105.40
26	BB	609	A	C6-N1-C2	-5.06	115.56	118.60
26	BB	765	C	C5'-C4'-C3'	-5.06	107.91	116.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	789	A	N3-C4-C5	-5.06	123.26	126.80
26	BB	1082	U	OP2-P-O3'	5.06	116.33	105.20
26	BB	1304	A	C5'-C4'-O4'	-5.06	103.03	109.10
26	BB	1740	G	O4'-C1'-C2'	-5.06	100.74	105.80
26	BB	1826	G	C4'-C3'-C2'	-5.06	97.54	102.60
26	BB	1839	G	C8-N9-C1'	5.06	133.57	127.00
26	BB	1852	U	O4'-C1'-C2'	-5.06	100.74	105.80
26	BB	2067	G	N3-C2-N2	5.06	123.44	119.90
26	BB	2688	G	C4'-C3'-C2'	-5.06	97.54	102.60
44	BT	92	TRP	CB-CG-CD2	5.06	133.17	126.60
1	AA	534	U	N1-C2-N3	5.06	117.93	114.90
1	AA	640	A	C3'-C2'-C1'	-5.06	97.45	101.50
1	AA	824	G	C4'-C3'-C2'	-5.06	97.54	102.60
1	AA	853	C	C2-N1-C1'	-5.06	113.24	118.80
1	AA	965	U	O4'-C1'-C2'	-5.06	100.74	105.80
26	BB	708	G	C5-C6-N1	-5.06	108.97	111.50
26	BB	774	G	N9-C4-C5	5.06	107.42	105.40
26	BB	926	G	N9-C1'-C2'	-5.06	106.44	112.00
26	BB	1062	G	C2'-C3'-O3'	5.06	121.79	113.70
26	BB	1534	U	C4'-C3'-C2'	-5.06	97.54	102.60
26	BB	2775	G	C2'-C3'-O3'	5.06	121.79	113.70
1	AA	29	U	C2-N3-C4	-5.05	123.97	127.00
1	AA	97	G	C8-N9-C4	-5.05	104.38	106.40
1	AA	112	G	C4-C5-C6	5.05	121.83	118.80
1	AA	232	G	C6-N1-C2	-5.05	122.07	125.10
1	AA	254	G	C8-N9-C4	-5.05	104.38	106.40
1	AA	1208	C	C4'-C3'-C2'	-5.05	97.55	102.60
1	AA	1268	G	C2-N3-C4	5.05	114.43	111.90
1	AA	1352	C	N1-C1'-C2'	-5.05	106.44	112.00
1	AA	1481	U	C4-C5-C6	5.05	122.73	119.70
1	AA	1523	G	N1-C2-N3	-5.05	120.87	123.90
3	AC	35	G	N3-C2-N2	-5.05	116.36	119.90
25	BA	41	G	N9-C4-C5	-5.05	103.38	105.40
25	BA	85	G	O4'-C4'-C3'	5.05	110.14	106.10
26	BB	138	U	C6-N1-C2	-5.05	117.97	121.00
26	BB	155	A	C5'-C4'-C3'	-5.05	107.91	116.00
26	BB	376	G	N1-C2-N3	-5.05	120.87	123.90
26	BB	757	G	C8-N9-C4	-5.05	104.38	106.40
26	BB	854	C	C4'-C3'-C2'	-5.05	97.55	102.60
26	BB	1183	U	P-O3'-C3'	5.05	125.77	119.70
26	BB	1740	G	C4'-C3'-C2'	-5.05	97.55	102.60
26	BB	1887	C	N3-C4-N4	5.05	121.54	118.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1894	C	C5'-C4'-C3'	-5.05	107.91	116.00
26	BB	1916	A	N1-C2-N3	-5.05	126.77	129.30
26	BB	2617	U	C6-N1-C1'	5.05	128.28	121.20
26	BB	2762	C	N1-C1'-C2'	-5.05	106.44	112.00
26	BB	2808	G	O3'-P-O5'	-5.05	94.40	104.00
28	BD	96	LYS	O-C-N	-5.05	114.61	122.70
1	AA	29	U	C6-N1-C2	5.05	124.03	121.00
1	AA	122	G	C4'-C3'-C2'	-5.05	97.55	102.60
1	AA	918	A	N7-C8-N9	5.05	116.33	113.80
1	AA	1442	G	C5'-C4'-O4'	5.05	115.16	109.10
4	AD	40	C	P-O3'-C3'	5.05	125.76	119.70
26	BB	389	G	C5'-C4'-O4'	5.05	115.16	109.10
26	BB	548	G	C8-N9-C4	5.05	108.42	106.40
26	BB	1268	A	C3'-C2'-C1'	5.05	105.54	101.50
26	BB	1438	U	C2-N3-C4	-5.05	123.97	127.00
26	BB	2169	A	N7-C8-N9	5.05	116.33	113.80
26	BB	2279	G	O5'-C5'-C4'	-5.05	102.10	111.70
26	BB	2430	A	C1'-O4'-C4'	-5.05	105.86	109.90
26	BB	2690	U	C5'-C4'-O4'	5.05	115.16	109.10
1	AA	112	G	N3-C4-N9	5.05	129.03	126.00
1	AA	497	G	N3-C2-N2	-5.05	116.36	119.90
1	AA	1415	G	C5-C6-O6	-5.05	125.57	128.60
25	BA	40	U	O4'-C4'-C3'	5.05	110.14	106.10
25	BA	73	A	C8-N9-C4	5.05	107.82	105.80
25	BA	110	C	N3-C2-O2	-5.05	118.36	121.90
26	BB	218	A	C1'-O4'-C4'	5.05	113.94	109.90
26	BB	227	A	C6-C5-N7	-5.05	128.76	132.30
26	BB	334	C	C5-C6-N1	5.05	123.53	121.00
26	BB	353	C	C5'-C4'-O4'	-5.05	103.04	109.10
26	BB	407	G	C2-N3-C4	5.05	114.42	111.90
26	BB	661	A	C5-N7-C8	5.05	106.43	103.90
26	BB	763	G	N1-C2-N3	5.05	126.93	123.90
26	BB	1403	A	C6-C5-N7	5.05	135.84	132.30
26	BB	1417	C	C2-N1-C1'	-5.05	113.24	118.80
26	BB	1457	U	O4'-C1'-N1	5.05	112.24	108.20
26	BB	1739	A	N3-C4-N9	5.05	131.44	127.40
26	BB	1829	A	C4'-C3'-C2'	-5.05	97.55	102.60
26	BB	2170	A	C4-C5-C6	-5.05	114.47	117.00
26	BB	2596	U	P-O5'-C5'	5.05	128.98	120.90
26	BB	2739	U	N1-C2-O2	5.05	126.34	122.80
26	BB	2747	G	C5'-C4'-O4'	5.05	115.16	109.10
26	BB	2770	G	C6-N1-C2	-5.05	122.07	125.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
48	BX	66	ASP	CB-CG-OD1	5.05	122.84	118.30
1	AA	155	A	P-O5'-C5'	5.05	128.98	120.90
1	AA	175	C	C2-N1-C1'	-5.05	113.25	118.80
1	AA	441	A	C2-N3-C4	5.05	113.12	110.60
1	AA	497	G	C3'-C2'-C1'	5.05	105.54	101.50
1	AA	797	C	P-O3'-C3'	5.05	125.76	119.70
1	AA	802	A	C4'-C3'-C2'	-5.05	97.55	102.60
1	AA	976	G	C4-C5-N7	5.05	112.82	110.80
1	AA	1032	G	C4-C5-N7	5.05	112.82	110.80
3	AC	28	U	C5'-C4'-O4'	5.05	115.16	109.10
25	BA	73	A	N3-C4-C5	-5.05	123.27	126.80
26	BB	202	U	N3-C2-O2	-5.05	118.67	122.20
26	BB	260	G	C6-C5-N7	5.05	133.43	130.40
26	BB	359	G	C2-N3-C4	5.05	114.42	111.90
26	BB	562	U	C2-N3-C4	-5.05	123.97	127.00
26	BB	606	U	C4-C5-C6	5.05	122.73	119.70
26	BB	624	C	C5'-C4'-O4'	5.05	115.16	109.10
26	BB	684	G	N3-C2-N2	5.05	123.44	119.90
26	BB	713	G	C5'-C4'-O4'	5.05	115.16	109.10
26	BB	1001	A	N1-C2-N3	-5.05	126.78	129.30
26	BB	1104	C	N3-C4-N4	5.05	121.53	118.00
26	BB	1215	G	C6-N1-C2	-5.05	122.07	125.10
26	BB	1277	G	N9-C1'-C2'	-5.05	106.44	112.00
26	BB	1734	G	N3-C4-C5	-5.05	126.08	128.60
26	BB	1930	G	C3'-C2'-C1'	-5.05	97.46	101.50
26	BB	2598	A	C4'-C3'-C2'	-5.05	97.55	102.60
26	BB	2640	G	N9-C1'-C2'	-5.05	106.45	112.00
26	BB	2667	C	C5-C6-N1	5.05	123.52	121.00
38	BN	10	GLU	OE1-CD-OE2	5.05	129.36	123.30
39	BO	36	VAL	CA-CB-CG2	5.05	118.48	110.90
1	AA	1178	G	N1-C2-N3	-5.05	120.87	123.90
1	AA	1541	U	N3-C2-O2	-5.05	118.67	122.20
3	AC	15	G	C5-N7-C8	-5.05	101.78	104.30
20	AT	72	TRP	CD1-CG-CD2	-5.05	102.26	106.30
26	BB	273	G	C2-N3-C4	5.05	114.42	111.90
26	BB	707	G	C2-N3-C4	5.05	114.42	111.90
26	BB	1802	A	C5'-C4'-C3'	-5.05	107.92	116.00
26	BB	2118	U	N1-C2-N3	5.05	117.93	114.90
26	BB	2249	U	N1-C2-O2	5.05	126.33	122.80
26	BB	2902	C	C2-N3-C4	-5.05	117.38	119.90
1	AA	5	U	P-O3'-C3'	5.05	125.75	119.70
1	AA	124	C	C5'-C4'-C3'	-5.05	107.93	116.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	129	A	C1'-O4'-C4'	-5.05	105.86	109.90
1	AA	169	C	C4-C5-C6	5.05	119.92	117.40
1	AA	239	U	C4'-C3'-C2'	-5.05	97.55	102.60
1	AA	390	U	N3-C2-O2	5.05	125.73	122.20
1	AA	480	U	C5'-C4'-O4'	5.05	115.16	109.10
1	AA	1183	U	C5-C6-N1	-5.05	120.18	122.70
4	AD	61	U	C3'-C2'-C1'	-5.05	97.46	101.50
26	BB	53	A	C5-C6-N1	5.05	120.22	117.70
26	BB	184	C	C4-C5-C6	-5.05	114.88	117.40
26	BB	227	A	C4'-C3'-C2'	-5.05	97.55	102.60
26	BB	463	G	C8-N9-C4	-5.05	104.38	106.40
26	BB	2185	U	O4'-C4'-C3'	5.05	110.14	106.10
26	BB	2405	G	C5-C6-O6	-5.05	125.57	128.60
26	BB	2407	A	N9-C4-C5	-5.05	103.78	105.80
26	BB	2764	A	O3'-P-O5'	-5.05	94.41	104.00
26	BB	2816	G	N3-C2-N2	-5.05	116.37	119.90
38	BN	48	ARG	NE-CZ-NH2	5.05	122.82	120.30
1	AA	530	G	N1-C6-O6	-5.04	116.87	119.90
1	AA	729	A	C1'-O4'-C4'	-5.04	105.86	109.90
1	AA	901	A	O4'-C1'-N9	5.04	112.24	108.20
26	BB	1093	G	N3-C2-N2	5.04	123.43	119.90
26	BB	1394	U	C6-N1-C2	-5.04	117.97	121.00
26	BB	1473	G	C2-N3-C4	-5.04	109.38	111.90
26	BB	1814	G	N1-C6-O6	-5.04	116.87	119.90
26	BB	2039	U	C4-C5-C6	5.04	122.73	119.70
1	AA	232	G	N1-C2-N3	5.04	126.93	123.90
1	AA	416	G	N9-C4-C5	5.04	107.42	105.40
1	AA	833	G	N1-C6-O6	5.04	122.93	119.90
1	AA	951	G	C5-C6-O6	5.04	131.63	128.60
1	AA	1072	G	N9-C4-C5	5.04	107.42	105.40
1	AA	1226	C	O4'-C4'-C3'	5.04	110.13	106.10
1	AA	1320	C	C4'-C3'-C2'	-5.04	97.56	102.60
1	AA	1500	A	C6-N1-C2	5.04	121.63	118.60
26	BB	576	U	C6-N1-C2	-5.04	117.97	121.00
26	BB	638	G	N3-C4-C5	-5.04	126.08	128.60
26	BB	773	U	N3-C2-O2	5.04	125.73	122.20
26	BB	830	G	C5-C6-O6	-5.04	125.57	128.60
26	BB	1034	G	C5'-C4'-C3'	-5.04	107.93	116.00
26	BB	1100	C	C2-N3-C4	5.04	122.42	119.90
26	BB	1358	G	C4'-C3'-C2'	-5.04	97.56	102.60
26	BB	1589	U	C3'-C2'-C1'	5.04	105.53	101.50
26	BB	1829	A	N7-C8-N9	-5.04	111.28	113.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2059	A	C5-C6-N1	-5.04	115.18	117.70
26	BB	2121	G	C1'-O4'-C4'	-5.04	105.86	109.90
26	BB	2264	C	C6-N1-C2	5.04	122.32	120.30
26	BB	2410	G	C8-N9-C1'	5.04	133.56	127.00
26	BB	2497	A	C2-N3-C4	-5.04	108.08	110.60
29	BE	34	VAL	CG1-CB-CG2	-5.04	102.83	110.90
1	AA	28	A	N1-C2-N3	5.04	131.82	129.30
1	AA	92	U	C2-N3-C4	-5.04	123.98	127.00
1	AA	178	C	O4'-C1'-N1	5.04	112.23	108.20
1	AA	286	C	N3-C2-O2	-5.04	118.37	121.90
1	AA	378	G	N1-C6-O6	-5.04	116.88	119.90
1	AA	723	U	C5'-C4'-O4'	-5.04	103.05	109.10
1	AA	1001	C	C5'-C4'-O4'	5.04	115.15	109.10
1	AA	1185	G	C6-C5-N7	-5.04	127.38	130.40
1	AA	1210	C	C4-C5-C6	5.04	119.92	117.40
7	AG	173	ASP	CB-CG-OD1	-5.04	113.76	118.30
25	BA	51	G	C1'-O4'-C4'	5.04	113.93	109.90
26	BB	9	G	C4-C5-C6	-5.04	115.78	118.80
26	BB	161	A	N1-C2-N3	-5.04	126.78	129.30
26	BB	505	A	C8-N9-C4	-5.04	103.78	105.80
26	BB	643	A	C3'-C2'-C1'	5.04	105.53	101.50
26	BB	1144	A	C6-N1-C2	-5.04	115.58	118.60
26	BB	2121	G	N3-C4-N9	5.04	129.02	126.00
26	BB	2284	A	C5'-C4'-O4'	5.04	115.15	109.10
26	BB	2378	A	C3'-C2'-C1'	-5.04	97.47	101.50
26	BB	2543	G	P-O5'-C5'	5.04	128.97	120.90
1	AA	272	C	N1-C2-O2	5.04	121.92	118.90
1	AA	1055	A	N3-C4-N9	5.04	131.43	127.40
4	AD	20	G	O5'-P-OP2	-5.04	101.16	105.70
4	AD	42	C	C1'-O4'-C4'	-5.04	105.87	109.90
8	AH	125	LYS	O-C-N	5.04	130.76	122.70
26	BB	286	U	N3-C2-O2	-5.04	118.67	122.20
26	BB	833	A	C5'-C4'-O4'	5.04	115.15	109.10
26	BB	1364	G	C6-C5-N7	-5.04	127.38	130.40
26	BB	1985	C	C2-N3-C4	-5.04	117.38	119.90
26	BB	2484	G	C8-N9-C4	-5.04	104.38	106.40
1	AA	182	A	O4'-C1'-C2'	-5.04	100.76	105.80
1	AA	192	A	N1-C2-N3	5.04	131.82	129.30
1	AA	518	C	N1-C2-N3	-5.04	115.67	119.20
1	AA	570	G	N1-C2-N2	5.04	120.73	116.20
1	AA	813	U	C2-N3-C4	-5.04	123.98	127.00
1	AA	1233	G	C4-C5-C6	5.04	121.82	118.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1396	A	C5'-C4'-O4'	5.04	115.15	109.10
8	AH	29	ILE	CG1-CB-CG2	5.04	122.49	111.40
25	BA	51	G	C5-N7-C8	5.04	106.82	104.30
26	BB	97	C	C2'-C3'-O3'	5.04	121.76	113.70
26	BB	709	U	C5-C6-N1	-5.04	120.18	122.70
26	BB	734	A	C5-C6-N6	-5.04	119.67	123.70
26	BB	901	C	N1-C2-O2	5.04	121.92	118.90
26	BB	903	C	N1-C2-O2	5.04	121.92	118.90
26	BB	938	G	N3-C4-C5	-5.04	126.08	128.60
26	BB	1082	U	O4'-C1'-C2'	-5.04	100.76	105.80
26	BB	1135	C	C5'-C4'-O4'	5.04	115.15	109.10
26	BB	1259	G	N3-C2-N2	-5.04	116.37	119.90
26	BB	1458	U	N3-C2-O2	-5.04	118.67	122.20
26	BB	1463	C	N3-C4-C5	-5.04	119.89	121.90
26	BB	1767	G	N7-C8-N9	-5.04	110.58	113.10
26	BB	1990	C	N1-C2-O2	5.04	121.92	118.90
26	BB	2117	A	N3-C4-C5	-5.04	123.27	126.80
26	BB	2164	C	C3'-C2'-C1'	-5.04	97.47	101.50
26	BB	2239	G	C8-N9-C4	-5.04	104.39	106.40
26	BB	2485	G	C6-N1-C2	-5.04	122.08	125.10
1	AA	1225	A	C2-N3-C4	-5.04	108.08	110.60
4	AD	3	C	C4'-C3'-C2'	-5.04	97.56	102.60
4	AD	30	G	N3-C4-C5	-5.04	126.08	128.60
8	AH	36	THR	CA-CB-CG2	5.04	119.45	112.40
26	BB	218	A	C4-C5-N7	-5.04	108.18	110.70
26	BB	444	C	C5-C6-N1	5.04	123.52	121.00
26	BB	778	G	N7-C8-N9	5.04	115.62	113.10
26	BB	1007	C	C2-N3-C4	5.04	122.42	119.90
26	BB	1482	G	C5-N7-C8	-5.04	101.78	104.30
26	BB	2600	A	N1-C2-N3	-5.04	126.78	129.30
1	AA	229	U	N1-C2-N3	5.04	117.92	114.90
1	AA	394	G	N1-C2-N3	-5.04	120.88	123.90
1	AA	662	U	O4'-C1'-N1	5.04	112.23	108.20
1	AA	937	A	C4-C5-C6	5.04	119.52	117.00
1	AA	1184	G	C5-C6-N1	5.04	114.02	111.50
1	AA	1339	A	C5-N7-C8	-5.04	101.38	103.90
23	AW	28	ARG	NE-CZ-NH2	-5.04	117.78	120.30
26	BB	34	U	N3-C4-O4	5.04	122.92	119.40
26	BB	354	A	C5-C6-N6	-5.04	119.67	123.70
26	BB	516	C	O4'-C1'-N1	5.04	112.23	108.20
26	BB	778	G	N1-C6-O6	-5.04	116.88	119.90
26	BB	2326	C	C6-N1-C1'	5.04	126.84	120.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2431	U	C1'-O4'-C4'	-5.04	105.87	109.90
26	BB	2535	G	C5-C6-O6	-5.04	125.58	128.60
26	BB	2804	U	N1-C2-O2	5.04	126.32	122.80
1	AA	24	U	P-O5'-C5'	5.03	128.95	120.90
1	AA	240	G	N3-C4-N9	-5.03	122.98	126.00
1	AA	343	U	C5-C6-N1	-5.03	120.18	122.70
1	AA	449	G	C3'-C2'-C1'	5.03	105.53	101.50
1	AA	793	U	P-O3'-C3'	5.03	125.74	119.70
1	AA	902	G	C5-C6-N1	5.03	114.02	111.50
1	AA	1244	G	C5-N7-C8	-5.03	101.78	104.30
1	AA	1373	G	C1'-O4'-C4'	5.03	113.93	109.90
1	AA	1422	G	C4-C5-C6	5.03	121.82	118.80
3	AC	51	C	N3-C4-N4	5.03	121.52	118.00
4	AD	6	G	N3-C4-N9	5.03	129.02	126.00
4	AD	30	G	N1-C2-N2	-5.03	111.67	116.20
18	AR	84	LEU	CB-CG-CD1	-5.03	102.44	111.00
26	BB	55	G	N3-C4-N9	-5.03	122.98	126.00
26	BB	272	A	O5'-C5'-C4'	-5.03	102.14	111.70
26	BB	469	G	C8-N9-C4	-5.03	104.39	106.40
26	BB	488	G	C3'-C2'-C1'	-5.03	97.47	101.50
26	BB	520	G	N1-C2-N3	-5.03	120.88	123.90
26	BB	726	G	C2-N3-C4	5.03	114.42	111.90
26	BB	753	A	O5'-P-OP1	5.03	116.74	110.70
26	BB	992	C	N1-C2-O2	5.03	121.92	118.90
26	BB	1112	G	C4-N9-C1'	-5.03	119.96	126.50
26	BB	1189	A	C6-C5-N7	5.03	135.82	132.30
26	BB	1588	G	O5'-C5'-C4'	-5.03	102.14	111.70
26	BB	1630	A	C6-N1-C2	5.03	121.62	118.60
26	BB	2178	C	C5'-C4'-C3'	-5.03	107.95	116.00
26	BB	2674	G	C5'-C4'-O4'	5.03	115.14	109.10
26	BB	2823	A	C5'-C4'-C3'	-5.03	107.94	116.00
1	AA	9	G	N1-C6-O6	-5.03	116.88	119.90
1	AA	309	A	C3'-C2'-C1'	-5.03	97.47	101.50
1	AA	1534	A	C5-C6-N1	-5.03	115.18	117.70
2	AB	29	G	P-O3'-C3'	5.03	125.74	119.70
26	BB	946	C	N1-C2-O2	5.03	121.92	118.90
26	BB	1069	A	C5'-C4'-O4'	5.03	115.14	109.10
26	BB	1143	A	P-O3'-C3'	5.03	125.74	119.70
26	BB	1509	A	N3-C4-C5	-5.03	123.28	126.80
26	BB	1910	G	C3'-C2'-C1'	5.03	105.53	101.50
26	BB	1969	A	P-O3'-C3'	5.03	125.74	119.70
1	AA	486	U	C5-C6-N1	-5.03	120.19	122.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	574	A	OP1-P-OP2	-5.03	112.05	119.60
7	AG	183	ARG	NE-CZ-NH1	-5.03	117.78	120.30
26	BB	504	A	C2-N3-C4	-5.03	108.08	110.60
26	BB	716	A	P-O3'-C3'	5.03	125.74	119.70
26	BB	756	A	C5-C6-N1	5.03	120.22	117.70
26	BB	1113	U	N3-C2-O2	-5.03	118.68	122.20
26	BB	1819	A	C2-N3-C4	5.03	113.12	110.60
26	BB	1903	G	C4'-C3'-C2'	-5.03	97.57	102.60
26	BB	2500	U	C2-N3-C4	-5.03	123.98	127.00
26	BB	2538	C	C5'-C4'-O4'	5.03	115.14	109.10
36	BL	35	ARG	NE-CZ-NH1	5.03	122.82	120.30
1	AA	97	G	C4-C5-C6	5.03	121.82	118.80
1	AA	348	G	C4-C5-N7	-5.03	108.79	110.80
1	AA	587	G	O4'-C4'-C3'	5.03	110.12	106.10
1	AA	738	C	C3'-C2'-C1'	-5.03	97.48	101.50
1	AA	819	A	P-O3'-C3'	5.03	125.73	119.70
3	AC	43	U	C5-C4-O4	5.03	128.92	125.90
25	BA	14	U	C5'-C4'-O4'	-5.03	103.07	109.10
25	BA	72	G	C5-C6-N1	5.03	114.02	111.50
26	BB	1417	C	N3-C2-O2	-5.03	118.38	121.90
26	BB	1795	C	C4'-C3'-C2'	-5.03	97.57	102.60
26	BB	2344	U	C2-N1-C1'	5.03	123.73	117.70
26	BB	2375	G	N1-C2-N3	5.03	126.92	123.90
26	BB	2483	C	O4'-C1'-C2'	-5.03	100.77	105.80
26	BB	2582	G	N3-C4-N9	5.03	129.02	126.00
30	BF	94	GLN	CA-CB-CG	5.03	124.47	113.40
31	BG	19	PHE	CB-CG-CD1	5.03	124.32	120.80
1	AA	139	A	O4'-C1'-N9	-5.03	104.18	108.20
1	AA	1167	A	C8-N9-C4	-5.03	103.79	105.80
1	AA	1180	A	C5-C6-N1	5.03	120.21	117.70
1	AA	1210	C	C6-N1-C2	5.03	122.31	120.30
1	AA	1248	A	C5'-C4'-O4'	5.03	115.13	109.10
1	AA	1267	C	N1-C2-O2	5.03	121.92	118.90
1	AA	1400	C	O4'-C4'-C3'	5.03	110.12	106.10
26	BB	372	G	C8-N9-C4	-5.03	104.39	106.40
26	BB	852	U	N1-C1'-C2'	-5.03	106.47	112.00
26	BB	1650	A	C6-C5-N7	-5.03	128.78	132.30
26	BB	1716	U	C4-C5-C6	5.03	122.72	119.70
26	BB	1740	G	C8-N9-C1'	5.03	133.54	127.00
26	BB	1994	C	O4'-C1'-N1	5.03	112.22	108.20
26	BB	2178	C	N3-C4-N4	5.03	121.52	118.00
26	BB	2282	G	O4'-C4'-C3'	5.03	110.12	106.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2480	C	N3-C4-C5	5.03	123.91	121.90
26	BB	2855	C	N1-C2-O2	5.03	121.92	118.90
1	AA	78	A	C5-N7-C8	-5.03	101.39	103.90
1	AA	182	A	C8-N9-C4	-5.03	103.79	105.80
1	AA	260	G	C4'-C3'-C2'	-5.03	97.58	102.60
1	AA	454	G	N9-C4-C5	5.03	107.41	105.40
1	AA	936	C	C3'-C2'-C1'	-5.03	97.48	101.50
1	AA	1002	G	N9-C1'-C2'	-5.03	106.47	112.00
1	AA	1529	G	O4'-C1'-N9	5.03	112.22	108.20
3	AC	30	U	O4'-C4'-C3'	5.03	110.12	106.10
26	BB	80	G	C8-N9-C4	-5.03	104.39	106.40
26	BB	153	U	C5-C6-N1	-5.03	120.19	122.70
26	BB	216	A	C5-N7-C8	5.03	106.41	103.90
26	BB	411	G	C2-N3-C4	5.03	114.41	111.90
26	BB	673	C	C5'-C4'-O4'	5.03	115.13	109.10
26	BB	679	C	C2-N3-C4	5.03	122.41	119.90
26	BB	876	C	P-O3'-C3'	5.03	125.73	119.70
26	BB	928	A	N1-C6-N6	-5.03	115.58	118.60
26	BB	1156	A	C2-N3-C4	5.03	113.11	110.60
26	BB	1559	U	N1-C2-N3	5.03	117.92	114.90
26	BB	1625	C	O5'-C5'-C4'	-5.03	102.15	111.70
26	BB	1839	G	O4'-C1'-C2'	-5.03	100.77	105.80
26	BB	1941	C	C4'-C3'-C2'	5.03	107.63	102.60
26	BB	2285	C	C5-C4-N4	5.03	123.72	120.20
26	BB	2345	G	C3'-C2'-C1'	5.03	105.52	101.50
26	BB	2654	A	C4'-C3'-C2'	5.03	107.63	102.60
34	BJ	95	PHE	CG-CD1-CE1	-5.03	115.27	120.80
1	AA	403	C	O4'-C1'-C2'	5.02	112.12	107.60
1	AA	1326	U	N3-C4-C5	-5.02	111.58	114.60
1	AA	1506	U	N3-C4-O4	5.02	122.92	119.40
2	AB	27	C	O5'-C5'-C4'	-5.02	102.15	111.70
4	AD	27	G	C4-C5-C6	5.02	121.81	118.80
25	BA	81	G	C8-N9-C4	5.02	108.41	106.40
26	BB	483	A	C4-C5-N7	-5.02	108.19	110.70
26	BB	1392	A	N1-C6-N6	-5.02	115.58	118.60
26	BB	1923	U	C6-N1-C2	5.02	124.01	121.00
26	BB	1925	C	C4'-C3'-C2'	-5.02	97.58	102.60
26	BB	2178	C	N1-C2-N3	-5.02	115.68	119.20
26	BB	2426	A	C3'-C2'-C1'	-5.02	97.48	101.50
26	BB	2814	A	P-O3'-C3'	5.02	125.73	119.70
1	AA	356	A	C6-N1-C2	-5.02	115.59	118.60
1	AA	411	A	N9-C4-C5	5.02	107.81	105.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	602	A	N9-C1'-C2'	-5.02	106.47	112.00
1	AA	753	A	C5'-C4'-C3'	-5.02	107.96	116.00
1	AA	890	G	C5-C6-N1	5.02	114.01	111.50
1	AA	1261	A	N1-C2-N3	-5.02	126.79	129.30
1	AA	1263	C	O4'-C1'-C2'	-5.02	100.78	105.80
4	AD	1	C	N1-C2-O2	5.02	121.91	118.90
4	AD	31	G	N3-C4-N9	5.02	129.01	126.00
26	BB	137	U	O3'-P-O5'	-5.02	94.46	104.00
26	BB	340	A	C8-N9-C4	5.02	107.81	105.80
26	BB	574	A	C6-N1-C2	-5.02	115.59	118.60
26	BB	1294	U	O4'-C1'-N1	5.02	112.22	108.20
26	BB	1814	G	N3-C4-C5	-5.02	126.09	128.60
26	BB	2127	G	N3-C2-N2	5.02	123.42	119.90
26	BB	2129	C	C6-N1-C2	5.02	122.31	120.30
26	BB	2529	G	N1-C2-N3	5.02	126.91	123.90
26	BB	2576	G	N3-C4-N9	5.02	129.01	126.00
26	BB	2897	U	N1-C2-N3	5.02	117.91	114.90
30	BF	116	ASP	CB-CA-C	5.02	120.44	110.40
1	AA	683	G	C5-C6-O6	-5.02	125.59	128.60
1	AA	879	C	N3-C4-N4	5.02	121.51	118.00
1	AA	1400	C	C3'-C2'-C1'	5.02	105.52	101.50
26	BB	398	C	C6-N1-C2	5.02	122.31	120.30
26	BB	941	A	O4'-C1'-C2'	-5.02	100.78	105.80
26	BB	1326	U	C5'-C4'-O4'	5.02	115.12	109.10
26	BB	1427	A	C1'-O4'-C4'	-5.02	105.88	109.90
26	BB	2084	C	N1-C2-O2	5.02	121.91	118.90
1	AA	65	A	N1-C2-N3	-5.02	126.79	129.30
1	AA	398	U	N3-C2-O2	-5.02	118.69	122.20
1	AA	428	G	C5-C6-O6	-5.02	125.59	128.60
1	AA	566	G	N1-C2-N3	-5.02	120.89	123.90
1	AA	617	G	N7-C8-N9	5.02	115.61	113.10
1	AA	620	C	C5-C6-N1	-5.02	118.49	121.00
1	AA	642	A	N9-C1'-C2'	5.02	120.52	114.00
1	AA	806	C	C2-N3-C4	5.02	122.41	119.90
1	AA	1019	A	C1'-O4'-C4'	5.02	113.92	109.90
1	AA	1092	A	O4'-C4'-C3'	5.02	110.12	106.10
1	AA	1157	A	C4-C5-N7	-5.02	108.19	110.70
7	AG	110	ARG	NE-CZ-NH2	-5.02	117.79	120.30
26	BB	396	G	N1-C6-O6	5.02	122.91	119.90
26	BB	457	A	C4'-C3'-C2'	-5.02	97.58	102.60
26	BB	478	A	C5-N7-C8	5.02	106.41	103.90
26	BB	539	G	N1-C2-N2	-5.02	111.68	116.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	631	A	N9-C1'-C2'	-5.02	106.48	112.00
26	BB	714	U	N3-C2-O2	-5.02	118.69	122.20
26	BB	771	G	C3'-C2'-C1'	5.02	105.52	101.50
26	BB	846	U	C5-C6-N1	-5.02	120.19	122.70
26	BB	920	A	O4'-C1'-N9	5.02	112.22	108.20
26	BB	1323	C	O4'-C1'-C2'	5.02	112.12	107.60
26	BB	1428	C	C5'-C4'-O4'	5.02	115.12	109.10
26	BB	1704	C	P-O5'-C5'	5.02	128.93	120.90
26	BB	1733	G	C5'-C4'-C3'	-5.02	107.97	116.00
26	BB	2238	G	O5'-P-OP1	-5.02	101.18	105.70
26	BB	2379	G	C4'-C3'-C2'	-5.02	97.58	102.60
26	BB	2491	U	O5'-C5'-C4'	-5.02	102.16	111.70
26	BB	2566	A	P-O3'-C3'	5.02	125.72	119.70
42	BR	20	ARG	CD-NE-CZ	5.02	130.63	123.60
1	AA	193	C	O4'-C1'-C2'	5.02	112.12	107.60
1	AA	384	G	C3'-C2'-C1'	-5.02	97.49	101.50
1	AA	518	C	C2-N3-C4	5.02	122.41	119.90
1	AA	676	A	C4-C5-C6	5.02	119.51	117.00
1	AA	727	G	N1-C6-O6	-5.02	116.89	119.90
1	AA	1380	U	N3-C2-O2	-5.02	118.69	122.20
8	AH	122	VAL	CG1-CB-CG2	5.02	118.93	110.90
25	BA	20	G	C1'-O4'-C4'	-5.02	105.89	109.90
26	BB	168	G	N3-C4-C5	-5.02	126.09	128.60
26	BB	312	G	C4-N9-C1'	-5.02	119.98	126.50
26	BB	1040	A	C5'-C4'-C3'	-5.02	107.97	116.00
26	BB	1697	G	C2-N3-C4	5.02	114.41	111.90
26	BB	2000	C	C4-C5-C6	-5.02	114.89	117.40
26	BB	2106	U	C1'-O4'-C4'	5.02	113.91	109.90
26	BB	2273	A	C6-N1-C2	5.02	121.61	118.60
26	BB	2533	U	C6-N1-C2	5.02	124.01	121.00
26	BB	2569	G	C6-N1-C2	-5.02	122.09	125.10
32	BH	128	THR	CA-CB-OG1	5.02	119.54	109.00
1	AA	146	G	N9-C1'-C2'	-5.02	106.48	112.00
1	AA	253	A	N1-C6-N6	-5.02	115.59	118.60
1	AA	1244	G	C1'-O4'-C4'	-5.02	105.89	109.90
25	BA	78	A	P-O5'-C5'	5.02	128.93	120.90
26	BB	256	A	C6-C5-N7	5.02	135.81	132.30
26	BB	274	C	C6-N1-C2	5.02	122.31	120.30
26	BB	760	G	C5-C6-N1	5.02	114.01	111.50
26	BB	949	G	C5-C6-O6	-5.02	125.59	128.60
26	BB	1095	A	N3-C4-N9	5.02	131.41	127.40
26	BB	1199	U	N1-C2-N3	5.02	117.91	114.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1504	A	C8-N9-C4	5.02	107.81	105.80
26	BB	2061	G	C1'-O4'-C4'	5.02	113.91	109.90
26	BB	2420	C	C2-N3-C4	5.02	122.41	119.90
28	BD	97	ASP	C-N-CA	5.02	132.83	122.30
34	BJ	68	PHE	CB-CG-CD1	-5.02	117.29	120.80
1	AA	185	U	C5-C6-N1	5.01	125.21	122.70
1	AA	264	C	O5'-C5'-C4'	5.01	121.23	111.70
1	AA	298	A	C5-C6-N1	-5.01	115.19	117.70
1	AA	455	G	O4'-C1'-N9	5.01	112.21	108.20
1	AA	564	C	C4-C5-C6	5.01	119.91	117.40
1	AA	823	C	N3-C2-O2	-5.01	118.39	121.90
1	AA	897	C	O4'-C1'-N1	5.01	112.21	108.20
1	AA	942	G	C1'-O4'-C4'	5.01	113.91	109.90
1	AA	1465	A	N3-C4-N9	5.01	131.41	127.40
26	BB	590	A	N7-C8-N9	5.01	116.31	113.80
26	BB	606	U	N1-C2-N3	5.01	117.91	114.90
26	BB	873	C	C2-N1-C1'	-5.01	113.28	118.80
26	BB	1155	A	C8-N9-C1'	5.01	136.72	127.70
26	BB	1637	A	C6-C5-N7	-5.01	128.79	132.30
26	BB	2199	A	C1'-O4'-C4'	5.01	113.91	109.90
26	BB	2249	U	C6-N1-C2	-5.01	117.99	121.00
26	BB	2848	G	N9-C1'-C2'	5.01	120.52	114.00
34	BJ	55	ARG	NE-CZ-NH1	5.01	122.81	120.30
36	BL	71	ASP	CB-CG-OD2	-5.01	113.79	118.30
50	BZ	77	TYR	CB-CG-CD1	-5.01	117.99	121.00
1	AA	445	G	C4'-C3'-C2'	-5.01	97.59	102.60
1	AA	897	C	C2-N3-C4	5.01	122.41	119.90
16	AP	95	PRO	N-CD-CG	5.01	110.72	103.20
26	BB	391	A	N3-C4-N9	5.01	131.41	127.40
26	BB	518	G	N3-C4-C5	-5.01	126.09	128.60
26	BB	967	U	C4-C5-C6	-5.01	116.69	119.70
26	BB	1702	G	O4'-C1'-C2'	5.01	112.11	107.60
26	BB	1723	G	N1-C2-N2	5.01	120.71	116.20
1	AA	147	G	P-O3'-C3'	5.01	125.71	119.70
1	AA	304	U	C4'-C3'-C2'	-5.01	97.59	102.60
1	AA	823	C	C5-C6-N1	-5.01	118.49	121.00
1	AA	848	C	C5-C6-N1	5.01	123.51	121.00
1	AA	896	C	P-O3'-C3'	5.01	125.71	119.70
1	AA	1279	G	N1-C2-N3	5.01	126.91	123.90
1	AA	1524	C	C4-C5-C6	-5.01	114.89	117.40
12	AL	4	GLN	N-CA-CB	5.01	119.62	110.60
25	BA	84	G	C4-C5-N7	-5.01	108.80	110.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	52	A	N9-C4-C5	-5.01	103.80	105.80
26	BB	274	C	C5-C4-N4	-5.01	116.69	120.20
26	BB	287	G	N9-C4-C5	5.01	107.41	105.40
26	BB	731	C	C5-C6-N1	-5.01	118.49	121.00
26	BB	804	A	C8-N9-C4	-5.01	103.80	105.80
26	BB	981	A	C5-N7-C8	-5.01	101.39	103.90
26	BB	1413	A	C5'-C4'-O4'	-5.01	103.09	109.10
26	BB	1589	U	C4'-C3'-C2'	-5.01	97.59	102.60
26	BB	2082	A	C6-N1-C2	-5.01	115.59	118.60
26	BB	2349	G	C8-N9-C4	5.01	108.41	106.40
26	BB	2632	A	N1-C6-N6	-5.01	115.59	118.60
26	BB	2857	G	C8-N9-C4	-5.01	104.39	106.40
1	AA	177	G	C2-N3-C4	5.01	114.40	111.90
1	AA	245	U	N1-C1'-C2'	-5.01	106.49	112.00
1	AA	544	G	C8-N9-C4	-5.01	104.40	106.40
1	AA	617	G	C8-N9-C4	-5.01	104.40	106.40
1	AA	1291	U	O4'-C1'-N1	5.01	112.21	108.20
3	AC	48	C	N1-C2-N3	-5.01	115.69	119.20
8	AH	110	MET	CG-SD-CE	-5.01	92.18	100.20
26	BB	107	G	C8-N9-C1'	5.01	133.51	127.00
26	BB	167	A	N9-C4-C5	5.01	107.80	105.80
26	BB	178	G	C4-C5-N7	5.01	112.80	110.80
26	BB	312	G	N7-C8-N9	-5.01	110.59	113.10
26	BB	449	A	C6-C5-N7	5.01	135.81	132.30
26	BB	794	A	N7-C8-N9	-5.01	111.30	113.80
26	BB	1089	A	C2-N3-C4	5.01	113.11	110.60
26	BB	1126	A	C8-N9-C4	-5.01	103.80	105.80
26	BB	1221	C	C2-N3-C4	5.01	122.41	119.90
26	BB	1427	A	C4'-C3'-C2'	-5.01	97.59	102.60
26	BB	1577	C	O3'-P-O5'	5.01	113.52	104.00
26	BB	1886	U	N3-C4-C5	-5.01	111.59	114.60
26	BB	1934	C	O5'-C5'-C4'	5.01	121.22	111.70
26	BB	2372	U	O4'-C4'-C3'	-5.01	98.99	104.00
26	BB	2387	U	C5-C4-O4	-5.01	122.89	125.90
32	BH	61	TRP	NE1-CE2-CD2	-5.01	102.29	107.30
45	BU	75	PHE	O-C-N	5.01	130.72	122.70
1	AA	183	C	C6-N1-C2	5.01	122.30	120.30
1	AA	233	C	O4'-C1'-N1	5.01	112.21	108.20
1	AA	249	U	C2-N1-C1'	5.01	123.71	117.70
1	AA	422	C	N3-C4-N4	5.01	121.50	118.00
1	AA	554	A	C5-C6-N1	5.01	120.20	117.70
1	AA	1457	G	P-O5'-C5'	-5.01	112.89	120.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	40	U	P-O5'-C5'	5.01	128.91	120.90
26	BB	231	A	P-O3'-C3'	5.01	125.71	119.70
26	BB	1034	G	O4'-C4'-C3'	5.01	110.11	106.10
26	BB	1325	U	C6-N1-C2	-5.01	118.00	121.00
26	BB	1584	U	C5'-C4'-O4'	5.01	115.11	109.10
26	BB	1797	G	C6-N1-C2	5.01	128.10	125.10
26	BB	1953	A	N1-C6-N6	5.01	121.61	118.60
26	BB	1986	C	C4-C5-C6	5.01	119.90	117.40
26	BB	2070	A	O5'-C5'-C4'	5.01	121.22	111.70
26	BB	2333	A	C6-C5-N7	5.01	135.81	132.30
26	BB	2663	G	C2'-C3'-O3'	5.01	121.71	113.70
1	AA	587	G	C4-C5-N7	-5.01	108.80	110.80
1	AA	652	U	C5-C4-O4	-5.01	122.90	125.90
1	AA	698	G	O4'-C1'-N9	5.01	112.20	108.20
1	AA	1365	G	O3'-P-O5'	-5.01	94.49	104.00
4	AD	62	C	C5-C6-N1	5.01	123.50	121.00
16	AP	111	PRO	N-CA-CB	5.01	109.31	103.30
26	BB	145	C	N1-C1'-C2'	-5.01	106.49	112.00
26	BB	190	A	N7-C8-N9	5.01	116.30	113.80
26	BB	407	G	P-O3'-C3'	-5.01	113.69	119.70
26	BB	451	U	C3'-C2'-C1'	5.01	105.50	101.50
26	BB	731	C	N3-C4-C5	5.01	123.90	121.90
26	BB	1087	G	C3'-C2'-C1'	5.01	105.50	101.50
26	BB	1257	C	N3-C2-O2	-5.01	118.40	121.90
26	BB	1581	G	C3'-C2'-C1'	5.01	105.50	101.50
26	BB	1786	A	C1'-O4'-C4'	-5.01	105.89	109.90
26	BB	1842	G	C3'-C2'-C1'	-5.01	97.50	101.50
26	BB	1999	C	C5'-C4'-O4'	5.01	115.11	109.10
26	BB	2136	G	C5-N7-C8	-5.01	101.80	104.30
26	BB	2208	C	N3-C2-O2	-5.01	118.39	121.90
26	BB	2364	C	C5-C6-N1	5.01	123.50	121.00
26	BB	2484	G	C4-C5-C6	5.01	121.80	118.80
26	BB	2654	A	N3-C4-C5	5.01	130.31	126.80
26	BB	2838	G	O4'-C4'-C3'	5.01	110.11	106.10
38	BN	126	ARG	NH1-CZ-NH2	5.01	124.91	119.40
1	AA	580	C	N1-C1'-C2'	-5.00	106.50	112.00
1	AA	1401	G	C4-C5-C6	-5.00	115.80	118.80
26	BB	167	A	C5-N7-C8	-5.00	101.40	103.90
26	BB	682	G	C4-N9-C1'	-5.00	119.99	126.50
26	BB	1294	U	P-O3'-C3'	5.00	125.71	119.70
26	BB	1648	U	N1-C1'-C2'	-5.00	106.49	112.00
26	BB	1816	C	C4'-C3'-C2'	-5.00	97.59	102.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2319	G	O4'-C1'-N9	5.00	112.20	108.20
26	BB	2545	G	N1-C2-N3	-5.00	120.90	123.90
1	AA	199	A	C5-C6-N6	-5.00	119.70	123.70
1	AA	276	G	O4'-C4'-C3'	-5.00	99.00	104.00
1	AA	441	A	C4-C5-N7	5.00	113.20	110.70
1	AA	600	A	N9-C1'-C2'	-5.00	106.50	112.00
1	AA	704	A	N1-C6-N6	-5.00	115.60	118.60
1	AA	1319	A	C5-C6-N6	-5.00	119.70	123.70
1	AA	1496	C	C6-N1-C2	-5.00	118.30	120.30
26	BB	112	U	N3-C4-O4	5.00	122.90	119.40
26	BB	398	C	C2-N1-C1'	-5.00	113.30	118.80
26	BB	836	G	C5-C6-N1	5.00	114.00	111.50
26	BB	1238	G	N1-C6-O6	5.00	122.90	119.90
26	BB	1259	G	N9-C4-C5	5.00	107.40	105.40
26	BB	1446	C	O3'-P-O5'	-5.00	94.49	104.00
26	BB	1574	C	C5-C6-N1	-5.00	118.50	121.00
26	BB	1826	G	C5-C6-N1	5.00	114.00	111.50
26	BB	2140	G	C5-C6-O6	-5.00	125.60	128.60
26	BB	2271	G	C6-N1-C2	-5.00	122.10	125.10
26	BB	2393	U	C2-N3-C4	-5.00	124.00	127.00
26	BB	2643	G	C4-N9-C1'	-5.00	120.00	126.50
26	BB	2707	U	O4'-C1'-C2'	-5.00	100.80	105.80
26	BB	2744	G	N3-C4-C5	-5.00	126.10	128.60
26	BB	2747	G	O4'-C4'-C3'	-5.00	99.00	104.00
28	BD	190	THR	CA-CB-CG2	5.00	119.40	112.40
45	BU	11	ARG	NE-CZ-NH2	-5.00	117.80	120.30
1	AA	149	A	N3-C4-N9	5.00	131.40	127.40
1	AA	746	A	C6-C5-N7	5.00	135.80	132.30
1	AA	1371	G	C5-C6-O6	-5.00	125.60	128.60
3	AC	43	U	N3-C4-C5	-5.00	111.60	114.60
26	BB	36	G	C3'-C2'-C1'	-5.00	97.50	101.50
26	BB	71	A	C6-N1-C2	-5.00	115.60	118.60
26	BB	142	A	C5-N7-C8	-5.00	101.40	103.90
26	BB	388	G	N3-C4-N9	-5.00	123.00	126.00
26	BB	496	G	C6-N1-C2	-5.00	122.10	125.10
26	BB	733	G	C5-C6-O6	5.00	131.60	128.60
26	BB	1089	A	N3-C4-N9	5.00	131.40	127.40
26	BB	1342	A	C5-N7-C8	5.00	106.40	103.90
26	BB	1382	G	C6-C5-N7	-5.00	127.40	130.40
26	BB	1512	C	C6-N1-C2	5.00	122.30	120.30
26	BB	1750	G	N3-C4-N9	-5.00	123.00	126.00
26	BB	2545	G	O4'-C1'-N9	5.00	112.20	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2702	G	C5'-C4'-C3'	-5.00	108.00	116.00
34	BJ	137	ARG	NE-CZ-NH2	-5.00	117.80	120.30
36	BL	25	LEU	O-C-N	-5.00	114.70	123.20

There are no chirality outliers.

All (2949) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	AA	100	G	Sidechain
1	AA	1000	A	Sidechain
1	AA	1002	G	Sidechain
1	AA	1003	G	Sidechain
1	AA	1006	G	Sidechain
1	AA	1008	U	Sidechain
1	AA	1009	U	Sidechain
1	AA	1011	C	Sidechain
1	AA	1012	A	Sidechain
1	AA	1014	A	Sidechain
1	AA	1016	A	Sidechain
1	AA	1017	U	Sidechain
1	AA	1021	A	Sidechain
1	AA	1022	A	Sidechain
1	AA	1023	U	Sidechain
1	AA	1024	G	Sidechain
1	AA	1025	U	Sidechain
1	AA	1026	G	Sidechain
1	AA	1028	C	Sidechain
1	AA	1030	U	Sidechain
1	AA	1033	G	Sidechain
1	AA	1034	G	Sidechain
1	AA	1036	A	Sidechain
1	AA	1038	C	Sidechain
1	AA	1039	G	Sidechain
1	AA	1040	U	Sidechain
1	AA	1041	G	Sidechain
1	AA	1042	A	Sidechain
1	AA	1043	G	Sidechain
1	AA	1044	A	Sidechain
1	AA	1045	C	Sidechain
1	AA	1046	A	Sidechain
1	AA	1049	U	Sidechain
1	AA	1050	G	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
1	AA	1052	U	Sidechain
1	AA	1053	G	Sidechain
1	AA	1054	C	Sidechain
1	AA	1055	A	Sidechain
1	AA	1056	U	Sidechain
1	AA	1059	C	Sidechain
1	AA	106	C	Sidechain
1	AA	1060	U	Sidechain
1	AA	1061	G	Sidechain
1	AA	1062	U	Sidechain
1	AA	1063	C	Sidechain
1	AA	1064	G	Sidechain
1	AA	1066	C	Sidechain
1	AA	1067	A	Sidechain
1	AA	1068	G	Sidechain
1	AA	107	G	Sidechain
1	AA	1070	U	Sidechain
1	AA	1071	C	Sidechain
1	AA	1073	U	Sidechain
1	AA	1074	G	Sidechain
1	AA	1075	U	Sidechain
1	AA	1076	U	Sidechain
1	AA	1077	G	Sidechain
1	AA	1079	G	Sidechain
1	AA	108	G	Sidechain
1	AA	1080	A	Sidechain
1	AA	1081	A	Sidechain
1	AA	1087	G	Sidechain
1	AA	1089	G	Sidechain
1	AA	1090	U	Sidechain
1	AA	1092	A	Sidechain
1	AA	1093	A	Sidechain
1	AA	1094	G	Sidechain
1	AA	1096	C	Sidechain
1	AA	1099	G	Sidechain
1	AA	11	G	Sidechain
1	AA	1100	C	Sidechain
1	AA	1106	G	Sidechain
1	AA	1108	G	Sidechain
1	AA	1109	C	Sidechain
1	AA	111	G	Sidechain
1	AA	1110	A	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
1	AA	1114	C	Sidechain
1	AA	1116	U	Sidechain
1	AA	112	G	Sidechain
1	AA	1122	U	Sidechain
1	AA	1123	U	Sidechain
1	AA	1124	G	Sidechain
1	AA	1125	U	Sidechain
1	AA	1126	U	Sidechain
1	AA	1127	G	Sidechain
1	AA	1128	C	Sidechain
1	AA	1129	C	Sidechain
1	AA	113	G	Sidechain
1	AA	1131	G	Sidechain
1	AA	1132	C	Sidechain
1	AA	1133	G	Sidechain
1	AA	1134	G	Sidechain
1	AA	1135	U	Sidechain
1	AA	1136	C	Sidechain
1	AA	1138	G	Sidechain
1	AA	1139	G	Sidechain
1	AA	1140	C	Sidechain
1	AA	1143	G	Sidechain
1	AA	1145	A	Sidechain
1	AA	1148	U	Sidechain
1	AA	1149	C	Sidechain
1	AA	1150	A	Sidechain
1	AA	1151	A	Sidechain
1	AA	1152	A	Sidechain
1	AA	1153	G	Sidechain
1	AA	1155	A	Sidechain
1	AA	1159	U	Sidechain
1	AA	116	A	Sidechain
1	AA	1161	C	Sidechain
1	AA	1162	C	Sidechain
1	AA	1164	G	Sidechain
1	AA	1165	U	Sidechain
1	AA	1166	G	Sidechain
1	AA	1167	A	Sidechain
1	AA	117	G	Sidechain
1	AA	1170	A	Sidechain
1	AA	1171	A	Sidechain
1	AA	1173	U	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
1	AA	1174	G	Sidechain
1	AA	1175	G	Sidechain
1	AA	1177	G	Sidechain
1	AA	1178	G	Sidechain
1	AA	1179	A	Sidechain
1	AA	1181	G	Sidechain
1	AA	1182	G	Sidechain
1	AA	1183	U	Sidechain
1	AA	1185	G	Sidechain
1	AA	1187	G	Sidechain
1	AA	1190	G	Sidechain
1	AA	1197	A	Sidechain
1	AA	1199	U	Sidechain
1	AA	12	U	Sidechain
1	AA	120	A	Sidechain
1	AA	1201	A	Sidechain
1	AA	1202	U	Sidechain
1	AA	1203	C	Sidechain
1	AA	1204	A	Sidechain
1	AA	1205	U	Sidechain
1	AA	1206	G	Sidechain
1	AA	1209	C	Sidechain
1	AA	121	U	Sidechain
1	AA	1211	U	Sidechain
1	AA	1213	A	Sidechain
1	AA	1214	C	Sidechain
1	AA	1215	G	Sidechain
1	AA	1216	A	Sidechain
1	AA	1218	C	Sidechain
1	AA	1219	A	Sidechain
1	AA	122	G	Sidechain
1	AA	1220	G	Sidechain
1	AA	1222	G	Sidechain
1	AA	1223	C	Sidechain
1	AA	1224	U	Sidechain
1	AA	123	U	Sidechain
1	AA	1230	C	Sidechain
1	AA	1231	G	Sidechain
1	AA	1232	U	Sidechain
1	AA	1233	G	Sidechain
1	AA	1234	C	Sidechain
1	AA	1236	A	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
1	AA	1239	A	Sidechain
1	AA	124	C	Sidechain
1	AA	1240	U	Sidechain
1	AA	1241	G	Sidechain
1	AA	1243	C	Sidechain
1	AA	1250	A	Sidechain
1	AA	1253	G	Sidechain
1	AA	1254	A	Sidechain
1	AA	1255	G	Sidechain
1	AA	1258	G	Sidechain
1	AA	126	G	Sidechain
1	AA	1260	G	Sidechain
1	AA	1264	U	Sidechain
1	AA	1266	G	Sidechain
1	AA	1269	A	Sidechain
1	AA	127	G	Sidechain
1	AA	1271	A	Sidechain
1	AA	1272	G	Sidechain
1	AA	1274	A	Sidechain
1	AA	1277	C	Sidechain
1	AA	1278	G	Sidechain
1	AA	1279	G	Sidechain
1	AA	128	G	Sidechain
1	AA	1282	C	Sidechain
1	AA	1284	C	Sidechain
1	AA	1289	A	Sidechain
1	AA	129	A	Sidechain
1	AA	1292	G	Sidechain
1	AA	1293	C	Sidechain
1	AA	1295	U	Sidechain
1	AA	1298	U	Sidechain
1	AA	130	A	Sidechain
1	AA	1300	G	Sidechain
1	AA	1301	U	Sidechain
1	AA	1302	C	Sidechain
1	AA	1303	C	Sidechain
1	AA	1304	G	Sidechain
1	AA	1305	G	Sidechain
1	AA	1308	U	Sidechain
1	AA	1309	G	Sidechain
1	AA	131	A	Sidechain
1	AA	1310	G	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
1	AA	1312	G	Sidechain
1	AA	1316	G	Sidechain
1	AA	1317	C	Sidechain
1	AA	1319	A	Sidechain
1	AA	1321	U	Sidechain
1	AA	1322	C	Sidechain
1	AA	1323	G	Sidechain
1	AA	1326	U	Sidechain
1	AA	133	U	Sidechain
1	AA	1330	U	Sidechain
1	AA	1332	A	Sidechain
1	AA	1334	G	Sidechain
1	AA	1335	U	Sidechain
1	AA	1336	C	Sidechain
1	AA	1337	G	Sidechain
1	AA	1338	G	Sidechain
1	AA	1339	A	Sidechain
1	AA	134	G	Sidechain
1	AA	1341	U	Sidechain
1	AA	1342	C	Sidechain
1	AA	1343	G	Sidechain
1	AA	1344	C	Sidechain
1	AA	1345	U	Sidechain
1	AA	1346	A	Sidechain
1	AA	1347	G	Sidechain
1	AA	1348	U	Sidechain
1	AA	1350	A	Sidechain
1	AA	1351	U	Sidechain
1	AA	1352	C	Sidechain
1	AA	1354	U	Sidechain
1	AA	1355	G	Sidechain
1	AA	1356	G	Sidechain
1	AA	1357	A	Sidechain
1	AA	1358	U	Sidechain
1	AA	1359	C	Sidechain
1	AA	136	C	Sidechain
1	AA	1360	A	Sidechain
1	AA	1361	G	Sidechain
1	AA	1362	A	Sidechain
1	AA	1363	A	Sidechain
1	AA	1364	U	Sidechain
1	AA	1365	G	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
1	AA	1366	C	Sidechain
1	AA	1367	C	Sidechain
1	AA	1368	A	Sidechain
1	AA	1369	C	Sidechain
1	AA	137	U	Sidechain
1	AA	1370	G	Sidechain
1	AA	1371	G	Sidechain
1	AA	1373	G	Sidechain
1	AA	1374	A	Sidechain
1	AA	1375	A	Sidechain
1	AA	1376	U	Sidechain
1	AA	1379	G	Sidechain
1	AA	138	G	Sidechain
1	AA	1381	U	Sidechain
1	AA	1382	C	Sidechain
1	AA	1383	C	Sidechain
1	AA	1386	G	Sidechain
1	AA	1388	C	Sidechain
1	AA	139	A	Sidechain
1	AA	1390	U	Sidechain
1	AA	1392	G	Sidechain
1	AA	1393	U	Sidechain
1	AA	1395	C	Sidechain
1	AA	1396	A	Sidechain
1	AA	140	U	Sidechain
1	AA	1403	C	Sidechain
1	AA	1404	C	Sidechain
1	AA	1405	G	Sidechain
1	AA	1408	A	Sidechain
1	AA	1409	C	Sidechain
1	AA	141	G	Sidechain
1	AA	1412	C	Sidechain
1	AA	1413	A	Sidechain
1	AA	1415	G	Sidechain
1	AA	1416	G	Sidechain
1	AA	1417	G	Sidechain
1	AA	142	G	Sidechain
1	AA	1421	G	Sidechain
1	AA	1422	G	Sidechain
1	AA	1423	G	Sidechain
1	AA	1426	G	Sidechain
1	AA	1427	C	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
1	AA	143	A	Sidechain
1	AA	1430	A	Sidechain
1	AA	1431	A	Sidechain
1	AA	1432	G	Sidechain
1	AA	1434	A	Sidechain
1	AA	1435	G	Sidechain
1	AA	1436	U	Sidechain
1	AA	1437	A	Sidechain
1	AA	1438	G	Sidechain
1	AA	144	G	Sidechain
1	AA	1440	U	Sidechain
1	AA	1445	U	Sidechain
1	AA	1446	A	Sidechain
1	AA	145	G	Sidechain
1	AA	1450	U	Sidechain
1	AA	1452	C	Sidechain
1	AA	1453	G	Sidechain
1	AA	1456	A	Sidechain
1	AA	1461	G	Sidechain
1	AA	1462	C	Sidechain
1	AA	1463	U	Sidechain
1	AA	1464	U	Sidechain
1	AA	147	G	Sidechain
1	AA	1470	U	Sidechain
1	AA	1473	G	Sidechain
1	AA	1475	G	Sidechain
1	AA	1476	A	Sidechain
1	AA	1478	U	Sidechain
1	AA	148	G	Sidechain
1	AA	1482	G	Sidechain
1	AA	1485	U	Sidechain
1	AA	1487	G	Sidechain
1	AA	1488	G	Sidechain
1	AA	1489	G	Sidechain
1	AA	1491	G	Sidechain
1	AA	1495	U	Sidechain
1	AA	1497	G	Sidechain
1	AA	1499	A	Sidechain
1	AA	1502	A	Sidechain
1	AA	1504	G	Sidechain
1	AA	1507	A	Sidechain
1	AA	1508	A	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
1	AA	151	A	Sidechain
1	AA	1511	G	Sidechain
1	AA	1512	U	Sidechain
1	AA	1513	A	Sidechain
1	AA	1514	G	Sidechain
1	AA	1515	G	Sidechain
1	AA	1517	G	Sidechain
1	AA	152	A	Sidechain
1	AA	1523	G	Sidechain
1	AA	1524	C	Sidechain
1	AA	1525	G	Sidechain
1	AA	1527	U	Sidechain
1	AA	1528	U	Sidechain
1	AA	153	C	Sidechain
1	AA	1530	G	Sidechain
1	AA	1531	A	Sidechain
1	AA	1534	A	Sidechain
1	AA	1535	C	Sidechain
1	AA	1537	U	Sidechain
1	AA	1539	C	Sidechain
1	AA	1541	U	Sidechain
1	AA	158	G	Sidechain
1	AA	159	G	Sidechain
1	AA	16	A	Sidechain
1	AA	161	A	Sidechain
1	AA	164	G	Sidechain
1	AA	165	G	Sidechain
1	AA	167	A	Sidechain
1	AA	169	C	Sidechain
1	AA	170	U	Sidechain
1	AA	172	A	Sidechain
1	AA	178	C	Sidechain
1	AA	18	C	Sidechain
1	AA	180	U	Sidechain
1	AA	181	A	Sidechain
1	AA	182	A	Sidechain
1	AA	183	C	Sidechain
1	AA	184	G	Sidechain
1	AA	185	U	Sidechain
1	AA	187	G	Sidechain
1	AA	190	A	Sidechain
1	AA	191	G	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
1	AA	192	A	Sidechain
1	AA	193	C	Sidechain
1	AA	194	C	Sidechain
1	AA	196	A	Sidechain
1	AA	197	A	Sidechain
1	AA	198	G	Sidechain
1	AA	199	A	Sidechain
1	AA	20	U	Sidechain
1	AA	200	G	Sidechain
1	AA	202	G	Sidechain
1	AA	203	G	Sidechain
1	AA	204	G	Sidechain
1	AA	206	C	Sidechain
1	AA	208	U	Sidechain
1	AA	210	C	Sidechain
1	AA	211	G	Sidechain
1	AA	213	G	Sidechain
1	AA	214	C	Sidechain
1	AA	216	U	Sidechain
1	AA	218	U	Sidechain
1	AA	219	U	Sidechain
1	AA	220	G	Sidechain
1	AA	223	A	Sidechain
1	AA	225	C	Sidechain
1	AA	226	G	Sidechain
1	AA	227	G	Sidechain
1	AA	230	G	Sidechain
1	AA	233	C	Sidechain
1	AA	234	C	Sidechain
1	AA	236	A	Sidechain
1	AA	238	A	Sidechain
1	AA	239	U	Sidechain
1	AA	24	U	Sidechain
1	AA	240	G	Sidechain
1	AA	241	G	Sidechain
1	AA	244	U	Sidechain
1	AA	247	G	Sidechain
1	AA	248	C	Sidechain
1	AA	249	U	Sidechain
1	AA	250	A	Sidechain
1	AA	253	A	Sidechain
1	AA	254	G	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
1	AA	255	G	Sidechain
1	AA	256	U	Sidechain
1	AA	257	G	Sidechain
1	AA	258	G	Sidechain
1	AA	26	A	Sidechain
1	AA	260	G	Sidechain
1	AA	261	U	Sidechain
1	AA	262	A	Sidechain
1	AA	264	C	Sidechain
1	AA	265	G	Sidechain
1	AA	267	C	Sidechain
1	AA	27	G	Sidechain
1	AA	271	C	Sidechain
1	AA	274	A	Sidechain
1	AA	275	G	Sidechain
1	AA	276	G	Sidechain
1	AA	278	G	Sidechain
1	AA	282	A	Sidechain
1	AA	283	U	Sidechain
1	AA	285	C	Sidechain
1	AA	286	C	Sidechain
1	AA	288	A	Sidechain
1	AA	289	G	Sidechain
1	AA	291	U	Sidechain
1	AA	292	G	Sidechain
1	AA	297	G	Sidechain
1	AA	298	A	Sidechain
1	AA	299	G	Sidechain
1	AA	3	A	Sidechain
1	AA	301	G	Sidechain
1	AA	302	G	Sidechain
1	AA	303	A	Sidechain
1	AA	307	C	Sidechain
1	AA	308	C	Sidechain
1	AA	311	C	Sidechain
1	AA	312	C	Sidechain
1	AA	313	A	Sidechain
1	AA	314	C	Sidechain
1	AA	316	C	Sidechain
1	AA	318	G	Sidechain
1	AA	319	G	Sidechain
1	AA	32	A	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
1	AA	323	U	Sidechain
1	AA	324	G	Sidechain
1	AA	325	A	Sidechain
1	AA	326	G	Sidechain
1	AA	328	C	Sidechain
1	AA	329	A	Sidechain
1	AA	330	C	Sidechain
1	AA	331	G	Sidechain
1	AA	332	G	Sidechain
1	AA	333	U	Sidechain
1	AA	335	C	Sidechain
1	AA	336	A	Sidechain
1	AA	337	G	Sidechain
1	AA	338	A	Sidechain
1	AA	340	U	Sidechain
1	AA	341	C	Sidechain
1	AA	342	C	Sidechain
1	AA	348	G	Sidechain
1	AA	35	G	Sidechain
1	AA	351	G	Sidechain
1	AA	352	C	Sidechain
1	AA	354	G	Sidechain
1	AA	355	C	Sidechain
1	AA	356	A	Sidechain
1	AA	359	G	Sidechain
1	AA	36	C	Sidechain
1	AA	361	G	Sidechain
1	AA	362	G	Sidechain
1	AA	365	U	Sidechain
1	AA	366	A	Sidechain
1	AA	367	U	Sidechain
1	AA	369	G	Sidechain
1	AA	37	U	Sidechain
1	AA	370	C	Sidechain
1	AA	372	C	Sidechain
1	AA	373	A	Sidechain
1	AA	374	A	Sidechain
1	AA	378	G	Sidechain
1	AA	380	G	Sidechain
1	AA	382	A	Sidechain
1	AA	383	A	Sidechain
1	AA	384	G	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
1	AA	386	C	Sidechain
1	AA	388	G	Sidechain
1	AA	389	A	Sidechain
1	AA	390	U	Sidechain
1	AA	391	G	Sidechain
1	AA	392	C	Sidechain
1	AA	393	A	Sidechain
1	AA	394	G	Sidechain
1	AA	396	C	Sidechain
1	AA	397	A	Sidechain
1	AA	398	U	Sidechain
1	AA	399	G	Sidechain
1	AA	4	U	Sidechain
1	AA	402	G	Sidechain
1	AA	403	C	Sidechain
1	AA	404	G	Sidechain
1	AA	406	G	Sidechain
1	AA	409	U	Sidechain
1	AA	41	G	Sidechain
1	AA	410	G	Sidechain
1	AA	412	A	Sidechain
1	AA	413	G	Sidechain
1	AA	415	A	Sidechain
1	AA	416	G	Sidechain
1	AA	417	G	Sidechain
1	AA	418	C	Sidechain
1	AA	419	C	Sidechain
1	AA	421	U	Sidechain
1	AA	423	G	Sidechain
1	AA	425	G	Sidechain
1	AA	428	G	Sidechain
1	AA	430	A	Sidechain
1	AA	432	A	Sidechain
1	AA	435	A	Sidechain
1	AA	436	C	Sidechain
1	AA	44	A	Sidechain
1	AA	441	A	Sidechain
1	AA	442	G	Sidechain
1	AA	443	C	Sidechain
1	AA	445	G	Sidechain
1	AA	446	G	Sidechain
1	AA	447	G	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
1	AA	448	A	Sidechain
1	AA	450	G	Sidechain
1	AA	455	G	Sidechain
1	AA	458	U	Sidechain
1	AA	459	A	Sidechain
1	AA	462	G	Sidechain
1	AA	465	A	Sidechain
1	AA	466	A	Sidechain
1	AA	47	C	Sidechain
1	AA	474	G	Sidechain
1	AA	475	C	Sidechain
1	AA	476	U	Sidechain
1	AA	477	C	Sidechain
1	AA	478	A	Sidechain
1	AA	479	U	Sidechain
1	AA	48	C	Sidechain
1	AA	481	G	Sidechain
1	AA	483	C	Sidechain
1	AA	484	G	Sidechain
1	AA	486	U	Sidechain
1	AA	49	U	Sidechain
1	AA	490	C	Sidechain
1	AA	491	G	Sidechain
1	AA	492	C	Sidechain
1	AA	493	A	Sidechain
1	AA	495	A	Sidechain
1	AA	497	G	Sidechain
1	AA	499	A	Sidechain
1	AA	5	U	Sidechain
1	AA	50	A	Sidechain
1	AA	500	G	Sidechain
1	AA	502	A	Sidechain
1	AA	505	G	Sidechain
1	AA	506	G	Sidechain
1	AA	510	A	Sidechain
1	AA	511	C	Sidechain
1	AA	517	G	Sidechain
1	AA	519	C	Sidechain
1	AA	520	A	Sidechain
1	AA	523	A	Sidechain
1	AA	525	C	Sidechain
1	AA	529	G	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
1	AA	530	G	Sidechain
1	AA	533	A	Sidechain
1	AA	535	A	Sidechain
1	AA	537	G	Sidechain
1	AA	539	A	Sidechain
1	AA	54	C	Sidechain
1	AA	542	G	Sidechain
1	AA	544	G	Sidechain
1	AA	546	A	Sidechain
1	AA	547	A	Sidechain
1	AA	548	G	Sidechain
1	AA	549	C	Sidechain
1	AA	55	A	Sidechain
1	AA	550	G	Sidechain
1	AA	552	U	Sidechain
1	AA	553	A	Sidechain
1	AA	557	G	Sidechain
1	AA	558	G	Sidechain
1	AA	56	U	Sidechain
1	AA	560	A	Sidechain
1	AA	561	U	Sidechain
1	AA	562	U	Sidechain
1	AA	563	A	Sidechain
1	AA	565	U	Sidechain
1	AA	567	G	Sidechain
1	AA	569	C	Sidechain
1	AA	57	G	Sidechain
1	AA	570	G	Sidechain
1	AA	572	A	Sidechain
1	AA	573	A	Sidechain
1	AA	574	A	Sidechain
1	AA	576	C	Sidechain
1	AA	578	C	Sidechain
1	AA	579	A	Sidechain
1	AA	58	C	Sidechain
1	AA	581	G	Sidechain
1	AA	584	G	Sidechain
1	AA	587	G	Sidechain
1	AA	591	U	Sidechain
1	AA	594	U	Sidechain
1	AA	595	A	Sidechain
1	AA	597	G	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
1	AA	599	C	Sidechain
1	AA	6	G	Sidechain
1	AA	600	A	Sidechain
1	AA	601	G	Sidechain
1	AA	603	U	Sidechain
1	AA	604	G	Sidechain
1	AA	605	U	Sidechain
1	AA	608	A	Sidechain
1	AA	609	A	Sidechain
1	AA	61	G	Sidechain
1	AA	611	C	Sidechain
1	AA	615	G	Sidechain
1	AA	616	G	Sidechain
1	AA	617	G	Sidechain
1	AA	618	C	Sidechain
1	AA	62	U	Sidechain
1	AA	620	C	Sidechain
1	AA	621	A	Sidechain
1	AA	622	A	Sidechain
1	AA	623	C	Sidechain
1	AA	625	U	Sidechain
1	AA	626	G	Sidechain
1	AA	628	G	Sidechain
1	AA	63	C	Sidechain
1	AA	630	A	Sidechain
1	AA	632	U	Sidechain
1	AA	633	G	Sidechain
1	AA	634	C	Sidechain
1	AA	637	C	Sidechain
1	AA	638	U	Sidechain
1	AA	64	G	Sidechain
1	AA	640	A	Sidechain
1	AA	641	U	Sidechain
1	AA	646	G	Sidechain
1	AA	647	C	Sidechain
1	AA	65	A	Sidechain
1	AA	651	C	Sidechain
1	AA	652	U	Sidechain
1	AA	653	U	Sidechain
1	AA	658	C	Sidechain
1	AA	661	G	Sidechain
1	AA	663	A	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
1	AA	664	G	Sidechain
1	AA	665	A	Sidechain
1	AA	666	G	Sidechain
1	AA	668	G	Sidechain
1	AA	669	G	Sidechain
1	AA	670	G	Sidechain
1	AA	671	G	Sidechain
1	AA	673	A	Sidechain
1	AA	674	G	Sidechain
1	AA	675	A	Sidechain
1	AA	677	U	Sidechain
1	AA	678	U	Sidechain
1	AA	679	C	Sidechain
1	AA	680	C	Sidechain
1	AA	681	A	Sidechain
1	AA	682	G	Sidechain
1	AA	683	G	Sidechain
1	AA	684	U	Sidechain
1	AA	685	G	Sidechain
1	AA	686	U	Sidechain
1	AA	687	A	Sidechain
1	AA	688	G	Sidechain
1	AA	689	C	Sidechain
1	AA	69	G	Sidechain
1	AA	692	U	Sidechain
1	AA	693	G	Sidechain
1	AA	694	A	Sidechain
1	AA	695	A	Sidechain
1	AA	697	U	Sidechain
1	AA	698	G	Sidechain
1	AA	699	C	Sidechain
1	AA	70	U	Sidechain
1	AA	703	G	Sidechain
1	AA	704	A	Sidechain
1	AA	705	G	Sidechain
1	AA	710	G	Sidechain
1	AA	711	G	Sidechain
1	AA	713	G	Sidechain
1	AA	714	G	Sidechain
1	AA	717	U	Sidechain
1	AA	718	A	Sidechain
1	AA	720	C	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
1	AA	722	G	Sidechain
1	AA	726	C	Sidechain
1	AA	727	G	Sidechain
1	AA	730	G	Sidechain
1	AA	731	G	Sidechain
1	AA	732	C	Sidechain
1	AA	733	G	Sidechain
1	AA	734	G	Sidechain
1	AA	736	C	Sidechain
1	AA	737	C	Sidechain
1	AA	740	U	Sidechain
1	AA	741	G	Sidechain
1	AA	742	G	Sidechain
1	AA	745	G	Sidechain
1	AA	746	A	Sidechain
1	AA	747	A	Sidechain
1	AA	748	G	Sidechain
1	AA	752	G	Sidechain
1	AA	753	A	Sidechain
1	AA	757	U	Sidechain
1	AA	758	C	Sidechain
1	AA	76	G	Sidechain
1	AA	760	G	Sidechain
1	AA	761	G	Sidechain
1	AA	762	U	Sidechain
1	AA	763	G	Sidechain
1	AA	764	C	Sidechain
1	AA	769	G	Sidechain
1	AA	771	G	Sidechain
1	AA	772	U	Sidechain
1	AA	773	G	Sidechain
1	AA	774	G	Sidechain
1	AA	775	G	Sidechain
1	AA	776	G	Sidechain
1	AA	777	A	Sidechain
1	AA	78	A	Sidechain
1	AA	780	A	Sidechain
1	AA	782	A	Sidechain
1	AA	783	C	Sidechain
1	AA	784	A	Sidechain
1	AA	786	G	Sidechain
1	AA	787	A	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
1	AA	788	U	Sidechain
1	AA	789	U	Sidechain
1	AA	79	G	Sidechain
1	AA	791	G	Sidechain
1	AA	794	A	Sidechain
1	AA	796	C	Sidechain
1	AA	797	C	Sidechain
1	AA	799	G	Sidechain
1	AA	800	G	Sidechain
1	AA	802	A	Sidechain
1	AA	805	C	Sidechain
1	AA	808	C	Sidechain
1	AA	809	G	Sidechain
1	AA	810	C	Sidechain
1	AA	813	U	Sidechain
1	AA	815	A	Sidechain
1	AA	816	A	Sidechain
1	AA	817	C	Sidechain
1	AA	818	G	Sidechain
1	AA	819	A	Sidechain
1	AA	82	G	Sidechain
1	AA	820	U	Sidechain
1	AA	821	G	Sidechain
1	AA	822	U	Sidechain
1	AA	823	C	Sidechain
1	AA	824	G	Sidechain
1	AA	827	U	Sidechain
1	AA	829	G	Sidechain
1	AA	83	C	Sidechain
1	AA	832	G	Sidechain
1	AA	833	G	Sidechain
1	AA	834	U	Sidechain
1	AA	835	U	Sidechain
1	AA	838	G	Sidechain
1	AA	84	U	Sidechain
1	AA	841	C	Sidechain
1	AA	842	U	Sidechain
1	AA	843	U	Sidechain
1	AA	845	A	Sidechain
1	AA	846	G	Sidechain
1	AA	851	G	Sidechain
1	AA	852	G	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
1	AA	854	U	Sidechain
1	AA	856	C	Sidechain
1	AA	858	G	Sidechain
1	AA	859	G	Sidechain
1	AA	86	G	Sidechain
1	AA	860	A	Sidechain
1	AA	862	C	Sidechain
1	AA	864	A	Sidechain
1	AA	865	A	Sidechain
1	AA	869	G	Sidechain
1	AA	87	C	Sidechain
1	AA	870	U	Sidechain
1	AA	872	A	Sidechain
1	AA	873	A	Sidechain
1	AA	874	G	Sidechain
1	AA	877	G	Sidechain
1	AA	878	A	Sidechain
1	AA	879	C	Sidechain
1	AA	882	C	Sidechain
1	AA	883	C	Sidechain
1	AA	884	U	Sidechain
1	AA	885	G	Sidechain
1	AA	886	G	Sidechain
1	AA	887	G	Sidechain
1	AA	888	G	Sidechain
1	AA	889	A	Sidechain
1	AA	89	U	Sidechain
1	AA	893	C	Sidechain
1	AA	894	G	Sidechain
1	AA	897	C	Sidechain
1	AA	898	G	Sidechain
1	AA	90	C	Sidechain
1	AA	902	G	Sidechain
1	AA	904	U	Sidechain
1	AA	906	A	Sidechain
1	AA	908	A	Sidechain
1	AA	912	C	Sidechain
1	AA	913	A	Sidechain
1	AA	914	A	Sidechain
1	AA	915	A	Sidechain
1	AA	916	U	Sidechain
1	AA	917	G	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
1	AA	918	A	Sidechain
1	AA	92	U	Sidechain
1	AA	922	G	Sidechain
1	AA	926	G	Sidechain
1	AA	927	G	Sidechain
1	AA	928	G	Sidechain
1	AA	929	G	Sidechain
1	AA	930	C	Sidechain
1	AA	934	C	Sidechain
1	AA	935	A	Sidechain
1	AA	937	A	Sidechain
1	AA	939	G	Sidechain
1	AA	94	G	Sidechain
1	AA	942	G	Sidechain
1	AA	943	U	Sidechain
1	AA	944	G	Sidechain
1	AA	945	G	Sidechain
1	AA	946	A	Sidechain
1	AA	950	U	Sidechain
1	AA	954	G	Sidechain
1	AA	955	U	Sidechain
1	AA	958	A	Sidechain
1	AA	959	A	Sidechain
1	AA	96	U	Sidechain
1	AA	960	U	Sidechain
1	AA	962	C	Sidechain
1	AA	965	U	Sidechain
1	AA	970	C	Sidechain
1	AA	971	G	Sidechain
1	AA	972	C	Sidechain
1	AA	973	G	Sidechain
1	AA	974	A	Sidechain
1	AA	975	A	Sidechain
1	AA	976	G	Sidechain
1	AA	978	A	Sidechain
1	AA	980	C	Sidechain
1	AA	981	U	Sidechain
1	AA	983	A	Sidechain
1	AA	984	C	Sidechain
1	AA	986	U	Sidechain
1	AA	987	G	Sidechain
1	AA	990	C	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
1	AA	991	U	Sidechain
1	AA	994	A	Sidechain
1	AA	995	C	Sidechain
1	AA	996	A	Sidechain
1	AA	997	U	Sidechain
1	AA	998	C	Sidechain
1	AA	999	C	Sidechain
2	AB	10	G	Sidechain
2	AB	15	A	Sidechain
2	AB	18	G	Sidechain
2	AB	19	G	Sidechain
2	AB	2	G	Sidechain
2	AB	23	A	Sidechain
2	AB	26	A	Sidechain
2	AB	27	C	Sidechain
2	AB	31	U	Sidechain
2	AB	34	C	Sidechain
2	AB	35	C	Sidechain
2	AB	38	A	Sidechain
2	AB	39	A	Sidechain
2	AB	40	C	Sidechain
2	AB	41	C	Sidechain
2	AB	42	G	Sidechain
2	AB	43	G	Sidechain
2	AB	45	U	Sidechain
2	AB	47	U	Sidechain
2	AB	48	U	Sidechain
2	AB	49	G	Sidechain
2	AB	5	G	Sidechain
2	AB	50	G	Sidechain
2	AB	51	G	Sidechain
2	AB	53	G	Sidechain
2	AB	57	G	Sidechain
2	AB	58	A	Sidechain
2	AB	60	U	Sidechain
2	AB	61	C	Sidechain
2	AB	62	U	Sidechain
2	AB	63	C	Sidechain
2	AB	64	U	Sidechain
2	AB	65	C	Sidechain
2	AB	67	G	Sidechain
2	AB	68	C	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
2	AB	69	C	Sidechain
2	AB	7	G	Sidechain
2	AB	72	U	Sidechain
2	AB	73	G	Sidechain
2	AB	76	A	Sidechain
3	AC	14	G	Sidechain
3	AC	15	G	Sidechain
3	AC	16	A	Sidechain
3	AC	17	U	Sidechain
3	AC	19	A	Sidechain
3	AC	21	U	Sidechain
3	AC	24	A	Sidechain
3	AC	25	U	Sidechain
3	AC	29	G	Sidechain
3	AC	30	U	Sidechain
3	AC	31	U	Sidechain
3	AC	33	A	Sidechain
3	AC	34	U	Sidechain
3	AC	37	G	Sidechain
3	AC	40	G	Sidechain
3	AC	41	A	Sidechain
3	AC	42	U	Sidechain
3	AC	43	U	Sidechain
3	AC	45	G	Sidechain
3	AC	48	C	Sidechain
3	AC	49	U	Sidechain
3	AC	50	U	Sidechain
3	AC	51	C	Sidechain
3	AC	53	G	Sidechain
3	AC	54	U	Sidechain
3	AC	56	G	Sidechain
3	AC	58	C	Sidechain
3	AC	59	A	Sidechain
4	AD	1	C	Sidechain
4	AD	10	G	Sidechain
4	AD	11	A	Sidechain
4	AD	12	G	Sidechain
4	AD	14	A	Sidechain
4	AD	19	G	Sidechain
4	AD	20	G	Sidechain
4	AD	22	A	Sidechain
4	AD	23	G	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
4	AD	25	U	Sidechain
4	AD	28	U	Sidechain
4	AD	30	G	Sidechain
4	AD	34	U	Sidechain
4	AD	35	C	Sidechain
4	AD	37	U	Sidechain
4	AD	39	A	Sidechain
4	AD	4	G	Sidechain
4	AD	42	C	Sidechain
4	AD	43	G	Sidechain
4	AD	45	A	Sidechain
4	AD	46	G	Sidechain
4	AD	48	U	Sidechain
4	AD	49	C	Sidechain
4	AD	50	G	Sidechain
4	AD	53	G	Sidechain
4	AD	54	G	Sidechain
4	AD	57	C	Sidechain
4	AD	58	A	Sidechain
4	AD	59	A	Sidechain
4	AD	6	G	Sidechain
4	AD	60	A	Sidechain
4	AD	61	U	Sidechain
4	AD	64	G	Sidechain
4	AD	65	G	Sidechain
4	AD	68	C	Sidechain
4	AD	69	C	Sidechain
4	AD	7	G	Sidechain
4	AD	70	C	Sidechain
4	AD	73	A	Sidechain
4	AD	75	C	Sidechain
4	AD	76	C	Sidechain
4	AD	9	G	Sidechain
5	AE	198	VAL	Peptide
5	AE	212	TYR	Sidechain
5	AE	62	ARG	Sidechain
6	AF	129	PHE	Sidechain
6	AF	163	ARG	Sidechain
6	AF	178	ARG	Sidechain
6	AF	189	HIS	Sidechain
6	AF	192	TYR	Sidechain
6	AF	22	PHE	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
6	AF	231	ARG	Sidechain
6	AF	36	PHE	Sidechain
6	AF	41	TYR	Sidechain
6	AF	5	HIS	Peptide
6	AF	64	ARG	Sidechain
7	AG	102	TYR	Sidechain
7	AG	134	TYR	Sidechain
7	AG	183	ARG	Sidechain
7	AG	203	TYR	Sidechain
7	AG	3	TYR	Sidechain
7	AG	82	LYS	Peptide
8	AH	49	TYR	Sidechain
8	AH	53	ARG	Sidechain
9	AI	24	ARG	Sidechain
9	AI	38	ARG	Sidechain
9	AI	64	VAL	Peptide
9	AI	8	PHE	Sidechain
10	AJ	131	GLY	Peptide
10	AJ	43	TYR	Sidechain
10	AJ	52	ARG	Sidechain
10	AJ	91	ARG	Sidechain
11	AK	115	ALA	Mainchain
11	AK	44	PHE	Peptide
12	AL	105	ARG	Sidechain
12	AL	80	HIS	Sidechain
14	AN	117	HIS	Sidechain
14	AN	76	TYR	Sidechain
14	AN	97	ARG	Sidechain
15	AO	113	ARG	Sidechain
15	AO	30	ARG	Sidechain
15	AO	37	TYR	Peptide,Sidechain
16	AP	108	ARG	Sidechain
17	AQ	19	TYR	Sidechain
17	AQ	52	ARG	Sidechain
17	AQ	68	ARG	Sidechain
17	AQ	76	PHE	Sidechain
18	AR	79	ARG	Sidechain
19	AS	61	VAL	Mainchain
19	AS	70	ARG	Sidechain
20	AT	33	TYR	Sidechain
21	AU	10	CYS	Peptide
21	AU	22	TYR	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
21	AU	31	TYR	Sidechain
22	AV	56	HIS	Sidechain
22	AV	89	LYS	Mainchain
23	AW	50	PHE	Sidechain
24	AX	37	TYR	Sidechain
24	AX	69	LEU	Peptide
51	B0	47	ARG	Sidechain
52	B1	30	ARG	Peptide
53	B2	3	LYS	Mainchain
53	B2	43	PHE	Sidechain
53	B2	49	ARG	Peptide
53	B2	9	TYR	Sidechain
54	B3	47	TYR	Sidechain
55	B4	1	ALA	Peptide
55	B4	20	TYR	Sidechain
55	B4	38	PHE	Sidechain
55	B4	48	TYR	Sidechain
56	B5	18	PHE	Sidechain
56	B5	42	LEU	Mainchain
57	B6	44	ARG	Sidechain
57	B6	63	TYR	Sidechain
25	BA	1	U	Sidechain
25	BA	10	G	Sidechain
25	BA	100	G	Sidechain
25	BA	101	A	Sidechain
25	BA	102	G	Sidechain
25	BA	104	A	Sidechain
25	BA	106	G	Sidechain
25	BA	107	G	Sidechain
25	BA	108	A	Sidechain
25	BA	11	C	Sidechain
25	BA	110	C	Sidechain
25	BA	111	U	Sidechain
25	BA	113	C	Sidechain
25	BA	119	A	Sidechain
25	BA	12	C	Sidechain
25	BA	13	G	Sidechain
25	BA	14	U	Sidechain
25	BA	16	G	Sidechain
25	BA	17	C	Sidechain
25	BA	2	G	Sidechain
25	BA	20	G	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
25	BA	23	G	Sidechain
25	BA	24	G	Sidechain
25	BA	27	C	Sidechain
25	BA	28	C	Sidechain
25	BA	29	A	Sidechain
25	BA	30	C	Sidechain
25	BA	31	C	Sidechain
25	BA	32	U	Sidechain
25	BA	33	G	Sidechain
25	BA	34	A	Sidechain
25	BA	38	C	Sidechain
25	BA	39	A	Sidechain
25	BA	40	U	Sidechain
25	BA	41	G	Sidechain
25	BA	42	C	Sidechain
25	BA	43	C	Sidechain
25	BA	48	U	Sidechain
25	BA	49	C	Sidechain
25	BA	5	U	Sidechain
25	BA	50	A	Sidechain
25	BA	51	G	Sidechain
25	BA	52	A	Sidechain
25	BA	53	A	Sidechain
25	BA	55	U	Sidechain
25	BA	56	G	Sidechain
25	BA	57	A	Sidechain
25	BA	59	A	Sidechain
25	BA	6	G	Sidechain
25	BA	60	C	Sidechain
25	BA	61	G	Sidechain
25	BA	62	C	Sidechain
25	BA	64	G	Sidechain
25	BA	68	C	Sidechain
25	BA	7	G	Sidechain
25	BA	72	G	Sidechain
25	BA	73	A	Sidechain
25	BA	76	G	Sidechain
25	BA	77	U	Sidechain
25	BA	78	A	Sidechain
25	BA	79	G	Sidechain
25	BA	8	C	Sidechain
25	BA	80	U	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
25	BA	81	G	Sidechain
25	BA	83	G	Sidechain
25	BA	84	G	Sidechain
25	BA	86	G	Sidechain
25	BA	87	U	Sidechain
25	BA	88	C	Sidechain
25	BA	89	U	Sidechain
25	BA	90	C	Sidechain
25	BA	94	A	Sidechain
25	BA	95	U	Sidechain
25	BA	98	G	Sidechain
25	BA	99	A	Sidechain
26	BB	1	G	Sidechain
26	BB	10	A	Sidechain
26	BB	100	U	Sidechain
26	BB	1000	A	Sidechain
26	BB	1002	G	Sidechain
26	BB	1003	G	Sidechain
26	BB	1004	U	Sidechain
26	BB	1005	C	Sidechain
26	BB	1007	C	Sidechain
26	BB	101	A	Sidechain
26	BB	1010	A	Sidechain
26	BB	1013	C	Sidechain
26	BB	1014	A	Sidechain
26	BB	1015	U	Sidechain
26	BB	1016	G	Sidechain
26	BB	1017	G	Sidechain
26	BB	1018	U	Sidechain
26	BB	1019	U	Sidechain
26	BB	1021	A	Sidechain
26	BB	1023	U	Sidechain
26	BB	1024	G	Sidechain
26	BB	1025	G	Sidechain
26	BB	1026	G	Sidechain
26	BB	1027	A	Sidechain
26	BB	103	A	Sidechain
26	BB	1031	G	Sidechain
26	BB	1032	A	Sidechain
26	BB	1033	U	Sidechain
26	BB	1034	G	Sidechain
26	BB	1035	U	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
26	BB	1036	G	Sidechain
26	BB	1038	G	Sidechain
26	BB	104	A	Sidechain
26	BB	1040	A	Sidechain
26	BB	1041	G	Sidechain
26	BB	1042	G	Sidechain
26	BB	1044	C	Sidechain
26	BB	1047	G	Sidechain
26	BB	1048	A	Sidechain
26	BB	1049	C	Sidechain
26	BB	1051	G	Sidechain
26	BB	1055	G	Sidechain
26	BB	1056	G	Sidechain
26	BB	1057	A	Sidechain
26	BB	1058	U	Sidechain
26	BB	106	C	Sidechain
26	BB	1061	U	Sidechain
26	BB	1062	G	Sidechain
26	BB	1063	G	Sidechain
26	BB	1064	C	Sidechain
26	BB	1065	U	Sidechain
26	BB	1068	G	Sidechain
26	BB	1069	A	Sidechain
26	BB	107	G	Sidechain
26	BB	1070	A	Sidechain
26	BB	1072	C	Sidechain
26	BB	1073	A	Sidechain
26	BB	1075	C	Sidechain
26	BB	1078	U	Sidechain
26	BB	108	G	Sidechain
26	BB	1080	A	Sidechain
26	BB	1081	U	Sidechain
26	BB	1083	U	Sidechain
26	BB	1084	A	Sidechain
26	BB	1086	A	Sidechain
26	BB	1087	G	Sidechain
26	BB	1088	A	Sidechain
26	BB	109	C	Sidechain
26	BB	1090	A	Sidechain
26	BB	1094	U	Sidechain
26	BB	1095	A	Sidechain
26	BB	1096	A	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
26	BB	1099	G	Sidechain
26	BB	11	C	Sidechain
26	BB	110	G	Sidechain
26	BB	1106	G	Sidechain
26	BB	1107	G	Sidechain
26	BB	111	A	Sidechain
26	BB	1110	G	Sidechain
26	BB	1113	U	Sidechain
26	BB	1115	G	Sidechain
26	BB	1116	G	Sidechain
26	BB	1118	C	Sidechain
26	BB	112	U	Sidechain
26	BB	1121	C	Sidechain
26	BB	1122	G	Sidechain
26	BB	1124	G	Sidechain
26	BB	1125	G	Sidechain
26	BB	1126	A	Sidechain
26	BB	1127	A	Sidechain
26	BB	1128	G	Sidechain
26	BB	1129	A	Sidechain
26	BB	1130	U	Sidechain
26	BB	1131	G	Sidechain
26	BB	1132	U	Sidechain
26	BB	1135	C	Sidechain
26	BB	1137	G	Sidechain
26	BB	1138	G	Sidechain
26	BB	1139	G	Sidechain
26	BB	1142	A	Sidechain
26	BB	1144	A	Sidechain
26	BB	1148	U	Sidechain
26	BB	1149	G	Sidechain
26	BB	115	C	Sidechain
26	BB	1150	C	Sidechain
26	BB	1152	C	Sidechain
26	BB	1153	C	Sidechain
26	BB	1154	G	Sidechain
26	BB	1155	A	Sidechain
26	BB	1156	A	Sidechain
26	BB	1158	C	Sidechain
26	BB	1159	U	Sidechain
26	BB	1160	G	Sidechain
26	BB	1161	C	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
26	BB	1163	G	Sidechain
26	BB	1164	C	Sidechain
26	BB	1165	A	Sidechain
26	BB	1166	G	Sidechain
26	BB	1169	A	Sidechain
26	BB	117	G	Sidechain
26	BB	1170	C	Sidechain
26	BB	1172	C	Sidechain
26	BB	1175	A	Sidechain
26	BB	1176	U	Sidechain
26	BB	1179	G	Sidechain
26	BB	118	A	Sidechain
26	BB	1181	U	Sidechain
26	BB	1182	G	Sidechain
26	BB	1185	G	Sidechain
26	BB	1186	G	Sidechain
26	BB	1188	U	Sidechain
26	BB	1189	A	Sidechain
26	BB	1190	G	Sidechain
26	BB	1191	G	Sidechain
26	BB	1192	G	Sidechain
26	BB	1193	G	Sidechain
26	BB	1194	A	Sidechain
26	BB	1197	G	Sidechain
26	BB	1200	C	Sidechain
26	BB	1201	U	Sidechain
26	BB	1202	G	Sidechain
26	BB	1206	G	Sidechain
26	BB	1209	U	Sidechain
26	BB	121	G	Sidechain
26	BB	1210	G	Sidechain
26	BB	1215	G	Sidechain
26	BB	1216	G	Sidechain
26	BB	1217	U	Sidechain
26	BB	1219	U	Sidechain
26	BB	122	G	Sidechain
26	BB	1220	G	Sidechain
26	BB	1223	G	Sidechain
26	BB	1225	G	Sidechain
26	BB	1226	A	Sidechain
26	BB	1227	G	Sidechain
26	BB	1228	G	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
26	BB	1229	C	Sidechain
26	BB	123	G	Sidechain
26	BB	1231	U	Sidechain
26	BB	1232	G	Sidechain
26	BB	1234	U	Sidechain
26	BB	1235	G	Sidechain
26	BB	1236	G	Sidechain
26	BB	1238	G	Sidechain
26	BB	1240	U	Sidechain
26	BB	1241	A	Sidechain
26	BB	1243	C	Sidechain
26	BB	1245	G	Sidechain
26	BB	1246	A	Sidechain
26	BB	1248	G	Sidechain
26	BB	1252	G	Sidechain
26	BB	1253	A	Sidechain
26	BB	1254	A	Sidechain
26	BB	1256	G	Sidechain
26	BB	1257	C	Sidechain
26	BB	1258	U	Sidechain
26	BB	1259	G	Sidechain
26	BB	1260	A	Sidechain
26	BB	1261	C	Sidechain
26	BB	1262	A	Sidechain
26	BB	1266	G	Sidechain
26	BB	1269	A	Sidechain
26	BB	127	A	Sidechain
26	BB	1270	C	Sidechain
26	BB	1271	G	Sidechain
26	BB	1273	U	Sidechain
26	BB	1274	A	Sidechain
26	BB	1275	A	Sidechain
26	BB	1276	A	Sidechain
26	BB	1277	G	Sidechain
26	BB	1278	C	Sidechain
26	BB	1279	G	Sidechain
26	BB	1281	G	Sidechain
26	BB	1282	U	Sidechain
26	BB	1283	G	Sidechain
26	BB	1285	A	Sidechain
26	BB	1286	A	Sidechain
26	BB	1287	A	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
26	BB	1288	G	Sidechain
26	BB	1289	C	Sidechain
26	BB	1290	C	Sidechain
26	BB	1293	C	Sidechain
26	BB	1294	U	Sidechain
26	BB	1295	C	Sidechain
26	BB	1296	G	Sidechain
26	BB	1297	C	Sidechain
26	BB	130	C	Sidechain
26	BB	1300	G	Sidechain
26	BB	1301	A	Sidechain
26	BB	1302	A	Sidechain
26	BB	1303	G	Sidechain
26	BB	1304	A	Sidechain
26	BB	1305	C	Sidechain
26	BB	1306	C	Sidechain
26	BB	1307	A	Sidechain
26	BB	1309	G	Sidechain
26	BB	131	A	Sidechain
26	BB	1310	G	Sidechain
26	BB	1312	U	Sidechain
26	BB	1313	U	Sidechain
26	BB	1315	C	Sidechain
26	BB	1316	U	Sidechain
26	BB	1317	G	Sidechain
26	BB	1319	C	Sidechain
26	BB	1322	A	Sidechain
26	BB	1324	G	Sidechain
26	BB	1325	U	Sidechain
26	BB	1329	U	Sidechain
26	BB	133	U	Sidechain
26	BB	1332	G	Sidechain
26	BB	1334	G	Sidechain
26	BB	1336	A	Sidechain
26	BB	1337	G	Sidechain
26	BB	1339	G	Sidechain
26	BB	134	G	Sidechain
26	BB	1340	U	Sidechain
26	BB	1341	G	Sidechain
26	BB	1342	A	Sidechain
26	BB	1343	G	Sidechain
26	BB	1344	U	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
26	BB	1345	C	Sidechain
26	BB	1347	A	Sidechain
26	BB	1348	C	Sidechain
26	BB	1349	C	Sidechain
26	BB	135	U	Sidechain
26	BB	1350	C	Sidechain
26	BB	1354	A	Sidechain
26	BB	1355	G	Sidechain
26	BB	1356	G	Sidechain
26	BB	136	G	Sidechain
26	BB	1360	G	Sidechain
26	BB	1361	G	Sidechain
26	BB	1363	C	Sidechain
26	BB	1366	A	Sidechain
26	BB	1367	A	Sidechain
26	BB	1369	G	Sidechain
26	BB	137	U	Sidechain
26	BB	1374	G	Sidechain
26	BB	1377	G	Sidechain
26	BB	1378	A	Sidechain
26	BB	1380	G	Sidechain
26	BB	1381	G	Sidechain
26	BB	1383	A	Sidechain
26	BB	1384	A	Sidechain
26	BB	1386	C	Sidechain
26	BB	1389	G	Sidechain
26	BB	1390	U	Sidechain
26	BB	1393	A	Sidechain
26	BB	1395	A	Sidechain
26	BB	1397	U	Sidechain
26	BB	1398	C	Sidechain
26	BB	14	A	Sidechain
26	BB	140	C	Sidechain
26	BB	1400	U	Sidechain
26	BB	1402	U	Sidechain
26	BB	1404	C	Sidechain
26	BB	1405	U	Sidechain
26	BB	1406	U	Sidechain
26	BB	1407	G	Sidechain
26	BB	1408	G	Sidechain
26	BB	1409	U	Sidechain
26	BB	141	G	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
26	BB	1410	G	Sidechain
26	BB	1411	U	Sidechain
26	BB	1415	U	Sidechain
26	BB	1416	G	Sidechain
26	BB	1419	A	Sidechain
26	BB	142	A	Sidechain
26	BB	1420	A	Sidechain
26	BB	1421	G	Sidechain
26	BB	1422	G	Sidechain
26	BB	1424	G	Sidechain
26	BB	1425	G	Sidechain
26	BB	1428	C	Sidechain
26	BB	143	C	Sidechain
26	BB	1430	G	Sidechain
26	BB	1432	G	Sidechain
26	BB	1434	A	Sidechain
26	BB	1436	G	Sidechain
26	BB	1437	C	Sidechain
26	BB	1438	U	Sidechain
26	BB	1439	A	Sidechain
26	BB	144	A	Sidechain
26	BB	1440	U	Sidechain
26	BB	1441	G	Sidechain
26	BB	1443	U	Sidechain
26	BB	1447	C	Sidechain
26	BB	1449	G	Sidechain
26	BB	145	C	Sidechain
26	BB	1450	G	Sidechain
26	BB	1451	C	Sidechain
26	BB	1453	A	Sidechain
26	BB	1454	C	Sidechain
26	BB	1456	G	Sidechain
26	BB	1457	U	Sidechain
26	BB	146	A	Sidechain
26	BB	1460	U	Sidechain
26	BB	1461	C	Sidechain
26	BB	1462	C	Sidechain
26	BB	1470	A	Sidechain
26	BB	1471	G	Sidechain
26	BB	1472	C	Sidechain
26	BB	1473	G	Sidechain
26	BB	1474	U	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
26	BB	1475	G	Sidechain
26	BB	1476	U	Sidechain
26	BB	1477	A	Sidechain
26	BB	1478	G	Sidechain
26	BB	1479	G	Sidechain
26	BB	148	U	Sidechain
26	BB	1481	U	Sidechain
26	BB	1482	G	Sidechain
26	BB	1483	G	Sidechain
26	BB	1484	U	Sidechain
26	BB	1486	U	Sidechain
26	BB	1491	G	Sidechain
26	BB	1492	G	Sidechain
26	BB	1494	A	Sidechain
26	BB	1495	A	Sidechain
26	BB	1496	A	Sidechain
26	BB	1498	C	Sidechain
26	BB	15	G	Sidechain
26	BB	150	U	Sidechain
26	BB	1503	A	Sidechain
26	BB	1504	A	Sidechain
26	BB	1506	U	Sidechain
26	BB	1508	A	Sidechain
26	BB	1509	A	Sidechain
26	BB	1512	C	Sidechain
26	BB	1513	U	Sidechain
26	BB	1514	G	Sidechain
26	BB	1515	A	Sidechain
26	BB	1517	G	Sidechain
26	BB	1518	C	Sidechain
26	BB	1519	G	Sidechain
26	BB	152	A	Sidechain
26	BB	1521	G	Sidechain
26	BB	1523	U	Sidechain
26	BB	1524	G	Sidechain
26	BB	1525	A	Sidechain
26	BB	1526	C	Sidechain
26	BB	1527	G	Sidechain
26	BB	1528	A	Sidechain
26	BB	1529	G	Sidechain
26	BB	153	U	Sidechain
26	BB	1530	G	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
26	BB	1532	A	Sidechain
26	BB	1534	U	Sidechain
26	BB	1535	A	Sidechain
26	BB	1536	C	Sidechain
26	BB	1538	G	Sidechain
26	BB	1539	U	Sidechain
26	BB	1542	U	Sidechain
26	BB	1545	A	Sidechain
26	BB	1547	C	Sidechain
26	BB	1548	A	Sidechain
26	BB	1551	A	Sidechain
26	BB	1552	A	Sidechain
26	BB	1553	A	Sidechain
26	BB	1554	U	Sidechain
26	BB	1557	C	Sidechain
26	BB	1558	C	Sidechain
26	BB	1559	U	Sidechain
26	BB	156	A	Sidechain
26	BB	1565	C	Sidechain
26	BB	1567	G	Sidechain
26	BB	1568	G	Sidechain
26	BB	1570	A	Sidechain
26	BB	1571	A	Sidechain
26	BB	1572	A	Sidechain
26	BB	1573	G	Sidechain
26	BB	1574	C	Sidechain
26	BB	1575	C	Sidechain
26	BB	1576	U	Sidechain
26	BB	1578	U	Sidechain
26	BB	1579	A	Sidechain
26	BB	1582	C	Sidechain
26	BB	1583	A	Sidechain
26	BB	1584	U	Sidechain
26	BB	1588	G	Sidechain
26	BB	159	G	Sidechain
26	BB	1591	A	Sidechain
26	BB	1592	C	Sidechain
26	BB	1595	C	Sidechain
26	BB	1596	A	Sidechain
26	BB	16	C	Sidechain
26	BB	160	A	Sidechain
26	BB	1602	U	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
26	BB	1603	A	Sidechain
26	BB	1604	C	Sidechain
26	BB	1605	C	Sidechain
26	BB	1607	C	Sidechain
26	BB	1608	A	Sidechain
26	BB	1609	A	Sidechain
26	BB	161	A	Sidechain
26	BB	1610	A	Sidechain
26	BB	1611	C	Sidechain
26	BB	1612	C	Sidechain
26	BB	1613	G	Sidechain
26	BB	1614	A	Sidechain
26	BB	1616	A	Sidechain
26	BB	1617	C	Sidechain
26	BB	1619	G	Sidechain
26	BB	1621	U	Sidechain
26	BB	1622	G	Sidechain
26	BB	1625	C	Sidechain
26	BB	1626	A	Sidechain
26	BB	1628	G	Sidechain
26	BB	1629	U	Sidechain
26	BB	1630	A	Sidechain
26	BB	1633	G	Sidechain
26	BB	1636	U	Sidechain
26	BB	1637	A	Sidechain
26	BB	1638	C	Sidechain
26	BB	1639	C	Sidechain
26	BB	164	C	Sidechain
26	BB	1640	A	Sidechain
26	BB	1641	A	Sidechain
26	BB	1642	G	Sidechain
26	BB	1644	C	Sidechain
26	BB	1645	G	Sidechain
26	BB	1646	C	Sidechain
26	BB	1647	U	Sidechain
26	BB	1650	A	Sidechain
26	BB	1653	G	Sidechain
26	BB	1655	A	Sidechain
26	BB	1656	C	Sidechain
26	BB	1657	U	Sidechain
26	BB	1659	G	Sidechain
26	BB	1660	G	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
26	BB	1661	G	Sidechain
26	BB	1663	G	Sidechain
26	BB	1664	A	Sidechain
26	BB	1667	G	Sidechain
26	BB	1669	A	Sidechain
26	BB	1672	A	Sidechain
26	BB	1674	G	Sidechain
26	BB	1675	C	Sidechain
26	BB	1676	A	Sidechain
26	BB	1677	A	Sidechain
26	BB	1678	A	Sidechain
26	BB	1679	A	Sidechain
26	BB	168	G	Sidechain
26	BB	1680	U	Sidechain
26	BB	1681	G	Sidechain
26	BB	1682	G	Sidechain
26	BB	1685	C	Sidechain
26	BB	1686	C	Sidechain
26	BB	1687	G	Sidechain
26	BB	169	G	Sidechain
26	BB	1690	A	Sidechain
26	BB	1691	C	Sidechain
26	BB	1693	U	Sidechain
26	BB	1694	C	Sidechain
26	BB	1695	G	Sidechain
26	BB	1696	G	Sidechain
26	BB	1697	G	Sidechain
26	BB	170	U	Sidechain
26	BB	1700	A	Sidechain
26	BB	1701	A	Sidechain
26	BB	1705	A	Sidechain
26	BB	1706	C	Sidechain
26	BB	1707	G	Sidechain
26	BB	1709	U	Sidechain
26	BB	171	U	Sidechain
26	BB	1710	G	Sidechain
26	BB	1711	A	Sidechain
26	BB	1712	U	Sidechain
26	BB	1713	A	Sidechain
26	BB	1715	G	Sidechain
26	BB	1716	U	Sidechain
26	BB	1718	G	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
26	BB	1719	G	Sidechain
26	BB	1720	U	Sidechain
26	BB	1721	G	Sidechain
26	BB	1722	A	Sidechain
26	BB	1724	G	Sidechain
26	BB	1727	C	Sidechain
26	BB	1729	U	Sidechain
26	BB	173	A	Sidechain
26	BB	1733	G	Sidechain
26	BB	1734	G	Sidechain
26	BB	1735	A	Sidechain
26	BB	1737	G	Sidechain
26	BB	1738	G	Sidechain
26	BB	1739	A	Sidechain
26	BB	1740	G	Sidechain
26	BB	1743	G	Sidechain
26	BB	1744	A	Sidechain
26	BB	175	G	Sidechain
26	BB	1750	G	Sidechain
26	BB	1751	U	Sidechain
26	BB	1752	C	Sidechain
26	BB	1753	G	Sidechain
26	BB	1756	G	Sidechain
26	BB	1758	U	Sidechain
26	BB	1759	A	Sidechain
26	BB	1763	G	Sidechain
26	BB	1766	G	Sidechain
26	BB	1767	G	Sidechain
26	BB	1769	U	Sidechain
26	BB	177	G	Sidechain
26	BB	1770	G	Sidechain
26	BB	1771	C	Sidechain
26	BB	1772	A	Sidechain
26	BB	1776	G	Sidechain
26	BB	1778	U	Sidechain
26	BB	1780	A	Sidechain
26	BB	1781	U	Sidechain
26	BB	1785	A	Sidechain
26	BB	1786	A	Sidechain
26	BB	1788	C	Sidechain
26	BB	1789	A	Sidechain
26	BB	179	C	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
26	BB	1791	A	Sidechain
26	BB	1792	G	Sidechain
26	BB	1793	C	Sidechain
26	BB	1796	U	Sidechain
26	BB	1798	U	Sidechain
26	BB	1799	G	Sidechain
26	BB	18	U	Sidechain
26	BB	180	G	Sidechain
26	BB	1801	A	Sidechain
26	BB	1802	A	Sidechain
26	BB	1803	A	Sidechain
26	BB	1804	C	Sidechain
26	BB	1806	C	Sidechain
26	BB	1807	G	Sidechain
26	BB	181	A	Sidechain
26	BB	1810	A	Sidechain
26	BB	1811	G	Sidechain
26	BB	1814	G	Sidechain
26	BB	1816	C	Sidechain
26	BB	182	A	Sidechain
26	BB	1820	U	Sidechain
26	BB	1821	A	Sidechain
26	BB	1822	C	Sidechain
26	BB	1823	G	Sidechain
26	BB	1825	U	Sidechain
26	BB	1827	U	Sidechain
26	BB	1828	G	Sidechain
26	BB	1831	G	Sidechain
26	BB	1833	C	Sidechain
26	BB	1836	C	Sidechain
26	BB	1837	C	Sidechain
26	BB	1839	G	Sidechain
26	BB	1840	G	Sidechain
26	BB	1844	C	Sidechain
26	BB	1845	G	Sidechain
26	BB	1846	G	Sidechain
26	BB	1848	A	Sidechain
26	BB	185	G	Sidechain
26	BB	1850	G	Sidechain
26	BB	1857	G	Sidechain
26	BB	1858	A	Sidechain
26	BB	1859	U	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
26	BB	186	G	Sidechain
26	BB	1861	G	Sidechain
26	BB	1862	G	Sidechain
26	BB	1863	G	Sidechain
26	BB	1864	U	Sidechain
26	BB	1865	U	Sidechain
26	BB	1866	A	Sidechain
26	BB	1867	G	Sidechain
26	BB	1869	G	Sidechain
26	BB	187	G	Sidechain
26	BB	1872	A	Sidechain
26	BB	1873	G	Sidechain
26	BB	1875	G	Sidechain
26	BB	1878	G	Sidechain
26	BB	1879	C	Sidechain
26	BB	188	G	Sidechain
26	BB	1880	U	Sidechain
26	BB	1881	C	Sidechain
26	BB	1884	G	Sidechain
26	BB	1888	G	Sidechain
26	BB	1890	A	Sidechain
26	BB	1891	G	Sidechain
26	BB	1894	C	Sidechain
26	BB	1895	C	Sidechain
26	BB	1896	G	Sidechain
26	BB	1897	G	Sidechain
26	BB	190	A	Sidechain
26	BB	1900	A	Sidechain
26	BB	1902	C	Sidechain
26	BB	1903	G	Sidechain
26	BB	1904	G	Sidechain
26	BB	1905	C	Sidechain
26	BB	1907	G	Sidechain
26	BB	1909	C	Sidechain
26	BB	1910	G	Sidechain
26	BB	1912	A	Sidechain
26	BB	1913	A	Sidechain
26	BB	1918	A	Sidechain
26	BB	1919	A	Sidechain
26	BB	192	C	Sidechain
26	BB	1920	C	Sidechain
26	BB	1922	G	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
26	BB	1923	U	Sidechain
26	BB	1924	C	Sidechain
26	BB	1926	U	Sidechain
26	BB	1928	A	Sidechain
26	BB	1929	G	Sidechain
26	BB	1930	G	Sidechain
26	BB	1931	U	Sidechain
26	BB	1932	A	Sidechain
26	BB	1934	C	Sidechain
26	BB	1935	G	Sidechain
26	BB	1936	A	Sidechain
26	BB	1937	A	Sidechain
26	BB	194	G	Sidechain
26	BB	1943	U	Sidechain
26	BB	1945	G	Sidechain
26	BB	1946	U	Sidechain
26	BB	1947	C	Sidechain
26	BB	1948	G	Sidechain
26	BB	1949	G	Sidechain
26	BB	195	A	Sidechain
26	BB	1950	G	Sidechain
26	BB	1951	U	Sidechain
26	BB	1952	A	Sidechain
26	BB	1954	G	Sidechain
26	BB	1955	U	Sidechain
26	BB	1956	U	Sidechain
26	BB	1957	C	Sidechain
26	BB	1958	C	Sidechain
26	BB	1959	G	Sidechain
26	BB	1960	A	Sidechain
26	BB	1964	G	Sidechain
26	BB	1967	C	Sidechain
26	BB	1968	G	Sidechain
26	BB	1969	A	Sidechain
26	BB	1970	A	Sidechain
26	BB	1973	G	Sidechain
26	BB	1974	C	Sidechain
26	BB	1975	G	Sidechain
26	BB	1978	A	Sidechain
26	BB	1980	G	Sidechain
26	BB	1981	A	Sidechain
26	BB	1982	U	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
26	BB	1984	G	Sidechain
26	BB	1989	G	Sidechain
26	BB	1992	G	Sidechain
26	BB	1993	U	Sidechain
26	BB	1994	C	Sidechain
26	BB	1997	C	Sidechain
26	BB	1999	C	Sidechain
26	BB	2	G	Sidechain
26	BB	20	C	Sidechain
26	BB	200	U	Sidechain
26	BB	2002	G	Sidechain
26	BB	2004	G	Sidechain
26	BB	2005	A	Sidechain
26	BB	2006	C	Sidechain
26	BB	2007	U	Sidechain
26	BB	2008	C	Sidechain
26	BB	201	C	Sidechain
26	BB	2010	G	Sidechain
26	BB	2011	U	Sidechain
26	BB	2012	G	Sidechain
26	BB	2013	A	Sidechain
26	BB	2015	A	Sidechain
26	BB	2016	U	Sidechain
26	BB	202	U	Sidechain
26	BB	2020	A	Sidechain
26	BB	2021	C	Sidechain
26	BB	2022	U	Sidechain
26	BB	2024	G	Sidechain
26	BB	2026	U	Sidechain
26	BB	2032	G	Sidechain
26	BB	2033	A	Sidechain
26	BB	2034	U	Sidechain
26	BB	2035	G	Sidechain
26	BB	2038	G	Sidechain
26	BB	2039	U	Sidechain
26	BB	204	A	Sidechain
26	BB	2040	G	Sidechain
26	BB	2041	U	Sidechain
26	BB	2043	C	Sidechain
26	BB	2045	C	Sidechain
26	BB	2046	G	Sidechain
26	BB	2047	C	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
26	BB	2048	G	Sidechain
26	BB	2049	G	Sidechain
26	BB	205	G	Sidechain
26	BB	2050	C	Sidechain
26	BB	2051	A	Sidechain
26	BB	2052	A	Sidechain
26	BB	2054	A	Sidechain
26	BB	2056	G	Sidechain
26	BB	2057	G	Sidechain
26	BB	2058	A	Sidechain
26	BB	2059	A	Sidechain
26	BB	2060	A	Sidechain
26	BB	2061	G	Sidechain
26	BB	2064	C	Sidechain
26	BB	2067	G	Sidechain
26	BB	207	A	Sidechain
26	BB	2070	A	Sidechain
26	BB	2071	A	Sidechain
26	BB	2072	C	Sidechain
26	BB	2074	U	Sidechain
26	BB	2076	U	Sidechain
26	BB	2077	A	Sidechain
26	BB	208	C	Sidechain
26	BB	2081	U	Sidechain
26	BB	2083	G	Sidechain
26	BB	2084	C	Sidechain
26	BB	2085	U	Sidechain
26	BB	2086	U	Sidechain
26	BB	2087	G	Sidechain
26	BB	2088	A	Sidechain
26	BB	2089	C	Sidechain
26	BB	2091	C	Sidechain
26	BB	2092	U	Sidechain
26	BB	2093	G	Sidechain
26	BB	2094	A	Sidechain
26	BB	2096	C	Sidechain
26	BB	2098	U	Sidechain
26	BB	2100	G	Sidechain
26	BB	2101	A	Sidechain
26	BB	2102	G	Sidechain
26	BB	2103	C	Sidechain
26	BB	2105	U	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
26	BB	2107	G	Sidechain
26	BB	2109	U	Sidechain
26	BB	2111	U	Sidechain
26	BB	2112	G	Sidechain
26	BB	2113	U	Sidechain
26	BB	2114	A	Sidechain
26	BB	2115	G	Sidechain
26	BB	2116	G	Sidechain
26	BB	2119	A	Sidechain
26	BB	2123	G	Sidechain
26	BB	2124	G	Sidechain
26	BB	2125	G	Sidechain
26	BB	2127	G	Sidechain
26	BB	213	A	Sidechain
26	BB	2130	U	Sidechain
26	BB	2131	U	Sidechain
26	BB	2133	G	Sidechain
26	BB	2136	G	Sidechain
26	BB	2138	G	Sidechain
26	BB	214	G	Sidechain
26	BB	2141	G	Sidechain
26	BB	2142	A	Sidechain
26	BB	2145	C	Sidechain
26	BB	2146	C	Sidechain
26	BB	2147	A	Sidechain
26	BB	2148	G	Sidechain
26	BB	215	G	Sidechain
26	BB	2151	U	Sidechain
26	BB	2152	G	Sidechain
26	BB	2153	C	Sidechain
26	BB	2156	G	Sidechain
26	BB	2157	G	Sidechain
26	BB	2158	A	Sidechain
26	BB	2159	G	Sidechain
26	BB	216	A	Sidechain
26	BB	2162	G	Sidechain
26	BB	2163	A	Sidechain
26	BB	2164	C	Sidechain
26	BB	2165	C	Sidechain
26	BB	2166	U	Sidechain
26	BB	2168	G	Sidechain
26	BB	2169	A	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
26	BB	2170	A	Sidechain
26	BB	2171	A	Sidechain
26	BB	2172	U	Sidechain
26	BB	2174	C	Sidechain
26	BB	2176	A	Sidechain
26	BB	2177	C	Sidechain
26	BB	2178	C	Sidechain
26	BB	2179	C	Sidechain
26	BB	218	A	Sidechain
26	BB	2180	U	Sidechain
26	BB	2182	U	Sidechain
26	BB	2183	A	Sidechain
26	BB	2184	A	Sidechain
26	BB	2185	U	Sidechain
26	BB	219	A	Sidechain
26	BB	2191	A	Sidechain
26	BB	2193	G	Sidechain
26	BB	2194	U	Sidechain
26	BB	2195	U	Sidechain
26	BB	2196	C	Sidechain
26	BB	2197	U	Sidechain
26	BB	2198	A	Sidechain
26	BB	22	C	Sidechain
26	BB	220	G	Sidechain
26	BB	2201	G	Sidechain
26	BB	2202	U	Sidechain
26	BB	2203	U	Sidechain
26	BB	2204	G	Sidechain
26	BB	2206	C	Sidechain
26	BB	2210	U	Sidechain
26	BB	2212	A	Sidechain
26	BB	2213	U	Sidechain
26	BB	2215	C	Sidechain
26	BB	2217	G	Sidechain
26	BB	2219	U	Sidechain
26	BB	222	A	Sidechain
26	BB	2221	G	Sidechain
26	BB	2228	G	Sidechain
26	BB	223	A	Sidechain
26	BB	2230	G	Sidechain
26	BB	2231	U	Sidechain
26	BB	2232	C	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
26	BB	2233	U	Sidechain
26	BB	2234	G	Sidechain
26	BB	2235	G	Sidechain
26	BB	2238	G	Sidechain
26	BB	2240	U	Sidechain
26	BB	2242	G	Sidechain
26	BB	2243	U	Sidechain
26	BB	2244	U	Sidechain
26	BB	2246	G	Sidechain
26	BB	2247	A	Sidechain
26	BB	2248	C	Sidechain
26	BB	2253	G	Sidechain
26	BB	2256	G	Sidechain
26	BB	2257	U	Sidechain
26	BB	226	A	Sidechain
26	BB	2260	C	Sidechain
26	BB	2262	U	Sidechain
26	BB	2263	C	Sidechain
26	BB	2266	A	Sidechain
26	BB	2267	A	Sidechain
26	BB	2268	A	Sidechain
26	BB	2269	G	Sidechain
26	BB	2270	A	Sidechain
26	BB	2271	G	Sidechain
26	BB	2273	A	Sidechain
26	BB	2274	A	Sidechain
26	BB	2276	G	Sidechain
26	BB	2279	G	Sidechain
26	BB	228	C	Sidechain
26	BB	2280	G	Sidechain
26	BB	2281	A	Sidechain
26	BB	2282	G	Sidechain
26	BB	2283	C	Sidechain
26	BB	2284	A	Sidechain
26	BB	2287	A	Sidechain
26	BB	2288	A	Sidechain
26	BB	229	C	Sidechain
26	BB	2290	G	Sidechain
26	BB	2294	G	Sidechain
26	BB	2295	C	Sidechain
26	BB	2296	U	Sidechain
26	BB	2297	A	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
26	BB	2299	U	Sidechain
26	BB	2303	G	Sidechain
26	BB	2304	G	Sidechain
26	BB	2306	C	Sidechain
26	BB	2308	G	Sidechain
26	BB	2309	A	Sidechain
26	BB	231	A	Sidechain
26	BB	2310	C	Sidechain
26	BB	2313	C	Sidechain
26	BB	2314	A	Sidechain
26	BB	2315	G	Sidechain
26	BB	2318	G	Sidechain
26	BB	232	G	Sidechain
26	BB	2321	U	Sidechain
26	BB	2324	U	Sidechain
26	BB	2325	G	Sidechain
26	BB	2327	A	Sidechain
26	BB	233	A	Sidechain
26	BB	2330	G	Sidechain
26	BB	2334	U	Sidechain
26	BB	2335	A	Sidechain
26	BB	2336	A	Sidechain
26	BB	2337	G	Sidechain
26	BB	2338	C	Sidechain
26	BB	2339	C	Sidechain
26	BB	2340	A	Sidechain
26	BB	2342	C	Sidechain
26	BB	2345	G	Sidechain
26	BB	2347	C	Sidechain
26	BB	2349	G	Sidechain
26	BB	235	U	Sidechain
26	BB	2350	C	Sidechain
26	BB	2353	G	Sidechain
26	BB	2355	G	Sidechain
26	BB	2356	U	Sidechain
26	BB	2357	G	Sidechain
26	BB	2358	A	Sidechain
26	BB	2361	G	Sidechain
26	BB	2363	G	Sidechain
26	BB	2365	G	Sidechain
26	BB	2367	G	Sidechain
26	BB	2368	C	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
26	BB	2369	A	Sidechain
26	BB	2370	G	Sidechain
26	BB	2371	G	Sidechain
26	BB	2374	C	Sidechain
26	BB	2375	G	Sidechain
26	BB	2376	A	Sidechain
26	BB	2379	G	Sidechain
26	BB	2381	A	Sidechain
26	BB	2382	G	Sidechain
26	BB	2383	G	Sidechain
26	BB	2384	U	Sidechain
26	BB	2386	A	Sidechain
26	BB	2387	U	Sidechain
26	BB	2388	A	Sidechain
26	BB	2389	G	Sidechain
26	BB	239	C	Sidechain
26	BB	2390	U	Sidechain
26	BB	2392	A	Sidechain
26	BB	2393	U	Sidechain
26	BB	2394	C	Sidechain
26	BB	2395	C	Sidechain
26	BB	2396	G	Sidechain
26	BB	2398	U	Sidechain
26	BB	2399	G	Sidechain
26	BB	24	G	Sidechain
26	BB	240	C	Sidechain
26	BB	2401	U	Sidechain
26	BB	2402	U	Sidechain
26	BB	2405	G	Sidechain
26	BB	2409	G	Sidechain
26	BB	241	A	Sidechain
26	BB	2411	A	Sidechain
26	BB	2412	A	Sidechain
26	BB	2413	G	Sidechain
26	BB	2414	G	Sidechain
26	BB	2415	G	Sidechain
26	BB	242	G	Sidechain
26	BB	2420	C	Sidechain
26	BB	2422	C	Sidechain
26	BB	2424	C	Sidechain
26	BB	2428	G	Sidechain
26	BB	2429	G	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
26	BB	243	U	Sidechain
26	BB	2431	U	Sidechain
26	BB	2432	A	Sidechain
26	BB	2435	A	Sidechain
26	BB	2436	G	Sidechain
26	BB	2438	U	Sidechain
26	BB	2439	A	Sidechain
26	BB	2441	U	Sidechain
26	BB	2442	C	Sidechain
26	BB	2443	C	Sidechain
26	BB	2446	G	Sidechain
26	BB	2447	G	Sidechain
26	BB	2448	A	Sidechain
26	BB	245	G	Sidechain
26	BB	2451	A	Sidechain
26	BB	2452	C	Sidechain
26	BB	2454	G	Sidechain
26	BB	2456	C	Sidechain
26	BB	2458	G	Sidechain
26	BB	2461	A	Sidechain
26	BB	2462	C	Sidechain
26	BB	2463	C	Sidechain
26	BB	2464	G	Sidechain
26	BB	2469	A	Sidechain
26	BB	2472	G	Sidechain
26	BB	2473	U	Sidechain
26	BB	2474	U	Sidechain
26	BB	2475	C	Sidechain
26	BB	2477	U	Sidechain
26	BB	2478	A	Sidechain
26	BB	248	G	Sidechain
26	BB	2480	C	Sidechain
26	BB	2481	G	Sidechain
26	BB	2484	G	Sidechain
26	BB	2485	G	Sidechain
26	BB	2486	C	Sidechain
26	BB	2487	G	Sidechain
26	BB	2488	G	Sidechain
26	BB	2489	U	Sidechain
26	BB	249	C	Sidechain
26	BB	2490	G	Sidechain
26	BB	2491	U	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
26	BB	2493	U	Sidechain
26	BB	2494	G	Sidechain
26	BB	2495	G	Sidechain
26	BB	2496	C	Sidechain
26	BB	2497	A	Sidechain
26	BB	2500	U	Sidechain
26	BB	2501	C	Sidechain
26	BB	2505	G	Sidechain
26	BB	2507	C	Sidechain
26	BB	2508	G	Sidechain
26	BB	2509	G	Sidechain
26	BB	2511	U	Sidechain
26	BB	2512	C	Sidechain
26	BB	2517	C	Sidechain
26	BB	2519	U	Sidechain
26	BB	2520	C	Sidechain
26	BB	2521	C	Sidechain
26	BB	2522	U	Sidechain
26	BB	2523	G	Sidechain
26	BB	2524	G	Sidechain
26	BB	2525	G	Sidechain
26	BB	2526	G	Sidechain
26	BB	2527	C	Sidechain
26	BB	2528	U	Sidechain
26	BB	2529	G	Sidechain
26	BB	254	G	Sidechain
26	BB	2541	A	Sidechain
26	BB	2542	A	Sidechain
26	BB	2544	G	Sidechain
26	BB	2545	G	Sidechain
26	BB	2546	U	Sidechain
26	BB	2547	A	Sidechain
26	BB	2548	U	Sidechain
26	BB	2549	G	Sidechain
26	BB	2550	G	Sidechain
26	BB	2554	U	Sidechain
26	BB	2557	G	Sidechain
26	BB	2560	A	Sidechain
26	BB	2561	U	Sidechain
26	BB	2562	U	Sidechain
26	BB	2567	G	Sidechain
26	BB	2569	G	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
26	BB	257	C	Sidechain
26	BB	2571	U	Sidechain
26	BB	2572	A	Sidechain
26	BB	2573	C	Sidechain
26	BB	2576	G	Sidechain
26	BB	2577	A	Sidechain
26	BB	2578	G	Sidechain
26	BB	2579	C	Sidechain
26	BB	258	G	Sidechain
26	BB	2581	G	Sidechain
26	BB	2582	G	Sidechain
26	BB	2583	G	Sidechain
26	BB	2584	U	Sidechain
26	BB	2585	U	Sidechain
26	BB	2586	U	Sidechain
26	BB	2589	A	Sidechain
26	BB	259	G	Sidechain
26	BB	2590	A	Sidechain
26	BB	2591	C	Sidechain
26	BB	2592	G	Sidechain
26	BB	2594	C	Sidechain
26	BB	2595	G	Sidechain
26	BB	2596	U	Sidechain
26	BB	2597	G	Sidechain
26	BB	2598	A	Sidechain
26	BB	2599	G	Sidechain
26	BB	260	G	Sidechain
26	BB	2600	A	Sidechain
26	BB	2601	C	Sidechain
26	BB	2603	G	Sidechain
26	BB	2604	U	Sidechain
26	BB	2607	G	Sidechain
26	BB	2608	G	Sidechain
26	BB	261	G	Sidechain
26	BB	2610	C	Sidechain
26	BB	2612	C	Sidechain
26	BB	2613	U	Sidechain
26	BB	2616	C	Sidechain
26	BB	2619	C	Sidechain
26	BB	262	A	Sidechain
26	BB	2621	G	Sidechain
26	BB	2624	G	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
26	BB	2625	G	Sidechain
26	BB	2626	C	Sidechain
26	BB	2628	C	Sidechain
26	BB	263	G	Sidechain
26	BB	2631	G	Sidechain
26	BB	2633	G	Sidechain
26	BB	2637	U	Sidechain
26	BB	264	C	Sidechain
26	BB	2641	G	Sidechain
26	BB	2643	G	Sidechain
26	BB	2644	G	Sidechain
26	BB	2646	C	Sidechain
26	BB	2647	U	Sidechain
26	BB	2648	G	Sidechain
26	BB	2650	U	Sidechain
26	BB	2653	U	Sidechain
26	BB	2654	A	Sidechain
26	BB	2655	G	Sidechain
26	BB	2658	C	Sidechain
26	BB	2659	G	Sidechain
26	BB	266	G	Sidechain
26	BB	2661	G	Sidechain
26	BB	2662	A	Sidechain
26	BB	2665	A	Sidechain
26	BB	2667	C	Sidechain
26	BB	267	C	Sidechain
26	BB	2670	A	Sidechain
26	BB	2671	G	Sidechain
26	BB	2672	U	Sidechain
26	BB	2673	G	Sidechain
26	BB	2674	G	Sidechain
26	BB	268	C	Sidechain
26	BB	2680	U	Sidechain
26	BB	2681	C	Sidechain
26	BB	2682	A	Sidechain
26	BB	2686	G	Sidechain
26	BB	2687	U	Sidechain
26	BB	2689	U	Sidechain
26	BB	2692	G	Sidechain
26	BB	2694	G	Sidechain
26	BB	2697	G	Sidechain
26	BB	2698	U	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
26	BB	2699	C	Sidechain
26	BB	270	A	Sidechain
26	BB	2702	G	Sidechain
26	BB	2703	C	Sidechain
26	BB	2704	C	Sidechain
26	BB	2705	A	Sidechain
26	BB	2706	A	Sidechain
26	BB	2707	U	Sidechain
26	BB	2708	G	Sidechain
26	BB	271	G	Sidechain
26	BB	2712	C	Sidechain
26	BB	2713	U	Sidechain
26	BB	2714	G	Sidechain
26	BB	2719	G	Sidechain
26	BB	2720	U	Sidechain
26	BB	2721	A	Sidechain
26	BB	2723	C	Sidechain
26	BB	2724	U	Sidechain
26	BB	2725	A	Sidechain
26	BB	2726	A	Sidechain
26	BB	2727	A	Sidechain
26	BB	2728	U	Sidechain
26	BB	2729	G	Sidechain
26	BB	273	G	Sidechain
26	BB	2731	G	Sidechain
26	BB	2732	G	Sidechain
26	BB	2733	A	Sidechain
26	BB	2734	A	Sidechain
26	BB	2737	G	Sidechain
26	BB	2739	U	Sidechain
26	BB	2740	A	Sidechain
26	BB	2741	A	Sidechain
26	BB	2742	G	Sidechain
26	BB	2743	U	Sidechain
26	BB	2744	G	Sidechain
26	BB	2745	C	Sidechain
26	BB	2747	G	Sidechain
26	BB	2748	A	Sidechain
26	BB	2749	A	Sidechain
26	BB	2751	G	Sidechain
26	BB	2752	C	Sidechain
26	BB	2754	U	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
26	BB	2756	U	Sidechain
26	BB	276	U	Sidechain
26	BB	2760	C	Sidechain
26	BB	2763	G	Sidechain
26	BB	2765	A	Sidechain
26	BB	2766	A	Sidechain
26	BB	2767	C	Sidechain
26	BB	2768	U	Sidechain
26	BB	2769	U	Sidechain
26	BB	2771	C	Sidechain
26	BB	2772	C	Sidechain
26	BB	2773	C	Sidechain
26	BB	2775	G	Sidechain
26	BB	2777	G	Sidechain
26	BB	2778	A	Sidechain
26	BB	278	A	Sidechain
26	BB	2780	G	Sidechain
26	BB	2781	A	Sidechain
26	BB	2784	U	Sidechain
26	BB	2789	C	Sidechain
26	BB	279	A	Sidechain
26	BB	2793	C	Sidechain
26	BB	2794	C	Sidechain
26	BB	2798	U	Sidechain
26	BB	2801	G	Sidechain
26	BB	2803	G	Sidechain
26	BB	2804	U	Sidechain
26	BB	2805	C	Sidechain
26	BB	2807	U	Sidechain
26	BB	2808	G	Sidechain
26	BB	2809	A	Sidechain
26	BB	281	C	Sidechain
26	BB	2810	A	Sidechain
26	BB	2811	G	Sidechain
26	BB	2812	G	Sidechain
26	BB	2816	G	Sidechain
26	BB	2822	G	Sidechain
26	BB	2824	C	Sidechain
26	BB	2825	G	Sidechain
26	BB	283	G	Sidechain
26	BB	2830	C	Sidechain
26	BB	2833	U	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
26	BB	2835	A	Sidechain
26	BB	2836	U	Sidechain
26	BB	2837	A	Sidechain
26	BB	2838	G	Sidechain
26	BB	2841	C	Sidechain
26	BB	2842	G	Sidechain
26	BB	2844	G	Sidechain
26	BB	2845	U	Sidechain
26	BB	2846	G	Sidechain
26	BB	2847	U	Sidechain
26	BB	2848	G	Sidechain
26	BB	2849	U	Sidechain
26	BB	285	G	Sidechain
26	BB	2852	G	Sidechain
26	BB	2853	C	Sidechain
26	BB	2854	G	Sidechain
26	BB	2857	G	Sidechain
26	BB	2863	C	Sidechain
26	BB	2864	G	Sidechain
26	BB	2865	U	Sidechain
26	BB	2866	U	Sidechain
26	BB	2867	G	Sidechain
26	BB	2868	A	Sidechain
26	BB	2869	G	Sidechain
26	BB	2871	U	Sidechain
26	BB	2874	C	Sidechain
26	BB	2877	G	Sidechain
26	BB	2879	A	Sidechain
26	BB	288	U	Sidechain
26	BB	2880	C	Sidechain
26	BB	2882	A	Sidechain
26	BB	2884	U	Sidechain
26	BB	2885	G	Sidechain
26	BB	2886	A	Sidechain
26	BB	2889	C	Sidechain
26	BB	289	G	Sidechain
26	BB	2890	G	Sidechain
26	BB	2891	U	Sidechain
26	BB	2892	G	Sidechain
26	BB	2894	G	Sidechain
26	BB	2895	G	Sidechain
26	BB	2897	U	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
26	BB	2898	U	Sidechain
26	BB	2901	C	Sidechain
26	BB	2902	C	Sidechain
26	BB	2903	U	Sidechain
26	BB	291	G	Sidechain
26	BB	292	U	Sidechain
26	BB	294	A	Sidechain
26	BB	295	G	Sidechain
26	BB	297	G	Sidechain
26	BB	298	G	Sidechain
26	BB	30	G	Sidechain
26	BB	300	A	Sidechain
26	BB	301	G	Sidechain
26	BB	306	U	Sidechain
26	BB	307	G	Sidechain
26	BB	308	G	Sidechain
26	BB	311	A	Sidechain
26	BB	312	G	Sidechain
26	BB	313	G	Sidechain
26	BB	315	G	Sidechain
26	BB	317	G	Sidechain
26	BB	318	C	Sidechain
26	BB	32	C	Sidechain
26	BB	320	A	Sidechain
26	BB	321	U	Sidechain
26	BB	322	A	Sidechain
26	BB	325	G	Sidechain
26	BB	327	G	Sidechain
26	BB	328	U	Sidechain
26	BB	329	G	Sidechain
26	BB	33	C	Sidechain
26	BB	330	A	Sidechain
26	BB	331	C	Sidechain
26	BB	332	A	Sidechain
26	BB	333	G	Sidechain
26	BB	336	C	Sidechain
26	BB	340	A	Sidechain
26	BB	341	C	Sidechain
26	BB	343	C	Sidechain
26	BB	346	A	Sidechain
26	BB	35	G	Sidechain
26	BB	350	G	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
26	BB	354	A	Sidechain
26	BB	356	G	Sidechain
26	BB	358	U	Sidechain
26	BB	359	G	Sidechain
26	BB	362	A	Sidechain
26	BB	363	G	Sidechain
26	BB	364	C	Sidechain
26	BB	366	C	Sidechain
26	BB	367	G	Sidechain
26	BB	368	A	Sidechain
26	BB	37	C	Sidechain
26	BB	370	G	Sidechain
26	BB	372	G	Sidechain
26	BB	373	U	Sidechain
26	BB	374	A	Sidechain
26	BB	375	G	Sidechain
26	BB	376	G	Sidechain
26	BB	380	G	Sidechain
26	BB	386	G	Sidechain
26	BB	388	G	Sidechain
26	BB	389	G	Sidechain
26	BB	39	G	Sidechain
26	BB	390	U	Sidechain
26	BB	391	A	Sidechain
26	BB	392	U	Sidechain
26	BB	393	C	Sidechain
26	BB	394	C	Sidechain
26	BB	395	U	Sidechain
26	BB	396	G	Sidechain
26	BB	398	C	Sidechain
26	BB	399	U	Sidechain
26	BB	4	U	Sidechain
26	BB	400	G	Sidechain
26	BB	401	A	Sidechain
26	BB	404	A	Sidechain
26	BB	405	U	Sidechain
26	BB	406	G	Sidechain
26	BB	407	G	Sidechain
26	BB	41	C	Sidechain
26	BB	410	G	Sidechain
26	BB	411	G	Sidechain
26	BB	414	C	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
26	BB	416	U	Sidechain
26	BB	42	A	Sidechain
26	BB	421	C	Sidechain
26	BB	423	A	Sidechain
26	BB	424	G	Sidechain
26	BB	425	G	Sidechain
26	BB	43	G	Sidechain
26	BB	430	A	Sidechain
26	BB	436	C	Sidechain
26	BB	438	G	Sidechain
26	BB	44	A	Sidechain
26	BB	441	U	Sidechain
26	BB	442	G	Sidechain
26	BB	443	A	Sidechain
26	BB	444	C	Sidechain
26	BB	445	C	Sidechain
26	BB	446	G	Sidechain
26	BB	447	A	Sidechain
26	BB	448	U	Sidechain
26	BB	450	G	Sidechain
26	BB	451	U	Sidechain
26	BB	458	G	Sidechain
26	BB	459	U	Sidechain
26	BB	46	G	Sidechain
26	BB	463	G	Sidechain
26	BB	464	U	Sidechain
26	BB	466	A	Sidechain
26	BB	467	G	Sidechain
26	BB	468	G	Sidechain
26	BB	470	A	Sidechain
26	BB	473	G	Sidechain
26	BB	474	G	Sidechain
26	BB	476	G	Sidechain
26	BB	477	A	Sidechain
26	BB	479	A	Sidechain
26	BB	48	G	Sidechain
26	BB	480	A	Sidechain
26	BB	481	G	Sidechain
26	BB	485	C	Sidechain
26	BB	488	G	Sidechain
26	BB	489	G	Sidechain
26	BB	49	A	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
26	BB	490	C	Sidechain
26	BB	491	G	Sidechain
26	BB	492	A	Sidechain
26	BB	493	G	Sidechain
26	BB	494	G	Sidechain
26	BB	495	G	Sidechain
26	BB	496	G	Sidechain
26	BB	498	G	Sidechain
26	BB	499	U	Sidechain
26	BB	5	A	Sidechain
26	BB	501	A	Sidechain
26	BB	504	A	Sidechain
26	BB	506	G	Sidechain
26	BB	507	A	Sidechain
26	BB	509	C	Sidechain
26	BB	51	G	Sidechain
26	BB	510	C	Sidechain
26	BB	511	U	Sidechain
26	BB	512	G	Sidechain
26	BB	515	A	Sidechain
26	BB	518	G	Sidechain
26	BB	519	U	Sidechain
26	BB	52	A	Sidechain
26	BB	523	C	Sidechain
26	BB	524	G	Sidechain
26	BB	527	C	Sidechain
26	BB	528	A	Sidechain
26	BB	529	A	Sidechain
26	BB	530	G	Sidechain
26	BB	531	C	Sidechain
26	BB	532	A	Sidechain
26	BB	533	G	Sidechain
26	BB	534	U	Sidechain
26	BB	535	G	Sidechain
26	BB	536	G	Sidechain
26	BB	538	A	Sidechain
26	BB	54	G	Sidechain
26	BB	542	C	Sidechain
26	BB	543	G	Sidechain
26	BB	545	U	Sidechain
26	BB	546	U	Sidechain
26	BB	548	G	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
26	BB	550	C	Sidechain
26	BB	551	G	Sidechain
26	BB	553	G	Sidechain
26	BB	554	U	Sidechain
26	BB	555	G	Sidechain
26	BB	556	A	Sidechain
26	BB	558	U	Sidechain
26	BB	56	A	Sidechain
26	BB	561	G	Sidechain
26	BB	564	C	Sidechain
26	BB	566	U	Sidechain
26	BB	568	U	Sidechain
26	BB	573	U	Sidechain
26	BB	574	A	Sidechain
26	BB	575	A	Sidechain
26	BB	576	U	Sidechain
26	BB	577	G	Sidechain
26	BB	579	G	Sidechain
26	BB	58	G	Sidechain
26	BB	580	U	Sidechain
26	BB	582	A	Sidechain
26	BB	583	G	Sidechain
26	BB	585	G	Sidechain
26	BB	587	C	Sidechain
26	BB	589	U	Sidechain
26	BB	590	A	Sidechain
26	BB	593	U	Sidechain
26	BB	596	U	Sidechain
26	BB	597	G	Sidechain
26	BB	6	A	Sidechain
26	BB	60	G	Sidechain
26	BB	601	C	Sidechain
26	BB	602	A	Sidechain
26	BB	605	G	Sidechain
26	BB	606	U	Sidechain
26	BB	607	U	Sidechain
26	BB	609	A	Sidechain
26	BB	610	C	Sidechain
26	BB	611	C	Sidechain
26	BB	612	G	Sidechain
26	BB	614	A	Sidechain
26	BB	615	U	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
26	BB	616	A	Sidechain
26	BB	617	G	Sidechain
26	BB	618	G	Sidechain
26	BB	62	U	Sidechain
26	BB	620	G	Sidechain
26	BB	621	A	Sidechain
26	BB	622	G	Sidechain
26	BB	624	C	Sidechain
26	BB	625	G	Sidechain
26	BB	628	G	Sidechain
26	BB	629	G	Sidechain
26	BB	631	A	Sidechain
26	BB	636	G	Sidechain
26	BB	637	A	Sidechain
26	BB	638	G	Sidechain
26	BB	639	U	Sidechain
26	BB	64	A	Sidechain
26	BB	640	C	Sidechain
26	BB	641	U	Sidechain
26	BB	642	U	Sidechain
26	BB	643	A	Sidechain
26	BB	645	C	Sidechain
26	BB	648	G	Sidechain
26	BB	650	C	Sidechain
26	BB	651	G	Sidechain
26	BB	653	U	Sidechain
26	BB	654	A	Sidechain
26	BB	655	A	Sidechain
26	BB	657	U	Sidechain
26	BB	658	U	Sidechain
26	BB	659	G	Sidechain
26	BB	66	C	Sidechain
26	BB	662	G	Sidechain
26	BB	663	G	Sidechain
26	BB	665	U	Sidechain
26	BB	668	A	Sidechain
26	BB	669	G	Sidechain
26	BB	67	U	Sidechain
26	BB	670	A	Sidechain
26	BB	671	C	Sidechain
26	BB	672	C	Sidechain
26	BB	673	C	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
26	BB	674	G	Sidechain
26	BB	675	A	Sidechain
26	BB	676	A	Sidechain
26	BB	68	G	Sidechain
26	BB	682	G	Sidechain
26	BB	683	U	Sidechain
26	BB	684	G	Sidechain
26	BB	685	A	Sidechain
26	BB	686	U	Sidechain
26	BB	687	C	Sidechain
26	BB	688	U	Sidechain
26	BB	69	C	Sidechain
26	BB	690	G	Sidechain
26	BB	694	U	Sidechain
26	BB	695	G	Sidechain
26	BB	696	G	Sidechain
26	BB	698	C	Sidechain
26	BB	699	A	Sidechain
26	BB	7	G	Sidechain
26	BB	70	G	Sidechain
26	BB	700	G	Sidechain
26	BB	701	G	Sidechain
26	BB	703	U	Sidechain
26	BB	704	G	Sidechain
26	BB	706	A	Sidechain
26	BB	707	G	Sidechain
26	BB	708	G	Sidechain
26	BB	709	U	Sidechain
26	BB	71	A	Sidechain
26	BB	710	U	Sidechain
26	BB	711	G	Sidechain
26	BB	712	G	Sidechain
26	BB	716	A	Sidechain
26	BB	717	C	Sidechain
26	BB	718	A	Sidechain
26	BB	719	C	Sidechain
26	BB	72	U	Sidechain
26	BB	720	U	Sidechain
26	BB	721	A	Sidechain
26	BB	722	A	Sidechain
26	BB	725	G	Sidechain
26	BB	726	G	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
26	BB	728	G	Sidechain
26	BB	729	G	Sidechain
26	BB	730	A	Sidechain
26	BB	733	G	Sidechain
26	BB	735	A	Sidechain
26	BB	736	C	Sidechain
26	BB	737	C	Sidechain
26	BB	738	G	Sidechain
26	BB	739	A	Sidechain
26	BB	740	C	Sidechain
26	BB	741	U	Sidechain
26	BB	744	U	Sidechain
26	BB	748	G	Sidechain
26	BB	75	G	Sidechain
26	BB	752	A	Sidechain
26	BB	754	U	Sidechain
26	BB	758	C	Sidechain
26	BB	759	G	Sidechain
26	BB	76	C	Sidechain
26	BB	762	U	Sidechain
26	BB	763	G	Sidechain
26	BB	767	U	Sidechain
26	BB	768	G	Sidechain
26	BB	77	G	Sidechain
26	BB	771	G	Sidechain
26	BB	774	G	Sidechain
26	BB	775	G	Sidechain
26	BB	776	G	Sidechain
26	BB	777	G	Sidechain
26	BB	778	G	Sidechain
26	BB	779	U	Sidechain
26	BB	78	U	Sidechain
26	BB	780	G	Sidechain
26	BB	781	A	Sidechain
26	BB	783	A	Sidechain
26	BB	784	G	Sidechain
26	BB	786	C	Sidechain
26	BB	793	A	Sidechain
26	BB	794	A	Sidechain
26	BB	796	C	Sidechain
26	BB	797	G	Sidechain
26	BB	8	C	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
26	BB	800	A	Sidechain
26	BB	801	G	Sidechain
26	BB	802	A	Sidechain
26	BB	803	U	Sidechain
26	BB	804	A	Sidechain
26	BB	805	G	Sidechain
26	BB	806	C	Sidechain
26	BB	808	G	Sidechain
26	BB	81	G	Sidechain
26	BB	810	U	Sidechain
26	BB	811	U	Sidechain
26	BB	814	C	Sidechain
26	BB	815	C	Sidechain
26	BB	816	C	Sidechain
26	BB	818	G	Sidechain
26	BB	819	A	Sidechain
26	BB	82	U	Sidechain
26	BB	820	A	Sidechain
26	BB	822	G	Sidechain
26	BB	823	C	Sidechain
26	BB	825	A	Sidechain
26	BB	826	U	Sidechain
26	BB	827	U	Sidechain
26	BB	828	U	Sidechain
26	BB	829	A	Sidechain
26	BB	83	A	Sidechain
26	BB	831	G	Sidechain
26	BB	832	U	Sidechain
26	BB	834	G	Sidechain
26	BB	835	C	Sidechain
26	BB	838	C	Sidechain
26	BB	840	C	Sidechain
26	BB	841	G	Sidechain
26	BB	843	G	Sidechain
26	BB	844	A	Sidechain
26	BB	845	A	Sidechain
26	BB	847	U	Sidechain
26	BB	85	G	Sidechain
26	BB	850	U	Sidechain
26	BB	852	U	Sidechain
26	BB	854	C	Sidechain
26	BB	857	G	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
26	BB	858	G	Sidechain
26	BB	859	G	Sidechain
26	BB	86	G	Sidechain
26	BB	860	U	Sidechain
26	BB	862	G	Sidechain
26	BB	864	G	Sidechain
26	BB	866	A	Sidechain
26	BB	869	G	Sidechain
26	BB	87	U	Sidechain
26	BB	870	U	Sidechain
26	BB	871	U	Sidechain
26	BB	872	U	Sidechain
26	BB	874	G	Sidechain
26	BB	875	G	Sidechain
26	BB	876	C	Sidechain
26	BB	877	A	Sidechain
26	BB	88	G	Sidechain
26	BB	881	G	Sidechain
26	BB	883	G	Sidechain
26	BB	884	U	Sidechain
26	BB	889	C	Sidechain
26	BB	89	A	Sidechain
26	BB	890	C	Sidechain
26	BB	891	G	Sidechain
26	BB	892	A	Sidechain
26	BB	893	C	Sidechain
26	BB	894	U	Sidechain
26	BB	895	U	Sidechain
26	BB	896	A	Sidechain
26	BB	897	C	Sidechain
26	BB	898	C	Sidechain
26	BB	899	A	Sidechain
26	BB	9	G	Sidechain
26	BB	900	A	Sidechain
26	BB	901	C	Sidechain
26	BB	902	C	Sidechain
26	BB	904	G	Sidechain
26	BB	905	A	Sidechain
26	BB	907	G	Sidechain
26	BB	909	A	Sidechain
26	BB	910	A	Sidechain
26	BB	914	G	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
26	BB	919	U	Sidechain
26	BB	92	U	Sidechain
26	BB	923	G	Sidechain
26	BB	924	G	Sidechain
26	BB	928	A	Sidechain
26	BB	929	U	Sidechain
26	BB	930	G	Sidechain
26	BB	931	U	Sidechain
26	BB	933	A	Sidechain
26	BB	934	U	Sidechain
26	BB	937	C	Sidechain
26	BB	938	G	Sidechain
26	BB	939	G	Sidechain
26	BB	940	G	Sidechain
26	BB	942	G	Sidechain
26	BB	943	A	Sidechain
26	BB	944	C	Sidechain
26	BB	945	A	Sidechain
26	BB	947	A	Sidechain
26	BB	949	G	Sidechain
26	BB	95	A	Sidechain
26	BB	951	C	Sidechain
26	BB	954	G	Sidechain
26	BB	956	G	Sidechain
26	BB	957	C	Sidechain
26	BB	959	A	Sidechain
26	BB	960	A	Sidechain
26	BB	964	C	Sidechain
26	BB	968	C	Sidechain
26	BB	969	G	Sidechain
26	BB	97	C	Sidechain
26	BB	971	G	Sidechain
26	BB	973	A	Sidechain
26	BB	974	G	Sidechain
26	BB	976	G	Sidechain
26	BB	977	G	Sidechain
26	BB	98	G	Sidechain
26	BB	980	A	Sidechain
26	BB	981	A	Sidechain
26	BB	982	C	Sidechain
26	BB	983	A	Sidechain
26	BB	987	C	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
26	BB	988	A	Sidechain
26	BB	989	G	Sidechain
26	BB	99	U	Sidechain
26	BB	990	A	Sidechain
26	BB	993	G	Sidechain
26	BB	994	C	Sidechain
26	BB	995	C	Sidechain
26	BB	997	G	Sidechain
26	BB	998	C	Sidechain
26	BB	999	U	Sidechain
27	BC	134	ARG	Sidechain
27	BC	220	ALA	Peptide
28	BD	132	ARG	Sidechain
28	BD	164	VAL	Peptide
28	BD	174	ARG	Sidechain
28	BD	181	ARG	Sidechain
28	BD	220	ARG	Sidechain
28	BD	243	PRO	Peptide
28	BD	82	TYR	Sidechain
28	BD	9	SER	Peptide
28	BD	95	TYR	Sidechain
29	BE	113	SER	Peptide
29	BE	114	LYS	Peptide
29	BE	176	ASP	Peptide
29	BE	179	ARG	Sidechain
30	BF	162	ARG	Sidechain
30	BF	35	TYR	Sidechain
30	BF	40	ARG	Sidechain
31	BG	137	PHE	Sidechain
31	BG	142	TYR	Sidechain
31	BG	147	ARG	Sidechain
31	BG	176	PHE	Sidechain
31	BG	82	TYR	Sidechain
31	BG	91	ARG	Sidechain
32	BH	162	ARG	Sidechain
32	BH	69	ALA	Mainchain
32	BH	82	PHE	Sidechain
33	BI	139	PHE	Sidechain
34	BJ	129	PRO	Peptide
34	BJ	140	ALA	Mainchain
34	BJ	45	ARG	Sidechain
34	BJ	75	PHE	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
34	BJ	98	PHE	Sidechain
35	BK	37	PHE	Sidechain
35	BK	64	ARG	Sidechain
35	BK	7	TYR	Sidechain
36	BL	16	TYR	Sidechain
36	BL	53	TYR	Sidechain
37	BM	111	LYS	Mainchain
37	BM	26	GLY	Peptide
37	BM	31	ARG	Sidechain
37	BM	4	GLU	Peptide
37	BM	64	ARG	Sidechain
38	BN	126	ARG	Sidechain
38	BN	3	LEU	Mainchain
39	BO	44	ARG	Sidechain
39	BO	59	ARG	Sidechain
39	BO	66	ARG	Sidechain
40	BP	103	ARG	Sidechain
40	BP	123	GLU	Peptide
40	BP	22	ARG	Sidechain
40	BP	8	ARG	Sidechain
41	BQ	10	ARG	Sidechain
41	BQ	102	ARG	Sidechain
41	BQ	34	HIS	Sidechain
41	BQ	64	TYR	Sidechain
41	BQ	81	ARG	Sidechain
41	BQ	99	TYR	Sidechain
42	BR	102	ARG	Sidechain
42	BR	39	LEU	Mainchain
42	BR	42	PHE	Sidechain
42	BR	98	TYR	Sidechain
43	BS	12	ARG	Sidechain
43	BS	19	GLN	Sidechain
43	BS	23	TYR	Sidechain
43	BS	31	TYR	Sidechain
43	BS	46	TYR	Sidechain
43	BS	56	PHE	Sidechain
44	BT	2	TYR	Sidechain
44	BT	83	TYR	Sidechain
44	BT	84	ARG	Sidechain
44	BT	90	ARG	Sidechain
45	BU	4	ILE	Peptide
45	BU	6	LYS	Peptide

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
45	BU	75	PHE	Sidechain
45	BU	84	ARG	Sidechain
45	BU	88	ARG	Sidechain
46	BV	69	ARG	Sidechain
46	BV	76	ARG	Sidechain
48	BX	31	TYR	Sidechain
48	BX	65	VAL	Mainchain
48	BX	79	ARG	Sidechain
48	BX	82	TYR	Sidechain
49	BY	13	ARG	Peptide
49	BY	14	ASP	Peptide
49	BY	16	GLU	Peptide
49	BY	19	ARG	Peptide
49	BY	81	ILE	Peptide
50	BZ	10	ARG	Sidechain
50	BZ	29	LEU	Peptide

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	AA	33089	0	16619	0	0
2	AB	1627	0	844	0	0
3	AC	993	0	501	0	0
4	AD	1641	0	840	0	0
5	AE	1872	0	1885	0	0
6	AF	1822	0	1913	0	0
7	AG	1643	0	1710	0	0
8	AH	1225	0	1273	0	0
9	AI	1101	0	1050	0	0
10	AJ	1400	0	1449	0	0
11	AK	979	0	1034	0	0
12	AL	1036	0	1084	0	0
13	AM	825	0	865	0	0
14	AN	965	0	997	0	0
15	AO	955	0	1019	0	0
16	AP	910	0	981	0	0
17	AQ	805	0	847	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
18	AR	716	0	742	0	0
19	AS	649	0	666	0	0
20	AT	672	0	716	0	0
21	AU	626	0	651	0	0
22	AV	727	0	769	0	0
23	AW	670	0	722	0	0
24	AX	590	0	631	0	0
25	BA	2566	0	1296	0	0
26	BB	62351	0	31238	0	0
27	BC	1733	0	1824	0	0
28	BD	2092	0	2170	0	0
29	BE	1565	0	1616	0	0
30	BF	1552	0	1619	0	0
31	BG	1420	0	1460	0	0
32	BH	1323	0	1374	0	0
33	BI	1111	0	1148	0	0
34	BJ	1233	0	1283	0	0
35	BK	1032	0	1088	0	0
36	BL	1129	0	1162	0	0
37	BM	947	0	1023	0	0
38	BN	1053	0	1129	0	0
39	BO	1074	0	1157	0	0
40	BP	1008	0	1045	0	0
41	BQ	900	0	935	0	0
42	BR	917	0	965	0	0
43	BS	947	0	1022	0	0
44	BT	816	0	839	0	0
45	BU	857	0	922	0	0
46	BV	787	0	846	0	0
47	BW	789	0	847	0	0
48	BX	753	0	780	0	0
49	BY	634	0	656	0	0
50	BZ	625	0	655	0	0
51	B0	509	0	543	0	0
52	B1	449	0	491	0	0
53	B2	549	0	552	0	0
54	B3	444	0	461	0	0
55	B4	441	0	485	0	0
56	B5	377	0	418	0	0
57	B6	504	0	574	0	0
58	B7	302	0	343	0	0
59	AB	14	0	9	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
60	BB	10	0	10	0	0
All	All	152351	0	103793	0	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). Clashscore could not be calculated for this entry.

There are no clashes within the asymmetric unit.

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
5	AE	238/240 (99%)	211 (89%)	24 (10%)	3 (1%)	12	48
6	AF	230/232 (99%)	204 (89%)	20 (9%)	6 (3%)	5	31
7	AG	203/205 (99%)	182 (90%)	17 (8%)	4 (2%)	7	38
8	AH	164/166 (99%)	146 (89%)	15 (9%)	3 (2%)	8	40
9	AI	133/135 (98%)	118 (89%)	12 (9%)	3 (2%)	6	34
10	AJ	176/178 (99%)	163 (93%)	11 (6%)	2 (1%)	14	52
11	AK	127/129 (98%)	116 (91%)	9 (7%)	2 (2%)	9	44
12	AL	127/129 (98%)	118 (93%)	7 (6%)	2 (2%)	9	44
13	AM	101/103 (98%)	92 (91%)	5 (5%)	4 (4%)	3	23
14	AN	126/128 (98%)	111 (88%)	15 (12%)	0	100	100
15	AO	121/123 (98%)	103 (85%)	14 (12%)	4 (3%)	4	26
16	AP	115/117 (98%)	101 (88%)	11 (10%)	3 (3%)	5	31
17	AQ	98/100 (98%)	79 (81%)	13 (13%)	6 (6%)	1	17
18	AR	86/88 (98%)	82 (95%)	3 (4%)	1 (1%)	13	50
19	AS	80/82 (98%)	75 (94%)	4 (5%)	1 (1%)	12	48
20	AT	81/83 (98%)	66 (82%)	14 (17%)	1 (1%)	13	50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
21	AU	72/74 (97%)	63 (88%)	6 (8%)	3 (4%)	3	22
22	AV	89/91 (98%)	79 (89%)	6 (7%)	4 (4%)	2	22
23	AW	84/86 (98%)	78 (93%)	4 (5%)	2 (2%)	6	33
24	AX	68/70 (97%)	53 (78%)	13 (19%)	2 (3%)	4	29
27	BC	232/234 (99%)	207 (89%)	20 (9%)	5 (2%)	6	35
28	BD	270/272 (99%)	232 (86%)	30 (11%)	8 (3%)	4	28
29	BE	207/209 (99%)	171 (83%)	31 (15%)	5 (2%)	6	33
30	BF	199/201 (99%)	171 (86%)	16 (8%)	12 (6%)	1	17
31	BG	176/178 (99%)	142 (81%)	24 (14%)	10 (6%)	1	18
32	BH	174/176 (99%)	149 (86%)	22 (13%)	3 (2%)	9	42
33	BI	147/149 (99%)	124 (84%)	21 (14%)	2 (1%)	11	46
34	BJ	162/164 (99%)	147 (91%)	13 (8%)	2 (1%)	13	50
35	BK	139/141 (99%)	126 (91%)	12 (9%)	1 (1%)	22	63
36	BL	140/142 (99%)	112 (80%)	21 (15%)	7 (5%)	2	20
37	BM	121/123 (98%)	104 (86%)	13 (11%)	4 (3%)	4	26
38	BN	142/144 (99%)	121 (85%)	17 (12%)	4 (3%)	5	30
39	BO	134/136 (98%)	116 (87%)	14 (10%)	4 (3%)	4	28
40	BP	125/127 (98%)	116 (93%)	8 (6%)	1 (1%)	19	60
41	BQ	115/117 (98%)	109 (95%)	4 (4%)	2 (2%)	9	42
42	BR	112/114 (98%)	88 (79%)	22 (20%)	2 (2%)	8	40
43	BS	115/117 (98%)	106 (92%)	7 (6%)	2 (2%)	9	42
44	BT	101/103 (98%)	90 (89%)	8 (8%)	3 (3%)	4	28
45	BU	108/110 (98%)	101 (94%)	4 (4%)	3 (3%)	5	30
46	BV	98/100 (98%)	78 (80%)	14 (14%)	6 (6%)	1	17
47	BW	101/103 (98%)	85 (84%)	13 (13%)	3 (3%)	4	28
48	BX	92/94 (98%)	82 (89%)	9 (10%)	1 (1%)	14	52
49	BY	82/84 (98%)	60 (73%)	18 (22%)	4 (5%)	2	20
50	BZ	75/77 (97%)	65 (87%)	6 (8%)	4 (5%)	2	19
51	B0	61/63 (97%)	55 (90%)	5 (8%)	1 (2%)	9	44
52	B1	56/58 (97%)	50 (89%)	5 (9%)	1 (2%)	8	40
53	B2	68/70 (97%)	45 (66%)	18 (26%)	5 (7%)	1	14

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
54	B3	54/56 (96%)	44 (82%)	9 (17%)	1 (2%)	8	38
55	B4	52/54 (96%)	45 (86%)	4 (8%)	3 (6%)	1	18
56	B5	44/46 (96%)	40 (91%)	2 (4%)	2 (4%)	2	22
57	B6	62/64 (97%)	54 (87%)	6 (10%)	2 (3%)	4	26
58	B7	36/38 (95%)	31 (86%)	4 (11%)	1 (3%)	5	30
All	All	6319/6423 (98%)	5506 (87%)	643 (10%)	170 (3%)	8	31

All (170) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
12	AL	86	LEU
13	AM	42	LEU
13	AM	57	VAL
16	AP	22	TYR
21	AU	11	ARG
28	BD	64	VAL
31	BG	35	LEU
31	BG	88	VAL
31	BG	148	VAL
35	BK	6	ALA
37	BM	71	ARG
42	BR	25	VAL
43	BS	5	ARG
46	BV	35	ALA
46	BV	69	ARG
47	BW	74	ALA
49	BY	25	PHE
52	B1	51	SER
55	B4	52	LYS
5	AE	22	TRP
6	AF	145	ALA
6	AF	179	ALA
8	AH	2	HIS
8	AH	23	THR
9	AI	54	LEU
10	AJ	165	ALA
13	AM	62	ARG
13	AM	74	VAL
17	AQ	52	ARG
17	AQ	70	HIS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
20	AT	50	ASN
24	AX	3	ILE
28	BD	204	LEU
29	BE	37	VAL
29	BE	173	GLN
30	BF	44	ARG
30	BF	62	GLN
30	BF	96	VAL
30	BF	120	VAL
30	BF	123	LYS
31	BG	43	ILE
31	BG	66	ILE
31	BG	141	ASP
31	BG	169	LEU
36	BL	39	LYS
39	BO	135	VAL
41	BQ	101	GLY
42	BR	63	ILE
44	BT	91	GLN
46	BV	40	LYS
47	BW	91	LYS
48	BX	71	LYS
49	BY	75	ASN
50	BZ	27	ARG
54	B3	54	ILE
6	AF	79	LYS
7	AG	27	ILE
9	AI	53	LYS
9	AI	127	GLY
10	AJ	2	ARG
15	AO	122	LYS
17	AQ	32	ASP
17	AQ	37	ASP
18	AR	86	LEU
21	AU	12	PHE
22	AV	36	ARG
24	AX	26	GLY
28	BD	205	GLY
28	BD	237	ARG
29	BE	136	ASN
29	BE	151	THR
29	BE	153	GLY

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
31	BG	150	GLY
32	BH	94	ARG
36	BL	120	ARG
37	BM	46	ALA
37	BM	81	GLY
38	BN	44	GLY
45	BU	89	ALA
47	BW	39	ASN
50	BZ	2	ARG
50	BZ	16	ASN
55	B4	3	GLY
5	AE	64	GLY
6	AF	24	ASN
7	AG	41	GLY
8	AH	150	GLU
12	AL	3	ASN
15	AO	91	GLY
16	AP	3	ILE
17	AQ	2	LYS
17	AQ	62	ARG
21	AU	18	GLN
22	AV	5	LYS
23	AW	7	LYS
27	BC	74	ARG
27	BC	206	GLY
28	BD	254	LYS
30	BF	11	ALA
30	BF	50	ALA
30	BF	64	GLY
30	BF	119	ILE
30	BF	188	MET
31	BG	99	PHE
32	BH	27	GLY
32	BH	107	GLY
33	BI	113	SER
34	BJ	30	ARG
34	BJ	33	THR
36	BL	78	THR
37	BM	72	PRO
38	BN	16	GLY
40	BP	94	TYR
45	BU	28	LYS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
45	BU	65	ASP
46	BV	29	THR
51	B0	62	GLY
53	B2	16	CYS
7	AG	28	ASP
15	AO	116	TYR
16	AP	98	GLY
22	AV	31	ARG
23	AW	67	HIS
27	BC	219	GLY
28	BD	176	ARG
33	BI	11	ASN
36	BL	96	ARG
36	BL	111	LYS
38	BN	46	VAL
39	BO	79	ALA
44	BT	9	GLY
44	BT	101	ILE
46	BV	16	VAL
50	BZ	53	LYS
57	B6	26	ALA
57	B6	31	ILE
58	B7	6	SER
5	AE	12	GLY
6	AF	5	HIS
6	AF	80	GLY
11	AK	70	VAL
15	AO	27	PRO
27	BC	159	GLY
30	BF	6	LYS
49	BY	51	GLY
53	B2	41	HIS
53	B2	63	ARG
55	B4	51	ALA
53	B2	54	GLY
11	AK	91	LEU
28	BD	106	PRO
28	BD	158	GLY
30	BF	82	GLY
36	BL	136	GLN
39	BO	23	GLY
39	BO	36	VAL

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
43	BS	7	VAL
53	B2	55	GLY
56	B5	17	GLY
7	AG	65	GLY
22	AV	10	ILE
27	BC	169	GLY
36	BL	137	PRO
38	BN	8	PRO
46	BV	75	GLY
31	BG	84	ILE
49	BY	37	VAL
19	AS	64	GLY
41	BQ	114	GLY
56	B5	44	VAL

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
5	AE	198/198 (100%)	191 (96%)	7 (4%)	36	59
6	AF	189/189 (100%)	176 (93%)	13 (7%)	15	40
7	AG	172/172 (100%)	165 (96%)	7 (4%)	30	55
8	AH	125/125 (100%)	119 (95%)	6 (5%)	25	51
9	AI	116/116 (100%)	109 (94%)	7 (6%)	19	44
10	AJ	146/146 (100%)	139 (95%)	7 (5%)	25	51
11	AK	104/104 (100%)	102 (98%)	2 (2%)	57	75
12	AL	106/106 (100%)	104 (98%)	2 (2%)	57	75
13	AM	90/90 (100%)	82 (91%)	8 (9%)	9	30
14	AN	98/98 (100%)	95 (97%)	3 (3%)	40	62
15	AO	103/103 (100%)	95 (92%)	8 (8%)	12	36
16	AP	95/95 (100%)	90 (95%)	5 (5%)	22	47
17	AQ	83/83 (100%)	82 (99%)	1 (1%)	71	83

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
18	AR	76/76 (100%)	74 (97%)	2 (3%)	46	66
19	AS	65/65 (100%)	63 (97%)	2 (3%)	40	62
20	AT	77/77 (100%)	71 (92%)	6 (8%)	12	36
21	AU	64/64 (100%)	59 (92%)	5 (8%)	12	36
22	AV	78/78 (100%)	72 (92%)	6 (8%)	13	37
23	AW	65/65 (100%)	62 (95%)	3 (5%)	27	52
24	AX	60/60 (100%)	54 (90%)	6 (10%)	7	26
27	BC	181/181 (100%)	171 (94%)	10 (6%)	21	47
28	BD	217/217 (100%)	208 (96%)	9 (4%)	30	55
29	BE	164/164 (100%)	156 (95%)	8 (5%)	25	50
30	BF	165/165 (100%)	157 (95%)	8 (5%)	25	51
31	BG	149/149 (100%)	141 (95%)	8 (5%)	22	47
32	BH	137/137 (100%)	128 (93%)	9 (7%)	16	41
33	BI	114/114 (100%)	108 (95%)	6 (5%)	22	47
34	BJ	122/122 (100%)	118 (97%)	4 (3%)	38	61
35	BK	109/109 (100%)	106 (97%)	3 (3%)	43	65
36	BL	116/116 (100%)	111 (96%)	5 (4%)	29	53
37	BM	104/104 (100%)	97 (93%)	7 (7%)	16	41
38	BN	103/103 (100%)	97 (94%)	6 (6%)	20	45
39	BO	109/109 (100%)	101 (93%)	8 (7%)	14	39
40	BP	103/103 (100%)	97 (94%)	6 (6%)	20	45
41	BQ	87/87 (100%)	83 (95%)	4 (5%)	27	52
42	BR	99/99 (100%)	91 (92%)	8 (8%)	11	35
43	BS	89/89 (100%)	87 (98%)	2 (2%)	52	71
44	BT	84/84 (100%)	79 (94%)	5 (6%)	19	44
45	BU	93/93 (100%)	92 (99%)	1 (1%)	73	84
46	BV	84/84 (100%)	75 (89%)	9 (11%)	6	23
47	BW	84/84 (100%)	79 (94%)	5 (6%)	19	44
48	BX	78/78 (100%)	75 (96%)	3 (4%)	33	57
49	BY	62/62 (100%)	60 (97%)	2 (3%)	39	61
50	BZ	67/67 (100%)	63 (94%)	4 (6%)	19	44

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
51	B0	55/55 (100%)	53 (96%)	2 (4%)	35	59
52	B1	48/48 (100%)	46 (96%)	2 (4%)	30	54
53	B2	62/62 (100%)	57 (92%)	5 (8%)	11	35
54	B3	47/47 (100%)	42 (89%)	5 (11%)	6	24
55	B4	48/48 (100%)	47 (98%)	1 (2%)	53	72
56	B5	38/38 (100%)	37 (97%)	1 (3%)	46	66
57	B6	51/51 (100%)	45 (88%)	6 (12%)	5	20
58	B7	34/34 (100%)	32 (94%)	2 (6%)	19	45
All	All	5213/5213 (100%)	4943 (95%)	270 (5%)	27	48

All (270) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
5	AE	14	HIS
5	AE	69	VAL
5	AE	131	LYS
5	AE	172	ILE
5	AE	206	ILE
5	AE	233	GLU
5	AE	234	GLU
6	AF	17	TRP
6	AF	21	TRP
6	AF	22	PHE
6	AF	62	SER
6	AF	71	ARG
6	AF	106	ARG
6	AF	124	GLU
6	AF	166	TRP
6	AF	167	TYR
6	AF	189	HIS
6	AF	194	VAL
6	AF	215	GLN
6	AF	227	GLN
7	AG	2	ARG
7	AG	29	THR
7	AG	46	ARG
7	AG	80	ARG
7	AG	128	VAL
7	AG	171	GLU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
7	AG	199	ILE
8	AH	49	TYR
8	AH	82	HIS
8	AH	96	GLN
8	AH	105	ILE
8	AH	127	TYR
8	AH	151	MET
9	AI	58	HIS
9	AI	71	ILE
9	AI	80	PHE
9	AI	102	MET
9	AI	103	VAL
9	AI	104	LYS
9	AI	114	ASP
10	AJ	37	THR
10	AJ	83	THR
10	AJ	137	ARG
10	AJ	138	GLU
10	AJ	142	ARG
10	AJ	153	TYR
10	AJ	155	TRP
11	AK	26	MET
11	AK	87	ARG
12	AL	65	THR
12	AL	129	ARG
13	AM	9	ARG
13	AM	13	PHE
13	AM	44	THR
13	AM	52	LEU
13	AM	69	THR
13	AM	79	PRO
13	AM	85	ASP
13	AM	98	VAL
14	AN	23	HIS
14	AN	55	ARG
14	AN	93	GLU
15	AO	15	VAL
15	AO	28	GLN
15	AO	29	LYS
15	AO	72	ASN
15	AO	87	LYS
15	AO	118	VAL

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
15	AO	119	LYS
15	AO	120	ARG
16	AP	6	ILE
16	AP	20	SER
16	AP	27	THR
16	AP	71	GLU
16	AP	108	ARG
17	AQ	5	MET
18	AR	9	LYS
18	AR	48	ASP
19	AS	4	ILE
19	AS	16	PHE
20	AT	5	ARG
20	AT	13	SER
20	AT	26	ARG
20	AT	44	HIS
20	AT	68	LYS
20	AT	79	GLU
21	AU	18	GLN
21	AU	19	GLU
21	AU	42	ARG
21	AU	47	ARG
21	AU	56	ARG
22	AV	9	PHE
22	AV	13	HIS
22	AV	23	GLU
22	AV	46	LEU
22	AV	62	THR
22	AV	80	ARG
23	AW	7	LYS
23	AW	8	LYS
23	AW	58	ASP
24	AX	1	PRO
24	AX	7	GLU
24	AX	16	ARG
24	AX	19	LYS
24	AX	23	GLU
24	AX	48	LYS
27	BC	18	THR
27	BC	99	ASP
27	BC	121	MET
27	BC	131	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
27	BC	157	LYS
27	BC	162	ARG
27	BC	172	HIS
27	BC	174	THR
27	BC	189	LEU
27	BC	193	LEU
28	BD	25	LYS
28	BD	27	LYS
28	BD	34	GLU
28	BD	62	ARG
28	BD	114	GLN
28	BD	173	LEU
28	BD	174	ARG
28	BD	212	TRP
28	BD	244	VAL
29	BE	45	TYR
29	BE	68	PHE
29	BE	70	LYS
29	BE	99	GLU
29	BE	156	PHE
29	BE	175	LEU
29	BE	176	ASP
29	BE	181	ASP
30	BF	27	LEU
30	BF	79	ARG
30	BF	84	THR
30	BF	94	GLN
30	BF	96	VAL
30	BF	116	ASP
30	BF	134	LEU
30	BF	146	VAL
31	BG	45	ASP
31	BG	91	ARG
31	BG	104	THR
31	BG	112	ASP
31	BG	127	TYR
31	BG	134	GLN
31	BG	148	VAL
31	BG	168	LEU
32	BH	2	ARG
32	BH	68	ARG
32	BH	102	ILE

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
32	BH	123	GLU
32	BH	127	GLN
32	BH	153	PRO
32	BH	166	GLU
32	BH	170	THR
32	BH	175	LYS
33	BI	40	THR
33	BI	44	ILE
33	BI	45	GLU
33	BI	83	LYS
33	BI	97	ARG
33	BI	119	ASN
34	BJ	54	VAL
34	BJ	87	HIS
34	BJ	112	PHE
34	BJ	150	LEU
35	BK	50	LYS
35	BK	68	PHE
35	BK	112	LYS
36	BL	37	ARG
36	BL	39	LYS
36	BL	50	THR
36	BL	120	ARG
36	BL	123	LYS
37	BM	4	GLU
37	BM	5	GLN
37	BM	8	LEU
37	BM	31	ARG
37	BM	54	LYS
37	BM	114	LYS
37	BM	121	GLU
38	BN	57	LEU
38	BN	80	SER
38	BN	85	VAL
38	BN	104	GLN
38	BN	123	ARG
38	BN	126	ARG
39	BO	5	LYS
39	BO	10	ARG
39	BO	18	ARG
39	BO	31	PHE
39	BO	50	ARG

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
39	BO	59	ARG
39	BO	93	VAL
39	BO	118	LYS
40	BP	9	GLN
40	BP	24	MET
40	BP	65	LEU
40	BP	72	ASP
40	BP	80	PHE
40	BP	82	GLU
41	BQ	3	LYS
41	BQ	30	ARG
41	BQ	40	ILE
41	BQ	58	ILE
42	BR	14	GLN
42	BR	15	ASP
42	BR	17	PRO
42	BR	19	PHE
42	BR	25	VAL
42	BR	36	LYS
42	BR	49	ILE
42	BR	98	TYR
43	BS	8	ILE
43	BS	91	ARG
44	BT	6	GLN
44	BT	14	VAL
44	BT	21	ARG
44	BT	89	HIS
44	BT	95	ASP
45	BU	13	SER
46	BV	3	ARG
46	BV	30	ILE
46	BV	49	LYS
46	BV	51	PHE
46	BV	58	VAL
46	BV	70	HIS
46	BV	79	ASP
46	BV	89	GLU
46	BV	91	GLN
47	BW	14	THR
47	BW	21	ARG
47	BW	46	LYS
47	BW	69	VAL

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
47	BW	97	SER
48	BX	9	ARG
48	BX	35	GLU
48	BX	53	LYS
49	BY	37	VAL
49	BY	39	GLN
50	BZ	7	THR
50	BZ	32	LEU
50	BZ	58	ILE
50	BZ	71	ARG
51	B0	39	GLN
51	B0	53	VAL
52	B1	6	ILE
52	B1	35	VAL
53	B2	1	MET
53	B2	12	ILE
53	B2	25	ARG
53	B2	38	SER
53	B2	43	PHE
54	B3	29	VAL
54	B3	31	LYS
54	B3	35	GLU
54	B3	37	HIS
54	B3	54	ILE
55	B4	21	THR
56	B5	41	ARG
57	B6	1	PRO
57	B6	4	LYS
57	B6	12	ARG
57	B6	15	LYS
57	B6	22	LYS
57	B6	39	ARG
58	B7	8	LYS
58	B7	17	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

### 5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	AA	1538/1542 (99%)	291 (18%)	99 (6%)
2	AB	74/76 (97%)	23 (31%)	6 (8%)
25	BA	119/120 (99%)	16 (13%)	10 (8%)
26	BB	2898/2904 (99%)	544 (18%)	186 (6%)
3	AC	46/47 (97%)	18 (39%)	6 (13%)
4	AD	76/77 (98%)	17 (22%)	4 (5%)
All	All	4751/4766 (99%)	909 (19%)	311 (6%)

All (909) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	AA	8	A
1	AA	32	A
1	AA	36	C
1	AA	47	C
1	AA	48	C
1	AA	49	U
1	AA	52	C
1	AA	53	A
1	AA	54	C
1	AA	60	A
1	AA	61	G
1	AA	83	C
1	AA	87	C
1	AA	98	A
1	AA	108	G
1	AA	122	G
1	AA	123	U
1	AA	129	A
1	AA	153	C
1	AA	164	G
1	AA	166	U
1	AA	171	A
1	AA	174	A
1	AA	182	A
1	AA	184	G
1	AA	188	C
1	AA	189	A
1	AA	197	A
1	AA	198	G
1	AA	200	G
1	AA	204	G
1	AA	209	U

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	AA	210	C
1	AA	212	G
1	AA	225	C
1	AA	228	A
1	AA	229	U
1	AA	244	U
1	AA	245	U
1	AA	247	G
1	AA	251	G
1	AA	252	U
1	AA	262	A
1	AA	266	G
1	AA	267	C
1	AA	272	C
1	AA	280	C
1	AA	289	G
1	AA	293	G
1	AA	306	A
1	AA	307	C
1	AA	308	C
1	AA	316	C
1	AA	317	U
1	AA	319	G
1	AA	328	C
1	AA	329	A
1	AA	332	G
1	AA	344	A
1	AA	352	C
1	AA	353	A
1	AA	354	G
1	AA	365	U
1	AA	367	U
1	AA	372	C
1	AA	373	A
1	AA	374	A
1	AA	381	C
1	AA	382	A
1	AA	384	G
1	AA	389	A
1	AA	390	U
1	AA	392	C
1	AA	395	C

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	AA	398	U
1	AA	406	G
1	AA	411	A
1	AA	413	G
1	AA	415	A
1	AA	429	U
1	AA	444	G
1	AA	463	U
1	AA	464	U
1	AA	467	U
1	AA	468	A
1	AA	479	U
1	AA	481	G
1	AA	482	A
1	AA	485	U
1	AA	486	U
1	AA	496	A
1	AA	497	G
1	AA	498	A
1	AA	505	G
1	AA	508	U
1	AA	510	A
1	AA	518	C
1	AA	528	C
1	AA	532	A
1	AA	533	A
1	AA	534	U
1	AA	547	A
1	AA	552	U
1	AA	553	A
1	AA	562	U
1	AA	566	G
1	AA	572	A
1	AA	573	A
1	AA	575	G
1	AA	576	C
1	AA	577	G
1	AA	578	C
1	AA	583	A
1	AA	588	G
1	AA	615	G
1	AA	631	C

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	AA	633	G
1	AA	636	U
1	AA	642	A
1	AA	650	G
1	AA	653	U
1	AA	654	G
1	AA	687	A
1	AA	688	G
1	AA	695	A
1	AA	702	A
1	AA	704	A
1	AA	718	A
1	AA	719	C
1	AA	720	C
1	AA	721	G
1	AA	724	G
1	AA	729	A
1	AA	755	G
1	AA	760	G
1	AA	765	G
1	AA	766	A
1	AA	777	A
1	AA	783	C
1	AA	789	U
1	AA	790	A
1	AA	791	G
1	AA	793	U
1	AA	805	C
1	AA	810	C
1	AA	812	G
1	AA	816	A
1	AA	817	C
1	AA	819	A
1	AA	821	G
1	AA	828	U
1	AA	829	G
1	AA	840	C
1	AA	841	C
1	AA	842	U
1	AA	844	G
1	AA	845	A
1	AA	846	G

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	AA	853	C
1	AA	870	U
1	AA	873	A
1	AA	874	G
1	AA	876	C
1	AA	890	G
1	AA	899	C
1	AA	900	A
1	AA	910	C
1	AA	914	A
1	AA	926	G
1	AA	927	G
1	AA	935	A
1	AA	938	A
1	AA	939	G
1	AA	945	G
1	AA	960	U
1	AA	961	U
1	AA	962	C
1	AA	968	A
1	AA	969	A
1	AA	973	G
1	AA	974	A
1	AA	975	A
1	AA	977	A
1	AA	978	A
1	AA	980	C
1	AA	981	U
1	AA	984	C
1	AA	992	U
1	AA	993	G
1	AA	994	A
1	AA	995	C
1	AA	1004	A
1	AA	1006	G
1	AA	1014	A
1	AA	1015	G
1	AA	1026	G
1	AA	1028	C
1	AA	1030	U
1	AA	1032	G
1	AA	1049	U

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	AA	1050	G
1	AA	1064	G
1	AA	1065	U
1	AA	1081	A
1	AA	1092	A
1	AA	1093	A
1	AA	1094	G
1	AA	1095	U
1	AA	1101	A
1	AA	1118	U
1	AA	1135	U
1	AA	1137	C
1	AA	1148	U
1	AA	1149	C
1	AA	1152	A
1	AA	1154	G
1	AA	1159	U
1	AA	1168	U
1	AA	1181	G
1	AA	1182	G
1	AA	1183	U
1	AA	1190	G
1	AA	1197	A
1	AA	1198	G
1	AA	1200	C
1	AA	1201	A
1	AA	1202	U
1	AA	1208	C
1	AA	1212	U
1	AA	1214	C
1	AA	1215	G
1	AA	1223	C
1	AA	1224	U
1	AA	1226	C
1	AA	1227	A
1	AA	1238	A
1	AA	1240	U
1	AA	1241	G
1	AA	1250	A
1	AA	1254	A
1	AA	1256	A
1	AA	1257	A

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	AA	1264	U
1	AA	1270	G
1	AA	1278	G
1	AA	1280	A
1	AA	1286	U
1	AA	1290	G
1	AA	1297	G
1	AA	1300	G
1	AA	1301	U
1	AA	1303	C
1	AA	1305	G
1	AA	1315	U
1	AA	1317	C
1	AA	1318	A
1	AA	1319	A
1	AA	1322	C
1	AA	1323	G
1	AA	1340	A
1	AA	1345	U
1	AA	1346	A
1	AA	1347	G
1	AA	1348	U
1	AA	1360	A
1	AA	1368	A
1	AA	1378	C
1	AA	1397	C
1	AA	1398	A
1	AA	1401	G
1	AA	1431	A
1	AA	1432	G
1	AA	1437	A
1	AA	1446	A
1	AA	1448	C
1	AA	1452	C
1	AA	1453	G
1	AA	1454	G
1	AA	1490	U
1	AA	1492	A
1	AA	1493	A
1	AA	1494	G
1	AA	1502	A
1	AA	1503	A

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	AA	1506	U
1	AA	1529	G
1	AA	1530	G
1	AA	1531	A
1	AA	1537	U
1	AA	1539	C
1	AA	1540	U
2	AB	8	4SU
2	AB	9	A
2	AB	10	G
2	AB	11	U
2	AB	17	H2U
2	AB	20	H2U
2	AB	23	A
2	AB	24	G
2	AB	34	C
2	AB	35	C
2	AB	36	A
2	AB	46	7MG
2	AB	47	U
2	AB	48	U
2	AB	49	G
2	AB	58	A
2	AB	59	G
2	AB	60	U
2	AB	61	C
2	AB	65	C
2	AB	73	G
2	AB	74	C
2	AB	75	C
3	AC	17	U
3	AC	18	A
3	AC	19	A
3	AC	20	G
3	AC	21	U
3	AC	22	G
3	AC	23	C
3	AC	25	U
3	AC	29	G
3	AC	30	U
3	AC	34	U
3	AC	40	G

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
3	AC	41	A
3	AC	42	U
3	AC	44	U
3	AC	45	G
3	AC	48	C
3	AC	52	U
4	AD	8	4SU
4	AD	9	G
4	AD	10	G
4	AD	17	C
4	AD	18	U
4	AD	19	G
4	AD	20	G
4	AD	21	H2U
4	AD	22	A
4	AD	38	A
4	AD	47	A
4	AD	48	U
4	AD	49	C
4	AD	50	G
4	AD	74	A
4	AD	75	C
4	AD	76	C
25	BA	9	G
25	BA	13	G
25	BA	25	U
25	BA	26	C
25	BA	35	C
25	BA	41	G
25	BA	42	C
25	BA	44	G
25	BA	51	G
25	BA	58	A
25	BA	66	A
25	BA	67	G
25	BA	73	A
25	BA	88	C
25	BA	90	C
25	BA	99	A
26	BB	14	A
26	BB	18	U
26	BB	30	G

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
26	BB	34	U
26	BB	35	G
26	BB	42	A
26	BB	43	G
26	BB	45	G
26	BB	46	G
26	BB	49	A
26	BB	50	U
26	BB	71	A
26	BB	75	G
26	BB	85	G
26	BB	91	A
26	BB	92	U
26	BB	95	A
26	BB	98	G
26	BB	101	A
26	BB	102	U
26	BB	103	A
26	BB	113	U
26	BB	115	C
26	BB	119	A
26	BB	120	U
26	BB	128	C
26	BB	140	C
26	BB	194	G
26	BB	196	A
26	BB	197	A
26	BB	199	A
26	BB	204	A
26	BB	205	G
26	BB	215	G
26	BB	216	A
26	BB	218	A
26	BB	222	A
26	BB	224	U
26	BB	225	C
26	BB	232	G
26	BB	242	G
26	BB	243	U
26	BB	248	G
26	BB	250	G
26	BB	255	A

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
26	BB	265	A
26	BB	266	G
26	BB	267	C
26	BB	271	G
26	BB	277	G
26	BB	295	G
26	BB	311	A
26	BB	330	A
26	BB	332	A
26	BB	333	G
26	BB	338	G
26	BB	367	G
26	BB	370	G
26	BB	371	A
26	BB	372	G
26	BB	386	G
26	BB	387	U
26	BB	388	G
26	BB	391	A
26	BB	396	G
26	BB	404	A
26	BB	405	U
26	BB	406	G
26	BB	411	G
26	BB	418	C
26	BB	424	G
26	BB	431	U
26	BB	436	C
26	BB	443	A
26	BB	444	C
26	BB	447	A
26	BB	451	U
26	BB	452	G
26	BB	453	A
26	BB	454	A
26	BB	456	C
26	BB	464	U
26	BB	472	A
26	BB	479	A
26	BB	480	A
26	BB	481	G
26	BB	484	C

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
26	BB	489	G
26	BB	504	A
26	BB	505	A
26	BB	508	A
26	BB	509	C
26	BB	527	C
26	BB	532	A
26	BB	545	U
26	BB	546	U
26	BB	547	A
26	BB	550	C
26	BB	562	U
26	BB	563	A
26	BB	568	U
26	BB	569	U
26	BB	570	G
26	BB	573	U
26	BB	574	A
26	BB	575	A
26	BB	603	A
26	BB	604	G
26	BB	612	G
26	BB	613	A
26	BB	614	A
26	BB	615	U
26	BB	621	A
26	BB	626	A
26	BB	627	A
26	BB	635	C
26	BB	637	A
26	BB	643	A
26	BB	644	A
26	BB	645	C
26	BB	646	U
26	BB	654	A
26	BB	655	A
26	BB	671	C
26	BB	675	A
26	BB	686	U
26	BB	696	G
26	BB	715	A
26	BB	716	A

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
26	BB	718	A
26	BB	719	C
26	BB	728	G
26	BB	730	A
26	BB	732	C
26	BB	736	C
26	BB	746	PSU
26	BB	747	5MU
26	BB	748	G
26	BB	752	A
26	BB	753	A
26	BB	758	C
26	BB	763	G
26	BB	764	A
26	BB	775	G
26	BB	776	G
26	BB	777	G
26	BB	782	A
26	BB	784	G
26	BB	786	C
26	BB	789	A
26	BB	793	A
26	BB	802	A
26	BB	805	G
26	BB	806	C
26	BB	812	C
26	BB	846	U
26	BB	847	U
26	BB	848	C
26	BB	859	G
26	BB	870	U
26	BB	889	C
26	BB	894	U
26	BB	896	A
26	BB	897	C
26	BB	901	C
26	BB	910	A
26	BB	915	C
26	BB	925	A
26	BB	932	U
26	BB	933	A
26	BB	938	G

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
26	BB	941	A
26	BB	945	A
26	BB	946	C
26	BB	961	C
26	BB	973	A
26	BB	974	G
26	BB	975	A
26	BB	980	A
26	BB	981	A
26	BB	983	A
26	BB	985	C
26	BB	986	C
26	BB	990	A
26	BB	995	C
26	BB	996	A
26	BB	1002	G
26	BB	1003	G
26	BB	1005	C
26	BB	1008	A
26	BB	1010	A
26	BB	1013	C
26	BB	1022	G
26	BB	1025	G
26	BB	1026	G
26	BB	1044	C
26	BB	1048	A
26	BB	1052	C
26	BB	1060	U
26	BB	1061	U
26	BB	1062	G
26	BB	1068	G
26	BB	1069	A
26	BB	1070	A
26	BB	1073	A
26	BB	1079	C
26	BB	1081	U
26	BB	1083	U
26	BB	1084	A
26	BB	1085	A
26	BB	1087	G
26	BB	1094	U
26	BB	1098	A

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
26	BB	1104	C
26	BB	1109	C
26	BB	1110	G
26	BB	1112	G
26	BB	1123	C
26	BB	1128	G
26	BB	1129	A
26	BB	1130	U
26	BB	1132	U
26	BB	1134	A
26	BB	1135	C
26	BB	1143	A
26	BB	1158	C
26	BB	1173	U
26	BB	1177	G
26	BB	1184	U
26	BB	1204	A
26	BB	1205	A
26	BB	1211	C
26	BB	1236	G
26	BB	1237	A
26	BB	1238	G
26	BB	1239	G
26	BB	1241	A
26	BB	1253	A
26	BB	1254	A
26	BB	1255	U
26	BB	1256	G
26	BB	1266	G
26	BB	1272	A
26	BB	1273	U
26	BB	1274	A
26	BB	1283	G
26	BB	1284	A
26	BB	1300	G
26	BB	1301	A
26	BB	1302	A
26	BB	1303	G
26	BB	1307	A
26	BB	1308	A
26	BB	1318	U
26	BB	1321	A

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
26	BB	1323	C
26	BB	1329	U
26	BB	1341	G
26	BB	1342	A
26	BB	1349	C
26	BB	1354	A
26	BB	1362	C
26	BB	1363	C
26	BB	1365	A
26	BB	1368	G
26	BB	1378	A
26	BB	1379	U
26	BB	1383	A
26	BB	1384	A
26	BB	1385	A
26	BB	1386	C
26	BB	1391	U
26	BB	1392	A
26	BB	1395	A
26	BB	1396	U
26	BB	1416	G
26	BB	1417	C
26	BB	1420	A
26	BB	1421	G
26	BB	1455	G
26	BB	1458	U
26	BB	1459	G
26	BB	1460	U
26	BB	1461	C
26	BB	1482	G
26	BB	1490	A
26	BB	1494	A
26	BB	1509	A
26	BB	1514	G
26	BB	1515	A
26	BB	1522	A
26	BB	1523	U
26	BB	1524	G
26	BB	1552	A
26	BB	1558	C
26	BB	1565	C
26	BB	1566	A

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
26	BB	1567	G
26	BB	1568	G
26	BB	1569	A
26	BB	1578	U
26	BB	1584	U
26	BB	1585	C
26	BB	1608	A
26	BB	1610	A
26	BB	1612	C
26	BB	1616	A
26	BB	1617	C
26	BB	1635	A
26	BB	1636	U
26	BB	1646	C
26	BB	1648	U
26	BB	1654	A
26	BB	1669	A
26	BB	1674	G
26	BB	1675	C
26	BB	1676	A
26	BB	1679	A
26	BB	1713	A
26	BB	1715	G
26	BB	1724	G
26	BB	1730	C
26	BB	1758	U
26	BB	1761	C
26	BB	1762	A
26	BB	1763	G
26	BB	1764	C
26	BB	1773	A
26	BB	1782	U
26	BB	1786	A
26	BB	1787	A
26	BB	1800	C
26	BB	1808	A
26	BB	1809	A
26	BB	1815	A
26	BB	1825	U
26	BB	1830	C
26	BB	1831	G
26	BB	1833	C

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
26	BB	1851	U
26	BB	1873	G
26	BB	1899	A
26	BB	1901	A
26	BB	1912	A
26	BB	1913	A
26	BB	1914	C
26	BB	1928	A
26	BB	1930	G
26	BB	1938	A
26	BB	1941	C
26	BB	1944	U
26	BB	1945	G
26	BB	1952	A
26	BB	1954	G
26	BB	1955	U
26	BB	1963	U
26	BB	1964	G
26	BB	1965	C
26	BB	1968	G
26	BB	1970	A
26	BB	1971	U
26	BB	1972	G
26	BB	1982	U
26	BB	1993	U
26	BB	1996	C
26	BB	1997	C
26	BB	2004	G
26	BB	2012	G
26	BB	2020	A
26	BB	2021	C
26	BB	2022	U
26	BB	2023	C
26	BB	2031	A
26	BB	2034	U
26	BB	2040	G
26	BB	2043	C
26	BB	2055	C
26	BB	2056	G
26	BB	2059	A
26	BB	2061	G
26	BB	2069	7MG

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
26	BB	2077	A
26	BB	2084	C
26	BB	2095	A
26	BB	2107	G
26	BB	2111	U
26	BB	2112	G
26	BB	2118	U
26	BB	2127	G
26	BB	2128	G
26	BB	2130	U
26	BB	2131	U
26	BB	2132	U
26	BB	2133	G
26	BB	2134	A
26	BB	2137	U
26	BB	2143	C
26	BB	2148	G
26	BB	2154	A
26	BB	2157	G
26	BB	2158	A
26	BB	2162	G
26	BB	2163	A
26	BB	2198	A
26	BB	2199	A
26	BB	2203	U
26	BB	2204	G
26	BB	2211	A
26	BB	2212	A
26	BB	2213	U
26	BB	2214	C
26	BB	2215	C
26	BB	2224	G
26	BB	2225	A
26	BB	2237	G
26	BB	2238	G
26	BB	2239	G
26	BB	2246	G
26	BB	2249	U
26	BB	2250	G
26	BB	2254	C
26	BB	2266	A
26	BB	2270	A

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
26	BB	2272	U
26	BB	2282	G
26	BB	2283	C
26	BB	2287	A
26	BB	2288	A
26	BB	2306	C
26	BB	2307	G
26	BB	2312	U
26	BB	2321	U
26	BB	2322	A
26	BB	2325	G
26	BB	2335	A
26	BB	2336	A
26	BB	2337	G
26	BB	2340	A
26	BB	2345	G
26	BB	2346	A
26	BB	2347	C
26	BB	2350	C
26	BB	2354	C
26	BB	2358	A
26	BB	2383	G
26	BB	2385	C
26	BB	2389	G
26	BB	2390	U
26	BB	2402	U
26	BB	2403	C
26	BB	2406	A
26	BB	2407	A
26	BB	2411	A
26	BB	2426	A
26	BB	2427	C
26	BB	2428	G
26	BB	2429	G
26	BB	2432	A
26	BB	2433	A
26	BB	2435	A
26	BB	2439	A
26	BB	2440	C
26	BB	2441	U
26	BB	2448	A
26	BB	2449	H2U

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
26	BB	2450	A
26	BB	2472	G
26	BB	2476	A
26	BB	2478	A
26	BB	2486	C
26	BB	2491	U
26	BB	2494	G
26	BB	2501	C
26	BB	2502	G
26	BB	2504	PSU
26	BB	2505	G
26	BB	2515	C
26	BB	2516	A
26	BB	2518	A
26	BB	2519	U
26	BB	2530	A
26	BB	2547	A
26	BB	2566	A
26	BB	2567	G
26	BB	2572	A
26	BB	2573	C
26	BB	2585	U
26	BB	2586	U
26	BB	2587	A
26	BB	2599	G
26	BB	2606	C
26	BB	2613	U
26	BB	2616	C
26	BB	2628	C
26	BB	2629	U
26	BB	2639	A
26	BB	2654	A
26	BB	2655	G
26	BB	2656	U
26	BB	2664	G
26	BB	2685	G
26	BB	2689	U
26	BB	2690	U
26	BB	2714	G
26	BB	2737	G
26	BB	2739	U
26	BB	2742	G

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
26	BB	2744	G
26	BB	2757	A
26	BB	2765	A
26	BB	2766	A
26	BB	2769	U
26	BB	2771	C
26	BB	2774	C
26	BB	2777	G
26	BB	2778	A
26	BB	2779	U
26	BB	2782	G
26	BB	2791	G
26	BB	2798	U
26	BB	2800	A
26	BB	2807	U
26	BB	2821	A
26	BB	2823	A
26	BB	2824	C
26	BB	2825	G
26	BB	2832	U
26	BB	2833	U
26	BB	2842	G
26	BB	2849	U
26	BB	2858	C
26	BB	2859	G
26	BB	2861	U
26	BB	2864	G
26	BB	2868	A
26	BB	2873	A
26	BB	2879	A
26	BB	2880	C
26	BB	2883	A
26	BB	2886	A
26	BB	2889	C
26	BB	2893	A
26	BB	2895	G
26	BB	2903	U

All (311) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	AA	5	U

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	AA	7	A
1	AA	32	A
1	AA	37	U
1	AA	39	G
1	AA	48	C
1	AA	51	A
1	AA	128	G
1	AA	129	A
1	AA	164	G
1	AA	173	U
1	AA	178	C
1	AA	181	A
1	AA	187	G
1	AA	188	C
1	AA	206	C
1	AA	224	U
1	AA	243	A
1	AA	244	U
1	AA	251	G
1	AA	272	C
1	AA	279	A
1	AA	306	A
1	AA	328	C
1	AA	366	A
1	AA	372	C
1	AA	373	A
1	AA	410	G
1	AA	422	C
1	AA	429	U
1	AA	481	G
1	AA	485	U
1	AA	497	G
1	AA	509	A
1	AA	533	A
1	AA	552	U
1	AA	582	C
1	AA	653	U
1	AA	682	G
1	AA	700	G
1	AA	717	U
1	AA	719	C
1	AA	730	G

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	AA	764	C
1	AA	765	G
1	AA	775	G
1	AA	782	A
1	AA	790	A
1	AA	792	A
1	AA	815	A
1	AA	816	A
1	AA	820	U
1	AA	840	C
1	AA	870	U
1	AA	872	A
1	AA	897	C
1	AA	899	C
1	AA	926	G
1	AA	931	C
1	AA	937	A
1	AA	944	G
1	AA	952	U
1	AA	960	U
1	AA	968	A
1	AA	974	A
1	AA	977	A
1	AA	992	U
1	AA	993	G
1	AA	1004	A
1	AA	1014	A
1	AA	1028	C
1	AA	1029	U
1	AA	1092	A
1	AA	1101	A
1	AA	1143	G
1	AA	1167	A
1	AA	1182	G
1	AA	1192	C
1	AA	1201	A
1	AA	1211	U
1	AA	1213	A
1	AA	1214	C
1	AA	1226	C
1	AA	1253	G
1	AA	1256	A

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	AA	1286	U
1	AA	1289	A
1	AA	1302	C
1	AA	1310	G
1	AA	1313	U
1	AA	1322	C
1	AA	1329	A
1	AA	1335	U
1	AA	1346	A
1	AA	1347	G
1	AA	1394	A
1	AA	1491	G
1	AA	1502	A
1	AA	1536	C
2	AB	9	A
2	AB	34	C
2	AB	47	U
2	AB	58	A
2	AB	59	G
2	AB	74	C
3	AC	17	U
3	AC	22	G
3	AC	29	G
3	AC	39	U
3	AC	40	G
3	AC	52	U
4	AD	9	G
4	AD	22	A
4	AD	75	C
4	AD	76	C
25	BA	25	U
25	BA	34	A
25	BA	35	C
25	BA	41	G
25	BA	42	C
25	BA	44	G
25	BA	57	A
25	BA	66	A
25	BA	87	U
25	BA	106	G
26	BB	13	A
26	BB	34	U

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
26	BB	49	A
26	BB	53	A
26	BB	57	C
26	BB	63	A
26	BB	69	C
26	BB	71	A
26	BB	91	A
26	BB	94	A
26	BB	99	U
26	BB	114	U
26	BB	140	C
26	BB	196	A
26	BB	199	A
26	BB	228	C
26	BB	231	A
26	BB	241	A
26	BB	242	G
26	BB	265	A
26	BB	294	A
26	BB	332	A
26	BB	387	U
26	BB	428	A
26	BB	443	A
26	BB	451	U
26	BB	452	G
26	BB	453	A
26	BB	463	G
26	BB	479	A
26	BB	545	U
26	BB	546	U
26	BB	561	G
26	BB	568	U
26	BB	569	U
26	BB	574	A
26	BB	575	A
26	BB	603	A
26	BB	611	C
26	BB	620	G
26	BB	626	A
26	BB	628	G
26	BB	635	C
26	BB	671	C

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
26	BB	689	A
26	BB	714	U
26	BB	715	A
26	BB	776	G
26	BB	805	G
26	BB	847	U
26	BB	870	U
26	BB	900	A
26	BB	928	A
26	BB	945	A
26	BB	974	G
26	BB	982	C
26	BB	992	C
26	BB	1012	U
26	BB	1035	U
26	BB	1040	A
26	BB	1043	C
26	BB	1061	U
26	BB	1069	A
26	BB	1083	U
26	BB	1115	G
26	BB	1129	A
26	BB	1130	U
26	BB	1133	A
26	BB	1134	A
26	BB	1135	C
26	BB	1142	A
26	BB	1155	A
26	BB	1157	G
26	BB	1200	C
26	BB	1210	G
26	BB	1239	G
26	BB	1254	A
26	BB	1284	A
26	BB	1288	G
26	BB	1329	U
26	BB	1341	G
26	BB	1349	C
26	BB	1351	C
26	BB	1383	A
26	BB	1386	C
26	BB	1391	U

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
26	BB	1395	A
26	BB	1451	C
26	BB	1458	U
26	BB	1460	U
26	BB	1476	U
26	BB	1493	C
26	BB	1567	G
26	BB	1608	A
26	BB	1616	A
26	BB	1626	A
26	BB	1634	A
26	BB	1640	A
26	BB	1675	C
26	BB	1677	A
26	BB	1693	U
26	BB	1715	G
26	BB	1717	A
26	BB	1723	G
26	BB	1759	A
26	BB	1762	A
26	BB	1778	U
26	BB	1784	A
26	BB	1786	A
26	BB	1807	G
26	BB	1828	G
26	BB	1882	U
26	BB	1912	A
26	BB	1927	A
26	BB	1939	5MU
26	BB	1940	U
26	BB	1944	U
26	BB	1951	U
26	BB	1955	U
26	BB	2019	A
26	BB	2020	A
26	BB	2021	C
26	BB	2031	A
26	BB	2068	U
26	BB	2079	U
26	BB	2092	U
26	BB	2106	U
26	BB	2111	U

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
26	BB	2112	G
26	BB	2118	U
26	BB	2133	G
26	BB	2162	G
26	BB	2178	C
26	BB	2198	A
26	BB	2213	U
26	BB	2223	G
26	BB	2225	A
26	BB	2236	U
26	BB	2238	G
26	BB	2249	U
26	BB	2253	G
26	BB	2272	U
26	BB	2282	G
26	BB	2287	A
26	BB	2321	U
26	BB	2336	A
26	BB	2385	C
26	BB	2402	U
26	BB	2406	A
26	BB	2425	A
26	BB	2432	A
26	BB	2434	A
26	BB	2439	A
26	BB	2440	C
26	BB	2452	C
26	BB	2515	C
26	BB	2554	U
26	BB	2567	G
26	BB	2571	U
26	BB	2581	G
26	BB	2588	G
26	BB	2602	A
26	BB	2610	C
26	BB	2613	U
26	BB	2616	C
26	BB	2628	C
26	BB	2655	G
26	BB	2663	G
26	BB	2670	A
26	BB	2756	U

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type
26	BB	2763	G
26	BB	2765	A
26	BB	2771	C
26	BB	2777	G
26	BB	2781	A
26	BB	2791	G
26	BB	2798	U
26	BB	2802	G
26	BB	2806	C
26	BB	2808	G
26	BB	2820	A
26	BB	2835	A
26	BB	2842	G
26	BB	2858	C
26	BB	2861	U
26	BB	2879	A

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

49 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	H2U	AB	17	2	18,21,22	1.42	2 (11%)	21,30,33	2.16	5 (23%)
26	5MC	BB	1962	26	18,22,23	1.10	2 (11%)	26,32,35	1.52	3 (11%)
26	CH	BB	2575	26	16,21,22	1.85	5 (31%)	20,30,33	1.80	5 (25%)
26	OMU	BB	2552	26	19,22,23	1.35	3 (15%)	26,31,34	2.28	11 (42%)
26	6MZ	BB	1618	26	18,25,26	1.78	6 (33%)	16,36,39	1.68	3 (18%)
26	PSU	BB	1911	26	18,21,22	1.80	4 (22%)	22,30,33	1.22	2 (9%)
4	OMC	AD	33	4	19,22,23	0.91	0	26,31,34	1.83	5 (19%)
1	5MC	AA	967	1	18,22,23	1.39	3 (16%)	26,32,35	1.86	5 (19%)
1	2MG	AA	1516	1	18,26,27	2.24	10 (55%)	16,38,41	1.33	3 (18%)
4	4SU	AD	8	4	18,21,22	2.10	5 (27%)	26,30,33	1.68	7 (26%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	5MU	AD	55	4	19,22,23	1.46	2 (10%)	28,32,35	1.88	7 (25%)
26	2MG	BB	2445	26	18,26,27	1.92	4 (22%)	16,38,41	1.23	1 (6%)
1	MA6	AA	1519	1	18,26,27	1.56	4 (22%)	19,38,41	1.50	4 (21%)
1	7MG	AA	527	1	22,26,27	4.77	4 (18%)	29,39,42	1.96	7 (24%)
1	MA6	AA	1518	1	18,26,27	1.36	2 (11%)	19,38,41	1.60	5 (26%)
26	PSU	BB	2504	26	18,21,22	1.85	4 (22%)	22,30,33	1.65	5 (22%)
26	PSU	BB	2605	26	18,21,22	1.98	5 (27%)	22,30,33	2.36	7 (31%)
2	H2U	AB	20	2	18,21,22	1.56	4 (22%)	21,30,33	1.87	7 (33%)
2	5MU	AB	54	2	19,22,23	1.56	4 (21%)	28,32,35	1.93	9 (32%)
2	7MG	AB	46	2	22,26,27	5.32	4 (18%)	29,39,42	1.92	4 (13%)
26	5MU	BB	1939	26	19,22,23	1.54	5 (26%)	28,32,35	2.02	8 (28%)
26	2MG	BB	1835	26	18,26,27	1.45	3 (16%)	16,38,41	1.66	5 (31%)
26	OMG	BB	2251	26	18,26,27	1.70	4 (22%)	19,38,41	1.43	2 (10%)
2	MIA	AB	37	2	24,31,32	2.36	9 (37%)	26,44,47	2.16	6 (23%)
1	5MC	AA	1407	1	18,22,23	1.27	1 (5%)	26,32,35	1.67	10 (38%)
26	PSU	BB	955	26	18,21,22	1.78	5 (27%)	22,30,33	1.70	6 (27%)
26	PSU	BB	1917	26	18,21,22	1.98	2 (11%)	22,30,33	1.77	5 (22%)
26	2MA	BB	2503	26	17,25,26	1.93	4 (23%)	17,37,40	1.26	2 (11%)
2	OMC	AB	32	2	19,22,23	1.20	2 (10%)	26,31,34	1.31	4 (15%)
1	UR3	AA	1498	1	19,22,23	1.26	3 (15%)	26,32,35	1.27	3 (11%)
26	1MG	BB	745	26	18,26,27	1.62	4 (22%)	19,39,42	1.84	6 (31%)
1	2MG	AA	966	1	18,26,27	1.16	1 (5%)	16,38,41	1.00	0
1	4OC	AA	1402	1	20,23,24	1.29	2 (10%)	26,32,35	1.12	2 (7%)
26	7MG	BB	2069	26	22,26,27	3.61	6 (27%)	29,39,42	1.82	4 (13%)
2	PSU	AB	55	2	18,21,22	1.53	3 (16%)	22,30,33	1.39	4 (18%)
4	PSU	AD	56	4	18,21,22	1.48	3 (16%)	22,30,33	1.31	1 (4%)
26	PSU	BB	2580	26	18,21,22	2.07	7 (38%)	22,30,33	1.95	6 (27%)
2	4SU	AB	8	2	18,21,22	1.37	3 (16%)	26,30,33	1.66	6 (23%)
26	3TD	BB	1915	26	18,22,23	1.32	2 (11%)	22,32,35	1.20	2 (9%)
26	PSU	BB	2457	26	18,21,22	2.10	5 (27%)	22,30,33	1.70	4 (18%)
2	H2U	AB	16	2	18,21,22	1.22	2 (11%)	21,30,33	2.19	9 (42%)
26	6MZ	BB	2030	26	18,25,26	1.48	4 (22%)	16,36,39	1.76	3 (18%)
1	PSU	AA	516	1	18,21,22	1.99	7 (38%)	22,30,33	3.00	13 (59%)
26	PSU	BB	746	26	18,21,22	1.90	6 (33%)	22,30,33	1.28	3 (13%)
26	H2U	BB	2449	26	18,21,22	1.51	2 (11%)	21,30,33	1.85	5 (23%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
26	OMC	BB	2498	26	19,22,23	1.21	2 (10%)	26,31,34	1.64	5 (19%)
26	5MU	BB	747	26	19,22,23	1.58	4 (21%)	28,32,35	2.85	8 (28%)
4	H2U	AD	21	4	18,21,22	1.57	2 (11%)	21,30,33	1.55	5 (23%)
1	2MG	AA	1207	1	18,26,27	1.67	5 (27%)	16,38,41	2.04	5 (31%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	H2U	AB	17	2	-	1/7/38/39	0/2/2/2
26	5MC	BB	1962	26	-	1/7/25/26	0/2/2/2
26	CH	BB	2575	26	-	0/5/25/26	0/2/2/2
26	OMU	BB	2552	26	-	0/9/27/28	0/2/2/2
26	6MZ	BB	1618	26	-	0/5/27/28	0/3/3/3
26	PSU	BB	1911	26	-	1/7/25/26	0/2/2/2
4	OMC	AD	33	4	-	0/9/27/28	0/2/2/2
1	5MC	AA	967	1	-	0/7/25/26	0/2/2/2
1	2MG	AA	1516	1	-	0/5/27/28	0/3/3/3
4	4SU	AD	8	4	-	0/7/25/26	0/2/2/2
4	5MU	AD	55	4	-	0/7/25/26	0/2/2/2
26	2MG	BB	2445	26	-	0/5/27/28	0/3/3/3
1	MA6	AA	1519	1	-	0/7/29/30	0/3/3/3
1	7MG	AA	527	1	-	1/7/37/38	0/3/3/3
1	MA6	AA	1518	1	-	0/7/29/30	0/3/3/3
26	PSU	BB	2504	26	-	0/7/25/26	0/2/2/2
26	PSU	BB	2605	26	-	3/7/25/26	0/2/2/2
2	H2U	AB	20	2	-	2/7/38/39	0/2/2/2
2	5MU	AB	54	2	-	0/7/25/26	0/2/2/2
2	7MG	AB	46	2	-	2/7/37/38	0/3/3/3
26	5MU	BB	1939	26	-	0/7/25/26	0/2/2/2
26	2MG	BB	1835	26	-	0/5/27/28	0/3/3/3
26	OMG	BB	2251	26	-	0/5/27/28	0/3/3/3
2	MIA	AB	37	2	-	2/11/33/34	0/3/3/3
1	5MC	AA	1407	1	-	0/7/25/26	0/2/2/2
26	PSU	BB	955	26	-	0/7/25/26	0/2/2/2
26	PSU	BB	1917	26	-	1/7/25/26	0/2/2/2
26	2MA	BB	2503	26	-	0/3/25/26	0/3/3/3
2	OMC	AB	32	2	-	0/9/27/28	0/2/2/2
1	UR3	AA	1498	1	-	0/7/25/26	0/2/2/2

Continued on next page...

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
26	1MG	BB	745	26	-	0/3/25/26	0/3/3/3
1	2MG	AA	966	1	-	0/5/27/28	0/3/3/3
1	4OC	AA	1402	1	-	0/9/29/30	0/2/2/2
26	7MG	BB	2069	26	-	0/7/37/38	0/3/3/3
2	PSU	AB	55	2	-	2/7/25/26	0/2/2/2
4	PSU	AD	56	4	-	0/7/25/26	0/2/2/2
26	PSU	BB	2580	26	-	0/7/25/26	0/2/2/2
2	4SU	AB	8	2	-	5/7/25/26	0/2/2/2
26	3TD	BB	1915	26	-	0/7/25/26	0/2/2/2
26	PSU	BB	2457	26	-	0/7/25/26	0/2/2/2
2	H2U	AB	16	2	-	0/7/38/39	0/2/2/2
26	6MZ	BB	2030	26	-	0/5/27/28	0/3/3/3
1	PSU	AA	516	1	-	4/7/25/26	0/2/2/2
26	PSU	BB	746	26	-	1/7/25/26	0/2/2/2
26	H2U	BB	2449	26	-	0/7/38/39	0/2/2/2
26	OMC	BB	2498	26	-	0/9/27/28	0/2/2/2
26	5MU	BB	747	26	-	0/7/25/26	0/2/2/2
4	H2U	AD	21	4	-	3/7/38/39	0/2/2/2
1	2MG	AA	1207	1	-	0/5/27/28	0/3/3/3

All (185) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	AB	46	7MG	C8-N9	-24.11	1.32	1.46
1	AA	527	7MG	C8-N9	-21.69	1.33	1.46
26	BB	2069	7MG	C8-N9	-15.54	1.37	1.46
2	AB	37	MIA	C2-S10	-8.16	1.68	1.75
26	BB	1917	PSU	C2-N1	7.04	1.46	1.36
4	AD	8	4SU	C5-C4	-6.22	1.34	1.42
26	BB	2503	2MA	C2'-C1'	-5.74	1.45	1.53
26	BB	2457	PSU	C2-N1	5.72	1.44	1.36
26	BB	2504	PSU	C6-C5	5.32	1.41	1.35
26	BB	2445	2MG	C6-N1	5.15	1.45	1.37
26	BB	2580	PSU	C2-N1	4.76	1.43	1.36
1	AA	1516	2MG	O4'-C1'	4.65	1.47	1.41
26	BB	955	PSU	C2-N1	4.40	1.42	1.36
26	BB	746	PSU	C2'-C1'	-4.40	1.48	1.53
26	BB	2605	PSU	C2-N3	4.16	1.44	1.37
26	BB	2251	OMG	O4'-C4'	-3.97	1.36	1.45
26	BB	2449	H2U	O4'-C4'	-3.95	1.36	1.45
1	AA	1516	2MG	CM2-N2	3.92	1.52	1.45

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	AD	8	4SU	C4-N3	3.92	1.41	1.37
4	AD	21	H2U	C2-N3	-3.89	1.31	1.38
26	BB	2445	2MG	O4'-C1'	-3.87	1.35	1.41
1	AA	516	PSU	O5'-C5'	-3.86	1.35	1.44
26	BB	2580	PSU	C1'-C5	3.84	1.59	1.50
4	AD	21	H2U	C4-N3	-3.61	1.31	1.37
26	BB	1835	2MG	C8-N7	-3.60	1.28	1.35
26	BB	1915	3TD	C1'-C5	3.58	1.58	1.50
1	AA	1519	MA6	C8-N7	-3.54	1.28	1.34
26	BB	2575	CH	C6-N1	3.54	1.44	1.36
26	BB	2504	PSU	O4'-C1'	3.54	1.48	1.43
26	BB	2251	OMG	C8-N7	-3.53	1.29	1.35
1	AA	967	5MC	C3'-C4'	3.48	1.61	1.53
26	BB	1618	6MZ	O4'-C1'	3.46	1.45	1.41
26	BB	1911	PSU	O5'-C5'	-3.40	1.36	1.44
2	AB	37	MIA	C2-N1	3.37	1.39	1.34
1	AA	1207	2MG	C5-C6	-3.36	1.40	1.47
2	AB	17	H2U	O2'-C2'	-3.36	1.35	1.43
1	AA	1518	MA6	C2-N3	3.34	1.37	1.32
26	BB	2069	7MG	C2-N1	3.34	1.45	1.37
26	BB	1618	6MZ	C2'-C1'	-3.33	1.48	1.53
4	AD	56	PSU	C2-N1	-3.33	1.32	1.36
2	AB	54	5MU	C2-N1	3.31	1.43	1.38
2	AB	17	H2U	C5-C4	3.25	1.57	1.50
26	BB	2605	PSU	O4'-C1'	-3.25	1.39	1.43
26	BB	2445	2MG	C5-C4	-3.22	1.34	1.43
26	BB	2605	PSU	O4'-C4'	-3.21	1.37	1.45
2	AB	54	5MU	C3'-C2'	3.20	1.62	1.53
1	AA	1516	2MG	C5-C6	-3.16	1.41	1.47
1	AA	1516	2MG	C2'-C1'	-3.15	1.49	1.53
1	AA	966	2MG	C2'-C1'	3.13	1.58	1.53
26	BB	2457	PSU	O4'-C1'	3.13	1.48	1.43
26	BB	2575	CH	C5-C4	3.13	1.44	1.39
1	AA	1207	2MG	C8-N7	-3.12	1.29	1.35
26	BB	1911	PSU	C2-N1	3.09	1.40	1.36
26	BB	1618	6MZ	C2-N3	3.09	1.37	1.32
1	AA	516	PSU	O4'-C1'	-3.08	1.39	1.43
26	BB	745	1MG	O6-C6	3.07	1.28	1.22
26	BB	745	1MG	C5-C4	-3.05	1.35	1.43
26	BB	746	PSU	C4-C5	3.04	1.52	1.44
26	BB	2575	CH	O2'-C2'	3.04	1.50	1.43
26	BB	1939	5MU	C5M-C5	3.03	1.58	1.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	516	PSU	C1'-C5	3.01	1.57	1.50
26	BB	2552	OMU	C2-N1	3.00	1.43	1.38
26	BB	2575	CH	O5'-C5'	-3.00	1.37	1.44
1	AA	516	PSU	O2'-C2'	-2.97	1.36	1.43
26	BB	2605	PSU	C1'-C5	2.94	1.57	1.50
26	BB	1835	2MG	O5'-C5'	-2.93	1.37	1.44
26	BB	2605	PSU	C4-N3	2.92	1.44	1.38
26	BB	2069	7MG	C5-N7	2.90	1.39	1.35
2	AB	8	4SU	C1'-N1	2.89	1.55	1.47
26	BB	2449	H2U	C1'-N1	2.88	1.52	1.46
2	AB	55	PSU	C2-N1	2.86	1.40	1.36
26	BB	2457	PSU	C6-N1	2.86	1.41	1.36
2	AB	20	H2U	C6-C5	2.86	1.59	1.52
1	AA	527	7MG	O3'-C3'	2.85	1.49	1.43
26	BB	2552	OMU	O4'-C1'	-2.84	1.35	1.42
26	BB	955	PSU	C2'-C1'	-2.81	1.50	1.53
2	AB	55	PSU	C1'-C5	2.80	1.56	1.50
26	BB	2457	PSU	C2-N3	2.80	1.42	1.37
1	AA	1519	MA6	C10-N6	2.79	1.52	1.45
2	AB	32	OMC	C2-N1	2.78	1.46	1.40
1	AA	1402	4OC	C3'-C4'	2.78	1.60	1.53
26	BB	1618	6MZ	C3'-C2'	-2.76	1.45	1.53
4	AD	55	5MU	O4'-C4'	-2.74	1.38	1.45
2	AB	37	MIA	C3'-C4'	-2.74	1.46	1.53
26	BB	955	PSU	O3'-C3'	-2.72	1.36	1.43
26	BB	1911	PSU	O4'-C1'	2.70	1.47	1.43
1	AA	516	PSU	C6-N1	2.69	1.40	1.36
2	AB	37	MIA	O4'-C4'	-2.69	1.39	1.45
1	AA	967	5MC	C5'-C4'	2.69	1.60	1.51
4	AD	55	5MU	O2'-C2'	-2.68	1.36	1.43
26	BB	2457	PSU	C4-N3	2.66	1.43	1.38
2	AB	54	5MU	O4'-C4'	-2.66	1.39	1.45
26	BB	747	5MU	C2-N3	2.65	1.42	1.38
2	AB	16	H2U	C3'-C4'	2.65	1.59	1.53
1	AA	516	PSU	C2-N1	2.63	1.40	1.36
2	AB	46	7MG	C5-N7	2.63	1.38	1.35
1	AA	1519	MA6	C6-N1	2.62	1.36	1.33
26	BB	747	5MU	C4-C5	-2.61	1.40	1.44
2	AB	16	H2U	O5'-C5'	-2.61	1.38	1.44
26	BB	1939	5MU	C2-N1	2.61	1.42	1.38
2	AB	37	MIA	C8-N7	-2.60	1.30	1.34
2	AB	37	MIA	C13-C14	2.60	1.39	1.32

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1917	PSU	C6-N1	2.59	1.40	1.36
26	BB	1962	5MC	C2'-C3'	-2.57	1.46	1.53
26	BB	746	PSU	O2-C2	-2.55	1.18	1.23
26	BB	2504	PSU	C2-N1	2.55	1.40	1.36
1	AA	967	5MC	O4'-C4'	-2.51	1.39	1.45
26	BB	2030	6MZ	C6-N1	2.50	1.37	1.34
1	AA	1402	4OC	O2-C2	-2.50	1.19	1.23
26	BB	1962	5MC	O5'-C5'	-2.49	1.38	1.44
1	AA	1207	2MG	O6-C6	-2.49	1.18	1.23
1	AA	1407	5MC	CM5-C5	2.48	1.56	1.50
2	AB	37	MIA	C4-N3	2.48	1.39	1.35
26	BB	746	PSU	O4'-C1'	2.46	1.47	1.43
26	BB	2445	2MG	C2-N1	2.43	1.40	1.36
1	AA	1519	MA6	C2'-C1'	-2.42	1.50	1.53
26	BB	745	1MG	C5-C6	-2.42	1.40	1.47
4	AD	56	PSU	O4-C4	-2.41	1.19	1.23
2	AB	46	7MG	O4'-C4'	-2.40	1.39	1.45
26	BB	1911	PSU	C6-C5	2.39	1.38	1.35
4	AD	8	4SU	C5'-C4'	2.38	1.59	1.51
2	AB	37	MIA	C2'-C1'	2.38	1.57	1.53
26	BB	955	PSU	C1'-C5	2.37	1.55	1.50
2	AB	20	H2U	C2-N3	-2.36	1.33	1.38
1	AA	1498	UR3	C2-N3	2.36	1.43	1.39
26	BB	2030	6MZ	O4'-C4'	-2.35	1.39	1.45
1	AA	1516	2MG	C8-N7	-2.35	1.31	1.35
2	AB	46	7MG	O2'-C2'	2.35	1.48	1.43
26	BB	2580	PSU	C4-C5	2.35	1.50	1.44
26	BB	2503	2MA	O4'-C4'	-2.33	1.39	1.45
1	AA	1498	UR3	C5'-C4'	2.32	1.58	1.51
26	BB	1915	3TD	C3'-C2'	-2.32	1.47	1.53
26	BB	2069	7MG	O3'-C3'	-2.32	1.37	1.43
26	BB	2498	OMC	C5'-C4'	2.31	1.58	1.51
26	BB	2504	PSU	O4'-C4'	-2.31	1.39	1.45
4	AD	8	4SU	C1'-N1	2.30	1.54	1.47
26	BB	2069	7MG	O5'-C5'	-2.30	1.39	1.44
26	BB	2030	6MZ	C4-N3	-2.30	1.32	1.35
2	AB	55	PSU	C6-C5	2.29	1.38	1.35
1	AA	1516	2MG	O2'-C2'	-2.28	1.37	1.43
26	BB	747	5MU	C3'-C2'	2.28	1.59	1.53
26	BB	1618	6MZ	C6-N1	2.28	1.37	1.34
4	AD	8	4SU	O4'-C4'	2.27	1.50	1.45
26	BB	1618	6MZ	C8-N7	-2.26	1.30	1.34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2580	PSU	C2'-C1'	-2.26	1.50	1.53
26	BB	955	PSU	O4'-C4'	-2.26	1.39	1.45
1	AA	527	7MG	C5-N7	2.26	1.38	1.35
1	AA	1516	2MG	C5-C4	-2.25	1.37	1.43
1	AA	1207	2MG	O4'-C1'	-2.25	1.37	1.41
26	BB	2251	OMG	C5-C4	-2.24	1.37	1.43
26	BB	745	1MG	O4'-C4'	-2.24	1.40	1.45
26	BB	1939	5MU	O2-C2	-2.22	1.19	1.23
1	AA	527	7MG	C2-N3	2.22	1.38	1.33
2	AB	20	H2U	C5'-C4'	2.22	1.58	1.51
26	BB	2030	6MZ	O3'-C3'	2.20	1.48	1.43
2	AB	54	5MU	C1'-N1	2.19	1.53	1.47
26	BB	2552	OMU	O5'-C5'	-2.19	1.39	1.44
2	AB	37	MIA	C6-N1	2.17	1.35	1.32
4	AD	56	PSU	O2'-C2'	2.17	1.48	1.43
26	BB	2503	2MA	C6-N6	2.16	1.37	1.28
26	BB	2069	7MG	C6-N1	2.16	1.42	1.38
2	AB	20	H2U	O4'-C1'	2.16	1.47	1.42
1	AA	1498	UR3	C3'-C4'	2.14	1.58	1.53
26	BB	2498	OMC	C1'-N1	2.14	1.53	1.47
2	AB	8	4SU	C2-N3	2.14	1.41	1.38
26	BB	2575	CH	C5'-C4'	2.13	1.58	1.51
26	BB	2503	2MA	C5-C4	-2.13	1.37	1.43
1	AA	1518	MA6	C5'-C4'	2.11	1.58	1.51
26	BB	2580	PSU	C3'-C4'	-2.11	1.47	1.53
26	BB	1939	5MU	C6-N1	2.11	1.41	1.38
26	BB	746	PSU	O4'-C4'	-2.11	1.40	1.45
2	AB	8	4SU	C2-N1	2.11	1.41	1.38
26	BB	1835	2MG	O4'-C1'	2.08	1.44	1.41
26	BB	2251	OMG	O3'-C3'	2.06	1.47	1.43
26	BB	2580	PSU	O4'-C4'	-2.06	1.40	1.45
2	AB	32	OMC	O4'-C4'	2.05	1.49	1.45
26	BB	747	5MU	C2'-C1'	2.05	1.60	1.53
26	BB	746	PSU	C4-N3	2.04	1.42	1.38
1	AA	1516	2MG	O5'-C5'	-2.04	1.39	1.44
1	AA	1516	2MG	C5'-C4'	2.03	1.57	1.51
26	BB	2580	PSU	O5'-C5'	-2.02	1.39	1.44
26	BB	1939	5MU	C2-N3	2.02	1.41	1.38
1	AA	1207	2MG	C2'-C1'	-2.01	1.50	1.53
1	AA	516	PSU	C2-N3	2.01	1.40	1.37
1	AA	1516	2MG	C2-N2	2.00	1.37	1.33

All (247) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	747	5MU	C6-C5-C4	9.28	125.79	118.03
1	AA	516	PSU	C6-C5-C4	8.98	124.48	118.20
26	BB	2605	PSU	C6-C5-C4	8.50	124.14	118.20
26	BB	2069	7MG	N9-C8-N7	7.05	113.46	103.38
26	BB	747	5MU	C5M-C5-C6	-7.05	113.44	122.85
2	AB	46	7MG	N9-C8-N7	6.45	112.61	103.38
1	AA	527	7MG	N9-C8-N7	5.90	111.81	103.38
2	AB	17	H2U	N3-C2-N1	5.86	122.85	116.65
2	AB	37	MIA	C2-N3-C4	-5.85	107.25	115.32
26	BB	1917	PSU	C3'-C2'-C1'	5.57	108.13	101.64
26	BB	747	5MU	C5-C6-N1	-5.52	117.66	123.34
1	AA	516	PSU	C3'-C2'-C1'	5.42	107.95	101.64
26	BB	2552	OMU	N3-C2-N1	5.32	121.95	114.89
4	AD	33	OMC	O2-C2-N3	-5.28	113.75	122.33
4	AD	55	5MU	C6-C5-C4	5.13	122.32	118.03
2	AB	37	MIA	C11-S10-C2	5.01	106.01	102.27
2	AB	54	5MU	C6-C5-C4	5.01	122.22	118.03
2	AB	16	H2U	C4-N3-C2	-4.97	121.67	125.79
1	AA	967	5MC	C5-C6-N1	-4.96	118.23	123.34
26	BB	1618	6MZ	C9-N6-C6	4.87	127.07	122.87
26	BB	2580	PSU	C6-N1-C2	4.81	127.60	122.68
26	BB	1939	5MU	C5M-C5-C6	-4.77	116.48	122.85
26	BB	2030	6MZ	C9-N6-C6	4.66	126.88	122.87
1	AA	967	5MC	CM5-C5-C6	-4.63	116.66	122.85
26	BB	1939	5MU	C6-C5-C4	4.50	121.80	118.03
1	AA	527	7MG	C6-C5-N7	4.47	138.94	131.91
1	AA	1207	2MG	C2'-C3'-C4'	-4.43	94.03	102.64
26	BB	745	1MG	C3'-C2'-C1'	4.43	107.64	100.98
26	BB	1939	5MU	C5-C6-N1	-4.41	118.80	123.34
2	AB	46	7MG	C2'-C3'-C4'	-4.38	94.14	102.64
26	BB	955	PSU	C3'-C2'-C1'	4.33	106.68	101.64
26	BB	2580	PSU	N1-C2-N3	-4.30	110.25	115.13
26	BB	2552	OMU	C4-N3-C2	-4.29	120.92	126.58
2	AB	37	MIA	C5-C6-N1	-4.27	117.26	120.81
2	AB	20	H2U	C4-N3-C2	4.16	129.24	125.79
26	BB	2575	CH	C4'-O4'-C1'	-4.02	106.03	109.85
4	AD	8	4SU	C6-N1-C2	-4.00	115.87	120.99
26	BB	1962	5MC	C6-N1-C2	-4.00	115.33	120.87
4	AD	55	5MU	O4-C4-C5	3.98	129.51	124.90
2	AB	17	H2U	O4-C4-N3	3.93	126.51	120.28
2	AB	16	H2U	C2'-C3'-C4'	-3.93	95.01	102.64
2	AB	8	4SU	C3'-C2'-C1'	3.93	108.88	101.43
4	AD	56	PSU	O2'-C2'-C1'	3.89	120.50	111.23

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1962	5MC	O4'-C1'-N1	3.88	117.24	108.36
26	BB	2449	H2U	C5-C4-N3	3.87	120.99	116.65
26	BB	2552	OMU	C3'-C2'-C1'	-3.77	95.80	102.89
1	AA	527	7MG	C5-C4-N9	3.75	111.22	106.35
26	BB	2457	PSU	C6-N1-C2	-3.74	118.86	122.68
26	BB	2449	H2U	O2-C2-N1	3.68	127.73	123.11
26	BB	2503	2MA	C5-C6-N1	3.66	120.34	114.02
4	AD	55	5MU	C5M-C5-C6	-3.59	118.05	122.85
26	BB	1939	5MU	C4-N3-C2	-3.59	122.71	127.35
4	AD	21	H2U	N3-C2-N1	3.59	120.44	116.65
2	AB	17	H2U	C4-N3-C2	-3.57	122.83	125.79
26	BB	746	PSU	C3'-C2'-C1'	3.56	105.78	101.64
26	BB	2498	OMC	O2-C2-N1	3.48	126.08	118.89
26	BB	1835	2MG	O6-C6-C5	3.47	131.16	124.37
26	BB	2449	H2U	O4'-C1'-N1	3.47	114.03	109.30
26	BB	747	5MU	O2-C2-N1	3.47	127.40	122.79
1	AA	1519	MA6	N1-C6-N6	3.46	120.70	117.06
1	AA	1498	UR3	O4'-C1'-N1	3.37	116.07	108.36
1	AA	516	PSU	C5-C6-N1	-3.36	117.08	122.11
2	AB	17	H2U	O2-C2-N3	-3.34	115.28	121.50
2	AB	16	H2U	O4'-C1'-N1	3.30	113.79	109.30
2	AB	55	PSU	C6-C5-C4	3.29	120.50	118.20
2	AB	46	7MG	C6-C5-N7	3.29	137.08	131.91
1	AA	516	PSU	O2-C2-N3	3.28	128.01	121.82
4	AD	33	OMC	C5-C4-N4	3.20	125.61	120.57
2	AB	54	5MU	C5M-C5-C6	-3.19	118.59	122.85
1	AA	516	PSU	N1-C2-N3	-3.18	111.53	115.13
26	BB	747	5MU	C2'-C3'-C4'	-3.18	96.47	102.64
26	BB	2504	PSU	C4'-O4'-C1'	-3.17	100.58	108.55
26	BB	2580	PSU	C5-C6-N1	-3.16	117.37	122.11
2	AB	37	MIA	C12-C13-C14	-3.15	121.00	127.14
26	BB	2575	CH	O4'-C1'-C2'	3.13	111.50	106.93
2	AB	20	H2U	O2-C2-N1	3.12	127.02	123.11
2	AB	16	H2U	N3-C2-N1	3.09	119.93	116.65
26	BB	1618	6MZ	C2-N1-C6	3.07	119.22	116.59
26	BB	1939	5MU	O3'-C3'-C4'	-3.03	102.27	111.05
1	AA	516	PSU	C2'-C3'-C4'	-3.03	96.75	102.64
26	BB	2552	OMU	C6-N1-C2	-3.02	117.13	120.99
4	AD	21	H2U	O4'-C4'-C5'	3.01	119.28	109.37
1	AA	1518	MA6	O2'-C2'-C1'	-3.00	99.77	110.85
1	AA	1498	UR3	C4-N3-C2	-2.99	121.75	124.56
26	BB	745	1MG	C2-N1-C6	2.99	123.38	120.95

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1207	2MG	C3'-C2'-C1'	2.96	105.44	100.98
4	AD	33	OMC	O2-C2-N1	2.95	124.98	118.89
26	BB	2605	PSU	O2'-C2'-C1'	-2.94	104.22	111.23
26	BB	745	1MG	C2'-C3'-C4'	-2.93	96.94	102.64
26	BB	2552	OMU	C2'-C1'-N1	-2.93	108.53	114.22
26	BB	2580	PSU	C2'-C3'-C4'	2.93	108.34	102.64
2	AB	32	OMC	O3'-C3'-C2'	2.91	119.42	111.17
26	BB	2498	OMC	O2-C2-N3	-2.90	117.62	122.33
26	BB	1917	PSU	C2'-C3'-C4'	-2.88	97.04	102.64
26	BB	1911	PSU	O4'-C1'-C2'	2.86	109.17	105.14
26	BB	1915	3TD	O4'-C4'-C5'	2.85	118.75	109.37
26	BB	2552	OMU	CM2-O2'-C2'	-2.85	107.06	114.52
26	BB	1917	PSU	O2'-C2'-C1'	-2.82	104.50	111.23
26	BB	955	PSU	C6-N1-C2	-2.81	119.81	122.68
2	AB	8	4SU	O4'-C1'-C2'	-2.80	100.53	106.64
26	BB	1917	PSU	C6-N1-C2	-2.80	119.82	122.68
2	AB	54	5MU	O4'-C4'-C3'	-2.78	99.62	105.11
26	BB	2552	OMU	O4'-C4'-C3'	-2.77	99.64	105.11
4	AD	55	5MU	O4-C4-N3	-2.74	114.87	120.12
26	BB	1911	PSU	C6-C5-C4	2.73	120.11	118.20
1	AA	1516	2MG	O6-C6-N1	-2.73	117.42	120.65
1	AA	1407	5MC	O3'-C3'-C2'	2.73	120.65	111.82
2	AB	54	5MU	O4-C4-C5	-2.71	121.76	124.90
1	AA	1402	4OC	CM4-N4-C4	2.69	127.72	122.45
1	AA	967	5MC	O2-C2-N3	-2.69	117.95	122.33
4	AD	8	4SU	C5-C6-N1	2.67	126.28	121.81
1	AA	1518	MA6	C3'-C2'-C1'	2.67	104.99	100.98
26	BB	2504	PSU	C6-C5-C4	2.66	120.06	118.20
26	BB	955	PSU	O4'-C4'-C3'	2.65	110.36	105.11
26	BB	2251	OMG	N2-C2-N3	2.64	124.87	119.74
26	BB	2251	OMG	O5'-C5'-C4'	2.63	117.96	108.99
26	BB	2498	OMC	C6-C5-C4	-2.63	113.25	117.50
26	BB	2445	2MG	O4'-C4'-C3'	-2.63	99.91	105.11
2	AB	20	H2U	O3'-C3'-C4'	2.62	118.64	111.05
2	AB	8	4SU	O4'-C4'-C3'	2.62	110.29	105.11
4	AD	8	4SU	C1'-N1-C2	2.61	122.29	117.57
1	AA	1407	5MC	O4'-C1'-C2'	-2.60	100.97	106.64
1	AA	1207	2MG	CM2-N2-C2	2.60	129.60	123.86
2	AB	54	5MU	O2-C2-N1	-2.59	119.34	122.79
4	AD	33	OMC	C6-C5-C4	2.58	121.67	117.50
26	BB	2580	PSU	O2-C2-N3	2.57	126.67	121.82
2	AB	55	PSU	O4'-C1'-C2'	2.56	108.76	105.14

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2069	7MG	O5'-C5'-C4'	2.56	117.71	108.99
2	AB	32	OMC	N1-C2-N3	-2.55	114.17	118.81
26	BB	2605	PSU	O2-C2-N3	2.55	126.61	121.82
2	AB	32	OMC	O4'-C1'-N1	2.53	114.15	108.36
26	BB	955	PSU	O3'-C3'-C4'	2.53	118.37	111.05
2	AB	20	H2U	C5'-C4'-C3'	-2.53	105.69	115.18
26	BB	747	5MU	O2-C2-N3	-2.53	116.79	121.50
4	AD	21	H2U	O2-C2-N3	-2.53	116.79	121.50
26	BB	2580	PSU	C6-C5-C4	2.50	119.95	118.20
2	AB	46	7MG	C6-C5-C4	-2.50	117.47	122.62
26	BB	2457	PSU	O2'-C2'-C1'	-2.50	105.27	111.23
2	AB	54	5MU	C2'-C1'-N1	-2.49	106.16	113.22
4	AD	33	OMC	C1'-N1-C6	2.49	126.27	120.84
2	AB	54	5MU	C5-C6-N1	-2.48	120.78	123.34
26	BB	2552	OMU	C5'-C4'-C3'	-2.48	105.88	115.18
1	AA	527	7MG	N9-C4-N3	-2.48	121.75	125.47
4	AD	55	5MU	C5-C6-N1	-2.48	120.79	123.34
1	AA	1407	5MC	O5'-C5'-C4'	2.47	117.39	108.99
26	BB	2552	OMU	O2-C2-N1	-2.47	119.51	122.79
26	BB	747	5MU	C4-N3-C2	-2.47	124.16	127.35
1	AA	516	PSU	O2-C2-N1	-2.46	120.08	122.79
1	AA	1516	2MG	O6-C6-C5	2.46	129.19	124.37
1	AA	1516	2MG	O3'-C3'-C2'	2.46	119.79	111.82
26	BB	955	PSU	O2-C2-N1	-2.45	120.10	122.79
26	BB	2575	CH	C6-N1-C2	-2.43	116.34	121.03
26	BB	2605	PSU	O2-C2-N1	-2.42	120.12	122.79
26	BB	2503	2MA	C3'-C2'-C1'	2.42	104.62	100.98
4	AD	8	4SU	C3'-C2'-C1'	2.42	106.02	101.43
1	AA	967	5MC	O4'-C1'-C2'	2.42	111.90	106.64
2	AB	16	H2U	C4'-O4'-C1'	-2.41	104.15	109.47
1	AA	1519	MA6	C3'-C2'-C1'	2.41	104.61	100.98
26	BB	2498	OMC	C5-C4-N3	2.41	125.42	121.33
26	BB	2069	7MG	O4'-C4'-C3'	-2.39	100.38	105.11
1	AA	516	PSU	C4-N3-C2	2.39	129.78	126.34
1	AA	516	PSU	C5-C4-N3	-2.39	111.18	116.58
4	AD	55	5MU	C4-N3-C2	-2.39	124.26	127.35
4	AD	55	5MU	O4'-C4'-C3'	-2.39	100.39	105.11
1	AA	516	PSU	O4'-C4'-C3'	2.38	109.83	105.11
1	AA	1407	5MC	O2-C2-N3	-2.37	118.47	122.33
26	BB	2504	PSU	C5-C6-N1	-2.36	118.58	122.11
2	AB	20	H2U	C4'-O4'-C1'	-2.35	104.28	109.47
2	AB	55	PSU	C6-N1-C2	-2.35	120.28	122.68

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	745	1MG	CM1-N1-C6	-2.35	114.33	117.55
1	AA	1518	MA6	O3'-C3'-C2'	2.34	119.40	111.82
26	BB	1917	PSU	C6-C5-C4	2.34	119.83	118.20
26	BB	745	1MG	O4'-C1'-C2'	-2.34	103.51	106.93
26	BB	2069	7MG	O4'-C1'-N9	2.34	112.48	109.30
4	AD	8	4SU	O4'-C1'-N1	2.33	113.70	108.36
26	BB	746	PSU	C2'-C3'-C4'	2.33	107.18	102.64
26	BB	747	5MU	O4-C4-C5	2.33	127.60	124.90
26	BB	2575	CH	O4'-C4'-C5'	2.33	117.02	109.37
1	AA	516	PSU	O4-C4-C5	2.32	130.14	124.05
26	BB	2504	PSU	C2'-C3'-C4'	-2.32	98.13	102.64
26	BB	745	1MG	O5'-C5'-C4'	2.32	116.89	108.99
26	BB	2457	PSU	C6-C5-C4	2.32	119.82	118.20
2	AB	55	PSU	O4'-C4'-C5'	2.32	117.00	109.37
1	AA	527	7MG	C4-C5-N7	-2.32	102.32	105.53
1	AA	1518	MA6	O2'-C2'-C3'	2.31	119.29	111.82
26	BB	1835	2MG	CM2-N2-C2	2.31	128.97	123.86
2	AB	8	4SU	O3'-C3'-C4'	2.30	117.71	111.05
1	AA	1407	5MC	O2-C2-N1	2.30	123.64	118.89
2	AB	20	H2U	O2'-C2'-C1'	2.30	117.71	110.02
26	BB	955	PSU	C2'-C3'-C4'	-2.30	98.18	102.64
26	BB	2030	6MZ	O5'-C5'-C4'	2.28	116.76	108.99
26	BB	2449	H2U	O2'-C2'-C1'	2.28	117.65	110.02
2	AB	16	H2U	C3'-C2'-C1'	-2.28	97.09	101.43
1	AA	1519	MA6	C9-N6-C6	2.28	126.42	119.51
1	AA	1207	2MG	C8-N7-C5	2.28	107.33	102.99
4	AD	21	H2U	O4-C4-N3	2.28	123.89	120.28
1	AA	1207	2MG	O2'-C2'-C1'	-2.27	102.46	110.85
26	BB	1915	3TD	C5'-C4'-C3'	-2.27	106.67	115.18
1	AA	1402	4OC	C1'-N1-C6	2.25	125.74	120.84
26	BB	1618	6MZ	C4-C5-N7	2.25	111.74	109.40
2	AB	17	H2U	C5-C4-N3	-2.24	114.13	116.65
26	BB	1939	5MU	C5-C4-N3	2.24	117.22	115.31
1	AA	527	7MG	O4'-C4'-C3'	2.23	109.53	105.11
26	BB	2449	H2U	N3-C2-N1	-2.22	114.30	116.65
26	BB	1962	5MC	C1'-N1-C2	2.22	123.37	118.42
1	AA	516	PSU	O2'-C2'-C1'	-2.22	105.94	111.23
4	AD	8	4SU	O3'-C3'-C4'	-2.21	104.65	111.05
1	AA	1407	5MC	C1'-N1-C6	2.20	124.79	121.12
1	AA	1407	5MC	C5-C4-N4	-2.19	118.20	121.48
2	AB	54	5MU	O4-C4-N3	2.19	124.31	120.12
2	AB	8	4SU	C2'-C3'-C4'	-2.18	98.40	102.64

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1518	MA6	N3-C2-N1	-2.18	125.28	128.68
2	AB	16	H2U	O2-C2-N3	-2.17	117.46	121.50
2	AB	20	H2U	O2-C2-N3	-2.16	117.48	121.50
2	AB	8	4SU	O2-C2-N1	-2.13	119.96	122.79
26	BB	2457	PSU	O4'-C4'-C5'	2.13	116.37	109.37
4	AD	21	H2U	O4'-C1'-N1	-2.12	106.41	109.30
26	BB	746	PSU	C6-N1-C2	2.11	124.84	122.68
26	BB	2030	6MZ	C4-C5-N7	2.11	111.60	109.40
2	AB	37	MIA	O3'-C3'-C2'	-2.11	104.99	111.82
1	AA	1519	MA6	O3'-C3'-C4'	2.11	117.15	111.05
26	BB	2605	PSU	C5-C4-N3	-2.11	111.81	116.58
1	AA	967	5MC	N4-C4-N3	-2.11	114.63	118.48
1	AA	1407	5MC	O4'-C1'-N1	2.11	113.18	108.36
1	AA	1498	UR3	O3'-C3'-C2'	-2.10	105.02	111.82
26	BB	2552	OMU	C1'-N1-C6	2.10	125.42	120.84
1	AA	1407	5MC	C3'-C2'-C1'	2.10	105.41	101.43
2	AB	16	H2U	O4'-C4'-C3'	-2.09	100.97	105.11
2	AB	54	5MU	C3'-C2'-C1'	-2.09	97.45	101.43
26	BB	2605	PSU	N1-C2-N3	-2.09	112.77	115.13
26	BB	2552	OMU	O4'-C1'-C2'	2.07	110.21	106.57
2	AB	37	MIA	C4-C5-N7	-2.07	107.24	109.40
26	BB	1835	2MG	O6-C6-N1	-2.07	118.20	120.65
26	BB	1939	5MU	O4-C4-C5	-2.06	122.52	124.90
2	AB	32	OMC	O2-C2-N1	2.05	123.12	118.89
26	BB	1835	2MG	O3'-C3'-C4'	2.04	116.96	111.05
26	BB	2504	PSU	O2'-C2'-C1'	-2.04	106.36	111.23
26	BB	1939	5MU	C2'-C1'-N1	2.04	118.99	113.22
1	AA	1407	5MC	C2'-C3'-C4'	-2.04	98.69	102.64
26	BB	2498	OMC	C6-N1-C2	2.04	124.03	120.49
26	BB	1835	2MG	C5-C6-N1	-2.03	110.37	113.95
26	BB	2575	CH	O5'-C5'-C4'	2.02	115.88	108.99
4	AD	8	4SU	C5'-C4'-C3'	-2.02	107.63	115.18
2	AB	16	H2U	O5'-C5'-C4'	2.01	115.83	108.99
26	BB	2605	PSU	O4-C4-N3	2.01	123.96	120.12
1	AA	516	PSU	C6-N1-C2	2.01	124.73	122.68
1	AA	527	7MG	C6-C5-C4	-2.00	118.49	122.62

There are no chirality outliers.

All (29) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	AA	516	PSU	C2'-C1'-C5-C4

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
1	AA	516	PSU	C2'-C1'-C5-C6
2	AB	8	4SU	C2'-C1'-N1-C2
2	AB	8	4SU	C2'-C1'-N1-C6
26	BB	746	PSU	O4'-C1'-C5-C6
26	BB	2605	PSU	C2'-C1'-C5-C4
26	BB	2605	PSU	C2'-C1'-C5-C6
2	AB	46	7MG	C4'-C5'-O5'-P
2	AB	20	H2U	O4'-C4'-C5'-O5'
1	AA	527	7MG	C4'-C5'-O5'-P
2	AB	8	4SU	C4'-C5'-O5'-P
2	AB	8	4SU	O4'-C1'-N1-C6
2	AB	37	MIA	O4'-C4'-C5'-O5'
26	BB	1962	5MC	O4'-C1'-N1-C6
2	AB	37	MIA	C3'-C4'-C5'-O5'
4	AD	21	H2U	O4'-C1'-N1-C2
1	AA	516	PSU	O4'-C1'-C5-C4
2	AB	55	PSU	O4'-C1'-C5-C4
2	AB	17	H2U	O4'-C4'-C5'-O5'
2	AB	20	H2U	C3'-C4'-C5'-O5'
4	AD	21	H2U	C2'-C1'-N1-C2
1	AA	516	PSU	O4'-C1'-C5-C6
2	AB	55	PSU	O4'-C1'-C5-C6
26	BB	1911	PSU	O4'-C1'-C5-C6
26	BB	1917	PSU	O4'-C1'-C5-C6
26	BB	2605	PSU	O4'-C1'-C5-C6
2	AB	8	4SU	O4'-C1'-N1-C2
4	AD	21	H2U	C2'-C1'-N1-C6
2	AB	46	7MG	O4'-C4'-C5'-O5'

There are no ring outliers.

No monomer is involved in short contacts.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
59	TRP	AB	101	60,2	14,15,16	1.99	3 (21%)	13,20,22	2.27	5 (38%)
60	FME	BB	3001	59	8,9,10	1.23	2 (25%)	7,9,11	1.40	1 (14%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
59	TRP	AB	101	60,2	-	0/5/6/8	0/2/2/2
60	FME	BB	3001	59	-	2/7/9/11	-

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
59	AB	101	TRP	OXT-C	-5.01	1.21	1.42
59	AB	101	TRP	CH2-CZ2	3.05	1.43	1.36
59	AB	101	TRP	C-CA	2.83	1.57	1.52
60	BB	3001	FME	CB-CG	2.21	1.60	1.51
60	BB	3001	FME	CE-SD	2.14	1.91	1.78

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
59	AB	101	TRP	CH2-CZ3-CE3	4.81	127.18	120.44
59	AB	101	TRP	CZ3-CH2-CZ2	-3.88	115.00	120.44
59	AB	101	TRP	CE3-CD2-CE2	-2.82	114.43	118.17
59	AB	101	TRP	CZ2-CE2-CD2	2.30	124.96	120.76
59	AB	101	TRP	CD2-CE2-NE1	-2.04	103.39	107.92
60	BB	3001	FME	O1-CN-N	-2.03	119.94	125.27

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
60	BB	3001	FME	O1-CN-N-CA
60	BB	3001	FME	CB-CA-N-CN

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
26	BB	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	BB	2677:G	O3'	2678:C	P	1.76


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-5364. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

### 6.2 Central slices [i](#)


#### 6.2.1 Primary map



X Index: 125



Y Index: 125




Z Index: 125


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 130



Y Index: 130




Z Index: 114


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)


### 6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.1. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


## 6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 4913 nm<sup>3</sup>; this corresponds to an approximate mass of 4438 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum ⓘ



\*Reported resolution corresponds to spatial frequency of 0.074 Å<sup>-1</sup>


## 8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.


## 9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-5364 and PDB model 4V6P. Per-residue inclusion information can be found in section [3](#) on page [15](#).


### 9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.1 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.1).







































































## 9.4 Atom inclusion [i](#)



At the recommended contour level, 99% of all backbone atoms, 100% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary ⓘ














































The table lists the average atom inclusion at the recommended contour level (0.1) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9950	 0.0640
AA	 0.9990	 0.0780
AB	 0.9570	 0.0490
AC	 0.9190	 -0.0060
AD	 0.9460	 0.0460
AE	 0.9900	 0.0400
AF	 0.9990	 0.0530
AG	 1.0000	 0.0350
AH	 1.0000	 0.0530
AI	 0.9780	 0.0440
AJ	 1.0000	 0.0500
AK	 0.9960	 0.0360
AL	 0.9990	 0.0480
AM	 1.0000	 0.0260
AN	 1.0000	 0.0430
AO	 0.9910	 0.0130
AP	 1.0000	 0.0490
AQ	 1.0000	 0.0080
AR	 1.0000	 0.0430
AS	 1.0000	 0.0320
AT	 1.0000	 0.0420
AU	 1.0000	 0.0640
AV	 0.9560	 0.0190
AW	 1.0000	 0.0310
AX	 0.9840	 0.0110
B0	 1.0000	 0.0200
B1	 1.0000	 0.0440
B2	 0.9980	 0.0410
B3	 1.0000	 0.0340
B4	 1.0000	 0.0440
B5	 1.0000	 0.0120
B6	 1.0000	 -0.0200
B7	 1.0000	 0.0490
BA	 1.0000	 0.0900
BB	 0.9990	 0.0820



*Continued on next page...*

*Continued from previous page...*

Chain	Atom inclusion	Q-score
BC	 0.9240	 0.0270
BD	 1.0000	 0.0120
BE	 1.0000	 0.0220
BF	 1.0000	 0.0580
BG	 1.0000	 0.0490
BH	 1.0000	 0.0260
BI	 0.9260	 0.0230
BJ	 0.9490	 0.0530
BK	 0.9800	 0.0350
BL	 1.0000	 0.0110
BM	 0.9960	 0.0340
BN	 1.0000	 0.0120
BO	 1.0000	 0.0240
BP	 1.0000	 0.0150
BQ	 0.9980	 0.0620
BR	 0.9940	 0.0170
BS	 0.9920	 0.0070
BT	 1.0000	 0.0430
BU	 1.0000	 0.0100
BV	 1.0000	 0.0120
BW	 0.9940	 0.0540
BX	 1.0000	 0.0680
BY	 0.9810	 -0.0030
BZ	 1.0000	 0.0140