



wwPDB EM Validation Summary Report ⓘ

Apr 23, 2024 – 06:33 am BST

PDB ID : 6ZH6
EMDB ID : EMD-11215
Title : Cryo-EM structure of DNA-PKcs:Ku80ct194
Authors : Chaplin, A.K.; Hardwick, S.W.; Chirgadze, D.Y.; Blundell, T.L.
Deposited on : 2020-06-21
Resolution : 3.93 Å (reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev92
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.93 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	4156	
2	B	192	

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 29201 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DNA-dependent protein kinase catalytic subunit,DNA-PKcs.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	3692	29138	18697	4938	5311	192	0	0


- Molecule 2 is a protein called X-ray repair cross-complementing protein 5.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
2	B	13	63	37	13	13	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: DNA-dependent protein kinase catalytic subunit,DNA-PKCs



GLN	L2555	R2311	R2143	GLU	L1915	L1686	L1531	C1432	K1334	L1206	K1074
ILE	S2556	Y2312	L2146	GLN	I1916	H1687	L1538	A1433	C1335	W1207	G1077
ARG	L2557	K2313	A2147	ASP	C1919	G1690	L1538	A1433	T1336	V1211	M1084
ALA	L2563	E2314	R2148	PRO	Y1920	Q1691	A1541	Q1442	V1337	E1215	I1085
THR	L2563	V2315	K2148	ALA	F1923	A1692	GLY	D1444	R1340	L1095	Y1086
GLN	N2574	A2319	N2152	ASN	F1923	V1693	LEU	R1445	F1344	E1225	R1087
GLN	P2575	L2323	L2168	ASP	L1933	T1694	GLY	L1448	F1344	G1226	L1095
HIS	P2576	L2327	E2175	ASP	L1934	L1695	GLY	L1448	L1348	G1227	L1095
ASP	F2577	L2327	N2176	ASP	L1935	P1697	GLY	V1452	L1348	G1228	F1099
PHE	E2578	V2330	N2176	ASP	R1936	T1700	GLY	V1452	P1353	C1228	F1099
THR	E2579	V2330	H2183	PRO	R1936	T1700	GLY	V1452	P1353	C1228	F1099
LEU	P2580	V2330	H2183	GLU	L1939	T1700	GLY	V1452	P1353	C1228	F1099
THR	L2581	C2342	V2186	LEU	L1939	T1700	GLY	V1452	P1353	C1228	F1099
GLN	C2342	C2342	V2186	TYR	L1946	L1707	S1549	K1456	W1356	E1102	E1102
THR	E2343	E2343	V2186	MET	N1946	L1707	S1549	Q1457	W1356	A1103	A1103
ALA	L2344	L2344	L2189	SER	C1947	E1708	F1553	Q1457	K1361	L1236	L1236
ASP	E2588	V2345	I2189	SER	A1948	E1709	F1553	H1459	K1361	Q1238	Q1238
GLY	Y2589	A2346	V2190	LEU	I1949	L1710	T1566	H1459	M1365	Y1107	Y1107
ARG	D2594	K2347	V2190	SER	I1949	R1711	T1566	L1464	M1365	L1241	L1241
THR	S2466	K2347	I2193	LEU	S1950	T1828	M1568	L1464	M1365	L1242	L1242
SER	T2467	K2347	L2199	TYR	V1951	L1827	M1568	T1467	M1369	Y1243	Y1243
PHE	T2468	K2347	L2199	LEU	V1952	L1828	L1575	L1468	R1370	L1244	L1244
ASP	C2469	V2205	S2195	ALA	I1952	L1828	L1575	L1468	V1371	L1244	L1244
TRP	E2471	V2206	F1956	ASP	F1956	H1830	D1588	T1473	L1372	P1247	P1247
THR	Q2472	K2207	F1965	THR	F1965	H1830	M1589	D1474	E1378	L1260	L1260
THR	L2374	L2216	K1970	LEU	K1970	R1727	G1599	H1476	F1379	L1261	L1261
LEU	A2375	L2216	SER	SER	SER	R1727	G1599	H1476	F1379	L1261	L1261
SER	D2376	N2217	GLU	GLU	I1843	F1729	Q1611	V1479	F1384	L1146	L1146
THR	R2377	F2218	GLU	GLU	H1843	F1729	H1613	V1479	M1385	N1146	N1146
ASP	F2378	L2219	SER	MET	H1843	F1729	H1613	V1479	M1385	K1147	K1147
PRO	G2383	N2220	GLY	SER	A1847	T1733	Q1614	L1483	I1386	A1148	A1148
LEU	V2386	K2221	GLN	THR	I1848	P1734	Q1614	L1483	D1387	R1151	R1151
VAL	F2222	H2225	ASP	THR	D1849	P1734	K1617	L1486	G1387	R1152	R1152
GLN	F2224	F2225	PRO	THR	V1850	R1735	K1617	L1486	D1387	L1153	L1153
ALA	H2225	F2226	GLU	THR	L1851	N1738	T1621	Y1488	G1387	P1154	P1154
SER	F2226	K2227	GLU	THR	K1852	M1743	L1623	P1483	M1392	R1155	R1155
GLN	K2227	R2228	ASP	THR	F1863	K1744	M1632	R1497	L1395	G1196	G1196
THR	A2229	V2230	SER	THR	D1864	F1746	W1632	Q1498	P1396	F1157	F1157
LEU	V2230	V2230	VAL	THR	Q1866	L1747	A1634	C1499	C1399	L1163	L1163
GLN	Q2414	Y2253	TYR	THR	I1867	L1750	P1638	C1499	M1403	C1164	C1164
LEU	L2415	R2254	TYR	THR	K1869	L1750	L1639	L1500	M1403	L1165	L1165
ARG	L2510	L2255	SER	THR	K1870	Q1754	E1640	P1502	M1403	H1175	H1175
ALA	F2511	L2256	SER	THR	K1870	Q1754	E1640	L1503	M1403	GLY	GLY
GLN	D2512	K2418	GLN	THR	L1877	M1757	K1642	D1504	PHY	PHY	PHY
LYS	E2513	D2419	ASP	THR	D1878	M1757	K1642	D1504	PHY	PHY	PHY
SER	N2514	F2420	PRO	THR	V1879	L1766	L1648	S1506	Y1411	T1315	T1315
LEU	F2524	D2428	ARG	THR	M1880	L1766	L1648	S1506	K1412	G1316	G1316
ALA	P2532	R2431	ALA	THR	Y1881	Q1770	I1652	S1506	R1412	A1317	A1317
ARG	Q2432	R2431	ALA	THR	S1882	Q1771	L1653	S1506	I1414	A1318	A1318
LEU	K2433	K2433	GLY	THR	R1883	Q1771	L1653	S1506	L1415	C1183	C1183
THR	R2538	R2538	ARG	THR	L1884	E1775	E1670	S1512	H1418	G1319	G1319
PRO	L2542	L2542	PHE	THR	C1904	E1775	E1670	S1512	H1418	M1320	M1320
ALA	L2542	L2542	ARG	THR	K1913	F1778	T1673	F1521	E1421	R1321	R1321
PRO	L2542	L2542	ARG	THR	K1913	F1778	T1673	F1521	E1421	S1323	S1323
LEU	I2438	I2438	ARG	THR	T1914	I1785	Y1675	L1524	A1425	E1326	E1326
LEU	F2554	F2554	ARG	THR	L1914	I1785	Y1675	L1524	E1429	Y1380	Y1380

GLU
ALA
LYS
LYS
LYS
ASP
GLN
VAL
THR
ALA
GLN
GLU
ILE
PHE
GLN
ASN
HIS
GLU
ASP
GLY
PRO
THR
ALA
LYS
LYS
LEU
GLN
GLY
MET
GLY
ALA
HIS
PHE
ILE
ASP
SER
VAL
SER
SER

LEU
VAL
GLN
GLU
LYS
LYS
ALA
SER
PHE
GLU
GLU
ALA
SER
ASN
GLN
LEU
ASP
ILE
ASN
HIS
ILE
GLU
GLY
PRO
THR
TYR
PHE
MET
GLY
LYS
SER
ILE
PHE
ASP
CYS
ILE
ARG
SER
ALA
PHE
ARG
GLU
GLU
SER
VAL
THR
LYS
PHE
SER
GLU
VAL
GLN
ARG
PRO
PHE
THR
ASN
ASN
PHE
LEU
LEU
ARG
LYS

ALA
LEU
GLN
GLU
VAL
GLU
ILE
LYS
GLN
LEU
ASN
HIS
PHE
TRP
GLU
ILE
VAL
VAL
GLN
ASP
GLY
ILE
ILE
THR
LEU
ILE
THR
LYS
GLU
GLU
ALA
SER
GLY
SER
SER
VAL
THR
ALA
GLU
ALA
LYS
LYS
PHE
LEU
ALA
PRO
LYS
ASP
LYS
PRO
SER
GLY
ASP
THR
ALA
ALA
VAL
PHE

E720

D727
M731
I732

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	43995	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	54.49	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	0.504	Depositor
Minimum map value	-0.138	Depositor
Average map value	0.002	Depositor
Map value standard deviation	0.024	Depositor
Recommended contour level	0.125	Depositor
Map size (Å)	336.64, 336.64, 336.64	wwPDB
Map dimensions	320, 320, 320	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.052, 1.052, 1.052	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.27	0/29593	0.44	0/40028
2	B	0.25	0/62	0.36	0/84
All	All	0.27	0/29655	0.44	0/40112

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	29138	0	29130	658	0
2	B	63	0	27	1	0
All	All	29201	0	29157	659	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

The worst 5 of 659 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1175:HIS:HB3	1:A:1178:ARG:HH21	1.41	0.85
1:A:1396:PRO:HB3	1:A:1457:GLN:HE22	1.40	0.85

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1178:ARG:NH1	1:A:1183:CYS:SG	2.55	0.80
1:A:166:ILE:HG13	1:A:167:PRO:HD3	1.64	0.79
1:A:3169:PRO:HG3	1:A:3182:ILE:HD11	1.64	0.79

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	3630/4156 (87%)	3335 (92%)	292 (8%)	3 (0%)	51 83
2	B	11/192 (6%)	11 (100%)	0	0	100 100
All	All	3641/4348 (84%)	3346 (92%)	292 (8%)	3 (0%)	54 83

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	102	PRO
1	A	2787	HIS
1	A	101	ALA

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
-----	-------	----------	-----------	----------	-------------

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	3168/3671 (86%)	3150 (99%)	18 (1%)	86 91

5 of 18 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	3642	LYS
1	A	3864	ARG
1	A	3833	ARG
1	A	2090	ARG
1	A	3302	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 7 such sidechains are listed below:

Mol	Chain	Res	Type
1	A	2365	ASN
1	A	2799	GLN
1	A	3704	GLN
1	A	3664	ASN
1	A	1614	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	A	2

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	A	4128:MET	C	5009:UNK	N	96.24
1	A	5016:UNK	C	6004:UNK	N	50.57


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-11215. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 160




Y Index: 160



Z Index: 160


6.2.2 Raw map



X Index: 160



Y Index: 160




Z Index: 160


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 165




Y Index: 176




Z Index: 169


6.3.2 Raw map



X Index: 0



Y Index: 0




Z Index: 0


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)

6.4.1 Primary map




6.4.2 Raw map



The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.125. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 352 nm³; this corresponds to an approximate mass of 318 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)




*Reported resolution corresponds to spatial frequency of 0.254 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.254 Å⁻¹

8.2 Resolution estimates [i](#)

Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.93	-	-
Author-provided FSC curve	6.72	8.54	7.09
Unmasked-calculated*	6.66	8.45	7.02


*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from author-provided FSC intersecting FSC 0.143 CUT-OFF 6.72 differs from the reported value 3.93 by more than 10 %

The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 6.66 differs from the reported value 3.93 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-11215 and PDB model 6ZH6. Per-residue inclusion information can be found in section 3 on page 4.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.125 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.125).

9.4 Atom inclusion [i](#)



At the recommended contour level, 99% of all backbone atoms, 86% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary [i](#)

The table lists the average atom inclusion at the recommended contour level (0.125) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.8620	 0.3350
A	 0.8620	 0.3350
B	 0.9210	 0.3380

